

Hardware withdrawal: Select IBM Ultrium 8 12 TB Data Cartridge models and features from US only - Replacements available

Table of contents

- [1 Overview](#)
- [1 Withdrawn products](#)
- [9 Replacement product information](#)

Overview

Effective April 23, 2018, IBM^(R) will withdraw from marketing the following products. On or after the effective date of withdrawal, you can no longer order these products directly from IBM.

For new orders, the customer requested arrival date (CRAD) can be no later than April 27, 2018.

You can obtain the products on an as-available basis through IBM Business Partners.

If you have a continuing need for this machine/model type, go to the [IBM Certified Pre-owned Equipment](#) website to check on availability or utilize the request a quote to communicate your specific requirements. IBM Certified Pre-owned Equipment has the largest inventory of used IBM systems that are refurbished, tested, and warranted for a minimum of 90 days.

Withdrawn products

Description	Machine type	Model	Feature number
12 TB Ultrium™ 8 Tape Cartridge 20-pack Labeled	3589	552	
12 TB Ultrium 8 Tape Cartridge	3589	652	
TAA Compliance	3589	552, 652	0983
12 TB Ultrium 8 Tape Cart Labeled 20-pack	3589	552	5502
12 TB Ultrium 8 Tape Cartridge 20-pack	3589	652	6502
12 TB Ultrium 8 Tape Cartridge 5-pack	3589	652	6506
Jewel Case	3589	552, 652	8000
Alpha prefix bkgrd - red	3589	552	9003
Alpha prefix bkgrd - yellow	3589	552	9004
Alpha prefix bkgrd - lt green	3589	552	9005
Alpha prefix bkgrd - lt blue	3589	552	9006

Description	Machine type	Model	Feature number
Alpha prefix bkgrd - gray	3589	552	9007
Alpha prefix bkgrd - orange	3589	552	9008
Alpha prefix bkgrd - pink	3589	552	9009
Alpha prefix bkgrd - green	3589	552	9010
Alpha prefix bkgrd - lt orange	3589	552	9011
Alpha prefix bkgrd - purple	3589	552	9012
Label background: Color/Vibrant	3589	552	9022
Label bkgrd: White (no color)	3589	552	9077
Label Background: UniColor	3589	552	9097
1st char of VOLSER =0	3589	552	9100
1st char of VOLSER =1	3589	552	9101
1st char of VOLSER =2	3589	552	9102
1st char of VOLSER =3	3589	552	9103
1st char of VOLSER =4	3589	552	9104
1st char of VOLSER =5	3589	552	9105
1st char of VOLSER =6	3589	552	9106
1st char of VOLSER =7	3589	552	9107
1st char of VOLSER =8	3589	552	9108
1st char of VOLSER =9	3589	552	9109
1st char of VOLSER =A	3589	552	9110
1st char of VOLSER =B	3589	552	9111
1st char of VOLSER =C	3589	552	9112
1st char of VOLSER =D	3589	552	9113
1st char of VOLSER =E	3589	552	9114
1st char of VOLSER =F	3589	552	9115
1st char of VOLSER =G	3589	552	9116
1st char of VOLSER =H	3589	552	9117
1st char of VOLSER =I	3589	552	9118
1st char of VOLSER =J	3589	552	9119
1st char of VOLSER =K	3589	552	9120
1st char of VOLSER =L	3589	552	9121

Description	Machine type	Model	Feature number
1st char of VOLSER =M	3589	552	9122
1st char of VOLSER =N	3589	552	9123
1st char of VOLSER =O	3589	552	9124
1st char of VOLSER =P	3589	552	9125
1st char of VOLSER =Q	3589	552	9126
1st char of VOLSER =R	3589	552	9127
1st char of VOLSER =S	3589	552	9128
1st char of VOLSER =T	3589	552	9129
1st char of VOLSER =U	3589	552	9130
1st char of VOLSER =V	3589	552	9131
1st char of VOLSER =W	3589	552	9132
1st char of VOLSER =X	3589	552	9133
1st char of VOLSER =Y	3589	552	9134
1st char of VOLSER =Z	3589	552	9135
2nd char of VOLSER =0	3589	552	9200
2nd char of VOLSER =1	3589	552	9201
2nd char of VOLSER =2	3589	552	9202
2nd char of VOLSER =3	3589	552	9203
2nd char of VOLSER =4	3589	552	9204
2nd char of VOLSER =5	3589	552	9205
2nd char of VOLSER =6	3589	552	9206
2nd char of VOLSER =7	3589	552	9207
2nd char of VOLSER =8	3589	552	9208
2nd char of VOLSER =9	3589	552	9209
2nd char of VOLSER =A	3589	552	9210
2nd char of VOLSER =B	3589	552	9211
2nd char of VOLSER =C	3589	552	9212
2nd char of VOLSER =D	3589	552	9213
2nd char of VOLSER =E	3589	552	9214
2nd char of VOLSER =F	3589	552	9215
2nd char of VOLSER =G	3589	552	9216

Description	Machine type	Model	Feature number
2nd char of VOLSER =H	3589	552	9217
2nd char of VOLSER =I	3589	552	9218
2nd char of VOLSER =J	3589	552	9219
2nd char of VOLSER =K	3589	552	9220
2nd char of VOLSER =L	3589	552	9221
2nd char of VOLSER =M	3589	552	9222
2nd char of VOLSER =N	3589	552	9223
2nd char of VOLSER =O	3589	552	9224
2nd char of VOLSER =P	3589	552	9225
2nd char of VOLSER =Q	3589	552	9226
2nd char of VOLSER =R	3589	552	9227
2nd char of VOLSER =S	3589	552	9228
2nd char of VOLSER =T	3589	552	9229
2nd char of VOLSER =U	3589	552	9230
2nd char of VOLSER =V	3589	552	9231
2nd char of VOLSER =W	3589	552	9232
2nd char of VOLSER =X	3589	552	9233
2nd char of VOLSER =Y	3589	552	9234
2nd char of VOLSER =Z	3589	552	9235
3rd char of VOLSER =0	3589	552	9300
3rd char of VOLSER =1	3589	552	9301
3rd char of VOLSER =2	3589	552	9302
3rd char of VOLSER =3	3589	552	9303
3rd char of VOLSER =4	3589	552	9304
3rd char of VOLSER =5	3589	552	9305
3rd char of VOLSER =6	3589	552	9306
3rd char of VOLSER =7	3589	552	9307
3rd char of VOLSER =8	3589	552	9308
3rd char of VOLSER =9	3589	552	9309
3rd char of VOLSER =A	3589	552	9310
3rd char of VOLSER =B	3589	552	9311

Description	Machine type	Model	Feature number
3rd char of VOLSER =C	3589	552	9312
3rd char of VOLSER =D	3589	552	9313
3rd char of VOLSER =E	3589	552	9314
3rd char of VOLSER =F	3589	552	9315
3rd char of VOLSER =G	3589	552	9316
3rd char of VOLSER =H	3589	552	9317
3rd char of VOLSER =I	3589	552	9318
3rd char of VOLSER =J	3589	552	9319
3rd char of VOLSER =K	3589	552	9320
3rd char of VOLSER =L	3589	552	9321
3rd char of VOLSER =M	3589	552	9322
3rd char of VOLSER =N	3589	552	9323
3rd char of VOLSER =O	3589	552	9324
3rd char of VOLSER =P	3589	552	9325
3rd char of VOLSER =Q	3589	552	9326
3rd char of VOLSER =R	3589	552	9327
3rd char of VOLSER =S	3589	552	9328
3rd char of VOLSER =T	3589	552	9329
3rd char of VOLSER =U	3589	552	9330
3rd char of VOLSER =V	3589	552	9331
3rd char of VOLSER =W	3589	552	9332
3rd char of VOLSER =X	3589	552	9333
3rd char of VOLSER =Y	3589	552	9334
3rd char of VOLSER =Z	3589	552	9335
4th char of VOLSER =0	3589	552	9400
4th char of VOLSER =1	3589	552	9401
4th char of VOLSER =2	3589	552	9402
4th char of VOLSER =3	3589	552	9403
4th char of VOLSER =4	3589	552	9404
4th char of VOLSER =5	3589	552	9405
4th char of VOLSER =6	3589	552	9406

Description	Machine type	Model	Feature number
4th char of VOLSER =7	3589	552	9407
4th char of VOLSER =8	3589	552	9408
4th char of VOLSER =9	3589	552	9409
4th char of VOLSER =A	3589	552	9410
4th char of VOLSER =B	3589	552	9411
4th char of VOLSER =C	3589	552	9412
4th char of VOLSER =D	3589	552	9413
4th char of VOLSER =E	3589	552	9414
4th char of VOLSER =F	3589	552	9415
4th char of VOLSER =G	3589	552	9416
4th char of VOLSER =H	3589	552	9417
4th char of VOLSER =I	3589	552	9418
4th char of VOLSER =J	3589	552	9419
4th char of VOLSER =K	3589	552	9420
4th char of VOLSER =L	3589	552	9421
4th char of VOLSER =M	3589	552	9422
4th char of VOLSER =N	3589	552	9423
4th char of VOLSER =O	3589	552	9424
4th char of VOLSER =P	3589	552	9425
4th char of VOLSER =Q	3589	552	9426
4th char of VOLSER =R	3589	552	9427
4th char of VOLSER =S	3589	552	9428
4th char of VOLSER =T	3589	552	9429
4th char of VOLSER =U	3589	552	9430
4th char of VOLSER =V	3589	552	9431
4th char of VOLSER =W	3589	552	9432
4th char of VOLSER =X	3589	552	9433
4th char of VOLSER =Y	3589	552	9434
4th char of VOLSER =Z	3589	552	9435
5th char of VOLSER =0	3589	552	9500
5th char of VOLSER =1	3589	552	9501

Description	Machine type	Model	Feature number
5th char of VOLSER =2	3589	552	9502
5th char of VOLSER =3	3589	552	9503
5th char of VOLSER =5	3589	552	9505
5th char of VOLSER =6	3589	552	9506
5th char of VOLSER =7	3589	552	9507
5th char of VOLSER =8	3589	552	9508
5th char of VOLSER =9	3589	552	9509
5th char of VOLSER =A	3589	552	9510
5th char of VOLSER =B	3589	552	9511
5th char of VOLSER =C	3589	552	9512
5th char of VOLSER =D	3589	552	9513
5th char of VOLSER =E	3589	552	9514
5th char of VOLSER =F	3589	552	9515
5th char of VOLSER =G	3589	552	9516
5th char of VOLSER =H	3589	552	9517
5th char of VOLSER =I	3589	552	9518
5th char of VOLSER =J	3589	552	9519
5th char of VOLSER =K	3589	552	9520
5th char of VOLSER =L	3589	552	9521
5th char of VOLSER =M	3589	552	9522
5th char of VOLSER =N	3589	552	9523
5th char of VOLSER =O	3589	552	9524
5th char of VOLSER =P	3589	552	9525
5th char of VOLSER =Q	3589	552	9526
5th char of VOLSER =R	3589	552	9527
5th char of VOLSER =S	3589	552	9528
5th char of VOLSER =T	3589	552	9529
5th char of VOLSER =U	3589	552	9530
5th char of VOLSER =V	3589	552	9531
5th char of VOLSER =W	3589	552	9532
5th char of VOLSER =X	3589	552	9533

Description	Machine type	Model	Feature number
5th char of VOLSER =Y	3589	552	9534
5th char of VOLSER =Z	3589	552	9535
6th char of VOLSER =0	3589	552	9600
6th char of VOLSER =1	3589	552	9601
6th char of VOLSER =2	3589	552	9602
6th char of VOLSER =3	3589	552	9603
6th char of VOLSER =4	3589	552	9604
6th char of VOLSER =5	3589	552	9605
6th char of VOLSER =6	3589	552	9606
6th char of VOLSER =7	3589	552	9607
6th char of VOLSER =8	3589	552	9608
6th char of VOLSER =9	3589	552	9609
6th char of VOLSER =A	3589	552	9610
6th char of VOLSER =B	3589	552	9611
6th char of VOLSER =C	3589	552	9612
6th char of VOLSER =D	3589	552	9613
6th char of VOLSER =E	3589	552	9614
6th char of VOLSER =F	3589	552	9615
6th char of VOLSER =G	3589	552	9616
6th char of VOLSER =H	3589	552	9617
6th char of VOLSER =I	3589	552	9618
6th char of VOLSER =J	3589	552	9619
6th char of VOLSER =K	3589	552	9620
6th char of VOLSER =L	3589	552	9621
6th char of VOLSER =M	3589	552	9622
6th char of VOLSER =N	3589	552	9623
6th char of VOLSER =O	3589	552	9624
6th char of VOLSER =P	3589	552	9625
6th char of VOLSER =Q	3589	552	9626
6th char of VOLSER =R	3589	552	9627
6th char of VOLSER =S	3589	552	9628

Description	Machine type	Model	Feature number
6th char of VOLSER =T	3589	552	9629
6th char of VOLSER =U	3589	552	9630
6th char of VOLSER =V	3589	552	9631
6th char of VOLSER =W	3589	552	9632
6th char of VOLSER =X	3589	552	9633
6th char of VOLSER =Y	3589	552	9634
6th char of VOLSER =Z	3589	552	9635
Base 10 Count Lbl Sequence	3589	552	9910
Base 36 Count Lbl Sequence	3589	552	9936
Ultrium 8 Data Cartridge (5-pack)	3555	L3A, E3A	8806
Ultrium 8 Data Cartridge (5-pack)	3572	S8H	8806
Ultrium 8 Data Cartridge (Single)	3580	H8S	8804
Ultrium 8 Data Cartridge (5-Pack)	3580	H8S	8806
Ultrium 8 Tape Cartridge	7226	1U3	8804
Ultrium 8 Data Cartridge (5-Pack)	7226	1U3	8806

Replacement product information

Withdrawn product	Machine/model feature/part	Replacement product	Machine/model feature/part
12 TB Ultrium 8 Tape Cartridge 20-pack Labeled	3589-552	6 TB Ultrium 7 Tape Cartridge 20-pack Labeled	3589-551
		Ultrium 7 9 TB Uninitialized Data Cartridge	3589-452
12 TB Ultrium 8 Tape Cartridge	3589-652	6 TB Ultrium 7 Tape Cartridge	3589-651
Ultrium 8 Data Cartridge (5-pack)	3555-L3A, 3555-E3A / 8806	Ultrium 7 Data Cartridge (5-pack)	3555-L3A, 3555-E3A / 8706
Ultrium 8 Data Cartridge (5-pack)	3572-S8H / 8806	Ultrium 7 Data Cartridges (5-Pack)	3572-S8H / 8706
Ultrium 8 Data Cartridge (Single)	3580-H8S / 8804	Ultrium 7 Data Cartridge (Single)	3580-H8S / 8704
Ultrium 8 Data Cartridge (5-Pack)	3580-H8S / 8806	Ultrium 7 Data Cartridge (5-Pack)	3580-H8S / 8706
Ultrium 8 Tape Cartridge	7226-1U3 / 8804	Ultrium 7 Tape Cartridge 6.0 TB	7226-1U3 / 8704
Ultrium 8 Data Cartridge (5-Pack)	7226-1U3 / 8806	Ultrium 7 Data Cartridge (5-Pack)	7226-1U3 / 8706

For additional information about these replacement products, see the following Hardware Announcements:

- [115-128](#), dated October 20, 2015, for IBM Ultrium 7 6 TB Data Cartridge models 551 and 651

- [117-043](#), dated July 25, 2017, for Ultrium 7 data cartridge replacement in IBM TS4300 Tape Library
- [117-080](#), dated October 24, 2017, for Ultrium 7 data cartridge replacement in IBM TS2900 Tape Autoloader
- [117-076](#), dated October 10, 2017, for Ultrium 7 data cartridge replacement in IBM TS2280 SAS Tape Drive
- [115-159](#), dated October 20, 2015, for Ultrium 7 data cartridge replacement in IBM 7226 Multi-Media Enclosure
- [117-075](#), dated October 10, 2017, for Ultrium 7 data cartridge (5-pack) replacement in IBM 7226 Multi-Media Enclosure

If you are a Direct Reseller - System Reseller acquiring products from IBM, you may link directly to Business Partner information for this announcement. A PartnerWorld^(R) ID and password are required (use IBMid).

[BP Attachment for Announcement Letter 918-084](#)

Trademarks

IBM and PartnerWorld are registered trademarks of IBM Corporation in the United States, other countries, or both.

Ultrium is a trademark of HP IBM Corp. and Quantum in the U.S. and other countries.

Other company, product, and service names may be trademarks or service marks of others.

Terms of use

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for your information only. Additional terms of use are located at

[Terms of use](#)

For the most current information regarding IBM products, consult your IBM representative or reseller, or go to the IBM worldwide contacts page

[IBM United States](#)