

# New ThinkCentre M58p models support Microsoft Windows 7

## Table of contents

<a href="#">1 Overview</a>	<a href="#">5 Product number</a>
<a href="#">2 Planned availability date</a>	<a href="#">7 Technical information</a>
<a href="#">3 Description</a>	<a href="#">15 Prices</a>

## At a glance



### Redesigned M58 models offer:

- Genuine Windows® XP Professional (preinstalled through downgrade rights in Windows 7 Professional)
- DDR3 and on-board DisplayPort
- Green Power product
- Hardware password manager
- Blu-ray drives
- 10 USB and PS/2 ports
- eSATA support

## Overview

ThinkCentre® M58 takes security to new heights with a hardware password manager. The manageability obtained by combining ThinkVantage® technologies with ThinkCentre's low power consumption ensures the ThinkCentre M58 delivers a low total cost of ownership.

Lenovo® PCs with Microsoft® Windows 7 give you the best computing experience possible. These PCs feature faster boot and connection times, enhanced entertainment options, and industry-leading ThinkVantage Technologies.

New ThinkVantage Technologies are significantly faster, easier to use, and continue to deliver unmatched security, connectivity, and manageability.

Select Lenovo systems are optimized for the new applications of Windows 7.

## Leadership design

- New models support the latest quad-core and dual-core Intel® processors (selected models)
- Discrete graphics card is DirectX 10.1 compliant
  - Meets new Microsoft Vista Premium logo requirement
  - Offers better performance
- eSATA support
  - Transfer speeds are about five times faster with external HDD than USB
  - Standard feature for small form factor systems and optional for tower systems
- Four DIMM slots (dual channel) with support for up to 8 GB system memory<sup>1</sup>
  - Expandable with memory flexibility
  - Delivers higher performance

## Great security

- TPM 1.2 offers more security:
  - Supports Microsoft Vista BitLocker
  - Manage credentials and technologies to allow specific users access to the system, applications, and data
- Computrace ready:
  - Offers a cost-effective solution to computer tracking and loss control
  - Ensures the computer and its data is secure and locatable
- USB ports can be individually switched on and off
- Chassis intrusion switch available: Once the chassis is opened, the switch will detect it and alert via ASF

## Optimized for connectivity

Integrated Gigabit Ethernet

## IBM® service and support

Worldwide service and support<sup>2</sup>

For up-to-date marketing and technical information, visit

<http://www.lenovo.com>

Certain product family features are limited to selected models that may not be available in all countries. Some combinations of features are not supported. Refer to the prices or product number section of this announcement for the models and features available in your country.

<sup>1</sup> Maximum capacity may require the replacement of the standard component with the largest supported component available.

<sup>2</sup> International Warranty Service (IWS) is available in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

---

## Planned availability date

November 10, 2009

---

## Description

---



New ThinkCentre M58 systems offer industry-leading technologies, excellent management capabilities, and IBM service and support.

Lenovo combines thoughtful engineering with bold design, delivering systems that help lower your total cost of ownership.

- Lenovo password management is easy to use, enables secure access to your system and Web pages, and is integrated with the fingerprint reader available on many Lenovo systems
- Lenovo systems include a fully integrated recovery environment that works when your operating system is not working
- Lenovo systems manage everything that changes when your location changes, not just your Internet connection

### Industry-leading technologies

---

- Intel Q45 Core Chipset
- Intel Core 2 Duo processors
- Innovative toolless mechanical design for easy upgrades and service support
- Integrated Intel Graphics Media Accelerator 4500 support
- DisplayPort
- DDR3 SDRAM

### Leading business tools and data protection software

---

Norton plus with 30 days of virus definition is a comprehensive antivirus product for Microsoft Windows operating systems that can simply and reliably detect and remove viruses from your computer.

### Diagnostics

---

Lenovo System Toolbox powered by PC-Doctor diagnoses common problems on major system components. Diagnostic tests are run either locally or remotely through the Internet or an intranet.

### Hardware

---

- Integrated Gigabit Ethernet
- DVD Recordable
- Support for up to 8 GB of DDR3 SDRAM - total usable memory can less than 8 GB depending on the operating system and system configuration

- Standard audio onboard
- Advanced Configuration and Power Interface (ACPI) support
- One 25-pin parallel port (tower by cable or SFF by PCI parallel card)
- Two 9-pin serial ports (second serial port via cable)
- Eight USB 2.0 ports: Two front and six rear for easy connection of peripherals, two rear by internal USB cable
- Mouse, keyboard, VGA monitor port, and DisplayPort
- Line-out, line-in, microphone audio jack-in, and headphone-out

---

### **Small form factor models (2 x 3)**

- One half-length, low profile-height, PCI Express x16
- One full-length, low profile-height, 32-bit PCI 2.3 (5v)
- One 3.5-in slim (half-inch height) card reader bay (populated on selected models)
- One 3.5-in standard size HDD bay (populated)
- One 5.25-in standard size height optical (populated)

---

### **Tower models (4 x 5)**

- One half-length, full-height, PCI Express x16
- One half-length, full-height, PCI Express x1
- Two full-length, full-height, 32-bit PCI 2.3 (5v)
- One 3.5-inch external accessible bay (FDD)
- Two 3.5-inch internal hidden bay (HDD)
- Two 5.25-inch external half-high bay (optical drives)

---

### **Other software tools**

The ThinkCentre M58 includes a unique set of software tools to help you manage your desktop computing assets.

#### ***Backup copies of your software***

The ThinkCentre M58 has a product recovery program resident on the system HDD. The ThinkVantage Rescue and Recovery® program can back up your system and restore it to its previously saved level.

A hidden service partition will provide preload recovery.

For up-to-date marketing and technical information on your ThinkCentre M58 systems, visit

<http://www.lenovo.com/support>

---

## **Warranty information**

For a copy of applicable product warranties, contact your authorized Lenovo Reseller or Lenovo representative.

Lenovo makes no representation or warranty regarding third-party products or services.

Telephone support may be subject to additional charges, even during the limited warranty period. For Lenovo machines with on-site labor, your service provider will attempt to diagnose and resolve the problem remotely before sending a technician.

All offers are subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time without notice. Lenovo is not responsible for photographic or typographic errors.

---

## Product number

---

### ThinkCentre products

---

For pricing information, refer to the [Prices](#) section.

ThinkCentre M58 (2 x 3 Small Form Factor)

	Mach. type	Model	Ordering part number
Intel Core 2 Quad Q8400 Processor, 2.66GHz/1333MHz, 4MB Cache, 2048MB Memory(3), 250GB HDD(4), Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional)(5), DVD Recordable, Gigabit Ethernet Adapter, ATI Radeon HD3470 256M Low Profile (VGA+DisplayPort), Floor Stand, Integrated Audio, DisplayPort to DVI dongle, USB Preferred Pro Full-size Keyboard, Audio Front Panel, Optical Mouse, Internal Mono Speaker	7360	ECU	7360-ECU
Intel Core 2 Quad Q8400 Processor, 2.66GHz/1333MHz, 4MB Cache, 2048MB Memory, 250GB HDD, Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional), DVD Recordable, Gigabit Ethernet Adapter, Integrated Intel Graphics Media Accelerator 4500, Floor Stand, Integrated Audio, USB Preferred Pro Full-size Keyboard, Audio Front Panel, Optical Mouse, Internal Mono Speaker	7360	DBU	7360-DBU
Intel Pentium® Dual Core E6300 Processor, 7360 2.8GHz/1066MHz, 2MB Cache, 2048MB Memory, 250GB HDD, Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional), DVD Recordable, Gigabit Ethernet Adapter, Integrated Intel Graphics Media Accelerator 4500, Floor Stand, Integrated Audio, DisplayPort to DVI dongle, USB Preferred Pro Full-size Keyboard, Audio Front Panel, Optical Mouse, Internal Mono Speaker	7360	EDU	7360-EDU
Intel Pentium Dual Core E6300 Processor, 7360 2.8GHz/1066MHz, 2MB Cache, 1024MB Memory, 250GB HDD, Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional), 16x Max DVD-ROM(6), Gigabit Ethernet Adapter, Integrated Intel Graphics Media Accelerator 4500, Floor Stand, Integrated Audio, DisplayPort to DVI dongle, USB Preferred Pro Full-size Keyboard, Audio Front Panel, Optical Mouse, Internal Mono Speaker	7360	EFU	7360-EFU
Intel Pentium Dual Core E6300 Processor, 7360 2.8GHz/1066MHz, 2MB Cache, 2048MB Memory, 250GB HDD, Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional), DVD Recordable, Gigabit Ethernet Adapter,	7360	EGU	7360-EGU

Integrated Intel Graphics Media Accelerator 4500,  
Floor Stand, Integrated Audio, DisplayPort to DVI dongle,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

ThinkCentre M58 (4 x 5 Tower)

Intel Core 2 Quad Q8400 Processor, 7373 E3U 7373-E3U  
2.66GHz/1333MHz, 4MB Cache,  
2048MB Memory, 320GB HDD,  
Genuine windows XP Professional (preinstalled  
through downgrade rights in windows 7 Professional),  
DVD Recordable,  
Gigabit Ethernet Adapter,  
ATI Radeon HD3470 256M Full Height (VGA+DisplayPort),  
Integrated Audio, DisplayPort to DVI dongle,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

Intel Core 2 Quad Q8400 Processor, 7373 E4U 7373-E4U  
2.66GHz/1333MHz, 4MB Cache,  
2048MB Memory, 320GB HDD,  
Genuine windows XP Professional (preinstalled  
through downgrade rights in windows 7 Professional),  
DVD Recordable,  
Gigabit Ethernet Adapter,  
Integrated Intel Graphics Media Accelerator 4500,  
Integrated Audio,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

Intel Pentium Dual Core E6300 Processor, 7373 E5U 7373-E5U  
2.8GHz/1066MHz, 2MB Cache,  
1024MB Memory, 250GB HDD,  
Genuine windows XP Professional (preinstalled  
through downgrade rights in windows 7 Professional),  
16x Max DVD-ROM,  
Gigabit Ethernet Adapter,  
Integrated Intel Graphics Media Accelerator 4500,  
Integrated Audio,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

Intel Pentium Dual Core E6300 Processor, 7373 E6U 7373-E6U  
2.8GHz/1066MHz, 2MB Cache,  
2048MB Memory, 250GB HDD,  
Genuine windows XP Professional (preinstalled  
through downgrade rights in windows 7 Professional),  
DVD Recordable,  
Gigabit Ethernet Adapter,  
Integrated Intel Graphics Media Accelerator 4500,  
Integrated Audio,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

Intel Pentium Dual Core E6300 Processor, 7373 E7U 7373-E7U  
2.8GHz/1066MHz, 2MB Cache,  
2048MB Memory, 250GB HDD,  
Genuine windows XP Professional (preinstalled  
through downgrade rights in windows 7 Professional),  
DVD Recordable,  
Gigabit Ethernet Adapter,  
Integrated Intel Graphics Media Accelerator 4500,  
Integrated Audio, DisplayPort to DVI dongle,  
USB Preferred Pro Full-size Keyboard,  
Audio Front Panel,  
Optical Mouse, Internal Mono Speaker

- <sup>3</sup> For models without a separate video card, memory supports both system and video. Accessible system memory may be up to 64 MB less than the amount stated, depending on video mode.
- <sup>4</sup> GB equals 1,000,000,000 bytes when referring to storage capacity. Up to 1.5 GB is used in service partition.
- <sup>5</sup> Some software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- <sup>6</sup> CD and DVD drives list maximum rates; rates are variable and are often less than the maximum possible.
- <sup>7</sup> Second memory slot populated.

---

## Technical information

---

### Specified operating environment

---

#### **HDD specifications**

Formatted capacity(4)	250 GB	320 GB
Interface	Serial ATA	Serial ATA
Rotational Speed	7200 rpm	7200 rpm
Read/write cache	Yes	Yes

- <sup>4</sup> GB equals 1,000,000,000 bytes when referring to storage capacity. Accessible capacity is less; up to 4 GB is used in service partition.

#### **Mechanical specifications**

##### **Small form factor dimensions/weights**

- Width: 317 mm (12.48 in)
- Depth: 355 mm (13.98 in)
- Height: 99 mm (3.9 in)
- Weight: 7.5 kg (16.53 lb)

##### **Tower dimensions/weights**

- Width: 175 mm ( 6.9 in)
- Depth: 440 mm (17.3 in)
- Height: 402 mm (15.8 in)
- Weight: 11 kg (24.1 lb)

To ensure installability and serviceability in non-Lenovo industry standard racks, review the installation planning information for any product specific installation requirements.

#### **Electrical power specifications**

##### **Input voltage**

- Low range:
  - Minimum: 100 V ac
  - Maximum: 127 V ac
  - Input frequency range: 50 - 60 Hz
- High range:
  - Minimum: 200 V ac
  - Maximum: 240 V ac

- Input frequency range: 50 - 60 Hz

### **Power supply**

- Tower
  - 280-watt (Exclude Japan)
  - Operation controlled by a switch on the back of the unit
  - 280-watt, 80% plus, auto-sensing power supply unit
  - 280-watt, 85% plus, auto-sensing power supply unit
  - 450-watt, 80% plus, auto-sensing power supply unit
  - 115 to 230 V; 50 to 60 Hz
- Small form factor
  - 280-watt 80% plus auto-sensing power supply unit
  - 280-watt 85% plus auto-sensing power supply unit
  - 115 to 230 V; 50 to 60 Hz

**Note:** Power consumption and heat output vary depending on the number and type of optional features installed and the power-management optional features in use.

### **Air temperature specifications**

- System on: 10 to 35° C (50 to 95° F)
- System off: -40 to 60° C (-40 to 140° F)

### **Maximum altitude**

- System on: -50 to 10,000 ft (15.2 to 3048 m)
- System off: -50 to 35,000 ft (15.2 to 10,668 m)

### **Noise level specifications**

Declared acoustical noise emissions

### **Small form factor models**

- Declared (upper-limit) sound-power levels:
  - Idle: 3.5 bels
  - Operating: 4.0 bels
- Average sound-pressure levels at operator position:
  - Idle: 22 dBA
  - Operating: 25 dBA

### **Tower models**

- Declared (upper-limit) sound-power levels:
  - Idle: 3.5 bels
  - Operating: 4.0 bels
- Average sound-pressure levels at operator position:
  - Idle: 22 dBA
  - Operating: 24 dBA

**Note:** These levels were measured in controlled acoustical environments according to the procedures specified by the American National Standards Institute (ANSI) S12.10 and ISO 7779 and are reported in accordance with ISO 9296. Actual sound-pressure levels in a given location might exceed the average values stated because of room reflections and other nearby noise sources. The declared sound-power levels indicate an upper limit, below which a large number of computers will operate.



## **Industry standards**

ThinkCentre M58 systems conform to the following industry standards:

- ACPI v2.0
- ATAPI
- DMI v2.0
- IEEE 1284 (enhanced parallel port)
- IEEE 1294 (parallel port)
- IEEE 802.3 (Ethernet)
- JEDEC 240-pin DIMM memory
- SmBios v2.6
- PC 2001
- PCI v2.3/ PnP 1.0b support/PCIe 2.0
- Serial ATA
- PXE v2.1
- USB v2.0
- VESA Display Port 1.1a
- TCPA(TPM1.2)

## **Certifications**

ThinkCentre M58 systems carry the following certifications:

- Operating systems
  - Linux-Red hat Enterprise Workstation 5.0
  - Linux-SuSE Linux® Enterprise Desktop 10
  - Linux-Ubunto
- EMC
  - FCC - Part 15, Class B (US, Canada)
  - CE Mark (Europe)
  - VCCI V-3/V-4, Class B (Japan, radiated)
  - JEITA (Japan, harmonic)
  - ACA C-Tick (Australia, New Zealand)
  - BMSI - CNS13438, Class B (Taiwan)
  - MIC Mark (Korea)
- Safety
  - UL (US)
  - CUL (Canada)
  - CB Certificate (Worldwide)
  - GS (Europe)
  - NOM (Mexico)
  - SABS (South Africa)
  - Hong Kong SAP
  - IRAM (Argentina)
- EMC and Safety
  - CCC (China)
  - GOST (Russia)
  - SASO (Saudi Arabia)
- Other
  - PC Green Label (Japan)

- PEP (Internal Certification)
- China RoHS
- EU RoHS
- EU WEEE
- Japan J-Moss
- California RoHS
- USA Chemical Emission Test
- New York RoHS
- Japan Energy Saving
- China Energy Saving

ThinkCentre M58 systems may carry other certifications that are not listed above.

### ***Operating environment***

#### ***Tower***

- Air Temperature:
  - System on: 10 to 35° C (50 to 95° F)
  - System off: -40 to 60° C (50 to 140° F)
- Relative humidity:
  - System on: 20% to 80%
  - System off: 20% to 90%
- Heat output (approximate):
  - Maximum: 955Btu/hr / 280W

#### ***Small form factor***

- Air Temperature:
  - System on: 10 to 35° C (50 to 95° F)
  - System off: -40 to 60° C (50 to 140° F)
- Relative humidity:
  - System on: 20% to 80%
  - System off: 20% to 90%
- Heat output (approximate):
  - Maximum: 955Btu/hr / 280W

### ***Operating system support***

ThinkCentre M58 systems are either preloaded or tested for compatibility with the following operating systems. Lenovo will provide problem determination for these operating systems and provide device driver support for the hardware installed from the factory.

Preloaded software: Genuine Windows XP Professional (preinstalled through downgrade rights in Windows 7 Professional)

Tested software:

- Microsoft Windows Vista Home Basic 32
- Microsoft Windows Vista Home Basic 64
- Microsoft Windows Vista Home Premium 32
- Microsoft Windows Vista Home Premium 64
- Microsoft Windows Vista Business 32

- Microsoft Windows Vista Business 64
- Microsoft Windows Vista Ultimate 32
- Microsoft Windows Vista Ultimate 64
- Microsoft Windows Vista Enterprise 32
- Microsoft Windows Vista Enterprise 64
- Microsoft Windows XP Professional Edition
- Microsoft Windows XP Home Edition
- Microsoft Windows 2000 Professional
- Microsoft Windows 7 Home Basic 32
- Microsoft Windows 7 Home Premium 32
- Microsoft Windows 7 Professional 32
- Microsoft Windows 7 Professional 64

Operating system video graphics driver support is required for graphics capabilities. Although these systems have been compatibility tested with the above operating systems, additional video driver support may be required from the operating system vendor.

Other operating systems have not been tested and Lenovo does not provide problem determination or device driver support.

### ***BIOS***

Flash ROM supports Compatibility BIOS (CBIOS) and POST.

### ***Plug-and-play support***

Systems support the plug-and-play specifications that make it easier for you to install, upgrade, and make changes to the PC. Plug-and-play systems that use plug-and-play adapter cards are self-configuring.

### ***ACPI***

ACPI provides an industry-standard method to control system-level resources via the operating system.

### ***BIOS setup utility***

The BIOS setup utility program implements power-saving functions.

### ***Desktop Management Interface (DMI)***

The ThinkCentre systems are DMI V2.0-compliant.

### ***Configuration Installation and Distribution (CID)***

ThinkCentre M58 systems support CID.

## **Planning information**

---

### ***Customer responsibilities***

Systems are designated as customer setup (CSU). CSU allowance is one day.

### ***Cable orders***

Except for system power, keyboard, and mouse connections, there are no cabling requirements. All cables are provided with the system unit. Instructions are provided as part of initial setup.

## ***Installability***

Following the set up instructions, attach the keyboard and peripherals then turn on the power. Setup is run after the computer has successfully completed its initial self tests.

The setup utility resides in flash ROM. In some instances, you are prompted to run this utility, or you can invoke it by pressing the F1 key when prompted during system startup.

All power supplies have built-in overload and surge protection.

## ***HelpWare***

HelpWare® is a comprehensive set of offerings that provides you with a full range of service and support options to help make your computing experience more productive and enjoyable. As part of Lenovo's commitment to provide you with the support you require, many complimentary HelpWare offerings and additional services are available from the HelpWare Support Family during the warranty period of your PC. For detailed information on HelpWare, call the Support Center at 800-426-7378.

## ***Security, auditability, and control***

---

The ThinkCentre M58 systems support the following security and management features:

- Intel vPro (AMT 5.0, TXT, VT (VT-d,VT-x), VA)
- Centralized Managed Password
- Alert Standard Format-2 (ASF2.0)
- HDCP support
- Computrace support
- DASH1.0
- Intel Matrix Storage Technology
- Security chip
- One lock to secure both cover and entire system to fixed object:
  - Security slot (in rear for optional Kensington Microsaver cable)
  - No keylock
- Power-on password
- Administrator Password
- Hard disk password (user and master)
- Boot sequence control
- Boot without keyboard, mouse, diskette
- USB/Ethernet/serial/parallel/SATA/diskette enable or disable
- Fingerprint access (selected models)
- Disk, removable, and network device password
- Diskette write protect
- Individual USB port disablement
- Cover intrusion switch (select models)

The following is also visible on the outside of the system unit:

- Machine type and model
- System serial number

The customer is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communications facilities.

---

## Terms and conditions

---

### **IBM Global Financing**

Yes

To obtain copies of the Lenovo Statement of Limited Warranty, contact your reseller or Lenovo. In the United States, call 800-426-7378 or write to:

Warranty Information  
1009 Think Place  
Morrisville, NC 27560  
Attn: Dept. ZPYA/Bldg. 3

### **Warranty period for machine types 7373 and 7360**

- System hardware - Three years on parts and labor

Optional Lenovo features initially installed in a Lenovo system carry the same warranty period as the system. If installed after the initial system installation, they carry the balance of the system warranty or the optional feature warranty, whichever is greater.

### **Warranty service**

If required, your service provider provides repair or exchange service depending on the type of warranty service specified below for the machine. A service technician will attempt to resolve your problem over the telephone. You must follow the problem determination and resolution procedures. Scheduling of service will depend upon the time of your call and is subject to parts availability. Service levels are response time objectives and are not guaranteed. The specified level of warranty service may not be available in all worldwide locations, additional charges may apply outside your service provider's normal service area. Contact your local service provider representative or your reseller for country- and location-specific information.

### **Customer replaceable unit (CRU) service**

Lenovo will ship CRUs to you for you to install, Tier 1 CRUs are easy to install whereas Tier 2 CRUs require some technical skill and tools. CRU information and replacement instructions are shipped with your machine and are available from Lenovo at any time on your request. You may request that a service provider install CRUs, at no additional charge, under the type of warranty service designated for your machine. Lenovo specifies in the materials shipped with a replacement CRU whether a defective CRU must be returned. When return is required, return instructions and a container are shipped with the replacement CRU, and you may be charged for the replacement CRU if Lenovo does not receive the defective CRU within 30 days of your receipt of the replacement.

### **On-site service**

Your service provider will either repair or exchange the failing machine at your location and verify its operation. You must provide a suitable working area to allow disassembly and reassembly of the machine. The area must be clean, well-lit, and suitable for the purpose. For some machines, certain repairs may require sending the machine to a designated service center.

Call 800-426-7378 to assist with problem isolation for hardware to determine if warranty service is required. Telephone support may be subject to additional charges, even during the limited warranty period.

### ***International Warranty Service (IWS)***

IWS is available during the warranty period to customers who travel or relocate to countries where their computer is sold and serviced by a service provider authorized to perform warranty service. Eligible Lenovo computers are identified by their four-digit machine type.

You can obtain IWS through the method of service, such as CRU, depot, carry-in or on-site, provided in the servicing country. Service methods and procedures vary by country, and some service or parts may not be available in all countries. Service centers in certain countries may not be able to service all models of a particular machine type. In addition some countries may have fees and restrictions that apply at the time of service.

**Note:** Due to the earth's magnetic field, CRT monitors are manufactured to work in northern, southern, and equatorial regions of the earth and may not produce a satisfactory image when moved between them. Any required adjustment (if possible) is not covered under IWS and may be subject to a chargeable action. The magnetic field does not affect flat-panel LCD monitors and ThinkPad® LCD displays.

### ***Licensing***

Programs included with this product are licensed under the terms and conditions of the license agreements that are shipped with the system.

### ***ThinkPlus services***

---

#### ***Warranty and maintenance options***

The announced products may be eligible for ThinkPlus® maintenance services, convenient prepackaged offerings for warranty service upgrades and maintenance services.

#### ***Installation services***

The announced products may be eligible for ThinkPlus installation services, convenient prepackaged offerings for installation services.

Refer to the [Prices](#) section for information on the availability of ThinkPlus services.

#### ***Field-installable features***

Yes

#### ***Model conversions***

No

#### ***Machine installation***

Customer setup. Customers are responsible for installation according to the instructions Lenovo provides with the machine.

#### ***Graduated program license charges apply***

No

#### ***Licensed internal code and licensed machine code***

These products do not contain licensed internal code or licensed machine code.

---

## Prices

---

For product descriptions, refer to the [Product number](#) section.

Description	Order number	List price*
Corporate M58	7360ECU	\$1,136
Corporate M58	7360DBU	\$1,036
Corporate M58	7360EDU	\$866
Corporate M58	7360EFU	\$821
Corporate M58	7360EGU	\$946
Corporate M58	7373E3U	\$1,141
Corporate M58	7373E4U	\$1,041
Corporate M58	7373E5U	\$801
Corporate M58	7373E6U	\$846
Corporate M58	7373E7U	\$941

\* List price does not include tax or shipping and is subject to change without notice. Reseller prices may vary.

---

### ThinkPlus Services for warranty and maintenance

---

The offerings below apply to all models of machine type 7373.

The offerings below apply to all models of machine type 7360.

Base warranty	Warranty Upgrades	Part number
3YR On-site	3YR On-site 9 x 5 x 4	41C9192
3YR On-site	3YR On-site 24 x 7 x 4	41C9193
3YR On-site	4YR On-site	41C9194
3YR On-site	4YR On-site 9 x 5 x 4	41C9195
3YR On-site	4YR On-site 24 x 7 x 4	41C9196
3YR On-site	5YR On-site	43R2161
Base warranty	HDD Retention Offerings	Part number
3YR On-site	4YR On-site + HDD	43R8831
3YR On-site	3YR On-site + HDD	43R2157
3YR On-site	5YR On-site + HDD	45J8404
Base warranty	Priority Offerings	Part number
3YR On-site	3 Yr DT Priority Enterprise - 3yr On-site NBD	45J9088
3YR On-site	4 Yr DT Priority Enterprise - 4yr On-site NBD	45J9089
3YR On-site	5 Yr DT Priority Enterprise - 5yr On-site NBD	45J9090
3YR On-site	3 Yr DT Priority 4 Enterprise - 3yr 24 x 7 x 4 on-site	45J9091
3YR On-site	4 Yr DT Priority 4 Enterprise - 4yr 24 x 7 x 4 on-site	45J9092
3YR On-site	5 Yr DT Priority 4 Enterprise - 5yr 24 x 7 x 4 on-site	45J9093
Base warranty	Online Data Backup offerings	Part number
ALL	10GB Online Data Backup	51J0794
ALL	25GB Online Data Backup	51J0802
ALL	50GB Online Data Backup	45K5849
ALL	Unlimited Online Data Backup	45K5870

## ThinkPlus MA for post warranty

---

Base warranty	Post warranty maintenance	Part number
ALL	Post Warranty 1YR On-site	41C9282
ALL	Post Warranty 2YR On-site	41C9285
ALL	Post Warranty 1YR On-site 9x5x4	41C9283
ALL	Post Warranty 2YR On-site 9x5x4	41C9286
ALL	Post Warranty 1YR On-site 24x7x4	41C9284
ALL	Post Warranty 2YR On-site 24x7x4	41C9287

For additional ThinkPlus Services information, visit

<http://www.Lenovo.com>

## IBM Global Financing

---

IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, from both IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

<http://www.ibm.com/financing>

IBM Global Financing offerings are provided through IBM Credit LLC in the United States, and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

Financing solutions from IBM Global Financing can help you stretch your budget and affordably acquire the new product. But beyond the initial acquisition, our end-to-end approach to IT management can also help keep your technologies current, reduce costs, minimize risk, and preserve your ability to make flexible equipment decisions throughout the entire technology life cycle.

### **Trademarks**

Windows and Microsoft are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

ThinkCentre, ThinkVantage, Lenovo, Rescue and Recovery, ThinkPad and ThinkPlus are registered trademarks of Lenovo Corporation in the United States, other countries, or both.

Intel and Pentium are registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IBM and HelpWare are registered trademarks of IBM Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

### **Terms of use**

Information may be changed or updated without notice. Lenovo may also make improvements and/or changes in the products and/or the programs described in this information at any time without notice. Lenovo assumes no responsibility regarding the accuracy of the information that is provided by Lenovo and use of



such information is at the recipient's own risk. Information Lenovo publishes on the World Wide Web may contain references or cross references to Lenovo products, programs and services that are not announced or available in your country. Such references do not imply that Lenovo intends to announce such products, programs or services in your country. Consult your local Lenovo business contact for information regarding the products, programs and services which may be available to you. Lenovo's obligations with respect to its products and services are governed solely by the agreements under which they are provided. Additional terms of use are located at:

<http://www.lenovo.com/legal/us/en/>