

IBM XL Fortran for Linux, V15.1.1



Getting Started with XL Fortran for Little Endian Distributions

Version 15.1.1

IBM XL Fortran for Linux, V15.1.1



Getting Started with XL Fortran for Little Endian Distributions

Version 15.1.1

Note

Before using this information and the product it supports, read the information in "Notices" on page 21.

First edition

This edition applies to IBM XL Fortran for Linux, V15.1.1 (Program 5765-J10; 5725-C75) and to all subsequent releases and modifications until otherwise indicated in new editions. Make sure you are using the correct edition for the level of the product.

© Copyright IBM Corporation 1996, 2014.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About this document	v
Conventions	v
Related information	x
IBM XL Fortran information	x
Standards and specifications	xi
Other IBM information	xii
Technical support	xii
How to send your comments	xii
Chapter 1. Introducing XL Fortran	1
Commonality with other IBM compilers	1
Operating system and hardware support	1
A highly configurable compiler	1
Language standard compliance	2
Source-code migration and conformance checking	3
Tools, utilities, and commands	3
Advance Toolchain 8.0 support	4
Program optimization	4
Shared memory parallelization	5
Diagnostic listings	6
Symbolic debugger support	6
Chapter 2. Migrating to IBM XL Fortran for Linux, V15.1.1.	7
Migrating from big endian Linux to little endian Linux.	7

Chapter 3. Setting up and customizing XL Fortran.	9
Using custom compiler configuration files	9
Chapter 4. Developing applications with XL Fortran	11
The compiler phases	11
Editing Fortran source files	11
Compiling with XL Fortran	12
Invoking the compiler	12
Compiling parallelized XL Fortran applications	14
Specifying compiler options	15
XL Fortran input and output files	16
Linking your compiled applications with XL Fortran	16
Dynamic and static linking	17
Running your compiled application	17
XL Fortran compiler diagnostic aids	18
Debugging compiled applications	18
Determining which level of XL Fortran is being used.	18
Notices	21
Trademarks and service marks	23
Index	25

About this document

This document contains overview and basic usage information for the IBM® XL Fortran for Linux, V15.1.1 compiler.

Who should read this document

This document is intended for Fortran developers who are looking for introductory overview and usage information for XL Fortran. It assumes that you have some familiarity with command-line compilers, a basic knowledge of the Fortran programming language, and basic knowledge of operating system commands. Programmers new to XL Fortran can use this document to find information on the capabilities and features unique to XL Fortran.

How to use this document

Throughout this document, the `xlf` compiler invocation is used to describe the actions of the compiler. You can, however, substitute other forms of the compiler invocation command if your particular environment requires it, and compiler option usage will remain the same unless otherwise specified.

While this document covers information on configuring the compiler environment, and compiling and linking Fortran applications using the XL Fortran compiler, it does not include the following topics:

- Compiler installation: see the *XL Fortran Installation Guide* for information on installing XL Fortran.
- Compiler options: see the *XL Fortran Compiler Reference* for detailed information on the syntax and usage of compiler options.
- The Fortran programming language: see the *XL Fortran Language Reference* for information on the syntax, semantics, and IBM implementation of the Fortran programming language.
- Programming topics: see the *XL Fortran Optimization and Programming Guide* for detailed information on developing applications with XL Fortran, with a focus on program portability and optimization.

Conventions

Typographical conventions

The following table shows the typographical conventions used in the IBM XL Fortran for Linux, V15.1.1 information.

Table 1. *Typographical conventions*

Typeface	Indicates	Example
lowercase bold	Invocation commands, executable names, and compiler options.	The compiler provides basic invocation commands, xlf , along with several other compiler invocation commands to support various Fortran language levels and compilation environments. The default file name for the executable program is a.out .
<i>italics</i>	Parameters or variables whose actual names or values are to be supplied by the user. Italics are also used to introduce new terms.	Make sure that you update the <i>size</i> parameter if you return more than the <i>size</i> requested.
<u>underlining</u>	The default setting of a parameter of a compiler option or directive.	nomaf <u>maf</u>
monospace	Examples of program code, reference to program code, file names, path names, command strings, or user-defined names.	To compile and optimize myprogram.f, enter: xlf myprogram.f -03.
UPPERCASE bold	Fortran programming keywords, statements, directives, and intrinsic procedures. Uppercase letters may also be used to indicate the minimum number of characters required to invoke a compiler option/suboption.	The ASSERT directive applies only to the DO loop immediately following the directive, and not to any nested DO loops.

Qualifying elements (icons and bracket separators)

In descriptions of language elements, this information uses icons and marked bracket separators to delineate the Fortran language standard text as follows:

Table 2. *Qualifying elements*

Icon	Bracket separator text	Meaning
 F2008  F2008	N/A	The text describes an IBM XL Fortran implementation of the Fortran 2008 standard.
 F2003  F2003	Fortran 2003 begins / ends	The text describes an IBM XL Fortran implementation of the Fortran 2003 standard, and it applies to all later standards.
 IBM  IBM	IBM extension begins / ends	The text describes a feature that is an IBM XL Fortran extension to the standard language specifications.

Table 2. Qualifying elements (continued)

Icon	Bracket separator text	Meaning
 	N/A	The text describes a feature in a Technical Specification that is not part of the current Fortran standard.

Note: If the information is marked with a Fortran language standard icon or bracket separators, it applies to this specific Fortran language standard and all later ones. If it is not marked, it applies to all Fortran language standards.

Syntax diagrams

Throughout this information, diagrams illustrate XL Fortran syntax. This section will help you to interpret and use those diagrams.

- Read the syntax diagrams from left to right, from top to bottom, following the path of the line.
 - The  symbol indicates the beginning of a command, directive, or statement.
 - The  symbol indicates that the command, directive, or statement syntax is continued on the next line.
 - The  symbol indicates that a command, directive, or statement is continued from the previous line.
 - The  symbol indicates the end of a command, directive, or statement.
- Fragments, which are diagrams of syntactical units other than complete commands, directives, or statements, start with the  symbol and end with the  symbol.
- IBM XL Fortran extensions are marked by a number in the syntax diagram with an explanatory note immediately following the diagram.
- Program units, procedures, constructs, interface blocks and derived-type definitions consist of several individual statements. For such items, a box encloses the syntax representation, and individual syntax diagrams show the required order for the equivalent Fortran statements.
- Required items are shown on the horizontal line (the main path):




- Optional items are shown below the main path:



Note: Optional items (not in syntax diagrams) are enclosed by square brackets ([and]). For example, [UNIT=]u

- If you can choose from two or more items, they are shown vertically, in a stack. If you *must* choose one of the items, one item of the stack is shown on the main path.



If choosing one of the items is optional, the entire stack is shown below the main path.



- An arrow returning to the left above the main line (a repeat arrow) indicates that you can make more than one choice from the stacked items or repeat an item. The separator character, if it is other than a blank, is also indicated:




- The item that is the default is shown above the main path.



- Keywords are shown in nonitalic letters and should be entered exactly as shown.
- Variables are shown in italicized lowercase letters. They represent user-supplied names or values. If a variable or user-specified name ends in *_list*, you can provide a list of these terms separated by commas.
- If punctuation marks, parentheses, arithmetic operators, or other such symbols are shown, you must enter them as part of the syntax.

Sample syntax diagram

The following is an example of a syntax diagram with an interpretation:



How to read syntax statements

Syntax statements are read from left to right:

- Individual required arguments are shown with no special notation.
- When you must make a choice between a set of alternatives, they are enclosed by { and } symbols.
- Optional arguments are enclosed by [and] symbols.
- When you can select from a group of choices, they are separated by | characters.
- Arguments that you can repeat are followed by ellipses (...).

Example of a syntax statement

`EXAMPLE char_constant {a|b}[c|d]e[,e]... name_list{name_list}...`

The following list explains the syntax statement:

- Enter the keyword `EXAMPLE`.
- Enter a value for `char_constant`.
- Enter a value for `a` or `b`, but not for both.
- Optionally, enter a value for `c` or `d`.
- Enter at least one value for `e`. If you enter more than one value, you must put a comma between each.
- Optionally, enter the value of at least one `name` for `name_list`. If you enter more than one value, you must put a comma between each `name`.

Note: The same example is used in both the syntax-statement and syntax-diagram representations.

Examples in this information

The examples in this information, except where otherwise noted, are coded in a simple style that does not try to conserve storage, check for errors, achieve fast performance, or demonstrate all possible methods to achieve a specific result.

The examples for installation information are labelled as either *Example* or *Basic example*. *Basic examples* are intended to document a procedure as it would be performed during a basic, or default, installation; these need little or no modification.

Notes on the terminology used

Some of the terminology in this information is shortened as follows:

- The term *free source form format* often appears as *free source form*.
- The term *fixed source form format* often appears as *fixed source form*.
- The term *XL Fortran* often appears as *XLF*.

Related information

The following sections provide related information for XL Fortran:

IBM XL Fortran information

XL Fortran provides product information in the following formats:

- README files

README files contain late-breaking information, including changes and corrections to the product information. README files are located by default in the XL Fortran directory, and in the root directory and subdirectories of the installation DVD.

- Installable man pages

Man pages are provided for the compiler invocations and all command-line utilities provided with the product. Instructions for installing and accessing the man pages are provided in the *IBM XL Fortran for Linux, V15.1.1 Installation Guide*.

- Online product documentation

The fully searchable HTML-based documentation is viewable in IBM Knowledge Center at http://www.ibm.com/support/knowledgecenter/SSAT4T_15.1.1/com.ibm.compilers.linux.doc/welcome.html.

- PDF documents

PDF documents are available on the web at <http://www.ibm.com/support/docview.wss?uid=swg27036672>.

The following files comprise the full set of XL Fortran product information:

Table 3. XL Fortran PDF files

Document title	PDF file name	Description
<i>IBM XL Fortran for Linux, V15.1.1 Installation Guide, GC27-6580-00</i>	install.pdf	Contains information for installing XL Fortran and configuring your environment for basic compilation and program execution.

Table 3. XL Fortran PDF files (continued)

Document title	PDF file name	Description
<i>Getting Started with IBM XL Fortran for Linux, V15.1.1, SC27-6620-00</i>	getstart.pdf	Contains an introduction to the XL Fortran product, with information on setting up and configuring your environment, compiling and linking programs, and troubleshooting compilation errors.
<i>IBM XL Fortran for Linux, V15.1.1 Compiler Reference, SC27-6610-00</i>	compiler.pdf	Contains information about the various compiler options and environment variables.
<i>IBM XL Fortran for Linux, V15.1.1 Language Reference, SC27-6590-00</i>	langref.pdf	Contains information about the Fortran programming language as supported by IBM, including language extensions for portability and conformance to nonproprietary standards, compiler directives and intrinsic procedures.
<i>IBM XL Fortran for Linux, V15.1.1 Optimization and Programming Guide, SC27-6600-00</i>	proguide.pdf	Contains information on advanced programming topics, such as application porting, interlanguage calls, floating-point operations, input/output, application optimization and parallelization, and the XL Fortran high-performance libraries.

To read a PDF file, use Adobe Reader. If you do not have Adobe Reader, you can download it (subject to license terms) from the Adobe website at <http://www.adobe.com>.

More information related to XL Fortran including IBM Redbooks® publications, white papers, tutorials, documentation errata, and other articles, is available on the web at:

<http://www.ibm.com/support/docview.wss?uid=swg27036672>

For more information about Fortran, see the Fortran café at <https://www.ibm.com/developerworks/mydeveloperworks/groups/service/html/communityview?communityUuid=b10932b4-0edd-4e61-89f2-6e478ccb9aa>.

Standards and specifications

XL Fortran is designed to support the following standards and specifications. You can refer to these standards for precise definitions of some of the features found in this information.

- *American National Standard Programming Language FORTRAN, ANSI X3.9-1978.*
- *American National Standard Programming Language Fortran 90, ANSI X3.198-1992.*
- *ANSI/IEEE Standard for Binary Floating-Point Arithmetic, ANSI/IEEE Std 754-1985.*
- *Federal (USA) Information Processing Standards Publication Fortran, FIPS PUB 69-1.*
- *Information technology - Programming languages - Fortran, ISO/IEC 1539-1:1991. (This information uses its informal name, Fortran 90.)*
- *Information technology - Programming languages - Fortran - Part 1: Base language, ISO/IEC 1539-1:1997. (This information uses its informal name, Fortran 95.)*
- *Information technology - Programming languages - Fortran - Part 1: Base language, ISO/IEC 1539-1:2004. (This information uses its informal name, Fortran 2003.)*

- *Information technology - Programming languages - Fortran - Part 1: Base language, ISO/IEC 1539-1:2010.* (This information uses its informal name, Fortran 2008. We currently provide partial support to this standard.)
- *Military Standard Fortran DOD Supplement to ANSI X3.9-1978, MIL-STD-1753* (United States of America, Department of Defense standard). Note that XL Fortran supports only those extensions documented in this standard that have also been subsequently incorporated into the Fortran 90 standard.
- *OpenMP Application Program Interface Version 4.0 (Partial support)*, available at <http://www.openmp.org>

Other IBM information

- *ESSL product documentation* available at http://www.ibm.com/support/knowledgecenter/SSFHY8/essl_welcome.html

Technical support

Additional technical support is available from the XL Fortran Support page at http://www.ibm.com/support/entry/portal/overview/software/rational/xl_fortran_for_linux. This page provides a portal with search capabilities to a large selection of Technotes and other support information.

If you cannot find what you need, you can send email to compinfo@cn.ibm.com.

For the latest information about XL Fortran, visit the product information site at <http://www.ibm.com/software/products/us/en/xlfortran-linux>.

How to send your comments

Your feedback is important in helping to provide accurate and high-quality information. If you have any comments about this information or any other XL Fortran information, send your comments by email to compinfo@cn.ibm.com.

Be sure to include the name of the manual, the part number of the manual, the version of XL Fortran, and, if applicable, the specific location of the text you are commenting on (for example, a page number or table number).

Chapter 1. Introducing XL Fortran

IBM XL Fortran for Linux, V15.1.1 is an advanced, high-performance compiler that can be used for developing complex, computationally intensive programs, including interlanguage calls with C programs.

This section contains information about the features of the XL Fortran compiler at a high level. It is intended for people who are evaluating the compiler, and for new users who want to find out more about the product.

Commonality with other IBM compilers

IBM XL Fortran for Linux, V15.1.1 is part of a larger family of IBM C, C++, and Fortran compilers. XL Fortran, together with XL C/C++, comprises the family of XL compilers.

These compilers are derived from a common code base that shares compiler function and optimization technologies for a variety of platforms and programming languages. Programming environments include IBM AIX®, IBM Blue Gene®/P, IBM Blue Gene®/Q, IBM i, selected Linux distributions, IBM z/OS®, and IBM z/VM®. The common code base, along with compliance with international programming language standards, helps support consistent compiler performance and ease of program portability across multiple operating systems and hardware platforms.

Operating system and hardware support

This section describes the operating systems and hardware that IBM XL Fortran for Linux, V15.1.1 supports.

IBM XL Fortran for Linux, V15.1.1 supports the following operating systems:

- Ubuntu Server V14.04
- Ubuntu Server V14.10
- SUSE Linux Enterprise Server 12

See the README file and "Before installing XL Fortran" in the *XL Fortran Installation Guide* for a complete list of requirements.

The compiler, its libraries, and its generated object programs run on any IBM Power Systems™ server supported by your operating system distribution with the required software and disk space.

To exploit the various supported hardware configurations, the compiler provides options to tune the performance of applications according to the hardware type that runs the compiled applications.

A highly configurable compiler

You can use a variety of compiler invocation commands and options to tailor the compiler to your unique compilation requirements.

Compiler invocation commands

XL Fortran provides several commands to invoke the compiler, for example, `xl`, `xl90`, `xl95`, `xl2003`, and `xl2008`. Compiler invocation commands are provided to support all standardized Fortran language levels, and many popular language extensions as well.

The compiler also provides corresponding "`_r`" versions of most invocation commands, for example, `xl_r`. The "`_r`" invocations instruct the compiler to link and bind object files to threadsafe components and libraries, and produce threadsafe object code for compiler-created data and procedures.

For more information about XL Fortran compiler invocation commands, see "Compiling XL Fortran programs" in the *XL Fortran Compiler Reference*.

Compiler options

You can choose from a large selection of compiler options to control compiler behavior. You can benefit from using different options for the following tasks:

- Debugging your applications
- Optimizing and tune application performance
- Selecting language levels and extensions for compatibility with nonstandard features and behaviors that are supported by other Fortran compilers
- Performing many other common tasks that would otherwise require changing the source code

You can specify compiler options through a combination of environment variables, compiler configuration files, command line options, and compiler directive statements embedded in your program source.

For more information about XL Fortran compiler options, see "Summary of compiler options" in the *XL Fortran Compiler Reference*.

Custom compiler configuration files

The installation process creates a default compiler configuration file containing stanzas that define compiler option default settings.

If you frequently specify compiler option settings other than the default settings of XL Fortran, you can use makefiles to define your settings. Alternatively, you can create custom configuration files to define your own frequently used option settings.

For more information about using custom compiler configuration files, see "Using custom compiler configuration files" on page 9.

Language standard compliance

IBM XL Fortran for Linux, V15.1.1 supports the following Fortran programming language specifications.

- Partial support for ISO/IEC TS 29113:2012 (referred to as the Technical Specification for further interoperability with C or TS 29113)
- Partial support for ISO/IEC 1539-1:2010 (referred to as Fortran 2008 or F2008)
- ISO/IEC 1539-1:2004 (referred to as Fortran 2003 or F2003)

- ISO/IEC 1539-1:1997 (referred to as Fortran 95 or F95)
- ISO/IEC 1539-1:1991(E) and ANSI X3.198-1992 (referred to as Fortran 90 or F90)
- ANSI X3.9-1978 (referred to as FORTRAN 77)

In addition to the standard language levels, XL Fortran supports the following language extensions:

- Partial support for OpenMP Application Program Interface V4.0
- OpenMP Application Program Interface V3.1
- Language extensions to support vector programming
- Common Fortran language extensions defined by other compiler vendors, in addition to those defined by IBM
- Industry extensions that are found in Fortran products from various compiler vendors
- Extensions specified in SAA Fortran

See "Language standards" in the *XL Fortran Language Reference* for more information about Fortran language specifications and extensions.

Source-code migration and conformance checking

XL Fortran provides compiler invocation commands that instruct the compiler to inspect your application for conformance to a specific language level and warn you if constructs and keywords do not conform to the specified language level.

You can also use the `-qlanglvl` compiler option to specify a language level. If the language elements in your program source do not conform to the specified language level, the compiler issues diagnostic messages. Additionally, you can name your source files with common filename extensions such as `.f77`, `.f90`, `.f95`, `.f03`, or `.f08`, then use the generic compiler invocations such as `xlf` or `xlf_r` to automatically select the appropriate language level appropriate to the filename extension.

See `-qlanglvl` in the *XL Fortran Compiler Reference* for more information.

Tools, utilities, and commands

This topic introduces the main tools, utilities, and commands that are included with XL Fortran. It does not contain all compiler tools, utilities, and commands.

Utilities

install The `install` utility installs and configures IBM XL Fortran for Linux, V15.1.1 for use on your system.

`xlf_configure`

You can use the `xlf_configure` utility to facilitate the use of XL Fortran with IBM Advance Toolchain. For details, see "Using IBM XL Fortran for Linux, V15.1.1 with the Advance Toolchain" in *XL Fortran Compiler Reference*.

Commands

`genhtml` command

The `genhtml` command converts an existing XML diagnostic report produced by the `-qlistfmt` option. You can choose to produce XML or HTML diagnostic reports by using the `-qlistfmt` option. The report can

help with finding optimization opportunities. For more information about how to use this command, see **genhtm1** command in the *XL Fortran Compiler Reference*.

Profile-directed feedback (PDF) related commands

cleanpdf command

The **cleanpdf** command removes all the PDF files or the specified PDF files from the directory to which profile-directed feedback data is written.

mergepdf command

The **mergepdf** command provides the ability to weigh the importance of two or more PDF records when combining them into a single record. The PDF records must be derived from the same executable.

resetpdf command

The current behavior of the **resetpdf** command is the same as the **cleanpdf** command, and is retained for compatibility with earlier releases on other platforms.

showpdf command

The **showpdf** command displays the following types of profiling information for all the procedures executed in a PDF run (compilation under the **-qpdf1** option):

- Block-counter profiling
- Call-counter profiling
- Value profiling
- Cache-miss profiling, if you specified the **-qpdf1=level=2** option during the **-qpdf1** phase.

You can view the first two types of profiling information in either text or XML format. However, you can view value profiling and cache-miss profiling information only in XML format.

For more information, see **-qpdf1**, **-qpdf2** in the *XL Fortran Compiler Reference*.

Advance Toolchain 8.0 support

IBM XL Fortran for Linux, V15.1.1 fully supports IBM Advance Toolchain 8.0, which is a set of open source development tools and runtime libraries. With IBM Advance Toolchain, you can take advantage of the latest POWER® hardware features on Linux, especially the tuned libraries.

For more information, see "Using IBM XL Fortran for Linux, V15.1.1 with the Advance Toolchain" in the *XL Fortran Compiler Reference*.

Program optimization

XL Fortran provides several compiler options that can help you control the optimization and performance of your programs.

With these options, you can perform the following tasks:

- Select different levels of compiler optimizations.
- Control optimizations for loops, floating point, and other types of operations.

- Optimize a program for a particular class of machines or for a very specific machine configuration, depending on where the program will run.

Optimizing transformations can give your application better overall execution performance. XL Fortran provides a portfolio of optimizing transformations tailored to various supported hardware. These transformations offer the following benefits:

- Reducing the number of instructions executed for critical operations
- Restructuring generated object code to make optimal use of the Power Architecture
- Improving the usage of the memory subsystem
- Exploiting the ability of the architecture to handle large amounts of shared memory parallelization

For more information, see these related topics:

- "Optimizing your applications" in the *XL Fortran Optimization and Programming Guide*
- "Optimizing and tuning options" in the *XL Fortran Compiler Reference*

Shared memory parallelization

XL Fortran supports application development for multiprocessor system architectures.

You can use any of the following methods to develop your parallelized applications with XL Fortran:

- Directive-based shared memory parallelization
- Instructing the compiler to automatically generate shared memory parallelization
- Message passing based shared or distributed memory parallelization (MPI)

For more information, see "Parallel programming with XL Fortran" in the *XL Fortran Optimization and Programming Guide*.

OpenMP directives

OpenMP directives are a set of API-based commands supported by XL Fortran and many other IBM and non-IBM C, C++, and Fortran compilers.

You can use OpenMP directives to instruct the compiler how to parallelize a particular loop. The existence of the directives in the source removes the need for the compiler to perform any parallel analysis on the parallel code. OpenMP directives require the presence of Pthread libraries to provide the necessary infrastructure for parallelization.

OpenMP directives address three important issues of parallelizing an application:

1. Clauses and directives are available for scoping variables. Frequently, variables should not be shared; that is, each processor should have its own copy of the variable.
2. Work sharing directives specify how the work contained in a parallel region of code should be distributed across the processors.
3. Directives are available to control synchronization between the processors.

As of IBM XL Fortran for Linux, V15.1.1, XL Fortran supports OpenMP API Version 3.1 and selected features of the OpenMP API Version 4.0 specification.

For more information about program performance optimization, see:

- "Optimizing your applications" in the *XL Fortran Optimization and Programming Guide*
- The OpenMP API specification for parallel programming

Diagnostic listings

The compiler output listings and the XML or HTML reports provide important information to help you develop and debug your applications more efficiently.

Listing information is organized into optional sections that you can include or omit. For more information about the applicable compiler options and the listing itself, see "Understanding XL Fortran compiler listings" in the *XL Fortran Compiler Reference*.

You can also get the diagnostic information from the compiler in XML or HTML format about some of the optimizations that the compiler performed or missed. You can use this information to reduce programming effort when tuning applications, especially high-performance applications. The report is defined by an XML schema and is easily consumable by tools that you can create to read and analyze the results. For detailed information about this report and how to use it, see "Using reports to diagnose optimization opportunities" in the *XL Fortran Optimization and Programming Guide*.

Symbolic debugger support

You can instruct XL Fortran to include debugging information in your compiled objects by using different levels of the **-g** or **-qdbg** compiler option.

For details, see **-g** or **-qdbg** in *XL Fortran Compiler Reference*.

The debugging information can be examined by **gdb** or any other symbolic debugger to help you debug your programs.

Chapter 2. Migrating to IBM XL Fortran for Linux, V15.1.1

This section describes features of IBM XL Fortran for Linux, V15.1.1 that you should consider when moving your application that was compiled with versions of XL Fortran on other platforms.

Migrating from big endian Linux to little endian Linux

IBM XL Fortran for Linux, V15.1.1 is compatible with versions of the compiler running on the POWER8[®] big endian systems. There are, however, some differences to consider.

- To help migrate programs from big endian systems, you can use the **-qaltivec=be** or **-qaltivec=le** option to toggle the vector element sequence in registers to big endian or little endian element order.
- To make big endian data files compatible in little endian systems, you can use the **-qufmt=be** option so that the I/O operations on unformatted data files use the big endian byte order.

Related information



Program migration from big-endian systems



-qufmt



-qaltivec

Chapter 3. Setting up and customizing XL Fortran

For complete prerequisite and installation information for XL Fortran, see "Before installing XL Fortran" in the *XL Fortran Installation Guide*.

Using custom compiler configuration files

You can customize compiler settings and options by modifying the default configuration file or creating your own configuration file.

You have the following options to customize compiler settings:

- The XL Fortran compiler installation process creates a default compiler configuration file. You can directly modify this configuration file to add default options for specific needs. However, if you later apply updates to the compiler, you must reapply all of your modifications to the newly installed configuration file.
- You can create your own custom configuration file that either overrides or complements the default configuration file. The compiler can recognize and resolve compiler settings that you specify in your custom configuration files with compiler settings that are specified in the default configuration file. Compiler updates that might later affect settings in the default configuration file does not affect the settings in your custom configuration files.

For more information, see "Using custom compiler configuration files" in the *XL Fortran Compiler Reference*.

Chapter 4. Developing applications with XL Fortran

Fortran application development consists of repeating cycles of editing, compiling, linking, and running. By default, compiling and linking are combined into a single step.

Notes:

1. Before you can use the compiler, you must first ensure that XL Fortran is properly installed and configured. For more information, see the *XL Fortran Installation Guide*.
2. To learn about writing Fortran programs, refer to the *XL Fortran Language Reference*.

The compiler phases

A typical compiler invocation executes some or all of these activities in sequence. For link time optimizations, some activities are executed more than once during a compilation. As each compilation component runs, the results are sent to the next step in the sequence.

1. Preprocessing of source files
2. Compilation, which may consist of the following phases, depending on what compiler options are specified:
 - a. Front-end parsing and semantic analysis
 - b. Loop transformations
 - c. High-level optimization
 - d. Low-level optimization
 - e. Register allocation
 - f. Final assembly
3. Assemble the assembly (.s) files, and the unpreprocessed assembler (.S) files after they are preprocessed
4. Object linking to create an executable application

To see the compiler step through these phases, specify the **-v** compiler option when you compile your application. To see the amount of time the compiler spends in each phase, specify **-qphsinfo**.

Editing Fortran source files

To create Fortran source programs, you can use any text editor available to your system.

Source programs must be saved using a recognized file name suffix. See “XL Fortran input and output files” on page 16 for a list of suffixes recognized by XL Fortran.

For a Fortran source program to be a valid program, it must conform to the language definitions specified in the *XL Fortran Language Reference*.


Compiling with XL Fortran

XL Fortran is a command-line compiler. Invocation commands and options can be selected according to the needs of a particular Fortran application.

Invoking the compiler

The compiler invocation commands perform all necessary steps to compile Fortran source files, assemble any `.s` and `.S` files, and link the object files and libraries into an executable program.

To compile a Fortran source program, use the following basic invocation syntax:



For most applications, compile with `xlf` or a threadsafe counterpart.

- If the file name extensions of your source files indicate a specific level of Fortran, such as `.f08`, `.f03`, `.f95`, `.f90`, or `.f77`, you can compile with `xlf` or corresponding generic threadsafe invocations so the compiler can automatically select the appropriate language-level defaults.
- If you compile source files whose file name extensions are generic, such as `.f` or `.F`, with `xlf` or corresponding generic threadsafe invocations, the compilation conforms to FORTRAN 77.

For more information about threadsafe counterparts, see "Compiling XL Fortran programs" in the *XL Fortran Compiler Reference*.

Invocation commands for different levels of Fortran

More invocation commands are available to meet specialized compilation needs, primarily to provide explicit compilation support for different levels and extensions of the Fortran language. These invocation commands do not consider the specific level of Fortran indicated by the source file name extensions, such as `.f08`, `.f03`, `.f95`, `.f90`, or `.f77`.

Table 4. Invocation commands and corresponding Fortran language standards

Language level	Invocation commands	Notes
Fortran 2008	<ul style="list-style-type: none"> • f2008 • xlf2008 	<p>These compiler invocations accept Fortran 90 free source form by default. To use fixed source form with these invocations, you must specify the -qfixed option.</p> <p>I/O formats are slightly different between these commands and the other commands. I/O formats for the Fortran 95 compiler invocations are also different from the I/O formats of Fortran 90 invocations. Switch to the Fortran 95 formats for data files whenever possible.</p>
Fortran 2003	<ul style="list-style-type: none"> • f2003 • xlf2003 	
Fortran 95	<ul style="list-style-type: none"> • f95 • xlf95 	
Fortran 90	<ul style="list-style-type: none"> • f90 • xlf90 	
FORTRAN 77	<ul style="list-style-type: none"> • f77 • fort77 	<p>Where possible, these compiler invocations maintain compatibility with existing programs by using the same I/O formats as FORTRAN 77 and some implementation behaviors compatible with earlier versions of XL Fortran.</p> <p>You might need to continue using these invocations for compatibility with existing makefiles and build environments. However, programs that are compiled with these invocations might not conform to the Fortran 2008, Fortran 2003, Fortran 95, or Fortran 90 language level standards.</p>

Compiling with full compliance to language standards

By default, these invocation commands do not conform completely to the corresponding language standards. If you need full compliance, compile with the following compiler option settings and specify the following runtime options before you run the program, with a command similar to the following examples:

Fortran 2008

Compiler options:

```
-qlanglvl=2008std -qnodirective -qnoescape -qextname
-qfloat=nomaf:nofold -qnoswapomp -qstrictieemod
```

Example of runtime options:

```
export XLF RTEOPTS="err_recovery=no:langlvl=2008std:
iostat_end=2003std:internal_nldelim=2003std"
```

Fortran 2003

Compiler options:

```
-qlanglvl=2003std -qnodirective -qnoescape -qextname
-qfloat=nomaf:nofold -qnoswapomp -qstrictieemod
```

Example of runtime options:

```
export XLF RTEOPTS="err_recovery=no:langlvl=2003std:
iostat_end=2003std:internal_nldelim=2003std"
```

Fortran 95

Compiler options:

```
-qlanglvl=95std -qnodirective -qnoescape -qextname
-qfloat=nomaf:nofold -qnoswapomp
```

Example of runtime options:

```
export XLF RTEOPTS="err_recovery=no:langlvl=95std"
```

Fortran 90**Compiler options:**

```
-qlanglvl=90std -qnodirective -qnoescape -qextname
-qfloat=nomaf:nofold -qnoswapomp
```

Example of runtime options:

```
export XLF RTEOPTS="err_recovery=no:langlvl=90std"
```

The default settings are intended to provide the best combination of performance and usability, so change them only when full compliance is required. Some of the options that are mentioned in the preceding tables are only required for compliance in specific situations. For example, you must specify **-qextname** only when an external symbol, such as a common block or subprogram, is named **main**.

The -qxlf2003 compiler option

The **-qxlf2003** compiler option provides compatibility with XL Fortran V10.1 and the Fortran 2003 standard for certain aspects of the language.

When you compile with the Fortran 2003 or Fortran 2008 compiler invocations, the default setting is **-qxlf2003=polymorphic**. This setting instructs the compiler to allow polymorphic items such as the CLASS type specifier and SELECT TYPE construct in your Fortran application source.

For all other compiler invocations, the default is **-qxlf2003=nopolymorphic**.

The -qxlf2008 compiler option

You can use the **-qxlf2008** compiler option for the following purposes:

- To enable language features specific to the Fortran 2008 standard when you compile with compiler invocations that conform to earlier Fortran standards
- To disable language features specific to the Fortran 2008 standard when you compile with compiler invocations that conform to the Fortran 2008 standard

When you compile with the Fortran 2008 compiler invocations, the default setting is **-qxlf2008=checkpresence**. This setting instructs the compiler to check dummy argument presence according to the Fortran 2008 standard.

For all other compiler invocations, the default is **-qxlf2008=nocheckpresence**.

See "Compiling XL Fortran programs" in the *XL Fortran Compiler Reference* for more information about compiler invocation commands available to you.

Compiling parallelized XL Fortran applications

XL Fortran provides threadsafe compiler invocation commands to compile parallelized applications for use in multiprocessor environments.

These invocations are similar to their corresponding base compiler invocations, except that they link and bind compiled objects to threadsafe components and libraries. The generic XL Fortran threadsafe compiler invocation is as follows:

- xlf_r

XL Fortran provides additional threadsafe invocations to meet specific compilation requirements. For more information, see "Compiling XL Fortran programs" in the *XL Fortran Compiler Reference*.

Note: Using any of these commands alone does not imply parallelization. For the compiler to recognize OpenMP directives and activate parallelization, you must also specify **-qsmp** compiler option. In turn, you should specify the **-qsmp** option only in conjunction with one of these threadsafe invocation commands. When you specify **-qsmp**, the driver links in the libraries specified on the smp libraries line in the active stanza of the configuration file.

For more information on parallelized applications, see "Parallel programming" in the *XL Fortran Optimization and Programming Guide*.

POSIX Pthreads API support

XL Fortran supports thread programming with the IEEE 1003.1-2001 (POSIX) standard Pthreads API.

Specifying compiler options

Compiler options perform a variety of functions, such as setting compiler characteristics, describing the object code to be produced, controlling the diagnostic messages emitted, and performing some preprocessor functions.

You can specify compiler options in one or any combination of the following ways:

- On the command-line with command-line compiler options
- In your source code using directive statements
- In a makefile
- In the stanzas found in a compiler configuration file

You can also pass compiler options to the linker, assembler, and preprocessor.

For more information about compiler options and their usage, see "Specifying options on the command line" in the *XL Fortran Compiler Reference*.

Priority sequence of compiler options

It is possible for option conflicts and incompatibilities to occur when multiple compiler options are specified. To resolve these conflicts in a consistent fashion, the compiler usually applies the following general priority sequence to most options:

1. Directive statements in your source file *override* command-line settings
2. Command-line compiler option settings *override* configuration file settings
3. Configuration file settings *override* default settings

Generally, if the same compiler option is specified more than once on a command-line when invoking the compiler, the last option specified prevails.

Note: Some compiler options, such as the **-I** option, do not follow the priority sequence described above. The compiler searches any directories specified with **-I** in the xlf.cfg file before it searches the directories specified with **-I** on the command-line. The **-I** option is cumulative rather than preemptive. Other options with cumulative behavior are **-R** and **-l** (lowercase L).

XL Fortran input and output files

These file types are recognized by XL Fortran.

For detailed information about these and additional file types used by the compiler, see "Types of input files" in the *XL Fortran Compiler Reference* and "Types of output files" in the *XL Fortran Compiler Reference*.

Table 5. Input file types

Filename extension	Description
.f, .F, .f77, .F77, .f90, .F90, .f95, .F95, .f03, .F03, .f08, .F08	Fortran source files
.mod	Module symbol files
.smod 1	Submodule symbol files
.o	Object files
.s	Assembler files
.so	Shared object or library files
Note: 1 Fortran 2008	

Table 6. Output file types

Filename extension	Description
a.out	Default name for executable file created by the compiler
.mod	Module symbol files
.smod 1	Submodule symbol files
.lst	Listing files
.o	Object files
.s	Assembler files
.so	Shared object or library files
Note: 1 Fortran 2008	

Linking your compiled applications with XL Fortran

By default, you do not need to do anything special to link an XL Fortran program. The compiler invocation commands automatically call the linker to produce an executable output file.

For example, you can use the following command to compile `file1.f` and `file3.f` to produce the object files `file1.o` and `file3.o`. All object files, including `file2.o`, are submitted to the linker to produce one executable.

```
xlf file1.f file2.o file3.f
```

Compiling and linking in separate steps

To produce object files that can be linked later, use the `-c` option.

```
xlf -c file1.f           # Produce one object file (file1.o)
xlf -c file2.f file3.f   # Or multiple object files (file2.o, file3.o)
xlf file1.o file2.o file3.o # Link object files with default libraries
```

For more information about compiling and linking your programs, see "Linking XL Fortran programs" in the *XL Fortran Compiler Reference*.

Dynamic and static linking

XL Fortran allows your programs to take advantage of the operating system facilities for both dynamic and static linking.

Dynamic linking means that the code for some external routines is located and loaded when the program is first run. When you compile a program that uses shared libraries, the shared libraries are dynamically linked to your program by default. Dynamically linked programs take up less disk space and less virtual memory if more than one program uses the routines in the shared libraries. During linking, they do not require any special precautions to avoid naming conflicts with library routines. They are designed to perform better than statically linked programs if several programs use the same shared routines at the same time. By using dynamic linking, you can upgrade the routines in the shared libraries without relinking.

Because this form of linking is the default, you need no additional options to turn it on.

Static linking means that the code for all routines called by your program becomes part of the executable file.

Statically linked programs can be moved to run on systems without the XL Fortran runtime libraries. They might perform better than dynamically linked programs if they make many calls to library routines or call many small routines. They do require some precautions in choosing names for data objects and routines in the program if you want to avoid naming conflicts with library routines. They also might not work if you compile them on one level of the operating system and run them on a different level of the operating system.

Running your compiled application

After a program is compiled and linked, you can run the generated executable file on the command line.

The default file name for the program executable file produced by the XL Fortran compiler is **a.out**. You can select a different name with the **-o** compiler option.

You should avoid giving your program executable file the same name as system or shell commands, such as `test` or `cp`, as you could accidentally execute the wrong command. If you do decide to name your program executable file with the same name as a system or shell command, you should execute your program by specifying the path name to the directory in which your executable file resides, such as `./test`.

To run a program, enter the name of the program executable file together with any run time arguments on the command line.

Canceling execution

To suspend a running program, press the **Ctrl+Z** key while the program is in the foreground. Use the **fg** command to resume running.

To cancel a running program, press the **Ctrl+C** key while the program is in the foreground.

Setting runtime options

You can use environment variable settings to control certain runtime options and behaviors of applications created with the XL Fortran compiler. Some environment variables do not control actual runtime behavior, but they can have an impact on how your applications run.

For more information on environment variables and how they can affect your applications at run time, see the *XL Fortran Installation Guide*.

Running compiled applications on other systems

If you want to run an application developed with the XL Fortran compiler on another system that does not have the compiler installed, you need to install a runtime environment on that system or link your application statically.

You can obtain the latest XL Fortran Runtime Environment PTF images, together with licensing and usage information, from the XL Fortran for Linux support page.

XL Fortran compiler diagnostic aids

XL Fortran issues diagnostic messages when it encounters problems compiling your application. You can use these messages and other information provided in compiler output listings to help identify and correct such problems.

For more information about listing, diagnostics, and related compiler options that can help you resolve problems with your application, see the following topics in the *XL Fortran Compiler Reference*:

- "Understanding XL Fortran compiler listings"
- "Error checking and debugging options"
- "Listings, messages, and compiler information options"

Debugging compiled applications

You can use a symbolic debugger to debug applications compiled with XL Fortran.

At compile time, you can use the **-g** or **-q1 inedebug** option to instruct the XL Fortran compiler to include debugging information in compiled output. For **-g**, you can also use different levels to balance between debug capability and compiler optimization. For more information about the debugging options, see "Error checking and debugging" in the *XL Fortran Compiler Reference*.

You can then use **gdb** or any other symbolic debugger to step through and inspect the behavior of your compiled application.

Optimized applications pose special challenges when debugging. For more information about optimizing your code, see "Optimizing your applications" in the *XL Fortran Optimization and Programming Guide*.

Determining which level of XL Fortran is being used

To display the version and release level of XL Fortran that you are using, invoke the compiler with the **-qversion** compiler option.

For example, to obtain detailed version information, enter the following command:
`xlf -qversion=verbose`

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who want to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

Lab Director
IBM Canada Ltd. Laboratory
8200 Warden Avenue
Markham, Ontario L6G 1C7
Canada

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrates programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. 1998, 2014.

This software and documentation are based in part on the Fourth Berkeley Software Distribution under license from the Regents of the University of California. We acknowledge the following institution for its role in this product's development: the Electrical Engineering and Computer Sciences Department at the Berkeley campus.

Trademarks and service marks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe and the Adobe logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Index

Special characters

- .a files 16
- .f and .F files 16
- .i files 16
- .lst files 16
- .mod files 16
- .o files 16
- .s files 16
- .S files 16
- .so files 16

A

- archive files 16
- assembler
 - source (.s) files 16
 - source (.S) files 16

B

- basic example, described x

C

- code optimization 4
- compilation
 - sequence of activities 11
- compiler
 - controlling behavior of 15
 - invoking 12
 - running 12
- compiler options
 - conflicts and incompatibilities 15
 - specification methods 15
- compiling
 - SMP programs 14

D

- debugger support 18
 - output listings 18
 - symbolic 6
- debugging 18
- debugging compiled applications 18
- debugging information, generating 18
- dynamic linking 17

E

- editing source files 11
- executable files 16
- executing a program 17
- executing the linker 16

F

- f2003 command
 - description 12

- f2003 command (*continued*)
 - level of Fortran standard compliance 13
- f2008 command
 - description 12
 - level of Fortran standard compliance 13
- f77 command
 - description 12
 - level of Fortran standard compliance 13
- f90 command
 - description 12
 - level of Fortran standard compliance 13
- f95 command
 - description 12
 - level of Fortran standard compliance 13
- files
 - editing source 11
 - input 16
 - output 16
- fort77 command
 - description 12
 - level of Fortran standard compliance 13
- Fortran 2003
 - compiling programs written for 13
- Fortran 2008
 - compiling programs written for 13
- Fortran 90
 - compiling programs written for 13
- Fortran 95
 - compiling programs written for 13

I

- input files 16
- invocation commands 12
- invoking a program 17
- invoking the compiler 12

L

- language standards 2
- language support 2
- level of XL Fortran, determining 19
- libraries 16
- linking
 - dynamic 17
 - static 17
- linking process 16
- listings 16

M

- migration
 - source code 15
- mod files 16

- multiprocessor systems 5

O

- object files 16
 - creating 16
 - linking 16
- OpenMP 5
- optimization
 - programs 4
- output files 16

P

- parallelization 5
- performance
 - optimizing transformations 4
- POSIX Pthreads
 - API support 15
- problem determination 18
- programs
 - running 17

R

- running the compiler 12
- runtime
 - libraries 16
- runtime environment 18
- runtime options 18

S

- shared memory parallelization 5
- shared object files 16
- SMP
 - programs, compiling 14
- SMP programs 5
- source files 16
- source-level debugging support 6
- static linking 17
- symbolic debugger support 6

T

- tools 3
 - cleanpdf utility 4
 - install configuration utility 3
 - install utility 3
 - mergepdf utility 4
 - resetpdf utility 4
 - showpdf utility 4

U

- utilities 3
 - cleanpdf 4
 - install 3

utilities (*continued*)

- mergepdf 4
- resetpdf 4
- showpdf 4

X

- xlc.cfg file 15
- xlF command
 - description 12
- xlF_r command
 - description 12
 - for compiling SMP programs 14
- xlF2003 command
 - description 12
 - level of Fortran standard compliance 13
- xlF2003_r command
 - description 12
 - level of Fortran standard compliance 13
- xlF2008 command
 - description 12
 - level of Fortran standard compliance 13
- xlF2008_r command
 - description 12
 - level of Fortran standard compliance 13
- xlF90 command
 - description 12
 - level of Fortran standard compliance 13
- xlF90_r command
 - description 12
 - for compiling SMP programs 14
 - level of Fortran standard compliance 13
- xlF95 command
 - description 12
 - level of Fortran standard compliance 13
- xlF95_r command
 - description 12
 - for compiling SMP programs 14
 - level of Fortran standard compliance 13



Product Number: 5765-J10; 5725-C75

Printed in USA

SC27-6620-00

