

# Hardware withdrawal: IBM Linear Tape-Open (LTO) 6 Data Cartridge models and IBM 3599 Tape Media Cartridges - Some replacements available

## Table of contents

<a href="#">1 Overview</a>	<a href="#">18 Replacement product information</a>
<a href="#">1 Withdrawn products</a>	

## Overview

Effective December 16, 2022, IBM<sup>(R)</sup> will withdraw from marketing the following products. On or after the effective date of withdrawal, you can no longer order these products directly from IBM.

For new orders, the client-requested arrival date (CRAD) can be no later than January 16, 2023.

You can obtain the products on an as-available basis through IBM Business Partners.

If you have a continuing need for this machine/model type, go to the [IBM Certified Pre-owned Equipment](#) website to check on availability or utilize the request a quote to communicate your specific requirements. IBM Certified Pre-owned Equipment has the largest inventory of used IBM systems that are refurbished, tested, and warranted for a minimum of 90 days.

## Withdrawn products

Effective December 16, 2022, the following features and models are being withdrawn:

Description	Machine type	Model number	Feature number
IBM 3589 2.5 TB Ultrium <sup>(R)</sup> Tape Cart Labeled Model 550	3589	550	
IBM 3589 2.5 TB Ultrium Tape Cartridge Model 650	3589	650	
IBM Tape Cartridges 3592 Advanced Data - Type C Model 420	3599	420	
IBM Tape Cartridges 3592 Advanced Economy - Type C Model 430	3599	430	
IBM Tape Cartridges 3592 Advanced Data - Type C Model 520	3599	520	
IBM Tape Cartridges	3599	530	

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
3592 Advanced Economy - Type C Model 530			
Drive Removal	3584	D23	1663
Drive Removal	3584	D53	1663
Drive Removal	3584	L23	1663
Drive Removal	3584	L53	1663
TS4500 Control Upgrade	3584	S24	1742
TS4500 Control Upgrade	3584	S54	1742
Mixed Media Library	3584	L25	9080
Mixed Media Library	3584	L55	9080
TAA Compliance	3589	550	0983
Jewel case	3589	550	8000
Label bkgrd: Color/Vibrant	3589	550	9022
Label bkgrd: White (no color)	3589	550	9077
Alpha prefix bkgrd - red	3589	550	9003
Alpha prefix bkgrd - yellow	3589	550	9004
Alpha prefix bkgrd - lt green	3589	550	9005
Alpha prefix bkgrd - lt blue	3589	550	9006
Alpha prefix bkgrd - gray	3589	550	9007
Alpha prefix bkgrd - orange	3589	550	9008
Alpha prefix bkgrd - pink	3589	550	9009
Alpha prefix bkgrd - green	3589	550	9010
Alpha prefix bkgrd - lt orange	3589	550	9011
Alpha prefix bkgrd - purple	3589	550	9012
1st char of VOLSER =0	3589	550	9100
1st char of VOLSER =1	3589	550	9101
1st char of VOLSER =2	3589	550	9102
1st char of VOLSER =3	3589	550	9103
1st char of VOLSER =4	3589	550	9104
1st char of VOLSER =5	3589	550	9105
1st char of VOLSER =6	3589	550	9106
1st char of VOLSER =7	3589	550	9107
1st char of VOLSER =8	3589	550	9108
1st char of VOLSER =9	3589	550	9109

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
1st char of VOLSER =A	3589	550	9110
1st char of VOLSER =B	3589	550	9111
1st char of VOLSER =C	3589	550	9112
1st char of VOLSER =D	3589	550	9113
1st char of VOLSER =E	3589	550	9114
1st char of VOLSER =F	3589	550	9115
1st char of VOLSER =G	3589	550	9116
1st char of VOLSER =H	3589	550	9117
1st char of VOLSER =I	3589	550	9118
1st char of VOLSER =J	3589	550	9119
1st char of VOLSER =K	3589	550	9120
1st char of VOLSER =L	3589	550	9121
1st char of VOLSER =M	3589	550	9122
1st char of VOLSER =N	3589	550	9123
1st char of VOLSER =O	3589	550	9124
1st char of VOLSER =P	3589	550	9125
1st char of VOLSER =Q	3589	550	9126
1st char of VOLSER =R	3589	550	9127
1st char of VOLSER =S	3589	550	9128
1st char of VOLSER =T	3589	550	9129
1st char of VOLSER =U	3589	550	9130
1st char of VOLSER =V	3589	550	9131
1st char of VOLSER =W	3589	550	9132
1st char of VOLSER =X	3589	550	9133
1st char of VOLSER =Y	3589	550	9134
1st char of VOLSER =Z	3589	550	9135
2nd char of VOLSER =0	3589	550	9200
2nd char of VOLSER =1	3589	550	9201
2nd char of VOLSER =2	3589	550	9202
2nd char of VOLSER =3	3589	550	9203
2nd char of VOLSER =4	3589	550	9204

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
2nd char of VOLSER =5	3589	550	9205
2nd char of VOLSER =6	3589	550	9206
2nd char of VOLSER =7	3589	550	9207
2nd char of VOLSER =8	3589	550	9208
2nd char of VOLSER =9	3589	550	9209
2nd char of VOLSER =A	3589	550	9210
2nd char of VOLSER =B	3589	550	9211
2nd char of VOLSER =C	3589	550	9212
2nd char of VOLSER =D	3589	550	9213
2nd char of VOLSER =E	3589	550	9214
2nd char of VOLSER =F	3589	550	9215
2nd char of VOLSER =G	3589	550	9216
2nd char of VOLSER =H	3589	550	9217
2nd char of VOLSER =I	3589	550	9218
2nd char of VOLSER =J	3589	550	9219
2nd char of VOLSER =K	3589	550	9220
2nd char of VOLSER =L	3589	550	9221
2nd char of VOLSER =M	3589	550	9222
2nd char of VOLSER =N	3589	550	9223
2nd char of VOLSER =O	3589	550	9224
2nd char of VOLSER =P	3589	550	9225
2nd char of VOLSER =Q	3589	550	9226
2nd char of VOLSER =R	3589	550	9227
2nd char of VOLSER =S	3589	550	9228
2nd char of VOLSER =T	3589	550	9229
2nd char of VOLSER =U	3589	550	9230
2nd char of VOLSER =V	3589	550	9231
2nd char of VOLSER =W	3589	550	9232
2nd char of VOLSER =X	3589	550	9233
2nd char of VOLSER =Y	3589	550	9234
2nd char of VOLSER =Z	3589	550	9235

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
3rd char of VOLSER =0	3589	550	9300
3rd char of VOLSER =1	3589	550	9301
3rd char of VOLSER =2	3589	550	9302
3rd char of VOLSER =3	3589	550	9303
3rd char of VOLSER =4	3589	550	9304
3rd char of VOLSER =5	3589	550	9305
3rd char of VOLSER =6	3589	550	9306
3rd char of VOLSER =7	3589	550	9307
3rd char of VOLSER =8	3589	550	9308
3rd char of VOLSER =9	3589	550	9309
3rd char of VOLSER =A	3589	550	9310
3rd char of VOLSER =B	3589	550	9311
3rd char of VOLSER =C	3589	550	9312
3rd char of VOLSER =D	3589	550	9313
3rd char of VOLSER =E	3589	550	9314
3rd char of VOLSER =F	3589	550	9315
3rd char of VOLSER =G	3589	550	9316
3rd char of VOLSER =H	3589	550	9317
3rd char of VOLSER =I	3589	550	9318
3rd char of VOLSER =J	3589	550	9319
3rd char of VOLSER =K	3589	550	9320
3rd char of VOLSER =L	3589	550	9321
3rd char of VOLSER =M	3589	550	9322
3rd char of VOLSER =N	3589	550	9323
3rd char of VOLSER =O	3589	550	9324
3rd char of VOLSER =P	3589	550	9325
3rd char of VOLSER =Q	3589	550	9326
3rd char of VOLSER =R	3589	550	9327
3rd char of VOLSER =S	3589	550	9328
3rd char of VOLSER =T	3589	550	9329
3rd char of VOLSER =U	3589	550	9330

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
3rd char of VOLSER =V	3589	550	9331
3rd char of VOLSER =W	3589	550	9332
3rd char of VOLSER =X	3589	550	9333
3rd char of VOLSER =Y	3589	550	9334
3rd char of VOLSER =Z	3589	550	9335
4th char of VOLSER =0	3589	550	9400
4th char of VOLSER =1	3589	550	9401
4th char of VOLSER =2	3589	550	9402
4th char of VOLSER =3	3589	550	9403
4th char of VOLSER =4	3589	550	9404
4th char of VOLSER =5	3589	550	9405
4th char of VOLSER =6	3589	550	9406
4th char of VOLSER =7	3589	550	9407
4th char of VOLSER =8	3589	550	9408
4th char of VOLSER =9	3589	550	9409
5th char of VOLSER =0	3589	550	9500
5th char of VOLSER =1	3589	550	9501
5th char of VOLSER =2	3589	550	9502
5th char of VOLSER =3	3589	550	9503
5th char of VOLSER =4	3589	550	9504
5th char of VOLSER =5	3589	550	9505
5th char of VOLSER =6	3589	550	9506
5th char of VOLSER =7	3589	550	9507
5th char of VOLSER =8	3589	550	9508
5th char of VOLSER =9	3589	550	9509
Label Background: UniColor	3589	550	9097
4TH CHAR OF VOLSER =A	3589	550	9410
4TH CHAR OF VOLSER =B	3589	550	9411
4TH CHAR OF VOLSER =C	3589	550	9412
4TH CHAR OF VOLSER =D	3589	550	9413
4TH CHAR OF VOLSER =E	3589	550	9414

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
4TH CHAR OF VOLSER =F	3589	550	9415
4TH CHAR OF VOLSER =G	3589	550	9416
4TH CHAR OF VOLSER =H	3589	550	9417
4TH CHAR OF VOLSER =I	3589	550	9418
4TH CHAR OF VOLSER =J	3589	550	9419
4TH CHAR OF VOLSER =K	3589	550	9420
4TH CHAR OF VOLSER =L	3589	550	9421
4TH CHAR OF VOLSER =M	3589	550	9422
4TH CHAR OF VOLSER =N	3589	550	9423
4TH CHAR OF VOLSER =O	3589	550	9424
4TH CHAR OF VOLSER =P	3589	550	9425
4TH CHAR OF VOLSER =Q	3589	550	9426
4TH CHAR OF VOLSER =R	3589	550	9427
4TH CHAR OF VOLSER =S	3589	550	9428
4TH CHAR OF VOLSER =T	3589	550	9429
4TH CHAR OF VOLSER =U	3589	550	9430
4TH CHAR OF VOLSER =V	3589	550	9431
4TH CHAR OF VOLSER =W	3589	550	9432
4TH CHAR OF VOLSER =X	3589	550	9433
4TH CHAR OF VOLSER =Y	3589	550	9434
4TH CHAR OF VOLSER =Z	3589	550	9435
5TH CHAR OF VOLSER =A	3589	550	9510
5TH CHAR OF VOLSER =B	3589	550	9511
5TH CHAR OF VOLSER =C	3589	550	9512
5TH CHAR OF VOLSER =D	3589	550	9513
5TH CHAR OF VOLSER =E	3589	550	9514
5TH CHAR OF VOLSER =F	3589	550	9515
5TH CHAR OF VOLSER =G	3589	550	9516
5TH CHAR OF VOLSER =H	3589	550	9517
5TH CHAR OF VOLSER =I	3589	550	9518
5TH CHAR OF VOLSER =J	3589	550	9519

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
5TH CHAR OF VOLSER =K	3589	550	9520
5TH CHAR OF VOLSER =L	3589	550	9521
5TH CHAR OF VOLSER =M	3589	550	9522
5TH CHAR OF VOLSER =N	3589	550	9523
5TH CHAR OF VOLSER =O	3589	550	9524
5TH CHAR OF VOLSER =P	3589	550	9525
5TH CHAR OF VOLSER =Q	3589	550	9526
5TH CHAR OF VOLSER =R	3589	550	9527
5TH CHAR OF VOLSER =S	3589	550	9528
5TH CHAR OF VOLSER =T	3589	550	9529
5TH CHAR OF VOLSER =U	3589	550	9530
5TH CHAR OF VOLSER =V	3589	550	9531
5TH CHAR OF VOLSER =W	3589	550	9532
5TH CHAR OF VOLSER =X	3589	550	9533
5TH CHAR OF VOLSER =Y	3589	550	9534
5TH CHAR OF VOLSER =Z	3589	550	9535
6TH CHAR OF VOLSER =0	3589	550	9600
6TH CHAR OF VOLSER =1	3589	550	9601
6TH CHAR OF VOLSER =2	3589	550	9602
6TH CHAR OF VOLSER =3	3589	550	9603
6TH CHAR OF VOLSER =4	3589	550	9604
6TH CHAR OF VOLSER =5	3589	550	9605
6TH CHAR OF VOLSER =6	3589	550	9606
6TH CHAR OF VOLSER =7	3589	550	9607
6TH CHAR OF VOLSER =8	3589	550	9608
6TH CHAR OF VOLSER =9	3589	550	9609
6TH CHAR OF VOLSER =A	3589	550	9610
6TH CHAR OF VOLSER =B	3589	550	9611
6TH CHAR OF VOLSER =C	3589	550	9612
6TH CHAR OF VOLSER =D	3589	550	9613
6TH CHAR OF VOLSER =E	3589	550	9614



<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
6TH CHAR OF VOLSER =F	3589	550	9615
6TH CHAR OF VOLSER =G	3589	550	9616
6TH CHAR OF VOLSER =H	3589	550	9617
6TH CHAR OF VOLSER =I	3589	550	9618
6TH CHAR OF VOLSER =J	3589	550	9619
6TH CHAR OF VOLSER =K	3589	550	9620
6TH CHAR OF VOLSER =L	3589	550	9621
6TH CHAR OF VOLSER =M	3589	550	9622
6TH CHAR OF VOLSER =N	3589	550	9623
6TH CHAR OF VOLSER =O	3589	550	9624
6TH CHAR OF VOLSER =P	3589	550	9625
6TH CHAR OF VOLSER =Q	3589	550	9626
6TH CHAR OF VOLSER =R	3589	550	9627
6TH CHAR OF VOLSER =S	3589	550	9628
6TH CHAR OF VOLSER =T	3589	550	9629
6TH CHAR OF VOLSER =U	3589	550	9630
6TH CHAR OF VOLSER =V	3589	550	9631
6TH CHAR OF VOLSER =W	3589	550	9632
6TH CHAR OF VOLSER =X	3589	550	9633
6TH CHAR OF VOLSER =Y	3589	550	9634
6TH CHAR OF VOLSER =Z	3589	550	9635
Base 10 Count LBL Sequence	3589	550	9910
Base 36 Count LBL Sequence	3589	550	9936
Ultrium 2.5 TB Tape Cartridge Labeled	3589	550	5500
TAA Compliance	3589	650	0983
Ultrium 2.5 TB Tape Cartridge	3589	650	6500
Jewel case	3589	650	8000
TAA Compliance	3599	420, 430, 520, 530	0983
Alpha prefix background - red	3599	420, 430, 520, 530	9003
Alpha prefix background - yellow	3599	420, 430, 520, 530	9004
Alpha prefix background - light green	3599	420, 430, 520, 530	9005

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
Alpha prefix background - light blue	3599	420, 430, 520, 530	9006
Alpha prefix background - gray	3599	420, 430, 520, 530	9007
Alpha prefix background - orange	3599	420, 430, 520, 530	9008
Alpha prefix background - pink	3599	420, 430, 520, 530	9009
Alpha prefix background - dark green	3599	420, 430, 520, 530	9010
Alpha prefix background - light orange	3599	420, 430, 520, 530	9011
Alpha prefix background - purple	3599	420, 430, 520, 530	9012
Label background: Color/Vibrant	3599	420, 430, 520, 530	9022
Label background: White (no color)	3599	420, 430, 520, 530	9077
Label background: Unicolor	3599	420, 430, 520, 530	9097
First character of VOLSER =0	3599	420, 430, 520, 530	9100
First character of VOLSER =1	3599	420, 430, 520, 530	9101
First character of VOLSER =2	3599	420, 430, 520, 530	9102
First character of VOLSER =3	3599	420, 430, 520, 530	9103
First character of VOLSER =4	3599	420, 430, 520, 530	9104
First character of VOLSER =5	3599	420, 430, 520, 530	9105
First character of VOLSER =6	3599	420, 430, 520, 530	9106
First character of VOLSER =7	3599	420, 430, 520, 530	9107
First character of VOLSER =8	3599	420, 430, 520, 530	9108
First character of VOLSER =9	3599	420, 430, 520, 530	9109
First character of VOLSER =A	3599	420, 430, 520, 530	9110
First character of VOLSER =B	3599	420, 430, 520, 530	9111
First character of VOLSER =C	3599	420, 430, 520, 530	9112
First character of VOLSER =D	3599	420, 430, 520, 530	9113
First character of VOLSER =E	3599	420, 430, 520, 530	9114
First character of VOLSER =F	3599	420, 430, 520, 530	9115
First character of VOLSER =G	3599	420, 430, 520, 530	9116
First character of VOLSER =H	3599	420, 430, 520, 530	9117
First character of VOLSER =I	3599	420, 430, 520, 530	9118

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
First character of VOLSER =J	3599	420, 430, 520, 530	9119
First character of VOLSER =K	3599	420, 430, 520, 530	9120
First character of VOLSER =L	3599	420, 430, 520, 530	9121
First character of VOLSER =M	3599	420, 430, 520, 530	9122
First character of VOLSER =N	3599	420, 430, 520, 530	9123
First character of VOLSER =O	3599	420, 430, 520, 530	9124
First character of VOLSER =P	3599	420, 430, 520, 530	9125
First character of VOLSER =Q	3599	420, 430, 520, 530	9126
First character of VOLSER =R	3599	420, 430, 520, 530	9127
First character of VOLSER =S	3599	420, 430, 520, 530	9128
First character of VOLSER =T	3599	420, 430, 520, 530	9129
First character of VOLSER =U	3599	420, 430, 520, 530	9130
First character of VOLSER =V	3599	420, 430, 520, 530	9131
First character of VOLSER =W	3599	420, 430, 520, 530	9132
First character of VOLSER =X	3599	420, 430, 520, 530	9133
First character of VOLSER =Y	3599	420, 430, 520, 530	9134
First character of VOLSER =Z	3599	420, 430, 520, 530	9135
Second character of VOLSER =0	3599	420, 430, 520, 530	9200
Second character of VOLSER =1	3599	420, 430, 520, 530	9201
Second character of VOLSER =2	3599	420, 430, 520, 530	9202
Second character of VOLSER =3	3599	420, 430, 520, 530	9203
Second character of VOLSER =4	3599	420, 430, 520, 530	9204
Second character of VOLSER =5	3599	420, 430, 520, 530	9205
Second character of VOLSER =6	3599	420, 430, 520, 530	9206
Second character of VOLSER =7	3599	420, 430, 520, 530	9207
Second character of VOLSER =8	3599	420, 430, 520, 530	9208
Second character of VOLSER =9	3599	420, 430, 520, 530	9209
Second character of VOLSER =A	3599	420, 430, 520, 530	9210
Second character of VOLSER =B	3599	420, 430, 520, 530	9211
Second character of VOLSER =C	3599	420, 430, 520, 530	9212
Second character of VOLSER =D	3599	420, 430, 520, 530	9213

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
Second character of VOLSER =E	3599	420, 430, 520, 530	9214
Second character of VOLSER =F	3599	420, 430, 520, 530	9215
Second character of VOLSER =G	3599	420, 430, 520, 530	9216
Second character of VOLSER =H	3599	420, 430, 520, 530	9217
Second character of VOLSER =I	3599	420, 430, 520, 530	9218
Second character of VOLSER =J	3599	420, 430, 520, 530	9219
Second character of VOLSER =K	3599	420, 430, 520, 530	9220
Second character of VOLSER =L	3599	420, 430, 520, 530	9221
Second character of VOLSER =M	3599	420, 430, 520, 530	9222
Second character of VOLSER =N	3599	420, 430, 520, 530	9223
Second character of VOLSER =O	3599	420, 430, 520, 530	9224
Second character of VOLSER =P	3599	420, 430, 520, 530	9225
Second character of VOLSER =Q	3599	420, 430, 520, 530	9226
Second character of VOLSER =R	3599	420, 430, 520, 530	9227
Second character of VOLSER =S	3599	420, 430, 520, 530	9228
Second character of VOLSER =T	3599	420, 430, 520, 530	9229
Second character of VOLSER =U	3599	420, 430, 520, 530	9230
Second character of VOLSER =V	3599	420, 430, 520, 530	9231
Second character of VOLSER =W	3599	420, 430, 520, 530	9232
Second character of VOLSER =X	3599	420, 430, 520, 530	9233
Second character of VOLSER =Y	3599	420, 430, 520, 530	9234
Second character of VOLSER =Z	3599	420, 430, 520, 530	9235
Third character of VOLSER =0	3599	420, 430, 520, 530	9300
Third character of VOLSER =1	3599	420, 430, 520, 530	9301
Third character of VOLSER =2	3599	420, 430, 520, 530	9302
Third character of VOLSER =3	3599	420, 430, 520, 530	9303
Third character of VOLSER =4	3599	420, 430, 520, 530	9304
Third character of VOLSER =5	3599	420, 430, 520, 530	9305
Third character of VOLSER =6	3599	420, 430, 520, 530	9306
Third character of VOLSER =7	3599	420, 430, 520, 530	9307
Third character of VOLSER =8	3599	420, 430, 520, 530	9308

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
Third character of VOLSER =9	3599	420, 430, 520, 530	9309
Third character of VOLSER =A	3599	420, 430, 520, 530	9310
Third character of VOLSER =B	3599	420, 430, 520, 530	9311
Third character of VOLSER =C	3599	420, 430, 520, 530	9312
Third character of VOLSER =D	3599	420, 430, 520, 530	9313
Third character of VOLSER =E	3599	420, 430, 520, 530	9314
Third character of VOLSER =F	3599	420, 430, 520, 530	9315
Third character of VOLSER =G	3599	420, 430, 520, 530	9316
Third character of VOLSER =H	3599	420, 430, 520, 530	9317
Third character of VOLSER =I	3599	420, 430, 520, 530	9318
Third character of VOLSER =J	3599	420, 430, 520, 530	9319
Third character of VOLSER =K	3599	420, 430, 520, 530	9320
Third character of VOLSER =L	3599	420, 430, 520, 530	9321
Third character of VOLSER =M	3599	420, 430, 520, 530	9322
Third character of VOLSER =N	3599	420, 430, 520, 530	9323
Third character of VOLSER =O	3599	420, 430, 520, 530	9324
Third character of VOLSER =P	3599	420, 430, 520, 530	9325
Third character of VOLSER =Q	3599	420, 430, 520, 530	9326
Third character of VOLSER =R	3599	420, 430, 520, 530	9327
Third character of VOLSER =S	3599	420, 430, 520, 530	9328
Third character of VOLSER =T	3599	420, 430, 520, 530	9329
Third character of VOLSER =U	3599	420, 430, 520, 530	9330
Third character of VOLSER =V	3599	420, 430, 520, 530	9331
Third character of VOLSER =W	3599	420, 430, 520, 530	9332
Third character of VOLSER =X	3599	420, 430, 520, 530	9333
Third character of VOLSER =Y	3599	420, 430, 520, 530	9334
Third character of VOLSER =Z	3599	420, 430, 520, 530	9335
Fourth character of VOLSER =0	3599	420, 430, 520, 530	9400
Fourth character of VOLSER =1	3599	420, 430, 520, 530	9401
Fourth character of VOLSER =2	3599	420, 430, 520, 530	9402
Fourth character of VOLSER =3	3599	420, 430, 520, 530	9403

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
Fourth character of VOLSER =4	3599	420, 430, 520, 530	9404
Fourth character of VOLSER =5	3599	420, 430, 520, 530	9405
Fourth character of VOLSER =6	3599	420, 430, 520, 530	9406
Fourth character of VOLSER =7	3599	420, 430, 520, 530	9407
Fourth character of VOLSER =8	3599	420, 430, 520, 530	9408
Fourth character of VOLSER =9	3599	420, 430, 520, 530	9409
Fifth character of VOLSER =0	3599	420, 430, 520, 530	9500
Fifth character of VOLSER =1	3599	420, 430, 520, 530	9501
Fifth character of VOLSER =2	3599	420, 430, 520, 530	9502
Fifth character of VOLSER =3	3599	420, 430, 520, 530	9503
Fifth character of VOLSER =4	3599	420, 430, 520, 530	9504
Fifth character of VOLSER =5	3599	420, 430, 520, 530	9505
Fifth character of VOLSER =6	3599	420, 430, 520, 530	9506
Fifth character of VOLSER =7	3599	420, 430, 520, 530	9507
Fifth character of VOLSER =8	3599	420, 430, 520, 530	9508
Fifth character of VOLSER =9	3599	420, 430, 520, 530	9509
4TH CHAR OF VOLSER =A	3599	420, 430, 520, 530	9410
4TH CHAR OF VOLSER =B	3599	420, 430, 520, 530	9411
4TH CHAR OF VOLSER =C	3599	420, 430, 520, 530	9412
4TH CHAR OF VOLSER =D	3599	420, 430, 520, 530	9413
4TH CHAR OF VOLSER =E	3599	420, 430, 520, 530	9414
4TH CHAR OF VOLSER =F	3599	420, 430, 520, 530	9415
4TH CHAR OF VOLSER =G	3599	420, 430, 520, 530	9416
4TH CHAR OF VOLSER =H	3599	420, 430, 520, 530	9417
4TH CHAR OF VOLSER =I	3599	420, 430, 520, 530	9418
4TH CHAR OF VOLSER =J	3599	420, 430, 520, 530	9419
4TH CHAR OF VOLSER =K	3599	420, 430, 520, 530	9420
4TH CHAR OF VOLSER =L	3599	420, 430, 520, 530	9421
4TH CHAR OF VOLSER =M	3599	420, 430, 520, 530	9422
4TH CHAR OF VOLSER =N	3599	420, 430, 520, 530	9423
4TH CHAR OF VOLSER =O	3599	420, 430, 520, 530	9424

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
4TH CHAR OF VOLSER =P	3599	420, 430, 520, 530	9425
4TH CHAR OF VOLSER =Q	3599	420, 430, 520, 530	9426
4TH CHAR OF VOLSER =R	3599	420, 430, 520, 530	9427
4TH CHAR OF VOLSER =S	3599	420, 430, 520, 530	9428
4TH CHAR OF VOLSER =T	3599	420, 430, 520, 530	9429
4TH CHAR OF VOLSER =U	3599	420, 430, 520, 530	9430
4TH CHAR OF VOLSER =V	3599	420, 430, 520, 530	9431
4TH CHAR OF VOLSER =W	3599	420, 430, 520, 530	9432
4TH CHAR OF VOLSER =X	3599	420, 430, 520, 530	9433
4TH CHAR OF VOLSER =Y	3599	420, 430, 520, 530	9434
4TH CHAR OF VOLSER =Z	3599	420, 430, 520, 530	9435
5TH CHAR OF VOLSER =A	3599	420, 430, 520, 530	9510
5TH CHAR OF VOLSER =B	3599	420, 430, 520, 530	9511
5TH CHAR OF VOLSER =C	3599	420, 430, 520, 530	9512
5TH CHAR OF VOLSER =D	3599	420, 430, 520, 530	9513
5TH CHAR OF VOLSER =E	3599	420, 430, 520, 530	9514
5TH CHAR OF VOLSER =F	3599	420, 430, 520, 530	9515
5TH CHAR OF VOLSER =G	3599	420, 430, 520, 530	9516
5TH CHAR OF VOLSER =H	3599	420, 430, 520, 530	9517
5TH CHAR OF VOLSER =I	3599	420, 430, 520, 530	9518
5TH CHAR OF VOLSER =J	3599	420, 430, 520, 530	9519
5TH CHAR OF VOLSER =K	3599	420, 430, 520, 530	9520
5TH CHAR OF VOLSER =L	3599	420, 430, 520, 530	9521
5TH CHAR OF VOLSER =M	3599	420, 430, 520, 530	9522
5TH CHAR OF VOLSER =N	3599	420, 430, 520, 530	9523
5TH CHAR OF VOLSER =O	3599	420, 430, 520, 530	9524
5TH CHAR OF VOLSER =P	3599	420, 430, 520, 530	9525
5TH CHAR OF VOLSER =Q	3599	420, 430, 520, 530	9526
5TH CHAR OF VOLSER =R	3599	420, 430, 520, 530	9527
5TH CHAR OF VOLSER =S	3599	420, 430, 520, 530	9528
5TH CHAR OF VOLSER =T	3599	420, 430, 520, 530	9529

<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
5TH CHAR OF VOLSER =U	3599	420, 430, 520, 530	9530
5TH CHAR OF VOLSER =V	3599	420, 430, 520, 530	9531
5TH CHAR OF VOLSER =W	3599	420, 430, 520, 530	9532
5TH CHAR OF VOLSER =X	3599	420, 430, 520, 530	9533
5TH CHAR OF VOLSER =Y	3599	420, 430, 520, 530	9534
5TH CHAR OF VOLSER =Z	3599	420, 430, 520, 530	9535
6TH CHAR OF VOLSER =0	3599	420, 430, 520, 530	9600
6TH CHAR OF VOLSER =1	3599	420, 430, 520, 530	9601
6TH CHAR OF VOLSER =2	3599	420, 430, 520, 530	9602
6TH CHAR OF VOLSER =3	3599	420, 430, 520, 530	9603
6TH CHAR OF VOLSER =4	3599	420, 430, 520, 530	9604
6TH CHAR OF VOLSER =5	3599	420, 430, 520, 530	9605
6TH CHAR OF VOLSER =6	3599	420, 430, 520, 530	9606
6TH CHAR OF VOLSER =7	3599	420, 430, 520, 530	9607
6TH CHAR OF VOLSER =8	3599	420, 430, 520, 530	9608
6TH CHAR OF VOLSER =9	3599	420, 430, 520, 530	9609
6TH CHAR OF VOLSER =A	3599	420, 430, 520, 530	9610
6TH CHAR OF VOLSER =B	3599	420, 430, 520, 530	9611
6TH CHAR OF VOLSER =C	3599	420, 430, 520, 530	9612
6TH CHAR OF VOLSER =D	3599	420, 430, 520, 530	9613
6TH CHAR OF VOLSER =E	3599	420, 430, 520, 530	9614
6TH CHAR OF VOLSER =F	3599	420, 430, 520, 530	9615
6TH CHAR OF VOLSER =G	3599	420, 430, 520, 530	9616
6TH CHAR OF VOLSER =H	3599	420, 430, 520, 530	9617
6TH CHAR OF VOLSER =I	3599	420, 430, 520, 530	9618
6TH CHAR OF VOLSER =J	3599	420, 430, 520, 530	9619
6TH CHAR OF VOLSER =K	3599	420, 430, 520, 530	9620
6TH CHAR OF VOLSER =L	3599	420, 430, 520, 530	9621
6TH CHAR OF VOLSER =M	3599	420, 430, 520, 530	9622
6TH CHAR OF VOLSER =N	3599	420, 430, 520, 530	9623
6TH CHAR OF VOLSER =O	3599	420, 430, 520, 530	9624



<b>Description</b>	<b>Machine type</b>	<b>Model number</b>	<b>Feature number</b>
6TH CHAR OF VOLSER =P	3599	420, 430, 520, 530	9625
6TH CHAR OF VOLSER =Q	3599	420, 430, 520, 530	9626
6TH CHAR OF VOLSER =R	3599	420, 430, 520, 530	9627
6TH CHAR OF VOLSER =S	3599	420, 430, 520, 530	9628
6TH CHAR OF VOLSER =T	3599	420, 430, 520, 530	9629
6TH CHAR OF VOLSER =U	3599	420, 430, 520, 530	9630
6TH CHAR OF VOLSER =V	3599	420, 430, 520, 530	9631
6TH CHAR OF VOLSER =W	3599	420, 430, 520, 530	9632
6TH CHAR OF VOLSER =X	3599	420, 430, 520, 530	9633
6TH CHAR OF VOLSER =Y	3599	420, 430, 520, 530	9634
6TH CHAR OF VOLSER =Z	3599	420, 430, 520, 530	9635
Base 10 Count LBL Sequence	3599	420, 430, 520, 530	9910
Base 36 Count LBL Sequence	3599	420, 430, 520, 530	9936
20-Pack 3592 Data Cartridges - Type C with Labeling and Initialization	3599	420	4211
E5 Format	3599	420	9085
Media identifier letters JC or Type C	3599	420, 520	9035
E4 Format	3599	420, 430	9084
E5A Format	3599	420, 430	9086
Media identifier letters JK or Type K	3599	430, 530	9052
20-Pack 3592 Economy Data Cartridges - Type C with Labeling and Initialization	3599	430	4300
20-Pack 3592 Data Cartridges - Type C with Labeling Services	3599	520	5221
20-Pack 3592 Economy Data Cartridges - Type C with Labeling Services	3599	530	5300
20-Pack 3592 Economy Data Cartridges - Type C with RFID Labeling Services	3599	530	5310

Effective December 16, 2022, the following model conversions on the specified machine types are withdrawn:

<b>Machine type</b>	<b>From Model</b>	<b>To Model</b>
3584	S24	S54
3584	S54	S24

---

## Replacement product information

---

After December 16, 2022, the following items will be available through IBM Media authorized distributors, while supplies last:

Orderable part number for aftermarket	Program description
00V7590	Ultrium LTO <sup>(R)</sup> 6 Tape Cartridge - 2.5 TB
00V7590L	Ultrium LTO 6 Tape Cartridge - 2.5 TB with Barcode Label
00V7594	Ultrium LTO 6 Tape Cartridge - 2.5TB - Library Pack - 20 carts per pack
00V7594L	Ultrium LTO 6 Tape Cartridge - 2.5TB with Barcode Label - Library Pack
46X7452	3592 Tape Cartridge - Advanced Data JC 4TB
46X7452L	3592 Tape Cartridge - Advanced Data JC 4TB w/Color Label
46X7452LI	3592 Tape Cartridge - Advanced Data JC 4TB w/Color Label & Initialized
46X7453	3592 Tape Cartridge - Advanced Economy JK 500GB
46X7453L	3592 Tape Cartridge - Advanced Economy JK 500GB w/Color Label
46X7453LI	3592 Tape Cartridge - Advanced Economy JK 500GB w/Color Label & Initialized

To find available products in your region, contact the following aftermarket tape media remarketer:

- E-Globaledge Corporation
  - Phone: +81-3-6412-6022
  - Website: [www.e-globaledge.com](http://www.e-globaledge.com)

For additional information and inquiries, contact [ibmmmedia@us.ibm.com](mailto:ibmmmedia@us.ibm.com).

### **Trademarks**

IBM is a registered trademark of IBM Corporation in the United States, other countries, or both.

LTO and Ultrium are registered trademarks of HP IBM Corp. and Quantum in the U.S. and other countries.

Other company, product, and service names may be trademarks or service marks of others.

### **Terms of use**

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for your information only. Reference to other products in this announcement does not necessarily imply those products are announced, or intend to be announced, in your country. Additional terms of use are located at

[Terms of use](#)

For the most current information regarding IBM products, consult your IBM representative or reseller, or go to the [IBM worldwide contacts page](#)

[IBM Directory of worldwide contacts](#)