



## IBM TS2270 Tape Drive

*Seventh-generation LTO Ultrium, half-height tape drive*

---

### Highlights

- Provide long-term backup and archive storage data protection while lowering overall storage costs
  - Simplify data management with IBM® Spectrum Archive utilising IBM Linear Tape File System technology
  - Improve energy efficiency over previous generations
  - Support media partitioning on Linear Tape-Open® (LTO®) Ultrium® 7 media.
- 

IBM TS2270 Tape Drive is the answer to growing storage requirements and shrinking backup windows. Incorporating the latest generation of leading-edge LTO technology, the TS2270 tape drive is suited for handling backup, save and restore and archival data storage needs with higher capacity and higher data transfer rates than the previous generation. In addition, the LTO Ultrium 7 technology is designed to support media partitioning and IBM Spectrum Archive technology. It also continues to support encryption of data and write-once-read-many (WORM) media.

The TS2270 tape drive is an excellent tape storage solution for organisations requiring backup and low-cost, archival storage of data. TS2270 provides a physical storage capacity of up to 15 Terabytes (TB) (with 2.5:1 compression). The data transfer performance has increased over the previous LTO Ultrium half-height generation with a transfer rate of up to 300 Megabytes per second (MBps) with 6 Gigabits per second (Gbps) serial attached SCSI (SAS) interface connectivity. The drive offers two SAS and one Ethernet port per drive to improve availability.



## Advanced features

The TS2270 6 Gbps SAS interface enables it to connect to a wide spectrum of open-system servers. The LTO Ultrium 7 tape media provides partitioning support, which, in conjunction with IBM Spectrum Archive, provides users with file-level access to tape data. This support helps users to quickly locate and update information on the tape media.

The LTO Ultrium 7 technology is also designed to support data encryption. The hardware encryption and decryption core and control core reside in the LTO Ultrium 7 tape drive.

## Software support

You can increase the power of the TS2270 tape drive by managing it with tape management solutions such as IBM Spectrum Protect or third-party storage software.

IBM Spectrum Archive helps simplify direct access and management of TS2270 by enabling file tagging with any text – which enables more intuitive searches of cartridge and drive content. IBM Spectrum Archive features a graphical user interface (GUI) that helps reduce complexity by enabling an icon-based view of the tape drive, including tape cartridge and files, using the operating system (OS) file manager.



---

## Media

The TS2270 tape drive supports the LTO Consortium compressed specification for LTO Ultrium 7 at a 15 TB data cartridge (6 TB native), 2.4 times the compressed capacity of the previous LTO Ultrium 6 cartridges. In addition to reading and writing to LTO Ultrium 7 tape cartridges, TS2270 can read and write to LTO Ultrium 6 cartridges and can read LTO Ultrium 5 cartridges.

<b>IBM TS2270 Tape Drive at a glance</b>	
<b>Available configurations</b>	Model 3580 H7S – One LTO Ultrium 7 tape drive, 6 Gbps SAS interface
<b>Tape drive type</b>	LTO Ultrium 7
<b>Physical capacity</b>	6 TB native; 15 TB with 2.5:1 compression
<b>Number of tape drives</b>	1
<b>Number of tape cartridges</b>	1
<b>Data transfer rate</b>	Up to 300 MBps native
<b>Media type</b>	<p><b>Read and write:</b> LTO Ultrium 7 6 TB data cartridge 6 TB WORM cartridge</p> <p>LTO Ultrium 6 2.5 TB data cartridge 2.5 TB WORM cartridge</p> <p><b>Read only:</b> LTO Ultrium 5 1.5 TB data cartridge 1.5 TB WORM cartridge</p> <p><b>Also available:</b> LTO Ultrium cleaning cartridge</p>
<b>Weight</b>	1.7 kg (3.7 lb)
<b>Power requirements</b>	100 – 240 V ac, 50 – 60 Hertz (Hz) auto-ranging
<b>Dimensions (W x H x D)</b>	148 mm x 42.7 mm x 210 mm (5.82 in. x 1.68 in. x 8.26 in.)
<b>Warranty</b>	Three-year limited warranty, customer replaceable unit (CRU) and on-site service in most countries, next-business-day 09:00 to 17:00, service upgrades available

## Why IBM?

The performance and availability of your storage environment can either enhance or hamper your business processes. That's where IBM comes in. As one of the market leaders in the storage industry, we can help you handle the challenges that your network or company as a whole encounters.

Innovative technology, open standards, excellent performance and a broad portfolio of storage-proven software, hardware and solutions offerings – all backed by IBM with its recognised leading-edge – are just a few of the reasons why you should consider IBM storage offerings.

## For more information

To learn more about [IBM TS2270 Tape Drive](#), please contact your IBM representative or IBM Business Partner (BP), or visit: [ibm.com/systems/storage/tape/ts2270](http://ibm.com/systems/storage/tape/ts2270)

Additionally, IBM Global Financing (IGF) can help you acquire the IT solutions that your business needs in the most cost-effective and strategic way possible. We will partner with credit-qualified clients to customise an IT financing solution to suit your business goals, enable effective cash management and improve your total cost of ownership (TCO). IGF is your smartest choice to fund critical IT investments and propel your business forward. For more information, visit: [ibm.com/financing/uk](http://ibm.com/financing/uk)



### IBM United Kingdom Limited

PO Box 41  
North Harbour  
Portsmouth  
Hampshire  
PO6 3AU  
United Kingdom

### IBM Ireland Limited

Oldbrook House  
24-32 Pembroke Road  
Dublin 4

IBM Ireland Limited registered in Ireland under company number 16226. The IBM home page can be found at [ibm.com](http://ibm.com)

IBM, the IBM logo, [ibm.com](http://ibm.com), IBM Spectrum Archive and Linear Tape File System are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries.

A current list of IBM trademarks is available on the Web at 'Copyright and trademark information' at [ibm.com/legal/copytrade.shtml](http://ibm.com/legal/copytrade.shtml)

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Other company, product and service names may be trademarks, or service marks of others.

References in this publication to IBM products, programs or services do not imply that IBM intends to make these available in all countries in which IBM operates.

Any reference to an IBM product, program or service is not intended to imply that only IBM products, programs or services may be used. Any functionally equivalent product, program or service may be used instead.

IBM hardware products are manufactured from new parts, or new and used parts. In some cases, the hardware product may not be new and may have been previously installed. Regardless, IBM warranty terms apply.

This publication is for general guidance only.

Information is subject to change without notice. Please contact your local IBM sales office or reseller for latest information on IBM products and services.

This publication contains non-IBM Internet addresses. IBM is not responsible for information found at these Web sites.

IBM does not provide legal, accounting or audit advice or represent or warrant that its products or services ensure compliance with laws. Clients are responsible for compliance with applicable securities laws and regulations, including national laws and regulations.

Photographs may show design models.

© Copyright IBM Corporation 2015



Please Recycle