

# IBM Db2 Mirror for i

## Continuous availability of Db2 for i

---


### Highlights

- Provides continuous application availability
  - Intuitive GUI for monitoring and managing the Db2 Mirror environment
  - Enables active-active application deployment for load balancing options
  - Enables active-passive application configuration for BI and query options
  - Supports rolling upgrades
  - No journaling required
- 

Mission critical applications are expected to run 24x7 with zero or near-zero planned or unplanned down time. IBM Db2 Mirror for i is a high availability solution with active-active topology providing zero Recovery Time Objective (RTO). It enables continuous availability of applications regardless of the nature of the datacenter outage.

Db2 Mirror for i synchronously mirrors database updates between two separate nodes via remote direct memory access (RDMA) over Converged Ethernet (RoCE) network. Applications can be deployed in an active-active or active-passive (with read access on the secondary) mode. Db2 Mirror supports applications using either traditional record-level access or SQL based database access. It also supports both JDBC attached application servers and the traditional 5250 approach. The applications and databases may reside in either SYSBASE or as part of an IASP.

---



### *Db2 Mirror for i*

- A Db2 Mirror configuration consists of two IBM Power System servers in close proximity connected via RoCE. Application workload updates to the Db2 for i database are replicated in real-time synchronously between the two systems, either bidirectionally for active-active application deployment, or unidirectionally for active-passive application deployments. The active-passive configuration is ideal for query and BI options leveraging real-time accurate data on the secondary node. In both cases, the Db2 is always active-active.
- The standard configuration would include two SAN storage servers. IBM Spectrum Virtualize family and IBM System Storage DS8000 family are supported for automated setup and management. There are other configurations available, and third-party SAN storage supported on the IBM i platform can be deployed manually.
- Installation, monitoring and management of the Db2 Mirror cluster is conducted via an intuitive GUI dashboard which resides on an IBM i partition.
- IFS is configured in an IASP in either a switchable LUN configuration or a Metro Mirror configuration. Db2 Mirror enables active-active application access to the IASP(s).
- Disaster recovery can be deployed via Full System Replication, PowerHA SystemMirror for i or logical replication.

## Why IBM?

IBM has long pioneered technologies and provided services that help companies manage valuable business data. With IBM Db2 Mirror for i, customers can attain near continuous availability for their mission-critical applications.

## For more information

To learn more about IBM Db2 Mirror for i, please contact your IBM representative or IBM Business Partner, or visit the following websites:

[Db2 Mirror for i in the IBM Marketplace](#) and  
[Db2 Mirror for i in the IBM Knowledge Center](#)

© Copyright IBM Corporation 2019.

IBM, the IBM logo, and ibm.com are trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at <https://www.ibm.com/legal/us/en/copytrade.shtml>, and select third party trademarks that might be referenced in this document is available at [https://www.ibm.com/legal/us/en/copytrade.shtml#section\\_4](https://www.ibm.com/legal/us/en/copytrade.shtml#section_4).

This document contains information pertaining to the following IBM products which are trademarks and/or registered trademarks of IBM Corporation:  
IBM®, POWER9™, Power Systems™

---



All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.