

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1269	3S1		DCS9900 3S1 EXPANSION UNIT	26130	N	3	12
1269	CP2		DCS9900 CONTROLLER MOD CP2	224642	N	3	12
1269		2003	45U 1050MM DEEP RACK UNIT	11054	N		12
1269		2011	SERVICE LADDER	334	N		12
1269		2014	60 DSK/CH INTERCONNECT KIT	5023	N		12
1269		2016	CABLING ACCESSORY KIT	329	N		12
1269		2024	60 DSK/CH DA CHAIN/BLT KIT	2511	N		12
1269		2211	EIGHT 8 GBPS FC HOST PORTS	48836	N		12
1269		3203	1000 GB SATA DISK DRIVE	1264	N		12
1269		3233	450 GB/15K SAS DISK DRIVE	2460	N		12
1269		4112	DCS9900 TWO HOST PORT ACT	5025	N		12
1269		4114	DCS9900 TEN TIER CAPACITY	5025	N		12
1269		4116	DCS9900 GUI INTERFACE	5025	N		12
1750	EX2		SYS. STORAGE DS6000 EXP. ENCL.	4353	N	3	12
1750		1310	SHORT WAVE SFP PAIR	723	N		48
1750		1315	LONG WAVE SFP PAIR	1594	N		48
1750		1320	SHORT WAVE SFP PAIR	723	N		12
1750		1325	LONG WAVE SFP PAIR	1594	N		12
1750		1353	2M 50 MICRON LC - LC CABLE	72	N		12
1750		1354	7M 50 MICRON LC - LC CABLE	108	N		12
1750		1355	31M 50 MICRON LC - LC CABLE	144	N		12
1750		1364	7M 9 MICRON LC - LC CABLE	108	N		12
1750		1365	31M 9 MICRON LC - LC CABLE	144	N		12
1750		1372	50 MICRON LC-SC FIBRE CHNL INT	144	N		12
1750		1373	9 MICRON LC-SC FIBRE CHNL INT	144	N		12
1750		1382	31M 50 MICRON LC-LC CABLE SET	577	N		48
1750		1384	7M 50 MICRON LC - LC CABLE	432	N		12
1750		1385	31M 50 MICRON LC - LC CABLE	577	N		12
1750		2056	2GB 300 GB 15K DRIVE SET	10882	N		48
1750		2062	2GB 300 GB 15K DRIVE SET	10882	N		12
1750		2072	450 GB 15 000 RPM DRIVE SET	13239	N		12

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1750		2074	450 GB 15 000 RPM DRIVE SET	13239	N		12
1750		2990	DISK DRIVE FILLER SET	42	N		48
1750		2991	DISK DRIVE FILLER SET	42	N		12
1750		5000	OEL - 1TB	3083	N		48
1750		5001	OEL - 5TB	14327	N		48
1750		5002	OEL - 10TB	27567	N		48
1750		5003	OEL - 25TB	63476	N		48
1750		5004	OEL - 50TB	105189	N		48
1750		5010	OEL - 1 TB	3083	N		12
1750		5011	OEL - 5 TB	14327	N		12
1750		5012	OEL - 10 TB	27567	N		12
1750		5013	OEL - 25 TB	63476	N		12
1750		5014	OEL - 50 TB	105189	N		12
1750		5100	PAV - 1TB	4715	N		48
1750		5101	PAV - 5TB	20131	N		48
1750		5102	PAV - 10TB	39537	N		48
1750		5103	PAV - 25TB	62751	N		48
1750		5104	PAV - 50TB	104826	N		48
1750		5110	PAV - 1 TB	4715	N		12
1750		5111	PAV - 5 TB	20131	N		12
1750		5112	PAV - 10 TB	39537	N		12
1750		5113	PAV - 25 TB	62751	N		12
1750		5114	PAV - 50 TB	104826	N		12
1750		5200	PTC - 1TB	8705	N		48
1750		5201	PTC - 5TB	13965	N		48
1750		5202	PTC - 10TB	17955	N		48
1750		5203	PTC - 25TB	27567	N		48
1750		5204	PTC - 50TB	32282	N		48
1750		5210	PTC - 1 TB	8705	N		12
1750		5211	PTC - 5 TB	13965	N		12
1750		5212	PTC - 10 TB	17955	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1750		5213	PTC - 25 TB	27567	N		12
1750		5214	PTC - 50 TB	32282	N		12
1750		5300	RMC - 1TB	12332	N		48
1750		5301	RMC - 5TB	23940	N		48
1750		5302	RMC - 10TB	27422	N		48
1750		5303	RMC - 25TB	36997	N		48
1750		5304	RMC - 50TB	41713	N		48
1750		5310	RMC - 1 TB	12332	N		12
1750		5311	RMC - 5 TB	23940	N		12
1750		5312	RMC - 10 TB	27422	N		12
1750		5313	RMC - 25 TB	36997	N		12
1750		5314	RMC - 50 TB	41713	N		12
1750		5915	FICON ATTACHMENT	7254	N		48
1750		5920	FICON ATTACHMENT	7254	N		12
1812	81A		DS4000 EXP810 EXPANSION UNIT	4353	Y	3	36
1812	81T		SYSTSTORDS4000 EXP810EXPU81-DC	8737	Y	3	36
1812		2410	SW 4 GBPS SFP TRANSCVR PAIR	723	N		36
1812		4618	1000 GB/7.2K SATA E DDM	1336	N		36
1812		5415	4 GBPS FC 300 GB/15K E-DDM	1905	N		36
1812		5416	4 GBPS FC 450 GB 15K E DDM	2286	N		36
1812		5417	4 GBPS FC 600 GB/15K E DDM	3048	N		36
1812		5435	16PK 4 GBPS 300 GB/15K E-DDM	26574	N		36
1812		5436	16PK 4GBPS 450 GB/15K E DDM	32675	N		36
1812		5437	16 PAK 600 GB/15K E DDM	44420	N		36
1812		5601	1M FIBER OPTIC CABLE LC-LC	56	N		36
1812		5605	5M FIBER OPTIC CABLE LC-LC	93	N		36
1812		5625	25M FIBER OPTIC CABLE LC-LC	137	N		36
1814	20A		DS5020 MIDRANGE DISK	16322	Y	3	36
1814	52A		EXP520 EXPANSION UNIT	4353	Y	3	36
1814		2011	AIR FILTER BEZEL	821	N		36
1814		2070	ADD 2 GB TO CACHE MEMORY	2902	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
1814		2080	2 DUAL 8GBPS HOST PT CARDS	5804	N		36
1814		2081	2 DUAL 1GBPS ISCSI HOST PTS	3627	N		36
1814		2105	DS4000 1-PT PCI-X 4 GBPS HBA	1077	N		36
1814		2106	DS4000 2-PT PCI-X 4 GBPS HBA	1803	N		36
1814		2410	SW 4 GBPS SFP TRANSCVR PAIR	723	N		36
1814		3791	0.6 M YELLOW CAT5E CABLE	11	N		36
1814		3792	1.5 M YELLOW CAT5E CABLE	12	N		36
1814		3793	3 M YELLOW CAT5E CABLE	13	N		36
1814		3794	10M YELLOW CAT5E CABLE	20	N		36
1814		3795	25 M YELLOW CAT5E CABLE	33	N		36
1814		3796	0.6 M GREEN CAT5E CABLE	11	N		36
1814		3797	1.5 M GREEN CAT5E CABLE	12	N		36
1814		3798	3 M GREEN CAT5E CABLE	13	N		36
1814		3799	10 M GREEN CAT5E CABLE	20	N		36
1814		3800	25 M GREEN CAT5E CABLE	33	N		36
1814		3801	0.6 M BLUE CAT5E CABLE	11	N		36
1814		3802	1.5M BLUE CAT5E CABLE	12	N		36
1814		3803	3M BLUE CAT5E CABLE	13	N		36
1814		3804	10M BLUE CAT5E CABLE	20	N		36
1814		3805	25M BLUE CAT5E CABLE	33	N		36
1814		4001	DS5020 1000GB 7.2K SATA DDM	1336	N		36
1814		4201	DS5020 300GB 15K 4GBPS FC DDM	1905	N		36
1814		4202	DS5020 450GB 15K 4GBPS FC DDM	2286	N		36
1814		4203	DS5020 600GB/15K 4GBPS FC DDM	3048	N		36
1814		4211	16PK 300GB 15K 4GBPS FC DDM	26574	N		36
1814		4212	16PK 450GB 15K 4GBPS FC DDM	32675	N		36
1814		4213	16PK 600GB/15K 4GBPS FC DDM	44420	N		36
1814		4401	ENCRYPTIBLE DDM 4GBPS 300GB	2510	N		36
1814		4402	ENCRYPTIBLE DDM 4GBPS 450GB	3039	N		36
1814		4403	ENCRYPTIBLE DDM 4GBPS 600GB	4052	N		36
1814		4411	16PK ENCR DDM 4GBPS 300GB	35808	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1814		4412	16PK ENCR DDM 4GBPS 450GB	44280	N		36
1814		4413	16PK ENCR DDM 4GBPS 600GB	60496	N		36
1814		4618	1000 GB/7200 SATA E DDM	1336	N		36
1814		5415	4 GBPS FC 300 GB/15K E-DDM	1905	N		36
1814		5416	4 GBPS FC 450 GB 15K E DDM	2286	N		36
1814		5417	4 GBPS FC 600 GB/15K E DDM	3048	N		36
1814		5555	BULK ORDERING FEATURE IND.	0	N		36
1814		5590	73GB SOLID STATE DRIVE	10011	N		36
1814		5591	300GB SOLID STATE DRIVE	25593	N		36
1814		5601	1M FIBER OPTIC CABLE LC-LC	56	N		36
1814		5605	5M FIBER OPTIC CABLE LC-LC	93	N		36
1814		5625	25M FIBER OPTIC CABLE LC-LC	137	N		36
1814		5810	OM3 FIBER OPT. CBL LC LC 10M	87	N		36
1814		5818	4PK OM3 FIBER CBL LC LC 10M	348	N		36
1814		7301	DS4700 FLASHCOPY	4353	N		36
1814		7303	DS4700 VOLUMECOPY	0	N		36
1814		7304	DS4700 FLASH/VOLUMECOPY	4353	N		36
1814		7305	DS4700 ENH. REMOTE MIRROR	7254	N		36
1814		7306	DS4700 FC/SATA ENCL. INTEMIX	2176	N		36
1814		7313	DS4700 FLASHCPY 4 8 FC UPGR	0	N		36
1814		7316	DS4700 ENRMIR 32 64 MR UPGR	0	N		36
1814		7321	DS4200 FLASHCOPY	4896	N		36
1814		7324	DS4200 FLASH/VOLUMECOPY	9792	N		36
1814		7325	DS4200 ENH. REMOTE MIRROR	14690	N		36
1814		7333	DS4200 FLASHCPY 4 8 FC UPGR	7769	N		36
1814		7336	DS4200 ENRMIR 32 64 MR UPGR	13058	N		36
1814		7380	DS4200 EXP420 ATTACH 1-3	3111	N		36
1814		7381	DS4200 EXP420 ATTACH 4-6	4148	N		36
1814		7382	DS4700 MOD 70 EXPS ATT 1-3	0	N		36
1814		7383	DS4700 MOD 70 EXPS ATT 4-6	0	N		36
1814		7384	DS4700 MOD 72 EXPS ATT 4-6	0	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1814		7393	DS5020 33 64 DISK DRIVE ATT		1451 N		36
1814		7394	DS5020 65 112 DISK DRIVE ATT		3591 N		36
1814		7401	DS5020 FLASHCOPY		7616 N		36
1814		7402	DS5020 FLASHCPY 4 8 FC UPG		8633 N		36
1814		7403	DS5020 VOLUMECOPY		5440 N		36
1814		7404	DS5020 FLASH VOLUMECOPY		5441 N		36
1814		7405	DS5020 ENH. REMOTE MIRROR		5440 N		36
1814		7406	DS5020 E.RMR 32 64 MR UPG		14509 N		36
1814		7410	DS5020 DISK ENCRYPTION ACT		2720 N		36
1814		7414	EXP810 TO DS5020 ATTACH ACT		4353 N		36
1814		7600	DS4200 WINDOWS HOST KIT		907 N		36
1814		7601	DS4200 LINUX/INTEL HOST KIT		816 N		36
1814		7603	DS4200 VMWARE ESX HOST KIT		816 N		36
1814		7611	DS4200 AIX HOST KIT		4570 N		36
1814		7612	DS4200 SUN SOLARIS HOST KIT		4570 N		36
1814		7613	DS4200 HPUX HOST KIT		4570 N		36
1814		7614	DS4200 LINUX FOR POWER HOST		816 N		36
1814		7700	DS4700 WINDOWS HOST KIT		907 N		36
1814		7701	DS4700 LINUX/INTEL HOST KIT		907 N		36
1814		7703	DS4700 VMWARE ESX HOST KIT		907 N		36
1814		7711	DS4700 AIX/VIOS HOST KIT		5078 N		36
1814		7712	DS4700 SUN SOLARIS HOST KIT		5078 N		36
1814		7713	DS4700 HPUX HOST KIT		5078 N		36
1814		7714	DS4700 LINUX FOR POWER HOST		907 N		36
1814		7801	DS5020 WINDOWS HOST KIT		907 N		36
1814		7802	DS5020 LINUX/INTEL HOST KIT		907 N		36
1814		7804	DS5020 VMWARE ESX HOST KIT		907 N		36
1814		7805	DS5020 AIX VIOS HOST KIT		5078 N		36
1814		7806	DS5020 SUN SOLARIS HOST KIT		5078 N		36
1814		7807	DS5020 HPUX HOST KIT		5078 N		36
1814		7808	DS5020 LINUX FOR POWER HOST		907 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1814		8700	DS5020 2 STG PARTIT. IPO	1088	N		36
1814		8701	DS5020 4 STG PARTIT. IPO	2176	N		36
1814		8702	DS5020 8 STG PARTIT. IPO	6529	N		36
1814		8703	DS5020 16 STG PARTIT. IPO	11752	N		36
1814		8704	DS5020 32 STG PARTIT. IPO	17411	N		36
1814		8705	DS5020 64 STG PARTIT. IPO	22851	N		36
1814		8706	DS5020 128 STG PARTIT. IPO	28945	N		36
1814		8750	DS4200 2-STG PARTIT-IPO	979	N		36
1814		8751	DS4200 4-STG PARTIT-IPO	1959	N		36
1814		8752	DS4200 8-STG PARTIT-IPO	5876	N		36
1814		8753	DS4200 16-STG PARTIT-IPO	10576	N		36
1814		8754	DS4200 64-STG PARTIT-IPO	21292	N		36
1814		8755	DS4200 32 STG PARTIT IPO	15670	N		36
1814		8756	DS4200 128 STG PARTIT IPO	26050	N		36
1814		8767	DS4200 8 32 STG PART. MES	9793	N		36
1814		8768	DS4200 16 32 STG PART. MES	5092	N		36
1814		8769	DS4200 32 64 STG PART. MES	4897	N		36
1814		8770	DS4200 32 128 STG PAR. MES	10381	N		36
1814		8771	DS4200 64 128 STG PAR. MES	5484	N		36
1814		8801	DS5020 2 4 STG PART. MES	1088	N		36
1814		8802	DS5020 2 8 STG PART. MES	5441	N		36
1814		8803	DS5020 4 8 STG PART. MES	4353	N		36
1814		8804	DS5020 4 16 STG PART. MES	9576	N		36
1814		8805	DS5020 8 16 STG PART. MES	5223	N		36
1814		8806	DS5020 8 32 STG PART. MES	10882	N		36
1814		8807	DS5020 8 64 STG PART. MES	16322	N		36
1814		8808	DS5020 16 32 STG PART. MES	5658	N		36
1814		8809	DS5020 16 64 STG PART. MES	11099	N		36
1814		8810	DS5020 32 64 STG PART. MES	5441	N		36
1814		8811	DS5020 32 128 STG PRT. MES	11534	N		36
1814		8812	DS5020 64 128 STG PRT. MES	6094	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1814		8831	DS4700 MOD 72 32 STG IPO		7182 N		36
1814		8832	DS4700 MOD 72 128 STG IPO		21618 N		36
1814		8841	DS4700 32 128 STG PAR. MES		11534 N		36
1814		8842	DS4700 64 128 STG PAR. MES		6094 N		36
1814		8850	DS4700 MOD 70 2-STG. IPO		725 N		36
1814		8851	DS4700 MOD 70 4-STG. IPO		1451 N		36
1814		8852	DS4700 MOD 70 8-STG. IPO		3627 N		36
1814		8853	DS4700 MOD 70 16-STG. IPO		5078 N		36
1814		8854	DS4700 MOD 70 64-STG. IPO		13638 N		36
1814		8855	DS4700 MOD 70 32 STG IPO		7182 N		36
1814		8856	DS4700 MOD 72 8-STG. IPO		3627 N		36
1814		8857	DS4700 MOD 72 16-STG. IPO		5078 N		36
1814		8858	DS4700 MOD 72 64-STG. IPO		13638 N		36
1814		8859	DS4700 MOD 70 128 STG IPO		21618 N		36
1814		8860	DS4700 2-4 STG. PART. MES		725 N		36
1814		8861	DS4700 2-8 STG. PART. MES		2902 N		36
1814		8862	DS4700 4-8 STG. PART. MES		2176 N		36
1814		8863	DS4700 4-16 STG. PART. MES		3627 N		36
1814		8864	DS4700 8-16 STG. PART. MES		1451 N		36
1814		8865	DS4700 8-64 STG. PART. MES		10011 N		36
1814		8866	DS4700 16-64 STG. PART. MES		8560 N		36
1814		8867	DS4700 8 32 STG PART. MES		3555 N		36
1814		8868	DS4700 16 32 STG PART. MES		2176 N		36
1814		8869	DS4700 32 64 STG PART. MES		5441 N		36
1815		2024	MOD 82 CACHE UPGDE TO 8 GB		36272 N		36
1815		2025	MOD 82 CACHE UPGDE TO 16 GB		71456 N		36
1815		2028	MOD 84 CACHE UPGDE TO 16 GB		71456 N		36
1815		2100	HOST BUS ADAPTER		1939 N		36
1815		2105	DS4000 1-PT PCI-X 4 GBPS HBA		1077 N		36
1815		2106	DS4000 2-PT PCI-X 4 GBPS HBA		1803 N		36
1815		2210	SW FIBER TRANSCEIVER		362 N		36



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
1815		2220	LW FIBER TRANSCEIVER		797 N		36
1815		2410	SW 4GBPS SFP TRANSCVR PAIR		723 N		36
1815		3791	0.6M YELLOW CAT5E CABLE		11 N		36
1815		3792	1.5M YELLOW CAT5E CABLE		12 N		36
1815		3793	3M YELLOW CAT5E CABLE		13 N		36
1815		3794	10M YELLOW CAT5E CABLE		20 N		36
1815		3795	25M YELLOW CAT5E CABLE		33 N		36
1815		3796	0.6M GREEN CAT5E CABLE		11 N		36
1815		3797	1.5M GREEN CAT5E CABLE		12 N		36
1815		3798	3M GREEN CAT5E CABLE		13 N		36
1815		3799	10M GREEN CAT5E CABLE		20 N		36
1815		3800	25M GREEN CAT5E CABLE		33 N		36
1815		3801	0.6M BLUE CAT5E CABLE		11 N		36
1815		3802	1.5M BLUE CAT5E CABLE		12 N		36
1815		3803	3M BLUE CAT5E CABLE		13 N		36
1815		3805	25M BLUE CAT5E CABLE		33 N		36
1815		4603	HARD DRIVE		744 N		36
1815		4604	HARD DRIVE		2800 N		36
1815		5201	HARD DRIVE		3652 N		36
1815		5202	HARD DRIVE		6526 N		36
1815		5203	HARD DRIVE		10443 N		36
1815		5206	HARD DRIVE		1015 N		36
1815		5207	HARD DRIVE		1813 N		36
1815		5208	HARD DRIVE		2901 N		36
1815		5212	HARD DRIVE		808 N		36
1815		5213	HARD DRIVE		1522 N		36
1815		5214	HARD DRIVE		2248 N		36
1815		5217	HARD DRIVE		5481 N		36
1815		5218	HARD DRIVE		8093 N		36
1815		5601	1M LC-LC FIBER OPTIC CABLE		56 N		36
1815		5605	5M LC-LC FIBER OPTIC CABLE		93 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1815		5625	25M LC-LC FIBER OPTIC CABLE		137 N		36
1815		5702	FIBER CABLE		144 N		36
1815		7301	DS4800 FLASHCOPY		7616 N		36
1815		7303	DS4800 VOLUMECOPY		9792 N		36
1815		7304	DS4800 FLASH/VOLUMECOPY		17409 N		36
1815		7305	DS4800 ENH. REMOTE MIRROR		20312 N		36
1815		7306	DS4800 FC/SATA ENCL. INTEMIX		4353 N		36
1815		7307	DS4800 MOD 80 ENH REM. MIRROR		20312 N		36
1815		7343	DS4800 FLASHCPY 4 16 FC UPG		8633 N		36
1815		7346	DS4800 E.RMR 64 128 MR UPG		14509 N		36
1815		7349	DS4800 MOD80 ENH. PERFORM		10518 N		36
1815		7386	DS4800 MOD 80 EXP ATT 8-MAX		2176 N		36
1815		7700	DS4800 WINDOWS HOST KIT		907 N		36
1815		7701	DS4800 LINUX/INTEL HOST KIT		907 N		36
1815		7703	DS4800 VMWARE ESX HOST KIT		907 N		36
1815		7711	DS4800 AIX/VIOS HOST KIT		5078 N		36
1815		7712	DS4800 SUN HOST KIT		5078 N		36
1815		7713	DS4800 HP-UX HOST KIT		5078 N		36
1815		7714	DS4800 LINUX ON POWER HOST		907 N		36
1815		8880	DS4800 8-16 STG PARTIT-MES		6094 N		36
1815		8881	DS4800 8-64 STG PARTIT-MES		19043 N		36
1815		8882	DS4800 16-64 STG PARTIT-MES		15416 N		36
1815		8883	DS4800 8 32 STG PARTIT MES		12695 N		36
1815		8884	DS4800 16 32 STG PART MES		6892 N		36
1815		8885	DS4800 32 64 STG PART MES		5441 N		36
1815		8886	DS4800 32 128 STG PART MES		15597 N		36
1815		8887	DS4800 64 128 STG PART MES		10156 N		36
1815		8888	DS4800 64 256 STG PART MES		21763 N		36
1815		8889	DS4800 128 256 STG PAR MES		11607 N		36
1815		8890	DS4800 128 512 STG PAR MES		21763 N		36
1815		8891	DS4800 256 512 STG PAR MES		10156 N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
1818	51A		DS5100 MIDRANGE DISK	31194	N	3	12
1818	53A		DS5300 MIDRANGE DISK	58035	N	3	12
1818	D1A		EXP5000 EXPANSION UNIT	4353	N	3	12
1818	G1A		EXP5060 HI DENSITY ENCLOSURE	14436	N	3	12
1818	RS3		DS RSM MODEL RS3	4933	N	3	12
1818		2030	8 GB CACHE MEMORY	11607	N		12
1818		2031	16 GB CACHE MEMORY	23214	N		12
1818		2033	32 GB CACHE MEMORY	46428	N		12
1818		2034	64 GB CACHE MEMORY	92856	N		12
1818		2040	DS5300 CACHE MEMORY UPGRDE	11607	N		12
1818		2041	CACHE UPGRADE 8GB TO 32GB	52232	N		12
1818		2042	CACHE UPGRADE 16GB TO 32GB	34821	N		12
1818		2043	CACHE UPGRADE 8GB TO 64GB	121874	N		12
1818		2044	CACHE UPGRADE 16GB TO 64GB	104463	N		12
1818		2045	CACHE UPGRADE 32GB TO 64GB	69642	N		12
1818		2050	2 QUAD 4GBPS HOST PT CARDS	7254	N		12
1818		2052	2 QUAD 8GBPS HOST PT CARDS	10882	N		12
1818		2060	2 DUAL 1GBE HOST PT CARDS	3627	N		12
1818		2412	SW 4 GBPS SFP TRANSCVR PAIR	723	N		12
1818		4711	1000 GB/7.2K SATA DDM	1336	N		12
1818		4712	2 TB/7.2K SATA DDM	2139	N		12
1818		4740	10 PAK 1000GB/7.2K SATA DDM	12032	N		12
1818		4741	10PK 2 TB/7.2K SATA DDM	19252	N		12
1818		5511	4 GBPS FC 300 GB/15K DDM	1905	N		12
1818		5512	4 GBPS FC 450 GB/15K DDM	2286	N		12
1818		5513	4 GBPS FC 600 GB/15K DDM	3048	N		12
1818		5521	ENCRYPTIBLE DDM 4GBPS 300GB	2510	N		12
1818		5522	ENCRYPTIBLE DDM 4GBPS 450GB	3039	N		12
1818		5523	ENCRYPTIBLE DDM 4GBPS 600GB	4052	N		12
1818		5531	16 PAK 300 GB/15K DDM	26574	N		12
1818		5532	16 PAK 450 GB/15K DDM	32675	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1818		5533	16 PAK 600 GB/15K DDM	44420	N		12
1818		5541	16PK ENCR DDM 4GBPS 300GB	35808	N		12
1818		5542	16PK ENCR DDM 4GBPS 450GB	44280	N		12
1818		5543	16PK ENCR DDM 4GBPS 600GB	60496	N		12
1818		5580	73 GB SOLID STATE DRIVE (SSD)	10011	N		12
1818		5581	300GB SOLID STATE DRIVE	25593	N		12
1818		5601	1M FIBER OPTIC CABLE LC LC	56	N		12
1818		5605	5M FIBER OPTIC CABLE LC LC	93	N		12
1818		5625	25M FIBER OPTIC CABLE LC LC	137	N		12
1818		5810	OM3 FIBER OPT. CBL LC LC 10M	87	N		12
1818		5818	4PK OM3 FIBER CBL LC LC 10M	348	N		12
1818		7350	DS5000 FLESH/VOLUME COPY	17409	N		12
1818		7353	DS5000 ENH. REMOTE MIRROR	20312	N		12
1818		7356	DS5000 E. RMR 64 128 MR UPG	14509	N		12
1818		7358	DS5000 DISK ENCRYPTION ACT	3627	N		12
1818		7370	DS5100 PERFORMANCE UPGRADE	17772	N		12
1818		7371	ATTACH UP TO 448 DRIVES	9068	N		12
1818		7372	ATTACH UP TO EIGHT EXP5060	2902	N		12
1818		7373	DS5300 ATT UP TO 8 EXP5060	2902	N		12
1818		7720	DS5000 WINDOWS HOST KIT	907	N		12
1818		7721	DS5000 LINUX/INTEL HOST KIT	907	N		12
1818		7723	DS5000 VMWARE ESX HOST KIT	907	N		12
1818		7731	DS5000 AIX/VIOS HOST KIT	5078	N		12
1818		7732	DS5000 SUN HOST KIT	5078	N		12
1818		7733	DS5000 HPUX HOST KIT	5078	N		12
1818		7734	DS5000 LINUX FOR POWER HOST	907	N		12
1818		7735	DS5000 IBM I HOST KIT	5078	N		12
1818		8900	DS5000 8 STG PARTIT. IPO	7254	N		12
1818		8901	DS5000 16 STG PARTIT. IPO	13058	N		12
1818		8902	DS5000 32 STG PARTIT. IPO	19950	N		12
1818		8903	DS5000 64 STG PARTIT. IPO	25390	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
1818		8904	DS5000 128 STG PARTIT. IPO	35547	N		12
1818		8905	DS5000 256 STG PARTIT. IPO	47154	N		12
1818		8906	DS5000 512 STG PARTIT. IPO	57310	N		12
1818		8930	DS5000 8 16 STG PART. MES	6094	N		12
1818		8931	DS5000 8 32 STG PART. MES	12695	N		12
1818		8932	DS5000 16 32 STG PART. MES	6892	N		12
1818		8933	DS5000 16 64 STG PART. MES	15416	N		12
1818		8934	DS5000 32 64 STG PART. MES	5441	N		12
1818		8935	DS5000 32 128 STG PRT. MES	15597	N		12
1818		8936	DS5000 64 128 STG PRT. MES	10156	N		12
1818		8937	DS5000 64 256 STG PRT. MES	21763	N		12
1818		8938	DS5000 128 256 STG PT. MES	11607	N		12
1818		8939	DS5000 128 512 STG PT. MES	21763	N		12
1818		8940	DS5000 256 512 STG PT. MES	10156	N		12
2005		2210	SW SFP TRANSCEIVER	362	N		12
2005		2220	LW SFP TRANSCEIVER	797	N		12
2005		2410	4 GBPS SW SFP TRANSCEIVER	109	N		12
2005		2414	4 GBPS SW SFP TRANS 4-PACK	399	N		12
2005		2420	FC 4 GBPS 10KM LONG WAVE	725	N		12
2005		2424	FC 4 GBPS 10KM LONG WAVE	2902	N		12
2005		2430	FC 4 GBPS 4KM LONG WAVE	463	N		12
2005		2434	FC 4 GBPS 4KM LONG WAVE	1864	N		12
2005		5605	FIBER CABLE LC/LC 5M MULTIMODE	76	N		12
2005		5625	FIBER CBL LC/LC 25M MULTIMODE	152	N		12
2005		5701	LC/LC COUPLING CABLE 1M	144	N		12
2005		5702	LC/SC COUPLING CABLE 2M	144	N		12
2005		5720	9 MIC FIBRE CAB 31M SM SC/LC	73	N		12
2005		5721	9 MIC FIBRE CAB 31M SM LC/LC	73	N		12
2005		6050	OPTIONAL RAIL KIT	57	N		12
2005		7451	B16 FULL FABRIC ACT - FIELD	914	N		12
2005		7455	B16 EXTENDED FABRIC ACTIVATION	4976	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2005		7510	B32 PORTS 16-23 ACTIVATION	5876	N		12
2005		7511	B32 PORTS 24-31 ACTIVATION	5876	N		12
2005		7512	B32 PORTS 16-31 PLANT ACT	11680	N		12
2005		7513	B32 PORTS 16-31 FIELD ACT	12115	N		12
2005		7514	B32 8-PORT ACTIVATION	5876	N		12
2005		7515	B16 4-PORT ACTIVATION	1139	N		12
2005		7520	B64 16-PORT ACTIVATION	13072	N		12
2005		7530	B32 FICON W/CUP ACTIVATION	1966	N		12
2005		7531	B32 FICON W/CUP ADV SEC	6166	N		12
2005		7550	B16 FABRIC WATCH	1653	N		12
2005		7552	B32 REMOTE SWITCH ACTIVATION	4562	N		12
2005		7553	B32 EXTENDED FABRIC ACT	4425	N		12
2005		7554	B32 ADVANCED SECURITY ACT	3482	N		12
2005		7556	B32 PERFORMANCE MONITOR-FIELD	1719	N		12
2005		7557	B32 ENHANCED TRUNKING - FIELD	3438	N		12
2005		7560	FICON W/CUP ACTIVATION	4886	N		12
2005		7563	B64 EXTEN. FABRIC ACTIVATION	6362	N		12
2005		7564	B64 ADV.SECURITY ACTIVATION	12970	N		12
2005		7566	B64 PERFORM.MONITOR.-FIELD	3714	N		12
2005		7567	B64 ENH.TRUNKING ACTIV.-FIELD	6572	N		12
2005		7574	R18 ADV.SECURITY ACTIVATION	3482	N		12
2005		7576	R18 PERFORM.MONITORING-FIELD	1719	N		12
2005		7577	R18 ENHANCED TRUNKING-FIELD	3438	N		12
2005		7579	R18 FCIP ACTIVATION	13834	N		12
2005		7702	H08 REMOTE SWITCH ACTIVATION	4562	N		12
2005		7703	H08 EXTENDED FABRIC ACT	4562	N		12
2005		7720	H08 FULL FABRIC ACTIVATION	671	N		12
2005		7721	H08 PERFORMANCE BUNDLE ACT	3591	N		12
2005		7723	H08 ADVANCED SECURITY ACT	2865	N		12
2005		7802	H16 REMOTE SWITCH ACTIVATION	4562	N		12
2005		7803	H16 EXTENDED FABRIC ACT	4562	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2005		7820	H16 FULL FABRIC ACTIVATION		218 N		12
2005		7821	H16 PERFORMANCE BUNDLE ACT		5158 N		12
2005		7823	H16 ADVANCED SECURITY ACT		2865 N		12
2026		4410	SAN16M-2 ELEMENT MANAGER		2067 N		12
2026		4411	SAN16M-2 SANTEGRITY ENHANCED		1878 N		12
2026		4420	SAN16M-2 OPEN TRUNKING		2016 N		12
2026		4503	SAN24M1 SANTEGRITY BINDING		1472 N		12
2026		4508	SAN24M-1 8PT FLEXPOR		2938 N		12
2026		4510	SAN24M1 ELEMENT MANAGER		1929 N		12
2026		4520	SAN24M-1 OPEN TRUNKING		3800 N		12
2026		4550	SAN24M1 FULL VOLATILITY		4729 N		12
2026		4630	LW SFP TRANSCEIVER		871 N		12
2026		4710	SAN32M-2 ELEMENT MANAGER		4135 N		12
2026		4711	SAN32M-SANTEGRITY ENHANCED		3757 N		12
2026		4720	SAN32M-2 OPEN TRUNKING		4040 N		12
2026		4724	SAN32M-2 FICON MNGMT SERVER		4417 N		12
2027		1511	SAN256M FICON MANAGEMENT SERV		25100 N		12
2027		3018	SAN32M-1 SANTEGRITY AUTH		2038 N		12
2027		3235	EXTENDED LW 35KM TRANSCEIVER		2539 N		12
2027		4630	SFP LONG WAVE (LW) (2GB/S)10KM		1435 N		12
2027		6003	SAN140M FICON MGT SERVER		3774 N		12
2027		6007	SAN140M SANTEGRITY BINDING		12008 N		12
2027		6120	SAN140M OPEN TRUNKING		32064 N		12
2027		6140	SAN140M ELEMENT MANAGER		15960 N		12
2027		6150	SAN140M FULL VOLATILITY		6529 N		12
2027		6224	SAN140M SANTEGRITY AUTH		13176 N		12
2053	424		CISCO MDS 9124 FABRIC SWITCH		3026 Y		12
2053		1010	9124 SECOND POWER SUPPLY		355 N		12
2053		4001	9124 8 PORT ACTIVATION		1676 N		12
2053		4002	MDS 9134 8 PORT ACTIVATION		3075 N		12
2053		4005	MDS 9134 10GB FEATURE		1436 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2053		4011	MDS 9100 ENTERPRISE PACKAGE	4954	N		12
2053		4020	MDS 9100 MAINFRAME PACKAGE	9125	N		12
2053		4111	MDS 9100 FABRIC MGR SERV PKG	4575	N		12
2053		5010	FC 10GB COPPER CX4 X2 TRANS	950	N		12
2053		5030	FC 10GB SR X2 TRANS	3510	N		12
2053		5040	FC 10GB 10KM LW X2 TRANS	6275	N		12
2053		5430	FC 4GB SW SFP TRANSCEIVER	123	N		12
2053		5434	FC 4GB SW SFP TRANS 4 PACK	493	N		12
2053		5440	FC 4GB LW 4KM SFP TRANS	526	N		12
2053		5450	FC 4GB LW 10KM SFP TRANS	914	N		12
2053		5605	5M 50U LC/LC FIBER CABLE	76	N		12
2053		5625	25M 50U LC/LC FIBER CABLE	152	N		12
2053		5650	1M CX4 COPPER CABLE	472	N		12
2054	E01		CISCO MDS 9222I FC SWITCH	42133	N		12
2054	E04		CISCO MDS 9506 DIRECTOR	52681	N		12
2054	E07		CISCO MDS 9509 DIRECTOR	54488	N		12
2054	E11		CISCO MDS 9513 DIRECTOR	63744	N		12
2054		2209	9200FCIP ACT/8-PORT IP SERV LC	11970	N		12
2054		2210	FCIP ACT/8-PORT IP SERV LC	11970	N		12
2054		2215	9200 FCIP ACTIVATION FOR MSM	15017	N		12
2054		2216	9500 FCIP ACTIVATION FOR MSN	15017	N		12
2054		2404	4-PORT 10 GB FC SWITCH MOD	39399	N		12
2054		2450	18/4 MULTISERVICE MODULE	45812	N		12
2054		2824	24 PORT 8GB SWITCHING MOD	39391	N		12
2054		2848	48 PORT 8GB FC SWITCHING MOD	58108	N		12
2054		5030	FC 10GB SR X2 TRANSCEIVER	4643	N		12
2054		5032	ETHERNET 10GB SR X2 TRANS	4643	N		12
2054		5040	FC 10 GB 10 KM LW X2 TRAN	8814	N		12
2054		5050	FC 10GB 40KM ER X2 TRANS	12020	N		12
2054		5210	TRI-RATE SW SFP	706	N		12
2054		5220	TRI-RATE LW SFP	1624	N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2054		5250	GIGABIT ETHERNET COPPER SFP		587 N		12
2054		5434	FC 4 GB SW SFP 4 PACK		653 N		12
2054		5444	FC 4 GB 4 KM LW SFP 4 PK		2575 N		12
2054		5454	FC 4 GB 10 KM LW SFP 4 PK		5136 N		12
2054		5605	5 M LC/LC FIBER CABLE		98 N		12
2054		5625	25 M LC/LC FIBER CABLE		150 N		12
2054		5642	5 M LC/LC FIBER CABLE 4 PACK		696 N		12
2054		5643	25 M LC/LC FIBER CABLE 4 PACK		957 N		12
2054		5811	CISCO FLASH MEMORY CARD		2829 N		12
2054		5834	FC 8 GB SW SFP+ 4 PACK		1175 N		12
2054		5854	FC 8 GB 10KM LW SFP+ 4 PACK		10460 N		12
2054		7011	MDS 9200 ENTERPRISE PKG		8618 N		12
2054		7016	MDS 9200 FAB MGR SERV PKG		7813 N		12
2054		7021	MDS 9500 ENTERPRISE PKG		28429 N		12
2054		7026	MDS 9500 FABRIC MGR SERV PKG		23432 N		12
2054		7031	MDS 9200 MAINFRAME SERVER PKG		13108 N		12
2054		7036	MDS 9500 MAINFRAME SERVER PKG		26217 N		12
2054		7052	MDS 9200 FCIP ACT FOR 18/4		15575 N		12
2054		7055	MDS 9500 FCIP ACT FOR 18/4		15575 N		12
2061		4011	MDS 9000 ENTERPRISE PACKAGE		4954 N		12
2061		4111	MDS 9000 FABRIC MANAGER PKG		5382 N		12
2061		5210	TRI-RATE SW SFP TRANSCEIVER		508 N		0
2061		5220	TRI-RATE LW SFP TRANSCEIVER		1016 N		0
2061		5230	FC PORT SW SFP TRANSCEIVER		199 N		0
2061		5240	FC PORT LW SFP TRANSCEIVER		802 N		0
2061		5605	5 M LC/LC FIBER CABLE		76 N		0
2061		5625	25 M LC/LC FIBER CABLE		152 N		0
2062		2209	FCIP ACT/8-PORTIP SERV.L.CARD		11970 N		0
2062		2210	FCIP ACT/8-PORTIP SERV.L.CARD		11970 N		0
2062		5210	TRI-RATE SW SFP TRANSCEIVER		812 N		0
2062		5220	TRI-RATE LW SFP TRANSCEIVER		1624 N		0

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2062		5605	5 M LC/LC FIBER CBL(MULTIMODE)		98 N		0
2062		5625	25 M LC/LC FIBERCBL(MULTIMODE)		150 N		0
2062		5811	CISCO SPARE FLASH MEMORY CARD		2829 N		0
2076	112		STORWIZE V7000 CONTROLLER 12		16322 Y	3	36
2076	124		STORWIZE V7000 CONTROLLER 24		18136 Y	3	36
2076	212		STORWIZE V7000 EXPANSION 12		3845 Y	3	36
2076	224		STORWIZE V7000 EXPANSION 24		4353 Y	3	36
2076		3203	300GB 2.5 INCH 10K HDD		797 N		36
2076		3204	450GB 2.5 INCH 10K HDD		1015 N		36
2076		3206	600GB 2.5 INCH 10K HDD		1305 N		36
2076		3302	2TB 3.5 INCH 7.2K HDD		1087 N		36
2076		3504	300GB 2.5 INCH SSD E MLC		19151 N		36
2076		5301	1 M FIBER OPTIC CABLE LC LC		56 N		36
2076		5305	5 M FIBER OPTIC CABLE LC LC		93 N		36
2076		5325	25 M FIBER OPTIC CABLE LC LC		137 N		36
2076		5401	1 M 6 GB/S EXTERNAL MINI SAS		129 N		36
2076		5403	3 M 6 GB/S EXTERNAL MINI SAS		144 N		36
2076		5406	6 M 6 GB/S EXTERNAL MINI SAS		267 N		36
2076		5608	8 GBPS LW SFP		288 N		36
2084		0081	HMC W/ DUAL EN DVD - BLK	*Call	N		12
2084		0082	HMC W/ TR EN DVD - BLK	*Call	N		12
2084		0219	ISC-3 PORT ON F/C 218	*Call	N		12
2084		0322	ESTI-M CARD	*Call	N		12
2084		0839	TKE WORKSTATION	*Call	N		12
2084		0993	ICB-3 FUNCTION ENABLEMENT	*Call	N		12
2084		3210	IBF-360	*Call	N		12
2084		3393	ICB-4 FUNCTION ENABLEMENT	*Call	N		12
2084		3993	STI-3 EXTENDER CARD	*Call	N		12
2084		6154	ETR 1 PORT	*Call	N		12
2084		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2084		9888	ON/OFF COD ACTIVE IFL	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2084		9889	ON/OFF COD ACTIVE ICF-DAY	*Call	N		12
2084		9893	ON/OFF COD ACTIVE ZAAP DAY	*Call	N		12
2086		0077	HMC W/DUAL EN DVD - BLACK	*Call	N		12
2086		0078	HMC W/TR DVD - BLACK	*Call	N		12
2086		0084	HMC DUAL ETHERNET	*Call	N		12
2086		0086	SE - TOKEN RING / ETHERNET	*Call	N		12
2086		0087	SE - DUAL ETHERNET	*Call	N		12
2086		0088	MAU(MULTI-STATION ACCESS UNIT)	*Call	N		12
2086		0089	SE-EN SWITCH (FORMER HUB)	*Call	N		12
2086		0219	ISC-3 PORT ON FC 0218	*Call	N		12
2086		0856	TKE 5.1 LIC	*Call	N		12
2086		0993	ICB-3 FUNCTION	*Call	N		12
2086		2324	ESCON CHANNEL PORTS	*Call	N		12
2086		2367	OSA-EXPRESS HIGH SPEED TR	*Call	N		12
2086		7995	BOLT-DOWN KIT HIGH RAISED FLR	*Call	N		12
2086		7996	BOLT-DOWN KIT LOW RAISED FLR	*Call	N		12
2086		7997	BOLT-DOWN KIT NON-RAISED FLR	*Call	N		12
2094	S08		SYSTEM Z9 109	*Call	N	3	12
2094	S18		SYSTEM Z9 ENTERPRISE CLASS	*Call	N	3	12
2094	S28		SYSTEM Z9 ENTERPRISE CLASS	*Call	N	3	12
2094	S38		SYSTEM Z9 ENTERPRISE CLASS	*Call	N	3	12
2094	S54		SYSTEM Z9 ENTERPRISE CLASS	*Call	N	3	12
2094		0079	HMC	*Call	N		12
2094		0080	HMC W/TR DVD - BLACK	*Call	N		12
2094		0081	HMC W/ DUAL EN DVD - BLK	*Call	N		12
2094		0082	HMC W/ TR EN DVD - BLK	*Call	N		12
2094		0088	EXTERNAL MAU	*Call	N		12
2094		0089	SE-EN SWITCH (FORMER HUB)	*Call	N		12
2094		0090	HMC W/DUAL EN	*Call	N		12
2094		0113	I/O CAGE ISC-D AIRFLOW	*Call	N		12
2094		0114	I/O CAGE FULL CARD AIRFLOW	*Call	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
2094		0160	MBA FANOUT CARD	*Call	N		12
2094		0161	MBA FANOUT AIRFLOW	*Call	N		12
2094		0217	ISC-MOTHER CARD	*Call	N		12
2094		0218	ISC-DAUGHTER CARD	*Call	N		12
2094		0219	ISC-3 LINK ON F/C 0218	*Call	N		12
2094		0227	ICB-3 CABLE	*Call	N		12
2094		0228	ICB-4 CABLE	*Call	N		12
2094		0323	STI-A8 MOTHER CARD	*Call	N		12
2094		0324	STI-A4 MOTHER CARD	*Call	N		12
2094		0325	STI-MP DAUGHTER CARD	*Call	N		12
2094		0839	TKE WORKSTATION	*Call	N		12
2094		0840	TKE 6.0WORKSTATION	*Call	N		12
2094		0856	TKE 5.1 LIC	*Call	N		12
2094		0859	TKE 5.0 WORKSTATION	*Call	N		12
2094		0863	CRYPTO EXPRESS2	*Call	N		12
2094		0887	TKE SMART CARD READER	*Call	N		12
2094		0888	TKE ADDL SMART CARDS	*Call	N		12
2094		0993	ICB-3 LINK	*Call	N		12
2094		2319	FICON EXPRESS LX	*Call	N		12
2094		2323	16-PORT ESCON	*Call	N		12
2094		2324	ESCON CHANNEL PORT	*Call	N		12
2094		2719	304 GB MEMORY	*Call	N		12
2094		2720	320 GB MEMORY	*Call	N		12
2094		2721	336 GB MEMORY	*Call	N		12
2094		2722	352 GB MEMORY	*Call	N		12
2094		2723	368 GB MEMORY	*Call	N		12
2094		2724	384 GB MEMORY	*Call	N		12
2094		2725	400 GB MEMORY	*Call	N		12
2094		2726	416 GB MEMORY	*Call	N		12
2094		2727	432 GB MEMORY	*Call	N		12
2094		2728	448 GB MEMORY	*Call	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2094		2729	464 GB MEMORY	*Call	N		12
2094		2730	480 GB MEMORY	*Call	N		12
2094		3210	INTERNAL BATTERY	*Call	N		12
2094		3321	FICON EXPRESS4 10 KM LX	*Call	N		12
2094		3322	FICON EXPRESS4 SX	*Call	N		12
2094		3324	FICON EXPRESS4 4 KM LX	*Call	N		12
2094		3364	OSA-EXPRESS2 GBE LX	*Call	N		12
2094		3365	OSA-EXPRESS2 GBE SX	*Call	N		12
2094		3366	OSA-EXPRESS2 1000BASE-T	*Call	N		12
2094		3368	OSA-EXPRESS2 10 GBE LR	*Call	N		12
2094		3393	ICB-4 LINK	*Call	N		12
2094		3993	STI-3 DISTRIBUTION CARD	*Call	N		12
2094		6094	17 INCH PANEL DISPLAY	*Call	N		12
2094		6095	20 INCH PANEL DISPLAY	*Call	N		12
2094		6155	ETR	*Call	N		12
2094		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2094		8992	6 FT 250V 60A LINE CORD CHI	*Call	N		12
2094		8993	14 FT 250V CORD US CAN JAPAN	*Call	N		12
2094		8994	6 FT 480V 30A LINE CORD CHI	*Call	N		12
2094		8995	14 FT 480V CORD US CAN JAPAN	*Call	N		12
2094		9888	ON/OFF COD ACTIVE IFL-DAY	*Call	N		12
2094		9889	ON/OFF COD ACTIVE ICF-DAY	*Call	N		12
2094		9893	ON/OFF COD ACTIVE ZAAP-DAY	*Call	N		12
2094		9897	ON/OFF COD ACTIVE CP-DAY	*Call	N		12
2094		9908	ON/OFF COD ACT ZIIP - DAY	*Call	N		12
2094		9975	HEIGHT REDUCTION SHIP 2094	*Call	N		12
2096	R07		SYSTEM Z9 BUSINESS CLASS	*Call	N	3	12
2096	S07		SYSTEM Z9 BUSINESS CLASS	*Call	N	3	12
2096		0076	HMC W/DUAL EN DVD	*Call	N		12
2096		0077	HMC W/DUAL EN DVD - BLACK	*Call	N		12
2096		0079	HMC W/ DUAL EN DVD - BLK	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2096		0080	HMC W/TR DVD - BLACK	*Call	N		12
2096		0088	EXTERNAL MAU	*Call	N		12
2096		0089	SE-EN SWITCH (FORMER HUB)	*Call	N		12
2096		0113	I/O CAGE ISC-D AIRFLOW	*Call	N		12
2096		0217	ISC-MOTHER CARD	*Call	N		12
2096		0218	ISC-DAUGHTER CARD	*Call	N		12
2096		0219	ISC-3 LINK ON F/C 0216	*Call	N		12
2096		0227	ICB-3 CABLE	*Call	N		12
2096		0228	ICB-4 CABLE	*Call	N		12
2096		0840	TKE 6.0 WORKSTATION	*Call	N		12
2096		0859	TKE 5.0 WORKSTATION	*Call	N		12
2096		0863	CRYPTO EXPRESS2	*Call	N		12
2096		0887	TKE SMART CARD READER	*Call	N		12
2096		0888	TKE ADD'1 SMART CARDS	*Call	N		12
2096		0993	ICB-3 LINK	*Call	N		12
2096		2323	16 PORT ESCON CD	*Call	N		12
2096		2324	ESCON CHANNEL PORT	*Call	N		12
2096		3210	INTERNAL BATTERY	*Call	N		12
2096		3364	OSA EXPRESS2 GBEN LX	*Call	N		12
2096		3365	OSA EXPRESS2 GBEN SX	*Call	N		12
2096		3368	OSA EXPRESS2 10 GBEN LR	*Call	N		12
2096		3393	ICB-4 LINK	*Call	N		12
2096		3993	STI-3 DISTRIBUTION CARD	*Call	N		12
2096		6094	17 INCH FLAT PANEL	*Call	N		12
2096		6095	21 INCH FLAT PANEL	*Call	N		12
2096		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2096		9888	ON/OFF COD ACT IFL - DAY	*Call	N		12
2096		9889	ON/OFF COD ACT ICF - DAY	*Call	N		12
2096		9893	ON/OFF COD ACT ZAAP - DAY	*Call	N		12
2096		9975	HEIGHT REDUCE SHIP	*Call	N		12
2097	E12		SYSTEM Z10 EC	*Call	N	3	12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097	E26		SYSTEM Z10 EC	*Call	N	3	12
2097	E40		SYSTEM Z10 EC	*Call	N	3	12
2097	E56		SYSTEM Z10 EC	*Call	N	3	12
2097	E64		SYSTEM Z10 EC	*Call	N	3	12
2097		0089	SE EN SWITCH (FORMER HUB)	*Call	N		12
2097		0090	HMC W/DUAL EN	*Call	N		12
2097		0091	HMC W DUAL EN	*Call	N		12
2097		0113	I/O CAGE ISC D AIRFLOW	*Call	N		12
2097		0114	I/O CAGE FULL CARD AIRFLOW	*Call	N		12
2097		0116	1 CPE CAPACITY UNIT	*Call	N		12
2097		0117	100 CPE CAPACITY UNIT	*Call	N		12
2097		0118	10000 CPE CAPACITY UNIT	*Call	N		12
2097		0119	1 CPE CAPACITY UNIT IFL	*Call	N		12
2097		0120	100 CPE CAPACITY UNIT IFL	*Call	N		12
2097		0121	1 CPE CAPACITY UNIT ICF	*Call	N		12
2097		0122	100 CPE CAPACITY UNIT ICF	*Call	N		12
2097		0123	1 CPE CAPACITY UNIT ZAAP	*Call	N		12
2097		0124	100 CPE CAPACITY UNIT ZAAP	*Call	N		12
2097		0125	1 CPE CAPACITY UNIT ZIIP	*Call	N		12
2097		0126	100 CPE CAPACITY UNIT ZIIP	*Call	N		12
2097		0127	1 CPE CAPACITY UNIT SAP	*Call	N		12
2097		0128	100 CPE CAPACITY UNIT SAP	*Call	N		12
2097		0156	CEC	*Call	N		12
2097		0162	HCA2 C FANOUT	*Call	N		12
2097		0163	HCA2 O FANOUT	*Call	N		12
2097		0164	MBA FANOUT CARD	*Call	N		12
2097		0165	MBA FANOUT AIRFLOW	*Call	N		12
2097		0168	HCA2 O LR FANOUT CARD	*Call	N		12
2097		0217	ISC MOTHER CARD	*Call	N		12
2097		0218	ISC DAUGHTER CARD	*Call	N		12
2097		0219	ISC 3 LINK ON F/C 0218	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		0229	ICB CABLE (NEW TO CURRENT)	*Call	N		12
2097		0230	ICB CABLE (NEW TO NEW)	*Call	N		12
2097		0326	IFB MP DAUGHTER CARD	*Call	N		12
2097		0327	STI A8 MOTHER CARD	*Call	N		12
2097		0328	STI A4 MOTHER CARD	*Call	N		12
2097		0841	TKE WORKSTATION	*Call	N		12
2097		0864	CRYPTO EXPRESS3	*Call	N		12
2097		0884	TKE ADDL SMART CARDS	*Call	N		12
2097		0885	TKE SMART CARD READER	*Call	N		12
2097		0998	UID LABEL FOR DPT OF DEFENSE	*Call	N		12
2097		1021	STP ENABLEMENT	*Call	N		12
2097		1117	MODEL E12	*Call	N		12
2097		1118	MODEL E26	*Call	N		12
2097		1119	MODEL E40	*Call	N		12
2097		1120	MODEL E56	*Call	N		12
2097		1121	MODEL E64	*Call	N		12
2097		1996	PREPLANNED MEMORY	*Call	N		12
2097		1997	PREPLANNED MEMORY ACTIVATION	*Call	N		12
2097		2201	16 GB MEMORY	*Call	N		12
2097		2202	32 GB MEMORY	*Call	N		12
2097		2203	48 GB MEMORY	*Call	N		12
2097		2204	64 GB MEMORY	*Call	N		12
2097		2205	80 GB MEMORY	*Call	N		12
2097		2206	96 GB MEMORY	*Call	N		12
2097		2207	112 GB MEMORY	*Call	N		12
2097		2208	128 GB MEMORY	*Call	N		12
2097		2209	144 GB MEMORY	*Call	N		12
2097		2211	176 GB MEMORY	*Call	N		12
2097		2212	192 GB MEMORY	*Call	N		12
2097		2213	208 GB MEMORY	*Call	N		12
2097		2214	224 GB MEMORY	*Call	N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		2215	240 GB MEMORY	*Call	N		12
2097		2216	256 GB MEMORY	*Call	N		12
2097		2217	288 GB MEMORY	*Call	N		12
2097		2218	320 GB MEMORY	*Call	N		12
2097		2219	352 GB MEMORY	*Call	N		12
2097		2220	384 GB MEMORY	*Call	N		12
2097		2221	416 GB MEMORY	*Call	N		12
2097		2222	448 GB MEMORY	*Call	N		12
2097		2223	480 GB MEMORY	*Call	N		12
2097		2224	512 GB MEMORY	*Call	N		12
2097		2225	560 GB MEMORY	*Call	N		12
2097		2226	608 GB MEMORY	*Call	N		12
2097		2227	656 GB MEMORY	*Call	N		12
2097		2228	704 GB MEMORY	*Call	N		12
2097		2229	752 GB MEMORY	*Call	N		12
2097		2230	800 GB MEMORY	*Call	N		12
2097		2231	848 GB MEMORY	*Call	N		12
2097		2232	896 GB MEMORY	*Call	N		12
2097		2233	944 GB MEMORY	*Call	N		12
2097		2234	1008 GB MEMORY	*Call	N		12
2097		2235	1072 GB MEMORY	*Call	N		12
2097		2236	1136 GB MEMORY	*Call	N		12
2097		2237	1200 GB MEMORY	*Call	N		12
2097		2238	1264 GB MEMORY	*Call	N		12
2097		2239	1328 GB MEMORY	*Call	N		12
2097		2240	1392 GB MEMORY	*Call	N		12
2097		2241	1456 GB MEMORY	*Call	N		12
2097		2242	1520 GB MEMORY	*Call	N		12
2097		2243	160 GB MEMORY	*Call	N		12
2097		2323	16 PORT ESCON CARD	*Call	N		12
2097		2324	ESCON CHANNEL PORT	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		2400	STI REBALANCE	*Call	N		12
2097		2698	MEMORY DIMM AIRFLOW	*Call	N		12
2097		3001	BALANCED POWER PLAN AHEAD	*Call	N		12
2097		3211	INTERNAL BATTERY IBF E	*Call	N		12
2097		3325	FICON EXPRESS8 10KM LX	*Call	N		12
2097		3326	FICON EXPRESS8 SX	*Call	N		12
2097		3362	OSA EXPRESS3 GBE LX	*Call	N		12
2097		3363	OSA EXPRESS3 GBE SX	*Call	N		12
2097		3367	OSA EXPRESS3 1000BASE T	*Call	N		12
2097		3370	OSA EXPRESS3 10 GBE LR	*Call	N		12
2097		3371	OSA EXPRESS3 10 GBE SR	*Call	N		12
2097		3393	ICB 4 LINK	*Call	N		12
2097		3759	UNIVERSAL LIFT TOOL LADDERS	*Call	N		12
2097		4311	1 BOOK 1 I/O	*Call	N		12
2097		4312	1 BOOK 2 I/O	*Call	N		12
2097		4313	1 BOOK 3 I/O	*Call	N		12
2097		4321	2 BOOK 1 I/O	*Call	N		12
2097		4322	2 BOOK 2 I/O	*Call	N		12
2097		4323	2 BOOK 3 I/O	*Call	N		12
2097		4331	3 BOOK 1 I/O	*Call	N		12
2097		4332	3 BOOK 2 I/O	*Call	N		12
2097		4333	3 BOOK 3 I/O	*Call	N		12
2097		4341	4 BOOK 1 I/O	*Call	N		12
2097		4342	4 BOOK 2 I/O	*Call	N		12
2097		4343	4 BOOK 3 I/O	*Call	N		12
2097		6096	FLAT PANEL DISPLAY	*Call	N		12
2097		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2097		6539	1 WAY PROCESSOR CP4	*Call	N		12
2097		6540	2 WAY PROCESSOR CP4	*Call	N		12
2097		6541	3 WAY PROCESSOR CP4	*Call	N		12
2097		6542	4 WAY PROCESSOR CP4	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		6543	5 WAY PROCESSOR CP4	*Call	N		12
2097		6544	6 WAY PROCESSOR CP4	*Call	N		12
2097		6545	7 WAY PROCESSOR CP4	*Call	N		12
2097		6546	8 WAY PROCESSOR CP4	*Call	N		12
2097		6547	9 WAY PROCESSOR CP4	*Call	N		12
2097		6548	10 WAY PROCESSOR CP4	*Call	N		12
2097		6549	11 WAY PROCESSOR CP4	*Call	N		12
2097		6550	12 WAY PROCESSOR CP4	*Call	N		12
2097		6551	1 WAY PROCESSOR CP5	*Call	N		12
2097		6552	2 WAY PROCESSOR CP5	*Call	N		12
2097		6553	3 WAY PROCESSOR CP5	*Call	N		12
2097		6554	4 WAY PROCESSOR CP5	*Call	N		12
2097		6555	5 WAY PROCESSOR CP5	*Call	N		12
2097		6556	6 WAY PROCESSOR CP5	*Call	N		12
2097		6557	7 WAY PROCESSOR CP5	*Call	N		12
2097		6558	8 WAY PROCESSOR CP5	*Call	N		12
2097		6559	9 WAY PROCESSOR CP5	*Call	N		12
2097		6560	10 WAY PROCESSOR CP5	*Call	N		12
2097		6561	11 WAY PROCESSOR CP5	*Call	N		12
2097		6562	12 WAY PROCESSOR CP5	*Call	N		12
2097		6601	1 WAY PROCESSOR CP6	*Call	N		12
2097		6602	2 WAY PROCESSOR CP6	*Call	N		12
2097		6603	3 WAY PROCESSOR CP6	*Call	N		12
2097		6604	4 WAY PROCESSOR CP6	*Call	N		12
2097		6605	5 WAY PROCESSOR CP6	*Call	N		12
2097		6606	6 WAY PROCESSOR CP6	*Call	N		12
2097		6607	7 WAY PROCESSOR CP6	*Call	N		12
2097		6608	8 WAY PROCESSOR CP6	*Call	N		12
2097		6609	9 WAY PROCESSOR CP6	*Call	N		12
2097		6610	10 WAY PROCESSOR CP6	*Call	N		12
2097		6611	11 WAY PROCESSOR CP6	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		6612	12 WAY PROCESSOR CP6	*Call	N		12
2097		6700	0 WAY PROCESSOR CP7	*Call	N		12
2097		6701	1 WAY PROCESSOR CP7	*Call	N		12
2097		6702	2 WAY PROCESSOR CP7	*Call	N		12
2097		6703	3 WAY PROCESSOR CP7	*Call	N		12
2097		6704	4 WAY PROCESSOR CP7	*Call	N		12
2097		6705	5 WAY PROCESSOR CP7	*Call	N		12
2097		6706	6 WAY PROCESSOR CP7	*Call	N		12
2097		6707	7 WAY PROCESSOR CP7	*Call	N		12
2097		6708	8 WAY PROCESSOR CP7	*Call	N		12
2097		6709	9 WAY PROCESSOR CP7	*Call	N		12
2097		6710	10 WAY PROCESSOR CP7	*Call	N		12
2097		6711	11 WAY PROCESSOR CP7	*Call	N		12
2097		6712	12 WAY PROCESSOR CP7	*Call	N		12
2097		6713	13 WAY PROCESSOR CP7	*Call	N		12
2097		6714	14 WAY PROCESSOR CP7	*Call	N		12
2097		6715	15 WAY PROCESSOR CP7	*Call	N		12
2097		6716	16 WAY PROCESSOR CP7	*Call	N		12
2097		6717	17 WAY PROCESSOR CP7	*Call	N		12
2097		6718	18 WAY PROCESSOR CP7	*Call	N		12
2097		6719	19 WAY PROCESSOR CP7	*Call	N		12
2097		6720	20 WAY PROCESSOR CP7	*Call	N		12
2097		6721	21 WAY PROCESSOR CP7	*Call	N		12
2097		6722	22 WAY PROCESSOR CP7	*Call	N		12
2097		6723	23 WAY PROCESSOR CP7	*Call	N		12
2097		6724	24 WAY PROCESSOR CP7	*Call	N		12
2097		6725	25 WAY PROCESSOR CP7	*Call	N		12
2097		6726	26 WAY PROCESSOR CP7	*Call	N		12
2097		6727	27 WAY PROCESSOR CP7	*Call	N		12
2097		6728	28 WAY PROCESSOR CP7	*Call	N		12
2097		6729	29 WAY PROCESSOR CP7	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		6730	30 WAY PROCESSOR CP7	*Call	N		12
2097		6731	31 WAY PROCESSOR CP7	*Call	N		12
2097		6732	32 WAY PROCESSOR CP7	*Call	N		12
2097		6733	33 WAY PROCESSOR CP7	*Call	N		12
2097		6734	34 WAY PROCESSOR CP7	*Call	N		12
2097		6735	35 WAY PROCESSOR CP7	*Call	N		12
2097		6736	36 WAY PROCESSOR CP7	*Call	N		12
2097		6737	37 WAY PROCESSOR CP7	*Call	N		12
2097		6738	38 WAY PROCESSOR CP7	*Call	N		12
2097		6739	39 WAY PROCESSOR CP7	*Call	N		12
2097		6740	40 WAY PROCESSOR CP7	*Call	N		12
2097		6741	41 WAY PROCESSOR CP7	*Call	N		12
2097		6742	42 WAY PROCESSOR CP7	*Call	N		12
2097		6743	43 WAY PROCESSOR CP7	*Call	N		12
2097		6744	44 WAY PROCESSOR CP7	*Call	N		12
2097		6745	45 WAY PROCESSOR CP7	*Call	N		12
2097		6746	46 WAY PROCESSOR CP7	*Call	N		12
2097		6747	47 WAY PROCESSOR CP7	*Call	N		12
2097		6748	48 WAY PROCESSOR CP7	*Call	N		12
2097		6749	49 WAY PROCESSOR CP7	*Call	N		12
2097		6750	50 WAY PROCESSOR CP7	*Call	N		12
2097		6751	51 WAY PROCESSOR CP7	*Call	N		12
2097		6752	52 WAY PROCESSOR CP7	*Call	N		12
2097		6753	53 WAY PROCESSOR CP7	*Call	N		12
2097		6754	54 WAY PROCESSOR CP7	*Call	N		12
2097		6755	55 WAY PROCESSOR CP7	*Call	N		12
2097		6756	56 WAY PROCESSOR CP7	*Call	N		12
2097		6757	57 WAY PROCESSOR CP7	*Call	N		12
2097		6758	58 WAY PROCESSOR CP7	*Call	N		12
2097		6759	59 WAY PROCESSOR CP7	*Call	N		12
2097		6760	60 WAY PROCESSOR CP7	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2097		6761	61 WAY PROCESSOR CP7	*Call	N		12
2097		6762	62 WAY PROCESSOR CP7	*Call	N		12
2097		6763	63 WAY PROCESSOR CP7	*Call	N		12
2097		6764	64 WAY PROCESSOR CP7	*Call	N		12
2097		6805	ADDITIONAL CBU TEXT	*Call	N		12
2097		6811	IFL	*Call	N		12
2097		6812	ICF	*Call	N		12
2097		6813	SAP (OPTIONAL)	*Call	N		12
2097		6814	ZAAP	*Call	N		12
2097		6815	ZIIP	*Call	N		12
2097		6816	UNASSIGNED IFL	*Call	N		12
2097		6818	CBU	*Call	N		12
2097		6820	1 CBU CP	*Call	N		12
2097		6821	25 CBU CP	*Call	N		12
2097		6822	1 CBU IFL	*Call	N		12
2097		6823	25 CBU IFL	*Call	N		12
2097		6824	1 CBU ICF	*Call	N		12
2097		6825	25 CBU ICF	*Call	N		12
2097		6826	1 CBU ZAAP	*Call	N		12
2097		6827	25 CBU ZAAP	*Call	N		12
2097		6828	1 CBU ZIIP	*Call	N		12
2097		6829	25 CBU ZIIP	*Call	N		12
2097		6830	1 CBU SAP	*Call	N		12
2097		6831	25 CBU SAP	*Call	N		12
2097		6833	CAPACITY FOR PLANNED EVENT	*Call	N		12
2097		7958	LC DUP 5FT HARNESS	*Call	N		12
2097		7960	FQC 1ST BRACKET/MOUNTING HW	*Call	N		12
2097		7961	FQC ADDITIONAL BRACKETS	*Call	N		12
2097		7962	MT RJ 6 FT HARNESS	*Call	N		12
2097		7963	MT RJ 8 FT HARNESS	*Call	N		12
2097		7964	MT RJ 5 FT HARNESS	*Call	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2097		7965	LC DUP 6 FT HARNESS	*Call	N		12
2097		7966	LC DUP 8.5 FT HARNESS	*Call	N		12
2097		7967	LC DUP 5 FT HARNESS	*Call	N		12
2097		7968	LC DUP 8.5 FT HARNESS	*Call	N		12
2097		7993	BOLT DOWN KIT LOW RAISED FL	*Call	N		12
2097		7994	BOLT DOWN KIT HIGH RAISED FL	*Call	N		12
2097		8982	712 CAPACITY MARKER	*Call	N		0
2097		8993	14FT 250V LINE US CAN JAPAN	*Call	N		12
2097		8995	14FT 480V LINE US CAN JAPAN	*Call	N		12
2097		9968	Z10 EC SITE TOOL KIT	*Call	N		12
2097		9970	WEIGHT DISTRIBUTION KIT	*Call	N		12
2097		9975	HEIGHT REDUCE SHIP	*Call	N		12
2098	E10		SYSTEM Z10 BC	*Call	N	3	12
2098		0089	SE EN SWITCH (FORMER HUB)	*Call	N		12
2098		0090	HMC W/DUAL EN	*Call	N		12
2098		0091	HMC W DUAL EN	*Call	N		12
2098		0113	I/O CAGE ISC D AIRFLOW	*Call	N		12
2098		0114	I/O CAGE FULL CARD AIRFLOW	*Call	N		12
2098		0116	1 CPE CAPACITY UNIT	*Call	N		12
2098		0117	100 CPE CAPACITY UNIT	*Call	N		12
2098		0118	10000 CPE CAPACITY UNIT	*Call	N		12
2098		0119	1 CPE CAPACITY UNIT IFL	*Call	N		12
2098		0120	100 CPE CAPACITY UNIT IFL	*Call	N		12
2098		0121	1 CPE CAPACITY UNIT ICF	*Call	N		12
2098		0122	100 CPE CAPACITY UNIT ICF	*Call	N		12
2098		0123	1 CPE CAPACITY UNIT ZAAP	*Call	N		12
2098		0124	100 CPE CAPACITY UNIT ZAAP	*Call	N		12
2098		0125	1 CPE CAPACITY UNIT ZIIP	*Call	N		12
2098		0126	100 CPE CAPACITY UNIT ZIIP	*Call	N		12
2098		0127	1 CPE CAPACITY UNIT SAP	*Call	N		12
2098		0128	100 CPE CAPACITY UNIT SAP	*Call	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
2098		0162	HCA2 C FANOUT	*Call	N		12
2098		0163	HCA2 O FANOUT	*Call	N		12
2098		0164	MBA 05 FANOUT CARD	*Call	N		12
2098		0165	MBA 05 FANOUT AIRFLOW	*Call	N		12
2098		0168	HCA2 LR FANOUT CARD	*Call	N		12
2098		0217	ISC MOTHER CARD	*Call	N		12
2098		0218	ISC DAUGHTER CARD	*Call	N		12
2098		0219	ISC 3 LINK ON F/C 0218	*Call	N		12
2098		0229	ICB CABLE (NEW TO LEGACY)	*Call	N		12
2098		0230	ICB CABLE (NEW TO NEW)	*Call	N		12
2098		0326	IFB MP DAUGHTER CARD	*Call	N		12
2098		0327	STI A8 MOTHER CARD	*Call	N		12
2098		0841	TKE WORKSTATION	*Call	N		12
2098		0864	CRYPTO EXPRESS3	*Call	N		12
2098		0871	CRYPTO EXPRESS3 1P	*Call	N		12
2098		0884	TKE ADDL SMART CARDS	*Call	N		12
2098		0885	TKE SMART CARD READER	*Call	N		12
2098		0998	UID LABEL FOR DPT OF DEFENSE	*Call	N		12
2098		1021	STP ENABLEMENT	*Call	N		12
2098		1991	PLAN AHEAD MEMORY	*Call	N		12
2098		1992	PLAN AHEAD MEMORY ACTIVATION	*Call	N		12
2098		2323	16 PORT ESCON CARD	*Call	N		12
2098		2324	ESCON CHANNEL PORT	*Call	N		12
2098		2401	4 GB MEMORY	*Call	N		12
2098		2402	8 GB MEMORY	*Call	N		12
2098		2403	12 GB MEMORY	*Call	N		12
2098		2404	16 GB MEMORY	*Call	N		12
2098		2405	20 GB MEMORY	*Call	N		12
2098		2406	24 GB MEMORY	*Call	N		12
2098		2407	28 GB MEMORY	*Call	N		12
2098		2408	32 GB MEMORY	*Call	N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		2409	40 GB MEMORY	*Call	N		12
2098		2410	48 GB MEMORY	*Call	N		12
2098		2411	56 GB MEMORY	*Call	N		12
2098		2412	64 GB MEMORY	*Call	N		12
2098		2413	72 GB MEMORY	*Call	N		12
2098		2414	80 GB MEMORY	*Call	N		12
2098		2415	88 GB MEMORY	*Call	N		12
2098		2416	96 GB MEMORY	*Call	N		12
2098		2417	104 GB MEMORY	*Call	N		12
2098		2418	112 GB MEMORY	*Call	N		12
2098		2419	120 GB MEMORY	*Call	N		12
2098		2420	152 GB MEMORY (NOTE 5)	*Call	N		12
2098		2421	184 GB MEMORY (NOTE 5)	*Call	N		12
2098		2422	216 GB MEMORY (NOTE 5)	*Call	N		12
2098		2423	248 GB MEMORY (NOTE 5)	*Call	N		12
2098		3002	BALANCED POWER	*Call	N		12
2098		3211	INTERNAL BATTERY IBF E	*Call	N		12
2098		3318	FICON EXPRESS4 2C SX	*Call	N		12
2098		3323	FICON EXPRESS4 2C 4KM LX	*Call	N		12
2098		3325	FICON EXPRESS8 10KM LX	*Call	N		12
2098		3326	FICON EXPRESS8 SX	*Call	N		12
2098		3362	OSA EXPRESS3 GBE LX	*Call	N		12
2098		3363	OSA EXPRESS3 GBE SX	*Call	N		12
2098		3367	OSA EXPRESS3 1000BASE T	*Call	N		12
2098		3369	OSA EXPRESS3 2P 1000BASE T	*Call	N		12
2098		3370	OSA EXPRESS3 10 GBE LR	*Call	N		12
2098		3371	OSA EXPRESS3 10 GBE SR	*Call	N		12
2098		3373	OSA EXPRESS3 2P GBE SX	*Call	N		12
2098		3393	ICB 4 LINK	*Call	N		12
2098		3759	COMMON SERVICE LIFT TOOL	*Call	N		12
2098		4000	I/O DRAWER	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		5013	0-WAY PROCESSOR A00	*Call	N		12
2098		5014	1-WAY PROCESSOR A01	*Call	N		12
2098		5015	2-WAY PROCESSOR A02	*Call	N		12
2098		5016	3-WAY PROCESSOR A03	*Call	N		12
2098		5017	4-WAY PROCESSOR A04	*Call	N		12
2098		5018	5-WAY PROCESSOR A05	*Call	N		12
2098		5019	1-WAY PROCESSOR B01	*Call	N		12
2098		5020	2-WAY PROCESSOR B02	*Call	N		12
2098		5021	3-WAY PROCESSOR B03	*Call	N		12
2098		5022	4-WAY PROCESSOR B04	*Call	N		12
2098		5023	5-WAY PROCESSOR B05	*Call	N		12
2098		5024	1-WAY PROCESSOR C01	*Call	N		12
2098		5025	2-WAY PROCESSOR C02	*Call	N		12
2098		5026	3-WAY PROCESSOR C03	*Call	N		12
2098		5027	4-WAY PROCESSOR C04	*Call	N		12
2098		5028	5-WAY PROCESSOR C05	*Call	N		12
2098		5029	1-WAY PROCESSOR D01	*Call	N		12
2098		5030	2-WAY PROCESSOR D02	*Call	N		12
2098		5031	3-WAY PROCESSOR D03	*Call	N		12
2098		5032	4-WAY PROCESSOR D04	*Call	N		12
2098		5033	5-WAY PROCESSOR D05	*Call	N		12
2098		5034	1-WAY PROCESSOR E01	*Call	N		12
2098		5035	2-WAY PROCESSOR E02	*Call	N		12
2098		5036	3-WAY PROCESSOR E03	*Call	N		12
2098		5037	4-WAY PROCESSOR E04	*Call	N		12
2098		5038	5-WAY PROCESSOR E05	*Call	N		12
2098		5039	1-WAY PROCESSOR F01	*Call	N		12
2098		5040	2-WAY PROCESSOR F02	*Call	N		12
2098		5041	3-WAY PROCESSOR F03	*Call	N		12
2098		5042	4-WAY PROCESSOR F04	*Call	N		12
2098		5043	5-WAY PROCESSOR F05	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		5044	1-WAY PROCESSOR G01	*Call	N		12
2098		5045	2-WAY PROCESSOR G02	*Call	N		12
2098		5046	3-WAY PROCESSOR G03	*Call	N		12
2098		5047	4-WAY PROCESSOR G04	*Call	N		12
2098		5048	5-WAY PROCESSOR G05	*Call	N		12
2098		5049	1-WAY PROCESSOR H01	*Call	N		12
2098		5050	2-WAY PROCESSOR H02	*Call	N		12
2098		5051	3-WAY PROCESSOR H03	*Call	N		12
2098		5052	4-WAY PROCESSOR H04	*Call	N		12
2098		5053	5-WAY PROCESSOR H05	*Call	N		12
2098		5054	1-WAY PROCESSOR I01	*Call	N		12
2098		5055	2-WAY PROCESSOR I02	*Call	N		12
2098		5056	3-WAY PROCESSOR I03	*Call	N		12
2098		5057	4-WAY PROCESSOR I04	*Call	N		12
2098		5058	5-WAY PROCESSOR I05	*Call	N		12
2098		5059	1-WAY PROCESSOR J01	*Call	N		12
2098		5060	2-WAY PROCESSOR J02	*Call	N		12
2098		5061	3-WAY PROCESSOR J03	*Call	N		12
2098		5062	4-WAY PROCESSOR J04	*Call	N		12
2098		5063	5-WAY PROCESSOR J05	*Call	N		12
2098		5064	1-WAY PROCESSOR K01	*Call	N		12
2098		5065	2-WAY PROCESSOR K02	*Call	N		12
2098		5066	3-WAY PROCESSOR K03	*Call	N		12
2098		5067	4-WAY PROCESSOR K04	*Call	N		12
2098		5068	5-WAY PROCESSOR K05	*Call	N		12
2098		5069	1-WAY PROCESSOR L01	*Call	N		12
2098		5070	2-WAY PROCESSOR L02	*Call	N		12
2098		5071	3-WAY PROCESSOR L03	*Call	N		12
2098		5072	4-WAY PROCESSOR L04	*Call	N		12
2098		5073	5-WAY PROCESSOR L05	*Call	N		12
2098		5074	1-WAY PROCESSOR M01	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		5075	2-WAY PROCESSOR M02	*Call	N		12
2098		5076	3-WAY PROCESSOR M03	*Call	N		12
2098		5077	4-WAY PROCESSOR M04	*Call	N		12
2098		5078	5-WAY PROCESSOR M05	*Call	N		12
2098		5079	1-WAY PROCESSOR N01	*Call	N		12
2098		5080	2-WAY PROCESSOR N02	*Call	N		12
2098		5081	3-WAY PROCESSOR N03	*Call	N		12
2098		5082	4-WAY PROCESSOR N04	*Call	N		12
2098		5083	5-WAY PROCESSOR N05	*Call	N		12
2098		5084	1-WAY PROCESSOR O01	*Call	N		12
2098		5085	2-WAY PROCESSOR O02	*Call	N		12
2098		5086	3-WAY PROCESSOR O03	*Call	N		12
2098		5087	4-WAY PROCESSOR O04	*Call	N		12
2098		5088	5-WAY PROCESSOR O05	*Call	N		12
2098		5089	1-WAY PROCESSOR P01	*Call	N		12
2098		5090	2-WAY PROCESSOR P02	*Call	N		12
2098		5091	3-WAY PROCESSOR P03	*Call	N		12
2098		5092	4-WAY PROCESSOR P04	*Call	N		12
2098		5093	5-WAY PROCESSOR P05	*Call	N		12
2098		5094	1-WAY PROCESSOR Q01	*Call	N		12
2098		5095	2-WAY PROCESSOR Q02	*Call	N		12
2098		5096	3-WAY PROCESSOR Q03	*Call	N		12
2098		5097	4-WAY PROCESSOR Q04	*Call	N		12
2098		5098	5-WAY PROCESSOR Q05	*Call	N		12
2098		5099	1-WAY PROCESSOR R01	*Call	N		12
2098		5100	2-WAY PROCESSOR R02	*Call	N		12
2098		5101	3-WAY PROCESSOR R03	*Call	N		12
2098		5102	4-WAY PROCESSOR R04	*Call	N		12
2098		5103	5-WAY PROCESSOR R05	*Call	N		12
2098		5104	1-WAY PROCESSOR S01	*Call	N		12
2098		5105	2-WAY PROCESSOR S02	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		5106	3-WAY PROCESSOR S03	*Call	N		12
2098		5107	4-WAY PROCESSOR S04	*Call	N		12
2098		5108	5-WAY PROCESSOR S05	*Call	N		12
2098		5109	1-WAY PROCESSOR T01	*Call	N		12
2098		5110	2-WAY PROCESSOR T02	*Call	N		12
2098		5111	3-WAY PROCESSOR T03	*Call	N		12
2098		5112	4-WAY PROCESSOR T04	*Call	N		12
2098		5113	5-WAY PROCESSOR T05	*Call	N		12
2098		5114	1-WAY PROCESSOR U01	*Call	N		12
2098		5115	2-WAY PROCESSOR U02	*Call	N		12
2098		5116	3-WAY PROCESSOR U03	*Call	N		12
2098		5117	4-WAY PROCESSOR U04	*Call	N		12
2098		5118	5-WAY PROCESSOR U05	*Call	N		12
2098		5119	1-WAY PROCESSOR V01	*Call	N		12
2098		5120	2-WAY PROCESSOR V02	*Call	N		12
2098		5121	3-WAY PROCESSOR V03	*Call	N		12
2098		5122	4-WAY PROCESSOR V04	*Call	N		12
2098		5123	5-WAY PROCESSOR V05	*Call	N		12
2098		5124	1-WAY PROCESSOR W01	*Call	N		12
2098		5125	2-WAY PROCESSOR W02	*Call	N		12
2098		5126	3-WAY PROCESSOR W03	*Call	N		12
2098		5127	4-WAY PROCESSOR W04	*Call	N		12
2098		5128	5-WAY PROCESSOR W05	*Call	N		12
2098		5129	1-WAY PROCESSOR X01	*Call	N		12
2098		5130	2-WAY PROCESSOR X02	*Call	N		12
2098		5131	3-WAY PROCESSOR X03	*Call	N		12
2098		5132	4-WAY PROCESSOR X04	*Call	N		12
2098		5133	5-WAY PROCESSOR X05	*Call	N		12
2098		5134	1-WAY PROCESSOR Y01	*Call	N		12
2098		5135	2-WAY PROCESSOR Y02	*Call	N		12
2098		5136	3-WAY PROCESSOR Y03	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2098		5137	4-WAY PROCESSOR Y04	*Call	N		12
2098		5138	5-WAY PROCESSOR Y05	*Call	N		12
2098		5139	1-WAY PROCESSOR Z01	*Call	N		12
2098		5140	2-WAY PROCESSOR Z02	*Call	N		12
2098		5141	3-WAY PROCESSOR Z03	*Call	N		12
2098		5142	4-WAY PROCESSOR Z04	*Call	N		12
2098		5143	5-WAY PROCESSOR Z05	*Call	N		12
2098		6096	FLAT PANEL DISPLAY	*Call	N		12
2098		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2098		6650	IFL	*Call	N		12
2098		6651	ICF	*Call	N		12
2098		6652	SAP OPTIONAL	*Call	N		12
2098		6653	ZAAP	*Call	N		12
2098		6654	ZIIP	*Call	N		12
2098		6655	UNASSIGNED IFL	*Call	N		12
2098		6805	ADDITIONAL CBU TEXT	*Call	N		12
2098		6818	CBU RECORDS ORDERED	*Call	N		12
2098		6820	1 CBU CP	*Call	N		12
2098		6821	25 CBU CP	*Call	N		12
2098		6822	1 CBU IFL	*Call	N		12
2098		6823	25 CBU IFL	*Call	N		12
2098		6824	1 CBU ICF	*Call	N		12
2098		6825	25 CBU ICF	*Call	N		12
2098		6826	1 CBU ZAAP	*Call	N		12
2098		6827	25 CBU ZAAP	*Call	N		12
2098		6828	1 CBU ZIIP	*Call	N		12
2098		6829	25 CBU ZIIP	*Call	N		12
2098		6830	1 CBU SAP	*Call	N		12
2098		6831	25 CBU SAP	*Call	N		12
2098		6833	CAPACITY FOR PLANNED EVENT	*Call	N		12
2098		7969	FQC 1ST BRACKET/MOUNTING HW	*Call	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
2098		7970	FQC ADDITIONAL BRACKETS	*Call	N		12
2098		7985	MT RJ 3.5 FT HARNESS	*Call	N		12
2098		7986	MT RJ 5 FT HARNESS	*Call	N		12
2098		7987	LC DUP 3.5 FT HARNESS	*Call	N		12
2098		7988	LC DUP 5 FT HARNESS	*Call	N		12
2098		7990	BOLT DOWN KIT HIGH RAISED FL	*Call	N		12
2098		7991	BOLT DOWN KIT LOW RAISED FL	*Call	N		12
2098		7992	BOLT DOWN KIT NON RAISED FL	*Call	N		12
2098		7998	NON RAISED FL SUPPORT	*Call	N		12
2098		8983	14 FT 480V 3 PH CORD	*Call	N		12
2098		8987	14 FT 250V 3 PH CORD	*Call	N		12
2098		8988	14 FT HI/LO V 3 PH WT	*Call	N		12
2098		8990	14 FT 250V 1 PH CORD	*Call	N		12
2098		8991	14 FT HI/LO V 1 PH CORD WT	*Call	N		12
2098		8998	14 FT HI/LO V 3 PH LSZH CORDWT	*Call	N		12
2098		9888	ON/OFF COD ACT IFL DAY	*Call	N		12
2098		9889	ON/OFF COD ACT ICF DAY	*Call	N		12
2098		9893	ON/OFF COD ACT ZAPP DAY	*Call	N		12
2098		9908	ON/OFF COD ACT ZIIP DAY	*Call	N		12
2098		9909	ON/OFF COD ACT SAP DAY	*Call	N		12
2098		9920	1 IFL DAY	*Call	N		12
2098		9921	100 IFL DAY	*Call	N		12
2098		9922	1 ICF DAY	*Call	N		12
2098		9923	100 ICF DAY	*Call	N		12
2098		9924	1 ZIIP DAY	*Call	N		12
2098		9925	100 ZIIP DAY	*Call	N		12
2098		9926	1 ZAAP DAY	*Call	N		12
2098		9927	100 ZAAP DAY	*Call	N		12
2098		9928	1 SAP DAY	*Call	N		12
2098		9929	100 SAP DAY	*Call	N		12
2098		9975	HEIGHT REDUCE SHIP	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2101	200		STORAGE SOLUTIONS SYSTEM	3176	N	2	12
2101	N42		STORAGE SOLUTIONS RACK	4315	N	2	12
2101		0983	GSA AND/OR TITLE WITH US GOVT	0	N		12
2101		6080	RUGGEDIZED RACK FEATURE	982	N		12
2101		6086	SUITE ATTACH KIT 2 M RACK	229	N		12
2101		6098	SIDE PANEL	163	N		12
2101		6491	PWR CD IEC309 P+N+G 63A/MES	262	N		12
2101		6492	PWR CD IEC309 2P+G 60A/MES	262	N		12
2101		6858	REAR DOOR HEAT EXCH	4748	N		12
2101		7188	SIDE MOUNT 1-PHASE PDUS-OPT.	1310	N		12
2101		7190	TWO IPDUS PLANT	1637	N		36
2101		7192	TWO IPDUS PLANT/FIELD	1965	N		36
2104		5301	ULTRA320 CABLE - 1 M	101	N		12
2104		5303	ULTRA320 CABLE - 3 M	113	N		12
2104		5305	ULTRA320 CABLE - 5 M	125	N		12
2104		5310	ULTRA320 CABLE - 10 M	169	N		12
2104		5313	ULTRA SCSI TO LVD CABLE - 3 M	129	N		12
2104		5320	ULTRA320 CABLE - 20 M	266	N		12
2104		5323	SCSI 2 F/W TO LVD CABLE - 3 M	145	N		12
2105		1830	FLASHCOPY UP TO 0.5 TB	15521	N		36
2105		1831	FLASHCOPY UP TO 1 TB	23315	N		36
2105		1832	FLASHCOPY UP TO 2 TB	34907	N		36
2105		1833	FLASH COPY- UP TO 4TB	52393	N		36
2105		1834	FLASHCOPY UP TO 8 TB	78589	N		36
2105		1835	FLASHCOPY UP TO 12 TB	96665	N		36
2105		2101	DISK EIGHT-PACK MOUNTING KIT	9169	N		36
2105		2602	SINGLE PHASE 50/50HZ 50 AMP EM	2292	N		0
2105		2603	SINGLE PHASE 50/60HZ 50 AMP AP	2292	N		0
2105		2652	3 PHASE 50/60HZ 50 AMP	2620	N		0
2105		2860	50 MICRON FIBRE CAB SC CON	216	N		36
2105		2861	50MICRON FIBRE CABLE 31M SC/LC	216	N		36



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2105		2862	50 MICRON FIBRE CAB LC CON		216 N		36
2105		4015	24 GB CACHE		94307 N		36
2105		9905	ONE YEAR WARRANTY OPTION		0 N		36
2107		1000	REMOTE POWER CONTROL		798 N		48
2107		1050	BATTERY ASSEMBLY		1233 N		48
2107		1055	EXTENDED PLD		5658 N		48
2107		1090	LINE CORD (US/LA/AP/CANADA)		1378 N		48
2107		1091	LINE CORD (EMEA)		363 N		48
2107		1092	LINE CORD(JAPAN/US/CANADA)		798 N		48
2107		1110	MANAGEMENT CONSOLE EXTERNAL		7254 N		48
2107		1170	MC LINE CORD STANDARD RACK		73 N		48
2107		1171	MC LINE CORD GROUP 1		73 N		48
2107		1172	MC LINE CORD GROUP 2		73 N		48
2107		1210	DISK ENCLOSURE PAIR		7254 N		48
2107		1211	DISK DRIVE CABLE GROUP 1		725 N		48
2107		1212	DISK DRIVE CABLE GROUP 2		1378 N		48
2107		1213	DISK DRIVE CABLE GROUP 3		1596 N		48
2107		1214	DISK DRIVE CABLE GROUP 4		1741 N		48
2107		1220	DISK ENCLOSURE PAIR - A		7254 N		48
2107		1230	DISK ENCLOSURE PAIR - B		7254 N		48
2107		1300	I/O ENCLOSURE PAIR		9068 N		48
2107		1312	RIO-G CABLE GROUP 2		871 N		48
2107		1313	RIO-G CABLE GROUP 3		1161 N		48
2107		1314	RIO-G CABLE GROUP 4		1669 N		48
2107		1315	RIO-G CABLE GROUP 5		2539 N		48
2107		1316	RIO-G CABLE GROUP 6		1161 N		48
2107		1410	50 UM FIBRE CABLE (LC)		73 N		48
2107		1411	50 UM FIBRE CABLE (LC/SC)		73 N		48
2107		1412	50 UM FIBRE CABLE (JUMPER)		73 N		48
2107		1420	9 UM FIBRE CABLE (LC)		73 N		48
2107		1421	9 UM FIBRE CABLE (LC/SC)		73 N		48

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2107		1422	9 UM FIBRE CABLE (JUMPER)		73 N		48
2107		1501	POWER5+ PROCESSOR UPGRADE	72544	N		48
2107		1502	POWER5+ PROCESSOR UPGRADE	145088	N		48
2107		1503	POWER5+ PROCESSOR UPGRADE	145088	N		48
2107		1801	RM ETHERNET ADAPTER PAIR	2176	N		48
2107		1802	RM ETHERNET ADAPTER PAIR A	2176	N		48
2107		1803	RM ETHERNET ADAPTER PAIR B	2176	N		48
2107		1906	EARTHQUAKE RESISTANCE KIT	15960	N		48
2107		1980	PERFORMANCE ACCELERATOR	3627	N		48
2107		2999	DISK ENCLOSURE FILLER SET	73	N		48
2107		3113	4GB SW FCP /FICON ADAPTER	25390	N		48
2107		3123	4GB SW FCP /FICON ADAPTER - A	25390	N		48
2107		3133	4GB SW FCP /FICON ADAPTER - B	25390	N		48
2107		3213	4GB LW FCP/FICON ADAPTER	25390	N		48
2107		3215	4GB 10KM LW FCP/FICON ADAPTER	32645	N		48
2107		3223	4GB LW FCP/FICON ADAPTER - A	25390	N		48
2107		3225	4GB 10KM LW FCP/FICON ADP - A	32645	N		48
2107		3233	4GB LW FCP/FICON ADAPTER - B	25390	N		48
2107		3235	4GB 10KM LW FCP/FICON ADP - B	32645	N		48
2107		4001	16 GB PROCESSOR MEMORY	21763	N		48
2107		4002	32 GB PROCESSOR MEMORY	36272	N		48
2107		4003	64 GB PROCESSOR MEMORY	145088	N		48
2107		4004	128 GB PROCESSOR MEMORY	290176	N		48
2107		4012	32 GB PROCESSOR MEMORY	36272	N		48
2107		4013	64 GB PROCESSOR MEMORY	145088	N		48
2107		4014	128 GB PROCESSOR MEMORY	290176	N		48
2107		4102	32 GB PROCESSOR MEMORY	36272	N		48
2107		4103	64 GB PROCESSOR MEMORY	145088	N		48
2107		4104	128 GB PROCESSOR MEMORY	290176	N		48
2107		4105	256 GB PROCESSOR MEMORY	580353	N		48
2107		4113	64 GB PROCESSOR MEMORY	145088	N		48

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2107		4114	128 GB PROCESSOR MEMORY	290176	N		48
2107		4115	256 GB PROCESSOR MEMORY	580353	N		48
2109	C36		TOTALSTORAGE SAN SWITCH	4425	N	2	12
2109		2210	SHORTWAVE TRANSCEIVER	362	N		12
2109		2220	LONGWAVE TRANSCEIVER	797	N		12
2109		2414	4 GBPS SW SFP TRAN 4-PACK	580	N		12
2109		2424	FC 4 GBPS 10KM LW SFP TRANS 4P	4722	N		12
2109		2434	FC 4 GBPS 4 KM LW SFP TRANS 4P	3039	N		12
2109		2440	4 GBPS 30 KM ELW SFP TRANS	4353	N		12
2109		2510	10GB FC SW XFP	1755	N		12
2109		2520	10GB FC LW XFP	2241	N		12
2109		3416	M14/M48 16-PORT 4 GB SW BL	22641	N		12
2109		3432	M48 32-PORT 4GBPS SWITCH BLADE	38492	N		12
2109		3448	M48 48-PORT SWITCH BLADE	53755	N		12
2109		3450	M48 FC ROUTING BLADE	48220	N		12
2109		3470	M48 10GB FC BLADE	71985	N		12
2109		5305	FIBER CABLE LC/LC 5M MULTIMODE	98	N		12
2109		5325	FIBER CABLE LC/LC25M MULTIMODE	150	N		12
2109		5371	M12 SC/LC COUPLING CABLE	75	N		12
2109		5405	5M 50U LC/LC FIB CAB 4 PK	394	N		12
2109		5425	25M 50U LC/LC FIB CAB 4 PK	604	N		12
2109		5444	31M 9U LC/LC FIB CAB 4 PK	290	N		12
2109		5605	FIBRE CABLE LC/LC 5M MULTIMODE	98	N		12
2109		5625	FIBRE CABLE LC/LC 25M MULTIMO	150	N		12
2109		5721	9 MIC FIBRE CABL 31M SM LC/LC	73	N		12
2109		5731	9 MIC FIBRE CABL 31M SM LC/LC	73	N		12
2109		6050	PLANT IPDU UPG TO BASE C36	1458	N		12
2109		6051	FIELD IPDU UPG TO BASE C36	2285	N		12
2109		6052	2ND IPDU PAIR C19/C20	2285	N		12
2109		6080	RUGGEDIZED RACK FEATURE	1088	N		12
2109		6081	PDU PAIR FOR F-SERIES SWITCH	725	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2109		7502	REMOTE SWITCH ACTIVATION	5804	N		12
2109		7503	EXTENDED FABRIC ACTIVATION	5804	N		12
2109		7523	F32 ADV SECURITY ACTIVATION	5078	N		12
2109		7530	F32 FICON W/CUP ACTIVATION	2249	N		12
2109		7531	F32 FICON CUP ADV SECURITY	7327	N		12
2109		7602	REMOTE SWITCH ACTIVATION	20312	N		12
2109		7603	EXTENDED FABRIC ACTIVATION	20312	N		12
2109		7623	M12 ADV SECURITY ACTIVATION	25390	N		12
2109		7802	M48 REMOTE SWITCH ACTIVATION	24810	N		12
2109		7803	M48 EXTENDED FABRIC ACTIVA	24810	N		12
2109		7823	M48 ADVANCED SECURITY ACTIV	31013	N		12
2109		7827	M48 FCIP ACTIVATION	25028	N		12
2109		7831	M48 FICON W/CUP ACTIVATION	7631	N		12
2109		7833	M48 FICON W/CUP ADV SECURITY	24607	N		12
2109		7840	M48 2 ADDITIONAL PWR. SUPPLIES	4251	N		12
2109		7902	A16 PORTS 8-15 FIELD ACT	30033	N		12
2109		7903	A16 FC ROUTING ACT	11534	N		12
2109		7904	A16 FCIP ACTIVATION	6920	N		12
2145	CF8		SVC STORAGE ENGINE	11970	N	4	12
2145		1888	STG LAB SERVICES	1814	N		12
2145		3905	SVC ENGINE REMOVAL	1451	N		12
2145		4500	SOLID STATE DEVICE ATTACHMENT	813	N		12
2145		4601	146GB SOLID STATE DEVICE	19586	N		12
2145		5301	1 M FIBER OPTIC CABLE LC-LC	73	N		12
2145		5305	5 M FIBER OPTIC CABLE LC-LC	123	N		12
2145		5325	25 M FIBER OPTIC CABLE LC-LC	188	N		12
2145		5608	8GBPS LW SFP	362	N		12
2145		5702	LC-SC FC ADAPTER CABLE	88	N		12
2145		8115	UPS - SINGLE ENGINE	725	N		12
2145		8300	REDUNDANT AC POWER	624	N		12
2233		3411	FILE SYST GTW FIBRE ETH ADATER	419	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2233		3550	HOST FIBRE ETH DUAL P ADPT		958 N		12
2233		3551	HOST COP ETH DUAL P ADPT		241 N		12
2233		3552	HOST COP ETH DUAL P SEC ADPT		241 N		12
2233		3560	LVD SCSI ADPT TAPE OPT SSAM		425 N		12
2233		4101	FILE SYSTEM GATEWAY		7495 N		12
2233		4801	KVM SWITCH		1469 N		12
2240	FLC		ESS FUNCTION AUTHORIZATION		0 Y		36
2240	PAV		ESS FUNCTION AUTHORIZATION		0 Y		36
2240	PRC		ESS FUNCTION AUTHORIZATION		0 Y		36
2240	XRC		ESS FUNCTION AUTHORIZATION		0 Y		36
2240		8000	PAV - UP TO 1 TB		13421 N		36
2240		8001	PAV - UP TO 2 TB		20167 N		36
2240		8002	PAV - UP TO 3 TB		26479 N		36
2240		8003	PAV - UP TO 4 TB		32790 N		36
2240		8004	PAV - UP TO 5 TB		39029 N		36
2240		8005	PAV - UP TO 6 TB		45340 N		36
2240		8006	PAV - UP TO 8 TB		52885 N		36
2240		8007	PAV - UP TO 10 TB		60502 N		36
2240		8008	PAV - UP TO 12 TB		68046 N		36
2240		8009	PAV - UP TO 16 TB		78493 N		36
2240		8010	PAV - UP TO 20 TB		83716 N		36
2240		8011	PAV - UP TO 25 TB		101997 N		36
2240		8012	PAV - UP TO 30 TB		116796 N		36
2240		8013	PAV - UP TO 40 TB		140155 N		36
2240		8014	PAV - UP TO 50 TB		161193 N		36
2240		8015	PAV - UP TO 60 TB		180635 N		36
2240		8100	XRC - UP TO 1 TB		25826 N		36
2240		8101	XRC - UP TO 2 TB		38666 N		36
2240		8102	XRC - UP TO 3 TB		50781 N		36
2240		8103	XRC - UP TO 4 TB		62896 N		36
2240		8104	XRC - UP TO 5 TB		74938 N		36

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2240		8105	XRC - UP TO 6 TB	87053	N		36
2240		8106	XRC - UP TO 8 TB	101562	N		36
2240		8107	XRC - UP TO 10 TB	116071	N		36
2240		8108	XRC - UP TO 12 TB	130579	N		36
2240		8109	XRC - UP TO 16 TB	150674	N		36
2240		8110	XRC - UP TO 20 TB	160613	N		36
2240		8111	XRC - UP TO 25 TB	195869	N		36
2240		8112	XRC - UP TO 30 TB	224306	N		36
2240		8113	XRC - UP TO 40 TB	269139	N		36
2240		8114	XRC - UP TO 50 TB	309618	N		36
2240		8115	XRC - UP TO 60 TB	346761	N		36
2240		8200	PPRC - UP TO 1 TB	25826	N		36
2240		8201	PPRC - UP TO 2 TB	38666	N		36
2240		8202	PPRC - UP TO 3 TB	50781	N		36
2240		8203	PPRC - UP TO 4 TB	62896	N		36
2240		8204	PPRC - UP TO 5 TB	74938	N		36
2240		8205	PPRC - UP TO 6 TB	87053	N		36
2240		8206	PPRC - UP TO 8 TB	101562	N		36
2240		8207	PPRC - UP TO 10 TB	116071	N		36
2240		8208	PPRC - UP TO 12 TB	130579	N		36
2240		8209	PPRC - UP TO 16 TB	150674	N		36
2240		8210	PPRC - UP TO 20 TB	160613	N		36
2240		8211	PPRC - UP TO 25 TB	195869	N		36
2240		8212	PPRC - UP TO 30 TB	224306	N		36
2240		8213	PPRC - UP TO 40 TB	269139	N		36
2240		8214	PPRC - UP TO 50 TB	309618	N		36
2240		8215	PPRC - UP TO 60 TB	346761	N		36
2240		8300	FLASHCOPY - UP TO 1 TB	17193	N		36
2240		8301	FLASHCOPY - UP TO 2 TB	25826	N		36
2240		8302	FLASHCOPY - UP TO 3 TB	33878	N		36
2240		8303	FLASHCOPY - UP TO 4 TB	41930	N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2240		8304	FLASHCOPY - UP TO 5 TB	49983	N		36
2240		8305	FLASHCOPY - UP TO 6 TB	58035	N		36
2240		8306	FLASHCOPY - UP TO 8 TB	67684	N		36
2240		8307	FLASHCOPY - UP TO 10 TB	77405	N		36
2240		8308	FLASHCOPY - UP TO 12 TB	87053	N		36
2240		8309	FLASHCOPY - UP TO 16 TB	100474	N		36
2240		8310	FLASHCOPY - UP TO 20 TB	107075	N		36
2240		8311	FLASHCOPY - UP TO 25 TB	130579	N		36
2240		8312	FLASHCOPY - UP TO 30 TB	149513	N		36
2240		8313	FLASHCOPY - UP TO 40 TB	179547	N		36
2240		8314	FLASHCOPY - UP TO 50 TB	206606	N		36
2240		8315	FLASHCOPY - UP TO 60 TB	231416	N		36
2240		8500	PPRC V2 - UP TO 1 TB	32282	N		36
2240		8501	PPRC V2 - UP TO 2 TB	48314	N		36
2240		8502	PPRC V2 - UP TO 3 TB	63476	N		36
2240		8503	PPRC V2 - UP TO 4 TB	78638	N		36
2240		8504	PPRC V2 - UP TO 5 TB	93654	N		36
2240		8505	PPRC V2 - UP TO 6 TB	108816	N		36
2240		8506	PPRC V2 - UP TO 8 TB	126952	N		36
2240		8507	PPRC V2 - UP TO 10 TB	145088	N		36
2240		8508	PPRC V2 - UP TO 12 TB	163224	N		36
2240		8509	PPRC V2 - UP TO 16 TB	188324	N		36
2240		8510	PPRC V2 - UP TO 20 TB	200802	N		36
2240		8511	PPRC V2 - UP TO 25 TB	244836	N		36
2240		8512	PPRC V2 - UP TO 30 TB	280383	N		36
2240		8513	PPRC V2 - UP TO 40 TB	336459	N		36
2240		8514	PPRC V2 - UP TO 50 TB	387023	N		36
2240		8515	PPRC V2 - UP TO 60 TB	433451	N		36
2240		8600	FLASHCOPY V2 - UP TO 1 TB	20603	N		36
2240		8601	FLASHCOPY V2 - UP TO 2 TB	30976	N		36
2240		8602	FLASHCOPY V2 - UP TO 3 TB	40625	N		36

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2240		8603	FLASHCOPY V2 - UP TO 4 TB	50346	N		36
2240		8604	FLASHCOPY V2 - UP TO 5 TB	59994	N		36
2240		8605	FLASHCOPY V2 - UP TO 6 TB	69642	N		36
2240		8606	FLASHCOPY V2 - UP TO 8 TB	81249	N		36
2240		8607	FLASHCOPY V2 - UP TO 10 TB	92856	N		36
2240		8608	FLASHCOPY V2 - UP TO 12 TB	104463	N		36
2240		8609	FLASHCOPY V2 - UP TO 16 TB	120568	N		36
2240		8610	FLASHCOPY V2 - UP TO 20 TB	128476	N		36
2240		8611	FLASHCOPY V2 - UP TO 25 TB	156695	N		36
2240		8612	FLASHCOPY V2 - UP TO 30 TB	179402	N		36
2240		8613	FLASHCOPY V2 - UP TO 40 TB	215456	N		36
2240		8614	FLASHCOPY V2 - UP TO 50 TB	247956	N		36
2240		8615	FLASHCOPY V2 - UP TO 60 TB	277699	N		36
2244	OEL		DS8000 FUNCT. AUTHORIZATION	0	Y	3	48
2244	PAV		DS8000 FUNCT. AUTHORIZATION	0	Y	3	48
2244	PTC		DS8000 FUNCT. AUTHORIZATION	0	Y	3	48
2244	RMC		DS8000 FUNCT. AUTHORIZATION	0	Y	3	48
2244	RMZ		DS8000 FUNCT. AUTHORIZATION	0	Y	3	48
2244		7001	OEL - 1 TB UNIT	4897	N		48
2244		7002	OEL - 5 TB UNIT	19768	N		48
2244		7003	OEL - 10 TB UNIT	39537	N		48
2244		7004	OEL - 25 TB UNIT	63476	N		48
2244		7005	OEL - 50 TB UNIT	105189	N		48
2244		7010	OEL - 100 TB UNIT	170479	N		48
2244		7201	PTC - 1 TB UNIT	9431	N		48
2244		7202	PTC - 5 TB UNIT	40081	N		48
2244		7203	PTC - 10 TB UNIT	79617	N		48
2244		7204	PTC - 25 TB UNIT	123325	N		48
2244		7205	PTC - 50 TB UNIT	206751	N		48
2244		7210	PTC - 100 TB UNIT	337330	N		48
2244		7401	RMC - 1 TB UNIT	13638	N		48



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2244		7402	RMC - 5 TB UNIT	63113	N		48
2244		7403	RMC - 10 TB UNIT	120931	N		48
2244		7404	RMC - 25 TB UNIT	192242	N		48
2244		7405	RMC - 50 TB UNIT	311940	N		48
2244		7410	RMC - 100 TB UNIT	507809	N		48
2244		7601	RMZ - 1 TB UNIT	11571	N		48
2244		7602	RMZ - 5 TB UNIT	52594	N		48
2244		7603	RMZ - 10 TB UNIT	99893	N		48
2244		7604	RMZ - 25 TB UNIT	159597	N		48
2244		7605	RMZ - 50 TB UNIT	264786	N		48
2244		7610	RMZ - 100 TB UNIT	431637	N		48
2244		7801	PAV - 1 TB UNIT	5658	N		48
2244		7802	PAV - 5 TB UNIT	23940	N		48
2244		7803	PAV - 10 TB UNIT	47154	N		48
2244		7804	PAV - 25 TB UNIT	74720	N		48
2244		7805	PAV - 50 TB UNIT	124776	N		48
2244		7810	PAV - 100 TB UNIT	202398	N		48
2396	LFA		DS8000 FUNCTION AUTHORIZ.		0	Y	12
2396		7001	OEL - 1 TB UNIT	4713	N		12
2396		7002	OEL - 5 TB UNIT	18852	N		12
2396		7003	OEL - 10 TB UNIT	37706	N		12
2396		7004	OEL - 25 TB UNIT	58899	N		12
2396		7005	OEL - 50 TB UNIT	96035	N		12
2396		7010	OEL - 100 TB UNIT	152172	N		12
2396		7015	OEL - 200 TB UNIT	287297	N		12
2396		7051	OEL 1 VALUE UNIT	4713	N		12
2396		7052	OEL 5 VALUE UNIT	18852	N		12
2396		7053	OEL 10 VALUE UNIT	37706	N		12
2396		7054	OEL 25 VALUE UNIT	58899	N		12
2396		7055	OEL 50 VALUE UNIT	96035	N		12
2396		7060	OEL 100 VALUE UNIT	152171	N		12

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2396		7065	OEL 200 VALUE UNIT	287297	N		12
2396		7070	THIN PROVISIONING	50491	N		12
2396		7071	THIN PROVISIONING INDICATOR	50491	N		12
2396		7090	FICON/ESCON ATTACHMENT	13646	N		12
2396		7091	FICON ATTACHMENT	13646	N		12
2396		7092	HIGH PERFORMANCE FICON	6823	N		12
2396		7201	PTC - 1 TB UNIT	9078	N		12
2396		7202	PTC - 5 TB UNIT	38317	N		12
2396		7203	PTC - 10 TB UNIT	76091	N		12
2396		7204	PTC - 25 TB UNIT	114511	N		12
2396		7205	PTC - 50 TB UNIT	189122	N		12
2396		7210	PTC - 100 TB UNIT	302074	N		12
2396		7215	PTC - 200 TB UNIT	570414	N		12
2396		7231	PTC ADD 1 TB UNIT	4539	N		12
2396		7232	PTC ADD 5 TB UNIT	19159	N		12
2396		7233	PTC ADD 10 TB UNIT	38045	N		12
2396		7234	PTC ADD 25 TB UNIT	57255	N		12
2396		7235	PTC ADD 50 TB UNIT	94561	N		12
2396		7240	PTC ADD 100 TB UNIT	151037	N		12
2396		7245	PTC ADD 200 TB UNIT	285207	N		12
2396		7251	PTC 1 TB	9078	N		12
2396		7252	PTC 5 TB	38317	N		12
2396		7253	PTC 10 TB	76091	N		12
2396		7254	PTC 25 TB	114511	N		12
2396		7255	PTC 50 TB	189122	N		12
2396		7260	PTC 100 TB	302074	N		12
2396		7301	SE 1 TB UNIT	9078	N		12
2396		7302	SE 5 TB UNIT	38317	N		12
2396		7303	SE 10 TB UNIT	76091	N		12
2396		7304	SE 25 TB UNIT	114511	N		12
2396		7305	SE 50 TB UNIT	189122	N		12

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2396		7310	SE 100 TB UNIT	302074	N		12
2396		7315	SE 200 TB UNIT	570414	N		12
2396		7331	SE ADD 1 TB UNIT	4539	N		12
2396		7332	SE ADD 5 TB UNIT	19159	N		12
2396		7333	SE ADD 10 TB UNIT	38045	N		12
2396		7334	SE ADD 25 TB UNIT	57255	N		12
2396		7335	SE ADD 50 TB UNIT	94561	N		12
2396		7340	SE ADD 100 TB UNIT	151037	N		12
2396		7345	SE ADD 200 TB UNIT	285207	N		12
2396		7351	SE 1 TB	9078	N		12
2396		7352	SE 5 TB	38317	N		12
2396		7353	SE 10 TB	76091	N		12
2396		7354	SE 25 TB	114511	N		12
2396		7355	SE 50 TB	189122	N		12
2396		7360	SE 100 TB	302074	N		12
2396		7421	MGM - 1TB UNIT	1769	N		12
2396		7422	MGM - 5 TB UNIT	8161	N		12
2396		7423	MGM - 10 TB UNIT	15607	N		12
2396		7424	MGM - 25 TB UNIT	24157	N		12
2396		7425	MGM - 50 TB UNIT	38521	N		12
2396		7430	MGM - 100 TB UNIT	61372	N		12
2396		7435	MGM - 200 TB UNIT	115889	N		12
2396		7441	MM - 1 TB UNIT	11804	N		12
2396		7442	MM - 5 TB UNIT	54451	N		12
2396		7443	MM - 10 TB UNIT	104137	N		12
2396		7444	MM - 25 TB UNIT	161265	N		12
2396		7445	MM - 50 TB UNIT	257241	N		12
2396		7450	MM - 100 TB UNIT	410019	N		12
2396		7455	MM - 200 TB UNIT	774336	N		12
2396		7461	GM - 1 TB UNIT	11804	N		12
2396		7462	GM - 5 TB UNIT	54451	N		12

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2396		7463	GM - 10 TB UNIT	104137	N		12
2396		7464	GM - 25 TB UNIT	161265	N		12
2396		7465	GM - 50 TB UNIT	257241	N		12
2396		7470	GM - 100 TB UNIT	410019	N		12
2396		7475	GM - 200 TB UNIT	774336	N		12
2396		7481	MGM 1 TB	1769	N		12
2396		7482	MGM 5 TB	8161	N		12
2396		7483	MGM 10 TB	15607	N		12
2396		7484	MGM 25 TB	24157	N		12
2396		7485	MGM 50 TB	38521	N		12
2396		7490	MGM 100 TB	61372	N		12
2396		7501	MM 1 TB	11804	N		12
2396		7502	MM 5 TB	54451	N		12
2396		7503	MM 10 TB	104137	N		12
2396		7504	MM 25 TB	161265	N		12
2396		7505	MM 50 TB	257241	N		12
2396		7510	MM 100 TB	410019	N		12
2396		7521	GM 1 TB	11804	N		12
2396		7522	GM 5 TB	54451	N		12
2396		7523	GM 10 TB	104137	N		12
2396		7524	GM 25 TB	161265	N		12
2396		7525	GM 50 TB	257241	N		12
2396		7530	GM 100 TB	410019	N		12
2396		7541	MM ADD - 1 TB UNIT	5901	N		12
2396		7542	MM ADD - 5 TB UNIT	27225	N		12
2396		7543	MM ADD - 10 TB UNIT	52069	N		12
2396		7544	MM ADD - 25 TB UNIT	80633	N		12
2396		7545	MM ADD - 50 TB UNIT	128621	N		12
2396		7550	MM ADD - 100 TB UNIT	205010	N		12
2396		7555	MM ADD - 200 TB UNIT	387168	N		12
2396		7561	GM ADD - 1 TB UNIT	5901	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2396		7562	GM ADD - 5 TB UNIT	27225	N		12
2396		7563	GM ADD - 10 TB UNIT	52069	N		12
2396		7564	GM ADD - 25 TB UNIT	80633	N		12
2396		7565	GM ADD - 50 TB UNIT	128621	N		12
2396		7570	GM ADD - 100 TB UNIT	205010	N		12
2396		7575	GM ADD - 200 TB UNIT	387168	N		12
2396		7601	RMZ - 1 TB UNIT	11140	N		12
2396		7602	RMZ - 5 TB UNIT	50439	N		12
2396		7603	RMZ - 10 TB UNIT	95584	N		12
2396		7604	RMZ - 25 TB UNIT	148824	N		12
2396		7605	RMZ - 50 TB UNIT	243240	N		12
2396		7610	RMZ - 100 TB UNIT	388546	N		12
2396		7615	RMZ - 200 TB UNIT	733928	N		12
2396		7631	RMZ RESYNC 1 TB UNIT	2360	N		12
2396		7632	RMZ RESYNC 5 TB UNIT	10890	N		12
2396		7633	RMZ RESYNC 10 TB UNIT	20827	N		12
2396		7634	RMZ RESYNC 25 TB UNIT	32253	N		12
2396		7635	RMZ RESYNC 50 TB UNIT	51448	N		12
2396		7640	RMZ RESYNC 100 TB UNIT	82003	N		12
2396		7645	RMZ RESYNC 200 TB UNIT	154866	N		12
2396		7651	RMZ 1 TB	11140	N		12
2396		7652	RMZ 5 TB	50439	N		12
2396		7653	RMZ 10 TB	95584	N		12
2396		7654	RMZ 25 TB	148824	N		12
2396		7655	RMZ 50 TB	243240	N		12
2396		7660	RMZ 100 TB	388546	N		12
2396		7681	RMZ RESYNC 1 TB	2360	N		12
2396		7682	RMZ RESYNC 5 TB	10890	N		12
2396		7683	RMZ RESYNC 10 TB	20827	N		12
2396		7684	RMZ RESYNC 25 TB	32253	N		12
2396		7685	RMZ RESYNC 50 TB	51448	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2396		7690	RMZ RESYNC 100 TB	82003	N		12
2396		7801	PAV - 1TB UNIT	5456	N		12
2396		7802	PAV - 5 TB UNIT	22927	N		12
2396		7803	PAV - 10 TB UNIT	45129	N		12
2396		7804	PAV - 25 TB UNIT	69660	N		12
2396		7805	PAV - 50 TB UNIT	114656	N		12
2396		7810	PAV - 100 TB UNIT	182158	N		12
2396		7815	PAV - 200 TB UNIT	344077	N		12
2396		7821	PAV 1 TB	5456	N		12
2396		7822	PAV 5 TB	22927	N		12
2396		7823	PAV 10 TB	45129	N		12
2396		7824	PAV 25 TB	69660	N		12
2396		7825	PAV 50 TB	114656	N		12
2396		7830	PAV 100 TB	182158	N		12
2396		7899	HYPERPAV	29694	N		12
2397	LFA		DS8000 FUNCTION AUTHORIZ.	0	Y		24
2397		7001	OEL - 1 TB UNIT	4774	N		24
2397		7002	OEL - 5 TB UNIT	19158	N		24
2397		7003	OEL - 10 TB UNIT	38315	N		24
2397		7004	OEL - 25 TB UNIT	60424	N		24
2397		7005	OEL - 50 TB UNIT	99086	N		24
2397		7010	OEL - 100 TB UNIT	158274	N		24
2397		7015	OEL - 200 TB UNIT	299500	N		24
2397		7051	OEL 1 VALUE UNIT	4775	N		24
2397		7052	OEL 5 VALUE UNIT	19158	N		24
2397		7053	OEL 10 VALUE UNIT	38315	N		24
2397		7054	OEL 25 VALUE UNIT	60424	N		24
2397		7055	OEL 50 VALUE UNIT	99086	N		24
2397		7060	OEL 100 VALUE UNIT	158274	N		24
2397		7065	OEL 200 VALUE UNIT	299500	N		24
2397		7070	THIN PROVISIONING	51796	N		24

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2397		7071	THIN PROVISIONING INDICATOR	51796	N		24
2397		7090	FICON/ESCON ATTACHMENT	13933	N		24
2397		7091	FICON ATTACHMENT	13933	N		24
2397		7092	HIGH PERFORMANCE FICON	6966	N		24
2397		7201	PTC - 1 TB UNIT	9195	N		24
2397		7202	PTC - 5 TB UNIT	38905	N		24
2397		7203	PTC - 10 TB UNIT	77266	N		24
2397		7204	PTC - 25 TB UNIT	117449	N		24
2397		7205	PTC - 50 TB UNIT	194998	N		24
2397		7210	PTC - 100 TB UNIT	313826	N		24
2397		7215	PTC - 200 TB UNIT	593918	N		24
2397		7231	PTC ADD 1 TB UNIT	4597	N		24
2397		7232	PTC ADD 5 TB UNIT	19452	N		24
2397		7233	PTC ADD 10 TB UNIT	38633	N		24
2397		7234	PTC ADD 25 TB UNIT	58724	N		24
2397		7235	PTC ADD 50 TB UNIT	97499	N		24
2397		7240	PTC ADD 100 TB UNIT	156913	N		24
2397		7245	PTC ADD 200 TB UNIT	296959	N		24
2397		7251	PTC 1 TB	9195	N		24
2397		7252	PTC 5 TB	38905	N		24
2397		7253	PTC 10 TB	77266	N		24
2397		7254	PTC 25 TB	117449	N		24
2397		7255	PTC 50 TB	194998	N		24
2397		7260	PTC 100 TB	313826	N		24
2397		7301	SE 1 TB UNIT	9195	N		24
2397		7302	SE 5 TB UNIT	38905	N		24
2397		7303	SE 10 TB UNIT	77266	N		24
2397		7304	SE 25 TB UNIT	117449	N		24
2397		7305	SE 50 TB UNIT	194998	N		24
2397		7310	SE 100 TB UNIT	313826	N		24
2397		7315	SE 200 TB UNIT	593918	N		24

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2397		7331	SE ADD 1 TB UNIT	4597	N		24
2397		7332	SE ADD 5 TB UNIT	19452	N		24
2397		7333	SE ADD 10 TB UNIT	38633	N		24
2397		7334	SE ADD 25 TB UNIT	58724	N		24
2397		7335	SE ADD 50 TB UNIT	97499	N		24
2397		7340	SE ADD 100 TB UNIT	156913	N		24
2397		7345	SE ADD 200 TB UNIT	296959	N		24
2397		7351	SE 1 TB	9195	N		24
2397		7352	SE 5 TB	38905	N		24
2397		7353	SE 10 TB	77266	N		24
2397		7354	SE 25 TB	117449	N		24
2397		7355	SE 50 TB	194998	N		24
2397		7360	SE 100 TB	313826	N		24
2397		7421	MGM - 1TB UNIT	1792	N		24
2397		7422	MGM - 5 TB UNIT	8280	N		24
2397		7423	MGM - 10 TB UNIT	15847	N		24
2397		7424	MGM - 25 TB UNIT	24756	N		24
2397		7425	MGM - 50 TB UNIT	39718	N		24
2397		7430	MGM - 100 TB UNIT	63766	N		24
2397		7435	MGM - 200 TB UNIT	120677	N		24
2397		7441	MM - 1 TB UNIT	11961	N		24
2397		7442	MM - 5 TB UNIT	55234	N		24
2397		7443	MM - 10 TB UNIT	105704	N		24
2397		7444	MM - 25 TB UNIT	165183	N		24
2397		7445	MM - 50 TB UNIT	265076	N		24
2397		7450	MM - 100 TB UNIT	425689	N		24
2397		7455	MM - 200 TB UNIT	805675	N		24
2397		7461	GM - 1 TB UNIT	11961	N		24
2397		7462	GM - 5 TB UNIT	55234	N		24
2397		7463	GM - 10 TB UNIT	105704	N		24
2397		7464	GM - 25 TB UNIT	165183	N		24



<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2397		7465	GM - 50 TB UNIT	265076	N		24
2397		7470	GM - 100 TB UNIT	425689	N		24
2397		7475	GM - 200 TB UNIT	805675	N		24
2397		7481	MGM 1 TB	1792	N		24
2397		7482	MGM 5 TB	8280	N		24
2397		7483	MGM 10 TB	15847	N		24
2397		7484	MGM 25 TB	24756	N		24
2397		7485	MGM 50 TB	39718	N		24
2397		7490	MGM 100 TB	63766	N		24
2397		7501	MM 1 TB	11961	N		24
2397		7502	MM 5 TB	55234	N		24
2397		7503	MM 10 TB	105704	N		24
2397		7504	MM 25 TB	165183	N		24
2397		7505	MM 50 TB	265076	N		24
2397		7510	MM 100 TB	425689	N		24
2397		7521	GM 1 TB	11961	N		24
2397		7522	GM 5 TB	55234	N		24
2397		7523	GM 10 TB	105704	N		24
2397		7524	GM 25 TB	165183	N		24
2397		7525	GM 50 TB	265076	N		24
2397		7530	GM 100 TB	425689	N		24
2397		7541	MM ADD - 1 TB UNIT	5980	N		24
2397		7542	MM ADD - 5 TB UNIT	27617	N		24
2397		7543	MM ADD - 10 TB UNIT	52851	N		24
2397		7544	MM ADD - 25 TB UNIT	82591	N		24
2397		7545	MM ADD - 50 TB UNIT	132538	N		24
2397		7550	MM ADD - 100 TB UNIT	212844	N		24
2397		7555	MM ADD - 200 TB UNIT	402837	N		24
2397		7561	GM ADD - 1 TB UNIT	5980	N		24
2397		7562	GM ADD - 5 TB UNIT	27617	N		24
2397		7563	GM ADD - 10 TB UNIT	52851	N		24

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2397		7564	GM ADD - 25 TB UNIT	82591	N		24
2397		7565	GM ADD - 50 TB UNIT	132538	N		24
2397		7570	GM ADD - 100 TB UNIT	212844	N		24
2397		7575	GM ADD - 200 TB UNIT	402837	N		24
2397		7601	RMZ - 1 TB UNIT	11283	N		24
2397		7602	RMZ - 5 TB UNIT	51158	N		24
2397		7603	RMZ - 10 TB UNIT	97020	N		24
2397		7604	RMZ - 25 TB UNIT	152415	N		24
2397		7605	RMZ - 50 TB UNIT	250422	N		24
2397		7610	RMZ - 100 TB UNIT	402910	N		24
2397		7615	RMZ - 200 TB UNIT	762656	N		24
2397		7631	RMZ RESYNC 1 TB UNIT	2392	N		24
2397		7632	RMZ RESYNC 5 TB UNIT	11047	N		24
2397		7633	RMZ RESYNC 10 TB UNIT	21141	N		24
2397		7634	RMZ RESYNC 25 TB UNIT	33036	N		24
2397		7635	RMZ RESYNC 50 TB UNIT	53015	N		24
2397		7640	RMZ RESYNC 100 TB UNIT	85138	N		24
2397		7645	RMZ RESYNC 200 TB UNIT	161134	N		24
2397		7651	RMZ 1 TB	11283	N		24
2397		7652	RMZ 5 TB	51158	N		24
2397		7653	RMZ 10 TB	97020	N		24
2397		7654	RMZ 25 TB	152415	N		24
2397		7655	RMZ 50 TB	250422	N		24
2397		7660	RMZ 100 TB	402910	N		24
2397		7681	RMZ RESYNC 1 TB	2392	N		24
2397		7682	RMZ RESYNC 5 TB	11047	N		24
2397		7683	RMZ RESYNC 10 TB	21141	N		24
2397		7684	RMZ RESYNC 25 TB	33036	N		24
2397		7685	RMZ RESYNC 50 TB	53015	N		24
2397		7690	RMZ RESYNC 100 TB	85138	N		24
2397		7801	PAV - 1TB UNIT	5523	N		24

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2397		7802	PAV - 5 TB UNIT	23264	N		24
2397		7803	PAV - 10 TB UNIT	45804	N		24
2397		7804	PAV - 25 TB UNIT	71347	N		24
2397		7805	PAV - 50 TB UNIT	118029	N		24
2397		7810	PAV - 100 TB UNIT	188905	N		24
2397		7815	PAV - 200 TB UNIT	357570	N		24
2397		7821	PAV 1 TB	5523	N		24
2397		7822	PAV 5 TB	23264	N		24
2397		7823	PAV 10 TB	45804	N		24
2397		7824	PAV 25 TB	71347	N		24
2397		7825	PAV 50 TB	118029	N		24
2397		7830	PAV 100 TB	188905	N		24
2397		7899	HYPERPAV	30677	N		24
2398	LFA		DS8000 FUNCTION AUTHORIZ.		0	Y	36
2398		7001	OEL - 1 TB UNIT	4835	N		36
2398		7002	OEL - 5 TB UNIT	19463	N		36
2398		7003	OEL - 10 TB UNIT	38926	N		36
2398		7004	OEL - 25 TB UNIT	61950	N		36
2398		7005	OEL - 50 TB UNIT	102137	N		36
2398		7010	OEL - 100 TB UNIT	164376	N		36
2398		7015	OEL - 200 TB UNIT	311705	N		36
2398		7051	OEL 1 VALUE UNIT	4835	N		36
2398		7052	OEL 5 VALUE UNIT	19462	N		36
2398		7053	OEL 10 VALUE UNIT	38926	N		36
2398		7054	OEL 25 VALUE UNIT	61950	N		36
2398		7055	OEL 50 VALUE UNIT	102137	N		36
2398		7060	OEL 100 VALUE UNIT	164376	N		36
2398		7065	OEL 200 VALUE UNIT	311705	N		36
2398		7070	THIN PROVISIONING	53102	N		36
2398		7071	THIN PROVISIONING INDICATOR	53102	N		36
2398		7090	FICON/ESCON ATTACHMENT	14221	N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2398		7091	FICON ATTACHMENT	14221	N		36
2398		7092	HIGH PERFORMANCE FICON	7110	N		36
2398		7201	PTC - 1 TB UNIT	9313	N		36
2398		7202	PTC - 5 TB UNIT	39492	N		36
2398		7203	PTC - 10 TB UNIT	78441	N		36
2398		7204	PTC - 25 TB UNIT	120387	N		36
2398		7205	PTC - 50 TB UNIT	200875	N		36
2398		7210	PTC - 100 TB UNIT	325578	N		36
2398		7215	PTC - 200 TB UNIT	617423	N		36
2398		7231	PTC ADD 1 TB UNIT	4656	N		36
2398		7232	PTC ADD 5 TB UNIT	19746	N		36
2398		7233	PTC ADD 10 TB UNIT	39220	N		36
2398		7234	PTC ADD 25 TB UNIT	60193	N		36
2398		7235	PTC ADD 50 TB UNIT	100437	N		36
2398		7240	PTC ADD 100 TB UNIT	162789	N		36
2398		7245	PTC ADD 200 TB UNIT	308711	N		36
2398		7251	PTC 1 TB	9313	N		36
2398		7252	PTC 5 TB	39492	N		36
2398		7253	PTC 10 TB	78441	N		36
2398		7254	PTC 25 TB	120387	N		36
2398		7255	PTC 50 TB	200875	N		36
2398		7260	PTC 100 TB	325578	N		36
2398		7301	SE 1 TB UNIT	9313	N		36
2398		7302	SE 5 TB UNIT	39492	N		36
2398		7303	SE 10 TB UNIT	78441	N		36
2398		7304	SE 25 TB UNIT	120387	N		36
2398		7305	SE 50 TB UNIT	200875	N		36
2398		7310	SE 100 TB UNIT	325578	N		36
2398		7315	SE 200 TB UNIT	617423	N		36
2398		7331	SE ADD 1 TB UNIT	4656	N		36
2398		7332	SE ADD 5 TB UNIT	19746	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2398		7333	SE ADD 10 TB UNIT	39220	N		36
2398		7334	SE ADD 25 TB UNIT	60193	N		36
2398		7335	SE ADD 50 TB UNIT	100437	N		36
2398		7340	SE ADD 100 TB UNIT	162789	N		36
2398		7345	SE ADD 200 TB UNIT	308711	N		36
2398		7351	SE 1 TB	9313	N		36
2398		7352	SE 5 TB	39492	N		36
2398		7353	SE 10 TB	78441	N		36
2398		7354	SE 25 TB	120387	N		36
2398		7355	SE 50 TB	200875	N		36
2398		7360	SE 100 TB	325578	N		36
2398		7421	MGM - 1TB UNIT	1817	N		36
2398		7422	MGM - 5 TB UNIT	8400	N		36
2398		7423	MGM - 10 TB UNIT	16087	N		36
2398		7424	MGM - 25 TB UNIT	25354	N		36
2398		7425	MGM - 50 TB UNIT	40915	N		36
2398		7430	MGM - 100 TB UNIT	66160	N		36
2398		7435	MGM - 200 TB UNIT	125465	N		36
2398		7441	MM - 1 TB UNIT	12117	N		36
2398		7442	MM - 5 TB UNIT	56018	N		36
2398		7443	MM - 10 TB UNIT	107271	N		36
2398		7444	MM - 25 TB UNIT	169100	N		36
2398		7445	MM - 50 TB UNIT	272911	N		36
2398		7450	MM - 100 TB UNIT	441358	N		36
2398		7455	MM - 200 TB UNIT	837014	N		36
2398		7461	GM - 1 TB UNIT	12117	N		36
2398		7462	GM - 5 TB UNIT	56018	N		36
2398		7463	GM - 10 TB UNIT	107271	N		36
2398		7464	GM - 25 TB UNIT	169100	N		36
2398		7465	GM - 50 TB UNIT	272911	N		36
2398		7470	GM - 100 TB UNIT	441358	N		36

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2398		7475	GM - 200 TB UNIT	837014	N		36
2398		7481	MGM 1 TB	1817	N		36
2398		7482	MGM 5 TB	8400	N		36
2398		7483	MGM 10 TB	16087	N		36
2398		7484	MGM 25 TB	25354	N		36
2398		7485	MGM 50 TB	40915	N		36
2398		7490	MGM 100 TB	66160	N		36
2398		7501	MM 1 TB	12117	N		36
2398		7502	MM 5 TB	56018	N		36
2398		7503	MM 10 TB	107271	N		36
2398		7504	MM 25 TB	169100	N		36
2398		7505	MM 50 TB	272911	N		36
2398		7510	MM 100 TB	441358	N		36
2398		7521	GM 1 TB	12117	N		36
2398		7522	GM 5 TB	56018	N		36
2398		7523	GM 10 TB	107271	N		36
2398		7524	GM 25 TB	169100	N		36
2398		7525	GM 50 TB	272911	N		36
2398		7530	GM 100 TB	441358	N		36
2398		7541	MM ADD - 1 TB UNIT	6058	N		36
2398		7542	MM ADD - 5 TB UNIT	28009	N		36
2398		7543	MM ADD - 10 TB UNIT	53635	N		36
2398		7544	MM ADD - 25 TB UNIT	84550	N		36
2398		7545	MM ADD - 50 TB UNIT	136455	N		36
2398		7550	MM ADD - 100 TB UNIT	220679	N		36
2398		7555	MM ADD - 200 TB UNIT	418507	N		36
2398		7561	GM ADD - 1 TB UNIT	6058	N		36
2398		7562	GM ADD - 5 TB UNIT	28009	N		36
2398		7563	GM ADD - 10 TB UNIT	53635	N		36
2398		7564	GM ADD - 25 TB UNIT	84550	N		36
2398		7565	GM ADD - 50 TB UNIT	136455	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2398		7570	GM ADD - 100 TB UNIT	220679	N		36
2398		7575	GM ADD - 200 TB UNIT	418507	N		36
2398		7601	RMZ - 1 TB UNIT	11427	N		36
2398		7602	RMZ - 5 TB UNIT	51876	N		36
2398		7603	RMZ - 10 TB UNIT	98456	N		36
2398		7604	RMZ - 25 TB UNIT	156006	N		36
2398		7605	RMZ - 50 TB UNIT	257604	N		36
2398		7610	RMZ - 100 TB UNIT	417274	N		36
2398		7615	RMZ - 200 TB UNIT	791383	N		36
2398		7631	RMZ RESYNC 1 TB UNIT	2423	N		36
2398		7632	RMZ RESYNC 5 TB UNIT	11203	N		36
2398		7633	RMZ RESYNC 10 TB UNIT	21454	N		36
2398		7634	RMZ RESYNC 25 TB UNIT	33820	N		36
2398		7635	RMZ RESYNC 50 TB UNIT	54581	N		36
2398		7640	RMZ RESYNC 100 TB UNIT	88271	N		36
2398		7645	RMZ RESYNC 200 TB UNIT	167403	N		36
2398		7651	RMZ 1 TB	11427	N		36
2398		7652	RMZ 5 TB	51876	N		36
2398		7653	RMZ 10 TB	98456	N		36
2398		7654	RMZ 25 TB	156006	N		36
2398		7655	RMZ 50 TB	257604	N		36
2398		7660	RMZ 100 TB	417274	N		36
2398		7681	RMZ RESYNC 1 TB	2423	N		36
2398		7682	RMZ RESYNC 5 TB	11203	N		36
2398		7683	RMZ RESYNC 10 TB	21454	N		36
2398		7684	RMZ RESYNC 25 TB	33820	N		36
2398		7685	RMZ RESYNC 50 TB	54581	N		36
2398		7690	RMZ RESYNC 100 TB	88271	N		36
2398		7801	PAV - 1TB UNIT	5591	N		36
2398		7802	PAV - 5 TB UNIT	23602	N		36
2398		7803	PAV - 10 TB UNIT	46479	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2398		7804	PAV - 25 TB UNIT	73034	N		36
2398		7805	PAV - 50 TB UNIT	121403	N		36
2398		7810	PAV - 100 TB UNIT	195651	N		36
2398		7815	PAV - 200 TB UNIT	371063	N		36
2398		7821	PAV 1 TB	5591	N		36
2398		7822	PAV 5 TB	23602	N		36
2398		7823	PAV 10 TB	46479	N		36
2398		7824	PAV 25 TB	73034	N		36
2398		7825	PAV 50 TB	121403	N		36
2398		7830	PAV 100 TB	195651	N		36
2398		7899	HYPERPAV	31660	N		36
2399	LFA		DS8000 FUNCTION AUTHORIZ.	0	Y		48
2399		7001	OEL - 1 TB UNIT	4897	N		48
2399		7002	OEL - 5 TB UNIT	19768	N		48
2399		7003	OEL - 10 TB UNIT	39537	N		48
2399		7004	OEL - 25 TB UNIT	63476	N		48
2399		7005	OEL - 50 TB UNIT	105189	N		48
2399		7010	OEL - 100 TB UNIT	170479	N		48
2399		7015	OEL - 200 TB UNIT	323909	N		48
2399		7051	OEL 1 VALUE UNIT	4897	N		48
2399		7052	OEL 5 VALUE UNIT	19768	N		48
2399		7053	OEL 10 VALUE UNIT	39537	N		48
2399		7054	OEL 25 VALUE UNIT	63476	N		48
2399		7055	OEL 50 VALUE UNIT	105189	N		48
2399		7060	OEL 100 VALUE UNIT	170479	N		48
2399		7065	OEL 200 VALUE UNIT	323909	N		48
2399		7070	THIN PROVISIONING	54408	N		48
2399		7071	THIN PROVISIONING INDICATOR	54408	N		48
2399		7090	FICON/ESCON ATTACHMENT	14509	N		48
2399		7091	FICON ATTACHMENT	14509	N		48
2399		7092	HIGH PERFORMANCE FICON	7254	N		48



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2399		7201	PTC - 1 TB UNIT	9431	N		48
2399		7202	PTC - 5 TB UNIT	40081	N		48
2399		7203	PTC - 10 TB UNIT	79617	N		48
2399		7204	PTC - 25 TB UNIT	123325	N		48
2399		7205	PTC - 50 TB UNIT	206751	N		48
2399		7210	PTC - 100 TB UNIT	337330	N		48
2399		7215	PTC - 200 TB UNIT	640927	N		48
2399		7231	PTC ADD 1 TB UNIT	4715	N		48
2399		7232	PTC ADD 5 TB UNIT	20040	N		48
2399		7233	PTC ADD 10 TB UNIT	39809	N		48
2399		7234	PTC ADD 25 TB UNIT	61662	N		48
2399		7235	PTC ADD 50 TB UNIT	103375	N		48
2399		7240	PTC ADD 100 TB UNIT	168665	N		48
2399		7245	PTC ADD 200 TB UNIT	320463	N		48
2399		7251	PTC 1 TB	9431	N		48
2399		7252	PTC 5 TB	40081	N		48
2399		7253	PTC 10 TB	79617	N		48
2399		7254	PTC 25 TB	123325	N		48
2399		7255	PTC 50 TB	206751	N		48
2399		7260	PTC 100 TB	337330	N		48
2399		7301	SE 1 TB UNIT	9431	N		48
2399		7302	SE 5 TB UNIT	40081	N		48
2399		7303	SE 10 TB UNIT	79617	N		48
2399		7304	SE 25 TB UNIT	123325	N		48
2399		7305	SE 50 TB UNIT	206751	N		48
2399		7310	SE 100 TB UNIT	337330	N		48
2399		7315	SE 200 TB UNIT	640927	N		48
2399		7331	SE ADD 1 TB UNIT	4715	N		48
2399		7332	SE ADD 5 TB UNIT	20040	N		48
2399		7333	SE ADD 10 TB UNIT	39809	N		48
2399		7334	SE ADD 25 TB UNIT	61662	N		48

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2399		7335	SE ADD 50 TB UNIT	103375	N		48
2399		7340	SE ADD 100 TB UNIT	168665	N		48
2399		7345	SE ADD 200 TB UNIT	320463	N		48
2399		7351	SE 1 TB	9431	N		48
2399		7352	SE 5 TB	40081	N		48
2399		7353	SE 10 TB	79617	N		48
2399		7354	SE 25 TB	123325	N		48
2399		7355	SE 50 TB	206751	N		48
2399		7360	SE 100 TB	337330	N		48
2399		7421	MGM - 1TB UNIT	1841	N		48
2399		7422	MGM - 5 TB UNIT	8520	N		48
2399		7423	MGM - 10 TB UNIT	16325	N		48
2399		7424	MGM - 25 TB UNIT	25953	N		48
2399		7425	MGM - 50 TB UNIT	42112	N		48
2399		7430	MGM - 100 TB UNIT	68554	N		48
2399		7435	MGM - 200 TB UNIT	130253	N		48
2399		7441	MM - 1 TB UNIT	12274	N		48
2399		7442	MM - 5 TB UNIT	56802	N		48
2399		7443	MM - 10 TB UNIT	108837	N		48
2399		7444	MM - 25 TB UNIT	173018	N		48
2399		7445	MM - 50 TB UNIT	280746	N		48
2399		7450	MM - 100 TB UNIT	457028	N		48
2399		7455	MM - 200 TB UNIT	868353	N		48
2399		7461	GM - 1 TB UNIT	12274	N		48
2399		7462	GM - 5 TB UNIT	56802	N		48
2399		7463	GM - 10 TB UNIT	108837	N		48
2399		7464	GM - 25 TB UNIT	173018	N		48
2399		7465	GM - 50 TB UNIT	280746	N		48
2399		7470	GM - 100 TB UNIT	457028	N		48
2399		7475	GM - 200 TB UNIT	868353	N		48
2399		7481	MGM 1 TB	1841	N		48

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2399		7482	MGM 5 TB	8520	N		48
2399		7483	MGM 10 TB	16325	N		48
2399		7484	MGM 25 TB	25953	N		48
2399		7485	MGM 50 TB	42112	N		48
2399		7490	MGM 100 TB	68554	N		48
2399		7501	MM 1 TB	12274	N		48
2399		7502	MM 5 TB	56802	N		48
2399		7503	MM 10 TB	108837	N		48
2399		7504	MM 25 TB	173018	N		48
2399		7505	MM 50 TB	280746	N		48
2399		7510	MM 100 TB	457028	N		48
2399		7521	GM 1 TB	12274	N		48
2399		7522	GM 5 TB	56802	N		48
2399		7523	GM 10 TB	108837	N		48
2399		7524	GM 25 TB	173018	N		48
2399		7525	GM 50 TB	280746	N		48
2399		7530	GM 100 TB	457028	N		48
2399		7541	MM ADD - 1 TB UNIT	6137	N		48
2399		7542	MM ADD - 5 TB UNIT	28401	N		48
2399		7543	MM ADD - 10 TB UNIT	54418	N		48
2399		7544	MM ADD - 25 TB UNIT	86509	N		48
2399		7545	MM ADD - 50 TB UNIT	140373	N		48
2399		7550	MM ADD - 100 TB UNIT	228514	N		48
2399		7555	MM ADD - 200 TB UNIT	434176	N		48
2399		7561	GM ADD - 1 TB UNIT	6137	N		48
2399		7562	GM ADD - 5 TB UNIT	28401	N		48
2399		7563	GM ADD - 10 TB UNIT	54418	N		48
2399		7564	GM ADD - 25 TB UNIT	86509	N		48
2399		7565	GM ADD - 50 TB UNIT	140373	N		48
2399		7570	GM ADD - 100 TB UNIT	228514	N		48
2399		7575	GM ADD - 200 TB UNIT	434176	N		48

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2399		7601	RMZ - 1 TB UNIT	11571	N		48
2399		7602	RMZ - 5 TB UNIT	52594	N		48
2399		7603	RMZ - 10 TB UNIT	99893	N		48
2399		7604	RMZ - 25 TB UNIT	159597	N		48
2399		7605	RMZ - 50 TB UNIT	264786	N		48
2399		7610	RMZ - 100 TB UNIT	431637	N		48
2399		7615	RMZ - 200 TB UNIT	820111	N		48
2399		7631	RMZ RESYNC 1 TB UNIT	2454	N		48
2399		7632	RMZ RESYNC 5 TB UNIT	11360	N		48
2399		7633	RMZ RESYNC 10 TB UNIT	21767	N		48
2399		7634	RMZ RESYNC 25 TB UNIT	34604	N		48
2399		7635	RMZ RESYNC 50 TB UNIT	56149	N		48
2399		7640	RMZ RESYNC 100 TB UNIT	91406	N		48
2399		7645	RMZ RESYNC 200 TB UNIT	173671	N		48
2399		7651	RMZ 1 TB	11571	N		48
2399		7652	RMZ 5 TB	52594	N		48
2399		7653	RMZ 10 TB	99893	N		48
2399		7654	RMZ 25 TB	159597	N		48
2399		7655	RMZ 50 TB	264786	N		48
2399		7660	RMZ 100 TB	431637	N		48
2399		7681	RMZ RESYNC 1 TB	2454	N		48
2399		7682	RMZ RESYNC 5 TB	11360	N		48
2399		7683	RMZ RESYNC 10 TB	21767	N		48
2399		7684	RMZ RESYNC 25 TB	34604	N		48
2399		7685	RMZ RESYNC 50 TB	56149	N		48
2399		7690	RMZ RESYNC 100 TB	91406	N		48
2399		7801	PAV - 1TB UNIT	5658	N		48
2399		7802	PAV - 5 TB UNIT	23940	N		48
2399		7803	PAV - 10 TB UNIT	47154	N		48
2399		7804	PAV - 25 TB UNIT	74720	N		48
2399		7805	PAV - 50 TB UNIT	124776	N		48

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2399		7810	PAV - 100 TB UNIT	202398	N		48
2399		7815	PAV - 200 TB UNIT	384556	N		48
2399		7821	PAV 1 TB	5658	N		48
2399		7822	PAV 5 TB	23940	N		48
2399		7823	PAV 10 TB	47154	N		48
2399		7824	PAV 25 TB	74720	N		48
2399		7825	PAV 50 TB	124776	N		48
2399		7830	PAV 100 TB	202398	N		48
2399		7899	HYPERPAV	32645	N		48
2421	92E		SYSTEM STORAGE DS8000	51144	N	3	12
2421	941		DS8700	34853	N	3	12
2421	94E		DS8700 EXPANSION UNIT	51144	N	3	12
2421	951		DS8800	38725	N	3	12
2421	95E		DS8800 EXPANSION UNIT	51144	N	3	12
2421	9AE		SYSTEM STORAGE DS8000	51144	N	3	12
2421		1000	REMOTE POWER CONTROL	798	N		12
2421		1050	BATTERY ASSEMBLY	1233	N		12
2421		1055	EXTENDED PLD	5658	N		12
2421		1060	SPP CORD GROUP 1	1378	N		12
2421		1065	SPP CORD GROUP 2	1378	N		12
2421		1067	SPP CORD GROUP 3	1378	N		12
2421		1090	LINE CORD (US/LA/AP/CAN)	1378	N		12
2421		1110	MANAGEMENT CONSOLE EXTERNAL	5426	N		12
2421		1120	MGMT CONSOLE - ENGLISH INT	5426	N		12
2421		1130	MGMT CONSOLE - ENGLISH EXT	5426	N		12
2421		1170	MC LINE CORD STANDRD RACK	73	N		12
2421		1171	MC LINE CORD GROUP 1	73	N		12
2421		1172	MC LINE CORD GROUP 2	73	N		12
2421		1210	DISK ENCLOSURE PAIR	7254	N		12
2421		1211	DISK DRIVE CABLE GROUP 1	725	N		12
2421		1212	DISK DRIVE CABLE GROUP 2	1378	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2421		1213	DISK DRIVE CABLE GROUP 3	1596	N		12
2421		1214	DISK DRIVE CABLE GROUP 4	1741	N		12
2421		1220	DISK ENCLOSURE PAIR A	7254	N		12
2421		1230	DISK ENCLOSURE PAIR B	7254	N		12
2421		1241	HD DISK ENCLOSURE PAIR	14509	N		12
2421		1246	HD DISK DRIVE CABLE GROUP 1	5078	N		12
2421		1247	HD DISK DRIVE CABLE GROUP 2	6529	N		12
2421		1248	HD DISK DRIVE CABLE GROUP 4	8705	N		12
2421		1250	HD BC DISK DRIVE CABLE GROUP	2176	N		12
2421		1300	I/O ENCLOSURE PAIR	7500	N		12
2421		1301	I/O ENCLOSURE PAIR PCIE	7500	N		12
2421		1312	RIO-G CABLE GROUP 2	871	N		12
2421		1313	RIO-G CABLE GROUP 3	1161	N		12
2421		1314	RIO-G CABLE GROUP 4	1669	N		12
2421		1315	RIO-G CABLE GROUP 5	2539	N		12
2421		1316	RIO-G CABLE GROUP 6	1161	N		12
2421		1320	PCI E CABLE GROUP 1	2176	N		12
2421		1321	PCI E CABLE GROUP 2	2974	N		12
2421		1322	PCI E CABLE GROUP 3	3627	N		12
2421		1410	50 UM FIBRE CABLE (LC)	73	N		12
2421		1411	50 UM FIBRE CABLE (LC/SC)	73	N		12
2421		1412	50 UM FIBRE CBL (JUMPER)	73	N		12
2421		1420	9 UM FIBRE CABLE (LC)	73	N		12
2421		1421	9 UM FIBRE CABLE (LC/SC)	73	N		12
2421		1422	9 UM FIBRE CABLE (JUMPER)	73	N		12
2421		1712	RELEASE 5.1 BUNDLE FAMILY	29018	N		12
2421		1721	DS8000 LMC R6.0	29018	N		12
2421		1801	RM ETHERNET ADAPTER PAIR	1865	N		12
2421		1802	RM ETHERNET ADAPT PAIR A	1865	N		12
2421		1803	RM ETHERNET ADAPT PAIR B	1865	N		12
2421		1906	EARTHQUAKE RESISTANCE KIT	13683	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2421		1980	PERFORMANCE ACCELERATOR		3109 N		12
2421		1999	HARDWARE INSTALLATION MES		14509 N		12
2421		2208	146 GB 15K DRIVE SET		29908 N		12
2421		2209	146 GB 15K COD DRIVE SET		2990 N		12
2421		2416	300 GB 15K DRIVE SET		56657 N		12
2421		2417	300 GB 15K COD DRIVE SET		5665 N		12
2421		2426	300 GB 15K DRIVE SET A		56657 N		12
2421		2427	300 GB 15K COD DRIVE SET A		5665 N		12
2421		2436	300 GB 15K DRIVE SET B		56657 N		12
2421		2437	300 GB 15K COD DRIVE SET B		5665 N		12
2421		2608	450 GB 10K DRIVE SET		78293 N		12
2421		2609	450 GB 10K COD DRIVE SET		7829 N		12
2421		2616	450 GB 15K DRIVE SET		86037 N		12
2421		2617	450 GB 15K COD DRIVE SET		8604 N		12
2421		2626	450 GB 15K DRIVE SET A		86037 N		12
2421		2627	450 GB 15K COD DRIVE SET A		8604 N		12
2421		2636	450 GB 15K DRIVE SET B		86037 N		12
2421		2637	450 GB 15K COD DRIVE SET B		8604 N		12
2421		2708	600 GB 10K DRIVE SET		99012 N		12
2421		2709	600 GB 10K COD DRIVE SET		9901 N		12
2421		2716	600 GB 15K FC DRIVE SET		108804 N		12
2421		2717	600 GB 15K FC COD DRIVE SET		10880 N		12
2421		2916	2 TB 7.2K SATA DRIVE SET		99954 N		12
2421		2917	2 TB 7.2K SATA COD DRIVE SET		9995 N		12
2421		2998	DISK ENCLOSURE FILLER HALF SET		36 N		12
2421		2999	DISK ENCLOSURE FILLER SET		73 N		12
2421		3041	DEVICE ADAPTER PAIR II		7254 N		12
2421		3043	DEVICE ADAPTER PAIR III		7254 N		12
2421		3051	DEVICE ADAPTER PAIR II A		7254 N		12
2421		3053	DEVICE ADAPTER PAIR I		10882 N		12
2421		3061	DEVICE ADAPTER PAIR II B		7254 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2421		3113	4GB SW FCP/FICON ADAPTER	23040	N		12
2421		3123	4GB SW FCP/FICON ADAPT A	23040	N		12
2421		3133	4GB SW FCP/FICON ADAPT B	23040	N		12
2421		3143	4GB SW FCP/FICON ADAPTER PCIE	23040	N		12
2421		3153	8 GB 4 PORT SW FCPFICON ADAPT	25343	N		12
2421		3157	8 GB 8 PORT SW FCP FICON ADAPT	40319	N		12
2421		3213	4GB LW FCP/FICON ADAPTER	23040	N		12
2421		3215	4GB 10KM LW FCP/FICON	30294	N		12
2421		3223	4GB LW FCP/FICON ADAPT A	23040	N		12
2421		3225	4GB 10KM LW FCP/FIC ADP A	30294	N		12
2421		3233	4GB LW FCP/FICON ADAPT B	23040	N		12
2421		3235	4GB 10KM LW FCP/FIC ADP B	30294	N		12
2421		3243	4GB LW FCP/FICON ADAPTER PCIE	23040	N		12
2421		3245	4GB 10KM LW FCP/FICON AD PCIE	30294	N		12
2421		3253	8 GB 4 PORT LW FCP FICON ADAPT	25343	N		12
2421		3257	8 GB 8 PORT LW FCP FICON ADAPT	40319	N		12
2421		4012	32 GB PROCESSOR MEMORY	32093	N		12
2421		4013	64 GB PROCESSOR MEMORY	136730	N		12
2421		4014	128 GB PROCESSOR MEMORY	273462	N		12
2421		4113	64 GB PROCESSOR MEMORY	136730	N		12
2421		4114	128 GB PROCESSOR MEMORY	273462	N		12
2421		4115	256 GB PROCESSOR MEMORY	546924	N		12
2421		4212	32 GB PROCESSOR MEMORY (2W)	32093	N		12
2421		4213	64 GB PROCESSOR MEMORY (2W)	136730	N		12
2421		4214	128 GB PROCESSOR MEMORY (2W)	273462	N		12
2421		4222	32 GB PROCESSOR MEMORY (4W)	32093	N		12
2421		4223	64 GB PROCESSOR MEMORY (4W)	136730	N		12
2421		4224	128 GB PROCESSOR MEMORY (4W)	273462	N		12
2421		4225	256 GB PROCESSOR MEMORY (4W)	546924	N		12
2421		4226	384 GB PROCESSOR MEMORY (4W)	820386	N		12
2421		4302	4 WAY PROCESSOR CARD	57167	N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2421		5116	300 GB 15K FDE DRIVE SET	67422	N		12
2421		5117	300 GB 15K FDE COD DRIVE SET	6742	N		12
2421		5126	300 GB 15K FDE DRIVE SET A	67422	N		12
2421		5127	300 GB 15K FDE COD DRIVE SET A	6742	N		12
2421		5136	300 GB 15K FDE DRIVE SET B	67422	N		12
2421		5137	300 GB 15K FDE COD DRIVE SET B	6742	N		12
2421		5216	450 GB 15K FDE DRIVE SET	100663	N		12
2421		5217	450 GB 15K FDE COD DRIVE SET	10065	N		12
2421		5226	450 GB 15K FDE DRIVE SET A	100663	N		12
2421		5227	450 GB 15K FDE COD DRIVE SET A	10065	N		12
2421		5236	450 GB 15K FDE DRIVE SET B	100663	N		12
2421		5237	450 GB 15K FDE COD DRIVE SET B	10065	N		12
2421		5608	450 GB 10K FDE DRIVE SET	91603	N		12
2421		5609	450 GB 10K FDE COD DRIVE SET	9160	N		12
2421		5708	600 GB 10K FDE DRIVE SET	115844	N		12
2421		5709	600 GB 10K FDE COD DRIVE SET	11584	N		12
2421		6008	300 GB SSD DRIVE SET	430186	N		12
2421		6214	600 GB SSD HALF DRIVE SET	386297	N		12
2421		6216	600 GB SSD DRIVE SET	772594	N		12
2422	92E		SYSTEM STORAGE DS8000	52232	N	3	24
2422	941		DS8700	41068	N	3	24
2422	94E		DS8700 EXPANSION UNIT	52232	N	3	24
2422	951		DS8800	45631	N	3	24
2422	95E		DS8800 EXPANSION UNIT	52232	N	3	24
2422	9AE		SYSTEM STORAGE DS8000	52232	N	3	24
2422		1000	REMOTE POWER CONTROL	798	N		24
2422		1050	BATTERY ASSEMBLY	1233	N		24
2422		1055	9XE FACTORY MERGE	5658	N		24
2422		1060	SPP CORD GROUP 1	1378	N		24
2422		1065	SPP CORD GROUP 2	1378	N		24
2422		1067	SPP CORD GROUP 3	1378	N		24

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2422		1090	LINE CORD (US/LA/AP/CANADA)		1378 N		24
2422		1091	LINE CORD (EMEA)		363 N		24
2422		1092	LINE CORD (JAPAN)		798 N		24
2422		1110	MANAGEMENT CONSOLE EXTERNAL		6035 N		24
2422		1120	MGMT CONSOLE - ENGLISH INT		6035 N		24
2422		1130	MGMT CONSOLE - ENGLISH EXT		6035 N		24
2422		1170	MC LINE CORD STANDARD RACK		73 N		24
2422		1171	MC LINE CORD GROUP 1		73 N		24
2422		1172	MC LINE CORD GROUP 2		73 N		24
2422		1210	DISC ENCLOSURE PAIR		7254 N		24
2422		1211	DISK DRIVE CABLE GROUP 1		725 N		24
2422		1212	DISK DRIVE CABLE GROUP 2		1378 N		24
2422		1213	DISK DRIVE CABLE GROUP 3		1596 N		24
2422		1214	DISK DRIVE CABLE GROUP 4		1741 N		24
2422		1220	DISK ENCLOSURE PAIR - A		7254 N		24
2422		1230	DISK ENCLOSURE PAIR - B		7254 N		24
2422		1241	DISK ENCLOSURE HD DISK ENCLOSU		14509 N		24
2422		1246	DISK CABLE HD DISK DRIVE C.GR1		5078 N		24
2422		1247	DISK CABLE HD DISK DRIVE C.GR2		6529 N		24
2422		1248	DISK CABLE HD DISK DRIVE C.GR4		8705 N		24
2422		1250	HD BC DISK DRIVE CABLE GROUP		2176 N		24
2422		1300	I/O ENCLOSURE PAIR		8023 N		24
2422		1301	I/O ENCLOSURE PAIR PCIE		8023 N		24
2422		1312	RIO-G CABLE GROUP 2		871 N		24
2422		1313	RIO-G CABLE GROUP 3		1161 N		24
2422		1314	RIO-G CABLE GROUP 4		1669 N		24
2422		1315	RIO-G CABLE GROUP 5		2539 N		24
2422		1316	RIO-G CABLE GROUP 6		1161 N		24
2422		1320	PCI E CABLE GROUP 1		2176 N		24
2422		1321	PCI E CABLE GROUP 2		2974 N		24
2422		1322	PCI E CABLE GROUP 3		3627 N		24

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2422		1410	50 UM FIBRE CABLE (LC)		73 N		24
2422		1411	50 UM FIBRE CABLE (LC/SC)		73 N		24
2422		1412	50 UM FIBRE CABLE (JUMPER)		73 N		24
2422		1420	9 UM FIBRE CABLE (LC)		73 N		24
2422		1421	9 UM FIBRE CABLE (LC/SC)		73 N		24
2422		1422	9 UM FIBRE CABLE (JUMPER)		73 N		24
2422		1712	RELEASE 5.1 BUNDLE FAMILY	29018	N		24
2422		1721	DS8000 LMC R6.0	29018	N		24
2422		1801	RM ETHERNET ADAPTER KIT	1964	N		24
2422		1802	RM ETHERNET ADAPTER PAIR A	1964	N		24
2422		1803	RM ETHERNET ADAPTER PAIR B	1964	N		24
2422		1906	EARTHQUAKE RESISTANCE KIT	14403	N		24
2422		1980	PERFORMANCE ACCELERATOR	3274	N		24
2422		1999	HARDWARE INSTALLATION MES	14509	N		24
2422		2208	146 GB 15K DRIVE SET	31666	N		24
2422		2209	146 GB 15K COD DRIVE SET	3166	N		24
2422		2416	300 GB 15K DRIVE SET	60139	N		24
2422		2417	300 GB 15K COD DRIVE SET	6013	N		24
2422		2426	300 GB 15K DRIVE SET A	60139	N		24
2422		2427	300 GB 15K COD DRIVE SET A	6013	N		24
2422		2436	300 GB 15K DRIVE SET B	60139	N		24
2422		2437	300 GB 15K COD DRIVE SET B	6013	N		24
2422		2608	450 GB 10K DRIVE SET	81462	N		24
2422		2609	450 GB 10K COD DRIVE SET	8145	N		24
2422		2616	450 GB 15K DRIVE SET	89519	N		24
2422		2617	450 GB 15K COD DRIVE SET	8951	N		24
2422		2626	450 GB 15K DRIVE SET A	89519	N		24
2422		2627	450 GB 15K COD DRIVE SET A	8951	N		24
2422		2636	450 GB 15K DRIVE SET B	89519	N		24
2422		2637	450 GB 15K COD DRIVE SET B	8951	N		24
2422		2708	600 GB 10K DRIVE SET	103417	N		24

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2422		2709	600 GB 10K COD DRIVE SET	10342	N		24
2422		2716	600 GB 15K FC DRIVE SET	113644	N		24
2422		2717	600 GB 15K FC COD DRIVE SET	11364	N		24
2422		2916	2 TB 7.2K SATA DRIVE SET	106535	N		24
2422		2917	2 TB 7.2K SATA COD DRIVE SET	10653	N		24
2422		2998	DISK ENCLOSURE FILLER HALF SET	36	N		24
2422		2999	DISK ENCLOSURE FILLER SET	73	N		24
2422		3041	DEVICE ADAPTER PAIR II	7254	N		24
2422		3043	DEVICE ADAPTER PAIR III	7254	N		24
2422		3051	DEVICE ADAPTER PAIR II A	7254	N		24
2422		3053	DEVICE ADAPTER PAIR I	10882	N		24
2422		3061	DEVICE ADAPTER PAIR II B	7254	N		24
2422		3113	4GB SW FCP/FICON ADAPTER	23823	N		24
2422		3123	4GB SW FCP/FICON ADAPTER A	23823	N		24
2422		3133	4GB SW FCP/FICON ADAPTER B	23823	N		24
2422		3143	4GB SW FCP/FICON ADAPTER PCIE	23823	N		24
2422		3153	8 GB 4 PORT SW FCP FICON ADAPT	26206	N		24
2422		3157	8 GB 8 PORT SW FCP FICON ADAPT	41691	N		24
2422		3213	4GB LW FCP/FICON ADAPTER	23823	N		24
2422		3215	4GB 10KM LW FCP/FICON ADAPTER	31077	N		24
2422		3223	4GB LW FCP/FICON ADAPTER - A	23823	N		24
2422		3225	4GB 10KM LW FCP/FICON ADP A	31077	N		24
2422		3233	4GB LW FCP/FICON ADAPTER - B	23823	N		24
2422		3235	4GB 10KM LW FCP/FICON ADP B	31077	N		24
2422		3243	4GB LW FCP/FICON ADAPTER PCIE	23823	N		24
2422		3245	4GB 10KM LW FCP/FICON ADAPTER	31077	N		24
2422		3253	8 GB 4 PORT LW FCP FICON ADAPT	26206	N		24
2422		3257	8 GB 8 PORT LW FCP FICON ADAPT	41691	N		24
2422		4012	32 GB PROCESSOR MEMORY	33486	N		24
2422		4013	64 GB PROCESSOR MEMORY	139516	N		24
2422		4014	128 GB PROCESSOR MEMORY	279033	N		24

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2422		4113	64 GB PROCESSOR MEMORY	139516	N		24
2422		4114	128 GB PROCESSOR MEMORY	279033	N		24
2422		4115	256 GB PROCESSOR MEMORY	558066	N		24
2422		4212	32 GB PROCESSOR MEMORY (2W)	33486	N		24
2422		4213	64 GB PROCESSOR MEMORY (2W)	139516	N		24
2422		4214	128 GB PROCESSOR MEMORY (2W)	279033	N		24
2422		4222	32 GB PROCESSOR MEMORY (4W)	33486	N		24
2422		4223	64 GB PROCESSOR MEMORY (4W)	139516	N		24
2422		4224	128 GB PROCESSOR MEMORY (4W)	279033	N		24
2422		4225	256 GB PROCESSOR MEMORY (4W)	558066	N		24
2422		4226	384 GB PROCESSOR MEMORY (4W)	837100	N		24
2422		4302	4 WAY PROCESSOR CARD	57924	N		24
2422		5116	300 GB 15K FDE DRIVE SET	71565	N		24
2422		5117	300 GB 15K FDE COD DRIVE SET	7156	N		24
2422		5126	300 GB 15K FDE DRIVE SET A	71565	N		24
2422		5127	300 GB 15K FDE COD DRIVE SET A	7156	N		24
2422		5136	300 GB 15K FDE DRIVE SET B	71565	N		24
2422		5137	300 GB 15K FDE COD DRIVE SET B	7156	N		24
2422		5216	450 GB 15K FDE DRIVE SET	104738	N		24
2422		5217	450 GB 15K FDE COD DRIVE SET	10474	N		24
2422		5226	450 GB 15K FDE DRIVE SET A	104738	N		24
2422		5227	450 GB 15K FDE COD DRIVE SET A	10474	N		24
2422		5236	450 GB 15K FDE DRIVE SET B	104738	N		24
2422		5237	450 GB 15K FDE COD DRIVE SET B	10474	N		24
2422		5608	450 GB 10K FDE DRIVE SET	95311	N		24
2422		5609	450 GB 10K FDE COD DRIVE SET	9530	N		24
2422		5708	600 GB 10K FDE DRIVE SET	120997	N		24
2422		5709	600 GB 10K FDE COD DRIVE SET	12099	N		24
2422		6008	300 GB SSD DRIVE SET	460655	N		24
2422		6214	600 GB SSD HALF DRIVE SET	413501	N		24
2422		6216	600 GB SSD DRIVE SET	827003	N		24

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2423	92E		SYSTEM STORAGE DS8000	53320	N	3	36
2423	941		DS8700	47282	N	3	36
2423	94E		DS8700 EXPANSION UNIT	53320	N	3	36
2423	951		DS8800	52535	N	3	36
2423	95E		DS8800 EXPANSION UNIT	53320	N	3	36
2423	9AE		SYSTEM STORAGE DS8000	53320	N	3	36
2423		1000	REMOTE POWER CONTROL	798	N		36
2423		1050	BATTERY ASSEMBLY	1233	N		36
2423		1055	EXTENDED PLD	5658	N		36
2423		1060	SPP CORD GROUP 1	1378	N		36
2423		1065	SPP CORD GROUP 2	1378	N		36
2423		1067	SPP CORD GROUP 3	1378	N		36
2423		1090	LINE CORD (US/LA/AP/CANADA)	1378	N		36
2423		1091	LINE CORD (EMEA)	363	N		36
2423		1092	LINE CORD (JAPAN)	798	N		36
2423		1110	MANAGEMENT CONSOLE EXTERNAL	6645	N		36
2423		1120	MGMT CONSOLE - ENGLISH INT	6645	N		36
2423		1130	MGMT CONSOLE - ENGLISH EXT	6645	N		36
2423		1170	MC LINE CORD STANDARD RACK	73	N		36
2423		1171	MC LINE CORD GROUP 1	73	N		36
2423		1172	MC LINE CORD GROUP 2	73	N		36
2423		1210	DISK ENCLOSURE PAIR	7254	N		36
2423		1211	DISK DRIVE CABLE GROUP 1	725	N		36
2423		1212	DISK DRIVE CABLE GROUP 2	1378	N		36
2423		1213	DISK DRIVE CABLE GROUP 3	1596	N		36
2423		1214	DISK DRIVE CABLE GROUP 4	1741	N		36
2423		1220	DISK ENCLOSURE PAIR - A	7254	N		36
2423		1230	DISK ENCLOSURE PAIR - B	7254	N		36
2423		1300	I/O ENCLOSURE PAIR	8545	N		36
2423		1301	I/O ENCLOSURE PAIR PCIE	8545	N		12
2423		1312	RIO-G CABLE GROUP 2	871	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2423		1313	RIO-G CABLE GROUP 3	1161	N		36
2423		1314	RIO-G CABLE GROUP 4	1669	N		36
2423		1315	RIO-G CABLE GROUP 5	2539	N		36
2423		1316	RIO-G CABLE GROUP 6	1161	N		36
2423		1320	PCI E CABLE GROUP 1	2176	N		12
2423		1321	PCI E CABLE GROUP 2	2974	N		12
2423		1322	PCI E CABLE GROUP 3	3627	N		12
2423		1410	50 UM FIBRE CABLE (LC)	73	N		36
2423		1411	50 UM FIBRE CABLE (LC/SC)	73	N		36
2423		1412	50 UM FIBRE CABLE (JUMPER)	73	N		36
2423		1420	9 UM FIBRE CABLE (LC)	73	N		36
2423		1421	9 UM FIBRE CABLE (LC/SC)	73	N		36
2423		1422	9 UM FIBRE CABLE (JUMPER)	73	N		36
2423		1712	RELEASE 5.1 BUNDLE FAMILY	29018	N		36
2423		1721	DS8000 LMC R6.0	29018	N		36
2423		1801	RM ETHERNET ADAPTER PAIR	2067	N		36
2423		1802	RM ETHERNET ADAPTER PAIR A	2067	N		36
2423		1803	RM ETHERNET ADAPTER PAIR B	2067	N		36
2423		1906	EARTHQUAKE RESISTANCE KIT	15162	N		36
2423		1980	PERFORMANCE ACCELERATOR	3446	N		36
2423		1999	HARDWARE INSTALLATION MES	14509	N		12
2423		2208	146 GB 15K DRIVE SET	33425	N		36
2423		2209	146 GB 15K COD DRIVE SET	3342	N		36
2423		2416	300 GB 15K DRIVE SET	63621	N		36
2423		2417	300 GB 15K COD DRIVE SET	6362	N		36
2423		2426	300 GB 15K DRIVE SET A	63621	N		36
2423		2427	300 GB 15K COD DRIVE SET A	6362	N		36
2423		2436	300 GB 15K DRIVE SET B	63621	N		36
2423		2437	300 GB 15K COD DRIVE SET B	6362	N		36
2423		2608	450 GB 10K DRIVE SET	84631	N		36
2423		2609	450 GB 10K COD DRIVE SET	8462	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2423		2616	450 GB 15K DRIVE SET	93002	N		36
2423		2617	450 GB 15K COD DRIVE SET	9300	N		36
2423		2626	450 GB 15K DRIVE SET A	93002	N		36
2423		2627	450 GB 15K COD DRIVE SET A	9300	N		36
2423		2636	450 GB 15K DRIVE SET B	93002	N		36
2423		2637	450 GB 15K COD DRIVE SET B	9300	N		36
2423		2708	600 GB 10K DRIVE SET	107821	N		36
2423		2709	600 GB 10K COD DRIVE SET	10782	N		36
2423		2716	600 GB 15K FC DRIVE SET	118485	N		36
2423		2717	600 GB 15K FC COD DRIVE SET	11848	N		36
2423		2916	2 TB 7.2K SATA DRIVE SET	113116	N		36
2423		2917	2 TB 7.2K SATA COD DRIVE SET	11311	N		36
2423		2998	DISK ENCLOSURE FILLER HALF SET	36	N		36
2423		2999	DISK ENCLOSURE FILLER SET	73	N		36
2423		3041	DEVICE ADAPTER PAIR II	7254	N		36
2423		3043	DEVICE ADAPTER PAIR III	7254	N		12
2423		3051	DEVICE ADAPTER PAIR II A	7254	N		36
2423		3053	DEVICE ADAPTER PAIR I	10882	N		36
2423		3061	DEVICE ADAPTER PAIR II B	7254	N		36
2423		3113	4GB SW FCP/FICON ADAPTER	24607	N		36
2423		3123	4GB SW FCP/FICON ADAPTER - A	24607	N		36
2423		3133	4GB SW FCP/FICON ADAPTER - B	24607	N		36
2423		3143	4GB SW FCP/FICON ADAPTER PCIE	24607	N		12
2423		3153	8 GB 4 PORT SW FCP/FICON ADAPT	27067	N		36
2423		3157	8 GB 8 PORT SW FCP/FICON ADAPT	43062	N		36
2423		3213	4 GB LW FCP/FICON ADAPTER	24607	N		36
2423		3215	4 GB 10KM LW FCP/FICON ADAPTER	31861	N		36
2423		3223	4GB LW FCP/FICON ADAPTER - A	24607	N		36
2423		3225	4GB10KM LW FCP/FICON ADAPTER-A	31861	N		36
2423		3233	4GB LW FCP/FICON ADAPTER - B	24607	N		36
2423		3235	4GB 10KMLW FCP/FICON ADAPTER-B	31861	N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2423		3243	4GB LW FCP/FICON ADAPTER PCIE	24607	N		12
2423		3245	4GB 10KM SW FCP/FICON AD PCIE	31861	N		12
2423		3253	8 GB 4 PORT LW FCP/FICON ADAPT	27067	N		36
2423		3257	8 GB 8 PORT LW FCP/FICON ADAPT	43062	N		36
2423		4012	32 GB PROCESSOR MEMORY	34879	N		36
2423		4013	64 GB PROCESSOR MEMORY	142302	N		36
2423		4014	128 GB PROCESSOR MEMORY	284605	N		36
2423		4113	64 GB PROCESSOR MEMORY	142302	N		36
2423		4114	128 GB PROCESSOR MEMORY	284605	N		36
2423		4115	256 GB PROCESSOR MEMORY	569209	N		36
2423		4212	32 GB PROCESSOR MEMORY (2W)	34879	N		12
2423		4213	64 GB PROCESSOR MEMORY (2W)	142302	N		12
2423		4214	128 GB PROCESSOR MEMORY (2W)	284605	N		12
2423		4222	32 GB PROCESSOR MEMORY (4W)	34879	N		12
2423		4223	64 GB PROCESSOR MEMORY (4W)	142302	N		12
2423		4224	128 GB PROCESSOR MEMORY (4W)	284605	N		12
2423		4225	256 GB PROCESSOR MEMORY (4W)	569209	N		12
2423		4226	384 GB PROCESSOR MEMORY (4W)	853815	N		12
2423		4302	4 WAY PROCESSOR CARD	58682	N		12
2423		5116	300 GB 15K FDE DRIVE SET	75709	N		36
2423		5117	300 GB 15K FDE COD DRIVE SET	7570	N		36
2423		5126	300 GB 15K FDE DRIVE SET A	75709	N		36
2423		5127	300 GB 15K FDE COD DRIVE SET A	7570	N		36
2423		5136	300 GB 15K FDE DRIVE SET B	75709	N		36
2423		5137	300 GB 15K FDE COD DRIVE SET B	7570	N		36
2423		5216	450 GB 15K FDE DRIVE SET	108811	N		36
2423		5217	450 GB 15K FDE COD DRIVE SET	10881	N		36
2423		5226	450 GB 15K FDE DRIVE SET A	108811	N		36
2423		5227	450 GB 15K FDE COD DRIVE SET A	10881	N		36
2423		5236	450 GB 15K FDE DRIVE SET B	108811	N		36
2423		5237	450 GB 15K FDE COD DRIVE SET B	10881	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2423		5608	450 GB 10K FDE DRIVE SET	99019 N			36
2423		5609	450 GB 10K FDE COD DRIVE SET	9901 N			36
2423		5708	600 GB 10K FDE DRIVE SET	126150 N			36
2423		5709	600 GB 10K FDE COD DRIVE SET	12615 N			36
2423		6008	300 GB SSD DRIVE SET	491123 N			36
2423		6214	600 GB SSD HALF DRIVE SET	440705 N			36
2423		6216	600 GB SSD DRIVE SET	881411 N			36
2424	92E		SYSTEM STORAGE DS 8000	54408 N		3	48
2424	941		DS8700	53496 N		3	48
2424	94E		DS8700 EXPANSION UNIT	54408 N		3	48
2424	951		DS8800	59441 N		3	48
2424	95E		DS8800 EXPANSION UNIT	54408 N		3	48
2424	9AE		SYSTEM STORAGE DS 8000	54408 N		3	48
2424		1000	REMOTE POWER CONTROL	798 N			48
2424		1050	BATTERY ASSEMBLY	1233 N			48
2424		1055	EXTENDED PLD	5658 N			48
2424		1060	SPP CORD GROUP 1	1378 N			48
2424		1065	SPP CORD GROUP 2	1378 N			48
2424		1067	SPP CORD GROUP 3	1378 N			48
2424		1090	LINE CORD (US/LA/AP/CANADA)	1378 N			48
2424		1091	LINE CORD (EMEA)	363 N			48
2424		1092	LINE CORD (JAPAN)	798 N			48
2424		1110	MANAGEMENT CONSOLE EXTERNAL	7254 N			48
2424		1120	MGMT CONSOLE - ENGLISH INT	7254 N			48
2424		1130	MGMT CONSOLE - ENGLISH EXT	7254 N			48
2424		1170	MC LINE CORD STANDARD RACK	73 N			48
2424		1171	MC LINE CORD GROUP 1	73 N			48
2424		1172	MC LINE CORD GROUP 2	73 N			48
2424		1210	DISK ENCLOSURE PAIR	7254 N			48
2424		1211	DISK DRIVE CABLE GROUP 1	725 N			48
2424		1212	DISK DRIVE CABLE GROUP 2	1378 N			48

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2424		1213	DISK DRIVE CABLE GROUP 3	1596	N		48
2424		1214	DISK DRIVE CABLE GROUP 4	1741	N		48
2424		1220	DISK ENCLOSURE PAIR - A	7254	N		48
2424		1230	DISK ENCLOSURE PAIR - B	7254	N		48
2424		1241	HD DISK ENCLOSURE PAIR	14509	N		48
2424		1246	HD DISK DRIVE CABLE GROUP 1	5078	N		48
2424		1247	HD DISK DRIVE CABLE GROUP 2	6529	N		48
2424		1248	HD DISK DRIVE CABLE GROUP 4	8705	N		48
2424		1250	HD BC DISK DRIVE CABLE GROUP	2176	N		48
2424		1300	I/O ENCLOSURE PAIR	9068	N		48
2424		1301	I/O ENCLOSURE PAIR PCIE	9068	N		48
2424		1312	RIO-G CABLE GROUP 2	871	N		48
2424		1313	RIO-G CABLE GROUP 3	1161	N		48
2424		1314	RIO-G CABLE GROUP 4	1669	N		48
2424		1315	RIO-G CABLE GROUP 5	2539	N		48
2424		1316	RIO-G CABLE GROUP 6	1161	N		48
2424		1320	PCI E CABLE GROUP 1	2176	N		48
2424		1321	PCI E CABLE GROUP 2	2974	N		48
2424		1322	PCI E CABLE GROUP 3	3627	N		48
2424		1410	50 UM FIBRE CABLE (LC)	73	N		48
2424		1411	50 UM FIBRE CABLE (LC/SC)	73	N		48
2424		1412	50 UM FIBRE CABLE (JUMPER)	73	N		48
2424		1420	9 UM FIBRE CABLE (LC)	73	N		48
2424		1421	9 UM FIBRE CABLE (LC/SC)	73	N		48
2424		1422	9 UM FIBRE CABLE (JUMPER)	73	N		48
2424		1712	RELEASE 5.1 BUNDLE FAMILY	29018	N		48
2424		1721	DS8000 LMC R6.0	29018	N		48
2424		1801	RM ETHERNET ADAPTER PAIR	2176	N		48
2424		1802	RM ETHERNET ADAPTER PAIR A	2176	N		48
2424		1803	RM ETHERNET ADAPTER PAIR B	2176	N		48
2424		1906	EARTHQUAKE RESISTANCE KIT	15960	N		48

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2424		1980	PERFORMANCE ACCELERATOR	3627	N		48
2424		1999	HARDWARE INSTALLATION MES	14509	N		48
2424		2208	146 GB 15K DRIVE SET	35184	N		48
2424		2209	146 GB 15K COD DRIVE SET	3518	N		48
2424		2416	300 GB 15K DRIVE SET	67103	N		48
2424		2417	300 GB 15K COD DRIVE SET	6710	N		48
2424		2426	300 GB 15K DRIVE SET A	67103	N		48
2424		2427	300 GB 15K COD DRIVE SET A	6710	N		48
2424		2436	300 GB 15K DRIVE SET B	67103	N		48
2424		2437	300 GB 15K COD DRIVE SET B	6710	N		48
2424		2608	450 GB 10K DRIVE SET	87799	N		48
2424		2609	450 GB 10K COD DRIVE SET	8780	N		48
2424		2616	450 GB 15K DRIVE SET	96484	N		48
2424		2617	450 GB 15K COD DRIVE SET	9648	N		48
2424		2626	450 GB 15K DRIVE SET A	96484	N		48
2424		2627	450 GB 15K COD DRIVE SET A	9648	N		48
2424		2636	450 GB 15K DRIVE SET B	96484	N		48
2424		2637	450 GB 15K COD DRIVE SET B	9648	N		48
2424		2708	600 GB 10K DRIVE SET	112226	N		48
2424		2709	600 GB 10K COD DRIVE SET	11222	N		48
2424		2716	600 GB 15K FC DRIVE SET	123325	N		48
2424		2717	600 GB 15K FC COD DRIVE SET	12332	N		48
2424		2916	2 TB 7.2K SATA DRIVE SET	119698	N		48
2424		2917	2 TB 7.2K SATA COD DRIVE SET	11970	N		48
2424		2998	DISK ENCLOSURE FILLER HALF SET	36	N		48
2424		2999	DISK ENCLOSURE FILLER SET	73	N		48
2424		3041	ZNIDEVICE ADAPTER PAIR II	7254	N		48
2424		3043	DEVICE ADAPTER PAIR III	7254	N		48
2424		3051	DEVICE ADAPTER PAIR II A	7254	N		48
2424		3053	DEVICE ADAPTER PAIR I	10882	N		48
2424		3061	DEVICE ADAPTER PAIR II B	7254	N		48

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2424		3113	4GB SW FCP/FICON ADAPTER	25390	N		48
2424		3123	4GB SW FCP/FICON ADAPTER - B	25390	N		48
2424		3133	4GB SW FCP/FICON ADAPTER - B	25390	N		48
2424		3143	4GB SW FCP/FICON ADAPTER PCIE	25390	N		48
2424		3153	8 GB 4 PORT SW FCP FICON ADAPT	27929	N		48
2424		3157	8 GB 8 PORT SW FCP FICON ADAPT	44433	N		48
2424		3213	4 GB LW FCP/FICON ADAPTER	25390	N		48
2424		3215	4 GB 10KM LW FCP/FICON ADAPTER	32645	N		48
2424		3223	4GB LW FCP/FICON ADAPTER - A	25390	N		48
2424		3225	4GB10KM LW FCP/FICON ADAPTER-A	32645	N		48
2424		3233	4GB LW FCP/FICON ADAPTER - B	25390	N		48
2424		3235	4GB 10KMLW FCP/FICON ADAPTER-B	32645	N		48
2424		3243	4GB LW FCP/FICON ADAPTER PCIE	25390	N		48
2424		3245	4GB 10KM LW FCP/FICON ADAPTER	32645	N		48
2424		3253	8 GB 4 PORT LW FCP FICON ADAPT	27929	N		48
2424		3257	8 GB 8 PORT LW FCP FICON ADAPT	44433	N		48
2424		4012	32 GB PROCESSOR MEMORY	36272	N		48
2424		4013	64 GB PROCESSOR MEMORY	145088	N		48
2424		4014	128 GB PROCESSOR MEMORY	290176	N		48
2424		4113	64 GB PROCESSOR MEMORY	145088	N		48
2424		4114	128 GB PROCESSOR MEMORY	290176	N		48
2424		4115	256 GB PROCESSOR MEMORY	580353	N		48
2424		4212	32 GB PROCESSOR MEMORY (2W)	36272	N		48
2424		4213	64 GB PROCESSOR MEMORY (2W)	145088	N		48
2424		4214	128 GB PROCESSOR MEMORY (2W)	290176	N		48
2424		4222	32 GB PROCESSOR MEMORY (4W)	36272	N		48
2424		4223	64 GB PROCESSOR MEMORY (4W)	145088	N		48
2424		4224	128 GB PROCESSOR MEMORY (4W)	290176	N		48
2424		4225	256 GB PROCESSOR MEMORY (4W)	580353	N		48
2424		4226	384 GB PROCESSOR MEMORY (4W)	870529	N		48
2424		4302	4 WAY PROCESSOR CARD	59441	N		48

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2424		5116	300 GB 15K FDE DRIVE SET	79853	N		48
2424		5117	300 GB 15K FDE COD DRIVE SET	7985	N		48
2424		5126	300 GB 15K FDE DRIVE SET A	79853	N		48
2424		5127	300 GB 15K FDE COD DRIVE SET A	7985	N		48
2424		5136	300 GB 15K FDE DRIVE SET B	79853	N		48
2424		5137	300 GB 15K FDE COD DRIVE SET B	7985	N		48
2424		5216	450 GB 15K FDE DRIVE SET	112886	N		48
2424		5217	450 GB 15K FDE COD DRIVE SET	11288	N		48
2424		5226	450 GB 15K FDE DRIVE SET A	112886	N		48
2424		5227	450 GB 15K FDE COD DRIVE SET A	11288	N		48
2424		5236	450 GB 15K FDE DRIVE SET B	112886	N		48
2424		5237	450 GB 15K FDE COD DRIVE SET B	11288	N		48
2424		5608	ENCRYPTION SUPPORT: ENCRYPTE	102725	N		48
2424		5609	450 GB 10K FDE COD DRIVE SET	10272	N		48
2424		5708	600 GB 10K FDE DRIVE SET	131304	N		48
2424		5709	600 GB 10K FDE COD DRIVE SET	13130	N		48
2424		6008	300 GB SSD DRIVE SET	521592	N		48
2424		6214	600 GB SSD HALF DRIVE SET	467909	N		48
2424		6216	600 GB SSD DRIVE SET	935819	N		48
2452	650		STN6500 MODEL 650	15503	Y	3	12
2452	680		STN6800 MODEL 680	15183	Y	3	12
2452		1001	4X10GB AND 8X1GB ENET PORTS	6544	N		12
2452		1010	8X10GB ETHERNET PORTS	10529	N		12
2452		3003	3M GREEN CAT5E CABLE	28	N		12
2452		3705	5M LC LC OPTICAL CABLE	93	N		12
2458	002		ZENTERPRISE BC EXTENSION	*Call	N	3	12
2458		0091	HMC WITH DUAL ETHERNET	*Call	N		12
2458		0520	POWER 3PH DELTA W/CORD	*Call	N		12
2458		0521	POWER W/O CORD	*Call	N		12
2458		0531	60A/208V 1PH CORD	*Call	N		12
2458		0532	63A/380V 1PH CORD	*Call	N		12

\*CALL = For Pricing Information  
 Please call the IBM Federal Information  
 Call Center at 1-800-333-6705

IBM Contract GS-35F-4984H  
 GSA Hardware

Effective Date April 13, 2011

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2458		0533	32A/380 415V 3PH Y CORD	*Call	N		12
2458		0540	REAR DOOR HEAT EXCHANGER	*Call	N		12
2458		0541	STD FRONT DOOR	*Call	N		12
2458		0542	STD REAR DOOR	*Call	N		12
2458		0543	ACOUSTIC REAR DOOR	*Call	N		12
2458		0544	CHASSIS COUNTER WEIGHT	*Call	N		12
2458		0570	RACK HEIGHT REDUCATION	*Call	N		12
2458		0601	PRIMARY ZBX RACK	*Call	N		12
2458		0602	EXPANSION ZBX RACK	*Call	N		12
2458		0603	ZBX CONFIGURED CHASSIS ASM	*Call	N		12
2458		0605	PDN SWITCH	*Call	N		12
2458		0606	FIBRE CHANNEL SWITCH	*Call	N		12
2458		0607	PSN TOR SWITCH	*Call	N		12
2458		0608	IEDN TOR SWITCH	*Call	N		12
2458		0610	ANALYTICS OPTIMIZER BLADE	*Call	N		12
2458		0615	8 GB SW OPTICAL MODULE	*Call	N		12
2458		0620	1000 MM CAT6 CABLE	*Call	N		12
2458		0621	5M LC DUPLEX CABLE	*Call	N		12
2458		0624	15 FT CAT6 CABLE	*Call	N		12
2458		0625	3200 MM CAT6 CABLE	*Call	N		12
2458		0626	10 GB ETHERNET 1M SFP CABLE	*Call	N		12
2458		0627	10 GB ETHERNET 3M SFP CABLE	*Call	N		12
2458		0628	10 GB ETHERNET 7M SFP CABLE	*Call	N		12
2458		0632	10 GB ETHERNET LR 10KM SFP	*Call	N		12
2458		0633	10 GB ETHERNET SR SFP	*Call	N		12
2458		6096	FLAT PANEL DISPLAY	*Call	N		12
2498	B24		SAN24B 4 EXPRESS		3917 Y	2	12
2498	B40		SAN40B 4		18361 Y	2	12
2498	B80		SAN80B 4		54255 Y	2	12
2498	E32		SYSTEM STORAGE SAN32B E4		94017 Y	2	12
2498		2401	SFP 4 GBPS SW		95 N		12

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2498		2408	SFP 4 GBPS SW 8 PACK		749 N		12
2498		2411	SFP 4 GBPS 10 KM LW		1451 N		12
2498		2418	SFP 4 GBPS 10 KM LW 8 PACK		11607 N		12
2498		2441	SFP 4 GBPS 4 KM LW		744 N		12
2498		2448	SFP 4 GBPS 4 KM LW 8 PACK		5967 N		12
2498		2480	SFP 4 GBPS 30 KM ELW		3438 N		12
2498		2801	SFP 8 GBPS SW		87 N		12
2498		2808	SFP 8 GBPS SW 8 PACK		681 N		12
2498		2821	SFP 8 GBPS 10 KM LW		1542 N		12
2498		2828	SFP 8 GBPS 10 KM LW 8 PACK		12332 N		12
2498		2881	SFP 8 GBPS 25 KM ELW		9219 N		12
2498		5605	LC LC 5 M 50U		76 N		12
2498		5625	LC LC 25 M 50U		152 N		12
2498		5721	LC LC 31 M 9U		73 N		12
2498		5810	OM3 CABLE LC LC 10M		87 N		12
2498		7200	8 PORT ACTIVATION		2517 N		12
2498		7201	B24 ENTERPRISE PACKAGE		13457 N		12
2498		7202	FABRIC WATCH		1741 N		12
2498		7203	EXTENDED FABRIC		3917 N		12
2498		7204	ADVANCED PERFORMANCE MONITOR		1632 N		12
2498		7205	TRUNKING ACTIVATION		3264 N		12
2498		7206	ADAPTIVE NETWORKING		2263 N		12
2498		7400	8 PORT ACTIVATION		6180 N		12
2498		7401	B40 ENTERPRISE PACKAGE		20333 N		12
2498		7403	EXTENDED FABRIC		4643 N		12
2498		7404	ADVANCED PERFORMANCE MONITOR		1741 N		12
2498		7405	TRUNKING ACTIVATION		3482 N		12
2498		7406	ADAPTIVE NETWORKING		3424 N		12
2498		7407	INTEGRATED ROUTING		13696 N		12
2498		7409	FICON W CUP ACTIVATION		2205 N		12
2498		7716	2498 R06 FIRMWARE UPGR 1 YR		467 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2498		7717	2498 R06 FIRMWARE UPGR 2 YR	889	N		12
2498		7731	ENTERPRISE BUNDLE	12707	N		12
2498		7732	PORT ACTIVATION 12 FC 4 IP	43748	N		12
2498		7733	8 GBPS ROUTER ADVANCED EXT	9477	N		12
2498		7734	R06 PERFORMANCE MONITOR	3081	N		12
2498		7735	R06 TRUNKING ACTIVATION	4622	N		12
2498		7736	ADAPTIVE NETWORKING	4596	N		12
2498		7737	FICON W CUP ACTIVATION	5587	N		12
2498		7739	INTEGRATED ROUTING	13266	N		12
2498		7740	FABRIC WATCH	2773	N		12
2498		7742	EXTENDED FABRIC	3389	N		12
2498		7800	16 PORT ACTIVATION	15307	N		12
2498		7801	B80 ENTERPRISE PACKAGE	42953	N		12
2498		7803	EXTENDED FABRIC	5426	N		12
2498		7804	ADVANCED PERFORMANCE MONITOR	3068	N		12
2498		7805	TRUNKING ACTIVATION	5426	N		12
2498		7806	ADAPTIVE NETWORKING	4976	N		12
2498		7807	INTEGRATED ROUTING	20043	N		12
2498		7809	FICON W CUP ACTIVATION	4483	N		12
2498		7811	E32 ENTERPRISE PACKAGE	19345	N		12
2499	192		IBM SYSTEM STORAGE SAN384B	72713	N	2	12
2499	384		IBM SYSTEM STORAGE SAN768B	116447	N	2	12
2499		2117	SFP+ TRANSCEIVER 10 GBPS SR	671	N		12
2499		2118	SFP+ 10 GBPS SR 8 PACK	4948	N		12
2499		2151	SFP+ TRANSCEIVER 10 GBPS LR	2896	N		12
2499		2158	SFP+ 10 GBPS LR 8 PACK	19923	N		12
2499		2401	SFP 4 GBPS SW	119	N		12
2499		2408	SFP 4 GBPS SW 8 PACK	948	N		12
2499		2411	SFP 4 GBPS 10 KM LW	1976	N		12
2499		2418	SFP 4 GBPS 10 KM LW 8 PACK	15809	N		12
2499		2441	SFP 4 GBPS 4 KM LW	943	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2499		2448	SFP 4 GBPS 4 KM LW 8 PACK		7545 N		12
2499		2480	SFP 4 GBPS 30 KM ELW		4353 N		12
2499		2510	XFP 10 GBPS SW		1755 N		12
2499		2520	XFP 10 GBPS LW		2241 N		12
2499		2550	SFP TRANSCEIVER 1 GBE COPPER		653 N		12
2499		2551	SFP TRANSCEIVER 1 GBE COPPER		544 N		12
2499		2801	SFP 8 GBPS SW		109 N		12
2499		2808	SFP 8 GBPS SW 8 PACK		862 N		12
2499		2821	SFP 8 GBPS10 KM LW		2274 N		12
2499		2828	SFP 8 GBPS10 KM LW 8 PACK		18197 N		12
2499		2881	SFP 8 GBPS 25 KM ELW		9219 N		12
2499		3816	FC 8 GB 16 PORT BLADE		27087 N		12
2499		3832	FC 8 GB 32 PORT BLADE		44361 N		12
2499		3848	FC 8 GB 48 PORT BLADE		61524 N		12
2499		3850	ROUTING BLADE		48220 N		12
2499		3870	FC 10 GBPS FC BLADE		71985 N		12
2499		3880	CEE 10GBE 24 PORT BLADE		86252 N		12
2499		3890	8 GBPS EXTENSION BLADE		94483 N		12
2499		5305	LC/LC 5 M 50U		98 N		12
2499		5325	LC/LC 25 M 50U		150 N		12
2499		5405	LC/LC 5 M 50U 4 PACK		394 N		12
2499		5425	LC/LC 25 M 50U 4 PACK		604 N		12
2499		5444	LC/LC 31 M 9U 4 PACK		290 N		12
2499		5731	LC/LC 31 M 9U		73 N		12
2499		5810	OM3 CABLE LC LC 10M		87 N		12
2499		5818	OM3 CABLE LC LC 10M 4 PACK		348 N		12
2499		7712	2499 192 FW UPGRADE 1 YEAR		5492 N		12
2499		7713	2499 192 FW UPGRADE 2 YEARS		10435 N		12
2499		7803	EXTENDED FABRIC ACTIVATION		27137 N		12
2499		7870	INTER CHASSIS CABLE KIT		14494 N		12
2499		7880	384 UPGRADE POWER SUPPLY		11984 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2499		7882	INTER CHASSIS LICENSE HALF	31725	N		12
2499		7883	SAN384B INTER CHASSIS LICENSE	28861	N		12
2499		7884	FICON W CUP ACTIVATION	13909	N		12
2499		7885	INTER CHASSIS LICENCE	53958	N		12
2499		7886	FICON W/CUP ACTIVATION	17722	N		12
2499		7887	FCIP/FC EXTENSION	23859	N		12
2499		7888	FICON ACCELERATOR	67385	N		12
2499		7889	INTEGRATED ROUTING	38063	N		12
2499		7890	INTEGRATED ROUTING	37723	N		12
2499		7891	8 GBPS ADV EXT ACTIVATION	13371	N		12
2499		7892	10 GBE ACTIVATION	31246	N		12
2499		7893	8 GBPS FICON ACCELERATOR	39276	N		12
2499		7910	SAN768B SERVER APPLICATION FI	217	N		12
2499		7920	SAN384B SERVER APPLICATION FI	217	N		12
2805		1810	DUAL POWER SUPPLY OPTION	190	N		12
2805		9100	CONSOLE KEYBOARD/DISPLAY/DRAW	1717	N		12
2810	A14		IBM XIV STORAGE SYSTEM	112947	N	3	12
2810		1101	DUAL CPU INTERFACE MODULE	44987	N		12
2810		1102	2 TB DCPU INTERFACE MODULE	78967	N		12
2810		1106	LV DATA MODULE	44987	N		12
2810		1107	2 TB LV DATA MODULE	78967	N		12
2810		1111	DUAL CPU COD INTERFACE MODULE	4499	N		12
2810		1116	LV COD DATA MODULE	4499	N		12
2810		1119	COD 5.5 TB ACTIVATION	40489	N		12
2810		1120	1TB HDD MODULE COD ACTIVATION	40489	N		12
2810		1121	2TB HDD MODULE COD ACTIVATION	71070	N		12
2810		3900	ETHERNET CABLE	717	N		12
2810		3910	FIBRE CABLE (LC)	717	N		12
2810		3920	FIBRE CABLE (LC/SC)	717	N		12
2810		9000	MAINTENANCE MODULE	8615	N		12
2810		9101	MODEM	957	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2812	A14		IBM XIV STORAGE SYSTEM	152479	N	3	36
2812		1101	DUAL CPU INTERFACE MODULE	60732	N		36
2812		1102	2 TB DCPU INTERFACE MODULE	106534	N		36
2812		1106	LV DATA MODULE	60732	N		36
2812		1107	2 TB LV DATA MODULE	106534	N		36
2812		1111	DUAL CPU COD INTERFACE MODULE	6073	N		36
2812		1116	LV COD DATA MODULE	6073	N		36
2812		1120	1TB HDD MODULE COD ACTIVATION	54659	N		36
2812		1121	2TB HDD MODULE COD ACTIVATION	95880	N		36
2812		3900	ETHERNET CABLE	717	N		36
2812		3910	FIBRE CABLE (LC)	717	N		36
2812		3920	FIBRE CABLE (LC SC)	717	N		36
2812		9000	MAINTENANCE MODULE	11629	N		36
2812		9101	MODEM	957	N		36
2817	M15		IBM ZENTERPRISE 196	*Call	N	3	12
2817	M32		IBM ZENTERPRISE 196	*Call	N	3	12
2817	M49		IBM ZENTERPRISE 196	*Call	N	3	12
2817	M66		IBM ZENTERPRISE 196	*Call	N	3	12
2817	M80		IBM ZENTERPRISE 196	*Call	N	3	12
2817		0001	MTU 1 D	*Call	N		12
2817		0002	MTU 100 D	*Call	N		12
2817		0003	MTU 1 V	*Call	N		12
2817		0004	MTU 100 V	*Call	N		12
2817		0005	GTU 1 D	*Call	N		12
2817		0006	GTU 100 D	*Call	N		12
2817		0007	GTU 1 V	*Call	N		12
2817		0008	GTU 100 V	*Call	N		12
2817		0009	GTU 1000 D	*Call	N		12
2817		0010	GTU 1000 V	*Call	N		12
2817		0039	MANAGE FW ISAOPT	*Call	N		12
2817		0041	MANAGE FW PWR BLADE	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		0045	AUTOMATE FW PWR BLADE	*Call	N		12
2817		0052	AUTOMATE FW IFL	*Call	N		12
2817		0070	ETHERNET SWITCH	*Call	N		12
2817		0090	HMC W DUAL EN	*Call	N		12
2817		0091	HMC W DUAL EN	*Call	N		12
2817		0113	I O CAGE ISC D AIRFLOW	*Call	N		12
2817		0114	I O CAGE FULL CARD AIRFLOW	*Call	N		12
2817		0116	1 CPE CAPACITY UNIT	*Call	N		12
2817		0117	100 CPE CAPACITY UNIT	*Call	N		12
2817		0118	10000 CPE CAPACITY UNIT	*Call	N		12
2817		0119	1 CPE CAPACITY UNIT IFL	*Call	N		12
2817		0120	100 CPE CAPACITY UNIT IFL	*Call	N		12
2817		0121	1 CPE CAPACITY UNIT ICF	*Call	N		12
2817		0122	100 CPE CAPACITY UNIT ICF	*Call	N		12
2817		0123	1 CPE CAPACITY UNIT ZAAP	*Call	N		12
2817		0124	100 CPE CAPACITY UNIT ZAAP	*Call	N		12
2817		0125	1 CPE CAPACITY UNIT ZIIP	*Call	N		12
2817		0126	100 CPE CAPACITY UNIT ZIIP	*Call	N		12
2817		0127	1 CPE CAPACITY UNIT SAP	*Call	N		12
2817		0128	100 CPE CAPACITY UNIT SAP	*Call	N		12
2817		0158	CPC AIR	*Call	N		12
2817		0159	CPC WATER	*Call	N		12
2817		0162	HCA2 C FANOUT	*Call	N		12
2817		0163	HCA2 O FANOUT FOR 12X IFB	*Call	N		12
2817		0165	FANOUT AIRFLOW	*Call	N		12
2817		0168	HCA2 O LR FANOUT FOR 1X IFB	*Call	N		12
2817		0217	ISC MOTHER CARD	*Call	N		12
2817		0218	ISC DAUGHTER CARD	*Call	N		12
2817		0219	ISC 3 LINK ON F C 0218	*Call	N		12
2817		0326	IFB MP DAUGHTER CARD	*Call	N		12
2817		0327	STI A8 MOTHER CARD	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		0328	STI A4 MOTHER CARD	*Call	N		12
2817		0841	TKE WORKSTATION	*Call	N		12
2817		0864	CRYPTO EXPRESS3	*Call	N		12
2817		0884	TKE ADDL SMART CARDS	*Call	N		12
2817		0885	TKE SMART CARD READER	*Call	N		12
2817		0998	UID LABEL FOR DOD	*Call	N		12
2817		1021	STP ENABLEMENT	*Call	N		12
2817		1125	MODEL M15 - AIR COOLED	*Call	N		12
2817		1126	MODEL M32 - AIR COOLED	*Call	N		12
2817		1127	MODEL M49 - AIR COOLED	*Call	N		12
2817		1128	MODEL M66 - AIR COOLED	*Call	N		12
2817		1129	MODEL M80 - AIR COOLED	*Call	N		12
2817		1130	MODEL M15 - WATER COOLED	*Call	N		12
2817		1131	MODEL M32 - WATER COOLED	*Call	N		12
2817		1132	MODEL M49 - WATER COOLED	*Call	N		12
2817		1133	MODEL M66 - WATER COOLED	*Call	N		12
2817		1134	MODEL M80 - WATER COOLED	*Call	N		12
2817		1751	1-WAY PROCESSOR CP4	*Call	N		12
2817		1752	2-WAY PROCESSOR CP4	*Call	N		12
2817		1753	3-WAY PROCESSOR CP4	*Call	N		12
2817		1754	4-WAY PROCESSOR CP4	*Call	N		12
2817		1755	5-WAY PROCESSOR CP4	*Call	N		12
2817		1756	6-WAY PROCESSOR CP4	*Call	N		12
2817		1757	7-WAY PROCESSOR CP4	*Call	N		12
2817		1758	8-WAY PROCESSOR CP4	*Call	N		12
2817		1759	9-WAY PROCESSOR CP4	*Call	N		12
2817		1760	10-WAY PROCESSOR CP4	*Call	N		12
2817		1761	11-WAY PROCESSOR CP4	*Call	N		12
2817		1762	12-WAY PROCESSOR CP4	*Call	N		12
2817		1763	13-WAY PROCESSOR CP4	*Call	N		12
2817		1764	14-WAY PROCESSOR CP4	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		1765	15-WAY PROCESSOR CP4	*Call	N		12
2817		1766	1-WAY PROCESSOR CP5	*Call	N		12
2817		1767	2-WAY PROCESSOR CP5	*Call	N		12
2817		1768	3-WAY PROCESSOR CP5	*Call	N		12
2817		1769	4-WAY PROCESSOR CP5	*Call	N		12
2817		1770	5-WAY PROCESSOR CP5	*Call	N		12
2817		1771	6-WAY PROCESSOR CP5	*Call	N		12
2817		1772	7-WAY PROCESSOR CP5	*Call	N		12
2817		1773	8-WAY PROCESSOR CP5	*Call	N		12
2817		1774	9-WAY PROCESSOR CP5	*Call	N		12
2817		1775	10-WAY PROCESSOR CP5	*Call	N		12
2817		1776	11-WAY PROCESSOR CP5	*Call	N		12
2817		1777	12-WAY PROCESSOR CP5	*Call	N		12
2817		1778	13-WAY PROCESSOR CP5	*Call	N		12
2817		1779	14-WAY PROCESSOR CP5	*Call	N		12
2817		1780	15-WAY PROCESSOR CP5	*Call	N		12
2817		1781	1-WAY PROCESSOR CP6	*Call	N		12
2817		1782	2-WAY PROCESSOR CP6	*Call	N		12
2817		1783	3-WAY PROCESSOR CP6	*Call	N		12
2817		1784	4-WAY PROCESSOR CP6	*Call	N		12
2817		1785	5-WAY PROCESSOR CP6	*Call	N		12
2817		1786	6-WAY PROCESSOR CP6	*Call	N		12
2817		1787	7-WAY PROCESSOR CP6	*Call	N		12
2817		1788	8-WAY PROCESSOR CP6	*Call	N		12
2817		1789	9-WAY PROCESSOR CP6	*Call	N		12
2817		1790	10-WAY PROCESSOR CP6	*Call	N		12
2817		1791	11-WAY PROCESSOR CP6	*Call	N		12
2817		1792	12-WAY PROCESSOR CP6	*Call	N		12
2817		1793	13-WAY PROCESSOR CP6	*Call	N		12
2817		1794	14-WAY PROCESSOR CP6	*Call	N		12
2817		1795	15-WAY PROCESSOR CP6	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		1797	1-WAY PROCESSOR CP7	*Call	N		12
2817		1798	2-WAY PROCESSOR CP7	*Call	N		12
2817		1799	3-WAY PROCESSOR CP7	*Call	N		12
2817		1800	4-WAY PROCESSOR CP7	*Call	N		12
2817		1801	5-WAY PROCESSOR CP7	*Call	N		12
2817		1802	6-WAY PROCESSOR CP7	*Call	N		12
2817		1803	7-WAY PROCESSOR CP7	*Call	N		12
2817		1804	8-WAY PROCESSOR CP7	*Call	N		12
2817		1805	9-WAY PROCESSOR CP7	*Call	N		12
2817		1806	10-WAY PROCESSOR CP7	*Call	N		12
2817		1807	11-WAY PROCESSOR CP7	*Call	N		12
2817		1808	12-WAY PROCESSOR CP7	*Call	N		12
2817		1809	13-WAY PROCESSOR CP7	*Call	N		12
2817		1810	14-WAY PROCESSOR CP7	*Call	N		12
2817		1811	15-WAY PROCESSOR CP7	*Call	N		12
2817		1812	16-WAY PROCESSOR CP7	*Call	N		12
2817		1813	17-WAY PROCESSOR CP7	*Call	N		12
2817		1814	18-WAY PROCESSOR CP7	*Call	N		12
2817		1815	19-WAY PROCESSOR CP7	*Call	N		12
2817		1816	20-WAY PROCESSOR CP7	*Call	N		12
2817		1817	21-WAY PROCESSOR CP7	*Call	N		12
2817		1818	22-WAY PROCESSOR CP7	*Call	N		12
2817		1819	23-WAY PROCESSOR CP7	*Call	N		12
2817		1820	24-WAY PROCESSOR CP7	*Call	N		12
2817		1821	25-WAY PROCESSOR CP7	*Call	N		12
2817		1822	26-WAY PROCESSOR CP7	*Call	N		12
2817		1823	27-WAY PROCESSOR CP7	*Call	N		12
2817		1824	28-WAY PROCESSOR CP7	*Call	N		12
2817		1825	29-WAY PROCESSOR CP7	*Call	N		12
2817		1826	30-WAY PROCESSOR CP7	*Call	N		12
2817		1827	31-WAY PROCESSOR CP7	*Call	N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		1828	32-WAY PROCESSOR CP7	*Call	N		12
2817		1829	33-WAY PROCESSOR CP7	*Call	N		12
2817		1830	34-WAY PROCESSOR CP7	*Call	N		12
2817		1831	35-WAY PROCESSOR CP7	*Call	N		12
2817		1832	36-WAY PROCESSOR CP7	*Call	N		12
2817		1833	37-WAY PROCESSOR CP7	*Call	N		12
2817		1834	38-WAY PROCESSOR CP7	*Call	N		12
2817		1835	39-WAY PROCESSOR CP7	*Call	N		12
2817		1836	40-WAY PROCESSOR CP7	*Call	N		12
2817		1837	41-WAY PROCESSOR CP7	*Call	N		12
2817		1838	42-WAY PROCESSOR CP7	*Call	N		12
2817		1839	43-WAY PROCESSOR CP7	*Call	N		12
2817		1840	44-WAY PROCESSOR CP7	*Call	N		12
2817		1841	45-WAY PROCESSOR CP7	*Call	N		12
2817		1842	46-WAY PROCESSOR CP7	*Call	N		12
2817		1843	47-WAY PROCESSOR CP7	*Call	N		12
2817		1844	48-WAY PROCESSOR CP7	*Call	N		12
2817		1845	49-WAY PROCESSOR CP7	*Call	N		12
2817		1846	50-WAY PROCESSOR CP7	*Call	N		12
2817		1847	51-WAY PROCESSOR CP7	*Call	N		12
2817		1848	52-WAY PROCESSOR CP7	*Call	N		12
2817		1849	53-WAY PROCESSOR CP7	*Call	N		12
2817		1850	54-WAY PROCESSOR CP7	*Call	N		12
2817		1851	55-WAY PROCESSOR CP7	*Call	N		12
2817		1852	56-WAY PROCESSOR CP7	*Call	N		12
2817		1853	57-WAY PROCESSOR CP7	*Call	N		12
2817		1854	58-WAY PROCESSOR CP7	*Call	N		12
2817		1855	59-WAY PROCESSOR CP7	*Call	N		12
2817		1856	60-WAY PROCESSOR CP7	*Call	N		12
2817		1857	61-WAY PROCESSOR CP7	*Call	N		12
2817		1858	62-WAY PROCESSOR CP7	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		1859	63-WAY PROCESSOR CP7	*Call	N		12
2817		1860	64-WAY PROCESSOR CP7	*Call	N		12
2817		1861	65-WAY PROCESSOR CP7	*Call	N		12
2817		1862	66-WAY PROCESSOR CP7	*Call	N		12
2817		1863	67-WAY PROCESSOR CP7	*Call	N		12
2817		1864	68-WAY PROCESSOR CP7	*Call	N		12
2817		1865	69-WAY PROCESSOR CP7	*Call	N		12
2817		1866	70-WAY PROCESSOR CP7	*Call	N		12
2817		1867	71-WAY PROCESSOR CP7	*Call	N		12
2817		1868	72-WAY PROCESSOR CP7	*Call	N		12
2817		1869	73-WAY PROCESSOR CP7	*Call	N		12
2817		1870	74-WAY PROCESSOR CP7	*Call	N		12
2817		1871	75-WAY PROCESSOR CP7	*Call	N		12
2817		1872	76-WAY PROCESSOR CP7	*Call	N		12
2817		1873	77-WAY PROCESSOR CP7	*Call	N		12
2817		1874	78-WAY PROCESSOR CP7	*Call	N		12
2817		1875	79-WAY PROCESSOR CP7	*Call	N		12
2817		1876	80-WAY PROCESSOR CP7	*Call	N		12
2817		1881	IFL	*Call	N		12
2817		1882	ICF	*Call	N		12
2817		1883	SAP (OPTIONAL)	*Call	N		12
2817		1884	ZAAP	*Call	N		12
2817		1885	ZIIP	*Call	N		12
2817		1886	UNASSIGNED IFL	*Call	N		12
2817		1901	16GB MEMORY CAPACITY INCR	*Call	N		12
2817		1902	16GB FTR CONVERTED MEMORY	*Call	N		12
2817		1996	PREPLANNED MEMORY	*Call	N		12
2817		2323	16 PORT ESCON CARD	*Call	N		12
2817		2324	ESCON CHANNEL PORT	*Call	N		12
2817		3004	BPR PAIR AIR MODEL	*Call	N		12
2817		3005	BPD PAIR AIR MODEL	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		3006	BPR PAIR WATER MODEL	*Call	N		12
2817		3007	BPD PAIR WATER MODEL	*Call	N		12
2817		3212	INTERNAL BATTERY IBF ED	*Call	N		12
2817		3325	FICON EXPRESS8 10KM LX	*Call	N		12
2817		3326	FICON EXPRESS8 SX	*Call	N		12
2817		3362	OSA EXPRESS3 GBE LX	*Call	N		12
2817		3363	OSA EXPRESS3 GBE SX	*Call	N		12
2817		3367	OSA EXPRESS3 1000BASET EN	*Call	N		12
2817		3370	OSA EXPRESS3 10 GBE LR	*Call	N		12
2817		3371	OSA EXPRESS3 10 GBE SR	*Call	N		12
2817		3377	FILL AND DRAIN KIT	*Call	N		12
2817		3759	UNIVERSAL LIFT TOOL LADDER	*Call	N		12
2817		4000	I O DRAWER AIR	*Call	N		12
2817		4002	I O CAGE AIR	*Call	N		12
2817		4004	I O DRAWER WATER	*Call	N		12
2817		4005	I O CAGE WATER	*Call	N		12
2817		4015	A FRAME W O CARGO AIR	*Call	N		12
2817		4016	A FRAME W CARGO AIR	*Call	N		12
2817		4017	A FRAME W O CARGO WATER	*Call	N		12
2817		4018	A FRAME W CARGO WATER	*Call	N		12
2817		4019	A FR MULTINODE W O CARGO A	*Call	N		12
2817		4020	A FR MULTINODE W CARGO A	*Call	N		12
2817		6096	FLAT PANEL DISPLAY	*Call	N		12
2817		6501	POWER SEQUENCE CONTROLLER	*Call	N		12
2817		6805	ADDITIONAL CBU TEST	*Call	N		12
2817		6818	CBU RECORDS ORDERED	*Call	N		12
2817		6820	SINGLE CBU CP YEAR	*Call	N		12
2817		6821	25 CBU CP YEAR	*Call	N		12
2817		6822	SINGLE CBU IFL YEAR	*Call	N		12
2817		6823	25 CBU IFL YEAR	*Call	N		12
2817		6824	SINGLE CBU ICF YEAR	*Call	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2817		6825	25 CBU ICF YEAR	*Call	N		12
2817		6826	SINGLE CBU ZAAP YEAR	*Call	N		12
2817		6827	25 CBU ZAAP YEAR	*Call	N		12
2817		6828	SINGLE CBU ZIIP YEAR	*Call	N		12
2817		6829	25 CBU ZIIP YEAR	*Call	N		12
2817		6830	SINGLE CBU SAP YEAR	*Call	N		12
2817		6831	25 CBU SAP YEAR	*Call	N		12
2817		7900	FQC BRACKET MOUNT HW A	*Call	N		12
2817		7902	MT RJ 6 FT HARNESS A	*Call	N		12
2817		7903	MT RJ 8 5 FT HARNESS A	*Call	N		12
2817		7904	MT RJ 5 FT HARNESS A	*Call	N		12
2817		7905	MT RJ 3 5 FT HARNESS A	*Call	N		12
2817		7906	LC DUP 6 FT HARNESS A	*Call	N		12
2817		7908	LC DUP 8 5 FT HARNESS A	*Call	N		12
2817		7910	FQC BRACKET MOUNT HW W	*Call	N		12
2817		7912	MT RJ 6 FT HARNESS W	*Call	N		12
2817		7913	MT RJ 8 5 FT HARNESS W	*Call	N		12
2817		7914	MT RJ 5 FT HARNESS W	*Call	N		12
2817		7915	MT RJ 3 5 FT HARNESS W	*Call	N		12
2817		7916	LC DUP 6 6 FT HARNESS W	*Call	N		12
2817		7918	LC DUP 8 5 FT HARNESS W	*Call	N		12
2817		7942	TOP EXIT I O CABLING	*Call	N		12
2817		7949	SIDE COVERS	*Call	N		12
2817		8008	3 IN 1 BOLT DOWN KIT A	*Call	N		12
2817		8009	3 IN 1 BOLT DOWN KIT W	*Call	N		12
2817		8963	14FT 380 570V DC LINE CORD	*Call	N		12
2817		8983	14FT 480V 3PH LINE CORD	*Call	N		12
2817		8993	14FT 200V 3PH CORD	*Call	N		12
2817		9888	ON OFF COD ACT IFL DAY	*Call	N		12
2817		9889	ON OFF COD ACT ICF DAY	*Call	N		12
2817		9893	ON OFF COD ACT ZAAP DAY	*Call	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2817		9897	ON OFF COD ACT CAP CP DAY	*Call	N		12
2817		9908	ON OFF COD ACT ZIIP DAY	*Call	N		12
2817		9909	ON OFF COD ACT SAP DAY	*Call	N		12
2817		9917	1 MSU DAY	*Call	N		12
2817		9918	100 MSU DAYS	*Call	N		12
2817		9919	10000 MSU DAYS	*Call	N		12
2817		9920	1 IFL DAY	*Call	N		12
2817		9921	100 IFL DAYS	*Call	N		12
2817		9922	1 ICF DAY	*Call	N		12
2817		9923	100 ICF DAYS	*Call	N		12
2817		9924	1 ZIIP DAY	*Call	N		12
2817		9925	100 ZIIP DAYS	*Call	N		12
2817		9926	1 ZAAP DAY	*Call	N		12
2817		9927	100 ZAAP DAYS	*Call	N		12
2817		9928	1 SAP DAY	*Call	N		12
2817		9929	100 SAP DAYS	*Call	N		12
2817		9968	SITE TOOL KIT	*Call	N		12
2817		9970	WEIGHT DISTRIBUTION KIT	*Call	N		12
2817		9975	HEIGHT REDUCE SHIP	*Call	N		12
2851	DE1		SYSTEM STORAGE SONAS	45089	N	1	12
2851	DR1		SYSTEM STORAGE SONAS	112723	N	1	12
2851	I36		SYSTEM STORAGE SONAS	33422	N	1	12
2851	I96		SYSTEM STORAGE SONAS	128828	N	1	12
2851	RXA		SYSTEM STORAGE SONAS	27505	N	1	12
2851	RXB		SYSTEM STORAGE SONAS	22118	N	1	12
2851	RXC		SYSTEM STORAGE SONAS	22118	N	1	12
2851	SI1		SYSTEM STORAGE SONAS	8180	N	1	12
2851	SM1		SYSTEM STORAGE SONAS	8811	N	1	12
2851	SS1		SYSTEM STORAGE SONAS	12345	N	1	12
2851		0100	TWO 50 PORT 10 100 1000 LEVEL	6545	N		12
2851		1000	ADDITIONAL 32GB MEMORY	1349	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2851		1001	128 GB MEMORY OPTION	25365	N		12
2851		1002	USB MODEM	355	N		12
2851		1100	QUAD PORT 1GBE NIC	506	N		12
2851		1101	DUAL PORT 10GB CNA	2871	N		12
2851		1220	10M INFINIBAND X4 TO QSFP OPTI	1658	N		12
2851		1221	20M INFINIBAND X4 TO QSFP OPTI	1789	N		12
2851		1222	30M INFINIBAND X4 TO QSFP OPTI	1921	N		12
2851		1223	50M INFINIBAND X4 TO QSFP OPTI	2184	N		12
2851		1230	10M INFINIBAND X4 TO X4 OPTICAL	1658	N		12
2851		1231	20M INFINIBAND X4 TO X4 OPTICA	1789	N		12
2851		1232	30M INFINIBAND X4 TO X4 OPTICA	1921	N		12
2851		1233	50M INFINIBAND X4 TO X4 OPTICA	2184	N		12
2851		1302	10 PACK OF 7.2K RPM 2TB NEARLC	38633	N		12
2851		1311	10 PACK OF 15K RPM 600 GBH	18155	N		12
2851		1500	96 PORT INFINIBAND SWITCH FABR	19531	N		12
2851		1501	24 PORT 4X DDR INFINIBAND	45705	N		12
2851		1502	HI MEMORY MANAGEMENT	34189	N		12
2851		1503	POWER SUPPLY	9811	N		12
2851		6070	STANDARD FRONT AND REAR DOORS	2018	N		12
2851		6086	SUITE ATTACH KIT 2M RACK	239	N		12
2851		6098	SIDE PANEL	143	N		12
2851		6249	ACOUSTIC FRONT AND REAR DOORS	6965	N		12
2851		6858	REAR DOOR HEAT EXCHANGER	6939	N		12
2851		7188	SIDE MOUNT 1 PHASE PDUS	1914	N		12
2851		7192	INTELLIGENT PDUS	2393	N		12
2857	003		EXN3000 SAS/SATA EXP. UNIT	13675	Y	1	36
2857		1102	SAS DISK POWER SUPPLY	612	N		36
2857		2050	2.0 M MINI SAS QSFP CABLE	136	N		36
2857		2051	5.0 M MINI SAS QSFP CABLE	181	N		36
2857		2052	0.5 M SAS QSFP QSFP CABLE	91	N		36
2857		2053	2.0 M SAS QSFP QSFP CABLE	136	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2857		2054	5.0 M SAS QSFP QSFP CABLE	181	N		36
2857		2063	0.5 M SAS RJ 45 ACP CABLE	5	N		36
2857		2064	2.0 M SAS RJ 45 ACP CABLE	8	N		36
2857		2065	5.0 M SAS RJ 45 ACP CABLE	11	N		36
2857		4015	300 GB SAS DRIVE	1310	N		36
2857		4016	450 GB SAS DRIVE	1877	N		36
2857		4017	600 GB 15K RPM SAS HDD	2308	N		36
2857		4020	1 TB SATA DRIVE	1150	N		36
2857		9201	PLANT INSTALL IN 2101 RACK	145	N		36
2857		9202	FIELD INSTALL RACK MOUNT KIT	145	N		36
2858	A10		N6040 MODEL A10	22209	N	1	36
2858	A20		N6040 MODEL A20	20249	N	1	36
2858	A21		N6070 MODEL A21	98188	N	1	36
2858	A22		N6060 MODEL A22	61907	N	1	36
2858		1012	2-PORT FIBER GBE NIC	1632	N		36
2858		1013	2-PORT CU GBE NIC	544	N		36
2858		1014	4 GBPS FC HBA DISK 2 PORT	2086	N		36
2858		1015	4 GBPS FC HBA TAPE 2 PORT	2131	N		36
2858		1017	2 PORT 4 GBPS FC HBA TARGET	2086	N		36
2858		1021	2 PORT ISCSI TARGET FI NIC	2539	N		36
2858		1023	4 PORT CU GBE NIC	1360	N		36
2858		1026	2 PORT ISCSI TARGET CU NIC	2176	N		36
2858		1029	4 PORT 4 GBPS FC HBA DISK	3627	N		36
2858		1030	4 PORT 4 GBPS PCIE TARGET	3627	N		36
2858		1031	2 PORT 10GBE TOE NIC	10882	N		36
2858		1033	SNAPMIRROR OVER FC HBA PCIE	2675	N		36
2858		1035	4 PORT 4 GBPS FC HBA TAP/DSK	3627	N		36
2858		1036	2 PORT 8 GBPS PCIE TARGET	2720	N		36
2858		1044	FIBRE CHANNEL WRAP PLUG LC	45	N		36
2858		1047	10GBE FI CABLE 30M LC/SC	272	N		36
2858		1050	EXT. LONGWAVE SFP 4 GBPS	1224	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2858		1051	FC CABLE 50U 31M LC/LC		58 N		36
2858		1052	FC CABLE 50U 31M LC/SC		58 N		36
2858		1055	FCOE SFP+ COPPER CABLE 5M		126 N		36
2858		1057	512 GB PERF ACCEL MODULE		44433 N		36
2858		1058	256 GB PERF ACCEL MODULE		17229 N		36
2858		1061	4 PORT 3 GBPS SAS ADAPTER		1814 N		36
2858		1063	2 PORT FCOE FI TARGET ADAPT		2720 N		36
2858		1064	2 PORT FCOE CU TARGET ADAPT		1904 N		36
2858		1065	2 PORT 10 GBPS ENET NIC		3627 N		36
2858		2012	NIC SFP+		635 N		36
2858		9201	PLANT INSTALL IN 2101 RACK		145 N		36
2858		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2859	A10		N3300 MODEL A10		2951 Y	1	36
2859	A20		N3300 MODEL A20		5275 Y	1	36
2859		1051	FC CABLE 50U 31M LC LC		58 N		36
2859		1052	FC CABLE 50U 31M LC SC		58 N		36
2859		2011	4-GBPS SFP GBIC		163 N		36
2859		4015	300 GB 15K RPM SAS HDD		1310 N		36
2859		4018	500 GB SATA DRIVE		589 N		36
2859		4020	1 TB SATA DRIVE		1150 N		36
2859		4021	2 TB SATA DRIVE		2312 N		36
2859		9201	PLANT INSTALL IN 2101 RACK		145 N		36
2859		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2861	001		EXN1000 SATA EXPANSION UNIT		5758 Y	1	36
2861		2010	SFP GBIC		91 N		36
2861		2021	0.5 M FC COPPER CABLE		67 N		36
2861		2042	1.0 M FC OPTICAL CABLE		91 N		36
2861		2043	2.0 M FC OPTICAL CABLE		113 N		36
2861		2044	5.0 M FC OPTICAL CABLE		136 N		36
2861		4016	1 TB SATA DRIVE		1150 N		36
2861		9201	PLANT INSTALL IN 2101 RACK		145 N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2861		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2862	A20		N3600 MODEL A20	11788	Y	1	36
2862		1012	2-PORT FIBER GBE NIC	1632	N		36
2862		1013	2-PORT CU GBE NIC	544	N		36
2862		1014	2-PORT 4-GBPS FC HBA - DISK	2086	N		36
2862		1015	2-PORT 4-GBPS FC HBA - TAPE	2131	N		36
2862		1023	4 PORT CU GBE NIC	1360	N		36
2862		1029	4 PORT 4 GBPS FC HBA	3627	N		36
2862		1030	4 PORT 4 GBPS PCIE TARGET	3627	N		36
2862		1033	SNAPMIRROR OVER FC HBA	2675	N		36
2862		1036	2 PORT 8 GBPS PCIE TARGET	2720	N		36
2862		1044	FIBRE CHANNEL WRAP PLUG LC	45	N		36
2862		1051	FC CABLE 50U 31M LC LC	58	N		36
2862		1052	FC CABLE 50U 31M LC SC	58	N		36
2862		1055	FCOE SFP+ COPPER CABLE 5M	126	N		36
2862		1060	2 PORT MINI SAS ADAPTER	635	N		36
2862		1062	1 PORT 10 GBPS ENET NIC	3627	N		36
2862		1063	2 PORT FCOE FI TARGET ADAPT	2720	N		36
2862		1064	2 PORT FCOE CU TARGET ADAPT	1904	N		36
2862		2011	4-GBPS SFP GBIC	163	N		36
2862		4015	300 GB 15K RPM SAS HDD	1310	N		36
2862		4016	450 GB 15K RPM SAS HDD	1877	N		36
2862		4020	1 TB SATA DRIVE	1150	N		36
2862		9201	PLANT INSTALL IN 2101 RACK	145	N		36
2862		9202	FIELD INSTALL RACK MOUNT KIT	145	N		36
2863	004		N SERIES EXN4000	6620	Y	1	36
2863		1051	FC CABLE 50U 31M LC LC	58	N		36
2863		1052	FC CABLE 50U 31M LC SC	58	N		36
2863		2010	SFP GBIC	91	N		36
2863		2011	4-GBPS SF GBIC	163	N		36
2863		2021	FC EXP TO EXP CBL 0.5M	67	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2863		2042	1.0 M FC OPTICAL CABLE		91 N		36
2863		2043	2.0 M FC OPTICAL CABLE		113 N		36
2863		2044	5.0 M FC OPTICAL CABLE		136 N		36
2863		4006	300 GB 15K RPM FC HDD		1445 N		36
2863		9201	PLANT INSTALL IN 2101 RACK		145 N		36
2863		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2864		1007	QUAD PORT COPPER GIGE NIC		1632 N		36
2864		1037	2M COPPER CLUSTER 4X IB CBL		67 N		36
2864		1040	5M FIBER CLUSTER 4X IB CBL		126 N		36
2864		1041	30M FIBER CLUSTER 4X IB CBL		290 N		36
2864		1042	COPPER-FIBER CONVERTER		457 N		36
2864		1051	FC CABLE 50U 31M LC LC		58 N		36
2864		1052	FC CABLE 50U 31M LC SC		58 N		36
2865		1037	2M COPPER CLUSTER 4X IB CBL		67 N		36
2865		1040	5M FIBER CLUSTER 4X IB CBL		126 N		36
2865		1041	30M FIBER CLUSTER 4X IB CBL		290 N		36
2865		1042	COPPER-FIBER CONVERTER		457 N		36
2865		1051	FC CABLE 50U 31M LC LC		46 N		36
2865		1052	FC CABLE 50U 31M LC SC		46 N		36
2865		9202	FIELD MERGE RACK MOUNT KIT		145 N		36
2866		1008	1 PORT 10GBE TOE NIC		13602 N		36
2866		1012	2 PORT FIBER GBE NIC		1632 N		36
2866		1013	2 PORT CU GBE NIC		544 N		36
2866		1014	4 GBPS FC HBA DISK 2 PORT		2086 N		36
2866		1015	4 GBPS FC HBA TAPE 2 PORT		2131 N		36
2866		1016	SCSI LVD TAPE ADAPTER		544 N		36
2866		1017	2 PORT 4 GBPS FC HBA TARGET		2086 N		36
2866		1023	4 PORT CU GBE NIC		1360 N		36
2866		1029	4 PORT 4 GBPS FC HBA		3627 N		36
2866		1030	4 PORT 4 GBPS PCIE TARGET		3627 N		36
2866		1031	2-PORT 10GBE TOE NIC		10882 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2866		1032	2-PORT METROCLUSTER VI HBA		2947 N		36
2866		1033	SNAPMIRROR OVER FC HBA PCIE		2675 N		36
2866		1034	SNAPMIRROR OVER FC HBA PCI X		2947 N		36
2866		1035	4 PORT 4 GBPS FC HBA TAP/DSK		3627 N		36
2866		1036	2 PORT 8 GBPS PCIE TARGET		2720 N		36
2866		1037	2M COPPER CLUSTER 4X IB CBL		67 N		36
2866		1040	5M FIBER CLUSTER 4X IB CBL		126 N		36
2866		1041	30M FIBER CLUSTER 4X IB CBL		290 N		36
2866		1042	COPPER-FIBER CONVERTER		457 N		36
2866		1044	FIBRE CHANNEL WRAP PLUG LC		45 N		36
2866		1047	10-GBE FI CABLE 30M LC/SC		272 N		36
2866		1051	FC CABLE 50U 31M LC LC		58 N		36
2866		1052	FC CABLE 50U 31M LC SC		58 N		36
2866		1055	FCOE SFP+ COPPER CABLE 5M		126 N		36
2866		1057	512 GB PERF ACCEL MODULE		81612 N		36
2866		1061	4 PORT 3 GBPS SAS ADAPTER		1814 N		36
2866		1063	2 PORT FCOE FI TARGET ADAPT		2720 N		36
2866		1064	2 PORT FCOE CU TARGET ADAPT		1904 N		36
2866		1065	2 PORT 10 GBPS ENET NIC		3627 N		36
2866		2012	NIC SFP+		635 N		36
2866		9201	PLANT INSTALL IN 2101 RACK		145 N		36
2866		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2867	A21		N7900 MODEL A21		171177 Y	1	36
2867		1007	QUAD PORT COPPER GIG E NIC		1632 N		36
2867		1008	1 PORT 10GBE TOE NIC		13602 N		36
2867		1012	2 PORT FIBER GBE NIC		1632 N		36
2867		1013	2 PORT CU GBE NIC		544 N		36
2867		1014	4 GBPS FC HBA DISK 2 PORT		2086 N		36
2867		1015	4 GBPS FC HBA TAPE 2 PORT		2131 N		36
2867		1016	SCSI LVD TAPE ADAPTER		544 N		36
2867		1017	2 PORT 4 GBPS FC HBA TARGET		2086 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2867		1023	4 PORT CU GBE NIC		1360 N		36
2867		1029	4 PORT 4 GBPS FC HBA		3627 N		36
2867		1030	4 PORT 4 GBPS PCIE TARGET		3627 N		36
2867		1031	2-PORT 10GBE TOE NIC		10882 N		36
2867		1032	2-PORT METROCLUSTER VI HBA		2947 N		36
2867		1033	SNAPMIRROR OVER FC HBA PCIE		2675 N		36
2867		1035	4 PORT 4 GBPS FC HBA TAP/DSK		3627 N		36
2867		1036	2 PORT 8 GBPS PCIE TARGET		2720 N		36
2867		1037	2M COPPER CLUSTER 4X IB CBL		67 N		36
2867		1040	5M FIBER CLUSTER 4X IB CBL		126 N		36
2867		1041	30M FIBER CLUSTER 4X IB CBL		290 N		36
2867		1042	COPPER-FIBER CONVERTER		457 N		36
2867		1044	FIBRE CHANNEL WRAP PLUG LC		45 N		36
2867		1047	10-GBE FI CABLE 30M LC/SC		272 N		36
2867		1051	FC CABLE 50U 31M LC LC		58 N		36
2867		1052	FC CABLE 50U 31M LC SC		58 N		36
2867		1055	FCOE SFP+ COPPER CABLE 5M		126 N		36
2867		1057	512 GB PERF ACCEL MODULE		44433 N		36
2867		1061	4 PORT 3 GBPS SAS ADAPTER		1814 N		36
2867		1063	2 PORT FCOE FI TARGET ADAPT		2720 N		36
2867		1064	2 PORT FCOE CU TARGET ADAPT		1904 N		36
2867		1065	2 PORT 10 GBPS ENET NIC		3627 N		36
2867		9201	PLANT INSTALL IN 2101 RACK		145 N		36
2867		9202	FIELD INSTALL RACK MOUNT KIT		145 N		36
2868		1012	2-PORT FIBER GBE NIC		1632 N		36
2868		1013	2-PORT CU GBE NIC		544 N		36
2868		1014	4-GBPS FC HBA - DISK 2-PORT		2086 N		36
2868		1015	4-GBPS FC HBA - TAPE 2-PORT		2131 N		36
2868		1017	2-PORT 4-GBPS FC HBA-TARGET		2086 N		36
2868		1023	4-PORT CU GBE NIC		1360 N		36
2868		1029	4 PORT 4 GBPS FC HBA		3627 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2868		1030	4 PORT 4 GBPS PCIE TARGET	3627	N		36
2868		1031	2-PORT 10GBE TOE NIC	10882	N		36
2868		1032	2-PORT METROCLUSTER VI HBA	2947	N		36
2868		1033	SNAPMIRROR OVER FC HBA	2675	N		36
2868		1035	4 PORT 4 GBPS FC HBA TAP/DSK	3627	N		36
2868		1036	2 PORT 8 GBPS PCIE TARGET	2720	N		36
2868		1037	2M COPPER CLUSTER 4X IB CBL	67	N		36
2868		1040	5M FIBER CLUSTER 4X IB CBL	126	N		36
2868		1041	30M FIBER CLUSTER 4X IB CBL	290	N		36
2868		1042	COPPER-FIBER CONVERTER	457	N		36
2868		1044	FIBRE CHANNEL WRAP PLUG LC	45	N		36
2868		1047	10-GBE FI CABLE 30M LC/SC	272	N		36
2868		1051	FC CABLE 50U 31M LC LC	58	N		36
2868		1052	FC CABLE 50U 31M LC SC	58	N		36
2868		1055	FCOE SFP+ COPPER CABLE 5M	126	N		36
2868		1058	256 GB PERF ACCEL MODULE	40806	N		36
2868		1061	4 PORT 3 GBPS SAS ADAPTER	1814	N		36
2868		1063	2 PORT FCOE FI TARGET ADAPT	2720	N		36
2868		1064	2 PORT FCOE CU TARGET ADAPT	1904	N		36
2868		1065	2 PORT 10 GBPS ENET NIC	3627	N		36
2868		2012	NIC SFP+	635	N		36
2869		1012	2-PORT FIBER GBE NIC	1632	N		36
2869		1013	2-PORT CU GBE NIC	544	N		36
2869		1014	4-GBPS FC HBA - DISK 2-PORT	2086	N		36
2869		1015	4-GBPS FC HBA - TAPE 2-PORT	2131	N		36
2869		1017	2-PORT 4-GBPS FC HBA-TARGET	2086	N		36
2869		1023	4-PORT CU GBE NIC	1360	N		36
2869		1029	4 PORT 4 GBPS FC HBA	3627	N		36
2869		1030	4 PORT 4 GBPS PCIE TARGET	3627	N		36
2869		1031	2-PORT 10GBE TOE NIC	10882	N		36
2869		1032	2-PORT METROCLUSTER VI HBA	2947	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2869		1033	SNAPMIRROR OVER FC HBA PCIE	2675	N		36
2869		1035	4 PORT 4 GBPS FC HBA TAP/DSK	3627	N		36
2869		1036	2 PORT 8 GBPS PCIE TARGET	2720	N		36
2869		1037	2M COPPER CLUSTER 4X IB CBL	67	N		36
2869		1040	5M FIBER CLUSTER 4X IB CBL	126	N		36
2869		1041	30M FIBER CLUSTER 4X IB CBL	290	N		36
2869		1042	COPPER-FIBER CONVERTER	457	N		36
2869		1044	FIBRE CHANNEL WRAP PLUG LC	45	N		36
2869		1047	10-GBE FI CABLE 30M LC/SC	272	N		36
2869		1051	FC CABLE 50U 31M LC LC	58	N		36
2869		1052	FC CABLE 50U 31M LC SC	58	N		36
2869		1055	FCOE SFP+ COPPER CABLE 5M	126	N		36
2869		1061	4 PORT 3 GBPS SAS ADAPTER	1814	N		36
2869		1063	2 PORT FCOE FI TARGET ADAPT	2720	N		36
2869		1064	2 PORT FCOE CU TARGET ADAPT	1904	N		36
2869		1065	2 PORT 10 GBPS ENET NIC	3627	N		36
2869		2012	NIC SFP+	635	N		36
2870	586		N6060 586 FUNC AUTHORIZATION	0	Y		36
2870	591		N3300 591 FUNC AUTHORIZATION	0	Y		36
2870	592		N3300 592 FUNC AUTHORIZATION	0	Y		36
2870	593		N3400 593 FUNC AUTHORIZATION	0	Y	1	36
2870	594		N3400 594 FUNC AUTHORIZATION	0	Y	1	36
2870	621		N3600 621 FUNC AUTHORIZATION	0	Y		36
2870	622		N3600 622 FUNC AUTHORIZATION	0	Y		36
2870	692		N5300 692 FUNC AUTHORIZATION	0	Y		36
2870		5002	FOUNDATION PACK	2404	N		36
2870		5003	PROTECTION PACK	5050	N		36
2870		5004	ADVANCED PACK	7695	N		36
2870		5052	FOUNDATION PACK	3347	N		36
2870		5053	PROTECTION PACK	5596	N		36
2870		5054	ADVANCED PACK	12077	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		5102	FOUNDATION PACK	7091	N		36
2870		5103	PROTECTION PACK	23785	N		36
2870		5104	ADVANCED PACK	19978	N		36
2870		5152	FOUNDATION PACK	10606	N		36
2870		5153	PROTECTION PACK	33978	N		36
2870		5154	ADVANCED PACK	33963	N		36
2870		5202	FOUNDATION PACK	5673	N		36
2870		5203	PROTECTION PACK	19027	N		36
2870		5204	ADVANCED PACK	15983	N		36
2870		5252	FOUNDATION PACK	8485	N		36
2870		5253	PROTECTION PACK	27183	N		36
2870		5254	ADVANCED PACK	27171	N		36
2870		5302	WINDOWS BUNDLE	93044	N		36
2870		5303	VIRTUALIZATION BUNDLE	82918	N		36
2870		5304	COMPLETE BUNDLE	122321	N		36
2870		5352	WINDOWS BUNDLE	62760	N		36
2870		5354	COMPLETE BUNDLE	87886	N		36
2870		6002	CIFS	6077	N		36
2870		6004	NFS	10945	N		36
2870		6051	CIFS	92123	N		36
2870		6052	HTTP	21582	N		36
2870		6053	NFS	98968	N		36
2870		6054	CFO	25829	N		36
2870		6055	FLEXCLONE	39310	N		36
2870		6056	MULTISTORE	64746	N		36
2870		6057	SNAPMIRROR	124311	N		36
2870		6058	SNAPLOCK COMPLIANCE	77695	N		36
2870		6059	SNAPLOCK ENTERPRISE	77695	N		36
2870		6061	SNAPRESTORE	27748	N		36
2870		6062	SNAPVAULT PRIMARY	44397	N		36
2870		6063	SNAPVAULT SECONDARY	124311	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6068	FIBRE CHANNEL PROTOCOL	14635	N		36
2870		6070	SNAPMANAGER/EXCHANGE - FILER	73378	N		36
2870		6071	SNAPMANAGER/SQL - FILER	73378	N		36
2870		6072	NEARSTORE	0	N		36
2870		6073	METROCLUSTER	39464	N		36
2870		6074	SAN BUNDLE	25829	N		36
2870		6078	MS EXCHANGE BUNDLE 5K USRS	79445	N		36
2870		6079	SNAPMIRROR/SNAPVAULT BUNDLE	155389	N		36
2870		6088	SNAPMANAGER SAP FILER	97118	N		36
2870		6089	SNAPMANAGER ORACLE FILER	77695	N		36
2870		6091	SNAPMANAGER HYPER V FILER	20466	N		36
2870		6096	SNAPDRIVE FOR UNIX FILER	34112	N		36
2870		6097	SNAPDRIVE FOR WIN FILER	34112	N		36
2870		6098	SNAPMANAGER VI FILER	34112	N		36
2870		6099	SNAPMANAGER SHAREPOINT FILER	57716	N		36
2870		6100	DATA ONTAP	28537	N		36
2870		6102	CIFS	8681	N		36
2870		6104	NFS	16426	N		36
2870		6105	CFO	3501	N		36
2870		6150	DATA ONTAP	32645	N		36
2870		6151	CIFS	92123	N		36
2870		6152	HTTP	21582	N		36
2870		6153	NFS	98968	N		36
2870		6154	CFO	25829	N		36
2870		6155	FLEXCLONE	39310	N		36
2870		6156	MULTISTORE	64746	N		36
2870		6157	SNAPMIRROR	124311	N		36
2870		6158	SNAPLOCK COMPLIANCE	77695	N		36
2870		6159	SNAPLOCK ENTERPRISE	77695	N		36
2870		6161	SNAPRESTORE	27748	N		36
2870		6162	SNAPVAULT PRIMARY	44397	N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6163	SNAPVAULT SECONDARY	124311	N		36
2870		6165	LOCKVAULT ENTERPRISE	255283	N		36
2870		6168	FIBRE CHANNEL PROTOCOL	14635	N		36
2870		6170	SNAPMANAGER/EXCHANGE - FILER	73378	N		36
2870		6171	SNAPMANAGER/SQL - FILER	73378	N		36
2870		6172	NEARSTORE	0	N		36
2870		6173	METROCLUSTER	39464	N		36
2870		6179	SNAPMIRROR/SNAPVAULT BUNDLE	155389	N		36
2870		6188	SNAPMANAGER SAP FILER	97118	N		36
2870		6189	SNAPMANAGER ORACLE FILER	77695	N		36
2870		6191	SNAPMGR HYPER V FILER GW	20466	N		36
2870		6196	SNAPDRIVE FOR UNIX FILER GW	34112	N		36
2870		6197	SNAPDRIVE FOR WIN FILER GW	34112	N		36
2870		6198	SNAPMANAGER VI FILER GW	34112	N		36
2870		6199	SNAPMANAGER SHAREPOINT FILER	57716	N		36
2870		6250	DATA ONTAP	10368	N		36
2870		6301	DATA ONTAP GW	15900	N		36
2870		6302	CIFS	0	N		36
2870		6303	HTTP	1418	N		36
2870		6304	NFS	0	N		36
2870		6307	SNAPMANAGER HYPER V FILER	2959	N		36
2870		6311	FLEXCLONE	11839	N		36
2870		6320	MULTISTORE	6166	N		36
2870		6322	NEARSTORE	0	N		36
2870		6327	SNAPDRIVE FOR UNIX FILER	5919	N		36
2870		6328	SNAPDRIVE FOR WIN FILER	4933	N		36
2870		6329	SNAPMIRROR/SNAPVAULT BUNDLE	8092	N		36
2870		6331	SNAPMIRROR	7769	N		36
2870		6332	SNAPLOCK COMPLIANCE	9866	N		36
2870		6333	SNAPLOCK ENTERPRISE	9866	N		36
2870		6335	SNAPRESTORE	3700	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6336	SNAPVAULT PRIMARY		3700 N		36
2870		6337	SNAPVAULT SECONDARY		6475 N		36
2870		6338	SNAPMANAGER SAP FILER		13874 N		36
2870		6339	SNAPMANAGER ORACLE FILER		9249 N		36
2870		6343	FIBRE CHANNEL PROTOCOL		1233 N		36
2870		6345	SNAPMANAGER/EXCHANGE - FILER		9249 N		36
2870		6346	SNAPMANAGER/SQL - FILER		9249 N		36
2870		6348	SNAPMANAGER VI FILER		4933 N		36
2870		6349	SNAPMANAGER SHAREPOINT FILER		7276 N		36
2870		6352	CIFS		0 N		36
2870		6353	HTTP		2133 N		36
2870		6354	NFS		0 N		36
2870		6355	CFO		0 N		36
2870		6357	SNAPMANAGER HYPER V FILER		5327 N		36
2870		6361	FLEXCLONE		20126 N		36
2870		6370	MULTISTORE		9249 N		36
2870		6372	NEARSTORE		0 N		36
2870		6377	SNAPDRIVE FOR UNIX FILER		10655 N		36
2870		6378	SNAPDRIVE FOR WIN FILER		8879 N		36
2870		6379	SNAPMIRROR/SNAPVAULT BUNDLE		12150 N		36
2870		6381	SNAPMIRROR		11661 N		36
2870		6382	SNAPLOCK COMPLIANCE		14799 N		36
2870		6383	SNAPLOCK ENTERPRISE		14799 N		36
2870		6385	SNAPRESTORE		5550 N		36
2870		6386	SNAPVAULT PRIMARY		5550 N		36
2870		6387	SNAPVAULT SECONDARY		9718 N		36
2870		6388	SNAPMANAGER SAP FILER		20811 N		36
2870		6389	SNAPMANAGER ORACLE FILER		13874 N		36
2870		6393	FIBRE CHANNEL PROTOCOL		1850 N		36
2870		6395	SNAPMANAGER/EXCHANGE - FILER		13874 N		36
2870		6396	SNAPMANAGER/SQL - FILER		13874 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		6398	SNAPMANAGER VI FILER		8879 N		36
2870		6399	SNAPMANAGER SHAREPOINT FILER		10914 N		36
2870		6401	DATA ONTAP GW		32645 N		36
2870		6501	CIFS		33298 N		36
2870		6502	HTTP		8633 N		36
2870		6503	NFS		33569 N		36
2870		6505	FLRXCLONE		18499 N		36
2870		6506	MULTISTORE		30831 N		36
2870		6507	SNAPMIRROR		65262 N		36
2870		6508	SNAPLOCK COMPLIANCE		34531 N		36
2870		6509	SNAPLOCK ENTERPRISE		34531 N		36
2870		6511	SNAPRESTORE		12332 N		36
2870		6512	SNAPVAULT PRIMARY		18499 N		36
2870		6513	SNAPVAULT SECONDARY		65262 N		36
2870		6519	FIBRE CHANNEL PROTOCOL		5613 N		36
2870		6521	SNAPMANAGER EXCHANGE FILER		36997 N		36
2870		6522	SNAPMANAGER SQL FILER		36997 N		36
2870		6529	SNAPMIRROR SNAPVAULT BUNDLE		81579 N		36
2870		6538	SNAPMANAGER SAP FILER		46247 N		36
2870		6539	SNAPMANAGER ORACLE FILER		36997 N		36
2870		6541	SNAPMANAGER HYPER V FILER		8122 N		36
2870		6545	SNAPDRIVE FOR UNIX FILER		13536 N		36
2870		6546	SNAPDRIVE FOR WIN FILER		13536 N		36
2870		6548	SNAPMANAGER VI FILER		13536 N		36
2870		6549	SNAPMANAGER SHAREPOINT FILER		29104 N		36
2870		6551	CIFS		53276 N		36
2870		6552	HTTP		15539 N		36
2870		6553	NFS		47949 N		36
2870		6554	CFO		15230 N		36
2870		6555	FLEXCLONE		31448 N		36
2870		6556	MULTISTORE		46247 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6557	SNAPMIRROR	93233	N		36
2870		6558	SNAPLOCK COMPLIANCE	62155	N		36
2870		6559	SNAPLOCK ENTERPRISE	62155	N		36
2870		6561	SNAPRESTORE	22198	N		36
2870		6562	SNAPVAULT PRIMARY	33298	N		36
2870		6563	SNAPVAULT SECONDARY	93233	N		36
2870		6569	FIBRE CHANNEL PROTOCOL	8018	N		36
2870		6571	SNAPMANAGER/EXCHANGE FILER	62896	N		36
2870		6572	SNAPMANAGER SQL FILER	62896	N		36
2870		6574	SAN BUNDLE	15230	N		36
2870		6576	METROCLUSTER	29598	N		36
2870		6579	SNAPMIRROR/SNAPVAULT BUNDLE	116542	N		36
2870		6588	SNAPMANAGER SAP FILER	78620	N		36
2870		6589	SNAPMANAGER ORACLE FILER	62896	N		36
2870		6591	SNAPMANAGER HYPER V FILER	14618	N		36
2870		6595	SNAPDRIVE FOR UNIX FILER	24366	N		36
2870		6596	SNAPDRIVE FOR WIN FILER	24366	N		36
2870		6599	SNAPMANAGER SHAREPOINT FILER	49330	N		36
2870		6600	DATA ONTAP GW	8038	N		36
2870		6601	CIFS GW	33298	N		36
2870		6602	HTTP GW	8633	N		36
2870		6603	NFS GW	33569	N		36
2870		6605	FLEXCLONE GW	18499	N		36
2870		6606	MULTISTORE GW	30831	N		36
2870		6607	SNAPMIRROR GW	65262	N		36
2870		6608	SNAPLOCK COMPLIANCE GW	34531	N		36
2870		6609	SNAPLOCK ENTERPRISE GW	34531	N		36
2870		6611	SNAPRESTORE GW	12332	N		36
2870		6612	SNAPVALUT PRIMARY GW	18499	N		36
2870		6613	SNAPVALUT SECONDARY GW	65262	N		36
2870		6619	FIBRE CHANNEL PROTOCOL GW	5613	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6622	SNAPMANAGER SQL FILER GW	36997	N		36
2870		6624	METROCLUSTER GW	18499	N		36
2870		6629	SNAPMIR SNAPVLT BUNDLE GW	81579	N		36
2870		6638	SNAPMANAGER SAP FILER GW	46247	N		36
2870		6639	SNAPMANAGER ORACLE FILER GW	36997	N		36
2870		6641	SNAPMGR HYPER V FILER GW	8122	N		36
2870		6645	SNAPDRIVE FOR UNIX FILER GW	13536	N		36
2870		6646	SNAPDRIVE FOR WIN FILER GW	13536	N		36
2870		6648	SNAPMANAGER VI FILER GW	13536	N		36
2870		6649	SNAPMANAGER SHPNT FILER GW	29104	N		36
2870		6650	DATA ONTAP GW	12990	N		36
2870		6651	CIFS GW	53276	N		36
2870		6652	HTTP GW	15539	N		36
2870		6653	NFS GW	47949	N		36
2870		6654	CFO GW	15230	N		36
2870		6655	FLEXCLONE GW	31448	N		36
2870		6656	MULTISTORE GW	46247	N		36
2870		6657	SNAPMIRROR GW	93233	N		36
2870		6658	SNAPLOCK COMPLIANCE GW	62155	N		36
2870		6659	SNAPLOCK ENTERPRISE GW	62155	N		36
2870		6661	SNAPRESTORE GW	22198	N		36
2870		6662	SNAPVAULT PRIMARY GW	33298	N		36
2870		6663	SNAPVAULT SECONDARY GW	93233	N		36
2870		6669	FIBRE CHANNEL PROTOCOL GW	8018	N		36
2870		6671	SNAPMANAGER EXCH FILER GW	62896	N		36
2870		6672	SNAPMANAGER SQL FILER GW	62896	N		36
2870		6674	METROCLUSTER GW	29598	N		36
2870		6679	SNAPMIR SNAPVLT BUNDLE GW	116542	N		36
2870		6688	SNAPMANAGER SAP FILER GW	78620	N		36
2870		6689	SNAPMANAGER ORACLE FILER GW	62896	N		36
2870		6691	SNAPMGR HYPER V FILER GW	14618	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		6695	SNAPDRIVE FOR UNIX FILER GW	24366	N		36
2870		6696	SNAPDRIVE FOR WIN FILER GW	24366	N		36
2870		6698	SNAPMANAGER VI FILER GW	24366	N		36
2870		6699	SNAPMANAGER SHPNT FILER GW	49330	N		36
2870		6801	CIFS	15733	N		36
2870		6802	HTTP	5673	N		36
2870		6803	NFS	29968	N		36
2870		6805	FLEXCLONE	17265	N		36
2870		6806	MULTISTORE	18499	N		36
2870		6807	SNAPMIRROR	43508	N		36
2870		6808	SNAPLOCK COMPLIANCE	25898	N		36
2870		6809	SNAPLOCK ENTERPRISE	25898	N		36
2870		6811	SNAPRESTORE	9866	N		36
2870		6812	SNAPVAULT PRIMARY	12332	N		36
2870		6813	SNAPVAULT SECONDARY	43508	N		36
2870		6819	FIBRE CHANNEL PROTOCOL	3302	N		36
2870		6821	SNAPMANAGER/EXCHANGE FILER	30831	N		36
2870		6822	SNAPMANAGER/SQL FILER	30831	N		36
2870		6823	METROCLUSTER	12332	N		36
2870		6829	SNAPMIRROR/SNAPVAULT BUNDLE	54386	N		36
2870		6838	SNAPMANAGER SAP FILER	38539	N		36
2870		6839	SNAPMANAGER ORACLE FILER	30831	N		36
2870		6841	SNAPMANAGER HYPER V FILER	5800	N		36
2870		6845	SNAPDRIVE FOR UNIX FILER	9667	N		36
2870		6846	SNAPDRIVE FOR WIN FILER	9667	N		36
2870		6848	SNAPMANAGER VI FILER	9667	N		36
2870		6900	DATA ONTAP GW	7258	N		36
2870		6901	CIFS GW	15733	N		36
2870		6902	HTTP GW	5673	N		36
2870		6903	NFS GW	29968	N		36
2870		6905	FLEXCLONE GW	17265	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		6906	MULTISTORE GW	18499	N		36
2870		6907	SNAPMIRROR GW	43508	N		36
2870		6908	SNAPLOCK COMPLIANCE GW	25898	N		36
2870		6909	SNAPLOCK ENTERPRISE GW	25898	N		36
2870		6911	SNAPRESTORE GW	9866	N		36
2870		6912	SNAPVAULT PRIMARY GW	12332	N		36
2870		6913	SNAPVAULT SECONDARY GW	43508	N		36
2870		6919	FIBRE CHANNEL PROTOCOL GW	3302	N		36
2870		6921	SNAPMANAGER/EXCH FILER GW	30831	N		36
2870		6922	SNAPMANAGER/SQL FILER GW	30831	N		36
2870		6923	METROCLUSTER GW	12332	N		36
2870		6929	SNAPMIR/SNAPVLT BUNDLE GW	54386	N		36
2870		6938	SNAPMANAGER SAP FILER GW	38539	N		36
2870		6939	SNAPMANAGER ORACLE FILER GW	30831	N		36
2870		6941	SNAPMGR HYPER V FILER GW	5800	N		36
2870		6945	SNAPDRIVE FOR UNIX FILER GW	9667	N		36
2870		6946	SNAPDRIVE FOR WIN FILER GW	9667	N		36
2870		6948	SNAPMANAGER VI FILER GW	9667	N		36
2870		6949	SNAPMANAGER SHPNT FILER GW	24264	N		36
2870		6950	DATA ONTAP GW	10368	N		36
2870		7002	CIFS	7597	N		36
2870		7003	HTTP	4070	N		36
2870		7004	NFS	13683	N		36
2870		7011	FLEXCLONE	19978	N		36
2870		7020	MULTISTORE	15416	N		36
2870		7022	NEARSTORE	0	N		36
2870		7029	SNAPMIRROR/SNAPVAULT BUNDLE	24775	N		36
2870		7031	SNAPMIRROR	23722	N		36
2870		7032	SNAPLOCK COMPLIANCE	18499	N		36
2870		7033	SNAPLOCK ENTERPRISE	18499	N		36
2870		7035	SNAPRESTORE	7091	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7036	SNAPVAULT PRIMARY		7892 N		36
2870		7037	SNAPVAULT SECONDARY		19821 N		36
2870		7038	SNAPMANAGER SAP FILER		41622 N		36
2870		7039	SNAPMANAGER ORACLE FILER		27748 N		36
2870		7043	FIBRE CHANNEL PROTOCOL		1850 N		36
2870		7045	SNAPMANAGER/EXCHANGE - FILER		27748 N		36
2870		7046	SNAPMANAGER/SQL - FILER		27748 N		36
2870		7048	SNAPMANAGER VI FILER		6906 N		36
2870		7049	SNAPMANAGER SHAREPOINT FILER		21828 N		36
2870		7050	SNAPMANAGER HYPER V FILER		4144 N		36
2870		7076	SNAPDRIVE FOR UNIX FILER		8287 N		36
2870		7077	SNAPDRIVE FOR WIN FILER		6906 N		36
2870		7102	CIFS		10852 N		36
2870		7103	HTTP		6104 N		36
2870		7104	NFS		20533 N		36
2870		7105	CFO		2141 N		36
2870		7111	FLEXCLONE		33963 N		36
2870		7120	MULTISTORE		23123 N		36
2870		7122	NEARSTORE		0 N		36
2870		7129	SNAPMIRROR/SNAPVAULT BUNDLE		35393 N		36
2870		7131	SNAPMIRROR		33978 N		36
2870		7132	SNAPLOCK COMPLIANCE		27748 N		36
2870		7133	SNAPLOCK ENTERPRISE		27748 N		36
2870		7135	SNAPRESTORE		10606 N		36
2870		7136	SNAPVAULT PRIMARY		11839 N		36
2870		7137	SHAPVAULT SECONDARY		28315 N		36
2870		7138	SNAPMANAGER SAP FILER		62433 N		36
2870		7139	SNAPMANAGER ORACLE FILER		41622 N		36
2870		7143	FIBRE CHANNEL PROTOCOL		2775 N		36
2870		7145	SNAPMANAGER/EXCHANGE - FILER		41622 N		36
2870		7146	SNAPMANAGER/SQL - FILER		41622 N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7148	SNAPMANAGER VI FILER	13319	N		36
2870		7149	SNAPMANAGER SHAREPOINT FILER	32743	N		36
2870		7150	SNAPMANAGER HYPER V FILER	7458	N		36
2870		7176	SNAPDRIVE FOR UNIX FILER	15983	N		36
2870		7177	SNAPDRIVE FOR WIN FILER	13319	N		36
2870		7178	MS EXCHANGE BUNDLE 2.5K USRS	42861	N		36
2870		7201	CIFS	15733	N		36
2870		7202	HTTP	5673	N		36
2870		7203	NFS	33298	N		36
2870		7204	FLEXCLONE	17265	N		36
2870		7205	MULTISTORE	18499	N		36
2870		7206	SNAPMIRROR	43508	N		36
2870		7207	SNAPLOCK COMPLIANCE	25898	N		36
2870		7208	SNAPLOCK ENTERPRISE	25898	N		36
2870		7209	SNAPRESTORE	9866	N		36
2870		7210	SNAPVAULT PRIMARY	12332	N		36
2870		7211	SNAPVAULT SECONDARY	43508	N		36
2870		7214	SYNCMIRROR	0	N		36
2870		7217	FIBRE CHANNEL PROTOCOL	3546	N		36
2870		7219	SNAPMANAGER/EXCHANGE - FILER	30831	N		36
2870		7220	SNAPMANAGER/SQL - FILER	30831	N		36
2870		7229	SNAPMIRROR/SNAPVAULT BUNDLE	54386	N		36
2870		7230	NEARLINE FUNCTION	0	N		36
2870		7233	SNAPMANAGER SAP FILER	38539	N		36
2870		7234	SNAPMANAGER ORACLE FILER	30831	N		36
2870		7235	SNAPMANAGER VI FILER	9667	N		36
2870		7241	SNAPMANAGER HYPER V FILER	5800	N		36
2870		7247	SNAPDRIVE FOR UNIX FILER	9667	N		36
2870		7248	SNAPDRIVE FOR WIN FILER	9667	N		36
2870		7249	SNAPMANAGER SHAREPOINT FILER	24264	N		36
2870		7251	CIFS	22477	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7252	HTTP	8509	N		36
2870		7253	NFS	45452	N		36
2870		7254	CFO	23328	N		36
2870		7255	FLEXCLONE	29351	N		36
2870		7256	MULTISTORE	27748	N		36
2870		7257	SNAPMIRROR	62155	N		36
2870		7258	SNAPLOCK COMPLIANCE	46617	N		36
2870		7259	SNAPLOCK ENTERPRISE	46617	N		36
2870		7261	SNAPRESTORE	14503	N		36
2870		7262	SNAPVAULT PRIMARY	22198	N		36
2870		7263	SNAPVAULT SECONDARY	62155	N		36
2870		7266	SYNCMIRROR	0	N		36
2870		7269	FIBRE CHANNEL PROTOCOL	5065	N		36
2870		7271	SNAPMANAGER/EXCHANGE - FILER	52413	N		36
2870		7272	SNAPMANAGER/SQL - FILER	52413	N		36
2870		7273	METROCLUSTER	19732	N		36
2870		7274	SAN BUNDLE	8050	N		36
2870		7279	SNAPMIRROR/SNAPVAULT BUNDLE	77695	N		36
2870		7281	NEARLINE FUNCTION	0	N		36
2870		7283	SNAPMANAGER SAP FILER	65522	N		36
2870		7284	SNAPMANAGER ORACLE FILER	52413	N		36
2870		7285	SNAPMANAGER VI FILER	17403	N		36
2870		7291	SNAPMANAGER HYPER V FILER	10442	N		36
2870		7297	SNAPDRIVE FOR UNIX FILER	17403	N		36
2870		7298	SNAPDRIVE FOR WIN FILER	17403	N		36
2870		7299	SNAPMANAGER SHAREPOINT FILER	41251	N		36
2870		7300	DATA ONTAP	7258	N		36
2870		7301	CIFS	15733	N		36
2870		7302	HTTP	5673	N		36
2870		7303	NFS	33298	N		36
2870		7304	FLEXCLONE	17265	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7305	MULTISTORE	18499	N		36
2870		7306	SNAPMIRROR	43508	N		36
2870		7307	SNAPLOCK ENTERPRISE	25898	N		36
2870		7309	SNAPRESTORE	9866	N		36
2870		7310	SNAPVAULT PRIMARY	12332	N		36
2870		7311	SNAPVAULT SECONDARY	43508	N		36
2870		7313	LOCKVAULT ENTERPRISE	75228	N		36
2870		7314	SYNCMIRROR	0	N		36
2870		7315	SNAPLOCK COMPLIANCE	25898	N		36
2870		7317	FIBRE CHANNEL PROTOCOL	3302	N		36
2870		7318	SNAPMANAGER/EXCHANGE - FILER	30831	N		36
2870		7319	SNAPMANAGER/SQL - FILER	30831	N		36
2870		7322	NEARSTORE	0	N		36
2870		7329	SNAPMIRROR/SNAPVAULT BUNDLE	54386	N		36
2870		7333	SNAPMANAGER SAP FILER	38539	N		36
2870		7334	SNAPMANAGER ORACLE FILER	30831	N		36
2870		7335	SNAPMANAGER VI FILER	9667	N		36
2870		7341	SNAPMANAGER HYPER V FILER	5800	N		36
2870		7347	SNAPDRIVE FOR UNIX FILER	9667	N		36
2870		7348	SNAPDRIVE FOR WIN FILER	9667	N		36
2870		7349	SNAPMANAGER SHAREPOINT FILER	24264	N		36
2870		7350	DATA ONTAP	6681	N		36
2870		7351	CIFS	22477	N		36
2870		7352	HTTP	8509	N		36
2870		7353	NFS	45452	N		36
2870		7354	CFO	23328	N		36
2870		7355	FLEXCLONE	29351	N		36
2870		7356	MULTISTORE	27748	N		36
2870		7357	SNAPMIRROR	62155	N		36
2870		7358	SNAPLOCK COMPLIANCE	46617	N		36
2870		7359	SNAPLOCK ENTERPRISE	46617	N		36

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
2870		7361	SNAPRESTORE	14503	N		36
2870		7362	SNAPVAULT PRIMARY	22198	N		36
2870		7363	SNAPVAULT SECONDARY	62155	N		36
2870		7365	LOCKVAULT ENTERPRISE	135411	N		36
2870		7366	SYNCMIRROR	0	N		36
2870		7369	FIBRE CHANNEL PROTOCOL	4717	N		36
2870		7370	SNAPMANAGER/EXCHANGE - FILER	52413	N		36
2870		7371	SNAPMANAGER/SQL - FILER	52413	N		36
2870		7372	NEARSTORE	0	N		36
2870		7373	METROCLUSTER	19732	N		36
2870		7379	SNAPMIRROR/SNAPVAULT BUNDLE	77695	N		36
2870		7383	SNAPMANAGER SAP FILER	65522	N		36
2870		7384	SNAPMANAGER ORACLE FILER	52413	N		36
2870		7385	SNAPMANAGER VI FILER	17403	N		36
2870		7391	SNAPMANAGER HYPER V FILER	10442	N		36
2870		7397	SNAPDRIVE FOR UNIX FILER	17403	N		36
2870		7398	SNAPDRIVE FOR WIN FILER	17403	N		36
2870		7399	SNAPMANAGER SHAREPOINT FILER	41251	N		36
2870		7401	CIFS	51180	N		36
2870		7402	HTTP	11962	N		36
2870		7403	NFS	65637	N		36
2870		7404	FLEXCLONE	23123	N		36
2870		7405	MULTISTORE	43164	N		36
2870		7406	SNAPMIRROR	87018	N		36
2870		7407	SNAPLOCK COMPLIANCE	43164	N		36
2870		7408	SNAPLOCK ENTERPRISE	43164	N		36
2870		7409	SNAPRESTORE	15416	N		36
2870		7410	SNAPVAULT PRIMARY	24665	N		36
2870		7411	SNAPVAULT SECONDARY	87018	N		36
2870		7414	SYNCMIRROR	0	N		36
2870		7417	FIBRE CHANNEL PROTOCOL	9543	N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2870		7419	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7420	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7429	SNAPMIRROR/SNAPVAULT BUNDLE	108772	N		36
2870		7430	NEARLINE FUNCTION	0	N		36
2870		7431	METROCLUSTER	24665	N		36
2870		7438	SNAPMANAGER SAP FILER	53955	N		36
2870		7439	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7441	SNAPMANAGER HYPER V FILER	11370	N		36
2870		7445	SNAPDRIVE FOR UNIX FILER	18950	N		36
2870		7446	SNAPDRIVE FOR WIN FILER	18950	N		36
2870		7448	SNAPMANAGER VI FILER	18950	N		36
2870		7449	SNAPMANAGER SHAREPOINT FILER	33945	N		36
2870		7451	CIFS	22477	N		36
2870		7452	HTTP	8509	N		36
2870		7453	NFS	40906	N		36
2870		7454	CFO	15230	N		36
2870		7455	FLEXCLONE	29351	N		36
2870		7456	MULTISTORE	27748	N		36
2870		7457	SNAPMIRROR	62155	N		36
2870		7458	SNAPLOCK COMPLIANCE	46617	N		36
2870		7459	SNAPLOCK ENTERPRISE	46617	N		36
2870		7461	SNAPRESTORE	14503	N		36
2870		7462	SNAPVAULT PRIMARY	22198	N		36
2870		7463	SNAPVAULT SECONDARY	62155	N		36
2870		7466	SYNCMIRROR	0	N		36
2870		7469	FIBRE CHANNEL PROTOCOL	5065	N		36
2870		7471	SNAPMANAGER/EXCHANGE - FILER	52413	N		36
2870		7472	SNAPMANAGER/SQL - FILER	52413	N		36
2870		7473	METROCLUSTER	19732	N		36
2870		7474	SAN BUNDLE	12983	N		36
2870		7479	SNAPMIRROR/SNAPVAULT BUNDLE	77695	N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2870		7481	NEARLINE FUNCTION		0 N		36
2870		7488	SNAPMANAGER SAP FILER	65522	N		36
2870		7489	SNAPMANAGER ORACLE FILER	52413	N		36
2870		7491	SNAPMANAGER HYPER V FILER	10442	N		36
2870		7495	SNAPDRIVE FOR UNIX FILER	17403	N		36
2870		7496	SNAPDRIVE FOR WIN FILER	17403	N		36
2870		7498	SNAPMANAGER VI FILER	17403	N		36
2870		7499	SNAPMANAGER SHAREPOINT FILER	41251	N		36
2870		7501	CIFS	51180	N		36
2870		7502	HTTP	11962	N		36
2870		7503	NFS	65637	N		36
2870		7504	FLEXCLONE	23123	N		36
2870		7505	MULTISTORE	43164	N		36
2870		7506	SNAPMIRROR	87018	N		36
2870		7507	SNAPLOCK ENTERPRISE	43164	N		36
2870		7509	SNAPRESTORE	15416	N		36
2870		7510	SNAPVAULT PRIMARY	24665	N		36
2870		7511	SNAPVAULT SECONDARY	87018	N		36
2870		7513	LOCKVAULT ENTERPRISE	141824	N		36
2870		7514	SYNCMIRROR	0	N		36
2870		7517	FIBRE CHANNEL PROTOCOL	9543	N		36
2870		7518	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7519	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7520	SNAPLOCK COMPLIANCE	43164	N		36
2870		7522	NEARSTORE	0	N		36
2870		7523	METROCLUSTER GW	24665	N		36
2870		7529	SNAPMIRROR/SNAPVAULT BUNDLE	108772	N		36
2870		7538	SNAPMANAGER SAP FILER	53955	N		36
2870		7539	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7541	SNAPMANAGER HYPER V FILER	11370	N		36
2870		7545	SNAPDRIVE FOR UNIX FILER GW	18950	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		7546	SNAPDRIVE FOR WIN FILER	18950	N		36
2870		7549	SNAPMANAGER SHAREPOINT FILER	33945	N		36
2870		7550	DATA ONTAP	10368	N		36
2870		7551	CIFS	22477	N		36
2870		7552	HTTP	8509	N		36
2870		7553	NFS	40906	N		36
2870		7554	CFO	9403	N		36
2870		7555	FLEXCLONE	29351	N		36
2870		7556	MULTISTORE	27748	N		36
2870		7557	SNAPMIRROR	62155	N		36
2870		7558	SNAPLOCK COMPLIANCE	46617	N		36
2870		7559	SNAPLOCK ENTERPRISE	46617	N		36
2870		7561	SNAPRESTORE	14503	N		36
2870		7562	SNAPVAULT PRIMARY	22198	N		36
2870		7563	SNAPVAULT SECONDARY	62155	N		36
2870		7565	LOCKVAULT ENTERPRISE	195346	N		36
2870		7566	SYNCMIRROR	0	N		36
2870		7569	FIBRE CHANNEL PROTOCOL	5065	N		36
2870		7570	SNAPMANAGER/EXCHANGE - FILER	52413	N		36
2870		7571	SNAPMANAGER/SQL - FILER	52413	N		36
2870		7572	NEARSTORE	0	N		36
2870		7573	METROCLUSTER	19732	N		36
2870		7579	SNAPMIRROR/SNAPVAULT BUNDLE	77695	N		36
2870		7588	SNAPMANAGER SAP FILER	65522	N		36
2870		7589	SNAPMANAGER ORACLE FILER	52413	N		36
2870		7591	SNAPMANAGER HYPER V FILER	10442	N		36
2870		7595	SNAPDRIVE FOR UNIX FILER GW	17403	N		36
2870		7596	SNAPDRIVE FOR WIN FILER GW	17403	N		36
2870		7598	SNAPMANAGER VI FILER GW	17403	N		36
2870		7599	SNAPMANAGER SHAREPOINT FILER	41251	N		36
2870		7601	CIFS	60904	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7602	HTTP	16748	N		36
2870		7603	NFS	69185	N		36
2870		7605	FLEXCLONE	28857	N		36
2870		7606	MULTISTORE	55496	N		36
2870		7607	SNAPMIRROR	98660	N		36
2870		7608	SNAPLOCK COMPLIANCE	57963	N		36
2870		7609	SNAPLOCK ENTERPRISE	57963	N		36
2870		7611	SNAPRESTORE	19238	N		36
2870		7612	SNAPVAULT PRIMARY	32064	N		36
2870		7613	SNAPVAULT SECONDARY	98660	N		36
2870		7618	FIBRE CHANNEL PROTOCOL	17416	N		36
2870		7620	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7621	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7622	NEAR-LINE FUNCTION	0	N		36
2870		7629	SNAPMIRROR/SNAPVAULT BUNDLE	123325	N		36
2870		7638	SNAPMANAGER SAP FILER	53955	N		36
2870		7639	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7641	SNAPMANAGER HYPER V FILER	15918	N		36
2870		7646	SNAPDRIVE FOR UNIX FILER	26531	N		36
2870		7647	SNAPDRIVE FOR WIN FILER	26531	N		36
2870		7648	SNAPMANAGER VI FILER	26531	N		36
2870		7649	SNAPMANAGER SHAREPOINT FILER	33914	N		36
2870		7651	CIFS	109628	N		36
2870		7652	HTTP	30145	N		36
2870		7653	NFS	124533	N		36
2870		7654	CFO	49897	N		36
2870		7655	FLEXCLONE	49058	N		36
2870		7656	MULTISTORE	99893	N		36
2870		7657	SNAPMIRROR	177588	N		36
2870		7658	SNAPLOCK COMPLIANCE	104210	N		36
2870		7659	SNAPLOCK ENTERPRISE	104210	N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7661	SNAPRESTORE	34531	N		36
2870		7662	SNAPVAULT PRIMARY	57963	N		36
2870		7663	SNAPVAULT SECONDARY	177588	N		36
2870		7668	FIBRE CHANNEL PROTOCOL	24879	N		36
2870		7670	SNAPMANAGER/EXCHANGE - FILER	77695	N		36
2870		7671	SNAPMANAGER/SQL - FILER	77695	N		36
2870		7672	NEAR-LINE - FUNCTION	0	N		36
2870		7673	METROCLUSTER	49330	N		36
2870		7674	SAN BUNDLE	48473	N		36
2870		7678	MS EXCHANGE BUNDLE 10K USRS	100144	N		36
2870		7679	SNAPMIRROR/SNAPVAULT BUNDLE	221985	N		36
2870		7688	SNAPMANAGER SAP FILER	97118	N		36
2870		7689	SNAPMANAGER ORACLE FILER	77695	N		36
2870		7691	SNAPMANAGER HYPER V FILER	28653	N		36
2870		7696	SNAPDRIVE FOR UNIX FILER	47756	N		36
2870		7697	SNAPDRIVE FOR WIN FILER	47756	N		36
2870		7698	SNAPMANAGER VI FILER	47756	N		36
2870		7699	SNAPMANAGER SHAREPOINT FILER	61107	N		36
2870		7700	DATA ONTAP	28537	N		36
2870		7701	CIFS	60904	N		36
2870		7702	HTTP	16748	N		36
2870		7703	NFS	69185	N		36
2870		7705	FLEXCLONE	28857	N		36
2870		7706	MULTISTORE	55496	N		36
2870		7707	SNAPMIRROR	98660	N		36
2870		7708	SNAPLOCK COMPLIANCE	57963	N		36
2870		7709	SNAPLOCK ENTERPRISE	57963	N		36
2870		7711	SNAPRESTORE	19238	N		36
2870		7712	SNAPVAULT PRIMARY	32064	N		36
2870		7713	SNAPVAULT SECONDARY	98660	N		36
2870		7715	LOCKVAULT ENTERPRISE	181288	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7718	FIBRECHANNEL PROTOCOL	16223	N		36
2870		7720	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7721	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7722	NEARSTORE	0	N		36
2870		7729	SNAPMIRROR/SNAPVAULT BUNDLE	123325	N		36
2870		7738	SNAPMANAGER SAP FILER	53955	N		36
2870		7739	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7741	SNAPMANAGER HYPER V FILER	15918	N		36
2870		7746	SNAPDRIVE FOR UNIX FILER	26531	N		36
2870		7747	SNAPDRIVE FOR WIN FILER	26531	N		36
2870		7748	SNAPMANAGER VI FILER	26531	N		36
2870		7749	SNAPMANAGER SHAREPOINT FILER	33914	N		36
2870		7750	DATA ONTAP	39078	N		36
2870		7751	CIFS	109628	N		36
2870		7752	HTTP	30145	N		36
2870		7753	NFS	124533	N		36
2870		7754	CFO	49897	N		36
2870		7755	FLEXCLONE	49058	N		36
2870		7756	MULTISTORE	99893	N		36
2870		7757	SNAPMIRROR	177588	N		36
2870		7758	SNAPLOCK COMPLIANCE	104210	N		36
2870		7759	SNAPLOCK ENTERPRISE	104210	N		36
2870		7761	SNAPRESTORE	34531	N		36
2870		7762	SNAPVAULT PRIMARY	57963	N		36
2870		7763	SNAPVAULT SECONDARY	177588	N		36
2870		7765	LOCKVAULT ENTERPRISE	326194	N		36
2870		7768	FIBRE CHANNEL PROTOCOL	23175	N		36
2870		7770	SNAPMANAGER/EXCHANGE - FILER	77695	N		36
2870		7771	SNAPMANAGER/SQL - FILER	77695	N		36
2870		7772	NEARSTORE	0	N		36
2870		7773	METROCLUSTER	49330	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		7779	SNAPMIRROR/SNAPVAULT BUNDLE	221985	N		36
2870		7788	SNAPMANAGER SAP FILER	97118	N		36
2870		7789	SNAPMANAGER ORACLE FILER	77695	N		36
2870		7791	SNAPMANAGER HYPER V FILER	28653	N		36
2870		7796	SNAPDRIVE FOR UNIX FILER	47756	N		36
2870		7797	SNAPDRIVE FOR WIN FILER	47756	N		36
2870		7798	SNAPMANAGER VI FILER	47756	N		36
2870		7799	SNAPMANAGER SHAREPOINT FILER	61107	N		36
2870		7801	CIFS	80210	N		36
2870		7802	HTTP	23432	N		36
2870		7803	NFS	91161	N		36
2870		7805	FLEXCLONE	43533	N		36
2870		7806	MULTISTORE	55496	N		36
2870		7807	SNAPMIRROR	98660	N		36
2870		7808	SNAPLOCK COMPLIANCE	57963	N		36
2870		7809	SNAPLOCK ENTERPRISE	57963	N		36
2870		7811	SNAPRESTORE	19238	N		36
2870		7812	SNAPVAULT PRIMARY	32064	N		36
2870		7813	SNAPVAULT SECONDARY	98660	N		36
2870		7818	FIBRE CHANNEL PROTOCOL	29607	N		36
2870		7820	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7821	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7822	NEAR-LINE FUNCTION	0	N		36
2870		7829	SNAPMIRROR/SNAPVAULT BUNDLE	123325	N		36
2870		7838	SNAPMANAGER SAP FILER	53955	N		36
2870		7839	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7841	SNAPMANAGER HYPER V FILER	22286	N		36
2870		7846	SNAPDRIVE FOR UNIX FILER	37143	N		36
2870		7847	SNAPDRIVE FOR WIN FILER	37143	N		36
2870		7848	SNAPMANAGER VI FILER	37143	N		36
2870		7849	SNAPMANAGER SHAREPOINT FILER	33914	N		36

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
2870		7851	CIFS	144437	N		36
2870		7852	HTTP	42176	N		36
2870		7853	NFS	164169	N		36
2870		7854	CFO	83498	N		36
2870		7855	FLEXCLONE	78434	N		36
2870		7856	MULTISTORE	99893	N		36
2870		7857	SNAPMIRROR	177588	N		36
2870		7858	SNAPLOCK COMPLIANCE	104210	N		36
2870		7859	SNAPLOCK ENTERPRISE	104210	N		36
2870		7861	SNAPRESTORE	34531	N		36
2870		7862	SNAPVAULT PRIMARY	57963	N		36
2870		7863	SNAPVAULT SECONDARY	177588	N		36
2870		7868	FIBRE CHANNEL PROTOCOL	42293	N		36
2870		7870	SNAPMANAGER/EXCHANGE - FILER	77695	N		36
2870		7871	SNAPMANAGER/SQL - FILER	77695	N		36
2870		7872	NEAR-LINE FUNCTION	0	N		36
2870		7873	METROCLUSTER	49330	N		36
2870		7874	SAN BUNDLE	79159	N		36
2870		7878	PERF ACCEL MODULE II BUNDLE	132182	N		36
2870		7879	SNAPMIRROR/SNAPVAULT BUNDLE	221985	N		36
2870		7888	SNAPMANAGER SAP FILER	97118	N		36
2870		7889	SNAPMANAGER ORACLE FILER	77695	N		36
2870		7891	SNAPMANAGER HYPER V FILER	40115	N		36
2870		7896	SNAPDRIVE FOR UNIX FILER	66858	N		36
2870		7897	SNAPDRIVE FOR WIN FILER	66858	N		36
2870		7898	SNAPMANAGER VI FILER	66858	N		36
2870		7899	SNAPMANAGER SHAREPOINT FILER	61107	N		36
2870		7900	DATA ONTAP	46042	N		36
2870		7901	CIFS	80210	N		36
2870		7902	HTTP	23432	N		36
2870		7903	NFS	91161	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		7905	FLEXCLONE	43599	N		36
2870		7906	MULTISTORE	55496	N		36
2870		7907	SNAPMIRROR	98660	N		36
2870		7908	SNAPLOCK COMPLIANCE	57963	N		36
2870		7909	SNAPLOCK ENTERPRISE	57963	N		36
2870		7911	SNAPRESTORE	19238	N		36
2870		7912	SNAPVAULT PRIMARY	32064	N		36
2870		7913	SNAPVAULT SECONDARY	98660	N		36
2870		7915	LOCKVAULT ENTERPRISE	181288	N		36
2870		7918	FIBRE CHANNEL PROTOCOL	27579	N		36
2870		7920	SNAPMANAGER/EXCHANGE - FILER	43164	N		36
2870		7921	SNAPMANAGER/SQL - FILER	43164	N		36
2870		7922	NEARSTORE	0	N		36
2870		7929	SNAPMIRROR/SNAPVAULT BUNDLE	123325	N		36
2870		7938	SNAPMANAGER SAP FILER	53955	N		36
2870		7939	SNAPMANAGER ORACLE FILER	43164	N		36
2870		7941	SNAPMANAGER HYPER V FILER	22286	N		36
2870		7946	SNAPDRIVE FOR UNIX FILER	37143	N		36
2870		7947	SNAPDRIVE FOR WIN FILER	37143	N		36
2870		7948	SNAPMANAGER VI FILER	37143	N		36
2870		7949	SNAPMANAGER SHAREPOINT FILER	33914	N		36
2870		7950	DATA ONTAP	68308	N		36
2870		7951	CIFS	144437	N		36
2870		7952	HTTP	42176	N		36
2870		7953	NFS	164169	N		36
2870		7954	CFO	83498	N		36
2870		7955	FLEXCLONE	78434	N		36
2870		7956	MULTISTORE	99893	N		36
2870		7957	SNAPMIRROR	177588	N		36
2870		7958	SNAPLOCK COMPLIANCE	104210	N		36
2870		7959	SNAPLOCK ENTERPRISE	104210	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		7961	SNAPRESTORE	34531	N		36
2870		7962	SNAPVAULT PRIMARY	57963	N		36
2870		7963	SNAPVAULT SECONDARY	177588	N		36
2870		7965	LOCKVAULT ENTERPRISE	326194	N		36
2870		7968	FIBRE CHANNEL PROTOCOL	39397	N		36
2870		7970	SNAPMANAGER/EXCHANGE - FILER	77695	N		36
2870		7971	SNAPMANAGER/SQL - FILER	77695	N		36
2870		7972	NEARSTORE	0	N		36
2870		7973	METROCLUSTER	49330	N		36
2870		7979	SNAPMIRROR/SNAPVAULT BUNDLE	221985	N		36
2870		7988	SNAPMANAGER SAP FILER	97118	N		36
2870		7989	SNAPMANAGER ORACLE FILER	77695	N		36
2870		7991	SNAPMANAGER HYPER V FILER	40115	N		36
2870		7996	SNAPDRIVE FOR UNIX FILER	66858	N		36
2870		7997	SNAPDRIVE FOR WIN FILER	66858	N		36
2870		7998	SNAPMANAGER VI FILER	66858	N		36
2870		7999	SNAPMANAGER SHAREPOINT FILER	61107	N		36
2870		8024	SNAPDRIVE FOR UNIX AIX	2793	N		36
2870		8025	SNAPDRIVE FOR UNIX SOLARIS	2793	N		36
2870		8026	SNAPDRIVE FOR UNIX HPUX	2793	N		36
2870		8027	SNAPDRIVE FOR UNIX LINUX	2793	N		36
2870		8050	SNAPDRIVE FOR WINDOWS	722	N		36
2870		8052	ONTAP DSM FOR WINDOWS MPIO	1233	N		36
2870		8129	SNAPMANAGER/ORACLE WIN	11048	N		36
2870		8131	SNAPMANAGER/EXCHANGE - HOST	9249	N		36
2870		8133	SNAPMANAGER/VI HOST	2793	N		36
2870		8135	SNAPMGR HYPER V HOST	1676	N		36
2870		8140	SNAPMANAGER FOR SAP WIN	13785	N		36
2870		8141	SNAPMANAGER FOR SQL - HOST	9249	N		36
2870		8143	SNAPMANAGER FOR ORACLE	3730	N		36
2870		8145	SNAPMANAGER FOR SAP	4664	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
2870		8147	SNAPMANAGER SHAREPOINT HOST	7276	N		36
2870		8149	SM SHAREPOINT MGMT. BUNDLE	17019	N		36
2870		8150	SINGLE MBOX RECOVERY 100PK	2459	N		36
2870		8151	SINGLE MBOX RECOVERY 500PK	5204	N		36
2870		8152	SINGLE MBOX RECOVERY 1000PK	8176	N		36
2870		8153	SINGLE MBOX RECOVERY 2500PK	16636	N		36
2870		8154	SINGLE MBOX RECOVERY 5K PK	26995	N		36
2870		8155	SINGLE MBOX RECOVERY 10K PK	46111	N		36
2870		8156	SINGLE MBOX RECOVERY 50K PK	225672	N		36
2870		8158	SMBR CA-ARCSERVE EXTRACT WIZ	740	N		36
2870		8159	SMBR TIVOLI TAPE EXTRACT WIZ	740	N		36
2870		8160	SMBR LEGATO TAPE EXTRACT WIZ	740	N		36
2870		8161	SMBR NETBACKUP EXTRACT WIZ	740	N		36
2870		8162	SMBR PST TAPE EXTRACT WIZ	1233	N		36
2870		8163	SMBR HP TAPE EXTRACT WIZ	740	N		36
2870		8164	SMBR COMMVAULT GALAXY EX WIZ	740	N		36
2870		8165	SMBR ULTRABAC EXTRACT WIZARD	740	N		36
2870		8166	SMBR AGENT FOR ADV SEARCH	740	N		36
2870		8167	SMBR CONTENT ANALYSIS WIZARD	740	N		36
2870		8255	DFM SERVER LICENSE	0	N		36
2870		8257	OP MGR STORE RESOURCE MGMT	12332	N		36
2870		8261	OPS MGR TIER 1 LICENCE	617	N		36
2870		8262	OPS MGR CORE TIER 2 LICENSE	1356	N		36
2870		8263	OPS MGR CORE TIER 3 LICENSE	1973	N		36
2870		8264	OPS MGR CORE TIER 4 LICENSE	2712	N		36
2870		8265	OPS MGR CORE TIER 5 LICENSE	2959	N		36
2870		8266	OPS MGR CORE TIER 6 LICENSE	4316	N		36
2870		8267	OPS MGR CORE TIER 7 LICENSE	4562	N		36
2870		8268	PROTECT MGR TIER 1 LICENCE	1233	N		36
2870		8269	PROTECT MGR TIER 2 LICENCE	3700	N		36
2870		8270	PROTECT MGR TIER 3 LICENCE	6166	N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
2870		8271	PROTECT MGR TIER 4 LICENCE		7399 N		36
2870		8272	PROTECT MGR TIER 5 LICENCE		9866 N		36
2870		8273	PROTECT MGR TIER 6 LICENCE		12332 N		36
2870		8274	PROTECT MGR TIER 7 LICENCE		12332 N		36
2870		8275	PROVISIONING MGR. TIER 1		617 N		36
2870		8276	PROVISIONING MGR. TIER 2		1356 N		36
2870		8277	PROVISIONING MGR. TIER 3		1973 N		36
2870		8278	PROVISIONING MGR. TIER 4		2712 N		36
2870		8279	PROVISIONING MGR. TIER 5		2959 N		36
2870		8280	PROVISIONING MGR. TIER 6		4316 N		36
2870		8281	PROVISIONING MGR. TIER 7		4562 N		36
2870		8400	OPERATIONS MANAGER FOR N3400		1085 N		36
2870		8401	PROTECTION MANAGER FOR N3400		2959 N		36
2870		8402	PROVISIONING MGR. FOR N3400		1085 N		36
3494		0201	9 MICRON LC/LC 31 METER		176 N		12
3494		0203	50 MICRON LC/LC 31 METER		148 N		12
3494		0204	50 MICRON LC/SC 31 METER		158 N		12
3494		0520	LM FUNCTION ENHANCE FIELD		353 N		12
3494		0521	VTS FUNCTION ENHANCE FIELD		353 N		12
3494		1025	REPOSITION LW AND SW ADAPTER		2045 N		12
3494		1026	CONVERT 8 VTC TO 4 VTC PTP		8248 N		12
3494		1901	DUAL AC POWER		3315 N		12
3494		3061	DRIVE-TO-SWITCH CABLES		113 N		12
3494		3302	ADD'S ENHANCED ESCON CHANNELS		18295 N		12
3494		3464	SC FIBRE DRIVE ATTACH CTRLR		2116 N		12
3494		3474	LC FIBRE DRIVE ATTACH CTRLR		2116 N		12
3494		3486	FC SWITCH MOUNT KIT		3371 N		12
3494		3488	4GB FIBRE CHANNEL SWITCH		11531 N		12
3494		3490	REDUNDANT FC ATTACHMENT		129 N		12
3494		3702	DISK STORAGE CAPACITY		49370 N		12
3494		4001	ADV. POLICY MGMT UP TO 250 GB		21159 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
3494		4002	ADV. POLICY MGMT UP TO 500 GB	3526	N		12
3494		4003	ADV. POLICY MGMT UP TO 1000 GB	7053	N		12
3494		4004	ADV. POLICY MGMT UP TO 2000 GB	14106	N		12
3494		4021	EXPANDED STORAGE CAPACITY	49370	N		12
3494		4036	INCREASED LOGICAL VOLUMES	7053	N		12
3494		4084	ADJACENT FRAME FC 3590	91	N		12
3494		4630	FIELD INSTALL DRIVE	1763	N		12
3494		4655	FIELD INSTALL 3590 A50	1058	N		12
3494		4660	REPLACE A00/A50 WITH A60	1058	N		12
3494		4665	FIELD INSTALL A60 IN 3494	1058	N		12
3494		4671	FIELD INSTALL H1A DRIVE	1763	N		12
3494		4673	REPLACE J1A WITH E05 DRIVE	141	N		12
3494		4674	FIELD INSTALL J1A DRIVE	494	N		12
3494		4675	FIELD INSTALL E05 DRIVE	113	N		12
3494		4730	REMOVE 3590 DRIVE	247	N		12
3494		4735	REMOVE 3590-A00	529	N		12
3494		4755	REMOVE 3590-A50	529	N		12
3494		4765	REMOVE A60 FROM 3494	247	N		12
3494		4772	REMOVE 3592 DRIVE FROM 3494	247	N		12
3494		4800	INSTALL CRADLE PAIR	4232	N		12
3494		4801	REMOVE CRADLE PAIR	987	N		12
3494		4803	REINSTALL CRADLE PAIR	2469	N		12
3494		4855	FIELD INSTALL J70 IN 3494	1058	N		12
3494		4860	REPLACE CTRLR WITH J70	1058	N		12
3494		4865	REMOVE J70 FROM 3494	247	N		12
3494		5047	LAN PCI LIBRARY MANAGER-FIELD	9874	N		12
3494		5048	LIBRARY MNGR PERF. ENH-FIELD	3526	N		12
3494		5050	DUAL ACTIVE ACCESSOR	17632	N		12
3494		5184	ETHERNET ATTACHED SERIAL HUB	2571	N		12
3494		5210	INPUT/OUTPUT STATION	2560	N		12
3494		5214	2ND DSK DRV FOR LIB MGR	353	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
3494		5220	ETHERNET LAN ADAPTOR	1587	N		12
3494		5225	BASE TAPE CU ATTACHMENT	1715	N		12
3494		5226	REMOTE CONSOLE	705	N		12
3494		5227	32 PORT ATTACHMENT	8463	N		12
3494		5228	TAPE CONTROL UNIT EXPANSION	1411	N		12
3494		5229	TAPE CONTROL UNIT ATTACHMENT	4232	N		12
3494		5230	30 CARTRIDGE I/O STATION	6143	N		12
3494		5238	3592 DRIVE ATTACHED TO VTS	4606	N		12
3494		5245	DUAL PATH ATTACHMENT	1763	N		12
3494		5264	64 ADD'L VIRTUAL DRIVES	45139	N		12
3494		5265	INCREMENTAL VIRTUAL DRIVES	22569	N		12
3494		5266	OUTBOUND C06 CONTROLLER	365	N		12
3494		5593	ROUTER FOR EKM ATTACH	903	N		12
3494		8002	1-3590 CLEANING CARTRIDGE	67	N		12
3494		8005	1-3490E CLEANING CARTRIDGE	24	N		12
3494		8510	210-3590 DATA CARTRIDGES	8649	N		12
3494		8610	210 EXTENDED LENGTH CARTS	15018	N		12
3572		5402	2.0 M SAS MINISAS 1X CABLE	80	N		12
3572		5502	2.0 M MINISAS MINISAS 1X CABLE	84	N		12
3572		5901	TRANSPARENT LTO ENCRYPTION	944	N		12
3572		7006	3572 RACK MOUNT KIT	301	N		12
3572		7010	3572 DESKSIDE COVERS	283	N		12
3572		8002	ULTRIUM CLEANING CART L1 UCC	48	N		12
3572		8111	3572 ADDITIONAL MAGAZINE	525	N		12
3572		8305	ULTRIUM 3 DATA CART 5 PACK	140	N		12
3572		8405	ULTRIUM 4 DATA CART 5 PACK	317	N		12
3573	L2U		TS3100 TAPE LIBRARY	3023	Y	1	36
3573	L4U		TS3200 TAPE LIBRARY	5671	Y	1	36
3573		1682	PATH FAILOVER	1700	N		36
3573		1901	ADDITIONAL POWER SUPPLY	657	N		36
3573		5400	SAS/MINI-SAS 4X INTERPOSER	94	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3573		5402	2M SAS/MINI-SAS 1X CABLE		80 N		36
3573		5500	MINI-SAS/MINI-SAS 4X INTERPOS		94 N		36
3573		5502	2M MINI-SAS/MINI-SAS 1X CABLE		84 N		36
3573		5604	4.5 M VHDCI/HD68 SCSI CABLE		104 N		36
3573		5610	10 M VHDCI/HD68 SCSI CABLE		133 N		36
3573		5900	TRANSPARENT LTO ENCRYPTION		1889 N		36
3573		6013	13M LC/LC FIBRE CABLE		139 N		36
3573		6025	25 M LC/LC FIBRE CABLE		181 N		36
3573		7002	RACK MOUNT KIT		301 N		36
3573		8002	ULTRIUM CLEANING CARTRIDGE L1		48 N		36
3573		8047	ULTRIUM 3 SAS SCSI TAPE DRIVE		2139 N		36
3573		8106	RIGHT SIDE MAGAZINE		245 N		36
3573		8107	3573 LEFT UPPER 4U MAGAZINE		264 N		36
3573		8108	3573 LEFT LOWER 4U MAGAZINE		298 N		36
3573		8109	3573 LEFT SIDE 2U MAGAZINE		298 N		36
3573		8143	ULTRIUM 4 LVD SCSI DRIVE		4245 N		36
3573		8144	ULTRIUM 4 FIBRE CHANNEL DRIVE		4739 N		36
3573		8145	ULTRIUM 4 SAS DRIVE		4410 N		36
3573		8147	ULTRIUM 4 HALF HIGH SAS DRIVE		2803 N		36
3573		8244	ULTRIUM 5 FIBRE CHANNEL DRIVE		5450 N		36
3573		8245	ULTRIUM 5 SAS DRIVE		5072 N		36
3573		8247	ULTRIUM 5 HALF HIGH SAS DRIVE		3224 N		36
3573		8248	ULTRIUM 5 HALF HIGH FIBRE DRIV		3385 N		36
3573		8305	ULTRIOM 3 DATA CART (5-PACK)		140 N		36
3573		8405	ULTRIUM 4 DATA CARTRIDGES		317 N		36
3573		8505	ULTRIUM 5 DATA CARTRIDGES 5PAC		378 N		36
3576	E9U		TS3310 TAPE EXPANSION MOD		8312 Y	2	12
3576	L5B		TS3310 TAPE LIBRARY		10579 Y	2	12
3576		0500	LIBRARY&DRIVE CODE UPDATE		378 N		12
3576		1640	CAPACITY EXPANSION		756 N		12
3576		1650	ADVANCED REPORTING		2229 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3576		1682	PATH FAILOVER		3400 N		12
3576		1900	ADDITIONAL POWER SUPPLY		1016 N		12
3576		5400	SAS/MINI-SAS 4X INTERPOSER		147 N		12
3576		5402	2 M SAS/MINI-SAS 1X CABLE		124 N		12
3576		5500	MINI-SAS INTERPOSER		147 N		12
3576		5502	2.0 M MINI-SAS 1X CABLE		130 N		12
3576		5604	4.5M VHDCI/HD68 SCSI CABLE		147 N		12
3576		5610	10M VHDCI/HD68 SCSI CABLE		188 N		12
3576		5900	TRANSPARENT LTO ENCRYPTION		3778 N		12
3576		6013	13M LC/LC FIBRE CABLE		196 N		12
3576		6025	25M LC/LC FIBRE CABLE		257 N		12
3576		7003	RACK MOUNT KIT		888 N		12
3576		8002	1-CLEANING CARTRIDGE		76 N		12
3576		8139	ULTRIUM 4 SAS TAPE DRIVE		11112 N		12
3576		8142	ULTRIUM 4 FIBRE TAPE DRIVE		12491 N		12
3577		0500	LIBRARY&DRIVE CODE UPDATE		479 N		12
3577		1663	DRIVE REMOVAL		430 N		12
3577		4685	3592 FIELD INSTALL/MERGE		479 N		12
3577		6013	13M LC/LC FIBRE CHANNEL CABLE		215 N		12
3577		6025	25M LC/LC FIBRE CHANNEL CABLE		315 N		12
3577		7004	RACK MOUNT KIT		1628 N		12
3577		8109	CARTRIDGE MAGAZINE-ADDITIONAL		1267 N		12
3580	L43		TS2340 LTO SCSI TAPE DRIVE		3816 Y	2	36
3580		5099	VHDCI/HD68 CABLE/INTERPOSER		112 N		12
3580		5402	2.0M SAS/MINI-SAS 1X CABLE		94 N		36
3580		5502	2.0M MINI-SAS/MINI-SAS 1X CBL		98 N		36
3580		5604	4.5M VHDCI/HD68 SCSI CABLE		122 N		12
3580		5610	10M VHDCI/HD68 SCSI CABLE		155 N		12
3580		7003	19-INCH RACK MOUNT KIT		125 N		36
3580		8305	ULTRIUM 3 DATA CART (GEN3)		164 N		36
3580		8405	ULTRIUM 4 DATA CARTRIDGES		372 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3580		8723	RACK MOUNT KIT		125 N		12
3584	D23		TS3500 EXPANSION FRAME	22670	N	2	12
3584	D53		TS3500 EXPANSION FRAME	22670	N	2	12
3584	HA1		HIGH AVAILABILITY FRAME	22670	N	2	12
3584	L23		TS3500 TAPE LIBRARY	34005	N	2	12
3584	L53		TS3500 TAPE LIBRARY	34005	N	2	12
3584	S24		TS3500 HD FRAMES ENTERPR DRIVE	30227	N	2	12
3584	S54		TS3500 HD FRAMES LTO DRIVE	30227	N	2	12
3584		0500	LIBRARY & DRIVE CODE UPDATE		378 N		12
3584		1440	SERVICE BAY B CONFIG/ACCESSOR	21914	N		12
3584		1451	ENH. FRAME CONTROL ASSEMBLY	4347	N		12
3584		1461	ADD'1 LC/LC PATCH PANEL CABLE	49	N		12
3584		1462	FIBRE CHANNEL PATCH PANEL	317	N		12
3584		1501	FIBRE DRIVE MOVE KIT	907	N		12
3584		1503	3592 FIBRE DRIVE MTG KIT	460	N		12
3584		1504	LTO FIBRE DRIVE MTG KIT	460	N		12
3584		1514	LTO FIBRE DRIVE MTG KIT	460	N		12
3584		1515	3592 FIBRE DRIVE MOUNTING KIT	460	N		12
3584		1603	CAPACITY EXPANSION	11335	N		12
3584		1604	TRANSPARENT LTO ENCRYPTION	9068	N		12
3584		1608	MIXED MEDIA D22/D23 SUPPORT	5970	N		12
3584		1610	ADD D22/D23/D52/D53 TO X32	1851	N		12
3584		1620	ADD D32 TO X22/X52/X23/X53	1851	N		12
3584		1643	INTERMED. CAP. ON DEMAND	11335	N		12
3584		1644	FULL CAPACITY ON DEMAND	11335	N		12
3584		1645	HD COD FOR S24	15113	N		12
3584		1646	HD COD FOR S54	22670	N		12
3584		1655	64 ADDITIONAL I/O SLOTS-LTO	6801	N		12
3584		1656	64 ADDITIONAL I/O SLOTS-3592	6801	N		12
3584		1658	16 ADDITIONAL LTO I/O SLOTS	1360	N		12
3584		1659	16 ADDITIONAL 3592 I/O SLOTS	1360	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
3584		1660	10/100 ETHERNET SUPPORT		2852 N		12
3584		1663	DRIVE REMOVAL		510 N		12
3584		1665	LTO ULTRIUM DRIVE REINSTALL		510 N		12
3584		1668	DLT DRIVE REINSTALL		510 N		12
3584		1674	3592 DRIVE FIELD INSTALL		510 N		12
3584		1678	3588 FIELD INSTALL ASSIST		510 N		12
3584		1680	CONTROL PATH FAILOVER		6801 N		12
3584		1681	DATA PATH FAILOVER		1511 N		12
3584		1682	PATH FAILOVER		6801 N		12
3584		1690	ADVANCED LIB MGT SYSTEM		9446 N		12
3584		1692	ENTRY ALMS		1511 N		12
3584		1693	INTERMEDIATE ALMS		3400 N		12
3584		1694	FULL ALMS		4534 N		12
3584		1695	LTO TEST HARDWARE FOR HD		1507 N		12
3584		1696	3592 TEST HARDWARE FOR HD		1507 N		12
3584		1697	MIXED MEDIA HD TESTS SLOTS		1507 N		12
3584		1700	ENHANCED NODE CARDS		7443 N		12
3584		1701	ENHANCED NODE CARD		2720 N		12
3584		1802	1-2 FRAME X-TRACK CABLE		103 N		12
3584		1806	3-6 FRAME X-TRACK CABLE		399 N		12
3584		1814	7-14 FRAME X-TRACK CABLE		591 N		12
3584		1816	8-16 FRAME X-TRACK CABLE		849 N		12
3584		1840	CHANGE HA X-TRACK CABLE		880 N		12
3584		1901	DUAL AC POWER		450 N		12
3584		1909	SINGLE POWER SOURCE BIFUR. CAB		139 N		12
3584		1950	POWER DISTRIBUTION UNIT		2817 N		12
3584		2205	ENHANCED GRIPPERS/PIVOT		5667 N		12
3584		2206	ENH. GRIPPERS/PIVOT FOR HA		5667 N		12
3584		2304	ENHANCED ACCESSOR		17758 N		12
3584		2305	ENHANCED ACCESSOR FOR HA		17758 N		12
3584		2711	REMOTE SUPPORT SWITCH		3019 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3584		2732	TS3000 SYSTEM CONSOLE	4496	N		12
3584		2733	INTERNAL MODEM	170	N		12
3584		4871	TS7700 BE SW MOUNTING HARDWARE	2282	N		12
3584		4872	TS7700 BE 4GB SWITCH	24710	N		12
3584		4873	REINSTALL TS7700 BE SWITCH	363	N		12
3584		4874	ADJ FRAME SUPPORT BE SWITCH	332	N		12
3584		5610	10M VHDCI TO HD68 SCSI CABLE	188	N		12
3584		5907	7 M LC-SC FIBRE CABLE	143	N		12
3584		5913	13 M LC-SC FIBRE CABLE	169	N		12
3584		5922	22 M LC-SC FIBRE CABLE	234	N		12
3584		6013	13 METER LC-LC FIBRE CABLE	196	N		12
3584		6025	25 METER LC-LC FIBRE CABLE	257	N		12
3584		6061	61 METER LC-LC FIBRE CABLE	355	N		12
3584		8750	ULTRIUM CLEANING CARTRIDGE	76	N		12
3584		8802	3592 CLEANING CARTRIDGE	106	N		12
3584		9984	DUAL 4.3M PWRCORD NEMA L6/20P	0	N		12
3584		9985	DUAL 4.3M PWRCORD RUSSELLSTOLL	0	N		12
3588	F3B		ULTRIUM 3 TAPE DRIVE	14962	Y	2	12
3588	F4A		TS1040 ULTRIUM 4 TAPE DRIVE	17229	Y	2	12
3588	F5A		TS1050 ULTRIUM 5 TAPE DRIVE	18091	Y	2	12
3589	004		ULTRIUM CLEANING CARTRIDGES	0	Y		60
3589	010		800GB ULTRIUM TAPE CART LAB	0	Y		60
3589	011		800GB ULTRIUM TAPE CARTRIDGES	0	Y		60
3589		0820	400GB ULTR.TAPE LABELED 20-PAK	886	N		60
3589		0920	400GB ULTR.TAPE 20-PAK	871	N		60
3589		1020	800GB LABEL 20-PK	1953	N		60
3589		1120	800GB 20-PK	1938	N		60
3589		1420	1.5 TB ULTRIUM TAPE CART L 20P	2350	N		60
3589		1421	1.5 TB ULTRIUM TAPE RFID L 20P	2395	N		60
3589		1520	1.5 TB ULTRIUM TAPE CART 20 P	2334	N		60
3589		2820	400GB WORM ULT.TAPE LAB.20-PAK	1068	N		60

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3589		2920	400GB WORM ULT.TAPE 20-PAK	1053	N		60
3589		3420	1.5 TB ULTRIUM WORM TP CT L20P	2685	N		60
3589		3421	1.5 TB ULTRIUM WORM RFID L 20P	2730	N		60
3589		3520	1.5 TB ULTRIUM WORM TAPE C 20P	2670	N		60
3589		4005	ULTRIUM CLEANING CARTR. 5-PACK	381	N		60
3590	E11		MAGSTAR TAPE SUBSYSTEM	29867	N	3	12
3590	E1A		MAGSTAR TAPE SUBSYSTEM	27941	N	3	12
3590	H11		ENTERPRISE TAPE DRIVE	35139	N	3	12
3590	H1A		ENTERPRISE TAPE DRIVE	32872	N	3	12
3590		0500	DRIVE MICROCODE UPDATE	378	N		12
3590		0520	FUNCTIONAL ENHANCEMENT FIELD	378	N		12
3590		2004	FIELD INSTALL SILO ATTACH	529	N		12
3590		2005	REMOVE SILO ATTACH FOR 3494	756	N		12
3590		2006	REMOVE SILO ATTACH FOR A14	756	N		12
3590		3412	DUAL ESCON ATTACHMENT	9800	N		12
3590		3434	2-GBPS ATTACH LONG WAVE	14339	N		12
3590		3435	2-GBPS ATTACH SHORT WAVE	14339	N		12
3590		3463	FIBRE DRIVE ATTACHMENT	5290	N		12
3590		3465	FIBRE DRIVE ATTACHMED RACK	1889	N		12
3590		3473	LC FIBRE DRIVE ATTACH	5290	N		12
3590		3474	LC FIBRE DRIVE ATTACH CTRLR	1889	N		12
3590		3475	LC FIBRE DRIVE ATTACH RACK	1889	N		12
3590		3486	FC SWITCH MOUNT KIT	3612	N		12
3590		3490	REDUNDANT FC ATTACHMENT	139	N		12
3590		3512	FIBRE DRIVE ATTACHMED A60	1889	N		12
3590		3513	LC FIBRE DRIVE ATTACH A60	1889	N		12
3590		3514	FC SWITCH MOUNT KIT	1286	N		12
3590		3515	REDUNDANT FC ATTACHMENT	139	N		12
3590		4084	MULTIFRAME 2GB 3590	97	N		12
3590		4630	FIELD INSTALL B11/E11	1889	N		12
3590		4641	INSTALL A00/A50/A60 IN RACK	491	N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3590		4644	FIELD INSTALL B1A/E1A	529	N		12
3590		4657	FIELD INSTALL A50 IN A14	1133	N		12
3590		4660	REPLACE A00/A50 WITH A60	1133	N		12
3590		4662	FIELD INSTALL A60 IN C10	1133	N		12
3590		4671	FIELD INSTALL H1A DRIVE	529	N		12
3590		4672	FIELD INSTALL H11 DRIVE	1889	N		12
3590		4730	REMOVE DRIVE FROM A14	264	N		12
3590		4744	REMOVE DRIVE FROM C12/C14	264	N		12
3590		4860	REPLACE CTRLR WITH J70	3476	N		12
3590		4862	FIELD INSTALL J70 IN C10	1133	N		12
3590		4868	FIELD INSTALL J70 IN A14	1133	N		12
3590		5097	SILO MULTIFRAME SUPPORT	2690	N		12
3590		5245	DUAL PATH ATTACHMENT	1889	N		12
3590		5401	1 SCSI BUS TO 4 DRIVES	566	N		12
3590		5403	1 SCSI BUS WITH 2 A00'S	756	N		12
3590		5404	2 SCSI BUSES WITH 2 A00'S	1511	N		12
3590		5460	POWER SEQUENCING	106	N		12
3590		5780	EXTENDED MEDIA SUPPORT - BXX	3400	N		12
3590		5781	EXTENDED MEDIA SUPPORT - EXX	1889	N		12
3590		5913	13 M LC/SC FIBRE CABLE	169	N		12
3590		5922	22 M LC/SC FIBRE CABLE	188	N		12
3590		5961	61 M LC/SC FIBRE CABLE	322	N		12
3592	C06		TS1120 TAPE CONTROLLER	27204	N	3	12
3592	E05		TS1120 TAPE DRIVE	26826	N	3	12
3592	E06		TS1130 TAPE DRIVE	29508	N	3	12
3592	J1A		ENTERPRISE TAPE DRIVE	24181	N	3	12
3592		0500	DRIVE MICROCODE UPDATE	378	N		12
3592		0520	J70 FUNCTION ENHANCE FIELD	378	N		12
3592		3062	DRIVE-TO-SWITCH CABLE/RACK	121	N		12
3592		3434	2-GBPS ATTACH LONG WAVE	14339	N		12
3592		3435	2-GBPS ATTACH SHORT WAVE	14339	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
3592		3440	DUAL ESCON ATTACHMENT		9800 N		12
3592		3441	FICON SW ATTACHMENT		9710 N		12
3592		3442	FICON LW ATTACHMENT		9710 N		12
3592		3443	FICON 10KM LW ATTACHMENT		11731 N		12
3592		3465	FIBRE DRIVE ATTACHED RACK		1889 N		12
3592		3475	LC FIBRE DRIVE ATTACH RACK		1889 N		12
3592		3478	DUAL PORTED FIBRE ADAPTERS		3400 N		12
3592		3488	4GB FIBRE CHANNEL SWITCH		12355 N		12
3592		3489	REDUNDANT FC ATTACHMENT		139 N		12
3592		3494	FC SWITCH RACK MOUNT KIT		1286 N		12
3592		3495	REDUNDANT FC RACK ATTACH		139 N		12
3592		4641	INSTALL CONTROLLER IN RACK		491 N		12
3592		4674	INSTALL 3592 IN RACK		529 N		12
3592		4772	REMOVE 3592 FROM RACK		264 N		12
3592		4802	RACK LEFT CRADLE		4534 N		12
3592		4812	RACK RIGHT CRADLE		5667 N		12
3592		4830	C20 DRIVE SHELF PAIR		3778 N		12
3592		4831	FIELD INSTALL J1A IN C20		529 N		12
3592		4832	REMOVE 3592 DRIVE FROM C20		264 N		12
3592		4833	FIELD INSTALL E05 DRIVE		121 N		12
3592		4835	REPLACE J1A WITH E05 DRIVE		151 N		12
3592		4836	FIELD INST 3592 E06 IN C20		121 N		12
3592		4837	FIELD INST 3592 EU6 IN C20		121 N		12
3592		4841	REP J1A/E05 W/ E06/EU6		151 N		12
3592		4887	REINSTALL 2GB FC SWITCH		54 N		12
3592		4897	REINSTALL 4GB FC SWITCH		363 N		12
3592		5245	DUAL PATH ATTACHMENT		1889 N		12
3592		5247	ENHANCED ROUTER		2267 N		12
3592		5248	16 PORT NETWORK SWITCH		1938 N		12
3592		5592	ENCRYPT.CAPABLE REFURB - FIELD		3778 N		12
3592		5593	ROUTER FOR EKM ATTACH		967 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3592		5595	CU ENCRYPT.CONFIGURATION/FIELD		378 N		12
3592		5596	ENCRYPT. CONFIGURATION - FIELD		378 N		12
3592		5913	13 M LC/SC FIBRE CABLE		169 N		12
3592		5922	22 M LC/SC FIBRE CABLE		188 N		12
3592		5961	61 M LC/SC FIBRE CABLE		322 N		12
3592		6013	13 M LC/LC FIBRE CABLE		169 N		12
3592		6025	25 M LC/LC FIBRE CABLE		249 N		12
3592		6061	61 M LC/LC FIBRE CABLE		322 N		12
3599	011		TAPE CARTRIDGE 3592 (DATA)		0 Y		120
3599	012		TAPE CARTRIDGE 3592 (DATA)		0 Y		120
3599	013		TAPE CARTRIDGE 3592 (DATA)		0 Y		120
3599	017		TAPE CARTRIDGE 3592 (CLEANING)		0 Y		120
3599		1020	20-PACK3592 DATA CART W/INTL		3285 N		120
3599		2020	20-PACK3592 DATA CART W/LAB		3269 N		120
3599		3020	20-PACK 3592 DATA CART.		3237 N		120
3599		7005	5-PACK CLNR CART W/MEDIA		538 N		120
3599		7006	5-PACK CLNR CART WITHOUT MEDIA		538 N		120
3758	L32		CONVERGED SWITCH B32		17048 Y	2	12
3758		2117	SFP+ 10 GBPS SR		660 N		12
3758		2118	SFP+ 10 GBPS SR 8 PACK		4867 N		12
3758		2151	SFP+ 10 GBPS LR		2850 N		12
3758		2158	SFP+ 10 GBPS LR 8 PACK		19579 N		12
3758		2711	TWINAX ACTIVE 1 M		181 N		12
3758		2718	TWINAX ACTIVE 1 M 8 PACK		1247 N		12
3758		2731	TWINAX ACTIVE 3 M		225 N		12
3758		2738	TWINAX ACTIVE 3 M 8 PACK		1683 N		12
3758		2751	TWINAX ACTIVE 5 M		282 N		12
3758		2758	TWINAX ACTIVE 5 M 8 PACK		2125 N		12
3758		2801	SFP 8 GBPS SW		210 N		12
3758		2808	SFP 8 GBPS SW 8 PACK		1676 N		12
3758		2821	SFP 8 GBPS 10 KM LW		1683 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3758		2828	SFP 8 GBPS 10 KM LW 8 PACK	13464	N		12
3758		5605	LC LC 5 M MMF 50 MICRON	76	N		12
3758		5625	LC LC 25 M MMF 50 MICRON	152	N		12
3758		5721	LC LC 31 M SMF 9 MICRON	73	N		12
3758		5810	OM3 CABLE LC LC 10 M	87	N		12
3758		5910	MID MOUNT RACK KIT	102	N		12
3758		5999	USB DRIVE	261	N		12
3758		7404	ADVANCED PERFORMANCE MONITOR	1741	N		12
3758		7405	TRUNKING ACTIVATION	3482	N		12
3758		7408	FC AND CONVERGED ACTIVATION	14074	N		12
3758		7714	3758 B32 FW UPGRADE 1 YEAR	1070	N		12
3758		7715	3758 B32 FW UPGRADE 2 YEARS	2031	N		12
3890		3021	PROG ENDORSING / ITEM NUM	123609	N		12
3890		3022	STACKER MODULE(MAX 4)	79569	N		12
3890		4666	ITEM NUMBERING/ENDORSING	83416	N		12
3890		5111	MICROFILMING	179782	N		12
3890		5115	OCR FEATURE	264969	N		12
3890		5120	E13B MICR	62365	N		12
3890		6370	S/370 ATTACHMENT	7823	N		12
3952	F05		TAPE FRAME	9446	N	2	12
3952		1903	DUAL AC POWER	907	N		12
3952		3517	REDUNDANT FC ATTACH	139	N		12
3952		4870	REPLACE CONTROLLER W/C06	2649	N		12
3952		5593	ROUTER FOR EKM ATTACH	967	N		12
3952		5594	ATTACH ADDITIONAL CU TO ROUTER	741	N		12
3952		5628	PLANT INSTALL 3957 V06	544	N		12
3952		5649	FIELD INSTALL 3956 CX6	5667	N		12
3952		5759	INTEGRATED CONTROL PATH	6366	N		12
3952		5875	FIELD MERGE 3592 J70	1889	N		12
3952		5877	FIELD INSTALL 3592 J70	2040	N		12
3952		5878	FIELD MERGE 3592 C06	1889	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3952		5880	FIELD INSTALL 3592 C06	2040	N		12
3952		7312	TS7700 BASE FRAME	3015	N		12
3952		7315	SILO COMPATIBLE ATTACHMENT	2040	N		12
3952		7316	ENTPR.TAPE LIBRARY ATTACH	2040	N		12
3953	F05		LIBRARY CONTROLLER FRAME	12091	N	2	12
3953	L05		LIBRARY MANAGER	10579	N	2	12
3953		0500	LM FUNCTION ENHANCE FIELD	378	N		12
3953		1903	DUAL AC POWER	846	N		12
3953		1904	REDUNDANT AC POWER	1624	N		12
3953		2714	CONSOLE EXPANSION	653	N		12
3953		2719	CONSOLE UPGRADE	1322	N		12
3953		2722	TS3000 SYSTEM CONSOLE	3891	N		12
3953		2733	INTERNAL MODEM	170	N		12
3953		3488	4GB FIBRE CHANNEL SWITCH	12355	N		12
3953		3491	EXT. FABRIC SUPPORT FIELD	320	N		12
3953		4748	REMOVE 4GB SWITCH	188	N		12
3953		4865	CONTROL UNIT REMOVAL	320	N		12
3953		4870	REPLACE CONTROLLER WITH C06	2649	N		12
3953		4888	FC SWITCH MOUNT KIT	453	N		12
3953		4889	REINSTALL 2GB FC SWITCH	94	N		12
3953		4890	REINSTALL 2109 F16 SWITCH	94	N		12
3953		4897	REINSTALL 4GB FC SWITCH	363	N		12
3953		5048	LIBRARY MNGR PERF. ENH-FIELD	3778	N		12
3953		5065	PLANT INSTALL 2ND 3953 L05	2343	N		12
3953		5066	FIELD MERGE 2ND 3953 L05	2343	N		12
3953		5067	FIELD INSTALL 2ND 3953 L05	2494	N		12
3953		5226	REMOTE CONSOLE	1874	N		12
3953		5505	BASE USER INTERFACE	9068	N		12
3953		5506	EXPANSION CONNECTIVITY	2645	N		12
3953		5510	PLANT INSTALL KVM SWITCH	1209	N		12
3953		5511	FIELD INSTALL KVM SWITCH	1360	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3953		5593	ROUTER FOR EKM ATTACH	967 N			12
3953		5875	FIELD MERGE 3592 J70	1889 N			12
3953		5877	FIELD INSTALL 3592 J70	2040 N			12
3953		5878	FIELD MERGE 3592 C06	1889 N			12
3953		5880	FIELD INSTALL 3592 C06	2040 N			12
3954		3460	MEMORY UPGRADE	1020 N			12
3956	CX6		TS7740 CACHE DRAWER	53931 N		3	12
3956	CX7		TS7740 CACHE MODULE	9153 N		3	12
3956		6000	INTRAFRAME FIBRE CABLE	158 N			12
3956		7403	ENABLE 1ST EXPANSION DRAWER	9940 N			12
3957	V06		VIRTUALIZATION ENGINE TS7740	60453 N		3	12
3957		0201	9 MICRON LC/LC 31 METER	188 N			12
3957		0203	50 MICRON LC/LC 31 METER	158 N			12
3957		0204	50 MICRON LC/SC 31 METER	169 N			12
3957		0521	FUNCTIONAL ENHANCE FIELD	378 N			120
3957		1032	1GB GRID DUAL PORT COPPER CONN	491 N			12
3957		1033	1GB GRID DUAL PORT OPTICAL SW	1473 N			12
3957		3441	FICON SHORT WAVELENGTH ATT	9710 N			12
3957		3442	FICON LONG WAVELENGTH ATT	9710 N			12
3957		3443	FICON 10K LG WAVELENGTH ATT	11731 N			12
3957		3461	8GB MEMORY UPGRADE FIELD	5290 N			12
3957		4015	GRID ENABLEMENT	37783 N			12
3957		4016	REMOVE CLUSTER FROM GRID	1511 N			12
3957		4017	CLUSTER CLEANUP	1511 N			12
3957		5240	ATTACH 3592 TAPE DRIVES	4214 N			12
3957		5267	1 TB CACHE ENABLEMENT	35894 N			12
3957		5268	100 MB/SEC INCREMENT	51008 N			12
3958	AP1		TS7650 APPLIANCE	7991 N		2	12
3958	DE2		TS7680 GATEWAY FOR SYSTEM Z	18514 N		2	12
3958		0201	9 MICRON LC/LC 31 METER	188 N			12
3958		0203	50 MICRON LC/LC 31 METER	158 N			12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
3958		0204	50 MICRON LC/SC 31 METER		169 N		12
3958		2722	TS3000 SYSTEM CONSOLE		3891 N		12
3958		2732	TS3000 SYSTEM CONSOLE		4496 N		12
3958		2733	INTERNAL MODEM		170 N		12
3958		3121	PROTECTTIER SERVER		65365 N		12
3958		3441	PROTECTTIER SERVER		9710 N		12
3958		3442	FICON 4KM LONGWAVE		9710 N		12
3958		3443	FICON 10KM LONGWAVE		11731 N		12
3958		3444	FICON SHORTWAVE		9710 N		12
3958		3445	FICON 4KM LONGWAVE		9710 N		12
3958		3446	FICON 10KM LONGWAVE		11731 N		12
3958		3447	CLUSTER CONNECTION KIT		1738 N		12
3958		3448	DUAL PORT ETHERNET CARD		635 N		12
3958		3449	4GB FC DUAL PORT HBA DISK		586 N		12
3958		3707	4.8 TB FC DISK EXPANSION		33400 N		12
3958		5247	ENHANCED ROUTER		2267 N		12
3958		5510	PLANT INSTALL KVM SWITCH		1209 N		12
3958		5512	KVM DISPLAY		3400 N		12
3958		5770	ENTERPRISE CONTROLLER		31639 N		12
3958		5771	ENTERPRISE CONTROLLER		31639 N		12
3958		6025	25 METER LC/LC FC CABLE		249 N		12
4003	M04		IBM ETHERNET ROUTER B04M		23693 Y	2	12
4003	M08		IBM ETHERNET ROUTER B08M		35804 Y	2	12
4003	M16		IBM ETHERNET ROUTER B16M		48774 Y	2	12
4003	M32		ETHERNET ROUTER B32M		234874 Y	2	12
4003	R04		ETHERNET SWITCH B04R		20723 Y	2	12
4003	R08		ETHERNET SWITCH B08R		31618 Y	2	12
4003	R16		ETHERNET SWITCH B16R		42477 Y	2	12
4003	S08		IBM ETHERNET SWITCH B08S		21912 Y	2	12
4003	S16		IBM ETHERNET SWITCH B16S		34236 Y	2	12
4003		1601	IPV4 MANAGEMENT MODULE		6502 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
4003		1602	IPV4 MANAGEMENT MODULE 10 GBE	14093	N		12
4003		1603	24 PORT IPV4 MODULE (RJ 45)	3790	N		12
4003		1605	24 PORT IPV4 MODULE (SFP)	7586	N		12
4003		1606	2 PORT 10 GBE MODULE (XFP)	5418	N		12
4003		1607	POE DIMM FOR 24 PORT MODULE	542	N		12
4003		1612	IPV6 MGMT MODULE 10 GBE	15178	N		12
4003		1613	24 PORT IPV6 MODULE (RJ 45)	5959	N		12
4003		1615	24 PORT IPV6 MODULE (SFP)	8671	N		12
4003		1616	2 PORT IPV6 10GBE (XFP)	7044	N		12
4003		1652	4/8/16 SLOT MGMT MODULE	7586	N		12
4003		1653	8/16 SLOT SWITCH FABRIC	8128	N		12
4003		1654	4 SLOT SWITCH FABRIC MODULE	3790	N		12
4003		1661	4 PORT MODULE 10GBE (XFP)	17346	N		12
4003		1662	16 PORT MODULE 10GBE (SFP+)	37952	N		12
4003		1663	24 PORT MODULE 1GBE (RJ45)	8671	N		12
4003		1664	48 PORT MODULE 1GBE (MRJ21)	17346	N		12
4003		1665	24 PORT MODULE 1GBE (FIBER)	10839	N		12
4003		1701	MANAGEMENT MODULE	8128	N		12
4003		1702	4 SLOT SWITCH FABRIC MODULE	3790	N		12
4003		1703	8/16 SLOT SWITCH FABRIC	8128	N		12
4003		1704	32 SLOT MANAGEMENT MODULE	14093	N		12
4003		1710	2 PORT 10 GBE MODULE	16262	N		12
4003		1711	4 PORT 10 GBE MODULE	27107	N		12
4003		1712	20 PORT FE/GE (100/1000)	16262	N		12
4003		1713	20 PORT RJ 45 10/100/1000	16262	N		12
4003		1715	48 PORT 10/100/1000 MODULE	37952	N		12
4003		1751	2 PORT OC 192 POS/SDH	54219	N		12
4003		1752	2 PORT OC 12/48 POS/SDH	24642	N		12
4003		1753	4 PORT OC 12/48 POS/SDH	36966	N		12
4003		1754	8 PORT OC 12/48 POS/SDH	54219	N		12
4003		2101	XFP 10GB COPPER 15M CX4	1069	N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
4003		2110	XFP 850NM 300M MMF		1337 N		12
4003		2111	XFP 1310NM 10KM SMF		2680 N		12
4003		2112	XFP 1550NM 40KM SMF		10734 N		12
4003		2130	SFP+ 10 GBE SR 300M MMF		1350 N		12
4003		2131	SFP+ 10 GBE LR 10KM SMF		2705 N		12
4003		2202	SFP 1GE COPPER RJ-45		317 N		12
4003		2211	SFP 1GE SX MMF W/OM		513 N		12
4003		2212	SFP 1GE LX SMF W/OM		1122 N		12
4003		2213	SFP 1GE LHA SMF W/OM		4505 N		12
4003		2216	SFP 100MBE MMF W/OM		190 N		12
4003		2701	SFP OC 12 SR 1/IR 1 500 M MM		1313 N		12
4003		2702	SFP OC 12 SR 1/IR 1 15 KM SM		1948 N		12
4003		2703	SFP OC 12 LR 1 40 KM SMF		2338 N		12
4003		2704	SFP OC 12 LR 2 80 KM SMF		2777 N		12
4003		2705	XFP OC 192 SR 1 2 KM SMF		4332 N		12
4003		2706	XFP OC 192 IR 2 40 KM SMF		10839 N		12
4003		2707	XFP OC 192 LR 2 80 KM SMF		16262 N		12
4003		2708	SFP OC 48 SR 1 2 KM SMF		2680 N		12
4003		2709	SFP OC 48 IR 1 15 KM SMF		3216 N		12
4003		2710	SFP OC 48 LR 1 40 KM SMF		4192 N		12
4003		2711	SFP OC 48 LR 2 80 KM SMF		5901 N		12
4003		2801	SFP 1GE COPPER RJ-45 8-PACK		2538 N		12
4003		2810	SFP 100MBE MMF W/OM 8 PACK		1522 N		12
4003		2811	SFP 1GE SX MMF W/OM 8-PACK		4100 N		12
4003		2812	SFP 1GE LX SMF W/OM 8-PACK		8981 N		12
4003		2813	SFP 1GE LHA SMF W/OM 8-PACK		36045 N		12
4003		2830	SFP+ 10 GBE SR 300M MMF 8 P		10805 N		12
4003		2831	SFP+ 10 GBE LR 10KM SMF 8 P		21650 N		12
4003		5900	MID MOUNT RACK KIT 4 SLOT		107 N		12
4003		5901	MID MOUNT RACK KIT 8 SLOT		125 N		12
4003		5902	MID MOUNT RACK KIT 16 SLOT		155 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
4003		5911	MID MOUNT RACK KIT 8 SLOT		111 N		12
4003		7091	4003 R16 FW UPGRADE 1 YEAR		8748 N		12
4003		7092	4003 R08 FW UPGRADE 1 YEAR		6815 N		12
4003		7093	4003 R04 FW UPGRADE 1 YEAR		4541 N		12
4003		7094	4003 M32 FW UPGRADE 1 YEAR		46459 N		12
4003		7095	4003 S16 FW UPGRADE RENEWAL		7774 N		12
4003		7096	4003 S08 FW UPGRADE RENEWAL		4807 N		12
4003		7097	4003 M16 FW UPGRADE RENEWAL		13976 N		12
4003		7098	4003 M08 FW UPGRADE RENEWAL		9656 N		12
4003		7099	4003 M04 FW UPGRADE RENEWAL		6587 N		12
4003		7601	FULL LAYER 3 IPV4 ACTIVATION		6896 N		12
4003		7602	FULL LAYER 3 IPV4 (IPV6 READY)		6896 N		12
4003		7603	FULL LAYER 3 IPV6 ACTIVATION		9854 N		12
4003		8601	1200 W 90 240 V AC PS SYS		1621 N		12
4003		8602	1250 W 90 240 V AC PS POE		1621 N		12
4003		8603	2500 W 220 V AC PS POE		2163 N		12
4003		8652	1200 W AC PS 8/16 SLOT		2163 N		12
4003		8653	1200 W AC PS 4 SLOT		2163 N		12
4003		8701	1200 W AC PS 4 SLOT		2163 N		12
4003		8702	1200 W AC PS 8/16 SLOT		2163 N		12
4003		8703	2400 W AC PS 32 SLOT		10050 N		12
4003		8710	128MB FLASH MEMORY		754 N		12
4003		8711	M16 FAN KIT		2558 N		12
4274	M02		IBM ETHERNET ROUTER J02M		96929 Y		12
4274	M06		IBM ETHERNET ROUTER J06M		106907 Y		12
4274	M11		IBM ETHERNET ROUTER J11M		119697 Y		12
4274		2010	EXX 48 PORT 100B FX/1000B X		31603 N		12
4274		2020	EXX 48 PORT 1GE RJ 45		23695 N		12
4274		2110	EXX 8 PORT 10GBASE X SFP		39501 N		12
4274		2210	MXX 20X1GE + 2X10GE R DPC		119384 N		12
4274		2230	MXX 40X1GE R DPC		119384 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
4274		2240	MXX 40X1GE RJ-45 R DPC	80331	N		12
4274		2250	MXX 4X10GE R XFP DPC	95953	N		12
4274		2610	MXX MULTISERVICES DPC	120019	N		12
4274		2710	MXX FLEX PIC CONC TYPE 3	82871	N		12
4274		2810	MXX 1 P SONET OC192 VSR PIC	122040	N		12
4274		2820	MXX 1 P SONET OC192 XFP PIC	161093	N		12
4274		2830	10/100/1000B T RJ 45 100M X4	200146	N		12
4274		5010	100B FX 1310NM 2KM SFP	244	N		12
4274		5014	100B FX 1310NM 2KM SFP X4	976	N		12
4274		5020	1GE COPPER RJ 45 100M SFP	390	N		12
4274		5024	1GE COPPER RJ 45 100M SFP X4	1562	N		12
4274		5030	1000B SX GBE 850NM 550M SFP	488	N		12
4274		5034	GBE 850NM 550M SFP X4	1953	N		12
4274		5040	1000B LX GBE 1310NM 10KM SFP	976	N		12
4274		5044	GBE 1310NM 10KM SFP X4	3905	N		12
4274		5060	1000B LH GBE 1550NM 70KM SFP	5858	N		12
4274		5110	10GE SR 850NM 300M SFP	1464	N		12
4274		5120	10GE LR 1310NM 10KM SFP	3905	N		12
4274		5130	10GE LRM 1310NM 220M SFP	1708	N		12
4274		5520	1GBE RJ 45 100M SFP X4	1543	N		12
4274		5530	MXX 4 PORT SONET OC48 SFP PIC	385	N		12
4274		5540	1000B SX GBE 850NM 550M SFP	488	N		12
4274		5544	1000B SX 850NM 550M SFP X4	1953	N		12
4274		5610	1000B LX GBE 1310NM 10KM SFP	971	N		12
4274		5690	1000BASE LH 1550NM 70KM SFP	5853	N		12
4274		5710	10GE 850NM 300M XFP	2929	N		12
4274		5810	OC 48 SR 2KM SFP	4882	N		12
4274		5820	OC 48 IR 15KM SFP	7811	N		12
4274		5830	OC 48 LR 80KM SFP	24408	N		12
4274		5910	10GE/OC192 1310NM 10KM XFP	4686	N		12
4274		5920	10GE/OC192 1550NM 40KM XFP	9763	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
4274		5930	10GE/OC192 1550NM 80KM XFP	13669	N		12
4274		6010	M06 CABLE MANAGER	1512	N		12
4274		6130	M02 FILTER KIT	1464	N		12
4274		6140	M06 FILTER KIT	1464	N		12
4274		6150	M11 FILTER KIT	1464	N		12
4274		7020	E08 ADVANCED FEATURES	14645	N		12
4274		7021	E16 ADVANCED FEATURES	19526	N		12
4274		7310	GMPLS SUPPORT	9763	N		12
4274		7320	IPV6 GMPLS SUPPORT	9763	N		12
4274		7330	LOGICAL ROUTER SUPPORT	4882	N		12
4274		7340	5M FLOWS	5467	N		12
4274		7350	2K IKE SESSIONS	4882	N		12
4274		7360	2.5M SFW/NAT SESSIONS	14645	N		12
7009	C1L		8A0927 R/6000 PWRSRV C1L	9685	N	2	12
7009		1906	IBM FIBRE CHANNEL ADAPTER	4772	N		0
7009		2415	SCSI-2 FAST/WIDE ADPT/A	797	N		12
7009		2416	SCSI-2 DIFFERENTIAL FW ADPT	1021	N		12
7009		2422	SCSI-2 DIFF Y-CABLE	166	N		12
7009		2423	SCSI-2 DIFF SYS TO SYS CABLE	80	N		12
7009		2424	.6M SCSI-2 DIFFERENTIAL CBL	80	N		12
7009		2425	2.5M SCSI2 DIFFERENTIAL CBL	97	N		12
7009		2426	SCSI2 DIFFERENTIAL WIDE YCBL	331	N		12
7009		2427	SCSI-2 DIFFERENTIAL Y-CBL	316	N		12
7009		2434	16BIT SCSI-2 F/W ADPT/A INT	261	N		12
7009		2435	16 BIT SCSI-2 FW ADPT DUAL	112	N		12
7009		2436	16 BIT SCSI-2 DIFF FW ADPT	112	N		12
7009		2437	8 BIT SCSI-2 FW ADPT DUAL	93	N		12
7009		2438	8BIT SCSI-2 DIFF FW ADPT/A	93	N		12
7009		2439	8BIT SCSI-2 FW ADPT/A SING	108	N		12
7009		2555	1GB SCSI-2 DISK DRIVE	1342	N		12
7009		2580	2GB SCSI-2 DISK DRIVE	2311	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7009		2583	2GB SCSI-2 DISK DR (SELECT)		969 N		12
7009		2586	2GB SCSI-2 F/W DISK DR		2311 N		12
7009		2588	2GB SCSI-2 F/W DSK DR SEL		969 N		12
7009		2619	20X(MAX)SCSI-2 CD-ROM DRIVE		279 N		12
7009		2700	4PORT MULTIPROT COMM ADAPTER		1939 N		12
7009		2702	MULTIP ATTCHMNT CABLE V.35		87 N		12
7009		2704	MULTIPROTO ATTCH CABLE X.21		87 N		12
7009		2705	4-P MULTIPROTO INTERF CABLE		373 N		12
7009		2706	MULTIP ATTCH CBL-EIA-232/V24		69 N		12
7009		2707	EICON ISDN DIVA MCA ADAPTER		224 N		12
7009		2723	FDDI FIBER DUAL RING UPGRADE		1487 N		12
7009		2724	FDDI FIBER SINGLE RING ADPT		2978 N		12
7009		2757	BLOCK MULTIPLEXER ADPT CABLE		522 N		0
7009		2758	MULTIPLEXER CHNL CABLE ASSEM		671 N		0
7009		2834	SCSI SINGLE-END CONTROL CBL		186 N		12
7009		2921	1MB ARTIC960 COPROCESSOR		3803 N		12
7009		2922	AIB CABLE OPTION EIA 232		354 N		12
7009		2923	AIB CABLE OPTION EIA 530		428 N		12
7009		2924	4MB ARTIC960 COPROCESSOR		1577 N		12
7009		2926	AIB CABLE OPTION ISO 4902 V36		428 N		12
7009		2927	AIB CABLE OPTION ISO 4903 X21		428 N		12
7009		2928	8MB ARTIC960 COPROCESSOR		4250 N		12
7009		2930	8-PORT ASYNC ADAPTER-EIA-232		620 N		12
7009		2934	ASYNCH TERM/PRT CABLE EIA-232		33 N		12
7009		2936	ASYNC CABLE EIA-232/V.24		54 N		12
7009		2937	PRINT/TERM INTERPOS EIA-232		21 N		12
7009		2940	8-PORT ASYNC ADAPTER-EIA 422A		697 N		0
7009		2945	TERMINAL CABLE-EAI-422A		97 N		12
7009		2955	16PORT ASYNC ADAPTER EIA-232		838 N		12
7009		2957	16-PORT ASYNC ADAPTER EIA 422A		1156 N		0
7009		2972	AUTO TR LANSTREAMER MC 32ADP		634 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
7009		2995	MULTIPOINT INTERFACE CABLE		286 N		12
7009		2996	16PORT INTERF CABLE EIA-232		220 N		12
7009		2997	16-PORT INTERFACE CABLE EIA		476 N		0
7009		3100	PC PARALLEL PRINTER CABLE		35 N		12
7009		3107	SERIAL PORT CONVERTER CABLE		37 N		12
7009		3130	SCSI DEVICE-DEVICE CABLE		57 N		12
7009		3750	SERV PUBLICATION WRAP PLUGS		42 N		12
7009		3751	DIAGNOSTIC MEDIA		42 N		12
7009		4011	16MB SIMM MEMORY		477 N		12
7009		4012	32MB SIMM MEMORY		954 N		12
7009		4024	8MB SIMM MEMORY (SELECT)		119 N		12
7009		4025	16MB SIMM MEMORY (SELECT)		358 N		12
7009		4026	32MB SIMM MEMORY (SELECT)		834 N		12
7009		4218	T-R CABLE INCL F/C 2970		26 N		12
7009		4223	ETHERNET 10BASE2 TRANSCEIVER		145 N		12
7009		4224	ETHERNET 10BASET TRANSCEIVER		145 N		12
7009		4227	SUN COMPTBLE DISP CONTV CBL		23 N		12
7009		4229	PWR GT1X-PWRDISPLAY 16S		27 N		12
7009		6033	KEYBOARD 106 KEY CHIN/TR/TAW		242 N		12
7009		6145	4GB INTR 4MM TAPE DR SELECT		1491 N		12
7009		6212	HP SUBSYSTEM ADAPTER		249 N		12
7009		6305	DIGITAL TRUNK DUAL ADAPTER		1789 N		12
7009		7006	RT INTERF CO-PROC PRTMASTER		1189 N		12
7009		7042	RT INTRF RS-232 INTERF B/A		596 N		12
7009		7044	RT INTRF RS-422 INTERF B/A		671 N		12
7009		7046	RT CP 6-PORT V.35 INTERF B/A		914 N		12
7009		7048	RT CP 6-PORT X.21 INTERF B/A		746 N		12
7009		7106	RT INTERF 6-PORT V.35 CABLE		632 N		12
7009		7108	RT INTRF CP 8-PORT CABLE		279 N		12
7009		7110	RT INTRF CP 6-PORT X.21 CBL		522 N		12
7009		8128	RISC/6000 128 PORT ASYNC CTR		965 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7009		8130	RISC/6000 RSN 16-PORTEIA-232	1114	N		12
7009		8131	R/6000 128-PORT ACC 4.5METER	44	N		12
7009		8132	R/6000 128-PORT ACC 23CM 9IN	29	N		12
7009		8133	R/6000 RJ-45-DB-25 CONV CBL	89	N		12
7009		8135	64 PORT-128 PIN-OUT CONVERT	33	N		12
7014	B42		IBM 7014 MODEL B42 RACK	2214	Y	2	12
7014	S25		IBM 7014 MODEL S25 RACK	1490	Y	2	12
7014	T00		RS/6000 SYSTEM RACK	2176	Y	2	12
7014	T42		RS/6000 SYSTEM RACK	2959	Y	2	12
7014		0469	CUSTOMER-SPECIFIED RACK PLAC	373	N		12
7014		5889	INTELLIGENT PDU+ BASE OPTION	410	N		12
7014		6068	FRONT DOOR FOR 1.8 METER RACK	336	N		12
7014		6069	FRONT DOOR FOR 2.0 METER RACK	410	N		12
7014		6080	RUGGEDIZED RACK FEATURE	1118	N		12
7014		6084	FRONT DOOR FOR 2.0M OEM RACK	1099	N		12
7014		6086	SUITE ATTACH KIT 2M RACK BLACK	186	N		12
7014		6095	POWER CORD PDU-EXTERNAL I/O	18	N		12
7014		6098	SIDE PANEL 1.8M/2M RACK BLACK	112	N		12
7014		6101	FRONT DOOR FOR 1.8M OEM RACK	722	N		12
7014		6104	SUITE ATT. KIT 1.8M RACK BLACK	264	N		12
7014		6116	DC POWER DISTRIBUTION SELECT	1118	N		12
7014		6117	DC PWR DISTR.SEL BLKHD CONNECT	1491	N		12
7014		6248	ACOUSTIC RACK DOORS 1.8M	3467	N		12
7014		6249	ACOUSTIC RACK DOORS 2.0M	3467	N		12
7014		6255	OEM ACOUST.RACK DOORS 1.8M	2796	N		12
7014		6256	OEM ACOUST.RACK DOORS 2.0M	2796	N		12
7014		6489	P.CORD 24A IEC309 3P+N+G 32A	225	N		12
7014		6491	P.CORD 48A IEC309 P+N+G 63A	296	N		12
7014		6492	P.CORD 48A IEC309 2P+G 60A	237	N		12
7014		6580	RACK SECURITY KIT	134	N		12
7014		6586	MODEM TRAY FOR 19-INCH RACK	186	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7014		6653	P.CORD 16A IEC309 3P+N+G 16A		178 N		12
7014		6654	P.CORD 4.3M 24A NEMA L6-30PLG		178 N		12
7014		6656	P.CORD 24A IEC309 P+N+G 32A		178 N		12
7014		6657	P.CORD 4.3M 24A PDL PLUG		186 N		12
7014		6658	P.CORD 4.3M 24A KOREAN PLUG		178 N		12
7014		6665	PWR CRD 3M 10FT DRWR PDU 250V		14 N		12
7014		6858	REAR DOOR HEAT EXCHANGER		3923 N		12
7014		7109	INTELLIGENT PDU+ 1 EIA UNIT		1084 N		12
7014		7188	PWR DIST.UNIT -SIDE MOUNT		746 N		12
7014		7189	POWDISTRIBUNIT(WW)UTG0247CONN		895 N		12
7014		7196	POWDISTRIBUNIT(US)FIXED POWCRD		1118 N		12
7031		6458	PWR CABLE-DRAWER TO IBM PDU		11 N		12
7031		6460	PWR CORD(14FT) DRW TO OEM PDU		11 N		12
7031		6469	PWR CORD(14FT) DRW TO OEM PDU		11 N		12
7031		6470	PWR CORD(6FT) TO WALL		11 N		12
7031		6471	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6472	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6473	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6474	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6475	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6476	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6477	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6478	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6487	PWR CORD(6FT) TO WALL		11 N		12
7031		6488	PWR CORD(9FT) TO WALL/OEM PDU		34 N		12
7031		6493	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6494	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6496	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6598	DISK SLOT FILLERS (QUANTITY 4)		38 N		12
7031		6651	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7031		6659	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7031		6660	PWR CORD(14FT) DRW TO OEM PDU		11 N		12
7031		6665	PWR CRD 3M 10FT DRWR PDU 250V		11 N		12
7031		6669	PWR CORD(14FT) DRW TO OEM PDU		11 N		12
7031		6670	PWR CORD(6FT) TO WALL		11 N		12
7031		6671	PWR CORD(9FT) DRW.TO IBM PDU		11 N		12
7031		6672	PWR CORD(5FT) DRW.TO IBM PDU		11 N		12
7031		6680	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7036	P16		IBM 16-PORT LAN-ATTACHED RAN	1611	Y	2	12
7036		2934	ASYNCH.TERMINAL/PRINTER CBL.		36 N		12
7036		2936	ASYNCH. CABLE EIA-232/V.24		60 N		12
7036		6458	PWR.CABLE--DRAWER TO IBM PDU		14 N		12
7036		6470	PWR CORD(6FOOT) TO WALL		14 N		12
7036		6487	PWR CORD(6FOOT) TO WALL		14 N		12
7040		2456	LC-SC FIBRE CHAN.CONV.C.		76 N		12
7040		2459	LC-SC 62.5 MICRON FIBER CONV C		76 N		12
7040		2934	ASYNCH TERM/PRT CABLE 3M 25PIN		33 N		12
7040		2936	ASYNCHR.C.EIA-232/V.24		54 N		12
7040		3125	SERIAL/SERIAL PORT C.RACK/RACK		60 N		12
7040		3168	RIO-2 (REMOTE I/O-2)CABLE 2.5M		408 N		12
7040		3636	L200P FLAT PANEL MONITOR	1212	N		12
7040		3637	T541H 15 TFT COL.MON CAPT.CAB		460 N		12
7040		3925	SER.PORT CONV.C.9-PIN/25-PIN		18 N		12
7040		3926	ASYNCH.PRINT./TERM.C. 4 M		69 N		12
7040		4242	6 FOOT EXT. CAB. FOR DISPLAYS		76 N		12
7040		4253	SCSI-TO-IDE INTERFACE BRIDGE		76 N		12
7040		4256	EXTENDER CABLE USB KEYBDS 2M		37 N		12
7040		4599	PCI BLIND SWAP CASS. KIT		37 N		12
7040		5706	2-PORT BASE-TX ETHT PCI-X ADPT		855 N		12
7040		5711	PCI-X D.CH.U320 RAID BL.SW.ADP		2266 N		12
7040		7060	4GB MEM.ACTIV.4FEAT.7054&7051		8666 N		12
7040		7061	4GB MEM.ACTIV.4FEAT.7054&7055		8666 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7040		7063	4GBCUODMEM.ACT.FOR FC7040/41	8666	N		12
7040		7064	4GBCUODMEM.ACT.FOR FC7043/45	8666	N		12
7040		7410	2 PROC.ACTIV.4CUOD PROC.FC7400	19647	N		12
7040		7412	2 PROC ACTIV CUOD PROC FC 7402	12846	N		12
7040		7413	2 PROC ACTIV CUOD PROC FC 7403	21159	N		12
7040		7414	2 PROC.ACTIV.4CUOD PROC.FC7404	31738	N		12
7040		7415	2 PROC ACTIV CUOD PROC FC 7405	28715	N		12
7040		7416	2 PROC.ACTIV.4CUOD PROC.FC7406	41562	N		12
7040		7420	ON/OFFCOD 30DAYPRC.ACT.4FC7400	8563	N		12
7040		7422	ON/OFFCOD 30DAYPRC.ACT.4FC7402	4282	N		12
7040		7423	ON/OFFCOD 30DAYPRC.ACT.4FC7403	7052	N		12
7040		7424	ON/OFFCOD 30DAYPRC.ACT.4FC7404	13853	N		12
7040		7425	ON/OFFCOD 30DAYPRC.ACT.4FC7405	9572	N		12
7040		7426	ON/OFFCOD 30DAYPRC.ACT.4FC7406	17631	N		12
7040		7441	2 PROC.ACT.FOR PROC. FC 7431	57431	N		12
7040		7451	ON/OFFCODPROC.ACT.FOR FC 7431	19143	N		12
7040		8131	128-PORT ASY.CONTR.CAB 4.5 M	45	N		12
7040		8132	128-PORT ASY.CONTR.CAB 23CM	30	N		12
7042	CR6		RACK MOUNT HW MANAG CONSOLE	4324	Y	2	12
7042		0032	SPCFY CODE EXTERNAL HIGH SPEED	423	N		12
7042		0033	INTERNAL MODEM	149	N		12
7042		0034	SPCFY CD ALTER EXT HIGH SPEED	387	N		12
7042		1025	MODEM CABLE US/CANADA GENERAL	10	N		12
7042		3632	WIDESCREEEN LCD MONITOR	819	N		12
7042		4242	6-FT EXT CBL DISPLAYS(15TO15)	80	N		12
7042		4256	EXTENDER CABLE USB KEYB1.8	39	N		12
7042		4765	HMC CR5 REDUNDANT PWR SUPPLY	206	N		12
7042		5524	RFID TAGS FOR SERVERS BLADES	15	N		12
7042		5767	2PORT BASETX ETH PCI EXPRS ADP	432	N		12
7042		5951	FULL WIDTH KEYB-USB US ENG	80	N		12
7042		5983	FULL WIDTH KEYB-USB US ENG EU	80	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7042		6458	POW CBL DRAW 14-FT 250V/10A		13 N		12
7042		6460	POWCRD 14-FT DRW(125V 15A)PT#4		13 N		12
7042		6469	PCRD14-FT DRW(250V 15A)US PT#5		13 N		12
7042		6470	PCRD 6-FT TOWALL(125V 15A)PT#4		13 N		12
7042		6471	PCRD 9-FT OEM (125V 15A)PT#70		13 N		12
7042		6472	PCORD 9-FT OEM (250V 16A)PT#18		13 N		12
7042		6473	PCORD 9-FT OEM (250V 10A)PT#19		13 N		12
7042		6474	PCORD 9-FT OEM(250V 13A)PT#23		13 N		12
7042		6475	PCORD 9-FT OEM(250V 16A)PT#32		13 N		12
7042		6476	PCORD 9-FT OEM(250V 10A)PT#24		13 N		12
7042		6477	PCORD 9-FT OEM(250V 16A)PT#22		13 N		12
7042		6478	PCORD 9-FT OEM(250V 16A)PT#25		13 N		12
7042		6487	PCORD 6-FT (250V 15A) US PT#4		13 N		12
7042		6488	PCORD 9FT (125V 15A/250V 10A)		37 N		12
7042		6493	PCORD 9-FT OEM(250V 10A)PT#62		13 N		12
7042		6494	PCORD 9-FT OEM(250V 10A)PT#69		13 N		12
7042		6496	PCORD 9-FT OEM(250V 10A)PT#66		13 N		12
7042		6577	POWER CABLE DRAWER TO IBM PD		13 N		12
7042		6651	PCORD 9-FT OEM(125V 15A)PT#75		13 N		12
7042		6659	PCORD 14-FT OEM(250V 15A)PT#76		13 N		12
7042		6660	PCORD 14-FT OEM(125V 15A)PT#59		13 N		12
7042		6665	PWR CRD 3M 10FT DRWR PDU 250V		13 N		12
7042		6669	PCORD 14-FT OEM(250V 15A)PT#57		13 N		12
7042		6671	PCORD 9-FT IBM PDU 250V/10A		13 N		12
7042		6672	PCORD 5-FT IBM PDU 250V/10A		13 N		12
7042		6680	PCORD 9-FT OEM(250V 10A) PT#6		13 N		12
7042		7802	ETH CBL 15M HMC CSL TO SYSUNIT		24 N		12
7042		8845	USB MOUSE		24 N		12
7045	SW4		P SERIES	53683	N	2	12
7045		6125	I/O DR.ATT.CAB.GR DR.PS#4401		298 N		12
7045		6126	I/O DR.ATT.CAB.GR DR.PS#4405		298 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7045		6127	I/O DR.ATT.CAB.GR DR.PS#4409		298 N		12
7045		6186	BULK POWER REGULATOR		2982 N		12
7045		6253	SLIM LINE DOORS #8691 EXP.RACK		2237 N		12
7045		6855	WEIGHT DISTRIBUTION PLATE		559 N		12
7045		7802	ETH.CAB 15M HMC TO SYS.UNIT		22 N		12
7045		7837	BULK POWER DISTRIB.ASSEMBLY		1864 N		12
7045		7853	POWER CABLES 4X 01U		485 N		12
7045		7854	POWER CABLES 4X 05U		485 N		12
7045		7855	POWER CABLES 4X 09U		485 N		12
7045		7856	POWER CABLES 4X 13U		298 N		12
7045		7857	POWER CABLES 4X 19U		298 N		12
7045		7858	POWER CABLES 4X 23U		298 N		12
7045		7859	POWER CABLES 4X 27U		298 N		12
7045		7860	POWER CABLES 4X 31U		298 N		12
7045		7937	BOLT-DOWN KIT LOW-RAISED FLOOR		5219 N		12
7045		7938	BOLT-DOWN KIT HIGH-RAIS.FLOOR		5219 N		12
7045		7960	COMPACT HANDLING OPTION		449 N		12
7045		8686	LINE CORD 6AWG 14FT IEC309		746 N		12
7045		8688	LINE CORD 6AWG/TYP E W 14FT		1118 N		12
7045		8697	LINE CORD 8AWG 14FT IEC309		1491 N		12
7205		5060	RACK POWER CORD SINGLE		27 N		12
7205		5061	RACK POWER CORD BIFURCATED		56 N		12
7205		5097	TERMINATOR LVD/SE		51 N		12
7205		5302	CABLE 2.5M HD68/HD68		166 N		12
7205		5303	CABLE 0.5M HD68/HD68		124 N		12
7205		5305	CABLE 5 M HD68/HD68		190 N		12
7205		5310	CABLE 10 M HD68/HD68		238 N		12
7205		5602	CABLE 2.5M VHDCI/HD68		157 N		12
7205		5604	CABLE 4.5M VHDCI/HD68		186 N		12
7205		5610	CABLE 10 M VHDCI/HD68		239 N		12
7205		8723	RACK MOUNT KIT		115 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7206		2832	SCSI CONTROLLER CABLE		235 N		12
7206		2833	INTEGRATED SCSI CABLE		145 N		12
7206		2838	SCSI INTEGRATED CONTROLR CBL		145 N		12
7206		2872	SCSI-2 F/W 1.0M W/TERM 50-PIN		100 N		12
7206		3130	SCSI DEVICE-TO-DEVICE CBL		57 N		12
7206		5060	RACK POWER CORD SINGLE		21 N		12
7206		5061	RACK POWER CORD BIFURCATED		43 N		12
7206		8723	RACK MOUNT KIT		89 N		12
7210		5060	RACK POWER CORD SINGLE		21 N		12
7210		5061	RACK POWER CORD BIFURCATED		43 N		12
7210		5860	RACK POWER CORD SINGLE		21 N		12
7210		5861	RACK POWER CORD BIFURCATED		43 N		12
7212		2502	DDS-4 CLEANING CARTRIDGE		63 N		12
7212		2514	1-4MM DAT72 DATA CART.(36GB)		33 N		12
7212		3050	50 GB SLR DATA CARTRIDGE		119 N		12
7212		3051	SLR CLEANING CARTRIDGE PLANT		30 N		12
7212		3055	5-PK SLR CLEANING CART		139 N		12
7212		5805	5-PK 4.7 GB DVD-RAM 2 DISK		33 N		12
7212		7514	5-4MM DAT72 MULTI-MED.CART.KIT		162 N		12
7214	1U2		TAPE AND DVD ENCLOSURE EXPRESS		1356 Y	2	12
7214		1401	DAT160 TAPE DRIVE		1095 N		12
7214		1404	HHLTO ULTRIUM 4 TAPE DRIVE		2550 N		12
7214		1420	DVD SLED W/1 DVD RAM DRIVE		831 N		12
7214		1421	DVD SLED W/1 DVD ROM DRIVE		680 N		12
7214		1422	DVD RAM SLIM OPTICAL DRIVE		378 N		12
7214		1423	DVD ROM SLIM OPTICAL DRIVE		151 N		12
7214		1425	DVD DRIVE PANEL (BLANK)		18 N		12
7214		1440	DRIVE PANEL (BLANK)		18 N		12
7214		2503	DAT160 CLEANING CARTRIDGE		40 N		12
7214		2508	ULTRIUM CLEANING CARTRIDGE		76 N		12
7214		2516	DAT160 80 GB DATA CARTRIDGE		36 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
7214		2518	5 DAT160 MULTI MEDIA KIT		188 N		12
7214		2520	ULTR 4 800 GB DATA CART		120 N		12
7214		2521	ULTR 4 800 GB WORM D C		163 N		12
7214		2522	ULTRIUM 4 MULTI MEDIA KIT		600 N		12
7214		5060	RACK POWER CORD AC SINGLE		21 N		12
7214		5061	RACK PWR CORD AC BIFURCATED		44 N		12
7214		5743	3.0 M EXTERNAL SAS CABLE		127 N		12
7214		5746	6.0 M EXTERNAL SAS CABLE		149 N		12
7310		3636	L200P FLAT PANEL MONITOR		1077 N		12
7310		3637	T541H/L150P 15 TFT COL.MON.		409 N		12
7310		3640	THINKVISION L171P FLAT PAN.MON		584 N		12
7310		3642	THINKVISION L191P FLAT PAN.MON		685 N		12
7310		4242	6FOOT EXT.CAB.FOR DISPLAYS		84 N		12
7310		4256	EXTENDER CABLE-USB KEYB 2M		42 N		12
7310		5706	2-PORT BASETX ETHT.PCI-X ADP		761 N		12
7310		5951	FULL WIDTH KEYB-USB US ENG		84 N		12
7310		6458	POWER CORD(4M)-ALL		14 N		12
7310		6460	POWER CORD(4M)-US/CANADA		14 N		12
7310		6651	PWR CORD(9FT) TO WALL/OEM PDU		14 N		12
7310		6659	PWR CORD(9FT) TO WALL/OEM PDU		14 N		12
7310		6660	PWR CORD(14FT) DR.TO OEM PDU		14 N		12
7310		6669	PWR CORD(14FT) DR.TO OEM PDU		14 N		12
7310		6680	PWR CORD(9FT) TO WALL/OEM PDU		14 N		12
7310		7802	ETHERNET CABLE 15M		25 N		12
7311		2456	LC-SC 50 MICRON FIBER CABLE		66 N		12
7311		2459	LC-SC 62.5 MICRON FIBER CABLE		66 N		12
7311		2934	ASYNCH TERMINAL/PRINTER CABLE		29 N		12
7311		2936	ASYNCH CABLE EIA-232/V.24		48 N		12
7311		3124	SERIAL TO SERIAL PORT CABLE DD		53 N		12
7311		3125	SERIAL TO SERIAL PORT CABLE RR		53 N		12
7311		3147	REMOTE I/O CABLE 3.5M		443 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7311		3148	REMOTE I/O CABLE 10M		685 N		12
7311		3636	L200P FLAT PANEL MONITOR		862 N		12
7311		3637	T541H 15 TFT COL.MON CAPT.CAB		327 N		12
7311		3640	THINKVISION L171P FLAT PAN.MON		467 N		12
7311		3642	THINKVISION L191P FLAT PAN.MON		548 N		12
7311		3925	SERIAL PORT CONVERTER CABLE		16 N		12
7311		3927	SERIAL PRT CBL 9-9 PIN 3.7M		53 N		12
7311		3928	SERIAL PRT CBL 9-9 PIN 10M		53 N		12
7311		4242	6 FOOT EXTENDER CABLE FOR DISP		66 N		12
7311		4256	EXTENDER CABLE - USB KEYBOARDS		33 N		12
7311		4599	PCI BLIND SWAP CASSETTE KIT		40 N		12
7311		4764	PCI-X CRYPT.COPROC.(FIPS 4)		7254 N		12
7311		5647	BLIND SWAP TYPE III CAS PCI X		30 N		12
7311		5703	PCI-X DUAL CHAN.U320 RAID ADP		1611 N		12
7311		5706	2-PORT BASE-TX ETHT PCI-X ADPT		609 N		12
7311		5711	PCI-X D.CH.U320 RAID BL.SW.ADP		1611 N		12
7311		5713	1GB ISCSI TOE PCI-X-COPP.ADPT		725 N		12
7311		5736	PCI-X DDR 2.0 DUAL CHAN.U320		473 N		12
7311		5759	4GB DUAL-PORT FIBRE CHANNEL		2014 N		12
7311		5912	PCI-X DDR DUAL X4 SAS ADAPTER		665 N		12
7311		5951	FULL WIDTH KEYB-USB US ENG		66 N		12
7311		5961	FULL WIDTH KEYB-USB CHINESE		66 N		12
7311		5983	FULL WIDTH KEYB-USB US ENG INT		66 N		12
7311		6006	POWER CONTROL CABLE (SPCN) 3M		32 N		12
7311		6007	POWER CONTROL CABLE (SPCN) 15M		64 N		12
7311		6417	RIO-2 PORTS 2 I/O PLANAR CARD		645 N		12
7311		6470	P.CORD-UNITED STATES/CANADA		11 N		12
7311		6651	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7311		6659	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12
7311		6665	PWR CRD 3M 10FT DRWR PDU 250V		11 N		12
7311		6680	PWR CORD(9FT) TO WALL/OEM PDU		11 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7311		8131	128-PORT ASYNCHRONOUS CONTROLL		40 N		12
7311		8132	128-PORT ASYNCHRONOUS CONTROLL		26 N		12
7314		2456	LC-SC 50 MICRON FIBER CONV CAB		66 N		12
7314		2459	LC-SC 62.5 MICRON FIBER CONVC		66 N		12
7314		2934	ASY.TERM/PRINTER CABLE EIA-232		29 N		12
7314		2936	ASYN CABLE EIA-232/V.24		48 N		12
7314		3124	SER TO SER PORT CAB DRAW/DRAW		53 N		12
7314		3125	SER TO SER PORT CAB RACK/RACK		53 N		12
7314		3925	SER.PORT CON.CAB 9PIN TO 25PIN		16 N		12
7314		3927	SERIAL PRT CBL 9-9 PIN 3.7M		53 N		12
7314		3928	SERIAL PRT CBL 9-9 PIN 10M		53 N		12
7314		4242	6-FT EXT CBL DISPLAYS(15TO15)		66 N		12
7314		4256	EXT CBL - USB KEYBOARDS 2M		33 N		12
7314		4764	PCI-X CRYPT.COPROC.(FIPS 4)		7254 N		12
7314		5647	BL.SWAP III CAS-PC-X OR PCIE		28 N		12
7314		5706	2-PORT 10/100/1000 BASE-TX ETH		609 N		12
7314		5713	1 GB ISCSI TOE PCI X ON COPPER		725 N		12
7314		5736	PCI-X DDR DUAL CHAN.U320 SCSI		473 N		12
7314		5759	4GB DUAL-PORT FIBRE CHANNEL		2014 N		12
7314		5908	PCI X DDR 1.5GB CACHE SAS RAID		6851 N		12
7314		5912	PCI-X DDR DUAL X4 SAS ADAPTER		665 N		12
7314		5951	FULL WIDTH KEYB-USB US ENG		66 N		12
7314		5983	FULL WIDTH KEYB-USB US ENG EU		66 N		12
7314		6001	POWER CONTROL CABLE(SPCN) - 2M		20 N		12
7314		6006	POWER CONTROL CABLE(SPCN) - 3M		32 N		12
7314		6007	POWER CONTROL CABLE(SPCN) -15M		64 N		12
7314		6446	DUAL-PRT 12X CHAN.ATTACH-SHORT		463 N		12
7314		6457	DUAL-PRT 12X CHAN.ATTACH-LONG		2015 N		12
7314		6458	POW CBL DRAW 14-FT 250V/10A		11 N		12
7314		6469	PCRD14-FT DRW(250V 15A)US PT#5		11 N		12
7314		6472	PCORD 9-FT OEM (250V 16A)PT#18		11 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7314		6473	PCORD 9-FT OEM (250V 10A)PT#19		11 N		12
7314		6474	PCORD 9-FT OEM(250V 13A)PT#23		11 N		12
7314		6475	PCORD 9-FT OEM(250V 16A)PT#32		11 N		12
7314		6476	PCORD 9-FT OEM(250V 10A)PT#24		11 N		12
7314		6477	PCORD 9-FT DRAW(250V 16A)PT#22		11 N		12
7314		6478	PCORD 9-FT DRAW(250V 16A)PT#25		11 N		12
7314		6487	PCORD 6-FT (250V 15A) US PT#5		11 N		12
7314		6488	PCORD 9FT (125V 15A/250V 10A)		32 N		12
7314		6493	PCORD 9-FT OEM(250V 10A)PT#62		11 N		12
7314		6494	PCORD 9-FT OEM(250V 10A)PT#69		11 N		12
7314		6496	PCORD 9-FT OEM(250V 10A)PT#66		11 N		12
7314		6659	PCORD 9-FT OEM(250V 15A)PT#76		11 N		12
7314		6669	PCORD 14-FT OEM(250V 15A)PT#57		11 N		12
7314		6680	PCORD 9-FT OEM(250V 10A) PT#6		11 N		12
7314		7314	I/O DRAWER MOUNTING ENCLOSURE		423 N		12
7315		3636	L200P FLAT PANEL MONITOR		862 N		12
7315		3637	T541H 15 TFT COL.MON CAPT.CAB		327 N		12
7315		4242	6 FOOT EXTENDER CABLE DISPLAYS		66 N		12
7315		4256	EXTENDER CABLE-USB KEYB 2M		33 N		12
7315		7802	ETH.CAB 15M HMC TO SYS.UNIT		20 N		12
7315		8131	128-PORT ASYNC CONTR CAB 4.5M		40 N		12
7315		8132	128-PORT ASYNC CONTR CAB 23CM		26 N		12
7316	TF3		FLAT PANEL CONSOLE KIT		2237 Y	2	12
7316		4242	6FT EXT. CABLE FOR DISPLAYS		95 N		12
7316		4268	CAB KEYB/VID/MOUSE(KVM)CON.OPT		570 N		12
7316		4269	CABLE USB CON.OPTION-1.5M		570 N		12
7316		4283	IBM 1X8 RACK CONSOLE SWITCH		1267 N		12
7316		8880	USB TRAVEL KEYB.W/CBL US ENG.		112 N		12
7778	23X		IBM 7778 23X		7418 Y	1	36
7778		4645	INTEGRATE BLADE SERVER CHASSIS		18 N		36
7778		4646	INTEGRATE BLADE SERVER CHASSIS		22 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7778		8141	IBM I SOFTWARE PREINSTALL		54 N		36
7778		8142	IBM I SW PREINSTALL NON SDI		45 N		36
7778		8143	LINUX SOFTWARE PREINSTALL		54 N		36
7778		8144	LINUX SOFTWARE PREINSTALL SDI		54 N		36
7778		8146	SOFTWARE PREINSTALL		54 N		36
7778		8147	SOFTWARE PREINSTALL BP ORDER		45 N		36
7778		8229	4GB 2X2 GB DDR2 667MHZ DIMMS		189 N		36
7778		8236	IBM 146GB SAS 10K SFF HDD		389 N		36
7778		8239	8GB 2X4 GB DDR2 667MHZ DIMMS		416 N		36
7778		8240	EMULEX 8GB FIBRE CHANNEL EXP		996 N		36
7778		8241	QLOGIC 4 GB FIBRE CHANNEL EXP		679 N		36
7778		8242	QLOGIC 8GB FIBRE CHANNEL EXP		996 N		36
7778		8245	16GB 2X8 GB DDR2 400 MHZ DIMMS		3263 N		36
7778		8246	3 GB SAS PASSTHROUGH EXPANSION		226 N		36
7778		8252	QLOGIC ETHERNET 4 GB FIBRE EXP		906 N		36
7778		8258	4X INFINIBAND DDR EXPAN CARD		1087 N		36
7778		8271	QLOGIC 8GB FIBRE CHAN EXP CARD		996 N		36
7778		8273	69GB SFF SAS SOLID STATE DRIVE		4715 N		36
7778		8274	IBM 300GB SAS 10K RPM SAS HDD		625 N		36
7778		8291	BROADCOM 2/4 PORT ETH EXP		570 N		36
7778		8395	ONE PROCESSOR ENTITLEMENT JS23		91 N		36
7778		8446	1-WIDE ADD ON SMP CHASSIS		7419 N		36
7779	BCS		IBM BLADECENTER S CHASSIS		1220 Y	1	36
7779		0983	US TAA COMPLIANCE INDICATOR		0 N		36
7779		3174	CISCO 3012 CATALYST SWITCH		2955 N		36
7779		3212	NORTEL NETWORKS LAYER 2/3		1813 N		36
7779		3220	SERVER CONNECTIVITY MODULE FBC		1094 N		36
7779		3238	SHORT WAVE SFP MODULE 4 GB		136 N		36
7779		3260	1M SAS 4 CHANNEL CABLE		108 N		36
7779		3266	3M SAS 4 CHANNEL CABLE		122 N		36
7779		3267	IBM BC SAS CONNECTIVITY MODULE		906 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
7779		3733	POWER CORD (2.5 M) BC TO WALL		9 N		36
7779		3747	300 GB 15K RPM SAS DISK DRIVE		724 N		36
7779		4380	LC LC FIBER CHANNEL CBL 5 M		117 N		36
7779		4385	LC LC FIBER CHANNEL CBL 25 M		171 N		36
7779		4545	IBM BC S 6 DISK STORAGE MODULE		720 N		36
7779		4558	POWER CORD (2.5 M) TO PDU/UPS		17 N		36
7779		4560	POWER CORD (4.3 M) WALL 208V		44 N		36
7779		4561	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4562	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4563	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4564	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4565	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4566	POWER CORD (4.3 M) WALL 230V		44 N		36
7779		4568	POWER CBL (4.3 M) WALL 240V		17 N		36
7779		4570	POWER CORD (4.3 M) WALL 220V		17 N		36
7779		4571	POWER CORD (4.3 M) WALL 230V		17 N		36
7779		4572	POWER CORD (4.3 M) WALL 125V		17 N		36
7779		4578	POWER CORD (2.5 M) WALL 120V		9 N		36
7779		4648	RACK INTEGRATION SERVICES: BP		109 N		36
7779		4649	RACK INTEGRATION SERVICES		136 N		36
7779		4941	BC OPEN FABRIC MANAGER		1359 N		36
7779		4942	BC OPEN FABRIC MANAGER ADV UPG		1813 N		36
7779		4943	BC OPEN FABRIC MANAGER ADV UPG		1813 N		36
7779		5129	IBM BC OFFICE ENABLEMENT KIT		679 N		36
7779		5818	POWER CORD (4.3 M) BC 220V/16A		44 N		36
7779		5951	KEYBOARD USB US ENGLISH 103P		77 N		36
7779		6470	POWER CORD (6 FOOT) WALL 125V		12 N		36
7779		6471	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6472	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6473	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6474	POWER CORD (9 FOOT) WALL 250V		12 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7779		6475	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6476	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6477	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6478	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6487	POWER CORD (6 FOOT) WALL 250V		12 N		36
7779		6488	POWER CORD (9 FOOT) WALL 125V		36 N		36
7779		6493	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6494	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6496	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6651	POWER CORD (9 FOOT) WALL 125V		12 N		36
7779		6659	POWER CORD (9 FOOT) WALL 250V		12 N		36
7779		6680	POWER CORD (9 FOOT) WALL 250V		12 N		36
7809	H22		7809 H22		1560 Y	1	36
7809		3741	146 GB 10 000 RPM 2.5 SAS DISK		271 N		36
7809		3743	300 GB 10 000 RPM 2.5 SAS DISK		507 N		36
7809		4645	INTEGRATE BLADE SERVER IN CHAS		18 N		36
7809		4646	INTEGRATE BLADE SERVER IN CHAS		22 N		36
7809		8215	2GB 1333MHZ DDR3 1 GB RDIMM		113 N		36
7809		8216	4GB 1333MHZ DDR3 1 GB RDIMM		213 N		36
7809		8217	8GB 1066MHZ DDR3 2 GB RDIMM		951 N		36
7809		8241	QLOGIC 4 GB FIBRE CHANNEL EXPA		679 N		36
7809		8243	BROADCOM 2 PORT GB ETHERNET EX		271 N		36
7809		8246	3 GB SAS PASSTHROUGH EXPANSION		226 N		36
7809		8257	SERVERAID MR10IE CONTROLLER BC		679 N		36
7809		8271	QLOGIC 8 GB FIBRE CHANNEL EXPA		996 N		36
7809		8272	2 PORT QDR 40 GB/S INFINIBAND		1341 N		36
7809		8292	BROADCOM 2 PORT 10 GBE EXPANSI		543 N		36
7809		8293	BROADCOM 4 PORT 10 GBE EXPANSI		906 N		36
7809		8356	4 CORE 2.53 GHZ 1066 MHZ PROCE		1065 N		36
7809		8357	4 CORE 2.80 GHZ 1333 MHZ PROCE		1564 N		36
7868	047		RACK-MOUNTED MODEM		3159 Y	2	12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7988		4645	INTEGRBLADE SERVER INCHASS(BP)		18 N		36
7988		4646	INTEGRBLADE SERVER INCHASSIS		22 N		36
7988		5405	ADVPOWERVIRT FOR 4-CORE CONFIG		72 N		36
7988		5407	ADVPOWERVIRT FOR 2-CORE CONFIG		144 N		36
7988		8146	SOFTWARE PREINSTALL		54 N		36
7988		8147	SW PREINSTALL BP ORDER		45 N		36
7988		8248	QLOGIC 4GB 2-PORT FC (CFFV)		679 N		36
7988		8249	ETH EXPANSION CRD (CFFV)		271 N		36
7988		8252	Q'GIC ETH/4GB 2-PT FC (CFFH)		906 N		36
7989	BCH		IBM BLADECENTER H CHASSIS	3310	Y	2	36
7989		3194	UPGRADE FOR IBM BLADECENTER	5440	N		36
7989		3199	QLOGIC FABRIC MGR SUPPORT	1994	N		36
7989		3201	BC KVM/ADVANCED MNG MODULE	770	N		36
7989		3212	NORTEL NETWORKS LAYER 2/3 COPP	1813	N		36
7989		3220	SERVER CONNECTIVITY MOD FOR BC	1094	N		36
7989		3229	BROCADE 10-PORT UPGRADE FOR BC	8160	N		36
7989		3238	SHORT WAVE SFP MODULE 4 GB	136	N		36
7989		3239	MULTI-SWITCH INTERCONNECT MOD	1241	N		36
7989		4242	6-FOOT EXTENDER CABLE FOR DISP	82	N		36
7989		4256	EXTENDER CABLE USB KEYB1.8	41	N		36
7989		4648	RACK INTEGR SERV: BP ONLY	109	N		36
7989		4649	RACK INTEGRATION SERVICES	136	N		36
7989		5951	KEYBOARD - USB US ENGLISH	83	N		36
7989		6673	PWRCORD-BC CHASSIS TO PDU	81	N		36
7989		6674	4.3M 200-240V 2X NEMA L6-30P	131	N		36
7989		6675	4.3M 200-240V 2X KSC3805 30A	204	N		36
7989		6676	4.3M 200-240V 1X IEC309 32A	204	N		36
7989		6677	4.3M 200-240V 1X AS/NZS 3112	198	N		36
7998	60X		7998 60X JS12 EXPRESS	181	Y	1	36
7998		4645	INTEGRATE BLADE SERVER	18	N		36
7998		4646	INTEGRATE BLADE SERVER	22	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
7998		5649	ADVANCED POWER VIRTUALIZATION		0 N		36
7998		8146	SOFTWARE PREINSTALL		54 N		36
7998		8147	SOFTWARE PREINSTALL BP ORDER		45 N		36
7998		8229	4GB (2X2 GB) DDR2 667MHZ		189 N		36
7998		8234	8GB (2 X 4 GB) DDR2 667MHZ		543 N		36
7998		8235	16GB (2 X 8 GB) DDR2 533MHZ		3626 N		36
7998		8236	146GB SAS 10K SFF HDD		389 N		36
7998		8239	8GB (2X4 GB) DDR2 667MHZ		416 N		36
7998		8245	16GB (2X8 GB) DDR2 400 MHZ		3263 N		36
7998		8248	4GB 2 PORT FIBRE EXP. CARD		679 N		36
7998		8249	ETHERNET EXPANSION CARD		271 N		36
7998		8250	SAS EXPANSION CARD FOR BC		226 N		36
7998		8252	QLOGIC ETH 4GB FIBRE EXP. CARD		906 N		36
7998		8258	4X INFINIBAND DDR EXP. CARD		1087 N		36
7998		8291	BROADCOM 2/4 PORT ETH EXP		570 N		36
7998		8401	ONE PROCESSOR ENTITLEMENT		91 N		36
7998		8442	BC JS12 2 CORE 3.8 GHZ PROC		2847 N		36
7998		8444	ONE PROC. ENTITLEMENT FOR PROC		91 N		36
8202	E4B		IBM POWER 720		285 Y	2	36
8202		0348	V.24/EIA232 6.1M (20 FT) PCI C		105 N		36
8202		0353	V.35 6.1M (20 FT) PCI CABLE		105 N		36
8202		0359	X.21 6.1M (20 FT) PCI CABLE		313 N		36
8202		0456	CUSTOMER SPECIFIED PLACEMENT		339 N		36
8202		0551	19 INCH 1.8 METER HIGH RACK		2237 N		36
8202		0553	19 INCH 2.0 METER HIGH RACK		3034 N		36
8202		0599	RACK FILLER PANEL KIT		62 N		36
8202		1025	MODEM CABLE US/CANADA		10 N		36
8202		1103	USB INTERNAL DOCKING STAT RD		190 N		36
8202		1104	USB EXTERNAL DOCKING STAT RD		233 N		36
8202		1106	USB 160 GB REMOVABLE DISK DRIV		266 N		36
8202		1107	USB 500 GB REMOVABLE DISK DRIV		599 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8202		1459	200V (6 FT) 1.8M UPPER LOCKING		167 N		36
8202		1824	QUAD PORT 1 GB HEA DAUGHTER CA		254 N		36
8202		1825	DUAL PORT 10 GB HEA DAUGHFIBER		1481 N		36
8202		1826	DUAL PORT 10 GB HEA DAUGCOPPER		296 N		36
8202		1827	SYSTEM PORT/UPS CONVERSION CAB		80 N		36
8202		1828	1.5 METER 12X TO 4X CHANNEL		254 N		36
8202		1841	3 METER 12X TO 4X CHANNEL		317 N		36
8202		1854	10 METER 12X TO 4X ENHANCED CH		508 N		36
8202		1861	0.6 METER 12X DDR CABLE		296 N		36
8202		1862	1.5 METER 12X DDR CABLE		339 N		36
8202		1864	8.0 METER 12X DDR CABLE		614 N		36
8202		1865	3.0 METER 12X DDR CABLE		402 N		36
8202		1883	73.4 GB 15K RPM SAS SFF DISK D		421 N		36
8202		1884	69.7 GB 15K RPM SAS SFF DISK D		421 N		36
8202		1885	300GB 10K RPM SFF SAS DISK DRI		675 N		36
8202		1886	146GB 15K RPM SFF SAS DISK DRI		421 N		36
8202		1888	139GB 15K RPM SFF SAS DISK DRI		421 N		36
8202		1890	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8202		1909	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8202		1911	283GB 10K RPM SFF SAS DISK DRI		675 N		36
8202		1995	177GB SSD MODULE WITH EMLC (AI		3724 N		36
8202		1996	177GB SSD MODULE WITH EMLC (IB		3724 N		36
8202		2053	PCIE LP RAID SSD SAS ADAPTER 3		2584 N		36
8202		2055	PCIE RAID SSD SAS ADAPTER 3GB		2584 N		36
8202		2456	2M LC SC 50 MICRON FIBER CONVE		70 N		36
8202		2459	2M LC SC 62.5 MICRON FIBER CON		70 N		36
8202		2728	4 PORT USB PCIE ADAPTER		127 N		36
8202		2893	PCIE 2-LINE WAN W/MODEM		490 N		36
8202		2934	3M ASYNCHRONOUS TERMINAL/PRINT		31 N		36
8202		2936	ASYNCHRONOUS CABLE EIA 232/V.2		51 N		36
8202		3124	SERIAL TO SERIAL PORT CABLE FO		56 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8202		3125	SERIAL TO SERIAL PORT CABLE FO		56 N		36
8202		3586	69GB 3.5 SAS SOLID STATE DRIV		4401 N		36
8202		3587	69GB 3.5 SAS SOLID STATE DRIV		4401 N		36
8202		3647	146GB 15K RPM SAS DISK DRIVE		421 N		36
8202		3648	300GB 15K RPM SAS DISK DRIVE		804 N		36
8202		3649	450GB 15K RPM SAS DISK DRIVE		1100 N		36
8202		3652	SAS CABLE (EE) DRAWER TO D 1M		42 N		36
8202		3653	SAS CABLE (EE) DRAWER TO D 3M		58 N		36
8202		3654	SAS CABLE (EE) DRAWER TO D 6M		101 N		36
8202		3656	SAS SFF CABLE		33 N		36
8202		3658	428GB 15K RPM SAS DISK DRIVE		1100 N		36
8202		3661	SAS CABLE (X) ADAPTER SAS 3M		127 N		36
8202		3662	SAS CABLE (X) ADAPTER SAS 6M		254 N		36
8202		3663	SAS CABLE (X) ADAPTER SAS 15M		517 N		36
8202		3677	139.5GB 15K RPM SAS DISK DRIVE		421 N		36
8202		3678	283.7GB 15K RPM SAS DISK DRIVE		804 N		36
8202		3679	SAS CABLE (AI) ADAPTER TO INT		44 N		36
8202		3681	3M SAS CABLE ADPTR TO ADPTR		63 N		36
8202		3682	6M SAS CABLE ADPTR TO ADPTR		127 N		36
8202		3684	SAS CABLE (AE) ADAPTER TO E 3M		127 N		36
8202		3685	SAS CABLE (AE) ADAPTER TO E 6M		254 N		36
8202		3687	SAS CABLE (YI) S TO SAS 3M		93 N		36
8202		3688	SAS CABLE (AT) 0.6 METER		76 N		36
8202		3691	SAS CABLE (YO) ADAPTER 1.5M		76 N		36
8202		3692	SAS CABLE (YO) ADAPTER 3M		93 N		36
8202		3693	SAS CABLE (YO) ADAPTER 6M		127 N		36
8202		3694	SAS CABLE (YO) ADAPTER 15M		446 N		36
8202		3925	0.3M SERIAL PORT CONVERTER CAB		17 N		36
8202		3926	ASYNCH PRINTER/TERMINAL CABLE		123 N		36
8202		3927	SERIAL PORT NULL MODEM 3.7.M		56 N		36
8202		3928	SERIAL PORT NULL MODEM 10M		56 N		36



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8202		3930	SYSTEM SERIAL PORT CONVERTER C		11 N		36
8202		4242	1.8 M (6 FT) EXTENDER CABLE		70 N		36
8202		4256	EXTENDER CABLE USB KEYBOARDS		35 N		36
8202		4276	VGA TO DVI CONNECTION CONVERT		6 N		36
8202		4367	PACKAGE 5X 2055 20X 1995	63394	N		36
8202		4377	PACKAGE 5X 2055 20X 1996	63394	N		36
8202		4526	8GB (2X4GB) MEMORY DIMMS 1066		901 N		36
8202		4529	16GB (2X8GB) MEMORY DIMMS 106		1803 N		36
8202		4764	PCI X CRYPTOGRAPHIC COPROCESSO		7617 N		36
8202		4793	POWER ACTIVE MEMORY EXPANSION		1777 N		36
8202		4807	PCIE CRYPTO COPROCESSOR NO BSC		9310 N		36
8202		4808	PCIE CRYPTO COPROCESSOR GEN3 B		9310 N		36
8202		5269	PCIE LP POWER GXT145 GRAPHICS		489 N		36
8202		5270	PCIE LP 10GB FCOE 2 PORT ADAPT		3515 N		36
8202		5271	PCIE LP 4 PORT 10/100/1000 BAS		702 N		36
8202		5272	PCIE LP 10GBE CX4 1 PORT ADAPT		3068 N		36
8202		5273	PCIE LP 8GB 2 PORT FIBRE CHANN		2961 N		36
8202		5274	PCIE LP 2 PORT 1GBE SX ADAPTER		1118 N		36
8202		5275	PCIE LP 10GBE SR 1 PORT ADAPT		3387 N		36
8202		5276	PCIE LP 4GB 2 PORT FIBRE CHANN		2115 N		36
8202		5277	PCIE LP 4 PORT ASYNC EIA 232		591 N		36
8202		5278	PCIE LP 2X4 PORT SAS ADAPTER		634 N		36
8202		5524	RFID TAGS FOR SERVERS BLADES		16 N		36
8202		5603	SYSTEM AC POWER SUPPLY 1725 W		339 N		36
8202		5604	MEMORY RISER CARD		677 N		36
8202		5610	PCIE RISER CARD (GEN1)		1523 N		36
8202		5615	GX++ DUAL PORT 12X CHANNEL ATT		1481 N		36
8202		5618	STORAGE BACKPLANE 6 SFF BAYS		676 N		36
8202		5619	80/160GB DAT160 SAS TAPE DRIVE		1546 N		36
8202		5630	STORAGE BACKPLANE 8 SFF BAYS/1		1523 N		36
8202		5631	SPLIT DRIVE BAY CAPABILITY5618		676 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8202		5638	1.5TB/3.0TB LTO 5 SAS TAPE DR		3385 N		36
8202		5661	DAT320 160/320 GB TAPE DRIVE		1777 N		36
8202		5673	DAT320 160 GB USB TAPE DRIVE		1777 N		36
8202		5706	IBM 2 PORT 10/100/1000 BASE TX		639 N		36
8202		5708	10GB FCOE PCIE DUAL PORT ADAPT		3515 N		36
8202		5713	1 GIGABIT ISCSI TOE PCI X		762 N		36
8202		5717	4 PORT 10/100/1000 BASE TX PCI		702 N		36
8202		5732	10 GIGABIT ETHERNET CX4 PCI		3068 N		36
8202		5735	8 GIGABIT PCI EXPRESS DUAL POR		2961 N		36
8202		5736	PCI X DDR DUAL CHANNEL ULTRA32		497 N		36
8202		5746	HALF HIGH 800GB/1.6TB LTO4 SAS		3385 N		36
8202		5747	IBM LTO ULTRIUM 4 800 GB DATA		508 N		36
8202		5748	POWER GXT145 PCI EXPRESS GRAPH		319 N		36
8202		5749	4GBPS FIBRE CHANNEL (2 PORT)		2115 N		36
8202		5759	4 GB DUAL PORT FIBRE CHANNEL P		2115 N		36
8202		5762	SATA SLIMLINE DVD RAM DRIVE		253 N		36
8202		5767	2 PORT 10/100/1000 BASE TX ETH		446 N		36
8202		5768	2 PORT GIGABIT ETHERNET SX PCI		1118 N		36
8202		5769	10 GIGABIT ETHERNET SR PCI		3387 N		36
8202		5772	10 GIGABIT ETHERNET LR PCI		4013 N		36
8202		5774	4 GIGABIT PCI EXPRESS DUAL POR		2115 N		36
8202		5785	4 PORT ASYNC EIA 232 PCIE ADAP		591 N		36
8202		5796	PCI DDR 12X EXPANSION DRAWER		4604 N		36
8202		5802	12X I/O DRAWER PCIE SFF DISK		10147 N		36
8202		5805	PCIE 380MB CACHE DUAL X4 3GB		1861 N		36
8202		5877	12X I/O DRAWER PCIE NO DISK		9216 N		36
8202		5886	EXP 12S EXPANSION DRAWER		4189 N		36
8202		5901	PCIE DUAL X4 SAS ADAPTER		634 N		36
8202		5908	PCI X DDR 1.5GB CACHE SAS		7194 N		36
8202		5912	PCI X DDR DUAL X4 SAS ADAPTE		698 N		36
8202		5951	FULL WIDTH KEYBOARD USB US ENG		70 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8202		5963	FULL WIDTH KEYBOARD USB CANADI		70 N		36
8202		6006	POWER CONTROL CABLE SPCN3 MET		33 N		36
8202		6007	POWER CONTROL CABLE SPCN15MET		67 N		36
8202		6068	OPT FRONT DOOR FOR 1.8M RACK		287 N		36
8202		6069	OPT FRONT DOOR FOR 2.0M RACK		352 N		36
8202		6248	1.8M RACK ACOUSTIC DOORS		2972 N		36
8202		6249	2.0M RACK ACOUSTIC DOORS		2972 N		36
8202		6263	1.8M RACK TRIM KIT		338 N		36
8202		6272	2.0M RACK TRIM KIT		338 N		36
8202		6446	DUAL PORT 12X CHANNEL INTERFAC		487 N		36
8202		6457	DUAL PORT 12X CHANNEL INTERFAC		2116 N		36
8202		6458	POWER CABLE DRAWER TO IBM P		11 N		36
8202		6460	POWER CORD 4.3M (14 FT) DRAWE		11 N		36
8202		6469	POWER CORD 4.3M (14 FOOT) DRA		11 N		36
8202		6470	POWER CORD 1.8M(6 FOOT) TO WA		11 N		36
8202		6471	POWER CORD 2.7M (9 FOOT)		11 N		36
8202		6488	POWER CORD 2.7M (9 FOOT)		33 N		36
8202		6489	4.3M (14 FT) 3PH/24A POWER COR		233 N		36
8202		6491	4.3M (14 FT) 1PH/48A PWR CORD		255 N		36
8202		6492	4.3M (14 FT) 1PH/48 60A PWR CO		255 N		36
8202		6493	POWER CORD 2.7M (9 FOOT)		11 N		36
8202		6577	POWER CABLE DRAWER TO IBM PD		11 N		36
8202		6580	OPTIONAL RACK SECURITY KIT		115 N		36
8202		6586	MODEM TRAY FOR 19 INCH RACK		159 N		36
8202		6654	4.3M (14 FT) 1PH/24 30A PWR CO		153 N		36
8202		6655	4.3M (14 FT) 1PH/24 30A WR PWR		339 N		36
8202		6656	4.3M (14 FT)1PH/24A POWER CORD		153 N		36
8202		6659	POWER CORD 2.7M (9 FOOT)		11 N		36
8202		6660	POWER CORD (14 FOOT) DRAWER T		11 N		36
8202		6665	POWER CORD 3 M (10 FT) DRAWER		11 N		36
8202		6669	POWER CORD 4.3M (14 FOOT)		11 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8202		6671	POWER CORD 2.7M (9 FOOT)		11 N		36
8202		6672	POWER CORD 1.5M (5 FOOT)		11 N		36
8202		6680	POWER CORD 2.7M (9 FOOT)		11 N		36
8202		7109	INTELLIGENT PDU+ 1 EIA UNIT		930 N		36
8202		7118	ENVIRONMENTAL MONITORING PROBE		237 N		36
8202		7134	IBM RACK MOUNT DRAWER BEZEL		85 N		36
8202		7135	OEM RACK MOUNT DRAWER BEZEL		85 N		36
8202		7145	IBM/OEM RACK MOUNT DRAWER RAIL		168 N		36
8202		7188	POWER DISTRIBUTION UNIT		640 N		36
8202		7314	I/O DRAWER MOUNTING ENCLOSURE		444 N		36
8202		7518	QUANTITY 150 OF 3677		63222 N		36
8202		7519	QUANTITY 150 OF 3678		120605 N		36
8202		7535	QUANTITY 150 OF 3586		660151 N		36
8202		7536	QUANTITY 150 OF 3587		660151 N		36
8202		7538	QUANTITY 150 OF 3658		165038 N		36
8202		7549	QUANTITY 150 OF 3647		63222 N		36
8202		7564	QUANTITY 150 OF 3648		120605 N		36
8202		7565	QUANTITY 150 OF 3649		165038 N		36
8202		7567	IBM TOWER COVER SET		253 N		36
8202		7568	OEM TOWER COVER SET		253 N		36
8202		7802	ETHERNET CABLE 15M HARDWARE		21 N		36
8202		8143	LINUX SOFTWARE PREINSTALL		50 N		36
8202		8144	LINUX SOFTWARE PREINSTALL BP		50 N		36
8202		8350	4 CORE 3.0 GHZ POWER7 PROCESS		635 N		36
8202		8351	6 CORE 3.0 GHZ POWER7 PROCESSO		1016 N		36
8202		8352	8 CORE 3.0 GHZ POWER7 PROCESS		2374 N		36
8202		8360	ONE PROCESSOR ACTIVATION FOR P		491 N		36
8202		8361	ONE PROCESSOR ACTIVATION FOR P		791 N		36
8202		8362	ONE PROCESSOR ACTIVATION FOR P		1735 N		36
8202		8845	USB MOUSE		25 N		36
8203	E4A		POWER SYSTEM 520		0 Y	2	12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		0032	SPCFY CD EXT HIGH SPEED MODEM		428 N		12
8203		0348	V.24/EIA232 6.1M 20FT PCI CBL		102 N		12
8203		0353	V.35 6.1M 20FT PCI CABLE		102 N		12
8203		0359	X.21 6.1M 20FT PCI CABLE		306 N		12
8203		0367	V.24/EIA232 6.1M PCI CABLE		102 N		12
8203		0456	CUSTOMER SPECIFIED PLACEMENT		330 N		12
8203		0551	19 INCH 1.8 METER HIGH RACK		2184 N		12
8203		0553	19 INCH 2.0 METER HIGH RACK		2961 N		12
8203		0595	PCI/SCSI DISK EXPANSION DRAWER		5879 N		12
8203		0599	RACK FILLER PANEL KIT		60 N		12
8203		0983	US TAA COMPLIANCE INDICATOR		0 N		12
8203		1025	MODEM CABLE US CANADA GENERAL		10 N		12
8203		1103	USB INTERNAL DOCKING STATION		185 N		12
8203		1104	USB EXTERNAL DOCKING STATION		227 N		12
8203		1106	USB 160 GB REMOVABLE DISKDRIVE		260 N		12
8203		1107	USB 500 GB REMOVABLE DISKDRIVE		585 N		12
8203		1460	3M COPPER RIO CABLE		367 N		12
8203		1461	6M COPPER RIO CABLE		449 N		12
8203		1462	15M RIO CABLE		899 N		12
8203		1474	6M RIO TO RIO 2 CABLE		531 N		12
8203		1475	10M RIO TO RIO 2 CABLE		981 N		12
8203		1485	REMOTE I/O CABLE 15M		899 N		12
8203		1487	3M RIO TO RIO 2 CABLE		337 N		12
8203		1827	SYSTEM PORT/UPS CONVERSION CBL		78 N		12
8203		1828	1.5 M 12X TO 4X CHANNEL CONV		248 N		12
8203		1829	0.6 METER 12X CABLE		289 N		12
8203		1830	1.5 METER 12X CABLE		330 N		12
8203		1834	8.0 METER 12X CABLE		598 N		12
8203		1840	3.0 METER 12X CABLE		392 N		12
8203		1841	3 M 12X TO 4X CHANNEL CONV CBL		309 N		12
8203		1843	OP PANEL CBL FOR DESKSIDE SYS		4 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		1854	10 METER 12X TO 4X ENHANCED CH		496 N		12
8203		1856	OP PANEL CBL DESKSIDE SYSTEM		4 N		12
8203		1861	0.6 METER 12X DDR CABLE		289 N		12
8203		1862	1.5 METER 12X DDR CABLE		330 N		12
8203		1864	8.0 METER 12X DDR CABLE		598 N		12
8203		1865	3.0 METER 12X DDR CABLE		392 N		12
8203		1877	OP PANEL CBL FOR RACK MOUNT		4 N		12
8203		1878	OP PANEL CBL RACKMOUNT DRWR		4 N		12
8203		1883	73.4 GB 15K RPM SAS SFF DISK		411 N		12
8203		1884	69.7 GB 15K RPM SAS SFF DISK		411 N		12
8203		1885	300GB 10K RPM SFF SAS DISKDRIV		659 N		12
8203		1886	146GB 15K RPM SFF SAS DISKDRIV		411 N		12
8203		1888	139GB 15K RPM SFF SAS DISKDRIV		411 N		12
8203		2124	ULTRA 320 SCSI CABLE 1 METER		103 N		12
8203		2125	ULTRA 320 SCSI CABLE 3 METER		115 N		12
8203		2126	ULTRA 320 SCSI CABLE 5 METER		128 N		12
8203		2127	ULTRA 320 SCSI CABLE 10 METER		173 N		12
8203		2128	ULTRA 320 SCSI CABLE 20 METER		272 N		12
8203		2138	0.55 METER ULTRA 320 SCSI CBL		62 N		12
8203		2456	LC SC 50 MICRON FIBER CONV CBL		69 N		12
8203		2459	LC SC 62.5 MICRON FIBER CONV		69 N		12
8203		2728	4 PORT USB PCIE ADAPTER		124 N		12
8203		2893	PCIE 2 LINE WAN W/MODEM		478 N		12
8203		2934	ASYNCHRONOUS TERMINAL/PRINTER		30 N		12
8203		2936	ASYNCHRONOUS CBL EIA 232/V.24		50 N		12
8203		3124	SERIAL TO SER PORT CBL FOR DRW		54 N		12
8203		3125	SERIAL TO SER PRT CBL FOR RCK		54 N		12
8203		3147	RIO 2(REMOTE I/O 2)CBL 3.5M		454 N		12
8203		3148	RIO 2(REMOTE I/O 2) CABLE 10M		702 N		12
8203		3156	RIO 2 REMOTE I/O 2 CBL 1.75M		330 N		12
8203		3168	RIO 2 REMOTE I/O 2 CBL 2.5M		372 N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
8203		3647	146 GB 15K RPM SAS DISK DRIVE		411 N		12
8203		3648	300 GB 15K RPM SAS DISK DRIVE		785 N		12
8203		3649	450GB 15K RPM SAS DISK DRIVE		1074 N		12
8203		3652	SAS CBL (EE) DRAWER TO DRW 1M		41 N		12
8203		3653	SAS CBL (EE) DRAWER TO DRW 3M		57 N		12
8203		3654	SAS CBL (EE) DRAWER TO DRW 6M		99 N		12
8203		3656	SAS SFF CABLE		32 N		12
8203		3657	SAS SFF CABLE		17 N		12
8203		3658	428GB 15K RPM SAS DISK DRIVE		1074 N		12
8203		3661	SAS CBL (X) ADP ENCLOSURE 3M		124 N		12
8203		3662	SAS CBL (X) ADP ENCLOSURE 6M		248 N		12
8203		3663	SAS CBL (X) ADP ENCLOSURE 15M		479 N		12
8203		3670	SAS CBL DASD BACKPLANE (SPLIT)		70 N		12
8203		3674	SAS CABLE DASD BACKPLANE		65 N		12
8203		3677	139.5GB 15K RPM SAS DISK DRIVE		411 N		12
8203		3678	283.7GB 15K RPM SAS DISK DRIVE		785 N		12
8203		3679	SAS CABLE (AI) 1M		43 N		12
8203		3681	3M SAS CABLE ADPTR TO ADPTR		61 N		12
8203		3682	6M SAS CABLE ADPTR TO ADPTR		124 N		12
8203		3684	SAS CBL (AE) ADP ENCLOSURE 3M		124 N		12
8203		3685	SAS CBL (AE) ADP ENCLOSURE 6M		248 N		12
8203		3687	SAS CBL (YI) SYST TO SAS 3M		91 N		12
8203		3688	SAS CABLE (AT) 0.6 METER		74 N		12
8203		3691	SAS CBL (YO) ADP TO SAS 1.5M		74 N		12
8203		3692	SAS CBL (YO) ADP TO SAS 3M		91 N		12
8203		3693	SAS CBL (YO) ADP TO SAS 6M		124 N		12
8203		3694	SAS CBL (YO) ADP ENCLOSURE 15M		435 N		12
8203		3925	SERIAL PORT CONVERTER CABLE		17 N		12
8203		3926	ASYNCH PRONTER/TERMINAL CABLE		69 N		12
8203		3927	SERIAL PRT NULL MODEM CBL 3.7M		54 N		12
8203		3928	SERIAL PRT NULL MODEM CBL 10M		54 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		4242	6 FOOT EXTENDER CABLE		69 N		12
8203		4256	EXTENDER CABLE USB KEYB1.8		34 N		12
8203		4276	VGA TO DVI CONNECTION		6 N		12
8203		4288	MEMORY OFFERING 64GB MULTIPLE		3429 N		12
8203		4327	70.56GB 15K RPM DISK UNIT		623 N		12
8203		4328	141.12GB 15K RPM DISK UNIT		810 N		12
8203		4329	282.25GB 15K RPM DISK UNIT		1746 N		12
8203		4520	1024MB (2X512MB) RDIMMS		215 N		12
8203		4521	2048MB (2X1024MB) RDIMMS		420 N		12
8203		4522	4096MB (2X2048MB) RDIMMS		857 N		12
8203		4523	8192MB (2X4096MB) RDIMMS		1714 N		12
8203		4524	16384MB (2X8192MB) RDIMMS		3429 N		12
8203		4532	4096MB 2X2048MB RDIMMS 667MHZ		857 N		12
8203		4633	DVD RAM		1308 N		12
8203		4746	PCI TWINAXIAL WORKSTN IOA		681 N		12
8203		4764	PCI X CRYPTOGRAPH. COPROCESSOR		7436 N		12
8203		4807	PCIE CRYPTO COPROCESSOR NO BSC		9088 N		12
8203		4808	PCIE CRYPTO COPROCESSOR GEN3 B		9088 N		12
8203		5115	DUAL LINE CORDS TOWER		2726 N		12
8203		5116	DUAL LINE CORDS 5294 TOWER		2726 N		12
8203		5138	REDUNDANT AND COOLING		1102 N		12
8203		5524	RFID TAGS FOR SERVERS BLADES		16 N		12
8203		5583	5777 CONTROLLER W/AUX WRITE		5716 N		12
8203		5588	1 PROCESSOR ACTIVATION FC 5587		1800 N		12
8203		5609	GX DUALPORT 12X CHANNEL ATTACH		1818 N		12
8203		5613	DUAL PORT (SR) INTEGRATED		2892 N		12
8203		5614	DUAL PORT RIO 2 I/O HUB		1239 N		12
8203		5616	GX DUAL PORT 12X CHANN. ATTACH		909 N		12
8203		5619	80/160 GB DAT160 SAS TAPE DRV		1509 N		12
8203		5623	DUAL PORT 1GB INTEGRATED		248 N		12
8203		5624	4 PORT 1GB INTEGRATED VIRTUAL		435 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8203		5633	1 CORE 4.2 GHZ POWER6		1519 N		12
8203		5634	2 CORE 4.2 GHZ POWER6		3212 N		12
8203		5646	BLIND SWAP TYPE III CASSETTE		31 N		12
8203		5647	BLIND SWAP TYPE III CASSETTE		31 N		12
8203		5651	ONE PROCESSOR ACTIV FOR 5633		709 N		12
8203		5654	ONE PROCESSOR ACTIV FOR 5634		1335 N		12
8203		5655	ONE PROCESSOR ACTIV FOR 5635		1306 N		12
8203		5679	SAS RAID ENABLEMENT		2065 N		12
8203		5689	DAT160 MEDIA CARTRIDGE		373 N		12
8203		5706	2 PORT 10/100/1000 BASE TX		624 N		12
8203		5708	10GB FCOE PCIE DUAL PORT ADAPT		3432 N		12
8203		5713	1 GB SCSI TOE PCI X ON COPPER		744 N		12
8203		5717	4 PORT 10/100/1000 BASE TX		685 N		12
8203		5732	10 GB ETH CX4 PCI EXPRESS ADP		2995 N		12
8203		5735	8GB PCI EXPRESS DUAL PRT FIBRE		2891 N		12
8203		5736	PCI X DDR DUAL CHANN. ULTRA320		485 N		12
8203		5741	SINGLE BUS ULTRA 320 SCSI CARD		412 N		12
8203		5742	DUAL BUS ULTRA 320 SCSI CARD		824 N		12
8203		5746	HALF HIGH 800GB/1.6TB LTO4 SAS		3305 N		12
8203		5747	IBM LTO ULTRIUM 4 800 GB DATA		496 N		12
8203		5748	POWER GXT145 PCI EXPRESS		311 N		12
8203		5749	4GBPS FIBRE CHANNEL (2 PORT)		2064 N		12
8203		5759	4 GB DUAL PORT FIBRE CHANNEL		2064 N		12
8203		5762	SATA SLIMLINE DVD RAM DRIVE		247 N		12
8203		5767	2 PORT 10/100/1000 BASE TX		435 N		12
8203		5768	2 PORT GIGABIT ETHERNET SX PCI		1092 N		12
8203		5769	10 GB ETH SR PCI EXPRESS ADP		3307 N		12
8203		5772	10 GB ETHERNET LR PCI EXPRESS		3917 N		12
8203		5774	4 GB PCI EXPRESS DUAL PORT ADP		2064 N		12
8203		5776	PCI X DISK CNTRLR 90MB NO IOP		1633 N		12
8203		5777	PCI X DISK CNTRLR 1.5GB NO IOP		5066 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		5778	PCI X EXP24 CTL 1.5GB NO IOP	6945	N		12
8203		5782	PCI X EXP24 CTL 1.5GB NO IOP	6986	N		12
8203		5785	4 PORT ASYNC EIA 232 PCIE ADP	577	N		12
8203		5796	PCI DDR 12X EXPANSION DRAWER	4494	N		12
8203		5802	12X I/O DRAWER PCIE SFF DISK	9905	N		12
8203		5877	12X I O DRAWER PCIE NO DISK	8996	N		12
8203		5886	EXP 12S	4090	N		12
8203		5901	PCIE DUAL X4 SAS ADAPTER	619	N		12
8203		5904	PCI X DDR 1.5GB CACHE SAS RAID	7023	N		12
8203		5908	PCI X DDR 1.5GB CACHE SAS RAID	7023	N		12
8203		5912	PCI X DDR DUAL X4 SAS ADAPTER	681	N		12
8203		5951	FULL WIDTH KEYBRD USB US ENG	69	N		12
8203		5983	FULL WIDTH KEYBRD USB US ENG	69	N		12
8203		6006	POWER CONTROL CBL (SPCN) 3 M	32	N		12
8203		6007	POWER CONTROL CBL (SPCN) 15 M	65	N		12
8203		6068	OPT FRONT DOOR FOR 1.8M RACK	280	N		12
8203		6069	OPT FRONT DOOR FOR 2.0M RACK	344	N		12
8203		6248	1.8M RACK ACOUSTIC DOORS	2902	N		12
8203		6249	2.0M RACK ACOUSTIC DOORS	2902	N		12
8203		6417	RIO 2 BUS ADAPTER	726	N		12
8203		6446	DUAL PRT 12X CHAN ATTACH SHORT	476	N		12
8203		6457	DUAL PORT 12X CHAN ATTACH LONG	2065	N		12
8203		6458	POWER CBL DRAWER TO PDU	11	N		12
8203		6460	POWER CORD (14 FOOT) DRW 125V	11	N		12
8203		6469	POWER CORD (14 FOOT) DRW 250V	11	N		12
8203		6470	POWER CORD (6 FOOT) TO WALL	11	N		12
8203		6471	POWER CRD (9 FT) TO WALL 125V	11	N		12
8203		6472	POWER CRD (9 FT) TO WALL 250V	11	N		12
8203		6473	POWER CRD (9 FT) TO WALL 10A	11	N		12
8203		6474	POWER CRD (9 FT) TO WALL 13A	11	N		12
8203		6475	POWER CRD (9 FT) TO WALL 16A	11	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		6476	POWER CRD (9 FT) TO WALL 10A		11 N		12
8203		6477	POWER CRD (9 FT) TO WALL 16A		11 N		12
8203		6478	POWER CRD (9 FT) TO WALL 16A		11 N		12
8203		6487	POWER CRD (6 FT) WALL 15A US		11 N		12
8203		6488	POWER CRD (9 FT) 15A OR 10A		32 N		12
8203		6489	4.3M 14FT 3PH/24A POWER CORD		188 N		12
8203		6491	4.3M 14FT 1PH/48A PWR CORD		249 N		12
8203		6492	4.3M 14FT 1PH/48 60A PWR CORD		249 N		12
8203		6493	POWER CRD (9 FT) TO WALL 10A		11 N		12
8203		6494	POWER CRD (9 FT) TO WALL 10A		11 N		12
8203		6496	POWER CRD (9 FT) TO WALL 10A		11 N		12
8203		6577	POWER CABLE DRAWER TO IBM PD		11 N		12
8203		6580	OPTIONAL RACK SECURITY KIT		112 N		12
8203		6586	MODEM TRAY FOR 19 INCH RACK		155 N		12
8203		6651	POWER CRD (9 FT) TO WALL 125V		11 N		12
8203		6654	4.3M 14FT 1PH/24 30A PWR CORD		149 N		12
8203		6655	4.3M 14FT 1PH/24 30A WR PWR		330 N		12
8203		6656	4.3M 14FT 1PH/24A POWER CORD		149 N		12
8203		6659	POWER CRD (9 FT) TO WALL 15A		11 N		12
8203		6660	POWER CORD (14 FT) DRW 125V		11 N		12
8203		6665	PWR CD 3M 10FT DRAWER PDU 250V		11 N		12
8203		6669	POWER CORD (14 F) DRAWER 250V		11 N		12
8203		6671	POWER CORD (9 FT) DRAWER 250V		11 N		12
8203		6672	POWER CORD (5 FT) DRAWER 250V		11 N		12
8203		6680	POWER CORD (9 FOOT) TO WALL		11 N		12
8203		6699	RIO 2 BUS ADAPTER		653 N		12
8203		6805	PCI 2 LINE WAN IOA NO IOP		347 N		12
8203		6808	PCI 4 MODEM WAN IOA NO IOP		1308 N		12
8203		7109	INTELLIGENT PDU+ 1 EIA UNIT		908 N		12
8203		7112	DESKSIDE COVER SET (WITH DOOR)		272 N		12
8203		7113	OEM DESKSIDE COVER SET		272 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		7114	OEM RACK MOUNT DRAWER RAIL KIT		136 N		12
8203		7118	ENVIRONMENTAL MONITORING PROBE		231 N		12
8203		7188	POWER DISTRIBUTION UNIT		624 N		12
8203		7200	RACK MOUNT DRAWER BEZEL AND HW		136 N		12
8203		7201	OEM RACK MOUNT DRAWER BEZEL		136 N		12
8203		7204	QUANTITY 150 OF 2124		15491 N		12
8203		7205	QUANTITY 150 OF 2125		17350 N		12
8203		7206	QUANTITY 150 OF 2126		19333 N		12
8203		7207	QUANTITY 150 OF 2127		26025 N		12
8203		7208	QUANTITY 150 OF 2128		40897 N		12
8203		7213	QUANTITY 150 OF 2138		9419 N		12
8203		7314	I/O DRAWER MOUNTING ENCLOSURE		433 N		12
8203		7509	QUANTITY 150 OF 4327		93443 N		12
8203		7510	QUANTITY 150 OF 4328		121575 N		12
8203		7511	QUANTITY 150 OF 4329		261987 N		12
8203		7514	QUANTITY 150 OF 5741		61841 N		12
8203		7518	QUANTITY 150 OF 3677		61717 N		12
8203		7519	QUANTITY 150 OF 3678		117733 N		12
8203		7538	QUANTITY 150 OF 3658		161108 N		12
8203		7549	QUANTITY 150 OF 3647		61717 N		12
8203		7564	QUANTITY 150 OF 3648		117733 N		12
8203		7565	QUANTITY 150 OF 3649		161108 N		12
8203		7703	POWER SUPPLY 950 WATT AC		222 N		12
8203		7802	ETHERNET CABLE 15M HARDWARE		21 N		12
8203		7863	PCI BLIND SWAP CASSETTE KIT		41 N		12
8203		8143	LINUX SOFTWARE PREINSTALL		49 N		12
8203		8144	LINUX SOFTWARE PREINSTALL SDI		49 N		12
8203		8308	DASD/MEDIA BACKPLANE 3.5 TAPE		280 N		12
8203		8310	DASD/MEDIA BACKPLANE 3.5 TAPE		523 N		12
8203		8340	ENHANCED DASD/MEDIA BACKPLANE		660 N		12
8203		8497	HALF HIGH 800GB 1.6TB LTO4 SAS		1748 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8203		8498	HALF HIGH 800GB 1.6TB LTO4 SAS	1385	N		12
8203		8506	POWERVM STANDARD	0	N		12
8203		8507	POWERVM ENTERPRISE	0	N		12
8204	E8A		POWER SYSTEM 550	4551	Y	2	12
8204		0032	SPCFY CD EXT HIGH SPEED MODEM	428	N		12
8204		0348	V.24/EIA232 6.1M 20FT PCI CBL	102	N		12
8204		0353	V.35 6.1M 20FT PCI CBL	102	N		12
8204		0359	X.21 6.1M 20FT PCI CBL	306	N		12
8204		0367	V.24/EIA232 6.1M PCI CABLE	102	N		12
8204		0456	CUSTOMER SPECIFIED PLACEMENT	330	N		12
8204		0551	19 INCH 1.8 METER HIGH RACK	2184	N		12
8204		0553	19 INCH 2.0 METER HIGH RACK	2961	N		12
8204		0599	RACK FILLER PANEL KIT	60	N		12
8204		0983	US TAA COMPLIANCE INDICATOR	0	N		12
8204		1025	MODEM CABLE US/CANADA GENERAL	10	N		12
8204		1103	USB INTERNAL DOCKING STATION	185	N		12
8204		1104	USB EXTERNAL DOCKING STATION	227	N		12
8204		1106	USB 160 GB REMOVABLE DISKDRIVE	260	N		12
8204		1107	USB 500 GB REMOVABLE DISKDRIVE	585	N		12
8204		1111	CAT5E ETHERNET CABLE 3M BLUE	20	N		12
8204		1112	CAT5E ETHERNET CABLE 10M BLUE	36	N		12
8204		1113	CAT5E ETHERNET CABLE 25M BLUE	65	N		12
8204		1115	CAT5E ETHERNET CABLE 3M GREEN	20	N		12
8204		1116	CAT5E ETHERNET CABLE 10M GREEN	36	N		12
8204		1117	CAT5E ETHERNET CABLE 25M GREEN	65	N		12
8204		1118	CAT5E ETHERNET CABLE 3M YELLOW	20	N		12
8204		1119	CAT5E ETHERNET CBL 10M YELLOW	36	N		12
8204		1121	CAT5E ETHERNET CBL 25M YELLOW	65	N		12
8204		1485	REMOTE I/O CABLE 15M	899	N		12
8204		1827	SYS PORT/UPS CONVERSION CABLE	78	N		12
8204		1828	1.5 M 12X TO 4X CHANNEL CONV	248	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8204		1841	3 M 12X TO 4X CHANNEL CONV		309 N		12
8204		1843	OP PANEL CBL FOR DESKSIDE		4 N		12
8204		1854	10 METER 12X TO 4X ENHANCED CH		496 N		12
8204		1856	OP PANEL CBL DESKSIDE SYSTEM		4 N		12
8204		1861	0.6 METER 12X DDR CABLE		289 N		12
8204		1862	1.5 METER 12X DDR CABLE		330 N		12
8204		1864	8.0 METER 12X DDR CABLE		598 N		12
8204		1865	3.0 METER 12X DDR CABLE		392 N		12
8204		1877	OP PANEL CBL FOR RACK MOUNT		4 N		12
8204		1878	OP PANEL CBL RACK MOUNT SYSTEM		4 N		12
8204		1883	73.4 GB 15K RPM SAS SFF DISK		411 N		12
8204		1884	69.7 GB 15K RPM SAS SFF DISK		411 N		12
8204		1885	300GB 10K RPM SFF SAS DISKDRIV		659 N		12
8204		1886	146GB 15K RPM SFF SAS DISKDRIV		411 N		12
8204		1888	139GB 15K RPM SFF SAS DISKDRIV		411 N		12
8204		2456	MICRON FIBER CONVERTER CABLE		69 N		12
8204		2459	MICRON FIBER CONVERTER CABLE		69 N		12
8204		2728	4 PORT USB PCIE ADAPTER		124 N		12
8204		2893	PCIE 2 LINE WAN W/MODEM		478 N		12
8204		2934	TERMINAL/PRINTER CBL EIA 232		30 N		12
8204		2936	ASYNCHRONOUS CBL. EIA 232/V.24		50 N		12
8204		3124	PORT CBL. FOR DRAWER/DRAWER		54 N		12
8204		3125	PORT CBL. FOR RACK/RACK		54 N		12
8204		3147	CBL 3.5M		454 N		12
8204		3148	CBL 10M		702 N		12
8204		3156	RIO 2 REMOTE I/O 2 CBL 1.75M		330 N		12
8204		3168	RIO 2 REMOTE I/O 2 CBL 2.5M		372 N		12
8204		3279	146.8GB 15 000RPM ULTRA320		810 N		12
8204		3586	69GB 3.5" SAS SOLID STATE DRV		4296 N		12
8204		3587	69GB 3.5" SAS SOLID STATE DRV		4296 N		12
8204		3647	146 GB 15K RPM SAS DISK DRIVE		411 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8204		3648	300 GB 15K RPM SAS DISK DRIVE		785 N		12
8204		3649	450GB 15K RPM SAS DISK DRIVE		1074 N		12
8204		3652	SAS CBL (EE) DRAWER TO DRAWER		41 N		12
8204		3653	SAS CBL (EE) DRAWER TO DRAWER		57 N		12
8204		3654	SAS CBL (EE) DRAWER TO DRAWER		99 N		12
8204		3656	SAS SFF CABLE		32 N		12
8204		3657	SAS SFF CABLE		17 N		12
8204		3658	428GB 15K RPM SAS DISK DRIVE		1074 N		12
8204		3661	SAS CBL (X) ADP ENCLOSURE 3M		124 N		12
8204		3662	SAS CBL (X) ADP ENCLOSURE 6M		248 N		12
8204		3663	SAS CBL (X) ADP ENCLOSURE 15M		479 N		12
8204		3668	SAS CABLE DASD BACKPLANE		65 N		12
8204		3669	SAS CBL DASD BACKPLANE (SPLIT)		70 N		12
8204		3677	139.5GB 15K RPM SAS DISK DRIVE		411 N		12
8204		3678	283.7GB 15K RPM SAS DISK DRIVE		785 N		12
8204		3679	SAS CABLE (AI) 1 M		43 N		12
8204		3681	3M SAS CABLE ADPTR TO ADPTR		61 N		12
8204		3682	6M SAS CABLE ADPTR TO ADPTR		124 N		12
8204		3684	SAS CBL (AE) ADP ENCLOSURE 3M		124 N		12
8204		3685	SAS CBL (AE) ADP ENCLOSURE 6M		248 N		12
8204		3687	SAS CABLE (YI) SYSTEM TO SAS		91 N		12
8204		3688	SAS CABLE (AT) 0.6 METER		74 N		12
8204		3691	SAS CBL (YO) ADP TO SAS		74 N		12
8204		3692	SAS CBL (YO) ADP TO SAS		91 N		12
8204		3693	SAS CBL (YO) ADP TO SAS		124 N		12
8204		3694	SAS CBL (YO) ADP ENCLOSURE 15M		435 N		12
8204		3925	SERIAL PORT CONVERTER CABLE		17 N		12
8204		3927	SERIAL PORT NULL MODEM CABLE		54 N		12
8204		3928	SERIAL PORT NULL MODEM CABLE		54 N		12
8204		4242	6 FOOT EXTENDER CABLE		69 N		12
8204		4256	EXTENDER CABLE USB KEYB1.8		34 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8204		4276	VGA TO DVI CONNECT. CONVERTER		6 N		12
8204		4327	70.56GB 15K RPM DISK UNIT		623 N		12
8204		4329	282.25GB 15K RPM DISK UNIT		1746 N		12
8204		4520	1024MB (2X512MB) RDIMMS		215 N		12
8204		4521	2048MB (2X1024MB) RDIMMS		420 N		12
8204		4522	4096MB (2X2048MB) RDIMMS		857 N		12
8204		4523	8192MB (2X4096MB) RDIMMS		1714 N		12
8204		4524	16384MB (2X8192MB) RDIMMS		3429 N		12
8204		4532	4096MB 2X2048MB RDIMMS 667MHZ		857 N		12
8204		4764	CRYPTOGRAPHIC COPROCESSOR		7436 N		12
8204		4965	2 CORE 3.5 GHZ POWER6		3162 N		12
8204		4966	4.2 GHZ POWER6 PROCESSOR CARD		9771 N		12
8204		4967	2CORE 5.0GHZ PWR6 PROC CARD		12582 N		12
8204		4985	ONE PROCESSOR ACTIVATION		3612 N		12
8204		4986	ONE PROCESSOR ACTIVATION		6256 N		12
8204		4987	1 PROCESSOR ACTIVATION FC 4967		8052 N		12
8204		4998	SINGLE 5250 ENTERPRISE ENABL		12393 N		12
8204		4999	FULL 5250 ENTERPRISE ENABL		49572 N		12
8204		5609	GX DUALPORT 12X CHANNEL ATTACH		1818 N		12
8204		5613	DUAL PORT (SR) INTEG VIRTUAL		2892 N		12
8204		5614	DUAL PORT RIO 2 I/O HUB		1239 N		12
8204		5616	GX DUAL PORT 12X CHANN. ATTACH		909 N		12
8204		5619	80/160GB DAT160 SAS TAPE DRIVE		1509 N		12
8204		5623	VIRTUAL ETHERNET DAUGHTER CARD		248 N		12
8204		5624	VIRTUAL ETHERNET DAUGHTER CARD		435 N		12
8204		5646	BLIND SWAP TYPE III CASSETTE		31 N		12
8204		5647	BLIND SWAP TYPE III CASSETTE		31 N		12
8204		5661	DAT320 160/320 GB TAPE DRIVE		1735 N		12
8204		5679	SAS RAID ENABLEMENT		2065 N		12
8204		5689	DAT160 MEDIA CARTRIDGE		373 N		12
8204		5706	BASE TX ETHERNET PCI X ADP		624 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8204		5708	10GB FCOE PCIE DUAL PORT ADAPT	3432	N		12
8204		5713	TOE PCI X ON COPPER MEDIA ADP	744	N		12
8204		5717	4 PORT BASE TX PCI EXPRESS ADP	685	N		12
8204		5732	10 GB ETH CX4 PCI EXPRESS ADP	2995	N		12
8204		5735	8GB PCI EXPRESS DUAL PRT FIBRE	2891	N		12
8204		5736	DUAL CHANNEL ULTRA320 SCSI ADP	485	N		12
8204		5746	HALF HIGH 800GB/1.6TB LTO4 SAS	3305	N		12
8204		5747	IBM LTO ULTRIUM 4 800 GB DATA	496	N		12
8204		5748	POWER GXT145 PCI EXPRESS	311	N		12
8204		5749	4GBPS FIBRE CHANNEL 2 PORT	2064	N		12
8204		5759	4 GB DUAL PORT FIBRE CHANNEL	2064	N		12
8204		5762	SATA SLIMLINE DVD RAM DRIVE	247	N		12
8204		5767	BASE TX ETHER. PCI EXPRESS ADP	435	N		12
8204		5768	ETHERNET SX PCI EXPRESS ADP	1092	N		12
8204		5769	10 GB ETH SR PCI EXPRESS ADP	3307	N		12
8204		5772	10 GB ETHERNET LR PCI EXPRESS	3917	N		12
8204		5774	DUAL PORT FIBRE CHANNEL ADP	2064	N		12
8204		5778	PCI X EXP24 CTL 1.5GB NO IOP	6945	N		12
8204		5782	PCI X EXP24 CTL 1.5GB NO IOP	6986	N		12
8204		5785	4 PORT ASYNC EIA 232 PCIE ADP	577	N		12
8204		5796	PCI DDR 12X EXPANSION DRAWER	4494	N		12
8204		5802	12X I/O DRAWER PCIE SFF DISK	9905	N		12
8204		5886	EXP 12S	4090	N		12
8204		5901	PCIE DUAL X4 SAS ADAPTER	619	N		12
8204		5904	PCI X DDR 1.5GB CACHE SAS RAID	7023	N		12
8204		5908	PCI X DDR 1.5GB CACHE SAS RAID	7023	N		12
8204		5912	PCI X DDR DUAL X4 SAS ADAPTER	681	N		12
8204		5951	KEYBOARD USB US ENGLISH 103P	69	N		12
8204		5983	USB US ENGLISH EURO 103P	69	N		12
8204		6001	POWER CONTROL CABLE (SPCN) 2 M	20	N		12
8204		6006	POWER CONTROL CABLE (SPCN) 3 M	32	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8204		6007	POWER CONTROL CBL. (SPCN) 15 M		65 N		12
8204		6068	OPT FRONT DOOR FOR 1.8M RACK		280 N		12
8204		6069	OPT FRONT DOOR FOR 2.0M RACK		344 N		12
8204		6248	1.8M RACK ACOUSTIC DOORS		2902 N		12
8204		6249	2.0M RACK ACOUSTIC DOORS		2902 N		12
8204		6417	RIO 2 BUS ADAPTER		726 N		12
8204		6446	DUAL PRT 12X CHAN ATTACH SHORT		476 N		12
8204		6457	DUAL PORT 12X CHAN ATTACH LONG		2065 N		12
8204		6458	POWER CBL. 14 FOOT 250V/10A		11 N		12
8204		6460	DRAWER TO OEM PDU (125V 15A)		11 N		12
8204		6469	DRAWER TO OEM PDU (250V 15A)		11 N		12
8204		6470	TO WALL (125V 15A)		11 N		12
8204		6471	TO WALL/OEM PDU (125V 15A)		11 N		12
8204		6472	TO WALL/OEM PDU (250V 16A)		11 N		12
8204		6473	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6474	TO WALL/OEM PDU (250V 13A)		11 N		12
8204		6475	TO WALL/OEM PDU (250V 16A)		11 N		12
8204		6476	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6477	TO WALL/OEM PDU (250V 16A)		11 N		12
8204		6478	TO WALL/OEM PDU (250V 16A)		11 N		12
8204		6487	TO WALL/OEM PDU (250V 15A)		11 N		12
8204		6488	PDU (125V 15A OR 250V 10A)		32 N		12
8204		6489	4.3M 14FT 3PH/24A POWER CORD		188 N		12
8204		6491	4.3M 14FT 1PH/48A PWR CORD		249 N		12
8204		6492	4.3M 14FT 1PH/48 60A PWR CORD		249 N		12
8204		6493	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6494	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6496	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6580	OPTIONAL RACK SECURITY KIT		112 N		12
8204		6586	MODEM TRAY FOR 19 INCH RACK		155 N		12
8204		6651	TO WALL/OEM PDU (125V 15A)		11 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8204		6654	4.3M 14FT 1PH/24 30A PWR CORD		149 N		12
8204		6655	4.3M 14FT 1PH/24 30A WR PWR		330 N		12
8204		6656	4.3M 14FT 1PH/24A WR PWR CORD		149 N		12
8204		6659	TO WALL/OEM PDU (250V 15A)		11 N		12
8204		6660	DRAWER TO OEM PDU (125V 15A)		11 N		12
8204		6665	PWR CD 3M 10FT DRAWER PDU 250V		11 N		12
8204		6669	DRAWER TO OEM PDU (250V 15A)		11 N		12
8204		6671	DRAWER TO PDU (250V/10A)		11 N		12
8204		6672	DRAWER TO PDU (250V/10A)		11 N		12
8204		6680	TO WALL/OEM PDU (250V 10A)		11 N		12
8204		6808	PCI 4 MODEM WAN IOA NO IOP		1308 N		12
8204		7109	INTELLIGENT PDU+ 1 EIA UNIT		908 N		12
8204		7146	OEM RACK MOUNT DRAWER RAIL KIT		248 N		12
8204		7188	POWER DISTRIBUTION UNIT		624 N		12
8204		7204	QUANTITY 150 OF 2124		15491 N		12
8204		7205	QUANTITY 150 OF 2125		17350 N		12
8204		7206	QUANTITY 150 OF 2126		19333 N		12
8204		7207	QUANTITY 150 OF 2127		26025 N		12
8204		7208	QUANTITY 150 OF 2128		40897 N		12
8204		7217	OEM DESKSIDE COVER SET		620 N		12
8204		7292	DESKSIDE COVER SET (WITH DOOR)		620 N		12
8204		7314	I/O DRAWER MOUNTING ENCLOSURE		433 N		12
8204		7359	OEM RACK MOUNT DRAWER BEZEL		372 N		12
8204		7360	RACK MOUNT DRAWER BEZEL AND HW		372 N		12
8204		7509	QUANTITY 150 OF 4327		93443 N		12
8204		7518	QUANTITY 150 OF 3677		61717 N		12
8204		7519	QUANTITY 150 OF 3678		117733 N		12
8204		7707	POWER SUPPLY 1700 WATT AC		577 N		12
8204		7708	POWER SUPPLY 1700 WATT DC		1239 N		12
8204		7802	ETHERNET CABLE 15M HW		21 N		12
8204		7863	PCI BLIND SWAP CASSETTE KIT		41 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8204		7982	POWERVM STANDARD		0 N		12
8204		7986	POWERVM ENTERPRISE		0 N		12
8204		8143	LINUX SOFTWARE PREINSTALL		49 N		12
8204		8144	LINUX SOFTWARE PREINSTALL SDI		49 N		12
8204		8308	DASD/MEDIA BACKPLANE 3.5 TAPE		280 N		12
8204		8310	DASD/MEDIA BACKPLANE 3.5 TAPE		523 N		12
8205	E6B		POWER 740		731 Y	2	36
8205		0353	V 35 6 1M 20 FT PCI CABLE		112 N		36
8205		0359	X 21 6 1M 20 FT PCI CABLE		336 N		36
8205		0456	CUSTOMER SPECIFIED PLACEMENT		363 N		36
8205		0551	19 INCH 1 8 METER HIGH RACK		2237 N		36
8205		0553	19 INCH 2 0 METER HIGH RACK		3034 N		36
8205		0599	RACK FILLER PANEL KIT		62 N		36
8205		1025	MODEM CABLE US CANADA AND GE		10 N		36
8205		1103	USB INTERNAL DOCKING STATION F		190 N		36
8205		1104	USB EXTERNAL DOCKING STATION F		233 N		36
8205		1106	USB 160 GB REMOVABLE DISK DRIV		266 N		36
8205		1107	USB 500 GB REMOVABLE DISK DRIV		599 N		36
8205		1108	JUNIPER EXP4200 ETHERNET SWITC		15700 N		36
8205		1111	CAT5E ETHERNET CABLE 3M BLUE		21 N		36
8205		1112	CAT5E ETHERNET CABLE 10M BLUE		37 N		36
8205		1115	CAT5E ETHERNET CABLE 3M GREEN		21 N		36
8205		1116	CAT5E ETHERNET CABLE 10M GREE		37 N		36
8205		1118	CAT5E ETHERNET CABLE 3M YELLO		21 N		36
8205		1119	CAT5E ETHERNET CABLE 10M YELL		37 N		36
8205		1135	INTEGRATED STORAGE CONTROLLER		27456 N		36
8205		1141	1 METER CABLE FOR EXP4500 SWIT		212 N		36
8205		1143	3 METER CABLE FOR EXP4500 SWIT		296 N		36
8205		1145	JUNIPER EXP4500 10 GB ETHERNET		93098 N		36
8205		1824	QUAD PORT 1 GB HEA DAUGHTER CA		254 N		36
8205		1825	DUAL PORT 10 GB HEA DAUGHTER F		1481 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		1826	DUAL PORT 10 GB HEA DAUGHTER C		296 N		36
8205		1827	SYSTEM PORT UPS CONVERSION CAB		80 N		36
8205		1828	1 5 METER 12X TO 4X CHANNEL CO		254 N		36
8205		1841	3 METER 12X TO 4X CHANNEL CONV		317 N		36
8205		1854	10 METER 12X TO 4X ENHANCED CH		508 N		36
8205		1861	0 6 METER 12X DDR CABLE		296 N		36
8205		1862	1 5 METER 12X DDR CABLE		339 N		36
8205		1864	8 0 METER 12X DDR CABLE		614 N		36
8205		1865	3 0 METER 12X DDR CABLE		402 N		36
8205		1883	73 4 GB 15K RPM SAS SFF DISK D		421 N		36
8205		1884	69 7 GB 15K RPM SAS SFF DISK D		421 N		36
8205		1885	300GB 10K RPM SFF SAS DISK DRI		675 N		36
8205		1886	146GB 15K RPM SFF SAS DISK DRI		421 N		36
8205		1888	139GB 15K RPM SFF SAS DISK DRI		421 N		36
8205		1890	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8205		1909	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8205		1911	283GB 10K RPM SFF SAS DISK DRI		675 N		36
8205		1995	177GB SSD MODULE WITH EMLC AI		3724 N		36
8205		1996	177GB SSD MODULE WITH EMLC		3724 N		36
8205		2053	PCIE LP RAID SSD SAS ADAPTER		2584 N		36
8205		2055	PCIE RAID SSD SAS ADAPTER 3G		2584 N		36
8205		2456	2M LC SC 50 MICRON FIBER CONVE		70 N		36
8205		2459	2M LC SC 62 5 MICRON FIBER CON		70 N		36
8205		2728	4 PORT USB PCIE ADAPTER		127 N		36
8205		2893	PCIE 2 LINE WAN W MODEM		490 N		36
8205		2934	3M ASYNCHRONOUS TERMINAL PRINT		31 N		36
8205		2936	ASYNCHRONOUS CABLE EIA 232 V 2		51 N		36
8205		3124	SERIAL TO SERIAL PORT CABLE DR		56 N		36
8205		3125	SERIAL TO SERIAL PORT CABLE RA		56 N		36
8205		3586	69GB 3 5 SAS SOLID STATE DRIV		4401 N		36
8205		3587	69GB 3 5 SAS SOLID STATE DRIV		4401 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		3632	WIDESCREEN LCD MONITOR		845 N		36
8205		3647	146GB 15K RPM SAS DISK DRIVE		421 N		36
8205		3648	300GB 15K RPM SAS DISK DRIVE		804 N		36
8205		3649	450GB 15K RPM SAS DISK DRIVE		1100 N		36
8205		3652	SAS CABLE EE DRAWER TO DRA1M		42 N		36
8205		3653	SAS CABLE EE DRAWER TO DRA3M		58 N		36
8205		3654	SAS CABLE EE DRAWER TO DRA6M		101 N		36
8205		3656	SAS SFF CABLE		33 N		36
8205		3658	428GB 15K RPM SAS DISK DRIVE		1100 N		36
8205		3661	SAS CABLE X ADAPTER TO SAS3M		127 N		36
8205		3662	SAS CABLE X ADAPTER TO SAS6M		254 N		36
8205		3663	SAS CABLE X ADAPTER TO SA15M		517 N		36
8205		3677	139 5GB 15K RPM SAS DISK DRIVE		421 N		36
8205		3678	283 7GB 15K RPM SAS DISK DRIVE		804 N		36
8205		3679	SAS CABLE AI ADAPTER TO INT		44 N		36
8205		3681	3M SAS CABLE ADPTR TO ADPTR		63 N		36
8205		3682	6M SAS CABLE ADPTR TO ADPTR		127 N		36
8205		3684	SAS CABLE AE ADAPTER TO EN3M		127 N		36
8205		3685	SAS CABLE AE ADAPTER TO EN6M		254 N		36
8205		3687	SAS CABLE YI SYSTEM TO SAS3M		93 N		36
8205		3688	SAS CABLE AT 0 6 METER		76 N		36
8205		3691	SAS CABLE YO ADAPTER TO1.5M		76 N		36
8205		3692	SAS CABLE YO ADAPTER TO S3M		93 N		36
8205		3693	SAS CABLE YO ADAPTER TO S6M		127 N		36
8205		3694	SAS CABLE YO ADAPTER TO 15M		446 N		36
8205		3925	0 3M SERIAL PORT CONVERTER CAB		17 N		36
8205		3926	ASYNCH PRINTER TERMINAL CABLE		123 N		36
8205		3927	SERIAL PORT NULL MODEM C3.7M		56 N		36
8205		3928	SERIAL PORT NULL MODEM CA10M		56 N		36
8205		3930	SYSTEM SERIAL PORT CONVERTER C		11 N		36
8205		4242	1 8 M 6 FT EXTENDER CABLE FO		70 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8205		4256	EXTENDER CABLE USB KEYBOARDS		35 N		36
8205		4276	VGA TO DVI CONNECTION CONVERTE		6 N		36
8205		4367	PACKAGE 5X 2055 & 20X 1995		63394 N		36
8205		4377	PACKAGE 5X 2055 & 20X 1996		63394 N		36
8205		4526	8GB 2X4GB MEMORY DIMMS 1066		901 N		36
8205		4529	16GB 2X8GB MEMORY DIMMS 106		1803 N		36
8205		4764	PCI X CRYPTOGRAPHIC COPROCESSO		7617 N		36
8205		4794	POWER ACTIVE MEMORY EXPANSION		1777 N		36
8205		4807	PCIE CRYPTO COPROCESSOR NO BSC		9310 N		36
8205		4808	PCIE CRYPTO COPROCESSOR GEN3 B		9310 N		36
8205		4970	ONE PROCESSOR OF 5250 ENTERPRI		12695 N		36
8205		4973	ONE PROCESSOR OF 5250 ENTERPRI		12695 N		36
8205		4974	FULL 5250 ENTERPRISE ENABLEMEN		50781 N		36
8205		5269	PCIE LP POWER GXT145 GRAPHICS		489 N		36
8205		5270	PCIE LP 10GB FCOE 2 PORT ADAPT		3515 N		36
8205		5271	PCIE LP 4 PORT 10 100 1000 BAS		702 N		36
8205		5272	PCIE LP 10GBE CX4 1 PORT ADAPT		3068 N		36
8205		5273	PCIE LP 8GB 2 PORT FIBRE CHANN		2961 N		36
8205		5274	PCIE LP 2 PORT 1GBE SX ADAPTER		1118 N		36
8205		5275	PCIE LP 10GBE SR 1 PORT ADAPTE		3387 N		36
8205		5276	PCIE LP 4GB 2 PORT FIBRE CHANN		2115 N		36
8205		5277	PCIE LP 4 PORT ASYNC EIA 232 A		591 N		36
8205		5278	PCIE LP 2 X4 PORT SAS ADAPTER		634 N		36
8205		5524	RFID TAGS FOR SERVERS BLADES		16 N		36
8205		5603	SYSTEM AC POWER SUPPLY 1725 W		339 N		36
8205		5604	MEMORY RISER CARD		677 N		36
8205		5610	PCIE RISER CARD GEN1		1523 N		36
8205		5615	GX DUAL PORT 12X CHANNEL ATT		1481 N		36
8205		5618	STORAGE BACKPLANE 6 SFF BAY		676 N		36
8205		5619	80 160GB DAT160 SAS TAPE DRIVE		1546 N		36
8205		5630	STORAGE BACKPLANE 8 SFF BAY		1523 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		5631	SPLIT DRIVE BAY CAPABILITY FOR		676 N		36
8205		5638	1 5TB 3 0TB LTO 5 SAS TAPE DRI		3385 N		36
8205		5661	DAT320 160 320 GB TAPE DRIVE		1777 N		36
8205		5673	DAT320 160 GB USB TAPE DRIVE		1777 N		36
8205		5706	2 PORT 10 100 1000 BASE TX ETH		639 N		36
8205		5708	10GB FCOE PCIE DUAL PORT ADAPT		3515 N		36
8205		5713	1 GIGABIT ISCSI TOE PCI X ON C		762 N		36
8205		5717	4 PORT 10 100 1000 BASE TX PCI		702 N		36
8205		5732	10 GIGABIT ETHERNET CX4 PCI EX		3068 N		36
8205		5735	8 GIGABIT PCI EXPRESS DUAL POR		2961 N		36
8205		5736	PCI X DDR DUAL CHANNEL ULTRA32		497 N		36
8205		5746	HALF HIGH 800GB 1 6TB LTO4 SAS		3385 N		36
8205		5747	LTO ULTRIUM 4 800 GB DATA CART		508 N		36
8205		5748	POWER GXT145 PCI EXPRESS GRAPH		319 N		36
8205		5749	4GBPS FIBRE CHANNEL 2 PORT		2115 N		36
8205		5759	4 GB DUAL PORT FIBRE CHANNEL P		2115 N		36
8205		5762	SATA SLIMLINE DVD RAM DRIVE		253 N		36
8205		5767	2 PORT 10 100 1000 BASE TX ETH		446 N		36
8205		5768	2 PORT GIGABIT ETHERNET SX PCI		1118 N		36
8205		5769	10 GIGABIT ETHERNET SR PCI EXP		3387 N		36
8205		5772	10 GIGABIT ETHERNET LR PCI EXP		4013 N		36
8205		5774	4 GIGABIT PCI EXPRESS DUAL POR		2115 N		36
8205		5785	4 PORT ASYNC EIA 232 PCIE ADAP		591 N		36
8205		5796	PCI DDR 12X EXPANSION DRAWER		4604 N		36
8205		5802	12X I O DRAWER PCIE SFF DISK		10147 N		36
8205		5805	PCIE 380MB CACHE DUAL X4 3GB		1861 N		36
8205		5877	12X I O DRAWER PCIE NO DISK		9216 N		36
8205		5886	EXP 12S EXPANSION DRAWER		4189 N		36
8205		5901	PCIE DUAL X4 SAS ADAPTER		634 N		36
8205		5908	PCI X DDR 1 5GB CACHE SAS RAID		7194 N		36
8205		5912	PCI X DDR DUAL X4 SAS ADAPTE		698 N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		5951	FULL WIDTH KEYBOARD USB US		70 N		36
8205		6006	POWER CONTROL CABLE SPCN 3		33 N		36
8205		6007	POWER CONTROL CABLE SPCN 1		67 N		36
8205		6068	OPT FRONT DOOR FOR 1 8M RACK		287 N		36
8205		6069	OPT FRONT DOOR FOR 2 0M RACK		352 N		36
8205		6248	1 8M RACK ACOUSTIC DOORS		2972 N		36
8205		6249	2 0M RACK ACOUSTIC DOORS		2972 N		36
8205		6263	1 8M RACK TRIM KIT		338 N		36
8205		6272	2 0M RACK TRIM KIT		338 N		36
8205		6446	DUAL PORT 12X CHANNEL INTSHORT		487 N		36
8205		6457	DUAL PORT 12X CHANNEL INTELONG		2116 N		36
8205		6458	POWER CABLE DRAWER TO P		11 N		36
8205		6460	POWER CORD 4 3M 14 FT DRAWE		11 N		36
8205		6469	POWER CORD 4 3M 14 FOOT DRA		11 N		36
8205		6470	POWER CORD 1 8M 6 FOOT TO WA		11 N		36
8205		6471	POWER CORD 2 7M 9 FOO125V 15A		11 N		36
8205		6472	POWER CORD 2 7M 9 FOO250V 16A		11 N		36
8205		6473	POWER CORD 2 7M 9 FOO250V 10A		11 N		36
8205		6474	POWER CORD 2 7M 9 FOO250V 13A		11 N		36
8205		6475	POWER CORD 2 7M 9 FOO250V 16A		11 N		36
8205		6476	POWER CORD 2 7M 9 FOO250V 10A		11 N		36
8205		6477	POWER CORD 2 7M 9 FOO250V 16A		11 N		36
8205		6478	POWER CORD 2 7 M 9 FOO250V 16A		11 N		36
8205		6487	POWER CORD 1 8M 6 FOOT TO WA		11 N		36
8205		6488	POWER CORD 2 7M 9 FOO125V 15A		33 N		36
8205		6489	4 3M 14 FT 3PH 24A POWER COR		233 N		36
8205		6491	4 3M 14 FT 1PH 48A PWR CORD		255 N		36
8205		6492	4 3M 14 FT 1PH 48 60A PWR CO		255 N		36
8205		6493	POWER CORD 2 7M 9 FOOT TO W		11 N		36
8205		6494	POWER CORD 2 7M 9 FOOT TO W		11 N		36
8205		6496	POWER CORD 2 7M 9 FOOT TO W		11 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		6577	POWER CABLE DRAWER TO PD		11 N		36
8205		6580	OPTIONAL RACK SECURITY KIT		115 N		36
8205		6586	MODEM TRAY FOR 19 INCH RACK		159 N		36
8205		6651	POWER CORD 2 7M 9 FOOT TO W		11 N		36
8205		6654	4 3M 14 FT 1PH 24 30A PWR CO		153 N		36
8205		6655	4 3M 14 FT 1PH 24 30A WR PWR		339 N		36
8205		6656	4 3M 14 FT 1PH 24A POWER CORD		153 N		36
8205		6659	POWER CORD 2 7M 9 FOOT TO W		11 N		36
8205		6660	POWER CORD 14 FOOT DRAWER T		11 N		36
8205		6665	POWER CORD 3 M 10 FT DRAWER		11 N		36
8205		6669	POWER CORD 4 3M 14 FOOT DRA		11 N		36
8205		6671	POWER CORD 2 7M 9 FOOT DRAW		11 N		36
8205		6672	POWER CORD 1 5M 5 FOOT DRAW		11 N		36
8205		6680	POWER CORD 2 7M 9 FOOT TO W		11 N		36
8205		7109	INTELLIGENT PDU 1 EIA UNIT		930 N		36
8205		7118	ENVIRONMENTAL MONITORING PROBE		237 N		36
8205		7131	RACK MOUNT DRAWER BEZEL AND HA		85 N		36
8205		7132	OEM RACK MOUNT DRAWER BEZEL AN		85 N		36
8205		7145	OEM RACK MOUNT DRAWER RAIL KIT		168 N		36
8205		7188	POWER DISTRIBUTION UNIT		640 N		36
8205		7314	I O DRAWER MOUNTING ENCLOSURE		444 N		36
8205		7518	QUANTITY 150 OF 3677		63222 N		36
8205		7519	QUANTITY 150 OF 3678		120605 N		36
8205		7535	QUANTITY 150 OF 3586		660151 N		36
8205		7536	QUANTITY 150 OF 3587		660151 N		36
8205		7538	QUANTITY 150 OF 3658		165038 N		36
8205		7543	QUANTITY 150 OF 1884		63222 N		36
8205		7549	QUANTITY 150 OF 3647		63222 N		36
8205		7564	QUANTITY 150 OF 3648		120605 N		36
8205		7565	QUANTITY 150 OF 3649		165038 N		36
8205		7572	TOWER COVER SET WITH DOOR		253 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8205		7573	OEM TOWER COVER SET WITH DOOR		253 N		36
8205		7802	ETHERNET CABLE 15M HARDWARE		21 N		36
8205		8143	LINUX SOFTWARE PREINSTALL		50 N		36
8205		8144	LINUX SOFTWARE PREINSTALL BUS		50 N		36
8205		8347	4 CORE 3 7 GHZ POWER7 PROCESSO		3470 N		36
8205		8353	4 CORE 3 3 GHZ POWER7 PROCESSO		2751 N		36
8205		8354	6 CORE 3 7 GHZ POWER7 PROCESSO		3740 N		36
8205		8355	8 CORE 3 55 GHZ POWER7 PROCESS		3532 N		36
8205		8366	ONE PROCESSOR ACTIVATION F8353		2539 N		36
8205		8367	ONE PROCESSOR ACTIVATION F8354		2661 N		36
8205		8368	ONE PROCESSOR ACTIVATION F8355		2340 N		36
8205		8373	ONE PROCESSOR ACTIVATION FOR P		2793 N		36
8205		8845	USB MOUSE		25 N		36
8231	E2B		POWER 710 AND POWER 730		74 Y	2	36
8231		0032	SPECIFY CODE FOR EXTERNAL HIGH		438 N		36
8231		0348	V.24/EIA232 6.1M (20-FT) PCI C		105 N		36
8231		0353	V.35 6.1M (20-FT) PCI CABLE		105 N		36
8231		0359	X.21 6.1M (20-FT) PCI CABLE		313 N		36
8231		0456	CUSTOMER SPECIFIED PLACEMENT		339 N		36
8231		0551	19 INCH 1.8 METER HIGH RACK		2237 N		36
8231		0553	19 INCH 2.0 METER HIGH RACK		3034 N		36
8231		0599	RACK FILLER PANEL KIT		62 N		36
8231		1025	MODEM CABLE - US/CANADA AND GE		10 N		36
8231		1106	USB 160 GB REMOVABLE DISK DRIV		266 N		36
8231		1107	USB 500 GB REMOVABLE DISK DRIV		599 N		36
8231		1123	USB INTERNAL DOCKING STATION F		190 N		36
8231		1124	80/160GB DAT160 SAS TAPE DRIVE		1406 N		36
8231		1827	SYSTEM PORT/UPS CONVERSION CAB		80 N		36
8231		1832	QUAD-PORT 1 GB HEA DAUGHTER CA		254 N		36
8231		1833	DUAL-PORT 10GB HEA DAUGHTER CA		1447 N		36
8231		1837	DUAL-PORT 10 GB HEA DAUGHTER C		372 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8231		1883	73.4 GB 15K RPM SAS SFF DISK D		421 N		36
8231		1884	69.7 GB 15K RPM SAS SFF DISK D		421 N		36
8231		1885	300GB 10K RPM SFF SAS DISK DR		675 N		36
8231		1886	146GB 15K RPM SFF SAS DISK DRI		421 N		36
8231		1888	139GB 15K RPM SFF SAS DISK DRI		421 N		36
8231		1890	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8231		1909	69GB SFF SAS SOLID STATE DRIVE		4401 N		36
8231		1911	283GB 10K RPM SFF SAS DISK DRI		675 N		36
8231		1995	177GB SSD MODULE WITH EMLC (AI		3724 N		36
8231		1996	177GB SSD MODULE WITH EMLC (IB		3724 N		36
8231		2053	PCIE LP RAID SSD SAS ADAPTER 3		2584 N		36
8231		2456	2M LC-SC 50 MICRON FIBER CONVE		70 N		36
8231		2459	2M LC-SC 62.5 MICRON FIBER CON		70 N		36
8231		2934	3M ASYNCHRONOUS TERMINAL/PRINT		31 N		36
8231		2936	ASYNCHRONOUS CABLE EIA-232/V.2		51 N		36
8231		3124	SERIAL-TO-SERIAL PORT CABLE FO		56 N		36
8231		3125	SERIAL-TO-SERIAL PORT CABLE FO		56 N		36
8231		3246	3-METER DDR 4X COPPER CABLE		126 N		36
8231		3632	WIDESCREEN LCD MONITOR		845 N		36
8231		3647	146GB 15K RPM SAS DISK DRIVE		421 N		36
8231		3648	300GB 15K RPM SAS DISK DRIVE		804 N		36
8231		3649	450GB 15K RPM SAS DISK DRIVE		1100 N		36
8231		3652	SAS CABLE (EE) DRAWER TO DRAW		42 N		36
8231		3653	SAS CABLE (EE) DRAWER TO DRAWE		58 N		36
8231		3654	SAS CABLE (EE) DRAWER TO DRAWE		101 N		36
8231		3658	428GB 15K RPM SAS DISK DRIVE		1100 N		36
8231		3661	SAS CABLE (X) ADAPTER TO SAS		127 N		36
8231		3662	SAS CABLE (X) ADAPTER TO SAS E		254 N		36
8231		3663	SAS CABLE (X) ADAPTER TO SAS E		517 N		36
8231		3677	139.5GB 15K RPM SAS DISK DRIVE		421 N		36
8231		3678	283.7GB 15K RPM SAS DISK DRIVE		804 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8231		3684	SAS CABLE (AE) ADAPTER TO ENCL		127 N		36
8231		3685	SAS CABLE (AE) ADAPTER TO ENCL		254 N		36
8231		3687	SAS CABLE (YI) SYSTEM TO SAS E		93 N		36
8231		3691	SAS CABLE (YO) ADAPTER TO SAS		76 N		36
8231		3692	SAS CABLE (YO) ADAPTER TO SAS		93 N		36
8231		3693	SAS CABLE (YO) ADAPTER TO SAS		127 N		36
8231		3694	SAS CABLE (YO) ADAPTER TO SAS		446 N		36
8231		3925	0.3M SERIAL PORT CONVERTER CAB		17 N		36
8231		3926	ASYNCH PRINTER/TERMINAL CABLE		123 N		36
8231		3927	SERIAL PORT NULL MODEM CABLE		56 N		36
8231		3928	SERIAL PORT NULL MODEM CABLE		56 N		36
8231		3930	SYSTEM SERIAL PORT CONVERTER C		11 N		36
8231		4242	1.8 M (6-FT) EXTENDER CABLE FO		70 N		36
8231		4256	EXTENDER CABLE USB KEYBOARDS		35 N		36
8231		4276	VGA TO DVI CONNECTION CONVERTE		6 N		36
8231		4526	8GB (2X4GB) MEMORY DIMMS 1066		901 N		36
8231		4527	16GB (2X8GB) MEMORY DIMMS 106		1803 N		36
8231		4795	ACTIVE MEMORY EXPANSION ENABL		1777 N		36
8231		4970	ONE PROCESSOR OF 5250 ENTERPRI		12695 N		36
8231		4974	FULL 5250 ENTERPRISE ENABLEMEN		50781 N		36
8231		5263	DISK/DVD/TAPE BACKPLANE 3X SFF		707 N		36
8231		5265	MEMORY RISER CARD		677 N		36
8231		5266	GX++ DUAL-PORT 4X CHANNEL ATT		1185 N		36
8231		5267	STORAGE BACKPLANE -- 6 SFF DRI		676 N		36
8231		5268	STORAGE BACKPLANE W EXT		1523 N		36
8231		5269	PCIE LP POWER GXT145 GRAPHICS		489 N		36
8231		5270	PCIE LP 10GB FCOE 2-PORT ADAPT		3515 N		36
8231		5271	PCIE LP 4-PORT 10/100/1000 BAS		702 N		36
8231		5272	PCIE LP 10GBE CX4 1-PORT ADAPT		3068 N		36
8231		5273	PCIE LP 8GB 2-PORT FIBRE CHANN		2961 N		36
8231		5274	PCIE LP 2-PORT 1GBE SX ADAPTER		1118 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8231		5275	PCIE LP 10GBE SR 1-PORT ADAPTE	3387	N		36
8231		5276	PCIE LP 4GB 2-PORT FIBRE CHANN	2115	N		36
8231		5277	PCIE LP 4-PORT ASYNC EIA-232 A	591	N		36
8231		5278	PCIE LP 2-X4-PORT SAS ADAPTER	634	N		36
8231		5524	RFID TAGS FOR SERVERS BLADES	16	N		36
8231		5603	SYSTEM AC POWER SUPPLY 1725 W	339	N		36
8231		5762	SATA SLIMLINE DVD-RAM DRIVE	253	N		36
8231		5886	EXP 12S EXPANSION DRAWER	4189	N		36
8231		5951	FULL WIDTH KEYBOARD -- USB US	70	N		36
8231		6068	OPT FRONT DOOR FOR 1.8M RACK	287	N		36
8231		6069	OPT FRONT DOOR FOR 2.0M RACK	352	N		36
8231		6248	1.8M RACK ACOUSTIC DOORS	2972	N		36
8231		6249	2.0M RACK ACOUSTIC DOORS	2972	N		36
8231		6263	1.8M RACK TRIM KIT	338	N		36
8231		6272	2.0M RACK TRIM KIT	338	N		36
8231		6458	POWER CABLE -- DRAWER TO IBM P	11	N		36
8231		6460	POWER CORD 4.3M (14-FT) DRAWE	11	N		36
8231		6469	POWER CORD 4.3M (14-FOOT) DRA	11	N		36
8231		6470	POWER CORD 1.8M(6-FOOT) TO WA	11	N		36
8231		6471	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6472	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6473	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6474	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6475	POWER CORD 2.7M (9-FOOT) TO	11	N		36
8231		6476	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6477	POWER CORD 2.7M (9-FOOT) TO W	11	N		36
8231		6478	POWER CORD 2.7 M(9-FOOT) TO	11	N		36
8231		6487	POWER CORD 1.8M (6-FOOT) TO WA	11	N		36
8231		6488	POWER CORD 2.7M (9-FOOT) TO W	33	N		36
8231		6491	4.3M (14-FT) 1PH/48A PWR CORD	255	N		36
8231		6492	4.3M (14-FT) 1PH/48-60A PWR CO	255	N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8231		6493	POWER CORD 2.7M (9-FOOT) TO W		11 N		36
8231		6494	POWER CORD 2.7M (9-FOOT) TO W		11 N		36
8231		6496	POWER CORD 2.7M (9-FOOT) TO W		11 N		36
8231		6577	POWER CABLE - DRAWER TO IBM PD		11 N		36
8231		6580	OPTIONAL RACK SECURITY KIT		115 N		36
8231		6586	MODEM TRAY FOR 19 INCH RACKO		159 N		36
8231		6651	POWER CORD 2.7M (9 FOOT) TO W		11 N		36
8231		6654	4.3M (14-FT) 1PH/24-30A PWR CO		153 N		36
8231		6655	4.3M (14-FT) 1PH/24-30A WR PWR		339 N		36
8231		6656	4.3M (14-FT)1PH/24A POWER CORD		153 N		36
8231		6659	POWER CORD 2.7M (9-FOOT) TO W		11 N		36
8231		6660	POWER CORD (14-FOOT) DRAWER T		11 N		36
8231		6665	POWER CORD 3 M (10 FT) DRAWER		11 N		36
8231		6669	POWER CORD 4.3M (14-FOOT) DR		11 N		36
8231		6670	POWER CORD (6-FOOT) TO WALL (		11 N		36
8231		6671	POWER CORD 2.7M (9-FOOT) DRAW		11 N		36
8231		6672	POWER CORD 1.5M (5-FOOT) DRA		11 N		36
8231		6680	POWER CORD 2.7M (9-FOOT) TO W		11 N		36
8231		7109	INTELLIGENT PDU+ 1 EIA UNIT		930 N		36
8231		7118	ENVIRONMENTAL MONITORING PROBE		237 N		36
8231		7188	POWER DISTRIBUTION UNIT		640 N		36
8231		7317	CHASSIS WITH ONE PROCESSOR PLA		85 N		36
8231		7318	CHASSIS WITH TWO PROCESSOR PLA		3249 N		36
8231		7802	ETHERNET CABLE 15M HARDWARE		21 N		36
8231		8143	LINUX SOFTWARE PREINSTALL		50 N		36
8231		8144	LINUX SOFTWARE PREINSTALL (BUS		50 N		36
8231		8348	4-CORE 3.7 GHZ POWER7 PROCESS		1121 N		36
8231		8349	6-CORE 3.7 GHZ POWER7 PROCESSO		830 N		36
8231		8350	4-CORE 3.0 GHZ POWER7 PROCESSO		635 N		36
8231		8359	8-CORE 3.55 GHZ POWER7 PROCESS		2116 N		36
8231		8360	ONE PROCESSOR ACTIVATION FOR P		491 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8231		8372	ONE PROCESSOR ACTIVATION FOR P	1391	N		36
8231		8381	ONE PROCESSOR ACTIVATION FOR P	727	N		36
8231		8382	ONE PROCESSOR ACTIVATION FOR P	450	N		36
8231		8845	USB MOUSE	25	N		36
8233	E8B		POWER 750	6346	Y	2	12
8233		0032	SPECIFY CODE FOR EXTERNAL HIGH	438	N		12
8233		0348	V.24/EIA232 6.1M (20 FT) PCI C	105	N		12
8233		0353	V.35 6.1M (20 FT) PCI CABLE	105	N		12
8233		0359	X.21 6.1M (20 FT) PCI CABLE	313	N		12
8233		0456	CUSTOMER SPECIFIED PLACEMENT	339	N		12
8233		0551	19 INCH 1.8 METER HIGH RACK	2237	N		12
8233		0553	19 INCH 2.0 METER HIGH RACK	3034	N		12
8233		0599	RACK FILLER PANEL KIT	62	N		12
8233		1025	MODEM CABLE US/CANADA AND GU	10	N		12
8233		1103	USB INTERNAL DOCKING STATION R	190	N		12
8233		1104	USB EXTERNAL DOCKING STATION R	233	N		12
8233		1106	USB 160 GB REMOVABLE DISK DR	266	N		12
8233		1107	USB 500 GB REMOVABLE DISK DR	599	N		12
8233		1108	JUNIPER EXP4200 ETHERNET SWITC	15700	N		12
8233		1111	CAT5E ETHERNET CABLE3M BLUE	21	N		12
8233		1112	CAT5E ETHERNET CABLE 10M BLUE	37	N		12
8233		1113	CAT5E ETHERNET CABLE 25M BLUE	67	N		12
8233		1115	CAT5E ETHERNET CABLE 3M GREEN	21	N		12
8233		1116	CAT5E ETHERNET CABLE 10M GREEN	37	N		12
8233		1117	CAT5E ETHERNET CABLE 25M GREEN	67	N		12
8233		1118	CAT5E ETHERNET CABLE 3M YELLOW	21	N		12
8233		1119	CAT5E ETHERNET CABLE 10M YELLO	37	N		12
8233		1121	CAT5E ETHERNET CABLE 25M YELLO	67	N		12
8233		1421	4.3M 200V/16A POWER CORD CH/DK	10	N		12
8233		1827	SYSTEM PORT/UPS CONVERSION CAB	80	N		12
8233		1828	1.5 METER 12X TO 4X CHANNEL CC	254	N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8233		1841	3 METER 12X TO 4X CHANNEL CC		317 N		12
8233		1854	10 METER 12X TO 4X ENHANCE CCC		508 N		12
8233		1861	0.6 METER 12X DDR CABLE		296 N		12
8233		1862	1.5 METER 12X DDR CABLE		339 N		12
8233		1864	8.0 METER 12X DDR CABLE		614 N		12
8233		1865	3.0 METER 12X DDR CABLE		402 N		12
8233		1878	OP PANEL CABLE FOR RACK MOUNT		5 N		12
8233		1883	73.4 GB 15K RPM SAS SFF DISK D		421 N		12
8233		1884	69.7 GB 15K RPM SAS SFF DISK D		421 N		12
8233		1885	300GB 10K RPM SFF SAS DISK D		675 N		12
8233		1886	146GB 15K RPM SFF SAS DISK D		421 N		12
8233		1888	139GB 15K RPM SFF SAS DISK D		421 N		12
8233		1890	69GB SFF SAS SOLID STATE D		4401 N		12
8233		1909	69GB SFF SAS SOLID STATE DRIVE		4401 N		12
8233		2456	2M LC SC 50 MICRON FIBER CONVE		70 N		12
8233		2459	2M LC SC 62.5 MICRON FIBER CON		70 N		12
8233		2728	4 PORT USB PCIE ADAPTER		127 N		12
8233		2893	PCIE 2 LINE WAN W/MODEM		490 N		12
8233		2934	3M ASYNCHRONOUS TERMINAL/PRINT		31 N		12
8233		2936	ASYNCHRONOUS CABLE EIA 232/V		51 N		12
8233		3124	SERIAL TO SERIAL PORT CABLE DD		56 N		12
8233		3125	SERIAL TO SERIAL PORT CABLE RR		56 N		12
8233		3586	69GB 3.5 SAS SOLID STATE DRIV		4401 N		12
8233		3587	69GB 3.5 SAS SOLID STATE DRIV		4401 N		12
8233		3632	WIDESCREEN LCD MONITOR		845 N		12
8233		3647	146GB 15K RPM SAS DISK DRIVE		421 N		12
8233		3648	300GB 15K RPM SAS DISK DRIVE		804 N		12
8233		3649	450GB 15K RPM SAS DISK DRIVE		1100 N		12
8233		3652	SAS CABLE (EE) DRAWER TO DR 1M		42 N		12
8233		3653	SAS CABLE (EE) DRAWER TO DR 3M		58 N		12
8233		3654	SAS CABLE (EE) DRAWER TO DR 6M		101 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8233		3656	SAS SFF CABLE		33 N		12
8233		3657	RIGHT ANGLE SAS TAPE DRIVE CAB		17 N		12
8233		3658	428GB 15K RPM SAS DISK DRIVE		1100 N		12
8233		3661	SAS CABLE (X) ADAPTER TO SAS E		127 N		12
8233		3662	SAS CABLE (X) ADAPTER TO SAS E		254 N		12
8233		3663	SAS CABLE (X) ADAPTER TO SAS E		517 N		12
8233		3668	SAS CABLE DASD BACKPLANE TO R		67 N		12
8233		3669	SAS CABLE DASD BACKPLANE SPL		72 N		12
8233		3677	139.5GB 15K RPM SAS DISK DRIVE		421 N		12
8233		3678	283.7GB 15K RPM SAS DISK DRIVE		804 N		12
8233		3679	SAS CABLE (AI) ADAPTER TO INT		44 N		12
8233		3681	3M SAS CABLE ADPTR TO ADPTR (		63 N		12
8233		3682	6M SAS CABLE ADPTR TO ADPTR (		127 N		12
8233		3684	SAS CABLE (AE) ADAPTER TO ENCL		127 N		12
8233		3685	SAS CABLE (AE) ADAPTER TO ENCL		254 N		12
8233		3687	SAS CABLE (YI) SYSTEM TO SAS E		93 N		12
8233		3688	SAS CABLE (AT) 0.6 METER		76 N		12
8233		3691	SAS CABLE (YO) ADAPTER TO SAS		76 N		12
8233		3692	SAS CABLE (YO) ADAPTER TO SAS		93 N		12
8233		3693	SAS CABLE (YO) ADAPTER TO SAS		127 N		12
8233		3694	SAS CABLE (YO) ADAPTER TO SAS		446 N		12
8233		3925	0.3M SERIAL PORT CONVERTER CAB		17 N		12
8233		3926	ASYNCH PRINTER/TERMINAL CABLE		123 N		12
8233		3927	SERIAL PORT NULL MODEM CABLE		56 N		12
8233		3928	SERIAL PORT NULL MODEM CABLE		56 N		12
8233		4242	1.8 M (6 FT) EXTENDER CABLE		70 N		12
8233		4256	EXTENDER CABLE USB KEYB1.8		35 N		12
8233		4276	VGA TO DVI CONNECTION CONVERTE		6 N		12
8233		4526	8GB (2X4GB) MEMORY DIMMS		901 N		12
8233		4527	16GB (2X8GB) MEMORY DIMMS 1066		1803 N		12
8233		4528	32GB (2X16GB) MEMORYDIMMS 1066		5408 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8233		4764	PCI X CRYPTOGRAPHIC COPROCESSO	7617	N		12
8233		4792	ACTIVE MEMORY EXPANSION ENABLE	2200	N		12
8233		4807	PCIE CRYPTO COPROCESSOR NO BSC	9310	N		12
8233		4808	PCIE CRYPTO COPROCESSOR GEN3 B	9310	N		12
8233		4988	ONE PROCESSOR OF 5250 ENTERPRI	12695	N		12
8233		4989	FULL 5250 ENTERPRISE ENABLEMEN	50781	N		12
8233		5524	RFID TAGS FOR SERVERS BLADES	16	N		12
8233		5609	GX DUAL PORT 12X CHANNEL ATTAC	1862	N		12
8233		5613	DUAL PORT (SR) INTEGRATED VIRT	2962	N		12
8233		5616	GX DUAL PORT 12X CHANNEL ATTAC	931	N		12
8233		5619	80/160GB DAT160 SAS TAPE DRIVE	1546	N		12
8233		5624	4 PORT 1GB INTEGRATED VIRTUAL	446	N		12
8233		5646	BLIND SWAP TYPE III CASSETTE	31	N		12
8233		5647	BLIND SWAP TYPE III CASSETTE	31	N		12
8233		5661	DAT320 160/320 GB TAPE DRIVE	1777	N		12
8233		5679	SAS RAID ENABLEMENT	2116	N		12
8233		5706	2 PORT 10/100/1000 BASE TX ETH	639	N		12
8233		5708	10GB FCOE PCIE DUAL PORT ADAPT	3515	N		12
8233		5713	1 GIGABIT ISCSI TOE PCI X ON C	762	N		12
8233		5717	4 PORT 10/100/1000 BASE TX PCI	702	N		12
8233		5732	10 GIGABIT ETHERNET CX4 PCI EX	3068	N		12
8233		5735	8 GIGABIT PCI EXPRESS DUAL POR	2961	N		12
8233		5736	PCI X DDR DUAL CHANNEL ULTRA32	497	N		12
8233		5746	HALF HIGH 800GB/1.6TB LTO4 SAS	3385	N		12
8233		5747	LTO ULTRIUM 4 800 GB DATA CART	508	N		12
8233		5748	POWER GXT145 PCI EXPRESS GRAPH	319	N		12
8233		5749	4GBPS FIBRE CHANNEL (2 PORT)	2115	N		12
8233		5759	4 GB DUAL PORT FIBRE CHANNEL	2115	N		12
8233		5762	SATA SLIMLINE DVD RAM DRIVE	253	N		12
8233		5767	2 PORT 10/100/1000 BASE TX ETH	446	N		12
8233		5768	2 PORT GIGABIT ETHERNET SX PCI	1118	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8233		5769	10 GIGABIT ETHERNET SR PCI		3387 N		12
8233		5772	10 GIGABIT ETHERNET LR PCI		4013 N		12
8233		5774	4 GIGABIT PCI EXPRESS DUAL POR		2115 N		12
8233		5785	4 PORT ASYNC EIA 232 PCIE ADAP		591 N		12
8233		5796	PCI DDR 12X EXPANSION DRAWER		4604 N		12
8233		5802	12X I/O DRAWER PCIE SFF DISK		10147 N		12
8233		5877	12X I/O DRAWER PCIE NO DISK		9216 N		12
8233		5886	EXP 12S EXPANSION DRAWER		4189 N		12
8233		5901	PCIE DUAL X4 SAS ADAPTER		634 N		12
8233		5904	PCI X DDR 1.5GB CACHE SAS RAID		7194 N		12
8233		5908	PCI X DDR 1.5GB CACHE SAS RAID		7194 N		12
8233		5912	PCI X DDR DUAL X4 SAS ADAPTE		698 N		12
8233		5951	FULL WIDTH KEY USB US ENGLISH		70 N		12
8233		5983	FULL WIDTH KEY USB US ENGLISH		70 N		12
8233		6006	POWER CONTROL CABLE (SPCN) 3		33 N		12
8233		6007	POWER CONTROL CABLE (SPCN) 15		67 N		12
8233		6068	OPT FRONT DOOR FOR 1.8M RACK		287 N		12
8233		6069	OPT FRONT DOOR FOR 2.0M RACK		352 N		12
8233		6248	1.8M RACK ACOUSTIC DOOR		2972 N		12
8233		6249	2.0M RACK ACOUSTIC DOORS		2972 N		12
8233		6263	1.8M RACK TRIM KIT		338 N		12
8233		6272	2.0M RACK TRIM KIT		338 N		12
8233		6446	DUAL PORT 12X CHANNEL ATTACH		487 N		12
8233		6457	DUAL PORT 12X CHANNEL ATTACH		2116 N		12
8233		6458	POWER CABLE DRAWER TO PDU		11 N		12
8233		6460	POWER CORD 4.3M (14 FT) DRAWE		11 N		12
8233		6469	POWER CORD 4.3M (14 FOOT) DRA		11 N		12
8233		6470	POWER CORD 1.8M(6 FOOT) TO WA		11 N		12
8233		6471	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6472	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6473	POWER CORD 2.7M (9 FOOT) TO W		11 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
8233		6474	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6475	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6476	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6477	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6478	POWER CORD 2.7 M(9 FOOT) TO W		11 N		12
8233		6487	POWER CORD 1.8M (6 FOOT) TO W		11 N		12
8233		6488	POWER CORD 2.7M (9 FOOT) TO W		33 N		12
8233		6489	4.3M (14 FT) 3PH/24A POWER COR		233 N		12
8233		6491	4.3M (14 FT) 1PH/48A PWR CORD		255 N		12
8233		6492	4.3M (14 FT) 1PH/48 60A PWR CO		255 N		12
8233		6493	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6494	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6496	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6577	POWER CABLE DRAWER TO IBM PD		11 N		12
8233		6580	OPTIONAL RACK SECURITY KIT		115 N		12
8233		6586	MODEM TRAY FOR 19 INCH RACK		159 N		12
8233		6651	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6654	4.3M (14 FT) 1PH/24 30A PWR CO		153 N		12
8233		6655	4.3M (14 FT) 1PH/24 30A WR PWR		339 N		12
8233		6656	4.3M (14 FT)1PH/24A POWER CORD		153 N		12
8233		6659	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6660	POWER CORD (14 FOOT) DRAWER T		11 N		12
8233		6665	POWER CORD 3 M (10 FT) DRAWER		11 N		12
8233		6669	POWER CORD 4.3M (14 FOOT) DRA		11 N		12
8233		6671	POWER CORD 2.7M (9 FOOT) DRAW		11 N		12
8233		6672	POWER CORD 1.5M (5 FOOT) DRAW		11 N		12
8233		6680	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8233		6808	PCI 4 MODEM WAN IOA NO IOP		1339 N		12
8233		7109	INTELLIGENT PDU 1 EIA UNIT		930 N		12
8233		7118	ENVIRONMENTAL MONITORING PROBE		237 N		12
8233		7188	POWER DISTRIBUTION UNIT		640 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8233		7314	I/O DRAWER MOUNTING ENCLOSURE		444 N		12
8233		7519	QUANTITY 150 OF 3678		120605 N		12
8233		7535	QUANTITY 150 OF 3586		660151 N		12
8233		7536	QUANTITY 150 OF 3587		660151 N		12
8233		7538	QUANTITY 150 OF 3658		165038 N		12
8233		7549	QUANTITY 150 OF 3647		63222 N		12
8233		7564	QUANTITY 150 OF 3648		120605 N		12
8233		7565	QUANTITY 150 OF 3649		165038 N		12
8233		7714	ONE PROCESSOR ACTIVATION 8334		2624 N		12
8233		7715	ONE PROCESSOR ACTIVATION 8332		5078 N		12
8233		7716	ONE PROCESSOR ACTIVATION 8336		7617 N		12
8233		7717	ONE PROCESSOR ACTIVATION 8335		4105 N		12
8233		7740	POWER SUPPLY 1725 WATT AC HO		591 N		12
8233		7802	ETHERNET CABLE 15M HARDWARE		21 N		12
8233		7863	PCI BLIND SWAP CASSETTE KIT		42 N		12
8233		8143	LINUX SOFTWARE PREINSTALL		50 N		12
8233		8144	LINUX SOFTWARE PREINSTALL BP		50 N		12
8233		8332	8 CORE 3.3 GHZ POWER7 PROCESSO		10495 N		12
8233		8334	8 CORE 3.0 GHZ POWER7 PROCESSO		5027 N		12
8233		8340	ENHANCED DASD/MEDIA BACKPLANE		676 N		12
8233		8845	USB MOUSE		25 N		12
8234		0032	SPCF CODE EXT HIGH SPEED MODEM		418 N		12
8234		0348	V.24/EIA 6.1M (20FT) PCI CABLE		100 N		12
8234		0353	V.35 6.1M 20FT PCI CABLE		100 N		12
8234		0359	X.21 6.1M 20FT PCI CABLE		298 N		12
8234		0367	V.24/EIA232 24.4M 80FT PCI CBL		100 N		12
8234		0453	CUSTOMER SPECIFIED PLACEMENT		806 N		12
8234		0551	19 INCH 1.8 METER HIGH RACK		2131 N		12
8234		0553	19 INCH 2.0 METER HIGH RACK		2890 N		12
8234		0555	19 INCH 1.3 METER HIGH RACK		1594 N		12
8234		0599	RACK FILLER PANEL KIT		59 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		1025	MODEM CABLE US/CANADA GEN USE		10 N		12
8234		1104	USB EXTERNAL DOCKING STATION		222 N		12
8234		1106	USB 160 GB REMOVABLE DISKDRIVE		254 N		12
8234		1107	USB 500 GB REMOVABLE DISKDRIVE		571 N		12
8234		1120	DECLINE ELECTR SERVICE AGENT		0 N		12
8234		1715	SYSTEM BEZEL		81 N		12
8234		1800	GX DUAL PORT RIO 2 ATTACH		2418 N		12
8234		1802	GX DUAL PORT 12X CHANN ATTACH		912 N		12
8234		1827	SYSTEM PORT/UPS CONVERSION CBL		77 N		12
8234		1828	1.5M 12X TO 4X CHAN CONVERSION		242 N		12
8234		1841	3M 12X TO 4X CHAN CONVERSION		302 N		12
8234		1845	OPERATOR PANEL		121 N		12
8234		1854	10 METER 12X TO 4X ENHANCED CH		484 N		12
8234		1861	0.6 METER 12X DDR CABLE		282 N		12
8234		1862	1.5 METER 12X DDR CABLE		322 N		12
8234		1864	8.0 METER 12X DDR CABLE		584 N		12
8234		1865	3.0 METER 12X DDR CABLE		383 N		12
8234		1883	73.4 GB 15K RPM SAS SFF DISK		401 N		12
8234		1884	69.7 GB 15K RPM SAS SFF DISK		401 N		12
8234		1885	300GB 10K RPM SFF SAS DISKDRIV		643 N		12
8234		1886	146GB 15K RPM SFF SAS DISKDRIV		401 N		12
8234		1888	139GB 15K RPM SFF SAS DISKDRIV		401 N		12
8234		1921	0/8GB DDR2 MEMORY 4X2GB DIMMS		1673 N		12
8234		1922	0/16GB DDR2 MEMORY 4X4GB DIMMS		3345 N		12
8234		1923	0/32GB DDR2 MEMORY 4X8GB DIMMS		6690 N		12
8234		2456	2M LC SC 50 MICRON FIBER CONV		66 N		12
8234		2459	2M LC SC 62.5 MICRON FIBER CBL		66 N		12
8234		2728	4 PORT USB PCIE ADAPTER		121 N		12
8234		2893	PCIE 2 LINE WAN W/MODEM		466 N		12
8234		2934	3M ASYNCH TERMINAL/PRINTER CBL		29 N		12
8234		2936	ASYNCH CBL EIA 232/V.24 3M		48 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		3124	SERIAL TO SERIAL PRT CBL DRWR		53 N		12
8234		3125	SERIAL TO SERIAL PRT CBL RACK		53 N		12
8234		3147	RIO 2 (REMOTE I/O 2) 3.5M		443 N		12
8234		3148	RIO 2 (REMOTE I/O 2) 10M		685 N		12
8234		3632	WIDESCREEN LCD MONITOR		805 N		12
8234		3647	146GB 15K RPM SAS DISK DRIVE		401 N		12
8234		3648	300GB 15K RPM SAS DISK DRIVE		766 N		12
8234		3649	450GB 15K RPM SAS DISK DRIVE		1048 N		12
8234		3651	EXT CONNECTION FOR 6 INT SAS		73 N		12
8234		3652	SAS CBL EE DRWR TO DRWR 1M		40 N		12
8234		3653	SAS CBL EE DRWR TO DRWR 3M		56 N		12
8234		3654	SAS CBL EE DRWR TO DRWR 6M		97 N		12
8234		3658	428GB 15K RPM SAS DISK DRV		1048 N		12
8234		3660	PROCESSOR FABRIC CBL 2 ENCL		1217 N		12
8234		3661	SAS CBL X ADP SAS ENCL DUAL 3M		121 N		12
8234		3662	SAS CBL X ADP SAS ENCL DUAL 6M		242 N		12
8234		3663	SAS CBL X ADP SAS ENCL DUAL		467 N		12
8234		3667	SAS CABLE YR 1M		76 N		12
8234		3677	139.5GB 15K RPM SAS DISK DRIVE		401 N		12
8234		3678	283.7GB 15K RPM SAS DISK DRIVE		766 N		12
8234		3679	SAS CBL AI ADP TO INT DRIVE 1M		42 N		12
8234		3681	3M SAS CABLE ADPTR TO ADPTR		60 N		12
8234		3682	6M SAS CABLE ADPTR TO ADPTR		121 N		12
8234		3684	SAS CBL AE ADP ENCL SINGLE 3M		121 N		12
8234		3685	SAS CBL AE ADP ENCL SINGLE 6M		242 N		12
8234		3688	SAS CABLE (AT) 0.6 METER		73 N		12
8234		3691	SAS CBL YO ADP ENCL SNGL 1.5M		73 N		12
8234		3692	SAS CBL YO ADP ENCL SINGLE 3M		89 N		12
8234		3693	SAS CBL YO ADP ENCL SINGLE 6M		121 N		12
8234		3694	SAS CBL YO ADP ENCL SINGLE 15M		425 N		12
8234		3925	0.3M SERIAL PRT CONVERTER CBL		16 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		3927	SERIAL PRT NULL MODEM CBL 9PIN		54 N		12
8234		3928	SERIAL PRT NULL MODEM CBL 9PIN		54 N		12
8234		4242	1.8M 6FT EXT CBL FOR DISPLAYS		66 N		12
8234		4256	EXTENDER CABLE USB KEYB1.8		33 N		12
8234		4276	VGA DVI CONNECTION CONVERTER		6 N		12
8234		4764	PCI X CRYPTOGRAPH COPROCESSOR		7254 N		12
8234		4990	SINGLE 5250 ENTERPRISE ENABLE		40302 N		12
8234		4991	FULL 5250 ENTERPRISE ENABLE		161209 N		12
8234		5524	RFID TAGS FOR SERVERS BLADES		16 N		12
8234		5617	PROCESSOR POWER REGULATOR		1290 N		12
8234		5627	SYSTEM CEC ENC WITH OEM BEZEL		304 N		12
8234		5628	SYS AC POWER SUPPLY 1600 W		914 N		12
8234		5636	INTEGRATED 2 PRT 1GB VIRTUAL		242 N		12
8234		5637	INTEGRATED 2 PRT 10GB VIRTUAL		3410 N		12
8234		5639	INTEGRATED 4 PRT 1GB VIRTUAL		425 N		12
8234		5646	BLIND SWAP TYPE III CASSETTE		30 N		12
8234		5647	BLIND SWAP TYPE III CASSETTE		30 N		12
8234		5648	SERVICE INTERFACE CARD		609 N		12
8234		5657	SERV INTERFACE CBL 2 ENCLOSURE		1217 N		12
8234		5666	I/O BACKPLANE		2741 N		12
8234		5667	SYSTEM MIDPLANE		609 N		12
8234		5674	SATA MEDIA ENCLOSURE BACKPLANE		113 N		12
8234		5675	0/4 CORE PROCESSOR ENCLOSURE		1290 N		12
8234		5683	SYSTEM CHASSIS 4 EIA		243 N		12
8234		5699	SYSTEM SHIP GROUP		12 N		12
8234		5706	2PRT 10/100/1000 BASE TX ETH		608 N		12
8234		5708	10GB FCOE PCIE DUAL PORT ADAPT		3348 N		12
8234		5713	1GB ISCSI TOE PCI X ON COPPER		725 N		12
8234		5717	4 PRT 10/100/1000 BASE TX PCI		669 N		12
8234		5732	10 GB ETH CX4 PCI EXPRESS ADP		2922 N		12
8234		5735	8GB PCI EXPRESS DUAL PRT FIBRE		2820 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		5736	PCI X DUAL CHANN ULTRA320 SCSI		473 N		12
8234		5748	POWER GXT145 PCI EXPRESS		304 N		12
8234		5749	4GBPS FIBRE CHANNEL 2 PORT		2014 N		12
8234		5759	4GB DUAL PRT FIBRE CHAN PCI X		2014 N		12
8234		5762	SATA SLIMLINE DVD RAM DRIVE		241 N		12
8234		5767	2 PRT 10/100/1000 BASE TX ETH		425 N		12
8234		5768	2 PRT GB ETH SX PCI EXPRESS		1065 N		12
8234		5769	10 GB ETH SR PCI EXPRESS ADP		3226 N		12
8234		5772	10 GB ETH LR PCI EXPRESS ADP		3822 N		12
8234		5774	4 GB PCI EXPRESS DUAL PORT		2014 N		12
8234		5782	PCI X EXP24 CTL 1.5GB NO IOP		6816 N		12
8234		5785	4 PORT ASYNC EIA 232 PCIE ADP		563 N		12
8234		5796	PCI DDR 12X EXPANSION DRAWER		4385 N		12
8234		5878	SAS DISK BACKPLANE 6 SLOT		640 N		12
8234		5886	EXP 12S EXPANSION DRAWER		3990 N		12
8234		5901	PCIE DUAL X4 SAS ADAPTER		604 N		12
8234		5908	PCI X DDR 1.5GB CACHE SAS RAID		6851 N		12
8234		5911	SAS ADP INT SPLIT DASD OPTION		852 N		12
8234		5912	PCI X DDR DUAL X4 SAS ADAPTER		665 N		12
8234		5951	KEYBOARD USB US ENGLISH 103P		66 N		12
8234		6006	POWER CONTROL CBL SPCN 3 METER		32 N		12
8234		6007	POWER CONTROL CBL SPCN 15 M		64 N		12
8234		6068	OPT FRONT DOOR FOR 1.8M RACK		274 N		12
8234		6069	OPT FRONT DOOR FOR 2.0M RACK		334 N		12
8234		6248	1.8M RACK ACCOUSTIC DOORS		2831 N		12
8234		6249	2.0M RACK ACCOUSTIC DOORS		2831 N		12
8234		6446	DUAL PRT 12X CHAN ATTACH SHORT		463 N		12
8234		6457	DUAL PRT 12X CHAN ATTACH LONG		2015 N		12
8234		6458	PWR CBL DRWR IBM PDU 14FT 250V		11 N		12
8234		6460	PWR CRD 4.3M 14FT DRWR OEM PDU		11 N		12
8234		6469	PWR CRD 4.3M 14FT DRWR OEM PDU		11 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		6471	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6472	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6473	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6474	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6475	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6476	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6477	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6478	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6487	PWR CRD 1.8M 6FT WALL 250V 15A		11 N		12
8234		6488	PWR CRD 2.7M 9FT WALL OEM PDU		32 N		12
8234		6489	4.3M 14FT 3PH/24A POWER CORD		184 N		12
8234		6491	4.3M 14FT 1PH/48A PWR CORD		243 N		12
8234		6492	4.3M 14FT 1PH/48 60A PWR CORD		243 N		12
8234		6493	PWR CRD 2.7M 9FT WALL 250V 10A		11 N		12
8234		6494	PWR CRD 2.7M 9FT WALL 250V 10A		11 N		12
8234		6496	PWR CRD 2.7M 9FT WALL 250V 10A		11 N		12
8234		6580	OPTIONAL RACK SECURITY KIT		109 N		12
8234		6586	MODEM TRAY FOR 19 INCH RACK		152 N		12
8234		6651	PWR CRD 2.7M 9FT WALL 125V 15A		11 N		12
8234		6654	4.3M 14FT 1PH/24 30A PWR CORD		145 N		12
8234		6655	4.3M 14FT 1PH/24 30A WR PWR		322 N		12
8234		6656	4.3M 14FT 1PH/24 POWER CORD		145 N		12
8234		6659	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6665	PWR CRD 3M 10FT DRWR PDU 250V		11 N		12
8234		6669	PWR CRD 4.3M 14FT DRWR PDU		11 N		12
8234		6671	PWR CRD 2.7M 9FT DRWR PDU 250V		11 N		12
8234		6672	PWR CRD 1.5M 5FT DRWR PDU 250V		11 N		12
8234		6680	PWR CRD 2.7M 9FT WALL OEM PDU		11 N		12
8234		6808	PCI 4 MODEM WAN IOA NO IOP		1276 N		12
8234		7109	INTELLIGENT PDU+ 1 EIA UNIT		886 N		12
8234		7164	OEM RACK MOUNT DRWR RAIL KIT		135 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8234		7188	POWER DISTRIBUTION UNIT	609	N		12
8234		7314	I/O DRAWER MOUNTING ENCLOSURE	423	N		12
8234		7518	QUANTITY 150 OF 3677	60212	N		12
8234		7519	QUANTITY 150 OF 3678	114861	N		12
8234		7537	3.6GHZ PROC CARD 0/4 CORE PWR6	6246	N		12
8234		7723	1 PROC ACTIVATION PROC FC 7537	4756	N		12
8234		7802	ETH CBL 15M HW MANAGEMENT	20	N		12
8234		7863	PCI BLIND SWAP CASSETTE KIT	40	N		12
8234		7870	POWER DISTRIBUTION BACKPLANE	161	N		12
8234		8143	LINUX SOFTWARE PREINSTALL	48	N		12
8234		8144	LINUX SOFTWARE PREINSTALL SDIS	48	N		12
8236	E8C		POWER 755	6043	Y	2	12
8236		0348	V.24 EIA232 6.1M (20 FT) PCI C	100	N		12
8236		0353	V.35 6.1M (20 FT) PCI CABLE	100	N		12
8236		0359	X.21 6.1M (20 FT) PCI CABLE	298	N		12
8236		0456	CUSTOMER SPECIFIED PLACEMENT	322	N		12
8236		0551	19 INCH 1.8 METER HIGH RACK	2131	N		12
8236		0553	19 INCH 2.0 METER HIGH RACK	2890	N		12
8236		0599	RACK FILLER PANEL KIT	59	N		12
8236		1828	1.5 METER 12X TO 4X CHANNEL CO	242	N		12
8236		1841	3 METER 12X TO 4X CHANNEL CONV	302	N		12
8236		1854	10 METER 12X TO 4X ENHANCED CH	484	N		12
8236		1861	0.6 METER 12X DDR CABLE	282	N		12
8236		1878	OP PANEL CABLE FOR RACK MOUNT	4	N		12
8236		1883	73.4 GB 15K RPM SAS SFF DISK D	401	N		12
8236		1885	300GB 10K RPM SFF SAS DISK DRI	643	N		12
8236		1886	146GB 15K RPM SFF SAS DISK DRI	401	N		12
8236		1890	69GB SFF SAS SOLID STATE DRIVE	4191	N		12
8236		2456	2M LC SC 50 MICRON FIBER CONVE	66	N		12
8236		2459	2M LC SC 62.5 MICRON FIBER CON	66	N		12
8236		2728	4 PORT USB PCIE ADAPTER	121	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8236		2934	3M ASYNCHRONOUS TERMINAL PRINT		29 N		12
8236		2936	ASYNCHRONOUS CABLE EIA 232 V.2		48 N		12
8236		3124	SERIAL TO SE.PORT CBL DRAW3.7M		53 N		12
8236		3125	SERIAL TO SE.PORT CBL RACK 8M		53 N		12
8236		3586	69GB 3.5 SAS SOLID STATE DRIV	4191 N			12
8236		3632	WIDESCREEN LCD MONITOR	805 N			12
8236		3647	146GB 15K RPM SAS DISK DRIVE	401 N			12
8236		3648	300GB 15K RPM SAS DISK DRIVE	766 N			12
8236		3649	450GB 15K RPM SAS DISK DRIVE	1048 N			12
8236		3652	SAS CABLE (EE) DRAWER TO DRW1M	40 N			12
8236		3653	SAS CABLE (EE) DRAWER TO DRW3M	56 N			12
8236		3654	SAS CABLE (EE) DRAWER TO DRW6M	97 N			12
8236		3661	SAS CABLE (X) ADAPTER TO SAS3M	121 N			12
8236		3662	CONTROLLER DUAL PATH 6M	242 N			12
8236		3663	CONTROLLER DUAL PATH 15M	492 N			12
8236		3668	SAS CABLE DASD BACKPLANE TO R	64 N			12
8236		3679	SAS CAB (AI) ADAPTER TO INT 1M	42 N			12
8236		3681	3M SAS CABLE ADPTR TO ADPTR (	60 N			12
8236		3682	6M SAS CABLE ADPTR TO ADPTR (	121 N			12
8236		3684	SAS CAB (AE) ADAPTER TO EN 3M	121 N			12
8236		3685	SAS CAB (AE) ADAPTER TO EN 6M	242 N			12
8236		3687	SAS CA(YI) SYSTEM TO SAS 3M	89 N			12
8236		3691	SAS CAB(YO) ADAPTER TO SAS1.5M	73 N			12
8236		3692	SAS CAB(YO) ADAPTER TO SAS 3M	89 N			12
8236		3693	SAS CAB(YO) ADAPTER TO SAS 6M	121 N			12
8236		3694	SAS CAB(YO) ADAPTER TO SAS 15M	425 N			12
8236		3925	0.3M SERIAL PORT CONVERTER CAB	16 N			12
8236		3926	ASYNCH PRINTER TERMINAL CAB 4M	117 N			12
8236		3928	SERIAL PORT NULL MO CAB 10M	53 N			12
8236		4242	1.8 M (6 FT) EXTENDER CABLE FO	66 N			12
8236		4256	EXTENDER CABLE USB KEYB1.8	33 N			12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8236		4276	VGA TO DVI CONNECTION CONVERTE		6 N		12
8236		4526	8GB (2X4GB) MEMORY DIMMS 1067		858 N		12
8236		4527	16GB (2X8GB) MEMORY DIMMS 106		1717 N		12
8236		5524	RFID TAGS FOR SERVERS BLADES		16 N		12
8236		5609	GX DUAL PORT 12X CHANNEL ATTAC		1773 N		12
8236		5613	DUAL PORT (SR) INTEGRATED VIRT		2821 N		12
8236		5624	4 PORT 1GB INTEGRATED VIRTUAL		425 N		12
8236		5706	IBM 2 PORT 10/100/1000 BASETX		609 N		12
8236		5708	10GB FCOE PCIE DUAL PORT ADAPT		3348 N		12
8236		5713	1 GIGABIT ISCSI TOE PCI X ON C		725 N		12
8236		5717	4 PORT 10/100/1000 BASE TX PCI		669 N		12
8236		5732	10 GIGABIT ETHERNET CX4 PCI EX		2922 N		12
8236		5735	8 GIGABIT PCI EXPRESS DUAL POR		2820 N		12
8236		5748	POWER GXT145 PCI EXPRESS GRAPH		304 N		12
8236		5759	4 GB DUAL PORT FIBRE CHANNEL P		2014 N		12
8236		5762	SATA SLIMLINE DVD RAM DRIVE		241 N		12
8236		5767	2 PORT 10/100/1000 BASE TX ETH		425 N		12
8236		5768	2 PORT GIGABIT ETHERNET SX PCI		1065 N		12
8236		5769	10 GIGABIT ETHERNET SR PCI EXP		3226 N		12
8236		5772	10 GIGABIT ETHERNET LR PCI EXP		3822 N		12
8236		5774	4 GIGABIT PCI EXPRESS DUAL POR		2014 N		12
8236		5785	4 PORT ASYNC EIA 232 PCIE ADAP		563 N		12
8236		5886	EXP 12S EXPANSION DRAWER		3990 N		12
8236		5901	PCIE DUAL X4 SAS ADAPTER		604 N		12
8236		5951	FULL WID KEYBUSB US ENGL 103P		66 N		12
8236		6068	OPT FRONT DOOR FOR 1.8M RACK		274 N		12
8236		6069	OPT FRONT DOOR FOR 2.0M RACK		334 N		12
8236		6248	1.8M RACK ACOUSTIC DOORS		2831 N		12
8236		6249	2.0M RACK ACOUSTIC DOORS		2831 N		12
8236		6263	1.8M RACK TRIM KIT		321 N		12
8236		6272	2.0M RACK TRIM KIT		321 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8236		6458	POWER CABLE DRAWER TO PDU		11 N		12
8236		6460	POWER CORD 4.3M (14 FT) DRAW		11 N		12
8236		6469	POWER CORD 4.3M (14 FOOT) DRA		11 N		12
8236		6470	POW C 1.8M(6 FOOT) T(125V 15A		11 N		12
8236		6471	POWC2.7M (9 FOOT) T(125V 15A		11 N		12
8236		6472	POWC2.7M (9 FOOT) T(250V 16A		11 N		12
8236		6473	POWC2.7M (9 FOOT) T(250V 10A		11 N		12
8236		6474	POWC2.7M (9 FOOT) T(250V 13A		11 N		12
8236		6475	POWC2.7M (9 FOOT) T(250V 16A		11 N		12
8236		6476	POWC2.7M (9 FOOT) T(250V 10A		11 N		12
8236		6477	POWC2.7M (9 FOOT) T(250V 16A		11 N		12
8236		6478	POWC2.7M (9 FOOT) T(250V 16A		11 N		12
8236		6487	POWC 1.8M (6 FOOT) T(250V 15A		11 N		12
8236		6488	POC 2.7M (9 FOOT) T(125V 15A		32 N		12
8236		6489	4.3M (14 FT) 3PH 24A POWER COR		222 N		12
8236		6491	4.3M (14 FT) 1PH 48A PWR CORD		243 N		12
8236		6492	4.3M (14 FT) 1PH 48 60A PWR CO		243 N		12
8236		6493	POC 2.7M (9 FOOT) T(250V 10A		11 N		12
8236		6494	POC 2.7M (9 FOOT) T(250V 10A		11 N		12
8236		6496	POC 2.7M (9 FOOT) T(250V 10A		11 N		12
8236		6580	OPTIONAL RACK SECURITY KIT		109 N		12
8236		6586	MODEM TRAY FOR 19 INCH RACK		152 N		12
8236		6651	POC 2.7M (9 FOOT) T(125V 15A		11 N		12
8236		6654	4.3M (14 FT) 1PH 24 30A PWR CO		145 N		12
8236		6655	4.3M (14 FT) 1PH 24 30A WR PWR		322 N		12
8236		6656	4.3M (14 FT)1PH 24A POWER CORD		145 N		12
8236		6659	POC 2.7M (9 FOOT) T(250V 15A		11 N		12
8236		6660	POWER CORD (14 FOOT) DRAWER T		11 N		12
8236		6665	POWER CORD 3 M (10 FT) DRAWER		11 N		12
8236		6669	POWER CORD 4.3M (14 FOOT) DRA		11 N		12
8236		6671	POWER CORD 2.7M (9 FOOT) DRAW		11 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8236		6672	POWER CORD 1.5M (5 FOOT) DRAW		11 N		12
8236		6680	POWER CORD 2.7M (9 FOOT) TO W		11 N		12
8236		7109	INTELLIGENT PDU 1 EIA UNIT UN		886 N		12
8236		7118	ENVIRONMENTAL MONITORING PROBE		226 N		12
8236		7188	POWER DISTRIBUTION UNIT		609 N		12
8236		7535	QUANTITY 150 OF 3586		628715 N		12
8236		7549	QUANTITY 150 OF 3647		60212 N		12
8236		7564	QUANTITY 150 OF 3648		114861 N		12
8236		7565	QUANTITY 150 OF 3649		157179 N		12
8236		7740	POWER SUPPLY 1725 WATT AC HO		563 N		12
8236		7802	ETHERNET CABLE 15M HARDWARE		20 N		12
8236		8332	8CORE 3.3 GHZ POWER7 PROCESSO		9995 N		12
8236		8340	ENHANCED DASD MEDIA BACKPLANE		644 N		12
8236		8845	USB MOUSE		24 N		12
8406	70Y		BLADECENTER PS700		3708 Y	1	36
8406	71Y		BLADECENTER PS701 PS702		4435 Y	1	36
8406		4645	INTEGRATE BLADE SERVER IN CHAS		16 N		36
8406		4646	INTEGRATE BLADE SERVER IN CHAS		20 N		36
8406		8141	IBM I SOFTWARE PREINSTALL		48 N		36
8406		8142	IBM I SOFTWARE PREINSTALL (BUS		40 N		36
8406		8143	LINUX SOFTWARE PREINSTALL		48 N		36
8406		8144	LINUX SOFTWARE PREINSTALL (BUS		48 N		36
8406		8146	AIX VIOS SOFTWARE PREINSTALL		48 N		36
8406		8147	AIX VIOS SOFTWARE PREINSTALL (		40 N		36
8406		8208	8GB (2X4GB DIMMS) DDR3 1066 MH		407 N		36
8406		8209	16 GB (2X8 GB DIMM) DDR3 1066		800 N		36
8406		8240	EMULEX 8GB FIBRE CHANNEL EXPA		886 N		36
8406		8241	QLOGIC 4 GB FIBRE CHANNEL EXPA		604 N		36
8406		8242	QLOGIC 8GB FIBRE CHANNEL EXPAN		886 N		36
8406		8246	3 GB SAS PASSTHROUGH EXPANSION		200 N		36
8406		8252	QLOGIC ETHERNET AND 4 GB FIBRE		805 N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
8406		8258	4X DDR EXPANSION CARD		966 N		36
8406		8271	QLOGIC 8 GB FIBRE CHANNEL EXPA		886 N		36
8406		8274	IBM 300GB SAS 10K RPM SFF HDD		555 N		36
8406		8275	QLOGIC 2 PORT 10GB CONVERGED		1208 N		36
8406		8276	IBM 600GB SAS 10K RPM SFF HDD		724 N		36
8406		8291	BROADCOM 2/4 PORT ETH EXP		507 N		36
8406		8358	1 WIDE ADD ON SMP CHASSIS		4436 N		36
8406		8405	ONE PROC ENTIT IBM BLADEC 70Y		81 N		36
8406		8411	ONE PROCESSOR ENTITLEMENT FOR		81 N		36
9110		0983	US TAA COMPLIANCE INDICATOR		0 N		36
9110		1930	1024MB(2X512MB)DIMMS 276-PIN		560 N		36
9110		1931	2084MB(2X1024MB)DIMMS 276-PIN		1182 N		36
9110		1932	4096MB(2X2048MB)DIMMS 276-PIN		2835 N		36
9110		1934	8192MB(2X4096MB)DIMMS 276-PIN		9177 N		36
9110		1983	2-PORT BASE-TX ETHT PCI-X ADPT		307 N		36
9110		2456	LC-SC 50 MICRON FIBER CONV CAB		77 N		36
9110		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		36
9110		2934	ASYNCH.TERMIN/PRINT.CBL EIA232		34 N		36
9110		2936	ASYNCHRONOUS CAB.EIA-232/V.24		56 N		36
9110		3124	SER TO SER PORT CAB DRAW/DRAW		61 N		36
9110		3125	SER TO SER PORT CAB RACK/RACK		61 N		36
9110		3925	SER.PORT CON.CAB 9PIN TO 25PIN		19 N		36
9110		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		36
9110		3927	SER.PORT NULL MODEM CABLE 3.7M		61 N		36
9110		3928	SER.PORT NULL MODEM CABLE 10M		61 N		36
9110		4242	6FOOT EXT.CBL FOR DISPLAYS		77 N		36
9110		4256	EXTENDER CABLE-USB KEYB 2M		38 N		36
9110		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8343 N		36
9110		5703	PCI-X DUAL CHAN.U320 RAID ADP		1853 N		36
9110		5706	2-PORT BASETX ETHT.PCI-X ADP		699 N		36
9110		5713	1GB ISCSI TOE PCI-X-COPP.ADPT		834 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9110		5736	PCI-X DDR 2.0 DUAL CHAN.U320		544 N		36
9110		5759	4GB DUAL-PORT FIBRE CHANNEL		2316 N		36
9110		5951	FULL WIDTH KEYB-USB US ENG		77 N		36
9110		5983	FULL WIDTH KEYB-USB US ENG INT		77 N		36
9110		6458	PWR CAB-DRAWER TO IBM PDU		12 N		36
9110		6460	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9110		6469	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9110		6470	PWR CORD(6FOOT) TO WALL		12 N		36
9110		6471	PWR CORD(9FOOT) (125V 15A)		12 N		36
9110		6472	PWR CORD(9FOOT) (250V 16A)		12 N		36
9110		6473	PWR CORD(9FOOT) (250V 10A)		12 N		36
9110		6474	PWR CORD(9FOOT) (250V 13A)		12 N		36
9110		6475	PWR CORD(9FOOT) (250V 16A)		12 N		36
9110		6476	PWR CORD(9FOOT) (250V 10A)		12 N		36
9110		6477	PWR CORD(9FOOT) (250V 16A)		12 N		36
9110		6478	PWR CORD(9FOOT) (250V 16A)		12 N		36
9110		6487	PWR CORD(6FOOT) (250V 15A)		12 N		36
9110		6488	PWR CORD(9FOOT) (125V 15A)		36 N		36
9110		6493	PWR CORD(9FOOT) (250V 10A)		12 N		36
9110		6494	PWR CORD(9FOOT) (250V 10A)		12 N		36
9110		6496	PWR CORD(9FOOT) (250V 10A)		12 N		36
9110		6598	DISK SLOT FILLERS (QUANTITY 4)		41 N		36
9110		6651	PWR.CORD(9FT) TO WALL/OEM PDU		12 N		36
9110		6659	PWR.CORD(9FT) TO WALL/OEM PDU		12 N		36
9110		6660	PWR CORD(14FT) DR.TO OEM PDU		12 N		36
9110		6665	PWR CRD 3M 10FT DRWR PDU 250V		12 N		36
9110		6669	PWR CORD(14FT) DR.TO OEM PDU		12 N		36
9110		6671	PWR CORD(9FT) DRW.TO IBM PDU		12 N		36
9110		6672	PWR CORD(5FT) DRW.TO IBM PDU		12 N		36
9110		6680	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9110		7166	IBM/OEM RACK-MOUNT DR.RAIL KIT		139 N		36

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9110		7195	IBM RACK-MOUNT DRW.BEZ.& HW		23 N		36
9110		7282	1 PROC.ENT.FOR PROC.FC #8282		300 N		36
9110		7283	1 PROC.ENT.FOR PROC.FC #8283		531 N		36
9110		7284	1 PROC.ENT.FOR PROC.FC #8284		789 N		36
9110		7361	1PROC.ENTITL.FOR PRC.FC#7654		462 N		36
9110		7362	1PROC.ENTITL.FOR PRC.FC#7655		783 N		36
9110		7376	1PROC.ENTITL.FOR PRC.FC#7656		482 N		36
9110		7432	ADVANCED PWR VIRTUALIZATION		0 N		36
9110		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		36
9110		7989	PWR SUPPLY 700WATT AC HOT-SWAP		348 N		36
9110		7999	OEM RACK-MOUNT DRW.BEZ.AND HW		23 N		36
9110		8131	128PORT ASYNCH.CONTR.C 4.5M		46 N		36
9110		8132	128PORT ASYNCH.CONTR.C 23CM		30 N		36
9110		8230	MEMORY OFFERING--16GB		1478 N		36
9110		8231	MEM.OFF.--32GB/64GB/96GB/128GB		5098 N		36
9111		1930	1024MB(2X512MB)DIMMS 276-PIN		560 N		12
9111		1931	2048MB(2X1024MB)DIMMS 276-PIN		1182 N		12
9111		1932	4096MB(2X2048MB)DIMMS 276-PIN		2835 N		12
9111		1934	8192MB(2X4096MB)DIMMS 276-PIN		9177 N		12
9111		1974	PCI-X DUAL CHAN.U320 SCSI ADPT		544 N		12
9111		1975	PCI-X DUAL CHAN.U320 SCSI RAID		1853 N		12
9111		1983	2-PORT BASET X ETH T.PCI-X ADP		307 N		12
9111		2456	LC-SC 50 MIC.FIB.CONV.CABLE		77 N		12
9111		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		12
9111		2934	ASYNCH.TERM./PRINT.CAB EIA-232		34 N		12
9111		2936	ASYNCHRON.CAB. EIA-232/V.24		56 N		12
9111		3124	SER.2SER.PORT CAB.-DRAW/DRAW.		61 N		12
9111		3125	SER.2SER.PORT CAB.-RACK/RACK		61 N		12
9111		3147	RIO-2(REMOTE I/O-2)CAB 3.5M		510 N		12
9111		3148	RIO-2(REMOTE I/O-2)CAB 10M		788 N		12
9111		3168	RIO-2(REMOTE I/O-2)CAB 2.5M		417 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9111		3925	SER.PORT CON.CAB 9PIN TO 25PIN		19 N		12
9111		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		12
9111		4242	6FOOT EXTEND.CAB.FOR DISPLAYS		77 N		12
9111		4256	EXTENDER CABLE-USB KEYB. 2M		38 N		12
9111		4267	SCSI CAB PCI ADP 2 HOT-SW.DISK		46 N		12
9111		5703	PCI-X DUAL CHAN.U320 RAID ADP		1853 N		12
9111		5706	2-PORT BASET X ETH.T.PCI-X ADP		699 N		12
9111		5713	1GB ISCSI TOE PCI-X-COPP.ADPT		834 N		12
9111		5736	PCIX DDR2 2CHAN U320 SCSI		544 N		12
9111		5759	4GB DUAL-PORT FIBRE CHANNEL		2316 N		12
9111		6006	POWER CONTROL CABLE(SPCN)-3M		36 N		12
9111		6007	POWER CONTROL CABLE(SPCN)-15M		74 N		12
9111		6458	PWR CAB-DRAWER TO IBM PDU		12 N		12
9111		6460	POWER CORD(14FT) TO WALL		12 N		12
9111		6469	PWR CORD(14FOOT) (250V 15A)		12 N		12
9111		6470	PWR CORD(6FOOT) (125V 15A)		12 N		12
9111		6471	PWR CORD(9FOOT) (125V 15A)		12 N		12
9111		6472	PWR CORD(9FOOT) (250V 16A)		12 N		12
9111		6473	PWR CORD(9FOOT) (250V 10A)		12 N		12
9111		6474	PWR CORD(9FOOT) (250V 13A)		12 N		12
9111		6475	PWR CORD(9FOOT) (250V 16A)		12 N		12
9111		6476	PWR CORD(9FOOT) (250V 10A)		12 N		12
9111		6477	PWR CORD(9FOOT) (250V 16A)		12 N		12
9111		6478	PWR CORD(9FOOT) (250V 16A)		12 N		12
9111		6487	PWR CORD(6FOOT) (250V 15A)		12 N		12
9111		6488	PWR CORD(9FOOT) (125V 15A)		36 N		12
9111		6493	PWR CORD(9FOOT) (250V 10A)		12 N		12
9111		6494	PWR CORD(9FOOT) (250V 10A)		12 N		12
9111		6496	PWR CORD(9FOOT) (250V 10A)		12 N		12
9111		6598	DISK SLOT FILLERS(QUANTITY 4)		41 N		12
9111		6651	PWR.CORD(9FT) TO WALL/OEM PDU		12 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9111		6659	PWR.CORD(9FT) TO WALL/OEM PDU		12 N		12
9111		6660	PWR CORD(14FT) DR.TO OEM PDU		12 N		12
9111		6669	PWR CORD(14FT) DR.TO OEM PDU		12 N		12
9111		6671	PWR CORD(9FT) DRW.TO IBM PDU		12 N		12
9111		6672	PWR CORD(5FT) DRW.TO IBM PDU		12 N		12
9111		6680	PWR CORD(9FT) TO WALL/OEM PDU		12 N		12
9111		7319	ONE PROC.ENT.FOR PROC.FC#8327		880 N		12
9111		7320	ONE PROC.ENT.FOR PROC.FC#8330		1669 N		12
9111		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		12
9111		7940	ADVANCED POWER VIRTUALIZATION		0 N		12
9111		8131	128PORT ASYNCH.CONTR.C 4.5M		46 N		12
9111		8132	128PORT ASYNCH.CONTR.C 23CM		30 N		12
9113		0983	US TAA COMPLIANCE INDICATOR		0 N		12
9113		2456	LC-SC 50 MIC.FIB.CONV.CABLE		77 N		12
9113		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		12
9113		2934	ASYNCH.TERM./PRINT.CAB EIA-232		34 N		12
9113		2936	ASYNCHRON.CAB. EIA-232/V.24		56 N		12
9113		3124	SER.2SER.PORT CAB.-DRAW/DRAW.		61 N		12
9113		3125	SER.2SER.PORT CAB.-RACK/RACK		61 N		12
9113		3147	RIO-2(REMOTE I/O-2)CAB 3.5M		510 N		12
9113		3148	RIO-2(REMOTE I/O-2)CAB 10M		788 N		12
9113		3168	RIO-2(REMOTE I/O-2)CAB 2.5M		417 N		12
9113		3925	SER.PORT CON.CAB 9PIN TO 25PIN		19 N		12
9113		3926	ASYNCH PRINTER/TERM.CAB 4M		70 N		12
9113		4242	6FOOT EXTEND.CAB.FOR DISPLAYS		77 N		12
9113		4256	EXTENDER CABLE-USB KEYB. 2M		38 N		12
9113		4267	SCSI CAB PCI ADP 2 HOT-SW.DISK		46 N		12
9113		5703	PCI-X DUAL CHAN.U320 RAID ADP		1853 N		12
9113		5706	2-PORT BASET X ETHT.PCI-X ADP		699 N		12
9113		5736	PCI-X DDR 2.0 DUAL CHAN.U320		544 N		12
9113		6006	POWER CONTROL CABLE(SPCN)-3M		36 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9113		6007	POWER CONTROL CABLE(SPCN)-15M		64 N		12
9113		6458	PWR CAB-DRAWER TO IBM PDU		12 N		12
9113		6460	PWR CORD(14FT) DRW TO OEM PDU		12 N		12
9113		6469	PWR CORD(14FOOT) (250V 15A)		12 N		12
9113		6470	PWR CORD(6FOOT) (125V 15A)		12 N		12
9113		6471	PWR CORD(9FOOT) (125V 15A)		12 N		12
9113		6472	PWR CORD(9FOOT) (250V 16A)		12 N		12
9113		6473	PWR CORD(9FOOT) (250V 10A)		12 N		12
9113		6474	PWR CORD(9FOOT) (250V 13A)		12 N		12
9113		6475	PWR CORD(9FOOT) (250V 16A)		12 N		12
9113		6476	PWR CORD(9FOOT) (250V 10A)		12 N		12
9113		6477	PWR CORD(9FOOT) (250V 16A)		12 N		12
9113		6478	PWR CORD(9FOOT) (250V 16A)		12 N		12
9113		6487	PWR CORD(6FOOT) (250V 15A)		12 N		12
9113		6488	PWR CORD(9FOOT) (125V 15A)		36 N		12
9113		6493	PWR CORD(9FOOT) (250V 10A)		12 N		12
9113		6494	PWR CORD(9FOOT) (250V 10A)		12 N		12
9113		6496	PWR CORD(9FOOT) (250V 10A)		12 N		12
9113		6598	DISK SLOT FILLERS(QUANTITY 4)		41 N		12
9113		6671	PWR CORD(9FT) DRW.TO IBM PDU		12 N		12
9113		6672	PWR CORD(5FT) DRW.TO IBM PDU		12 N		12
9113		7601	1PROC.ENTITL.FOR PROC FC#5239		545 N		12
9113		7603	PROCESSOR ACTIVATION #5264		2063 N		12
9113		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		12
9113		7871	1PROC.ACT.FOR CUOD PRC.FC5237		2342 N		12
9113		7931	ON/OFF PROC.BILLING FOR COD		41 N		12
9113		7934	30DAYS PREPAID RESERVE F.COD		1256 N		12
9113		7941	ADVANCED PWR VIRTUALIZATION		0 N		12
9113		8131	128PORT ASYNCH.CONTR.C 4.5M		46 N		12
9113		8132	128PORT ASYNCH.CONTR.C 23CM		30 N		12
9114		2456	LC-SC 50 MIC.FIBER CONV.CABLE		77 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9114		2459	LC-SC 62.5 MIC.FIBER CONV.CAB		77 N		12
9114		2842	PWR GXT4500P GRAPH.ACCELERATOR		1390 N		12
9114		2843	PWR GXT6500P GRAPH.ACCELERATOR		1854 N		12
9114		2934	ASYNCH.TERMIN/PRINT.CAB.EIA232		34 N		12
9114		2936	ASYNCHRONOUS CAB.EIA-232/V.24		56 N		12
9114		3124	SER.TO SER.PORT CAB FOR DRAWER		61 N		12
9114		3125	SER.TO SER.PORT CAB FOR RACK		61 N		12
9114		3925	SERIAL PORT CONVERTER CABLE		19 N		12
9114		3926	ASYNCH PRINTER/TERMINAL CAB 4M		70 N		12
9114		4242	6 FOOT EXTENDER CAB.FOR DISPL.		77 N		12
9114		4963	2GB FIBRE CHANNEL ADAPTER		5385 N		12
9114		5703	PCI-X DUAL CHAN.U320 RAID ADP		1853 N		12
9114		5706	2PORT BASETX ETHER.PCI-X ADPT		699 N		12
9114		8131	128PORT ASYNCH.CONTR.CAB 4.5M		46 N		12
9114		8132	128PORT ASYNCH.CONT.CAB 23CM		30 N		12
9115		1930	1024MB(2X512MB)DIMMS 276-PIN		560 N		36
9115		1931	2048MB(2X1024MB)DIMMS 276-PIN		1182 N		36
9115		1932	4096MB(2X2048MB)DIMMS 276-PIN		2835 N		36
9115		1934	8192MB(2X4096MB)DIMMS 276-PIN		9177 N		36
9115		1974	PCI-X DUAL CHAN.U320 SCSI ADPT		544 N		36
9115		1975	PCI-X DUAL CHAN.U320 SCSI RAID		1853 N		36
9115		1983	2-PORT BASETX ETHT.PCI-X ADP		307 N		36
9115		2456	LC-SC 50 MIC.FIB.CONV.CABLE		77 N		36
9115		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		36
9115		2934	ASYN.TERM/PRINT.CBL EIA-232		34 N		36
9115		2936	ASYNCHRONOUS CBL EIA-232/V.24		56 N		36
9115		3124	SER TO SER PORT CAB DRAW/DRAW		61 N		36
9115		3125	SER TO SER PORT CAB RACK/RACK		61 N		36
9115		3925	SER.PORT CONV.CBL 9PIN-25PIN		19 N		36
9115		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		36
9115		3927	SER.PORT NULL MODEM CABLE 3.7M		61 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9115		3928	SER.PORT NULL MODEM CABLE 10M		61 N		36
9115		4242	6FOOT EXT.CBL FOR DISPLAYS		77 N		36
9115		4256	EXTENDER CBL-USB KEYBOARDS 2M		38 N		36
9115		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8343 N		36
9115		5951	FULL WIDTH KEYB-USB US ENG		77 N		36
9115		5983	FULL WIDTH KEYB-USB US ENG INT		77 N		36
9115		6458	PWR CABLE-DRAWER TO IBM PDU		12 N		36
9115		6460	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9115		6469	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9115		6470	PWR CORD(6FOOT) TO WALL		12 N		36
9115		6471	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6472	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6473	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6474	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6475	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6476	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6477	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6478	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6487	PWR CORD(6FOOT) TO WALL		12 N		36
9115		6488	PWR CORD(9FT) TOWALL/OEM PDU		36 N		36
9115		6493	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6494	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6496	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6651	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6659	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9115		6660	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9115		6665	PWR CRD 3M 10FT DRWR PDU 250V		12 N		36
9115		6669	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9115		6671	PWR CORD(9FT) DRW TO IBM PDU		12 N		36
9115		6672	PWR CORD(5FT) DRW TO IBM PDU		12 N		36
9115		6680	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9115		7287	1 PROC.ENT.FOR PROC.FC #8290		808 N		36
9115		7288	1 PROC.ENT.FOR PROC.FC #8288		284 N		36
9115		7289	1 PROC.ENT.FOR PROC.FC #8289		302 N		36
9115		7370	1PROC.ENTITL. FOR PROC.FC#7650		258 N		36
9115		7372	1PROC.ENTITL. FOR PROC.FC#7652		757 N		36
9115		7432	ADVANCED PWR VIRTUALIZATION		0 N		36
9115		7574	1PROC.ENTITL. FOR PROC.FC#7674		543 N		36
9115		7689	1 PROC.ENT.FOR PROC.FC #7679		678 N		36
9115		7802	ETHT CBL 15M HMC TO SYST.UNIT		23 N		36
9115		8131	128PORT ASYNCH.CONTR.CBL 4.5M		46 N		36
9115		8132	128PORT ASYNCH.CONTR.CBL 23CM		30 N		36
9115		8230	MEMORY OFFERING--16GB		1478 N		36
9115		8231	MEM.OFF.--32GB/64GB/96GB/128GB		5098 N		36
9116		0453	CUSTOMER SPECIFIED PLACEMENT		556 N		36
9116		1930	1GB(2X512MB)DIMMS 276-PIN		560 N		36
9116		1931	2GB(2X1GB)DIMMS 276-PIN		1182 N		36
9116		1932	4GB(2X2GB)DIMMS 276-PIN		2835 N		36
9116		1934	8GB(2X4GB)DIMMS 276-PIN		9177 N		36
9116		1983	2-PORT BASETX ETHT.PCI-X ADP		307 N		36
9116		2456	LC-SC 50 MIC.FIBER CONV.CABLE		77 N		36
9116		2459	LC-SC 62.5 MIC.FIBER CONV.CBL		77 N		36
9116		2934	ASYN.TERM/PRINT.CABLE EIA-232		34 N		36
9116		2936	ASYNCH. CABLE EIA-232/V.24		56 N		36
9116		3124	SER TO SER PORT CAB DRAW/DRAW		61 N		36
9116		3125	SER TO SER PORT CAB RACK/RACK		61 N		36
9116		3147	RIO-2 (REMOTE I/O-2) CBL 3.5M		510 N		36
9116		3148	RIO-2 (REMOTE I/O-2) CABLE 10M		788 N		36
9116		3168	RIO-2 (REMOTE I/O-2) CBL 2.5M		417 N		36
9116		3925	SER.PORT CONV.CBL 9PIN-25PIN		19 N		36
9116		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		36
9116		3927	SER.PORT NULL MODEM CABLE 3.7M		61 N		36

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9116		3928	SER.PORT NULL MODEM CABLE 10M		61 N		36
9116		4242	6FOOT EXTEND.CBL FOR DISPLAYS		77 N		36
9116		4256	EXTENDER CABLE-USB KEYB. 2M		38 N		36
9116		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8343 N		36
9116		5647	BLIND SWAP TYPE III CAS PCI X		34 N		36
9116		5951	FULL WIDTH KEYB-USB US ENG		77 N		36
9116		5983	FULL WIDTH KEYB-USB US ENG INT		77 N		36
9116		6006	POWER CONTROL CABLE(SPCN)-3M		36 N		36
9116		6007	POWER CONTROL CABLE(SPCN)-15M		74 N		36
9116		6458	PWR CAB.-DRAWER TO IBM PDU		12 N		36
9116		6469	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9116		6470	PWR CORD(6FOOT) TO WALL		12 N		36
9116		6471	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6472	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6473	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6474	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6475	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6476	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6477	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6478	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6487	PWR CORD(6FOOT) TO WALL		12 N		36
9116		6488	PWR CORD(9FT) TO WALL/OEM PDU		36 N		36
9116		6493	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6494	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6496	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6598	DISK SLOT FILLERS(QUANTITY 4 )		41 N		36
9116		6651	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6659	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		6665	PWR CRD 3M 10FT DRWR PDU 250V		12 N		36
9116		6669	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9116		6671	PWR CORD(9FT) DRW TO IBM PDU		12 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9116		6672	PWR CORD(5FT) DRW TO IBM PDU		12 N		36
9116		6680	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9116		7164	IBM/OEM RACK-M.DRW RAIL KIT		155 N		36
9116		7235	ONE PROCESSOR ACT FOR PROC7295		5186 N		36
9116		7304	ADVANCED PWR VIRTUALIZATION		0 N		36
9116		7662	ACTIV. FOR #7781 PROC.-PERMAN.		1070 N		36
9116		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		36
9116		7863	PCI BLIND SWAP CASSETTE KIT		46 N		36
9116		7870	POWER DISTRIBUTION BACKPLANE		185 N		36
9116		8131	128PORT ASYNCH.CONTR.C 4.5M		46 N		36
9116		8132	128PORT ASYNCH.CONTR.C 23CM		30 N		36
9116		8231	MEM.OFF.--32GB/64GB/96GB/128GB		5098 N		36
9117	MMB		IBM POWER 770		7601 N	2	12
9117		0032	SPCF CODE EXT HIGH SPEED MODEM		507 N		12
9117		0348	V.24/EIA232 6.1M 20 FT PCI CBL		120 N		12
9117		0353	V.35 6.1M 20 FT PCI CABLE		120 N		12
9117		0359	X.21 6.1M 20 FT PCI CABLE		362 N		12
9117		0367	V.24/EIA232 6.1M PCI CABLE		120 N		12
9117		0368	V.24/EIA232 PCI CABLE M3		120 N		0
9117		0551	9 INCH 1.8 METER HIGH RACK		2581 N		12
9117		0553	19 INCH 2.0 METER HIGH RACK		3501 N		12
9117		0555	19 INCH 1.3 METER HIGH RACK		1932 N		12
9117		0595	PCI/SCSI DISK EXPANSION DRAWER		6951 N		12
9117		0599	RACK FILLER PANEL KIT		72 N		12
9117		1025	MODEM CABLE US/CCN GENERAL USE		12 N		12
9117		1104	USB EXTERNAL DOCKING STATION		269 N		12
9117		1106	USB 160 GB REMOVABLE DISKDRIVE		307 N		12
9117		1107	USB 500 GB REMOVABLE DISKDRIVE		691 N		12
9117		1460	3M COPPER RIO CABLE		434 N		12
9117		1461	6M COPPER RIO CABLE		531 N		12
9117		1462	15M RIO CABLE		1062 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		1474	6M RIO TO RIO 2 CABLE		628 N		12
9117		1475	10M RIO TO RIO 2 CABLE		1160 N		12
9117		1485	REMOTE I/O CABLE 15M		1062 N		12
9117		1487	3M RIO TO RIO 2 CABLE		398 N		12
9117		1800	GX DUAL PORT RIO 2 ATTACH		2930 N		12
9117		1802	GX DUAL PORT- 12X HCA		1105 N		12
9117		1803	INTEGR 4 PORT 1GB VIRT ETH I/O		521 N		12
9117		1804	INTEGRATED 4 PORT 2X1GB 2X10GB		2945 N		12
9117		1808	GX 12X DDR ADAPTER DUAL PORT		1117 N		12
9117		1813	INTEG 4 PORT 2X1GB 2X10GB SFP		1566 N		12
9117		1815	SAS CABLE FOR TRIPLE SPLIT DAS		186 N		12
9117		1819	SAS CBL ASSEMBLY FOR SAS PORT		186 N		12
9117		1827	SYSTEM PORT UPS CONVERSION CBL		92 N		12
9117		1828	1.5M 12X TO 4X CHAN. CONV. CBL		292 N		12
9117		1829	0.6 METER 12X CABLE		342 N		12
9117		1830	1.5 METER 12X CABLE		390 N		12
9117		1834	8.0 METER 12X CABLE		707 N		12
9117		1840	3.0 METER 12X CABLE		464 N		12
9117		1841	3 M 12X TO 4X CHAN. CONV. CBL		367 N		12
9117		1842	10 M 12X TO 4X CHAN. CONV. CBL		591 N		12
9117		1845	OPERATOR PANEL		146 N		12
9117		1853	OPERATOR PANEL		746 N		12
9117		1854	10 METER 12X TO 4X ENHANCED CH		585 N		12
9117		1861	0.6 METER 12X DDR CABLE		342 N		12
9117		1862	1.5 METER 12X DDR CABLE		390 N		12
9117		1864	8.0 METER 12X DDR CABLE		707 N		12
9117		1865	3.0 METER 12X DDR CABLE		464 N		12
9117		1883	73.4 GB 15K RPM SAS SFF DISK		486 N		12
9117		1884	69.7 GB 15K RPM SAS SFF DISK		486 N		12
9117		1885	300GB 10K RPM SFF SAS DISKDRIV		779 N		12
9117		1886	146GB 15K RPM SFF SAS DISKDRIV		486 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		1888	139GB 15K RPM SFF SAS DISKDRIV		486 N		12
9117		1890	69GB SFF SAS SOLID STATE DRIVE		5078 N		12
9117		1891	QUANTITY 150 OF 1883		72919 N		12
9117		1909	69GB SFF SAS SOLID STATE DRIVE		5078 N		12
9117		2124	ULTRA 320 SCSI CABLE 1 METER		121 N		12
9117		2125	ULTRA 320 SCSI CABLE 3 METER		136 N		12
9117		2126	ULTRA 320 SCSI CABLE 5 METER		151 N		12
9117		2127	ULTRA 320 SCSI CABLE 10 METER		205 N		12
9117		2128	ULTRA 320 SCSI CABLE 20 METER		321 N		12
9117		2138	0.55 METER ULTRA 320 SCSI CBL		75 N		12
9117		2456	LC-SC 50 MIC.FIB.CONV.CABLE		80 N		12
9117		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		80 N		12
9117		2728	4 PORT USB PCIE ADAPTER		146 N		12
9117		2738	2 PORT USB PCI ADAPTER		43 N		12
9117		2849	PWR GXT135P GRAP.ACC.W/DIG.SUP		334 N		12
9117		2893	PCIE 2 LINE WAN W/MODEM		564 N		12
9117		2894	PCIE 2 LINE WAN W/MODEM CIM		570 N		12
9117		2934	ASYNCH.TERM./PRINT.CAB EIA-232		35 N		12
9117		2936	ASYNCHRON.CAB. EIA-232/V.24		59 N		12
9117		2943	8PORT ASYN.ADP.EIA232/RS422		1147 N		12
9117		3124	SER.2SER.PORT CAB.-DRAW/DRAW.		64 N		12
9117		3125	SER.2SER.PORT CAB.-RACK/RACK		64 N		12
9117		3147	RIO-2(REMOTE I/O-2)CAB 3.5M		537 N		12
9117		3148	RIO-2(REMOTE I/O-2)CAB 10M		830 N		12
9117		3168	RIO-2(REMOTE I/O-2)CAB 2.5M		439 N		12
9117		3278	73.4GB15 000RPM DISK DRIVE ASS		491 N		12
9117		3279	146.8GB SCSI DD 15K RPM U320		957 N		12
9117		3585	300 GB 15K RPM SCSI DISK DRIVE		1490 N		12
9117		3586	69GB 3.5" SAS SOLID STATE DRV		5078 N		12
9117		3587	69GB 3.5" SAS SOLID STATE DRV		5078 N		12
9117		3632	WIDESCREEN LCD MONITOR		974 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		3636	L200P FLAT PANEL MONITOR		1055 N		12
9117		3637	T541H/L150P 15INCHTFT COL.M		401 N		12
9117		3640	THINKVISION L171P FLAT PAN.MON		572 N		12
9117		3642	THINKVISION L191P FLAT PAN.MON		671 N		12
9117		3644	IBM T119 FLAT PANEL MONITOR		834 N		12
9117		3645	IBM T117 FLAT PANEL MONITOR		690 N		12
9117		3647	146 GB 15K RPM SAS DISK DRIVE		486 N		12
9117		3648	300 GB 15K RPM SAS DISK DRIVE		927 N		12
9117		3649	450 GB 15K RPM SAS DISK DRIVE		1270 N		12
9117		3650	EXT CONN 3 OF 6 INTERNAL SAS		89 N		12
9117		3651	EXT CONN 6 INTERNAL SAS DISK		89 N		12
9117		3652	SAS CBL (EE) DRAWER TO DRW 1M		48 N		12
9117		3653	SAS CBL (EE) DRAWER TO DRW 3M		69 N		12
9117		3654	SAS CBL (EE) DRAWER TO DRW 6M		117 N		12
9117		3658	428GB 15K RPM SAS DISK DRIVE		1270 N		12
9117		3660	PROC. FABRIC CABLE 2 ENCLOSURE		1475 N		12
9117		3661	SAS CBL (X) ADP SAS ENCL. 3M		146 N		12
9117		3662	SAS CBL (X) ADP SAS ENCL. 6M		293 N		12
9117		3663	SAS CBL (X) ADP SAS ENCL. 15M		572 N		12
9117		3664	PROC. FABRIC CABLE 3 ENCLOSURE		2982 N		12
9117		3665	PROC. FABRIC CABLE 4 ENCLOSURE		5965 N		12
9117		3667	SAS CABLE (YR) 1M		92 N		12
9117		3671	SERV INTERFACE CABLE 2 3 AND 4		1491 N		12
9117		3672	SERV INTERFACE CABLE 3 AND 4 E		2237 N		12
9117		3673	SERV INTERFACE CABLE 4 ENCL		2982 N		12
9117		3677	139.5GB 15K RPM SAS DISK DRV		486 N		12
9117		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9117		3679	SAS CABLE (AI) 1 M		51 N		12
9117		3681	3M SAS CABLE ADPTR TO ADPTR		74 N		12
9117		3682	6M SAS CABLE ADPTR TO ADPTR		146 N		12
9117		3684	SAS CBL (AE) ADP TO ENCL. 3M		146 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		3685	SAS CBL (AE) ADP TO ENCL. 6M		293 N		12
9117		3687	CONTROLLER/DUAL PATH 3M		107 N		12
9117		3688	SAS CABLE (AT) 0.6 METER		88 N		12
9117		3691	SAS CBL (YO) ADP TO SAS 1.5M		88 N		12
9117		3692	SAS CBL (YO) ADP TO SAS 3M		107 N		12
9117		3693	SAS CBL (YO) ADP TO SAS 6M		146 N		12
9117		3694	SAS CBL (AE) ADP TO ENCL. 15M		516 N		12
9117		3711	PROCESS CABLE TWO DRAWER SYS		2982 N		12
9117		3712	PROCESSOR CABLE TWOTHREEFOUR D		3728 N		12
9117		3713	PROCESS CBL TWOTHREEFOUR DRAW		7456 N		12
9117		3714	PROCESS CBL FOUR DRAWER SYSTEM		8947 N		12
9117		3925	SER.PORT CON.CAB 9PIN TO 25PIN		20 N		12
9117		3926	ASYNCH PRINTER/TERM.CAB 4M		82 N		12
9117		3927	SER.PORT NULL MODEM CABLE 3.7M		64 N		12
9117		3928	SER.PORT NULL MODEM CABLE 10M		64 N		12
9117		4242	6FOOT EXTEND.CAB.FOR DISPLAYS		80 N		12
9117		4256	EXTENDER CABLE USB KEYB1.8		40 N		12
9117		4276	VGA TO DVI CONNECTIONCONVERTER		7 N		12
9117		4328	141.12GB 15K RPM DISK UNIT		957 N		12
9117		4495	4/8GB(4X2GB) DIMMS 276 PIN		7459 N		12
9117		4496	8/16GB(4X4GB) DIMMS 276 PIN		14918 N		12
9117		4633	DVD RAM		1546 N		12
9117		4746	PCI TWINAXIAL WORKSTN IOA		804 N		12
9117		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8789 N		12
9117		4791	ACTIVE MEMORY EXP ENABLEMENT		5145 N		12
9117		4808	PCIE CRYPTO COPROCESSOR GEN3 B		10742 N		12
9117		4809	PCIE CRYPTO COPROCESSOR GEN4 B		10742 N		12
9117		4980	3.5 GHZ PROC CARD 0/12 CORE P		12920 N		12
9117		4981	3.1 GHZ PROC CARD 0/16 CORE P		7223 N		12
9117		4990	SINGLE 5250 ENTERPR ENABLEMENT		37280 N		12
9117		4991	FULL 5250 ENTERPRS ENABLEMENT		149118 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		4992	SINGLE 5250 ENTERPRISE ENABLEM	37280	N		12
9117		4997	FULL 5250 ENTERPRISE ENABLEM	149118	N		12
9117		5108	30 DISK EXPANSION FEATURE	9669	N		12
9117		5115	DUAL LINE CORDS TOWER	3223	N		12
9117		5116	DUAL LINE CORDS 5294 TOWER	3223	N		12
9117		5138	REDUNDANT POWER AND COOLING	1304	N		12
9117		5403	ONEPROC.ACTIV.FOR PROC.FC#7380	17149	N		12
9117		5404	UTILITY BILLING FOR FC #7380	261	N		12
9117		5459	ONE PROCESS ACTIV FOR FC 4980	4255	N		12
9117		5468	ONE PROCESS ACTIV FOR FC 4981	1856	N		12
9117		5480	UTILITY BILLING FOR FC 7380 I	842	N		12
9117		5481	UTILITY BILLING FOR FC 5620 I	708	N		12
9117		5482	UTILITY BILLING FC 5621/5622	768	N		12
9117		5483	ON/OFF PROCESSOR BILLING 5620	424	N		12
9117		5484	ON/OFF PROCESSOR BILLING 5621	461	N		12
9117		5485	ON/OFF PROCESSOR BILLING 7380	507	N		12
9117		5524	RFID TAGS FOR SERVERS BLADES	19	N		12
9117		5583	5777 CTRLR W/AUX WRITE CACHE	6757	N		12
9117		5600	0/32GB DDR3 MEMORY (4X8GB) DIM	1461	N		12
9117		5601	0/64GB DDR3 MEMORY (4X16GB) DI	5755	N		12
9117		5602	0 128GB DDR3 MEMORY 4X32GB	11511	N		12
9117		5617	PROCESSOR POWER REGULATOR	1563	N		12
9117		5620	3.5GHZ POW6-2/0CORE 12 DDR2	3392	N		12
9117		5621	4.2GHZ POW6-2/0CORE 8 DDR2	4783	N		12
9117		5622	4.2GHZ POW6-2/0CORE 12 DDR2	5704	N		12
9117		5625	PROC. POWER REGULATOR	1118	N		12
9117		5627	OEM SYST.CEC ENCL. WITH BEZEL	370	N		12
9117		5628	AC POWER SUPPLY 1600 W	1107	N		12
9117		5629	MEDIA ENCLOSURE AND BACKPLANE	137	N		12
9117		5632	SYSTEM AC POWER SUPPLY 1725 W	1119	N		12
9117		5636	2X-1GB VIRTETH-INTEGR I/OPORTS	293	N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		5637	2X-10GB (SR) VIRTETH-INTEGRI/O		4132 N		12
9117		5639	4X-1GB VIRTETH-INTEGR I/OPORTS		516 N		12
9117		5640	UTILITY BILLING FOR FC #5620		103 N		12
9117		5641	UTILITY BILLING FOR FC #5621		174 N		12
9117		5646	BL.SWAP CASS-PCI-XL OR PCIESH		36 N		12
9117		5647	BL.SWAPCASS-PCI-XL OR PCIEST		36 N		12
9117		5648	SERVICE INTERFACE CARD		738 N		12
9117		5650	ON/OFF PROCBILLING FT #5620		62 N		12
9117		5652	DISK/MEDIA BACKPLANE		2982 N		12
9117		5653	ON/OFF PROCDBILLING#5621 #5622		105 N		12
9117		5656	ON/OFF PROC DAY BILLINGFT#7380		157 N		12
9117		5657	SERVICE INTERFACE CABLE -2ENCL		1475 N		12
9117		5658	SERVICE INTERFACE CABLE -3ENCL		2982 N		12
9117		5659	BACKPLANE AND SYSTEM MIDPLANE		8947 N		12
9117		5660	SERVICE INTERFACE CABLE -4ENCL		5965 N		12
9117		5662	175MB CACHE RAID DUAL IOA		1864 N		12
9117		5663	PROC ENCLOSURE AND BACKPLANE		1491 N		12
9117		5664	SERVICE PROCESSOR		2982 N		12
9117		5665	FSP/CLOCK PASS THROUGH CARD		671 N		12
9117		5666	I/O BACKPLANE		3320 N		12
9117		5667	SYSTEM MIDPLANE		738 N		12
9117		5668	SAS DISK BACKPLANE-6SLOT		783 N		12
9117		5669	BACKPLANE AND SYSTEM MIDPLANE		8947 N		12
9117		5670	1 PROC ACTIV FOR PROC FT #5620		6785 N		12
9117		5671	1 PROC ACTIV FOR PROC FT #5621		9566 N		12
9117		5672	1 PROC ACTIV FOR PROC FT #5622		11408 N		12
9117		5674	SATA MEDIA ENCLOSURE BACKPLANE		136 N		12
9117		5675	0/4 CORE PROCESSOR ENCLOSURE		1563 N		12
9117		5680	ACTIV OF 1GB DDR2 POWER 6 MEM		242 N		12
9117		5681	ACTIV OF 256GB DDR2 POWER6MEM		62033 N		12
9117		5682	POWER 570 SYSTEM BEZEL		75 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		5683	SYSTEM CHASSIS 4 EIA		295 N		12
9117		5684	ACTIVATION OF 100 GB DDR2 MEMO		24232 N		12
9117		5691	ON/OFFMEM BIL 1GB-DAY-POW6		2 N		12
9117		5693	0/4GB(4X1GB) 667MHZ DDR2 POW6		242 N		12
9117		5694	0/8GB(4X2GB) 667MHZ DDR2 POW6		485 N		12
9117		5695	0/16GB(4X4GB) 533MHZ DDR2 POW6		969 N		12
9117		5696	0/32GB(4X8GB) 400MHZ DDR2 POW6		1939 N		12
9117		5699	SYSTEM SHIP GROUP		14 N		12
9117		5703	PCI-X DUAL CHAN.U320 RAID ADP		1952 N		12
9117		5706	2-PORT BASET X ETHT.PCI-X ADP		737 N		12
9117		5708	10GB FCOE PCIE DUAL PORT ADAPT		4056 N		12
9117		5713	1GB ISCSI TOE PCI-X-COPP.ADPT		879 N		12
9117		5717	4PT 10/100/1000 BASE TX PCI AD		810 N		12
9117		5721	10GB ETHT-SR PCI-X 2.0 DDR ADP		4679 N		12
9117		5723	2 PORT ASYN.EIA-232 PCI ADPT		127 N		12
9117		5732	10 GB ETH CX4 PCI EXPRESS ADP		3541 N		12
9117		5735	8GB PCI EXPRESS DUAL PRT FIBRE		3417 N		12
9117		5736	PCI-X DDR 2.0 DUAL CHAN.U320		573 N		12
9117		5737	PCI-X DDR DUAL CHAN.U320 SCSI		1973 N		12
9117		5740	4-PORT BASET X PCI-X ADPT		819 N		12
9117		5741	SINGLE BUS ULTRA 320 SCSI CARD		487 N		12
9117		5742	DUAL BUS ULTRA 320 SCSI CARD		974 N		12
9117		5748	POW GXT145 PCI-EXP.GRAPH.ACCEL		370 N		12
9117		5749	4GBPS FIBRE CHANNEL (2 PORT)		2440 N		12
9117		5756	IDE SLIMLINE DVD-ROM DRIVE		205 N		12
9117		5757	IBM 4.7 GB IDE SLIMLINEDVD-RAM		492 N		12
9117		5759	4GB DUAL-PORT FIBRE CHANNEL		2440 N		12
9117		5762	SATA SLIMLINE DVD RAM DRIVE		292 N		12
9117		5767	2-P10/100/1000-TXETHPCI EXPAD.		516 N		12
9117		5768	2-PORT GBIT ETH-SX PCI EXP ADP		1290 N		12
9117		5769	10 GB ETH SR PCI EXPRESS ADP		3909 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		5772	10 GB ETHERNET LR PCI EXPRESS	4631	N		12
9117		5774	4GIGABITPCI-E DUAL PORT FIBR	2440	N		12
9117		5776	PCIX DSK CONTROL. 90MB NO IOP	1932	N		12
9117		5777	PCIX DSK CONTROL. 1.5MB NO IOP	5988	N		12
9117		5778	PCI X EXP24 CTL 1.5MB NO IOP	8211	N		12
9117		5782	PCI X EXP24 CTL 1.5MB NO IOP	8258	N		12
9117		5785	4 PORT ASYNC EIA 232 PCIE ADP	682	N		12
9117		5796	PCI DDR 12X EXPANSION DRAWER	5312	N		12
9117		5802	12X I/O DRAWER PCIE SFF DISK	11709	N		12
9117		5878	SAS DISK BACKPLANE 6 SLOT	774	N		12
9117		5886	EXP 12S	4834	N		12
9117		5901	PCIE DUAL X4 SAS ADAPTER	731	N		12
9117		5904	PCI X DDR 1.5GB CACHE SAS RAID	8301	N		12
9117		5908	PCI X DDR 1.5GB CACHE SAS RAID	8301	N		12
9117		5909	ALTERNATE SAS CONTROLLER SLOTS	1044	N		12
9117		5911	SAS ADP INT SPLIT DASD OPTION	1033	N		12
9117		5912	PCI X DDR DUAL X4 SAS ADAPTER	805	N		12
9117		5951	FULL WIDTH KEYB-USB US ENG	80	N		12
9117		5983	FULL WIDTH KEYB-USB US ENG INT	80	N		12
9117		6001	POWER CONTROL CABLE(SPCN)-2M	23	N		12
9117		6006	POWER CONTROL CABLE(SPCN)-3M	38	N		12
9117		6007	POWER CONTROL CABLE(SPCN)-15M	77	N		12
9117		6008	POWER CONTROL CABLE(SPCN)-6M	48	N		12
9117		6068	OPT FRONT DOOR FOR 1.8M RACK	331	N		12
9117		6069	OPT FRONT DOOR FOR 2.0M RACK	406	N		12
9117		6246	1.8M RACK TRIM KIT	221	N		12
9117		6247	2.0M RACK TRIM KIT	221	N		12
9117		6248	1.8M RACK ACCOUSTIC DOORS	3430	N		12
9117		6249	2.0M RACK ACCOUSTIC DOORS	3430	N		12
9117		6263	1.8M RACK TRIM KIT	390	N		12
9117		6272	2.0M RACK TRIM KIT	390	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9117		6417	RIO 2 BUS ADAPTER		858 N		12
9117		6446	DUAL PORT 12X CHANNEL ATTACH		562 N		12
9117		6457	DUAL PT 12X CHANNEL ATTACH		2441 N		12
9117		6458	PWR CAB-DRAWER TO IBM PDU		14 N		12
9117		6469	PWR CORD(14FOOT) (250V 15A)		13 N		12
9117		6470	PWR CORD(6FOOT) (125V 15A)		13 N		12
9117		6471	PWR CORD(9FOOT) (125V 15A)		13 N		12
9117		6472	PWR CORD(9FOOT) (250V 16A)		13 N		12
9117		6473	PWR CORD(9FOOT) (250V 10A)		13 N		12
9117		6474	PWR CORD(9FOOT) (250V 13A)		13 N		12
9117		6475	PWR CORD(9FOOT) (250V 16A)		13 N		12
9117		6476	PWR CORD(9FOOT) (250V 10A)		13 N		12
9117		6477	PWR CORD(9FOOT) (250V 16A)		13 N		12
9117		6478	PWR CORD(9FOOT) (250V 16A)		13 N		12
9117		6487	PWR CORD(6FOOT) (250V 15A)		13 N		12
9117		6488	PWR CORD(9FOOT) (125V 15A)		38 N		12
9117		6489	4.3M 14 FT 3PH/24A POWER CORD		225 N		12
9117		6491	4.3M 14 FT 1PH/48A PWR CORD		295 N		12
9117		6492	4.3M 14 FT 1PH/48 60A PWR CORD		295 N		12
9117		6493	PWR CORD(9FOOT) (250V 10A)		13 N		12
9117		6494	PWR CORD(9FOOT) (250V 10A)		13 N		12
9117		6496	PWR CORD(9FOOT) (250V 10A)		13 N		12
9117		6497	6 FT 250V/15A POWER CORD		24 N		12
9117		6577	POWER CABLE DRW TO IBM PDU		14 N		12
9117		6580	OPTIONAL RACK SECURITY KIT		131 N		12
9117		6586	MODEM TRAY FOR 19 INCH RACK		184 N		12
9117		6598	DISK SLOT FILLERS(QUANTITY 4)		43 N		12
9117		6651	PWR.CORD(9FT) TO WALL/OEM PDU		13 N		12
9117		6654	4.3M 14 FT 1PH/24 30A PWR CORD		176 N		12
9117		6655	4.3M 14FT 1PH/24 30A WR PWR CD		390 N		12
9117		6656	4.3M 14 FT 1PH/24A POWER CORD		176 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		6657	4.3M 14 FT 1PH/24A POWER CORD		186 N		12
9117		6659	PWR.CORD(9FT) TO WALL/OEM PDU		13 N		12
9117		6660	POWER CORD 14 FOOT DRAW TO EOM		14 N		12
9117		6664	2.1M 7 FT 200V PDU POWER CBL		14 N		12
9117		6665	PWR CRD 3M 10FT DRWR PDU 250V		13 N		12
9117		6669	PWR CORD(14FT) DR.TO OEM PDU		13 N		12
9117		6671	PWR CORD(9FT) DRW.TO IBM PDU		13 N		12
9117		6672	PWR CORD(5FT) DRW.TO IBM PDU		13 N		12
9117		6680	PWR CORD(9FT) TO WALL/OEM PDU		13 N		12
9117		6699	RIO 2 BUS ADAPTER		773 N		12
9117		6805	PCI 2 LINE WAN IOA NO IOP		410 N		12
9117		6808	PCI 4 MODEM WAN IOA NO IOP		1546 N		12
9117		7099	CBL RESTRAINT HW EXCESS SRVC		44 N		12
9117		7109	INTELLIGENT PDU+ 1 EIA UNIT		1072 N		12
9117		7118	ENVIROMENTAL MONITOR PROBE		272 N		12
9117		7164	IBM/OEM RACK-MOUNT DRW R KIT		163 N		12
9117		7188	POWER DISTRIBUTION UNIT		738 N		12
9117		7204	QUANTITY 150 OF 2124		18230 N		12
9117		7205	QUANTITY 150 OF 2125		20466 N		12
9117		7206	QUANTITY 150 OF 2126		22815 N		12
9117		7207	QUANTITY 150 OF 2127		30756 N		12
9117		7208	QUANTITY 150 OF 2128		48314 N		12
9117		7213	QUANTITY 150 OF 2138		11184 N		12
9117		7272	2GB CUOD MEMORY ACTIVATION		485 N		12
9117		7273	4GB CUOD MEMORY ACTIVATION		969 N		12
9117		7274	8GB CUOD MEMORY ACTIVATION		1939 N		12
9117		7275	16GB CUOD MEMORY ACTIVATION		3877 N		12
9117		7276	32GB CUOD MEMORY ACTIVATION		7754 N		12
9117		7306	1 PROC ACTIVATION PROC FC 7388		19835 N		12
9117		7314	I/O DRAWER MOUNTING ENCLOSURE		512 N		12
9117		7332	UTILITY BILLING PROC 7388 100		302 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		7333	ON/OFF PROC DAY BILLING 7388		181 N		12
9117		7334	UTILITY BILLING FOR PROC 7388		880 N		12
9117		7346	ON/OFF PROC BILLING 7388 IBM I		529 N		12
9117		7380	4.7GHZ POW6-2/0CORE 12 DDR2		8574 N		12
9117		7387	4.4GHZ PROC CARD 0/2 CORE PWR6		6540 N		12
9117		7388	5.0GHZ PROC CARD 0/2 CORE PWR6		9917 N		12
9117		7510	QUANTITY 150 OF 4328		143713 N		12
9117		7514	QUANTITY 150 OF 5741		73143 N		12
9117		7518	QUANTITY 150 OF 3677		72919 N		12
9117		7519	QUANTITY 150 OF 3678		139127 N		12
9117		7536	QUANTITY 150 OF 3587		761734 N		12
9117		7538	QUANTITY 150 OF 3658		190461 N		12
9117		7540	4.2GHZ PROC CARD 0/4 CORE PWR6		18183 N		12
9117		7543	QUANTITY 150 OF 1884		72919 N		12
9117		7544	QUANTITY 150 OF #1888		72919 N		12
9117		7545	QUANTITY 150 OF #1890		761734 N		12
9117		7546	QUANTITY 150 OF 1909		761734 N		12
9117		7547	QUANTITY 150 OF #1885		116872 N		12
9117		7548	QUANTITY 150 OF #1886		72919 N		12
9117		7549	QUANTITY 150 OF 3647		72919 N		12
9117		7564	QUANTITY 150 OF 3648		139127 N		12
9117		7565	QUANTITY 150 OF 3649		190461 N		12
9117		7618	1WAY PROC.ACT..FOR PROC.FC8338		11235 N		12
9117		7624	ON/OFF PROC.DAY BILL.-FC8338		93 N		12
9117		7642	PROC COD UTILITY BILL FOR 4980		1 N		12
9117		7643	PROC MINS FOR IBM I		18 N		12
9117		7644	1 PROC DAY ON/OFF BILL 4980		12 N		12
9117		7645	1 PROC DAY ON/OFF BILL 4980		134 N		12
9117		7647	PROC MINS FOR IBM I		17 N		12
9117		7648	1 PROC DAY ON/OFF BILL 4981		5 N		12
9117		7649	1 PROC DAY ON/OFF BILL 4981		127 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		7663	1GB DDR2 MEMORY ACTIVATION		1242 N		12
9117		7665	1WAY PROC.ACT..FOR PROC.FC7782		4592 N		12
9117		7666	30DAYS PREPAID RESERVE CAP.		1156 N		12
9117		7700	1 PROC ACTIVATION PROC FC7540		16360 N		12
9117		7701	UTILITY BILLING PROC 7540 100		249 N		12
9117		7702	ON/OFF PROC DAY BILLING 7540		149 N		12
9117		7706	UTILITY BILLING PROC 7540 IBM I		834 N		12
9117		7709	ON/OFF PROC BILLING 7540 IBM I		503 N		12
9117		7718	ON/OFF PROC.DAY BILL.-FC7782		38 N		12
9117		7719	1 PROC ACTIVATION PROC FC 7387		13080 N		12
9117		7726	UTILITY BILLING PROC 7387 100		199 N		12
9117		7728	30DAYS PREPAID RESERVE CAP.		2804 N		12
9117		7743	UTILITY BILLING PROC 7387 IBM		794 N		12
9117		7744	ON/OFF PROC BILLING 7387 IBM I		477 N		12
9117		7745	ON/OFF PROC DAY BILLING 7387		120 N		12
9117		7801	ETHERN.CAB 6M HMC TO SYS.UNIT		11 N		12
9117		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		25 N		12
9117		7863	PCI BLIND SWAP CASSETTE KIT		48 N		12
9117		7870	POWER DISTRIBUTION BACKPLANE		194 N		12
9117		7875	PROCESSOR POWER REGULATOR		503 N		12
9117		7879	SYSTEM DRAWER ENCLOSURE		345 N		12
9117		7888	AC POWER SUPPLY 1400 W		789 N		12
9117		7893	4GB (4X1GB) DIMMS 276-PIN		6215 N		12
9117		7894	8GB (4X2GB) DIMMS 276-PIN		12429 N		12
9117		7897	1PROC.ACT.FOR CUOD PRC.FC7830		8891 N		12
9117		7898	1PROC.ACT.FOR CUOD PRC.FC7832		23993 N		12
9117		7899	1PROC.ACT.FOR CUOD PRC.FC7833		26392 N		12
9117		7929	1PROC.ENTITL.FOR PRC.FC7834		3299 N		12
9117		7942	ADVANCED PWR VIRTUALIZATION		0 N		12
9117		7950	1024MB ACTIVATION FOR DDR1MEM		1455 N		12
9117		7952	ON/OFFPROC.DAY BILL.FOR FC7830		81 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9117		7953	ON/OFFPROC.DAY BILL.FOR FC7832		220 N		12
9117		7955	ON/OFFPROC.DAY BILL.FOR FC7833		242 N		12
9117		7956	30D PREP.RES.CAP.4 1.65GHZPROC		2435 N		12
9117		7957	ON/OFF MEM.1GBDAY BIL.FOR DDR1		10 N		12
9117		7959	30D PREP.RES.CAP.4 1.9GHZPROC		7257 N		12
9117		7967	IBM DRAWER IND AAP		0 N		12
9117		7968	NON-IBM DRAWER IND OEM		0 N		12
9117		7969	SYSTEM DRAWER ENCLOSURE OEM		345 N		12
9117		7995	POWERVM ENTERPRISE EDITION		0 N		12
9117		8129	0/256GB DDR2 (32X8GB) 400 MHZ		15508 N		12
9117		8131	128PORT ASYNCH.CONTR.C 4.5M		48 N		12
9117		8132	128PORT ASYNCH.CONTR.C 23CM		32 N		12
9117		8133	RJ-45 TO DB-25 CONVERTER CABLE		97 N		12
9117		8143	LINUX SOFTWARE PREINSTALL		44 N		12
9117		8144	LINUX SOFTWARE PREINSTALL SDIS		44 N		12
9117		8212	ACTIVATION OF 1 GB DDR3 POWER7		182 N		12
9117		8213	ACT OF 100 GB DDR3 POWER7		18267 N		12
9117		8841	MOUSE-BUS.BLACK W/KEYB.ATT.CAB		60 N		12
9118		2456	LC-SC 50 MICRON FIBER CONV.CBL		82 N		12
9118		2459	LC-SC 62.5 MIC.FIBER CONV.CBL		82 N		12
9118		2934	ASYN.TERM/PRINT.CBL EIA-232		33 N		12
9118		2936	ASYNCH. CABLE EIA-232/V.24		54 N		12
9118		3125	SER.TO SER.PORT CBL FOR RACK		65 N		12
9118		3168	RIO-2(REMOTE I/O-2)CBL 2.5M		444 N		12
9118		3636	L200P FLAT PANEL MONITOR		1055 N		12
9118		3637	T541H/L150P 15INCHTFT COL.M		401 N		12
9118		3640	THINKVISION L171P FLAT PAN.MON		572 N		12
9118		3642	THINKVISION L191P FLAT PAN.MON		671 N		12
9118		3925	SER.PORT CONV.CBL 9PIN-25PIN		20 N		12
9118		3926	ASYNCH PRINTER/TERM.CAB 4M		74 N		12
9118		4242	6FT EXTEND.CBL FOR DISPLAYS		82 N		12



<b>Machine</b>				<b>GSA</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Class</b>	<b>Test Period</b>
				<b>Customer</b>		
				<b>Setup</b>		
9118		4256	EXTENDER CABLE-USB KEYB. 2M	41	N	12
9118		4599	PCI BLIND SWAP CASS.KIT UNIV.	48	N	12
9118		5706	2-PORT BASETX ETHT.PCI-X ADP	745	N	12
9118		5711	PCI-X D.CH.U320 RAID BL.SW.ADP	1973	N	12
9118		5713	1GB ISCSI TOE PCI-X-COPP.ADPT	888	N	12
9118		5736	PCI-X DDR 2.0 DUAL CHAN.U320	578	N	12
9118		5759	4GB DUAL-PORT FIBRE CHANNEL	2465	N	12
9118		6186	BULK POWER REGULATOR	2982	N	12
9118		6200	INTEGR.BATT.BACKUP PRIMARY	3355	N	12
9118		6251	SLIM LINE DOORS	4474	N	12
9118		6252	ACOUSTIC DOORS	5965	N	12
9118		6470	PWR CORD(6FOOT) (125V 15A)	14	N	12
9118		6471	PWR CORD(9FOOT) (125V 15A)	14	N	12
9118		6472	PWR CORD(9FOOT) (250V 16A)	14	N	12
9118		6473	PWR CORD(9FOOT) (250V 10A)	14	N	12
9118		6474	PWR CORD(9FOOT) (250V 13A)	14	N	12
9118		6475	PWR CORD(9FOOT) (250V 16A)	14	N	12
9118		6476	PWR CORD(9FOOT) (250V 10A)	14	N	12
9118		6477	PWR CORD(9FOOT) (250V 16A)	14	N	12
9118		6478	PWR CORD(9FOOT) (250V 16A)	14	N	12
9118		6487	PWR CORD(6FOOT) (250V 15A)	14	N	12
9118		6488	PWR CORD(9FOOT) (125V 15A)	39	N	12
9118		6493	PWR CORD(9FOOT) (250V 10A)	14	N	12
9118		6494	PWR CORD(9FOOT) (250V 10A)	14	N	12
9118		6496	PWR CORD(9FOOT) (250V 10A)	14	N	12
9118		6651	PWR.CORD(9FT) TO WALL/OEM PDU	14	N	12
9118		6659	PWR.CORD(9FT) TO WALL/OEM PDU	14	N	12
9118		6680	PWR CORD(9FT) TO WALL/OEM PDU	14	N	12
9118		6855	WEIGHT DISTRIBUTION PLATE	559	N	12
9118		6857	DOORS WITH REAR HEAT EXCH	9693	N	12
9118		6861	SLIM LINE DOORS	2672	N	12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9118		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		25 N		12
9118		7837	BULK PWR DISTRIBUTION ASSEMBLY		1864 N		12
9118		7853	POWER CABLES 4X 01U		485 N		12
9118		7854	POWER CABLES 4X 05U		485 N		12
9118		7856	POWER CABLES 4X 13U		298 N		12
9118		7857	POWER CABLES 4X 19U		298 N		12
9118		7858	POWER CABLES 4X 23U		298 N		12
9118		7859	POWER CABLES 4X 27U		298 N		12
9118		7860	POWER CABLES 4X 31U		298 N		12
9118		7893	4GB (4X1GB) DIMMS 276-PIN		6215 N		12
9118		7894	8GB (4X2GB) DIMMS 276-PIN		12429 N		12
9118		7924	RIO-2(REMOTE I/O-2)CBL 0.6M		224 N		12
9118		7937	BOLT-DOWN KIT LOW-RAISED FLOOR		5219 N		12
9118		7938	BOLT-DOWN KIT HIGH-RAIS.FLOOR		5219 N		12
9118		7944	ADVANCED PWR VIRTUALIZATION		0 N		12
9118		7960	COMPACT HANDLING OPTION		449 N		12
9118		8131	128PORT ASYNCH.CONTR.C 4.5M		48 N		12
9118		8132	128PORT ASYNCH.CONTR.C 23CM		32 N		12
9118		8686	L.CRD 6AWG 14FTIEC309 100A PLG		746 N		12
9118		8688	L.CRD 6AWG/TYPE W 14FT 60A PLG		1118 N		12
9118		8697	LINE CORD 8AWG 14FT 30A PLUG		1491 N		12
9119	FHA		IBM POWER 595		67849 N	2	12
9119	FHB		POWER 795 SERVER		67849 N	2	12
9119		0032	SPCFY CD EXT HIGH SPEED MODEM		512 N		12
9119		0348	V.24/EIA232 20 FT PCI CABLE		122 N		12
9119		0353	V.35 20 FT PCI CABLE		122 N		12
9119		0359	X.21 20 FT PCI CABLE		366 N		12
9119		0367	V.24/EIA232 6.1M PCI CABLE		122 N		12
9119		0368	V.24/EIA232 PCI CABLE M3		122 N		0
9119		0551	19 INCH 1.8 METER HIGH RACK		2610 N		12
9119		0553	19 INCH 2.0 METER HIGH RACK		3538 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		0555	19 INCH 1.3 METER HIGH RACK	1951	N		12
9119		0599	RACK FILLER PANEL KIT	73	N		12
9119		1025	MODEM CABLE US/CANADA GENERAL	13	N		12
9119		1419	4.3M 200V/16A PWR CD ISRAEL	13	N		12
9119		1485	REMOTE I/O CABLE 15M	1073	N		12
9119		1814	REMOTE I/O 2 RIO 2 LOOP ADP	1864	N		12
9119		1816	GX DUAL PORT 12X HCA	2982	N		12
9119		1854	10 METER 12X TO 4X ENHANCED CH	591	N		12
9119		1861	0.6 METER 12X DDR CABLE	345	N		12
9119		1863	2.5 METER 12X DDR CABLE	485	N		12
9119		1864	8.0 METER 12X DDR CABLE	715	N		12
9119		1883	73.4 GB 15K RPM SAS SFF DISK	491	N		12
9119		1884	69.7 GB 15K RPM SAS SFF DISK	491	N		12
9119		1885	300GB 10K RPM SFF SAS DISKDRIV	779	N		12
9119		1886	146GB 15K RPM SFF SAS DISKDRIV	486	N		12
9119		1888	139GB 15K RPM SFF SAS DISKDRIV	486	N		12
9119		1890	69GB SFF SAS SOLID STATE DRIVE	5130	N		12
9119		1891	QUANTITY 150 OF 1883	73702	N		12
9119		1909	69GB SFF SAS SOLID STATE DRIVE	5130	N		12
9119		1911	283GB 10K RPM SFF SAS DISK DRI	779	N		12
9119		2124	ULTRA 320 SCSI CABLE 1 METER	123	N		12
9119		2456	LC-SC 50 MIC.FIBER CONV.CBL	82	N		12
9119		2459	LC-SC 62.5 MIC.FIBER CONV.CBL	82	N		12
9119		2728	4 PORT USB PCIE ADAPTER	148	N		12
9119		2893	PCIE 2 LINE WAN W/MODEM	570	N		12
9119		2934	ASYN.TERM/PRINT.CBL EIA-232	36	N		12
9119		2936	ASYNCH. CABLE EIA-232/V.24	59	N		12
9119		3125	SER.TO.SER.PORT CBL FOR RACK	65	N		12
9119		3147	RIO-2(REMOTE I/O-2)CBL 3.5M	542	N		12
9119		3148	RIO 2 (REMOTE I/O 2)CABLE 10M	838	N		12
9119		3168	RIO 2 (REMOTE I/O 2) CBL 2.5M	444	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		3170	RIO-2(REMOTE I/O-2)CBL 8.0M		596 N		12
9119		3586	69GB 3.5" SAS SOLID STATE DRV		5130 N		12
9119		3587	69GB 3.5" SAS SOLID STATE DRV		5130 N		12
9119		3632	WIDESCREEN LCD MONITOR		985 N		12
9119		3636	L200P FLAT PANEL MONITOR		1055 N		12
9119		3637	T541H/L150P 15INCHTFT COL.M		401 N		12
9119		3640	THINKVISION L171P FLAT PAN.MON		572 N		12
9119		3642	THINKVISION L191P FLAT PAN.MON		671 N		12
9119		3647	146 GB 15K RPM SAS DISK DRIVE		491 N		12
9119		3648	300 GB 15K RPM SAS DISK DRIVE		927 N		12
9119		3649	450GB 15K RPM SAS DISK DRIVE		1270 N		12
9119		3652	SAS CBL EE DRAWER TO DRAWER 1M		48 N		12
9119		3653	SAS CBL EE DRAWER TO DRAWER 3M		69 N		12
9119		3654	SAS CBL EE DRAWER TO DRAWER 6M		118 N		12
9119		3658	428GB 15K RPM SAS DISK DRIVE		1270 N		12
9119		3661	SAS CBL X ADP SAS TO ENCL 3M		148 N		12
9119		3662	SAS CBL X ADP SAS TO ENCL 6M		297 N		12
9119		3663	SAS CBL X ADP SAS TO ENCL 15M		572 N		12
9119		3677	139.5GB 15K RPM SAS DISK DRV		491 N		12
9119		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9119		3679	SAS CABLE (AI) 1M		51 N		12
9119		3681	3M SAS CABLE ADPTR TO ADPTR		75 N		12
9119		3682	6M SAS CABLE ADPTR TO ADPTR		148 N		12
9119		3684	SAS CBL AE ADP ENCL SINGLE 3M		148 N		12
9119		3685	SAS CBL AE ADP ENCL SINGLE 6M		297 N		12
9119		3688	SAS CABLE (AT) 0.6 METER		89 N		12
9119		3691	SAS CBL YO ADP TO ENCL 1.5M		89 N		12
9119		3692	SAS CBL YO ADP TO ENCL 3 M		109 N		12
9119		3693	SAS CBL YO ADP TO ENCL 6 M		148 N		12
9119		3694	SAS CBL YO ADP TO ENCL 15M		521 N		12
9119		3759	UNI LIFT TOOL AND SERV LADDER		3728 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		3925	SER.PORT CONV.CBL 9PIN-25PIN		20 N		12
9119		3926	ASYNCH PRINTER/TERM.CAB 4M		82 N		12
9119		3928	SER.PORT NULL MODEM CABLE 10M		65 N		12
9119		4242	6FOOT EXT.CBL FOR DISPLAYS		82 N		12
9119		4253	SCSI-TO-IDE INTERFACE BRIDGE		75 N		12
9119		4256	EXTENDER CABLE USB KEYB1.8		41 N		12
9119		4276	VGA TO DVI CONNECTION CONV		7 N		12
9119		4327	70.56GB 15K RPM DISK UNIT		745 N		12
9119		4599	PCI BLIND SWAP CASS.KIT UNIV.		48 N		12
9119		4694	0/8 CORE POWER6 4.2GHZ COD		24944 N		12
9119		4695	0/8 CORE POWER6 5.0GHZ COD		35333 N		12
9119		4704	ON/OFF AIX/LINUX PROC COD BILL		2460 N		12
9119		4705	0/8 CORE 64GB ENABLED POWER6		35333 N		12
9119		4706	BILLING FOR 100 PROCESSOR MINU		3 N		12
9119		4707	BILLING FOR 100 PROCESSOR MINU		2 N		12
9119		4709	ON/OFF PROC COD BILLING		24 N		12
9119		4710	ON/OFF 999 GB DAYS MEMORY		745 N		12
9119		4711	ON/OFF PROC COD BILLING		17 N		12
9119		4712	ON/OFF IBMI PROC COD BILLING		14464 N		12
9119		4713	SINGLE CORE ACTIVATION FOR POW		8164 N		12
9119		4714	SINGLE CORE ACTIVATION FOR POW		5629 N		12
9119		4717	SIXTY FOUR CORE ACTIVATIONS PW		522511 N		12
9119		4718	SIXTY FOUR CORE ACTIVATIONS PW		360270 N		12
9119		4719	BILLING FOR 100 PROCESSOR MINU		19 N		12
9119		4721	ON/OFF PROCESSOR COD BILLING		144 N		12
9119		4722	BILLING FOR 100 PROCESSOR MINU		19 N		12
9119		4724	ON/OFF PROCESSOR COD BILLING		137 N		12
9119		4754	PROCESSOR ACTIVATION 4754		12523 N		12
9119		4755	PROCESSOR ACTIVATION 4755		17693 N		12
9119		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8881 N		12
9119		4790	ACTIVE MEMORY EXPANSION ENABLE		10289 N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9119		4808	PCIE CRYPTO COPROCESSOR GEN3 B	10742	N		12
9119		4896	IBM I CBU SPECIFY	0	N		12
9119		4995	SINGLE 5250 ENTERPR ENABLEMENT	37280	N		12
9119		4996	FULL 5250 ENTERPRI ENABLEMENT	298237	N		12
9119		5108	30 DISK EXPANSION FEATURE	9769	N		12
9119		5164	DUAL PWR CORDS 8294/9194	3318	N		12
9119		5168	30 DISK EXP FOR 9194 TOWER	9956	N		12
9119		5524	RFID TAGS FOR SERVERS BLADES	19	N		12
9119		5584	4X MEMORY DIMM INTERPOSERS	819	N		12
9119		5600	0/32GB DDR3 MEMORY (4X8GB)	1461	N		12
9119		5601	0/64GB DDR3 MEMORY (4X16GB)	5755	N		12
9119		5602	0/128GB DDR3 MEMORY (4X32GB)	11511	N		12
9119		5605	4X MEMORY DIMM INTERPOSERS	819	N		12
9119		5611	4X MEMORY DIMM INTERPOSERS	819	N		12
9119		5619	80/160GB DAT160 SAS TAPE DRIV	1783	N		12
9119		5646	BLIND SWAP TYPE III CASSETTE	36	N		12
9119		5647	BLIND SWAP TYPE III CAS PCI X	37	N		12
9119		5680	ACTIVATION OF 1GB DDR2 POWER6	242	N		12
9119		5681	ACTIVATION 256 GB DDR2 POWER6	62033	N		12
9119		5684	ACTIVATION OF 100 GB DDR2 MEMO	24232	N		12
9119		5689	DAT160 DATA CARTRIDGE	446	N		12
9119		5691	ON/OFF 1GB 1DAY MEMORY BILLING	0	N		12
9119		5693	0/4GB DDR MEMORY 4X1GB DIMMS	242	N		12
9119		5694	0/8GB DDR MEMORY 4X2GB DIMMS	485	N		12
9119		5695	0/16GB DDR MEMORY 4X4GB DIMMS	969	N		12
9119		5696	0/32GB DDR MEMORY 4X8GB DIMMS	1939	N		12
9119		5697	0/64GB DDR MEMORY 4X16GB DIMMS	45630	N		12
9119		5706	2-PORT BASET X ETHT.PCI-X ADP	745	N		12
9119		5708	10GB FCOE PCIE DUAL PORT ADAPT	4100	N		12
9119		5711	PCI-X D.CH.U320 RAID BL.SW.ADP	1973	N		12
9119		5713	1GB ISCSI TOE PCI-X-COPP.ADPT	888	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		5717	4 PORT 10/100/1000 BASE TX PCI		819 N		12
9119		5720	DVD TAPE SAS EXT STORAGE UNIT		2683 N		12
9119		5732	10 GB ETH CX4 PCI EXPRESS ADP		3578 N		12
9119		5735	8 GB PCI EXPRESS DUAL PRT ADP		3452 N		12
9119		5736	PCI-X DDR 2.0 DUAL CHAN.U320		578 N		12
9119		5746	HALF HIGH 800GB/1.6TB LTO4 SA		3905 N		12
9119		5747	IBM LTO ULTRIUM 4 800 GB DATA		591 N		12
9119		5748	PWR GXT145 PCI EXP GRAPHICS		373 N		12
9119		5749	4GBPS FIBRE CHANNEL (2 PORT)		2465 N		12
9119		5757	4.7 GB IDE SLIMLINE DVD RAM		492 N		12
9119		5759	4GB DUAL-PORT FIBRE CHANNEL		2465 N		12
9119		5767	2 PRT 10/100/1000 BASETX ADP		521 N		12
9119		5768	2PRT GB ETH SX PCI EXPRESS ADP		1305 N		12
9119		5769	10 GB ETH SR PCI EXPRESS ADP		3951 N		12
9119		5772	10 GB ETH LR PCI EXPRESS ADP		4679 N		12
9119		5774	4 GB PCI EXPRESS DUAL PORT ADP		2465 N		12
9119		5778	PCI X EXP24 CTL 1.5GB NO IOP		8295 N		12
9119		5782	PCI X EXP24 CTL 1.5GB NO IOP		8345 N		12
9119		5785	4 PORT ASYNC EIA 232 PCIE ADP		689 N		12
9119		5797	12X I/O DRAWER PCI X REPEATER		23859 N		12
9119		5803	12X I/O DRAWER PCIE SFF DISK		23859 N		12
9119		5805	PCIE 380MB CACHE DUAL X4 3GB S		2147 N		12
9119		5809	MOD UPG CARRY OVER INDICATOR		9432 N		12
9119		5873	12X I/O DRAWER PCIE NO DISK		21249 N		12
9119		5886	EXP 12S EXPANSION DRAWER		4834 N		12
9119		5901	PCIE DUAL X4 SAS ADAPTER		739 N		12
9119		5904	PCI X DDR 1.5GB CACHE SAS RAID		8388 N		12
9119		5906	PCI X DDR 1.5GB CACHE SAS RAID		8388 N		12
9119		5908	PCI X DDR 1.5GB CACHE SAS RAID		8388 N		12
9119		5912	PCI X DDR DUAL X4 SAS ADAPTER		814 N		12
9119		5941	100 PROCESSOR MINUTES FOR 4694		7 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		5942	100 PROCESSOR MINUTES FOR 4695		10 N		12
9119		5943	100 PROCESSOR MINUTES FOR 4694		23 N		12
9119		5944	100 PROCESSOR MINUTES FOR 4695		26 N		12
9119		5945	ON/OFF PROCESSOR COD BILLING		173 N		12
9119		5946	ON/OFF PROCESSOR COD BILLING		191 N		12
9119		5951	FULL WIDTH KEYB-USB US ENG		82 N		12
9119		5983	FULL WIDTH KEYB-USB US ENG INT		82 N		12
9119		6006	POWER CONTROL CABLE 3M SPCN		39 N		12
9119		6007	POWER CONTROL CABLE 15M SPCN		79 N		12
9119		6068	OPT FRONT DOOR FOR 1.8M RACK		336 N		12
9119		6069	OPT FRONT DOOR FOR 2.0M RACK		410 N		12
9119		6121	I/O DRW.CBL.GRP PRIM.RCK/9U		298 N		12
9119		6122	I/O DRW.CBL.GRP PRIM.RCK/5U		298 N		12
9119		6123	I/O DRW.CBL.GRP PRIM.RCK/1U		298 N		12
9119		6124	I/O DRW.CBL.GRP PRIM.RCK/13U		298 N		12
9119		6125	I/O DRW.CBL.GRP 8691.RCK/1U		298 N		12
9119		6126	I/O DRW.CBL.GRP 8691.RCK/5U		298 N		12
9119		6127	I/O DRW.CBL.GRP 8691 RCK/9U		298 N		12
9119		6186	BULK POWER REGULATOR		2982 N		12
9119		6200	INTEGR.BATT.BACKUP PRIMARY		3355 N		12
9119		6243	EMC SKIRTS/TAILGATE		336 N		12
9119		6248	1.8M RACK ACCOUSTIC DOORS		3467 N		12
9119		6249	2.0M RACK ACCOUSTIC DOORS		3467 N		12
9119		6253	SLIM LINE DOORS #8691 EXP.RACK		2237 N		12
9119		6254	ACOUSTIC DOORS #8691 EXP.RACK		5965 N		12
9119		6259	INTEGRATED BATTERY BACKUP W/CA		7456 N		12
9119		6272	2.0M RACK TRIM KIT		390 N		12
9119		6331	INTEGRATED BATT BACKUP W/CBLS		298 N		12
9119		6332	BULK POWER AC/DC REGULATOR P7		3131 N		12
9119		6333	BULK POWER REGULATOR		3131 N		12
9119		6334	BULK PWR DISTRIBUTION ASSEMBLY		1864 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		6352	BULK POWER DISTRIBUTION ASSEMB	1864	N		12
9119		6417	RIO 2 BUS ADAPTER	869	N		12
9119		6458	PWR CBL DRWR PDU 14FT 250V/10A	14	N		12
9119		6460	PWR CD 14FT DRWR OEM PDU 125V	14	N		12
9119		6469	PWR CD 14FT DRWR OEM PDU 250V	14	N		12
9119		6470	PWR CORD(6FOOT) (125V 15A)	14	N		12
9119		6471	PWR CORD(9FOOT) (125V 15A)	14	N		12
9119		6472	PWR CORD(9FOOT) (250V 16A)	14	N		12
9119		6473	PWR CORD(9FOOT) (250V 10A)	14	N		12
9119		6474	PWR CORD(9FOOT) (250V 13A)	14	N		12
9119		6475	PWR CORD(9FOOT) (250V 16A)	14	N		12
9119		6476	PWR CORD(9FOOT) (250V 10A)	14	N		12
9119		6477	PWR CORD(9FOOT) (250V 16A)	14	N		12
9119		6478	PWR CORD(9FOOT) (250V 16A)	14	N		12
9119		6487	PWR CORD(6FOOT) (250V 15A)	14	N		12
9119		6488	PWR CORD(9FOOT) (125V 15A)	39	N		12
9119		6492	14 FT 1PH/48 60A PWR CORD	298	N		12
9119		6493	PWR CORD(9FOOT) (250V 10A)	14	N		12
9119		6494	PWR CORD(9FOOT) (250V 10A)	14	N		12
9119		6496	PWR CORD(9FOOT) (250V 10A)	14	N		12
9119		6497	PWR CD 6FT WALL OEM PDU 250V	24	N		12
9119		6498	PWR CD 6FT WALL OEM PDU 250V	177	N		12
9119		6580	OPTIONAL RACK SECURITY KIT	134	N		12
9119		6586	MODEM TRAY FOR 19 INCH RACK	186	N		12
9119		6598	DISK SLOT FILLER (QUANTITY 4)	44	N		12
9119		6651	PWR.CORD(9FT) TO WALL/OEM PDU	14	N		12
9119		6654	14 FT 1PH/24 30A POWER CORD	178	N		12
9119		6655	14 FT 1PH/24 30A WR POWER CORD	394	N		12
9119		6656	4.3M 14 FT 1PH/24A POWER CORD	176	N		12
9119		6658	14 FT 1PH/24A PWR CD KOREA	178	N		12
9119		6659	PWR.CORD(9FT) TO WALL/OEM PDU	14	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		6660	PWR CD 14FT DRWR OEM PDU 125V		14 N		12
9119		6664	7 FT 200V PDU POWER CORD		14 N		12
9119		6669	PWR CD 14FT DRWR OEM PDU 250V		14 N		12
9119		6671	PWR CD 9FT DRWR PDU 250V/10A		14 N		12
9119		6672	PWR CD 5FT DRWR PDU 250V/10A		14 N		12
9119		6680	PWR CORD(9FT) TO WALL/OEM PDU		14 N		12
9119		6808	PCI 4 MODEM WAN IOA NO IOP	1562 N			12
9119		6821	EXP RK UPIC CABLE GROUP BPD1 T	373 N			12
9119		6822	EXP RK UPIC CABLE GROUP BPD1 T	373 N			12
9119		6823	EXP RK UPIC CABLE GROUP BPD1 T	373 N			12
9119		6855	WEIGHT DISTRIBUTION PLATE	559 N			12
9119		6857	HEAT EXCH.DOOR KIT FOR SYS.RAC	9693 N			12
9119		6861	SLIM LINE DOORS FOR SYS.RACK	2672 N			12
9119		6865	ACOUSTIC DOORS (F R) H CEC RCK	8947 N			12
9119		6866	ACOUSTIC/HEAT EXCH DOORS F/R	12302 N			12
9119		6867	CEC ACOUSTIC DOORS FRONT REAR	8947 N			12
9119		6868	SLIMLINE DOORS (FFHB CEC RACK	5965 N			12
9119		6869	SLIM LINE DOORS F R H CEC RCK	5965 N			12
9119		6870	ACOUSTIC DOORS (F R) H EXP RCK	10811 N			12
9119		6878	ACOUSTIC DOORS (F R) EXP RCK	8947 N			12
9119		6880	NON ACOUSTIC DOORS (F R) RCK	5965 N			12
9119		6887	CEC ACOUSTIC FRONT COVER W/HEA	12302 N			12
9119		6888	EXPANSION RACK ACOUSTIC DOORS	10811 N			12
9119		6941	UPIC CBL GRP BPD1 I/O DRWR A01	373 N			12
9119		6942	UPIC CBL GRP BPD1 I/O DRWR A05	373 N			12
9119		6943	UPIC CBL GRP BPD1 I/O DRWR A09	373 N			12
9119		6944	UPIC CBL GRP BPD2 I/O DRWR Z01	373 N			12
9119		6945	UPIC CBL GRP BPD2 I/O DRWR Z05	373 N			12
9119		6946	UPIC CBL GRP BPD2 I/O DRWR Z09	373 N			12
9119		6947	UPIC Y CBL GRP BPD2 DRWR Z13	298 N			12
9119		6948	UPIC Y CBL GRP BPD2 DRWR Z17	298 N			12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		6949	UPIC Y CBL GRP BPD2 DRWR Z21		298 N		12
9119		6950	UPIC Y CBL GRP BPD2 DRWR Z25		298 N		12
9119		6952	3RD 4TH AMDS + UPIC Y CBL GRP		3728 N		12
9119		6953	NONPOWERED BOLT ON EXPANSION		22368 N		12
9119		6954	POWERED EXPANSION RACK 24 INCH		44736 N		12
9119		6961	UPIC Y CBL GRP BPD1 1ST PROC		485 N		12
9119		6962	UPIC Y CBL GRP BPD1 2ND PROC		485 N		12
9119		6963	UPIC Y CBL GRP BPD1 3RD PROC		485 N		12
9119		6964	UPIC Y CBL GRP BPD1 4TH PROC		485 N		12
9119		6965	UPIC Y CBL GRP BPD2 5TH PROC		485 N		12
9119		6966	UPIC Y CBL GRP BPD2 6TH PROC		485 N		12
9119		6967	UPIC Y CBL GRP BPD2 7TH PROC		485 N		12
9119		6968	UPIC Y CBL GRP BPD2 8TH PROC		485 N		12
9119		6969	UPIC Y CBL GRP BPD1 DRWR A13		671 N		12
9119		6970	UPIC Y CBL GRP BPD1 DRWR A17		671 N		12
9119		6971	UPIC Y CBL GRP BPD1 DRWR A21		671 N		12
9119		6972	UPIC Y CBL GRP BPD1 DRWR A25		671 N		12
9119		6973	UPIC Y CABLE GROUP BPC I/O A29		485 N		12
9119		6974	UPIC Y CABLE GROUP BPC I/O Z29		298 N		12
9119		6991	UPIC Y CABLE GROUP BPD1 TO 1S		485 N		12
9119		6992	UPIC Y CABLE GROUP BPD1 TO 2N		485 N		12
9119		6993	UPIC Y CABLE GROUP BPD1 TO 3R		485 N		12
9119		6994	UPIC Y CABLE GROUP BPD1 TO 4T		485 N		12
9119		6995	UPIC Y CABLE GROUP BPD1 TO 5T		485 N		12
9119		6996	UPIC Y CABLE GROUP BPD1 TO 6T		485 N		12
9119		6997	UPIC Y CABLE GROUP BPD1 TO 7T		485 N		12
9119		6998	UPIC Y CABLE GROUP BPD1 TO 8T		485 N		12
9119		7109	INTELLIGENT PDU+ 1 EIA UNIT		1084 N		12
9119		7118	ENVIRONMENTAL MONITORING PROBE		272 N		12
9119		7188	POWER DISTRIBUTION UNIT		746 N		12
9119		7204	QUANTITY 150 OF 2124		18565 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		7205	QUANTITY 150 OF 2125	20690	N		12
9119		7206	QUANTITY 150 OF 2126	23039	N		12
9119		7207	QUANTITY 150 OF 2127	31091	N		12
9119		7208	QUANTITY 150 OF 2128	48874	N		12
9119		7213	QUANTITY 150 OF 2138	11184	N		12
9119		7234	ON/OFF PROC COD BILLING 1 PROC	55	N		12
9119		7244	ON/OFF PROC COD BILLING 1 PROC	77	N		12
9119		7280	256GB MEM.ACT.FOR#4501 & #4502	318087	N		12
9119		7509	QUANTITY 150 OF 4327	111727	N		12
9119		7514	QUANTITY 150 OF 5741	73814	N		12
9119		7515	QUANTITY 150 OF 5742	146114	N		12
9119		7518	QUANTITY 150 OF 3677	73702	N		12
9119		7519	QUANTITY 150 OF 3678	139127	N		12
9119		7535	QUANTITY 150 OF 3649	769675	N		12
9119		7536	QUANTITY 150 OF 3587	769675	N		12
9119		7538	QUANTITY 150 OF 3658	190461	N		12
9119		7543	QUANTITY 150 OF 1884	73702	N		12
9119		7544	QUANTITY 150 OF #1888	72919	N		12
9119		7545	QUANTITY 150 OF #1890	769675	N		12
9119		7546	QUANTITY 150 OF 1909	769675	N		12
9119		7547	QUANTITY 150 OF #1885	116872	N		12
9119		7548	QUANTITY 150 OF #1886	72919	N		12
9119		7549	QUANTITY 150 OF 3647	73702	N		12
9119		7556	CAP BACKUP PWR 595 5.0GHZ PROC	50477	N		12
9119		7564	QUANTITY 150 OF 3648	139127	N		12
9119		7565	QUANTITY 150 OF 3649	190461	N		12
9119		7569	CAP. BACKUP POWER 595 4.2 GHZ	36683	N		12
9119		7571	CAP. BACKUP POWER 595 5.0 GHZ	50477	N		12
9119		7588	ON/OFF PRC.BILL.-FCS 8970/7587	149	N		12
9119		7592	ON/OFF PRC.BILL.-FCS 8967/7704	97	N		12
9119		7593	ON/OFF PRC.BILL.-FCS 8968/7705	218	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		7667	ACTIV. #8967 #7704 CUOD PRC.BO	11564	N		12
9119		7668	ACTIV. #8968 #7705 CUOD PRC.BO	26081	N		12
9119		7669	1GB M.ACT.FOR#4500 #4501 #4502	1242	N		12
9119		7693	SINGLE PROCESSO	18043	N		12
9119		7694	RESERVE CAP.PREPAID FOR #8970	4502	N		12
9119		7780	2.0M RACK SIDE ATTACH KIT	146	N		12
9119		7799	256MEM.ACT.FOR#7835 MEM.DIMMS	453510	N		12
9119		7802	ETHERN.CAB 15M HMC TO SYS.UNIT	25	N		12
9119		7803	BULK POWER CONTROLL.ASSEMBLY	2982	N		12
9119		7810	PROC.CLOCK CARD PROGRAMMABLE	428	N		12
9119		7815	ACTIVATE 7813/7731/8969 CUOD	24232	N		12
9119		7837	BULK PWR DISTRIBUTION ASSEMBLY	1864	N		12
9119		7853	I/O DRW.CBL.GRP 5792 RCK/1U	485	N		12
9119		7854	I/O DRW.CBL.GRP 5792 RCK/5U	485	N		12
9119		7855	I/O DRW.CBL.GRP 5792 RCK/9U	485	N		12
9119		7856	I/O DRW.CBL.GRP 5792 RCK/13U	298	N		12
9119		7857	I/O DRW.CBL.GRP 5792 RCK/19U	298	N		12
9119		7858	I/O DRW.CBL.GRP 5792 RCK/23U	298	N		12
9119		7859	I/O DRW.CBL.GRP 5792 RCK/27U	298	N		12
9119		7860	I/O DRW.CBL.GRP PRIM.RCK/31U	298	N		12
9119		7924	RIO-2(REMOTE I/O-2)CBL 0.6M	224	N		12
9119		7925	ACTIVATE 7981/7730 1 PROC	10811	N		12
9119		7926	30D PREP.RES.CAP.FOR #798	2976	N		12
9119		7937	BOLT-DOWN KIT LOW-RAISED FLOOR	5219	N		12
9119		7938	BOLT-DOWN KIT HIGH-RAIS.FLOOR	5219	N		12
9119		7960	COMPACT HANDLING OPTION	932	N		12
9119		7970	1GB ACTIV.#7816&#7835 MEM.FCS	1771	N		12
9119		7972	ON/OFF PROC.BILLING FOR FC	222	N		12
9119		7974	ON/OFF MEMORY BILLING	10	N		12
9119		7975	30D PREPAID RES.CAP.FOR #7	6667	N		12
9119		7990	ACTIVATE 7988/7732 1 PROC	16776	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9119		7991	30D PREPAID RES.CAP.FOR #7		4625 N		12
9119		7993	ON/OFF PROC.BILL.FOR FC #7		99 N		12
9119		7996	ON/OFF PRC.BILL.-COD FOR #		154 N		12
9119		8131	128PORT ASYNCH.CONTR.C 4.5M		48 N		12
9119		8132	128PORT ASYNCH.CONTR.C 23CM		32 N		12
9119		8201	0/256 GB 533MHZ DDR2 MEMORY		15508 N		12
9119		8202	0/256 GB 533MHZ DDR2 MEMORY		15508 N		12
9119		8203	0/512 GB 533MHZ DDR2 MEMORY		31017 N		12
9119		8204	0/512 GB 400MHZ DDR2 MEMORY		31017 N		12
9119		8205	0/2 TB 400MHZ DDR2 MEMORY PKG		1145534 N		12
9119		8211	0/256GB DDR3 MEMORY (8X5600)		11691 N		12
9119		8212	ACTIVATION OF 1 GB DDR3 POWER7		182 N		12
9119		8213	ACTIVATION OF 100 GB DDR3 POWE		18267 N		12
9119		8214	0/512GB DDR3 MEMORY (16X5600)		23381 N		12
9119		8218	0/256GB DDR3 MEMORY (4X5601) D		23024 N		12
9119		8219	0/512GB DDR3 MEMORY (8X5601) D		46047 N		12
9119		8221	0/1024GB DDR3 MEMORY (8X5602)		92095 N		12
9119		8467	RESERVE CAP.PREPAID FOR #8967		2891 N		12
9119		8468	RESERVE CAP.PREPAID FOR #8968		6520 N		12
9119		8471	1GB BASE MEMORY ACTIVATIONS		492 N		12
9119		8472	256GB BASE MEMORY ACTIVATIONS		114523 N		12
9119		8493	256 GB MEM ACTV FOR MEM PACK		357884 N		12
9119		8686	L.CRD 6AWG 14FTIEC309 100A PLG		1864 N		12
9119		8688	L.CRD 6AWG/TYP E W 14FT 60A PLG		1491 N		12
9119		8695	LINE CORD 4AWG 14FT NO PLUG		746 N		12
9119		8696	LINE CORD 4AWG 14FT 100A PLUG		1864 N		12
9119		8697	LINE CORD 8AWG 14FT 30A PLUG		1491 N		12
9119		8699	LINE CORD 6AWG 14FT 60A PLUG		1864 N		12
9119		8789	LINE CORD 4AWG/TYPEW 14FT 38		1491 N		12
9119		8792	LINE CORD 4AWG 14FT 380 520V		2237 N		12
9119		8845	USB MOUSE		29 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9123		0983	ASSEMBLED IN USA		0 N		36
9123		1965	POWER HYPERVISOR		0 N		36
9123		1975	PCI-X DUAL CH.U320SCSI RAID AD		1813 N		36
9123		1983	BASE-TX ETH.NET PCI-X AD. 2PT		300 N		36
9123		2456	LC-SC 50 MIC.FIBER CONV.CABLE		75 N		36
9123		2459	LC-SC 62.5 MIC.FIBER CONV.CBL		75 N		36
9123		2934	ASYN.TERM/PRINT.CBL EIA-232		33 N		36
9123		2936	ASYNCHRONOUS CBL EIA-232/V.24		54 N		36
9123		3636	L200P FLAT PANEL MONITOR		970 N		36
9123		3637	T541H/L150P 15INCHTFT COL.M		369 N		36
9123		3640	THINKVISION L171P FLAT PAN.MON		526 N		36
9123		3642	THINKVISION L191P FLAT PAN.MON		617 N		36
9123		3925	SER.PORT CON.CAB 9PIN TO 25PIN		18 N		36
9123		3926	ASYNCH PRINTER/TERM.CAB 4M		69 N		36
9123		4242	6FOOT EXTEND.CAB.FOR DISPLAYS		75 N		36
9123		4256	EXTENDER CABLE-USB KEYB. 2M		37 N		36
9123		6458	PWR CAB.-DRAWER TO IBM PDU		12 N		36
9123		6469	PWR CORD(14FOOT) (250V 15A)		12 N		36
9123		6470	PWR CORD(6FOOT) (125V 15A)		12 N		36
9123		6471	PWR CORD(9FOOT) (125V 15A)		12 N		36
9123		6472	PWR CORD(9FOOT) (250V 16A)		12 N		36
9123		6473	PWR CORD(9FOOT) (250V 10A)		12 N		36
9123		6474	PWR CORD(9FOOT) (250V 13A)		12 N		36
9123		6475	PWR CORD(9FOOT) (250V 16A)		12 N		36
9123		6476	PWR CORD(9FOOT) (250V 10A)		12 N		36
9123		6477	PWR CORD(9FOOT) (250V 16A)		12 N		36
9123		6478	PWR CORD(9FOOT) (250V 16A)		12 N		36
9123		6487	PWR CORD(6FOOT) (250V 15A)		12 N		36
9123		6488	PWR CORD(9FOOT) (125V 15A)		36 N		36
9123		6493	PWR CORD(9FOOT) (250V 10A)		12 N		36
9123		6494	PWR CORD(9FOOT) (250V 10A)		12 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9123		6496	PWR CORD(9FOOT) (250V 10A)		12 N		36
9123		6598	DISK SLOT FILLERS(QUANTITY 4)		40 N		36
9123		6671	PWR CORD(9FT) DRW.TO IBM PDU		12 N		36
9123		6672	PWR CORD(5FT) DRW.TO IBM PDU		12 N		36
9123		7166	IBM/OEM RACK-MOUNT DR.RAIL KIT		136 N		36
9123		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		36
9123		7989	PWR SUPPLY 700WATT AC HOT-SWAP		340 N		36
9124		0983	ASSEMBLED IN USA		0 N		36
9124		1965	POWER HYPERVISOR		0 N		36
9124		1975	PCI-X DUAL CH.U320SCSI RAID AD	1813	N		36
9124		1983	BASE-TX ETHERNET PCI-X AD.2PT	300	N		36
9124		2456	LC-SC 50 MIC.FIB.CONV.CABLE	75	N		36
9124		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE	75	N		36
9124		2934	ASYNCH.TERM./PRINT.CAB EIA-232	33	N		36
9124		2936	ASYNCHRON.CAB. EIA-232/V.24	54	N		36
9124		3147	RIO-2(REMOTE I/O-2)CAB 3.5M	499	N		36
9124		3148	RIO-2(REMOTE I/O-2)CAB 10M	771	N		36
9124		3636	L200P FLAT PANEL MONITOR	970	N		36
9124		3637	T541H/L150P 15INCHTFT COL.M	369	N		36
9124		3640	THINKVISION L171P FLAT PAN.MON	526	N		36
9124		3642	THINKVISION L191P FLAT PAN.MON	617	N		36
9124		3925	SER.PORT CON.CAB 9PIN TO 25PIN	18	N		36
9124		3926	ASYNCH PRINTER/TERM.CAB 4M	69	N		36
9124		4242	6FOOT EXTEND.CAB.FOR DISPLAYS	75	N		36
9124		4256	EXTENDER CABLE-USB KEYB. 2M	37	N		36
9124		6458	PWR CAB.-DRAWER TO IBM PDU	12	N		36
9124		6469	PWR CORD(14FOOT) (250V 15A)	12	N		36
9124		6470	PWR CORD(6FOOT) (125V 15A)	12	N		36
9124		6471	PWR CORD(9FOOT) (125V 15A)	12	N		36
9124		6472	PWR CORD(9FOOT) (250V 16A)	12	N		36
9124		6473	PWR CORD(9FOOT) (250V 10A)	12	N		36



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9124		6474	PWR CORD(9FOOT) (250V 13A)		12 N		36
9124		6475	PWR CORD(9FOOT) (250V 16A)		12 N		36
9124		6476	PWR CORD(9FOOT) (250V 10A)		12 N		36
9124		6477	PWR CORD(9FOOT) (250V 16A)		12 N		36
9124		6478	PWR CORD(9FOOT) (250V 16A)		12 N		36
9124		6487	PWR CORD(6FOOT) (250V 15A)		12 N		36
9124		6488	PWR CORD(9FOOT) (125V 15A)		36 N		36
9124		6493	PWR CORD(9FOOT) (250V 10A)		12 N		36
9124		6494	PWR CORD(9FOOT) (250V 10A)		12 N		36
9124		6496	PWR CORD(9FOOT) (250V 10A)		12 N		36
9124		6598	DISK SLOT FILLERS(QUANTITY 4)		40 N		36
9124		6672	PWR CORD(5FT) DRW.TO IBM PDU		12 N		36
9124		7802	ETHERN.CAB 15M HMC TO SYS.UNIT		23 N		36
9125		1882	146.8 GB 10K RPM SAS SFF DISK		641 N		12
9125		2456	2M LC SC 50 MICRON FIBER CBL		82 N		12
9125		2459	2M LC SC 62.5 MICRON FIBER CBL		82 N		12
9125		2728	4 PORT USB PCIE ADAPTER		148 N		12
9125		2934	3M ASYNCHRONOUS TERMINAL CBL		36 N		12
9125		2936	ASYNCHRONOUS CBL EIA 232/V.24		59 N		12
9125		3125	SERIAL TO SERIAL PRT CBL RACK		65 N		12
9125		3759	UNIVERSAL LIFT TOOL AND SERV		3728 N		12
9125		3925	0.3M SERIAL PRT CONVERTER CBL		20 N		12
9125		3926	ASYNCH PRINTER/TERMINAL CABLE		82 N		12
9125		3928	SERIAL PORT NULL MODEM CABLE		65 N		12
9125		4599	PCI BLIND SWAP CASSETTE KIT		48 N		12
9125		4764	PCI X CRYPTOGRAPH. COPROCESSOR		8881 N		12
9125		5612	DUAL 2 PRT 4X HOST CHANNEL ADP		1631 N		12
9125		5680	ACTIVATION OF 1GB DDR2 POWER6		242 N		12
9125		5681	ACTIVATION 256 GB DDR2 POWER6		62033 N		12
9125		5687	0/4GB (4X1GB) DIMMS 533 MHZ		242 N		12
9125		5688	0/8GB (4X2GB) DIMMS 533 MHZ		485 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9125		5698	0/16GB (4X4GB) DIMMS 533 MHZ		969 N		12
9125		5706	2 PORT 10/100/1000 BASE TX		745 N		12
9125		5713	1 GB ISCSI TOE PCI X COPPER		888 N		12
9125		5717	4 PRT 10/100/1000 BASE TX PCI		819 N		12
9125		5735	8GB PCI EXPRESS DUAL PRT FIBRE		3452 N		12
9125		5736	PCI X DDR DUAL CHAN. ULTRA320		578 N		12
9125		5748	POWER GXT145 PCI EXPRESS		373 N		12
9125		5759	4 GB DUAL PRT FIBRE CHANNEL		2465 N		12
9125		5767	2 PRT 10/100/1000 BASE TX		521 N		12
9125		5768	2 PRT GIGABIT ETHERNET SX PCI		1305 N		12
9125		5770	SYSTEM RACK WITH BASE POWER		27067 N		12
9125		5772	10 GIGABIT ETHERNET LR PCI		4679 N		12
9125		5774	4 GIGABIT PCI EXPRESS DUAL PRT		2465 N		12
9125		5902	PCI X DDR DUAL X4 3GB SAS		1864 N		12
9125		5912	PCI X DDR DUAL X4 SAS ADP		814 N		12
9125		6239	2G FC PCIX ADAP		2311 N		0
9125		6318	ONE CPU ACTIVATION FOR 6316		745591 N		12
9125		6319	I/O ASSEMBLY WITHOUT PCI		3085 N		12
9125		6328	BULK PWR DISTRIBUTION ASSEMBLY		820 N		12
9125		6329	I/O RISER PCI X PCI E 16X LEFT		671 N		12
9125		6333	BULK POWER REGULATOR		2420 N		12
9125		6336	POWER AND ETHERNET CBLs EIA 01		156 N		12
9125		6337	POWER AND ETHERNET CBLs EIA 03		154 N		12
9125		6338	POWER AND ETHERNET CBLs EIA 05		98 N		12
9125		6339	POWER AND ETHERNET CBLs EIA 07		156 N		12
9125		6345	10 GB OPTICAL TRANSCEIVERS		1864 N		12
9125		6370	POWER AND ETHERNET CBLs EIA 09		154 N		12
9125		6371	POWER AND ETHERNET CBLs EIA 11		151 N		12
9125		6372	POWER AND ETHERNET CBLs EIA 13		149 N		12
9125		6373	POWER AND ETHERNET CBLs EIA 15		136 N		12
9125		6374	POWER AND ETHERNET CBLs EIA 17		140 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9125		6375	POWER AND ETHERNET CBLs EIA 19		147 N		12
9125		6376	POWER AND ETHERNET CBLs EIA 21		145 N		12
9125		6377	POWER AND ETHERNET CBLs EIA 23		140 N		12
9125		6378	POWER AND ETHERNET CBLs EIA 25		138 N		12
9125		6379	POWER AND ETHERNET CBLs EIA 27		136 N		12
9125		6387	POWER AND ETHERNET CBLs EIA 29		136 N		12
9125		6388	POWER AND ETHERNET CBLs EIA 31		134 N		12
9125		6389	I/O RISERS (4 PCI E SLOTS)		596 N		12
9125		6392	POWER CABLES EIA 05		263 N		12
9125		6393	POWER CABLES EIA 09		250 N		12
9125		6394	POWER CABLES EIA 13		239 N		12
9125		6395	POWER CABLES EIA 17		237 N		12
9125		6396	POWER CABLES EIA 21		230 N		12
9125		6397	POWER CABLES EIA 25		219 N		12
9125		6398	POWER CABLES EIA 29		210 N		12
9125		6399	I/O ASSEMBLY PCI I/O DRAWER		3768 N		12
9125		6872	WATER COOLING OPTION		59647 N		12
9125		6874	SLIMS DOORS WITH INTEG. REAR		10945 N		12
9125		6875	ACOUSTIC DOORS WITH INTEG REAR		9945 N		12
9125		6876	COOLANT SUPPLY/RETURN HOSES 6		6880 N		12
9125		6877	COOLANT SUPPLY/RETURN HOSES 14		7911 N		12
9125		6881	SLIM LINE REAR DOOR		2496 N		12
9125		6882	REAR DOOR WITH HEAT EXCHANGER		5079 N		12
9125		6883	REAR DOOR WITH INTEG. HEAT		8220 N		12
9125		7299	ONE CPU ACTIVATION FOR 7298		746 N		12
9125		7802	ETHERNET CBL 15M HW MANAGEMENT		25 N		12
9125		7937	BOLT DOWN KIT LOW RAISED FLOOR		5219 N		12
9125		7938	BOLT DOWN KIT HIGH RAISED		5219 N		12
9125		8695	LINE CORD 4AWG 14FT NO PLUG		746 N		12
9125		8696	LINE CORD 4AWG 14FT 100A PLUG		1450 N		12
9125		8699	LINE CORD 6AWG 14FT 60A PLUG		1864 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9131		0456	CUSTOMER SPECIFIED PLACEMENT		371 N		36
9131		1930	1024MB(2X512MB)DIMMS 276-PIN		560 N		36
9131		1931	2048MB(2X1024MB)DIMMS 276-PIN		1182 N		36
9131		1932	4096MB(2X2048MB)DIMMS 276-PIN		2835 N		36
9131		1934	8192MB(2X4096MB)DIMMS 276-PIN		9177 N		36
9131		1974	PCI-X DUAL CHAN.U320 SCSI ADPT		544 N		36
9131		1975	PCI-X DUAL CHAN.U320 SCSI RAID		1853 N		36
9131		1983	2-PORT BASET X ETHT.PCI-X ADP		307 N		36
9131		2456	LC-SC 50 MIC.FIB.CONV.CABLE		77 N		36
9131		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		36
9131		2934	ASYN.TERM/PRINT.CBL EIA-232		34 N		36
9131		2936	ASYNCH. CABLE EIA-232/V.24		56 N		36
9131		3124	SER TO SER PORT CAB DRAW/DRAW		61 N		36
9131		3125	SER TO SER PORT CAB RACK/RACK		61 N		36
9131		3147	RIO-2(REMOTE I/O-2)CBL 3.5M		510 N		36
9131		3148	RIO-2(REMOTE I/O-2)CAB 10M		788 N		36
9131		3168	RIO-2(REMOTE I/O-2)CBL 2.5M		417 N		36
9131		3925	SER.PORT CONV.CBL 9PIN-25PIN		19 N		36
9131		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		36
9131		3927	SER.PORT NULL MODEM CABLE 3.7M		61 N		36
9131		3928	SER.PORT NULL MODEM CABLE 10M		61 N		36
9131		4242	6FOOT EXT.CBL FOR DISPLAYS		77 N		36
9131		4256	EXTENDER CBL-USB KEYBOARDS 2M		38 N		36
9131		4764	PCI-X CRYPT.COPROC.(FIPS 4)		8343 N		36
9131		5951	FULL WIDTH KEYB-USB US ENG		77 N		36
9131		5983	FULL WIDTH KEYB-USB US ENG INT		77 N		36
9131		6006	POWER CONTROL CABLE(SPCN)-3M		36 N		36
9131		6007	POWER CONTROL CABLE(SPCN)-15M		74 N		36
9131		6458	PWR CAB.-DRAWER TO IBM PDU		12 N		36
9131		6460	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9131		6469	PWR CORD(14FT) DRW TO OEM PDU		12 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9131		6470	PWR CORD(6FOOT) TO WALL		12 N		36
9131		6471	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6472	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9131		6473	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9131		6474	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6475	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6476	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6477	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6478	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6487	PWR CORD(6FOOT) TO WALL		12 N		36
9131		6488	PWR CORD(9FT) TOWALL/OEM PDU		36 N		36
9131		6493	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6494	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6496	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6598	DISK SLOT FILLERS(QUANTITY 4)		41 N		36
9131		6651	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6659	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		6660	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9131		6665	PWR CRD 3M 10FT DRWR PDU 250V		12 N		36
9131		6669	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9131		6671	PWR CORD(9FT) DRW TO IBM PDU		12 N		36
9131		6672	PWR CORD(5FT) DRW TO IBM PDU		12 N		36
9131		6680	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9131		7320	ONE PROC.ENT.FOR PROC.FC#8330		1669 N		36
9131		7337	1PROC.ENTITL.FOR PRC.FC#8333		1203 N		36
9131		7802	ETHT CBL 15M HMC TO SYST.UNIT		23 N		36
9131		7940	ADVANCED POWER VIRTUALIZATION		0 N		36
9131		8131	128PORT ASYNCH.CONTR.CBL 4.5M		46 N		36
9131		8132	128PORT ASYNCH.CONTR.CBL 23CM		30 N		36
9131		8231	MEM.OFF.--32GB/64GB/96GB/128GB		5098 N		36
9133		0453	CUSTOMER SPECIFIED PLACEMENT		556 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9133		0983	US TAA COMPLIANCE INDICATOR		0 N		36
9133		1930	1024MB(2X512MB)DIMMS 276-PIN		560 N		36
9133		1931	2048MB(2X1024MB)DIMMS 276-PIN		1182 N		36
9133		1932	4096MB(2X2048MB)DIMMS 276-PIN		2835 N		36
9133		1934	8192MB(2X4096MB)DIMMS 276-PIN		9177 N		36
9133		1974	PCI-X DUAL CHAN.U320 SCSI ADPT		544 N		36
9133		1975	PCI-X DUAL CHAN.U320 SCSI RAID		1853 N		36
9133		1983	2-PORT BASET X ETHT.PCI-X ADP		307 N		36
9133		2424	0.6M 16BIT SCSI2 SYS.2SYS CAB		83 N		36
9133		2456	LC-SC 50 MIC.FIB.CONV.CABLE		77 N		36
9133		2459	LC-SC 62.5 MIC.FIB.CONV.CABLE		77 N		36
9133		2934	ASYN.TERM/PRINT.CBL EIA-232		34 N		36
9133		2936	ASYNCH. CABLE EIA-232/V.24		56 N		36
9133		3124	SER TO SER PORT CAB DRAW/DRAW		61 N		36
9133		3125	SER TO SER PORT CAB RACK/RACK		61 N		36
9133		3147	RIO-2(REMOTE I/O-2)CBL 3.5M		510 N		36
9133		3148	RIO-2(REMOTE I/O-2)CAB 10M		788 N		36
9133		3168	RIO-2(REMOTE I/O-2)CBL 2.5M		417 N		36
9133		3925	SER.PORT CONV.CBL 9PIN-25PIN		19 N		36
9133		3926	ASYNCH PRINTER/TERM.CAB 4M		77 N		36
9133		3927	SER.PORT NULL MODEM CABLE 3.7M		61 N		36
9133		3928	SER.PORT NULL MODEM CABLE 10M		61 N		36
9133		4242	6FOOT EXT.CBL FOR DISPLAYS		77 N		36
9133		4256	EXTENDER CBL-USB KEYBOARDS 2M		38 N		36
9133		5951	FULL WIDTH KEYB-USB US ENG		77 N		36
9133		5983	FULL WIDTH KEYB-USB US ENG INT		77 N		36
9133		6006	POWER CONTROL CABLE(SPCN)-3M		36 N		36
9133		6007	POWER CONTROL CABLE(SPCN)-15M		74 N		36
9133		6458	PWR CAB.-DRAWER TO IBM PDU		12 N		36
9133		6460	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9133		6469	PWR CORD(14FT) DRW TO OEM PDU		12 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9133		6470	PWR CORD(6FOOT) TO WALL		12 N		36
9133		6471	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6472	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9133		6473	PWR CORD(9FT) TO WALL/OEM PDU		12 N		36
9133		6474	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6475	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6476	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6477	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6478	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6487	PWR CORD(6FOOT) TO WALL		12 N		36
9133		6488	PWR CORD(9FT) TOWALL/OEM PDU		36 N		36
9133		6493	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6494	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6496	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6497	PWR CORD(6FT) TO WALL/OEM PDU		12 N		36
9133		6498	PWR CORD(6FT) TO WALL/OEM PDU		12 N		36
9133		6598	DISK SLOT FILLERS(QUANTITY 4)		41 N		36
9133		6651	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6659	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		6660	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9133		6665	PWR CRD 3M 10FT DRWR PDU 250V		12 N		36
9133		6669	PWR CORD(14FT) DRW TO OEM PDU		12 N		36
9133		6671	PWR CORD(9FT) DRW TO IBM PDU		12 N		36
9133		6672	PWR CORD(5FT) DRW TO IBM PDU		12 N		36
9133		6680	PWR CORD(9FT) TOWALL/OEM PDU		12 N		36
9133		7313	ONE PROC.ACT.FOR PROC.FC#8309		1671 N		36
9133		7323	1PROC.ACTIV.FOR PROC.FC#8312		1947 N		36
9133		7324	1PROC.ACTIV.FOR PROC.FC#8313		347 N		36
9133		7326	1PROC.ACT.ON 2ND PROC.FC#8313		387 N		36
9133		7802	ETHT CBL 15M HMC TO SYST.UNIT		23 N		36
9133		7941	ADVANCED PWR VIRTUALIZATION		0 N		36

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9133		8131	128PORT ASYNCH.CONTR.CBL 4.5M		46 N		36
9133		8132	128PORT ASYNCH.CONTR.CBL 23CM		30 N		36
9133		8231	MEM.OFF.--32GB/64GB/96GB/128GB		5098 N		36
9179	MHB		POWER 780		7601 N	2	12
9179		0032	SPECIFY CODE FOR EXTERNAL HIGH		507 N		12
9179		0348	V 24 EIA232 6 1M (20 FT) PCI C		120 N		12
9179		0353	V 35 6 1M (20 FT) PCI CABLE		120 N		12
9179		0359	X 21 6 1M (20 FT) PCI CABLE		362 N		12
9179		0551	19 INCH 1 8 METER HIGH RACK		2581 N		12
9179		0553	19 INCH 2 0 METER HIGH RACK		3501 N		12
9179		0599	RACK FILLER PANEL KIT		72 N		12
9179		1025	MODEM CABLE US CANADA AND GE		12 N		12
9179		1104	USB EXTERNAL DOCKING STATION F		269 N		12
9179		1106	USB 160 GB REMOVABLE DISK DRIV		307 N		12
9179		1107	USB 500 GB REMOVABLE DISK DRIV		691 N		12
9179		1803	INTEGRATED 4 PORT 1GB VIRTUA		521 N		12
9179		1804	INTEGRATED 4 PORT (2X1GB AND		2945 N		12
9179		1808	GX 12X DDR ADAPTER DUAL PORT		1117 N		12
9179		1813	INTEGRATED 4 PORT (2X1GB AND		1566 N		12
9179		1815	SAS CABLE FOR TRIPLE SPLIT DAS		186 N		12
9179		1819	SAS CABLE ASSEMBLY FOR SAS POR		186 N		12
9179		1828	1 5 METER 12X TO 4X CHANNEL CO		292 N		12
9179		1841	3 METER 12X TO 4X CHANNEL CONV		367 N		12
9179		1853	OPERATOR PANEL		746 N		12
9179		1854	10 METER 12X TO 4X ENHANCED CH		585 N		12
9179		1861	0 6 METER 12X DDR CABLE		342 N		12
9179		1862	1 5 METER 12X DDR CABLE		390 N		12
9179		1864	8 0 METER 12X DDR CABLE		707 N		12
9179		1865	3 0 METER 12X DDR CABLE		464 N		12
9179		1883	73 4 GB 15K RPM SAS SFF DISK D		486 N		12
9179		1884	69 7 GB 15K RPM SAS SFF DISK D		486 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9179		1885	300GB 10K RPM SFF SAS DISK DRI		779 N		12
9179		1886	146GB 15K RPM SFF SAS DISK DRI		486 N		12
9179		1888	139GB 15K RPM SFF SAS DISK DRI		486 N		12
9179		1890	69GB SFF SAS SOLID STATE DRIVE		5078 N		12
9179		1891	QUANTITY 150 OF 1883		72919 N		12
9179		1909	69GB SFF SAS SOLID STATE DRIVE		5078 N		12
9179		2456	2M LC SC 50 MICRON FIBER CONVE		80 N		12
9179		2459	2M LC SC 62 5 MICRON FIBER CON		80 N		12
9179		2893	PCIE 2 LINE WAN W MODEM		564 N		12
9179		2934	3M ASYNCHRONOUS TERMINAL PRINT		35 N		12
9179		2936	ASYNCHRONOUS CABLE EIA 232 V 2		59 N		12
9179		3124	SERIAL TO SERIAL PORT CABLE FO		64 N		12
9179		3125	SERIAL TO SERIAL PORT CABLE FO		64 N		12
9179		3586	69GB 3 5 SAS SOLID STATE DRIV		5078 N		12
9179		3587	69GB 3 5 SAS SOLID STATE DRIV		5078 N		12
9179		3632	WIDESCREEN LCD MONITOR		974 N		12
9179		3647	146GB 15K RPM SAS DISK DRIVE		486 N		12
9179		3648	300GB 15K RPM SAS DISK DRIVE		927 N		12
9179		3649	450GB 15K RPM SAS DISK DRIVE		1270 N		12
9179		3652	SAS CABLE (EE) DRAWER TO DRAWE		48 N		12
9179		3653	SAS CABLE (EE) DRAWER TO DRAWE		69 N		12
9179		3654	SAS CABLE (EE) DRAWER TO DRAWE		117 N		12
9179		3658	428GB 15K RPM SAS DISK DRIVE		1270 N		12
9179		3661	SAS CABLE (X) ADAPTER TO SAS E		146 N		12
9179		3662	SAS CABLE (X) ADAPTER TO SAS E		293 N		12
9179		3663	SAS CABLE (X) ADAPTER TO SAS E		596 N		12
9179		3671	SERV INTERFACE CABLE 2 3 AN		1491 N		12
9179		3672	SERV INTERFACE CABLE 3 AND 4		2237 N		12
9179		3673	SERV INTERFACE CABLE 4 ENCLOS		2982 N		12
9179		3677	139 5GB 15K RPM SAS DISK DRIVE		486 N		12
9179		3678	283 7GB 15K RPM SAS DISK DRIVE		927 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9179		3679	SAS CABLE (AI) ADAPTER TO INT		51 N		12
9179		3681	3M SAS CABLE ADPTR TO ADPTR (		74 N		12
9179		3682	6M SAS CABLE ADPTR TO ADPTR (		146 N		12
9179		3684	SAS CABLE (AE) ADAPTER TO ENCL		146 N		12
9179		3685	SAS CABLE (AE) ADAPTER TO ENCL		293 N		12
9179		3687	SAS CABLE (YI) SYSTEM TO SAS E		107 N		12
9179		3688	SAS CABLE (AT) 0 6 METER		88 N		12
9179		3691	SAS CABLE (YO) ADAPTER TO SAS		88 N		12
9179		3692	SAS CABLE (YO) ADAPTER TO SAS		107 N		12
9179		3693	SAS CABLE (YO) ADAPTER TO SAS		146 N		12
9179		3694	SAS CABLE (YO) ADAPTER TO SAS		516 N		12
9179		3711	PROCESSOR CABLE TWO DRAWER SY		2982 N		12
9179		3712	PROCESSOR CABLE TWO THREE OR		3728 N		12
9179		3713	PROCESSOR CABLE THREE OR FOUR		7456 N		12
9179		3714	PROCESSOR CABLE FOUR DRAWER S		8947 N		12
9179		3925	0 3M SERIAL PORT CONVERTER CAB		20 N		12
9179		3926	ASYNCH PRINTER TERMINAL CABLE		142 N		12
9179		3927	SERIAL PORT NULL MODEM CABLE		64 N		12
9179		3928	SERIAL PORT NULL MODEM CABLE		64 N		12
9179		4242	1 8 M (6 FT) EXTENDER CABLE FO		80 N		12
9179		4256	EXTENDER CABLE USB KEYB1.8		40 N		12
9179		4276	VGA TO DVI CONNECTION CONVERTE		7 N		12
9179		4764	PCI X CRYPTOGRAPHIC COPROCESSO		8789 N		12
9179		4791	ACTIVE MEMORY EXPANSION ENABLE		5145 N		12
9179		4982	3 86 GHZ 4 14 GHZ TURBOCORE		42818 N		12
9179		4992	SINGLE 5250 ENTERPRISE ENABLEM		37280 N		12
9179		4997	FULL 5250 ENTERPRISE ENABLEMEN		149118 N		12
9179		5469	ONE PROCESSOR ACTIVATION FOR P		6244 N		12
9179		5524	RFID TAGS FOR SERVERS BLADES		19 N		12
9179		5597	SYSTEM CEC ENCLOSURE WITH IBM		8947 N		12
9179		5600	0 32GB DDR3 MEMORY (4X8GB) DIM		1461 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9179		5601	0 64GB DDR3 MEMORY (4X16GB) DI	5755	N		12
9179		5602	0 128GB DDR3 MEMORY (4X32GB) D	11511	N		12
9179		5632	SYSTEM AC POWER SUPPLY 1725 W	1119	N		12
9179		5646	BLIND SWAP TYPE III CASSETTE	36	N		12
9179		5647	BLIND SWAP TYPE III CASSETTE	36	N		12
9179		5652	DISK MEDIA BACKPLANE	2982	N		12
9179		5662	175MB CACHE RAID BATTERY CARD	1864	N		12
9179		5664	SERVICE PROCESSOR	2982	N		12
9179		5665	FSP CLOCK PASS THROUGH CARD	671	N		12
9179		5706	2 PORT 10 100 1000 BASE TX	737	N		12
9179		5708	10GB FCOE PCIE DUAL PORT ADAPT	4056	N		12
9179		5713	1 GIGABIT ISCSI TOE PCI X ON C	879	N		12
9179		5717	4 PORT 10 100 1000 BASE TX PCI	810	N		12
9179		5732	10 GIGABIT ETHERNET CX4 PCI EX	3541	N		12
9179		5735	8 GIGABIT PCI EXPRESS DUAL POR	3417	N		12
9179		5736	PCI X DDR DUAL CHANNEL ULTRA32	573	N		12
9179		5748	POWER GXT145 PCI EXPRESS GRAPH	370	N		12
9179		5749	4GBPS FIBRE CHANNEL (2 PORT)	2440	N		12
9179		5759	4 GB DUAL PORT FIBRE CHANNEL P	2440	N		12
9179		5762	SATA SLIMLINE DVD RAM DRIVE	292	N		12
9179		5767	2 PORT 10 100 1000 BASE TX ETH	516	N		12
9179		5768	2 PORT GIGABIT ETHERNET SX PCI	1290	N		12
9179		5769	10 GIGABIT ETHERNET SR PCI EXP	3909	N		12
9179		5772	10 GIGABIT ETHERNET LR PCI EXP	4631	N		12
9179		5774	4 GIGABIT PCI EXPRESS DUAL POR	2440	N		12
9179		5785	4 PORT ASYNC EIA 232 PCIE ADAP	682	N		12
9179		5796	PCI DDR 12X EXPANSION DRAWER	5312	N		12
9179		5802	12X I O DRAWER PCIE SFF DISK	11709	N		12
9179		5877	12X I O DRAWER PCIE NO DISK	10636	N		12
9179		5886	EXP 12S EXPANSION DRAWER	4834	N		12
9179		5901	PCIE DUAL X4 SAS ADAPTER	731	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9179		5908	PCI X DDR 1 5GB CACHE SAS RAID		8301 N		12
9179		5951	FULL WIDTH KEYBOARD USB US		80 N		12
9179		6006	POWER CONTROL CABLE (SPCN) 3		38 N		12
9179		6007	POWER CONTROL CABLE (SPCN) 1		77 N		12
9179		6068	OPT FRONT DOOR FOR 1 8M RACK		331 N		12
9179		6069	OPT FRONT DOOR FOR 2 0M RACK		406 N		12
9179		6248	1 8M RACK ACOUSTIC DOORS		3430 N		12
9179		6249	2 0M RACK ACOUSTIC DOORS		3430 N		12
9179		6263	1 8M RACK TRIM KIT		390 N		12
9179		6272	2 0M RACK TRIM KIT		390 N		12
9179		6446	DUAL PORT 12X CHANNEL ATTACH		562 N		12
9179		6457	DUAL PORT 12X CHANNEL ATTACH		2441 N		12
9179		6458	POWER CABLE DRAWER TO IBM P		14 N		12
9179		6460	POWER CORD 4 3M (14 FT) DRAWE		14 N		12
9179		6469	POWER CORD 4 3M (14 FOOT) DRA		13 N		12
9179		6471	POWER CORD 2 7M (9 FOOT) TO W		13 N		12
9179		6487	POWER CORD 1 8M (6 FOOT) TO WA		13 N		12
9179		6488	POWER CORD 2 7M (9 FOOT) TO W		38 N		12
9179		6489	4 3M (14 FT) 3PH 24A POWER COR		268 N		12
9179		6491	4 3M (14 FT) 1PH 48A PWR CORD		295 N		12
9179		6492	4 3M (14 FT) 1PH 48 60A PWR CO		295 N		12
9179		6493	POWER CORD 2 7M (9 FOOT) TO W		13 N		12
9179		6494	POWER CORD 2 7M (9 FOOT) TO W		13 N		12
9179		6496	POWER CORD 2 7M (9 FOOT) TO W		13 N		12
9179		6497	POWER CORD (6 FOOT) TO WALL O		24 N		12
9179		6577	POWER CABLE DRAWER TO IBM PD		14 N		12
9179		6580	OPTIONAL RACK SECURITY KIT		131 N		12
9179		6586	MODEM TRAY FOR 19 INCH RACK		184 N		12
9179		6651	POWER CORD 2 7M (9 FOOT) TO W		13 N		12
9179		6800	PCI 1GBPS ETHERNET IOA		643 N		12
9179		7109	INTELLIGENT PDU+ 1 EIA UNIT		1072 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9179		7118	ENVIRONMENTAL MONITORING PROBE	272	N		12
9179		7188	POWER DISTRIBUTION UNIT	738	N		12
9179		7314	I O DRAWER MOUNTING ENCLOSURE	512	N		12
9179		7518	QUANTITY 150 OF 3677	72919	N		12
9179		7519	QUANTITY 150 OF 3678	139127	N		12
9179		7535	QUANTITY 150 OF 3586	761734	N		12
9179		7536	QUANTITY 150 OF 3587	761734	N		12
9179		7538	QUANTITY 150 OF 3658	190461	N		12
9179		7543	QUANTITY 150 OF 1884	72919	N		12
9179		7544	QUANTITY 150 OF 1888	72919	N		12
9179		7545	QUANTITY 150 OF 1890	761734	N		12
9179		7546	QUANTITY 150 OF 1909	761734	N		12
9179		7547	QUANTITY 150 OF 1885	116872	N		12
9179		7548	QUANTITY 150 OF 1886	116872	N		12
9179		7549	QUANTITY 150 OF 3647	72919	N		12
9179		7564	QUANTITY 150 OF 3648	139127	N		12
9179		7565	QUANTITY 150 OF 3649	190461	N		12
9179		7633	PROC COD UTILITY BILLING FOR F	2	N		12
9179		7634	PROC COD UTILITY BILLING FOR F	19	N		12
9179		7635	1 PROC DAY ON OFF BILLING FOR	19	N		12
9179		7636	1 PROC DAY ON OFF BILLING FOR	139	N		12
9179		7802	ETHERNET CABLE 15M HARDWARE	25	N		12
9179		7863	PCI BLIND SWAP CASSETTE KIT D	48	N		12
9179		8143	LINUX SOFTWARE PREINSTALL	44	N		12
9179		8144	LINUX SOFTWARE PREINSTALL (BUS	44	N		12
9179		8213	ACTIVATION OF 100 GB DDR3 POWE	18267	N		12
9179		8845	USB MOUSE	28	N		12
9393	SNP		8S0421 'LIC' 9393 MODEL SNP	66196	N	3	0
9393		0700	CACHE SIZE 1024 MB	84197	N		12
9393		0701	CACHE SIZE 1792 MB	109097	N		12
9393		0702	CACHE SIZE 2048 MB	117625	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9393		0710	1024MB EFFECTIVE CACHE	32006	N		12
9393		2001	160GB EFFECTIVE CAPACITY	101707	N		12
9393		4001	16 PARALLEL CHANNELS	11485	N		12
9393		5002	80GB EFFECT.CAPACITY INCREMENT	52232	N		12
9393		5003	210GB EFFECT.CAPACITY INCREM	134309	N		12
9406	810		ISERIES	0	Y	2	12
9406		0032	MODEM	423	N		12
9406		0348	V.24/EIA232 20-FT PCI CABLE	101	N		12
9406		0353	V.35 20-FT PCI CABLE	101	N		12
9406		0359	X.21 20-FT PCI CABLE	122	N		12
9406		0367	OPERATIONS CONSOLE PCI CABLE	101	N		12
9406		0371	LC-SC ADAPTER KIT (50UM)	66	N		12
9406		0372	LC-SC ADAPTER KIT (62.5UM)	66	N		12
9406		0456	CUSTOMER PLACEMENT	322	N		12
9406		0469	CUSTOM RACK PLACEMENT	403	N		12
9406		0551	ISERIES RACK	2150	N		12
9406		0553	ISERIES 2.0M RACK	2922	N		12
9406		0555	ISERIES 25U RACK	1611	N		12
9406		0599	RACK FILLER PANEL KIT	60	N		12
9406		0601	LINUX DIR ATTACH-2743	1467	N		12
9406		0602	LINUX DIR ATTACH-2760	1467	N		12
9406		0607	LINUX DIR ATTACH-4838	484	N		12
9406		0611	DIRECT ATTACH - 2765	3063	N		12
9406		0612	LINUX DIR ATTACH-2766	4836	N		12
9406		0613	LINUX DIR ATTACH-2742	343	N		12
9406		0616	LINUX DIR ATTACH-2805	1290	N		12
9406		0625	DIRECT ATTACH - 5704	2132	N		12
9406		0626	LINUX DIR ATTACH-2787	4997	N		12
9406		0628	LINUX DIR ATTACH-5703	2418	N		12
9406		0630	PCI-X 1GBPS ISCSI TOE-COPPER	959	N		12
9406		0645	DIRECT ATTACH-5712	473	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9406		0647	PCI-X DISK/TAPE CTRLR NO IOP		473 N		12
9406		1266	35.16GB 15K RPM DISK UNIT		966 N		12
9406		1268	141.12GB 15K RPM DISK UNIT		1047 N		12
9406		1293	36.4GB 10K RPM DISK UNIT		483 N		12
9406		1294	73.4GB 10K RPM DISK UNIT		483 N		12
9406		1295	146.8GB 10K RPM DISK UNIT		563 N		12
9406		1296	36.4GB 15K RPM DISK UNIT		483 N		12
9406		1308	2.5M HSL - 2 CABLE		363 N		12
9406		1462	15M COPPER HSL CABLE		887 N		12
9406		1470	6M OPTICAL HSL CABLE		443 N		0
9406		1481	1M HSL - 2 CABLE		282 N		12
9406		1482	3.5 M HSL-2 CABLE		443 N		12
9406		1483	10M HSL-2 CABLE		685 N		12
9406		1485	15M HSL-2 CABLE		887 N		12
9406		1782	TCOD BILLING FOR MOD 825		443 N		12
9406		1783	TCOD BILLING FOR MOD 825		443 N		12
9406		1785	TCOD BILLING FOR MOD 870		484 N		12
9406		1786	TCOD BILLING FOR MOD 870		484 N		12
9406		1788	TCOD BILLING FOR MOD 890		524 N		12
9406		1789	TCOD BILLING FOR MOD 890		524 N		12
9406		1791	TCOD BILLING FOR MOD 890		524 N		12
9406		1792	TCOD BILLING FOR MOD 890		524 N		12
9406		1800	HSL-2 PORTS-2 COPPER		2660 N		12
9406		1802	12X CHANNEL CEC GX ADAPTER		1208 N		12
9406		1827	SERIAL-UPS CONVERSION CABLE		77 N		12
9406		1860	ASYNC TERMINAL/PRT CABLE		60 N		12
9406		1873	DWR TO DWR SERIAL CABLE		53 N		12
9406		1874	RACK TO RACK SERIAL CABLE		53 N		12
9406		1875	SERIAL PORT CONVERTER CABLE		16 N		12
9406		1894	73.4GB 10K RPM DISK UNIT		483 N		12
9406		1895	146.8GB 10K RPM DISK UNIT		563 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9406		1896	36.4GB 15K RPM DISK UNIT		483 N		12
9406		2670	OPTICAL BUS RECEIVER (220MBPS)		4030 N		0
9406		2742	PCI 2-LINE WAN IOA		343 N		12
9406		2743	PCI 1GBPS ETHERNET IOA		1467 N		12
9406		2760	PCI 1GBPS ETHERNET UTP IOA		1467 N		12
9406		2766	PCI FIBRE CHANNEL DISK CTRLR		4836 N		12
9406		2787	PCI-X FIBRE CHAN DISK CTRLR		4997 N		12
9406		2805	PCI QUAD MODEM IOA		1290 N		12
9406		2893	PCIE 2-LINE WAN W/MODEM		472 N		12
9406		2934	ASYNCRM TERMINAL/PRT CABLE		29 N		12
9406		2936	ASYNCRM MODEM CABLE		48 N		12
9406		3578	300GB 10K RPM DISK UNIT		1289 N		12
9406		3647	146.8GB 15K RPM SAS DISK DRV		401 N		12
9406		3648	300GB 15K RPM SAS DISK DRV		927 N		12
9406		3660	PROC FABRIC CABLE - 2 DRAWER		1612 N		12
9406		3664	PROC FABRIC CABLE - 3 DRAWER		3224 N		12
9406		3665	PROC FABRIC CABLE - 4 DRAWER		6448 N		12
9406		3677	139.5GB 15K RPM SAS DISK DRV		401 N		12
9406		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9406		4242	6-FT EXT CABLE FOR DISPLAY		66 N		12
9406		4256	EXTENDER CABLE FOR KEYBD		33 N		12
9406		4326	35.16GB 15K RPM DISK UNIT		966 N		12
9406		4400	1GB DDR2 MAIN STORAGE		488 N		12
9406		4684	30GB 1/4-INCH CARTRIDGE TAPE		3224 N		12
9406		4688	160GB VXA-320 TAPE DRIVE		1209 N		12
9406		4813	PCI INTEG XSERIES SERVER		2241 N		12
9406		4838	PCI 100/10MBPS ETHERNET IOA		484 N		12
9406		5403	ONE PROCESSOR ACTIVATION		14267 N		12
9406		5404	UTILITY BILLING 100 PROC MIN		790 N		12
9406		5490	ENTERPRISE ENABLEMENT		40302 N		12
9406		5491	FULL ENTERPRISE ENABLE		161209 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9406		5636	IVE - 2X1GB ETHERNET		321 N		12
9406		5639	IVE - 4X1GB ETHERNET		563 N		12
9406		5646	PCIE BLIND SWAP CASSET SHORT		40 N		12
9406		5647	PCIE BLIND SWAP CASSET STD		40 N		12
9406		5648	SERVICE INTERFACE CARD		806 N		12
9406		5656	ON/OFF 1PROC-1DAY BILLING		476 N		12
9406		5657	SERV INTERFACE CABLE - 2 DRW		1612 N		12
9406		5660	SERV INTERFACE CABLE - 4 DRW		6448 N		12
9406		5680	1GB CUOD MEMORY ACTIVATION		262 N		12
9406		5691	ON/OFF 1GB-1DAY MEMORY BILL		2 N		12
9406		5693	0/4GB DDR2 MEMORY		262 N		12
9406		5694	0/8GB DDR2 MEMORY		524 N		12
9406		5695	0/16GB DDR2 MEMORY		1048 N		12
9406		5696	0/32GB DDR2 MEMORY		2096 N		12
9406		5703	PCI-X RAID DISK UNIT CTRLR		1611 N		12
9406		5704	PCI-X FIBRE CHAN TAPE CTRLR		2132 N		12
9406		5706	PCI-X 1GBPS ETHERNET-TX IOA		805 N		12
9406		5712	PCI-X TAPE/DASD CONTROLLER		473 N		12
9406		5736	PCI-X DISK/TAPE CTRLR W/IOP		473 N		12
9406		5739	PCI-X EXP24 CTRLR - 1.5GB W/IOP		6851 N		12
9406		5759	4GBPS FIBRE CHANNEL (2-PORT)		2666 N		12
9406		5766	PCI-X TAPE CTRLR (5736 EQUIV)		473 N		12
9406		5767	PCIE 1GB ETHERNET UTP 2PORT		563 N		12
9406		5768	PCIE 1GB ETHERNET FIBER 2PRT		1065 N		12
9406		5774	PCIE 4GB FIBRE CHANNEL 2PORT		2666 N		12
9406		5775	PCI-X DISK/TAPE CTRLR-NO IOP		473 N		12
9406		5778	PCI-X EXP24 CTL-1.5GB NO IOP		6851 N		12
9406		5781	PCI-X EXP24 CTRLR-1.5GB W/IOP		6892 N		12
9406		5782	PCI-X EXP24 CTL-1.5GB NO IOP		6892 N		12
9406		5783	PCI-X ISCSI HBA COPPER		805 N		12
9406		5796	PCI-DDR 12X EXPANSION DRAW		4385 N		12

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
9406		5871	STANDARD EDITION FOR #0954	802015	N		12
9406		5872	STANDARD EDITION FOR #0955	1269521	N		12
9406		5876	CBU STD EDITION FOR #0959	540050	N		12
9406		5890	ENTERPRISE EDITION FOR #0953	1027708	N		12
9406		5891	ENTERPRISE EDITION FOR #0954	1285642	N		12
9406		5892	ENTERPRISE EDITION FOR #0955	1813602	N		12
9406		5896	CBU EDITION FOR #0959	701259	N		12
9406		5951	USB KEYBOARD-US ENGLISH	66	N		12
9406		5955	USB KEYBOARD-UK ENGLISH	66	N		12
9406		6006	SPCN POWER CABLE - 3M	32	N		12
9406		6007	SPCN POWER CABLE - 15M	64	N		12
9406		6068	OPT FRONT DOOR FOR 1.8M RACK	363	N		12
9406		6069	OPT FRONT DOOR FOR 2.0M RACK	443	N		12
9406		6186	BULK POWER REGULATOR	3224	N		12
9406		6248	1.8M RACK ACOUSTIC DOORS	2632	N		12
9406		6249	2.0M RACK ACOUSTIC DOORS	2632	N		12
9406		6258	36GB 4MM TAPE UNIT	764	N		12
9406		6279	160GB VXA-320 TAPE DRIVE	1209	N		12
9406		6417	HSL-2/RIO-2 BUS ADAPTER	709	N		12
9406		6446	12X SHORT RUN 5796 ATTACH	463	N		12
9406		6457	12X LONG RUN 5796 ATTACH	2015	N		12
9406		6492	14-FT 1PH/48-60A PWR CORD	194	N		12
9406		6497	6-FT 250V/15A POWER CORD	32	N		12
9406		6580	OPTIONAL RACK SECURITY KIT	145	N		12
9406		6586	MODEM TRAY FOR 19-INCH RACK	202	N		12
9406		6598	DISK SLOT FILLER (QTY 4)	32	N		12
9406		6654	14-FT 1PH/24-30A PWR CORD	161	N		12
9406		6671	9FT IEC 320 C13/14 PDU CORD	13	N		12
9406		6672	5FT IEC 320 C13/14 PDU CORD	13	N		12
9406		6805	PCI 2-LINE WAN IOA NO IOP	343	N		12
9406		6808	PCI 4-MODEM WAN IOA NO IOP	1290	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9406		7188	POWER DIST UNIT-SIDE MOUNT		806 N		12
9406		7204	QUANTITY 150 OF 2124		15113 N		12
9406		7205	QUANTITY 150 OF 2125		16927 N		12
9406		7206	QUANTITY 150 OF 2126		18741 N		12
9406		7207	QUANTITY 150 OF 2127		25390 N		12
9406		7208	QUANTITY 150 OF 2128		39899 N		12
9406		7213	QUANTITY 150 OF 2138		9068 N		12
9406		7256	520 ENTERPRISE ENABLEMENT		40302 N		12
9406		7257	550 ENTERPRISE ENABLEMENT		40302 N		12
9406		7258	570 FULL ENTERPRISE ENABLE		120907 N		12
9406		7259	595 FULL ENTERPRISE ENABLE		201511 N		12
9406		7260	570 ENTERPRISE ENABLEMENT		40302 N		12
9406		7261	595 ENTERPRISE ENABLEMENT		40302 N		12
9406		7272	2GB CUOD MEMORY ACTIVATION		524 N		12
9406		7273	4GB CUOD MEMORY ACTIVATION		1048 N		12
9406		7274	8GB CUOD MEMORY ACTIVATION		2096 N		12
9406		7275	16GB CUOD MEMORY ACTIVATION		4191 N		12
9406		7276	32GB CUOD MEMORY ACTIVATION		8383 N		12
9406		7314	DUAL 5796 UNIT ENCLOSURE		423 N		12
9406		7320	520 ONE PROCESSOR ACTIVATION		1451 N		12
9406		7323	550 ONE PROCESSOR ACTIVATI		1693 N		12
9406		7341	550 ON/OFF PROC DAY BILLING		411 N		12
9406		7463	ENTERPRISE EDITION FOR #0915		214408 N		12
9406		7514	QUANTITY 150 OF 5741		60332 N		12
9406		7515	QUANTITY 150 OF 5742		120665 N		12
9406		7522	QUANTITY 150 OF 1268		157058 N		12
9406		7576	550 ENTERPRISE ENABLEMENT		80605 N		12
9406		7577	570 ENTERPRISE ENABLEMENT		120907 N		12
9406		7579	595 ENTERPRISE ENABLEMENT		120907 N		12
9406		7593	595 ON/OFF PROC DAY BILLING		588 N		12
9406		7597	570 FULL ENTERPRISE ENABLE		201511 N		12

<b>Machine</b>				<b>GSA</b>	<b>Customer</b>	<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Setup</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>		<b>Class</b>	<b>Test Period</b>
9406		7598	595 FULL ENTERPRISE ENABLE	282116	N		12
9406		7618	570 ONE PROCESSOR ACTIVATI	9310	N		12
9406		7621	ON/OFF PROC DAY BILLING	240	N		12
9406		7622	520 RESERVE CAPACITY PREPAID	7206	N		12
9406		7624	570 ON/OFF PROC DAY BILLING	476	N		12
9406		7663	570 1GB MEM ACTIVATION	1308	N		12
9406		7668	595 ONE PROCESSOR ACTIVATI	28195	N		12
9406		7669	1GB DDR2 MEMORY ACTIVATION	1343	N		12
9406		7711	CBU EDITION FOR 0906	51587	N		12
9406		7728	570 RESERVE CAPACITY PREPAID	14267	N		12
9406		7734	ENTERPRISE EDITION FOR 0906	40705	N		12
9406		7735	ENTERPRISE EDITION FOR 0906	74882	N		12
9406		7736	ENTERPRISE EDITION FOR 0906	104705	N		12
9406		7741	550 RESERVE CAPACITY PREPAID	12332	N		12
9406		7747	ENTERPRISE EDITION FOR 0934	233753	N		12
9406		7748	ENTERPRISE EDITION FOR 0935	314358	N		12
9406		7749	ENTERPRISE EDITION FOR 0936	475567	N		12
9406		7760	CBU EDITION FOR 0937	221662	N		12
9406		7784	STANDARD EDITION FOR 0906	28292	N		12
9406		7799	595 256GB MEMORY ACTIVATION	490281	N		12
9406		7802	15M HMC ATTACHMENT CABLE	20	N		12
9406		7815	595 ONE PROCESSOR ACTIVATI	26196	N		12
9406		7837	BULK POWER DISTRIBUTION	2015	N		12
9406		7840	SIDE-BY-SIDE FOR 1.8M RACKS	403	N		12
9406		7841	RUGGEDIZE RACK KIT	1209	N		12
9406		7863	BLIND SWAP CASSETTE (DOUBLE)	40	N		12
9406		7871	550 CUOD PROC ACTIVATION	2982	N		12
9406		7897	570 CUOD PROC ACTIVATION	6207	N		12
9406		7925	595 ONE PROCESSOR ACTIVATI	16927	N		12
9406		7926	595 RESERVE CAPACITY PREPAID	17652	N		12
9406		7931	550 ON/OFF PROC DAY BILLING	435	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9406		7934	550 RESERVE CAPACITY PREPAID	13058	N		12
9406		7940	ADV POWER VIRTUALIZATION	0	N		12
9406		7942	ADW POWER VIRTUALIZATION	0	N		12
9406		7952	570 ON/OFF PROC DAY BILLING	476	N		12
9406		7970	595 1GB MEMORY ACTIVATION	1914	N		12
9406		7972	595 ON/OFF PROC DAY BILLING	588	N		12
9406		7974	595 1GB MEMORY DAY BILLING	24	N		12
9406		7975	595 RESERVE CAPACITY REPAID	17652	N		12
9406		7985	ENTERPRISE EDITION FOR #0952	1868413	N		12
9406		7993	595 ON/OFF PROC DAY BILLING	588	N		12
9406		8468	595 RESERVE CAPACITY PREPAID	17652	N		12
9406		8686	14-FT 250V/70A POWER CORD	2015	N		12
9406		8697	14-FT 480V/30A POWER CORD	1612	N		12
9407		0032	MODEM	423	N		12
9407		0348	V.24/EIA232 20-FT PCI CBL	101	N		12
9407		0353	V.35 20-FT PCI CBL	101	N		12
9407		0359	X.21 20-FT PCI CBL	122	N		12
9407		0367	OPERATIONS CONSOLE PCI CBL	101	N		12
9407		0371	LC SC ADAPTER KIT (50UM)	66	N		12
9407		0372	LC SC ADAPTER KIT (62.5UM)	66	N		12
9407		0551	ISERIES RACK	2150	N		12
9407		0553	19 INCH 2.0 METER RACK	2922	N		12
9407		0555	ISERIES 25U RACK	1611	N		12
9407		0599	RACK FILLER PANEL KIT	60	N		12
9407		0620	DIRECT ATTACH-5700	695	N		12
9407		0621	DIRECT ATTACH-5701	563	N		12
9407		0630	PCI X 1GBPS ISCSI TOE COPPER	959	N		12
9407		0647	PCI-X DISK/TAPE CTRLR NO IOP	473	N		12
9407		1025	MODEM CABLE -US/CANADA	11	N		12
9407		1827	SERIAL-UPS CONVERSION CABLE	77	N		12
9407		1843	OP PANEL CABLE FOR DESKSIDE	4	N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9407		1860	ASYNCR TERMINAL/PRT CABLE		60 N		12
9407		1875	SERIAL PORT CONVERTER CABLE		16 N		12
9407		1877	OP PANEL CABLE FOR RACK MOUNT		4 N		12
9407		1897	73.4GB 15K RPM DISK UNIT		531 N		12
9407		2742	PCI TWO-LINE WAN IOA		343 N		12
9407		2793	PCI 2-LINE WAN W/MODEM		472 N		12
9407		2805	PCI QUAD MODEM IOA		1290 N		12
9407		2893	PCIE 2 LINE WAN W/MODEM		472 N		12
9407		2934	ASYNCR TERMINAL/PRT CABLE		29 N		12
9407		2936	ASYNCR MODEM CABLE		48 N		12
9407		3677	139.5GB 15K RPM SAS DISK DRV		401 N		12
9407		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9407		3684	SAS CABLE (AE) ADPT ENCL 3M		121 N		12
9407		3685	SAS CABLE (AE) ADPT ENCL 6M		242 N		12
9407		4327	70.56GB 15K RPM DISK UNIT		608 N		12
9407		4328	141.12GB 15K RPM DISK UNIT		790 N		12
9407		4400	1GB DDR2 MAIN STORAGE		488 N		12
9407		4520	1GB RDIMM MEMORY		210 N		12
9407		4521	2GB RDIMM MEMORY		410 N		12
9407		4523	8GB RDIMM MEMORY		1673 N		12
9407		5572	FOUR 70GB DISK PACKAGE		1612 N		12
9407		5619	SAS TAPE DRIVE		1472 N		12
9407		5623	2 PORT 1GB IVE DAUGHTER CARD		242 N		12
9407		5624	4 PORT 1GB IVE DAUGHTER CARD		425 N		12
9407		5679	175MB SAS RAID ENABLEMENT		2015 N		12
9407		5700	PCI 1GBPS ETHERNET IOA		695 N		12
9407		5701	PCI 1GBPS ETHERNET UTP IOA		563 N		12
9407		5706	PCI-X 1GBPS ETHERNET-TX IOA		805 N		12
9407		5717	1GB ETHRNET UTP 4 PORT ADPTR		886 N		12
9407		5736	PCI-X DISK/TAPE CTRLR W/IOP		473 N		12
9407		5746	HH 800GB LTO4 SAS TAPE DRIVE		3224 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9407		5749	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9407		5759	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9407		5767	PCIE 1GB ETHERNET UTP 2PORT	563	N		12
9407		5768	PCIE 1GB ETHERNET FIBER 2PRT	1065	N		12
9407		5774	PCIE 4GB FIBER CHANNEL 2PORT	2666	N		12
9407		5775	PCI-X DISK/TAPE CTRLR-NO IOP	473	N		12
9407		5783	PCI-X ISCSI HBA COPPER	805	N		12
9407		5912	PCI X SAS ADAPTER	665	N		12
9407		6068	OPT FRONT DOOR FOR 1.8M RACK	363	N		12
9407		6069	OPT FRONT DOOR FOR 2.0M RACK	443	N		12
9407		6248	1.8M RACK ACOUSTIC DOORS	2632	N		12
9407		6249	2.0M RACK ACOUSTIC DOORS	2632	N		12
9407		6458	14-FT INT 250V/10A PWR CD	11	N		12
9407		6460	14-FT 125V/15A POWER CORD	11	N		12
9407		6469	14-FT 250V/15A PWR CRD	11	N		12
9407		6470	6-FT 125V/15A PWR CRD	11	N		12
9407		6487	6-FT 250V/15A POWER CORD	11	N		12
9407		6492	14-FT 1PH/48-60A PWR CRD	194	N		12
9407		6497	6-FT 250V/15A PWR CRD	32	N		12
9407		6580	OPTIONAL RACK SECURITY KIT	145	N		12
9407		6586	MODEM TRAY FOR 19-INCH RACK	202	N		12
9407		6598	DISK SLOT FILLER (QTY 4)	32	N		12
9407		6654	14-FT 1PH/24-30A PWR CORD	161	N		12
9407		6671	9FT IEC 320 C13/14 PDU CORD	11	N		12
9407		6672	5FT IEC 320 C13/14 PDU CORD	11	N		12
9407		6800	PCI 1GBPS ETHERNET IOA	695	N		12
9407		6801	PCI 1GBPS ETHERNET UTP IOA	563	N		12
9407		6803	PCI WAN FOR ECS	645	N		12
9407		6805	PCI 2-LINE WAN IOA NO IOP	343	N		12
9407		6808	PCI 4-MODEM WAN IOA NO IOP	1290	N		12
9407		6833	PCI 2-LINE WAN W/MODEM NOIOP	472	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9407		7109	INTELLIGENT PDU PLUS		1173 N		12
9407		7112	DESKSIDE COVR SET W/DOOR		266 N		12
9407		7114	RACK MOUNT DRWR RAIL KIT		132 N		12
9407		7188	POWER DISTRIBUTION UNIT		806 N		12
9407		7200	RACK MOUNT DRWR BEZEL		241 N		12
9407		7703	950W POWER SUPPLY		217 N		12
9407		7802	15M HMC ATTACHMENT CABLE		20 N		12
9407		7840	SIDE BY SIDE FOR 1.8M RACKS		403 N		12
9407		7841	RUGGEDIZE RACK KIT		1209 N		12
9407		7966	ADV POWER VIRUTALIZATION		0 N		12
9408		0032	MODEM		423 N		12
9408		0348	V.24/EIA232 20 FT PCI CABLE		101 N		12
9408		0353	V.35 20 FT PCI CABLE		101 N		12
9408		0359	X.21 20 FT PCI CABLE		302 N		12
9408		0367	OPERATIONS CONSOLE PCI CABLE		101 N		12
9408		0371	LC SC ADAPTER KIT (50UM)		66 N		12
9408		0372	LC SC ADAPTER KIT (62.5UM)		66 N		12
9408		0446	512MB DDR SERVER MEMORY		355 N		12
9408		0456	CUSTOMER PLACEMENT		322 N		12
9408		0469	CUSTOM RACK PLACEMENT		403 N		12
9408		0551	19 INCH 1.8 METER RACK		2150 N		12
9408		0553	19 INCH 2.0 METER RACK		2922 N		12
9408		0555	19 INCH 1.3 METER RACK		1611 N		12
9408		0595	PCI X TOWER UNIT IN RACK		5799 N		12
9408		0599	RACK FILLER PANEL KIT		60 N		12
9408		0603	DIRECT ATTACH 2744		677 N		12
9408		0613	DIRECT ATTACH 2742		343 N		12
9408		0614	DIRECT ATTACH 2793		472 N		12
9408		0616	DIRECT ATTACH 2805		1290 N		12
9408		0620	DIRECT ATTACH 5700		695 N		12
9408		0621	DIRECT ATTACH 5701		563 N		12



<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9408		0624	DIRECT ATTACH 5702		530 N		12
9408		0625	DIRECT ATTACH 5704		2132 N		12
9408		0626	DIRECT ATTACH 2787		4997 N		12
9408		0629	4GBPS FIBRE CHANNEL (1PORT)		2132 N		12
9408		0630	PCI X 1GBPS ISCSI TOE COPPER		959 N		12
9408		0645	DIRECT ATTACH 5712		473 N		12
9408		0647	PCI X DISK/TAPE CTRLR NO IOP		473 N		12
9408		1025	MODEM CABLE US/CANADA		11 N		12
9408		1266	35.16GB 15K RPM DISK UNIT		966 N		12
9408		1267	70.56GB 15K RPM DISK UNIT		608 N		12
9408		1268	141.12GB 15K RPM DISK UNIT		790 N		12
9408		1269	282.25GB 15K RPM DISK UNIT		1704 N		12
9408		1293	36.4GB 10K RPM DISK UNIT		483 N		12
9408		1294	73.4GB 10K RPM DISK UNIT		483 N		12
9408		1295	146.8GB 10K RPM DISK UNIT		563 N		12
9408		1296	36.4GB 15K RPM DISK UNIT		483 N		12
9408		1297	73.4GB 15K RPM DISK UNIT		531 N		12
9408		1298	146.8GB 15K RPM DISK UNIT		790 N		12
9408		1299	300GB 10K RPM DISK UNIT		1289 N		12
9408		1308	2.5M HSL 2/RIO 2 CABLE		363 N		12
9408		1481	1.2M HSL2/RIO2 CABLE		282 N		12
9408		1482	3.5M HSL2/RIO2 CABLE		443 N		12
9408		1483	10M HSL2/RIO2 CABLE		685 N		12
9408		1485	15M HSL2/RIO2 CABLE		887 N		12
9408		1827	SERIAL UPS CONVERSION CABLE		77 N		12
9408		1843	OP PANEL CABLE FOR DESKSIDE		4 N		12
9408		1860	ASYNC TERMINAL/PRT CABLE		60 N		12
9408		1873	DWR TO DWR SERIAL CABLE		53 N		12
9408		1874	RACK TO RACK SERIAL CABLE		53 N		12
9408		1875	SERIAL PORT CONVERTER CABLE		16 N		12
9408		1877	OP PANEL CABLE FOR RACK MOUNT		4 N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9408		1893	36.4GB 10K RPM DISK UNIT		605 N		12
9408		1894	73.4GB 10K RPM DISK UNIT		483 N		12
9408		1895	146.8GB 10K RPM DISK UNIT		563 N		12
9408		1896	36.4GB 15K RPM DISK UNIT		483 N		12
9408		1897	73.4GB 15K RPM DISK UNIT		531 N		12
9408		1898	146.8GB DISK UNIT		790 N		12
9408		2742	PCI TWO LINE WAN IOA		343 N		12
9408		2744	PCI 100 MBPS TOKEN RING IOA		677 N		12
9408		2780	PCI X ULTRA4 RAID DISK CTRLR		4997 N		12
9408		2787	PCI X FIBRE CHAN DISK CTRLR		4997 N		12
9408		2793	PCI 2 LINE WAN W/MODEM		472 N		12
9408		2805	PCI QUAD MODEM IOA		1290 N		12
9408		2893	PCIE 2 LINE WAN W/MODEM		472 N		12
9408		2934	ASYNCR TERMINAL/PRT CABLE		29 N		12
9408		2936	ASYNCR MODEM CABLE		48 N		12
9408		3647	146.8GB 15K RPM SAS DISK DRV		401 N		12
9408		3648	300GB 15K RPM SAS DISK DRV		927 N		12
9408		3652	SAS CABLE (EE) DRWR DRWR 1M		40 N		12
9408		3653	SAS CABLE (EE) DRWR DRWR 3M		56 N		12
9408		3654	SAS CABLE (EE) DRWR DRWR 6M		97 N		12
9408		3674	SAS CABLE DASD BP TO BULKHD		64 N		12
9408		3677	139.5GB 15K RPM SAS DISK DRV		401 N		12
9408		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9408		3684	SAS CABLE (AE) ADPT ENCL 3M		121 N		12
9408		3685	SAS CABLE (AE) ADPT ENCL 6M		242 N		12
9408		3687	SAS CABLE SYS TO ENCL 3M		89 N		12
9408		3691	SAS CBL (YO) 1X ADP ENC 1.5M		73 N		12
9408		3692	SAS CABLE (YO) 1X ADP ENC 3M		89 N		12
9408		3693	SAS CABLE (YO) 1X ADP ENC 6M		121 N		12
9408		4326	35.16GB 15K RPM DISK UNIT		966 N		12
9408		4327	70.56GB 15K RPM DISK UNIT		608 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9408		4328	141.12GB 15K RPM DISK UNIT		790 N		12
9408		4329	282.25GB 15K RPM DISK UNIT		1704 N		12
9408		4520	1GB RDIMM MEMORY		210 N		12
9408		4521	2GB RDIMM MEMORY		410 N		12
9408		4523	8GB RDIMM MEMORY		1673 N		12
9408		4524	16GB RDIMM MEMORY		3345 N		12
9408		4812	PCI INTEG XSERIES SERVER		2241 N		12
9408		5094	PCI X EXPANSION TOWER		12816 N		12
9408		5294	1.8M I/O TOWER		42640 N		12
9408		5582	5738 CTRLR W/AUX WRITE CACHE		5638 N		12
9408		5583	5777 CTRLR W/AUX WRITE CACHE		5638 N		12
9408		5590	2780 CTRLR W/AUX WRITE CACHE		5638 N		12
9408		5614	GX DUAL PORT HSL2/ RIO2 ATT		1209 N		12
9408		5616	GX DUAL PORT 12X CHAN ATTCH		887 N		12
9408		5623	2 PORT 1GB IVE DAUGHTER CARD		242 N		12
9408		5624	4 PORT 1GB IVE DAUGHTER CARD		425 N		12
9408		5647	PCIE BLIND SWAP CASSETTE STD		40 N		12
9408		5654	1W PERM PROC ACTIV FOR 5634		1302 N		12
9408		5679	175MB SAS RAID ENABLEMENT		2015 N		12
9408		5700	PCI 1 GBPS ETHERNET IOA		695 N		12
9408		5701	PCI 1 GBPS ETHERNET UTP IOA		563 N		12
9408		5702	PCI X ULTRA TAPE CONTROLLER		530 N		12
9408		5704	PCI X FIBRE CHAN TAPE CTRLR		2132 N		12
9408		5706	PCI X 1GBPS ETHERNET TX IOA		805 N		12
9408		5712	PCI X TAPE CONTROLLER		473 N		12
9408		5715	PCI X TAPE/DASD CONTROLLER		530 N		12
9408		5717	1GB ETHRNET UTP 4 PORT ADPTR		886 N		12
9408		5736	PCI X DISK/TAPE CTRLR W/IOP		473 N		12
9408		5737	PCI X DISK CTRLR 90MB W/IOP		1611 N		12
9408		5738	PCI X DISK CTRLR 1.5GB W/IOP		4997 N		12
9408		5739	PCI X EXP24 CTRLR 1.5GB W/IOP		6851 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9408		5746	HH 800GB LTO4 SAS TAPE DRIVE	3224	N		12
9408		5749	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9408		5759	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9408		5767	PCIE 1GB ETHERNET UTP 2PORT	563	N		12
9408		5768	PCIE 1GB ETHERNET FIBER 2PRT	1065	N		12
9408		5774	PCIE 4GB FIBER CHANNEL 2PORT	2666	N		12
9408		5775	PCI X DISK/TAPE CTRLR NO IOP	473	N		12
9408		5776	PCI X DISK CTRLR 90MB NO IOP	1611	N		12
9408		5777	PCI X DISK CTRLR 1.5GB NO IOP	4997	N		12
9408		5778	PCI X EXP24 CTL 1.5GB NO IOP	6851	N		12
9408		5781	PCI X EXP24 CTRLR 1.5GB W/IOP	6892	N		12
9408		5782	PCI X EXP24 CTL 1.5GB NO IOP	6892	N		12
9408		5783	PCI X ISCSI HBA COPPER	805	N		12
9408		5796	PCI DDR 12X EXPANSION DRAWER	4385	N		12
9408		5886	EXP 12S SAS DISK DRAWER	3990	N		12
9408		5912	PCI X SAS ADAPTER	665	N		12
9408		6006	SPCN POWER CABLE 3M	32	N		12
9408		6007	SPCN POWER CABLE 15M	56	N		12
9408		6068	OPT FRONT DOOR FOR 1.8M RACK	363	N		12
9408		6069	OPT FRONT DOOR FOR 2.0M RACK	443	N		12
9408		6248	1.8M RACK ACOUSTIC DOORS	2176	N		12
9408		6249	2.0M RACK ACOUSTIC DOORS	2176	N		12
9408		6417	HSL 2/RIO G BUS ADAPTER	645	N		12
9408		6446	12X SHORT RUN 5796 ATTACH	463	N		12
9408		6457	12X LONG RUN 5796 ATTACH	2015	N		12
9408		6458	14 FT INT 250V/10A PWR CD	11	N		12
9408		6470	6 FT 125V/15A POWER CORD	11	N		12
9408		6492	14 FT 1PH/48 60A PWR CORD	161	N		12
9408		6497	6 FT 250V/15A POWER CORD	32	N		12
9408		6580	OPTIONAL RACK SECURITY KIT	145	N		12
9408		6586	MODEM TRAY FOR 19 INCH RACK	202	N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9408		6598	DISK SLOT FILLER (QTY 4)		32 N		12
9408		6654	14 FT 1HP/24 30A PWR CORD		161 N		12
9408		6655	14 FT 1HP/24 30A WR PWR CORD		161 N		12
9408		6671	9FT IEC 320 C13/14 PDU CORD		11 N		12
9408		6672	5FT IEC 320 C13/14 PDU CORD		11 N		12
9408		6699	RIO 2 BUS ADAPTER		645 N		12
9408		6800	PCI 1GBPS ETHERNET IOA		695 N		12
9408		6801	PCI 1GBPS ETHERNET UTP IOA		563 N		12
9408		6805	PCI 2 LINE WAN IOA NO IOP		343 N		12
9408		6808	PCI 4 MODEM WAN IOA NO IOP		1290 N		12
9408		6833	PCI 2 LINE WAN W/MODEM NOIOP		472 N		12
9408		7109	INTELLIGENT PDU PLUS		1173 N		12
9408		7112	DESKSIDE COVR SET W/DOOR		242 N		12
9408		7114	RACK MOUNT DRWR RAIL KIT		121 N		12
9408		7188	POWER DISTRIBUTION UNIT		806 N		12
9408		7200	RACK MOUNT DRWR BEZEL		121 N		12
9408		7204	QUANTITY 150 OF 2124		15113 N		12
9408		7205	QUANTITY 150 OF 2125		16927 N		12
9408		7206	QUANTITY 150 OF 2126		18741 N		12
9408		7207	QUANTITY 150 OF 2127		25390 N		12
9408		7208	QUANTITY 150 OF 2128		39899 N		12
9408		7213	QUANTITY 150 OF 2138		9068 N		12
9408		7314	DUAL 5796 UNIT ENCLOSURE		423 N		12
9408		7703	950W POWER SUPPLY		217 N		12
9408		7780	2.0M RACK SIDE ATTACH KIT		121 N		12
9408		7802	15M HMC ATTACHMENT CABLE		20 N		12
9408		7840	SIDE BY SIDE FOR 1.8M RACKS		403 N		12
9408		7841	RUGGEDIZE RACK KIT		1209 N		12
9408		7863	BLIND SWAP CASSETTE (DOUBLE)		40 N		12
9409		0348	V.24/EIA232 20 FT PCI CABLE		101 N		12
9409		0353	V.35 20 FT PCI CABLE		101 N		12

<b>Machine Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>GSA with IFF</b>	<b>Customer Setup</b>	<b>PEP Per Call Class</b>	<b>HW Warranty / Software Test Period</b>
9409		0359	X.21 20 FT PCI CABLE		302 N		12
9409		0367	OPERATIONS CONSOLE PCI CABLE		101 N		12
9409		0371	LC SC ADAPTER KIT (50UM)		66 N		12
9409		0372	LC SC ADAPTER KIT (62.5UM)		66 N		12
9409		0446	512MB DDR SERVER MEMORY		355 N		12
9409		0456	CUSTOMER PLACEMENT		322 N		12
9409		0469	CUSTOM RACK PLACEMENT		403 N		12
9409		0551	19 INCH 1.8 METER RACK		2150 N		12
9409		0553	19 INCH 2.0 METER RACK		2922 N		12
9409		0555	19 INCH 1.3 METER RACK		1611 N		12
9409		0595	PCI X TOWER UNIT IN RACK		5799 N		12
9409		0599	RACK FILLER PANEL KIT		60 N		12
9409		0603	DIRECT ATTACH 2744		677 N		12
9409		0613	DIRECT ATTACH 2742		343 N		12
9409		0614	DIRECT ATTACH 2793		472 N		12
9409		0616	DIRECT ATTACH 2805		1290 N		12
9409		0620	DIRECT ATTACH 5700		695 N		12
9409		0621	DIRECT ATTACH 5701		563 N		12
9409		0624	DIRECT ATTACH 5702		530 N		12
9409		0625	DIRECT ATTACH 5704		2132 N		12
9409		0626	DIRECT ATTACH 2787		4997 N		12
9409		0629	4GBPS FIBRE CHANNEL (1PORT)		2132 N		12
9409		0630	PCI X 1GBPS ISCSI TOE COPPER		959 N		12
9409		0645	DIRECT ATTACH 5712		473 N		12
9409		0647	PCI X DISK/TAPE CTRLR NO IOP		473 N		12
9409		1025	MODEM CABLE US/CANADA		11 N		12
9409		1266	35.16GB 15K RPM DISK UNIT		966 N		12
9409		1267	70.56GB 15K RPM DISK UNIT		608 N		12
9409		1268	141.12GB 15K RPM DISK UNIT		790 N		12
9409		1269	282.25GB 15K RPM DISK UNIT		1704 N		12
9409		1293	36.4GB 10K RPM DISK UNIT		483 N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9409		1294	73.4GB 10K RPM DISK UNIT		483 N		12
9409		1295	146.8GB 10K RPM DISK UNIT		563 N		12
9409		1296	36.4GB 15K RPM DISK UNIT		483 N		12
9409		1297	73.4GB 15K RPM DISK UNIT		531 N		12
9409		1298	146.8GB 15K RPM DISK UNIT		790 N		12
9409		1299	300GB 10K RPM DISK UNIT		1289 N		12
9409		1308	2.5M HSL2/RIO2 CABLE		363 N		12
9409		1481	1.2M HSL2/RIO2 CABLE		282 N		12
9409		1482	3.5M HSL2/RIO2 CABLE		443 N		12
9409		1483	10M HSL2/RIO2 CABLE		685 N		12
9409		1485	15M HSL2/RIO2 CABLE		887 N		12
9409		1827	SERIAL UPS CONVERSION CABLE		77 N		12
9409		1843	OP PANEL CABLE FOR DESKSIDE		4 N		12
9409		1860	ASYNC TERMINAL/PRT CABLE		60 N		12
9409		1873	DWR TO DWR SERIAL CABLE		53 N		12
9409		1874	RACK TO RACK SERIAL CABLE		53 N		12
9409		1875	SERIAL PORT CONVERTER CABLE		16 N		12
9409		1877	OP PANEL CABLE FOR RACKMOUNT		4 N		12
9409		1893	36.4GB 10K RPM DISK UNIT		605 N		12
9409		1894	73.4GB 10K RPM DISK UNIT		483 N		12
9409		1895	146.8GB 10K RPM DISK UNIT		563 N		12
9409		1896	36.4GB 15K RPM DISK UNIT		483 N		12
9409		1897	73.4GB 15K RPM DISK UNIT		531 N		12
9409		1898	146.8GB DISK UNIT		790 N		12
9409		2742	PCI TWO LINE WAN IOA		343 N		12
9409		2744	PCI 100 MBPS TOKEN RING IOA		677 N		12
9409		2780	PCI X ULTRA4 RAID DISK CTRLR		5481 N		12
9409		2787	PCI X FIBRE CHAN DISK CTRLR		4997 N		12
9409		2793	PCI 2 LINE WAN W/MODEM		472 N		12
9409		2805	PCI QUAD MODEM IOA		1290 N		12
9409		2893	PCIE 2 LINE WAN W/MODEM		472 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9409		2934	ASYNCR TERMINAL/PRT CABLE		29 N		12
9409		2936	ASYNCR MODEM CABLE		48 N		12
9409		2943	8 PORT ASYNCR ADAPTER		936 N		12
9409		3578	300GB 10K RPM DISK UNIT		1289 N		12
9409		3647	146.8GB 15K RPM SAS DISK DRV		401 N		12
9409		3648	300GB 15K RPM SAS DISK DRV		927 N		12
9409		3652	SAS CABLE (EE) DRWR DRWR 1M		40 N		12
9409		3653	SAS CABLE (EE) DRWR DRWR 3M		56 N		12
9409		3654	SAS CABLE (EE) DRWR DRWR 6M		97 N		12
9409		3668	SAS CABLE DASD BP TO BULKHD		64 N		12
9409		3677	139.5GB 15K RPM SAS DISK DRV		401 N		12
9409		3678	283.7GB 15K RPM SAS DISK DRV		927 N		12
9409		3684	SAS CABLE (AE) ADPT ENCL 3M		121 N		12
9409		3685	SAS CABLE (AE) ADPT ENCL 6M		242 N		12
9409		3687	SAS CABLE SYS TO ENCL 3M		89 N		12
9409		3691	SAS CBL (YO) 1X ADP ENC 1.5M		73 N		12
9409		3692	SAS CABLE (YO) 1X ADP ENC 3M		89 N		12
9409		3693	SAS CABLE (YO) 1X ADP ENC 6M		121 N		12
9409		4326	35.16GB 15K RPM DISK UNIT		966 N		12
9409		4327	70.56GB 15K RPM DISK UNIT		608 N		12
9409		4328	141.12GB 15K RPM DISK UNIT		790 N		12
9409		4329	282.25GB 15K RPM DISK UNIT		1704 N		12
9409		4520	1GB RDIMM MEMORY		210 N		12
9409		4521	2GB RDIMM MEMORY		410 N		12
9409		4523	8GB RDIMM MEMORY		1673 N		12
9409		4524	16GB RDIMM MEMORY		3345 N		12
9409		4812	PCI INTEG XSERIES SERVER		2241 N		12
9409		4986	1 PROCESSOR ACTIV FOR 4966		6104 N		12
9409		4998	SINGLE 5250 ENTERPRISE ENABL		40302 N		12
9409		4999	FULL 5250 ENTERPRISE ENABL		120907 N		12
9409		5094	PCI X EXPANSION TOWER		14106 N		12



Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9409		5294	1.8M I/O TOWER	46670	N		12
9409		5582	5738 CTLR W/AUX WRITE CACHE	5638	N		12
9409		5583	5777 CTLR W/AUX WRITE CACHE	5638	N		12
9409		5590	2780 CTLR W/AUX WRITE CACHE	6203	N		12
9409		5614	GX DUALPORT HSL2/RIO2 ATT	1209	N		12
9409		5616	GX DUAL PORT 12X CHAN ATTCH	887	N		12
9409		5623	2 PORT 1GB IVE DAUGHTER CARD	242	N		12
9409		5624	4 PORT 1GB IVE DAUGHTER CARD	425	N		12
9409		5647	PCIE BLIND SWAP CASSETTE STD	40	N		12
9409		5679	175MB SAS RAID ENABLEMENT	2015	N		12
9409		5700	PCI 1 GBPS ETHERNET IOA	695	N		12
9409		5701	PCI 1 GBPS ETHERNET UTP IOA	563	N		12
9409		5702	PCI X ULTRA TAPE CONTROLLER	530	N		12
9409		5703	PCI X RAID DISK UNIT CTLR	1611	N		12
9409		5704	PCI X FIBRE CHAN TAPE CTLR	2132	N		12
9409		5706	PCI X 1GBPS ETHERNET TX IOA	805	N		12
9409		5712	PCI X TAPE CONTROLLER	473	N		12
9409		5717	1GB ETHRNET UTP 4 PORT ADPTR	886	N		12
9409		5736	PCI X DISK/TAPE CTLR W/IOP	473	N		12
9409		5737	PCI X DISK CTLR 90MB W/IOP	1611	N		12
9409		5738	PCI X DISK CTLR 1.5GB W/IOP	4997	N		12
9409		5739	PCI X EXP24 CTLR 1.5GB W/IOP	6851	N		12
9409		5746	HH 800GB LTO4 SAS TAPE DRIVE	3224	N		12
9409		5749	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9409		5759	4GBPS FIBRE CHANNEL (2 PORT)	2666	N		12
9409		5767	PCIE 1GB ETHERNET UTP 2PORT	563	N		12
9409		5768	PCIE 1GB ETHERNET FIBER 2PRT	1065	N		12
9409		5774	PCIE 4GB FIBRE CHANNEL 2PORT	2666	N		12
9409		5775	PCI X DISK/TAPE CTLR NO IOP	473	N		12
9409		5776	PCI X DISK CTLR 90MB NO IOP	1611	N		12
9409		5777	PCI X DISK CTLR 1.5GB NO IOP	4997	N		12

<b>Machine</b>				<b>GSA</b>		<b>PEP</b>	<b>HW Warranty</b>
<b>Type</b>	<b>Model</b>	<b>Feature</b>	<b>Description</b>	<b>with</b>	<b>Customer</b>	<b>Per Call</b>	<b>/ Software</b>
				<b>IFF</b>	<b>Setup</b>	<b>Class</b>	<b>Test Period</b>
9409		5778	PCI X EXP24 CTL 1.5GB NO IOP		6851 N		12
9409		5781	PCI X EXP24 CTRL 1.5GB W/IOP		6892 N		12
9409		5782	PCI X EXP24 CTL 1.5GB NO IOP		6892 N		12
9409		5783	PCI X ISCSI HBA COPPER		805 N		12
9409		5796	PCI DDR 12X EXPANSION DRAWER		4385 N		12
9409		5886	EXP 12S SAS DISK DRAWER		3990 N		12
9409		5912	PCI X SAS ADAPTER		665 N		12
9409		6006	SPCN POWER CABLE 3M		32 N		12
9409		6007	SPCN POWER CABLE 15M		64 N		12
9409		6068	OPT FRONT DOOR FOR 1.8M RACK		363 N		12
9409		6069	OPT FRONT DOOR FOR 2.0M RACK		443 N		12
9409		6248	1.8M RACK ACOUSTIC DOORS		2632 N		12
9409		6249	2.0M RACK ACOUSTIC DOORS		2632 N		12
9409		6417	HSL 2/RIO G BUS ADAPTER		709 N		12
9409		6446	12X SHORT RUN 5796 ATTACH		463 N		12
9409		6457	12X LONG RUN 5796 ATTACH		2015 N		12
9409		6458	14 FT INT 250V/10A PWR CD		11 N		12
9409		6460	14 FT 125V/15A POWER CORD		11 N		12
9409		6469	14 FT 250V/15A POWER CORD		11 N		12
9409		6470	6 FT 125V/15A POWER CORD		11 N		12
9409		6487	6 FT 250V/15A POWER CORD		11 N		12
9409		6492	14 FT 1PH/48 60A PWR CORD		194 N		12
9409		6497	6 FT 250V/15A POWER CORD		32 N		12
9409		6580	OPTIONAL RACK SECURITY KIT		145 N		12
9409		6586	MODEM TRAY FOR 19 INCH RACK		202 N		12
9409		6598	DISK SLOT FILLER (QTY 4)		32 N		12
9409		6654	14 FT 1HP/24 30A PWR CORD		161 N		12
9409		6671	9FT IEC 320 C13/14 PDU CORD		11 N		12
9409		6672	5FT IEC 320 C13/14 PDU CORD		11 N		12
9409		6699	RIO2 BUS ADAPTER		645 N		12
9409		6800	PCI 1GBPS ETHERNET IOA		695 N		12

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9409		6801	PCI 1GBPS ETHERNET UTP IOA		563 N		12
9409		6805	PCI 2 LINE WAN IOA NO IOP		343 N		12
9409		6808	PCI 4 MODEM WAN IOA NO IOP		1290 N		12
9409		6833	PCI 2 LINE WAN W/MODEM NOIOP		472 N		12
9409		7109	INTELLIGENT PDU PLUS		1173 N		12
9409		7146	RACK MOUNT DRWR RAIL KIT		242 N		12
9409		7188	POWER DISTRIBUTION UNIT		806 N		12
9409		7204	QUANTITY 150 OF 2124		15113 N		12
9409		7205	QUANTITY 150 OF 2125		16927 N		12
9409		7206	QUANTITY 150 OF 2126		18741 N		12
9409		7207	QUANTITY 150 OF 2127		25390 N		12
9409		7208	QUANTITY 150 OF 2128		39899 N		12
9409		7213	QUANTITY 150 OF 2138		9068 N		12
9409		7314	DUAL 5796 UNIT ENCLOSURE		423 N		12
9409		7360	RACK MOUNT DRAWER		363 N		12
9409		7514	QUANTITY 150 OF 5741		60332 N		12
9409		7515	QUANTITY 150 OF 5742		120665 N		12
9409		7707	1700 WATT POWER SUPPLY		563 N		12
9409		7780	2.0M RACK SIDE ATTACH KIT		121 N		12
9409		7802	15M HMC ATTACHMENT CABLE		20 N		12
9409		7840	SIDE BY SIDE FOR 1.8M RACKS		403 N		12
9409		7841	RUGGEDIZE RACK KIT		1209 N		12
9409		7863	BLIND SWAP CASSETTE (DOUBLE)		40 N		12
9910	E15		POWERWARE 9130 1.5 KVA TOWER		1411 Y	2	60
9910	E50		POWER 9135 5 KVA TOWR RACKMNT		4171 Y	2	60
9910	E65		POWERWARE 5125 5KVA RACK MOUNT		2055 Y	2	60
9910	E82		POWERWARE 9140 10 KVA RCK MNT		6045 Y	2	60
9910		1420	PWR CORD L6-30 TO L6-30 14 FT.		65 N		60
9910		1421	PWR CORD L6-30 TO L6-30 6 FT.		53 N		60
9910		1422	PW CORD L6-30 TO RUSSELLS.6FT		113 N		60
9910		1423	PW CORD L6-30 TO RUSSELL.14FT		124 N		60

Machine Type	Model	Feature	Description	GSA with IFF	Customer Setup	PEP Per Call Class	HW Warranty / Software Test Period
9910		1426	PWR CORD L6-30 TO AUSTR.30A		162 N		60
9910		1427	PWR CORD L6-30 TO NZ 30A(PDL)		162 N		60
9910		2103	CONNECT UPS (TWIST IEC320)		321 N		0
9910		2203	CONNECT UPS THINWIRE IEC320		321 N		0
9910		2911	POWERPASS (110-127V)		120 N		0
9910		2921	POWER CORDJ01/ J30(110-127V)		12 N		0
9910		2934	PWRWARE XSLOT WEB/SNMP/XHUB C.		298 N		0
9910		2936	POWER. X-SLOT RELAY CARD/CAB		123 N		60
9910		2938	PWR ENV.MON.PROBE-2934/2935		132 N		60
9910		2939	POWERWARE X-SLOT RELAY-SER.KIT		210 N		60
9910		2941	OP ETHERNET CARD		343 N		60
9910		2970	PW CORD L6-30 TO L6-30 6FT		53 N		60
9910		2972	14 FT 1PH/24-30A PWR CORD		109 N		60
9910		2973	POWERWARE PDU TO UPS PWR.CORD		226 N		60
9910		2974	POWERWARE PDU TO UPS PWR.CORD		202 N		60
9910		2975	UPS INPUT PWR.CORD 30A(2.4M)		113 N		60
9910		2976	POWER CORD 8 FT SINGLE PHASE I		1814 N		60
9910		6570	POWER.9125 3 KVA TOWER PPDM		750 N		60
9910		6571	POWER.9125 6 KVA TOWER PPDM		677 N		60
9910		6572	POWER.9125 6KVA(IEC DIST.MOD)		623 N		60
9910		6608	PWRWARE 1500VA RACKMT BATT MOD		540 N		0
9910		6645	EXTENDED BATTERY MOD. E64/65		1096 N		60
9910		6646	EXTENDED BATTERY MOD. E82/83		1773 N		60
9910		6647	POWERWARE 9130 1.5 KVA EXT. BA		625 N		60
9910		6648	POWERWARE 9135 5 KVA EXT. BATT		1185 N		60
9910		7015	AS/400 INTERFACE CABL 15FT		64 N		0
9910		7117	SPLITTER CABLE		137 N		0
9910		9851	POWER CORD PRESTIGE 3000 L6-30		189 N		0
9910		9860	PW CORD/RED.PW SOURCE - 14FT.		35 N		60
9910		9874	PW C/RED.PW SOURCE 14FT		31 N		60
9910		9875	PW C/RED.PW SOURCE 14FT		37 N		60