

Hardware withdrawal: Select IBM FlashSystem models and features - Some replacements available

Table of contents

| | |
|--------------------------------------|--|
| 1 Overview | 15 Replacement product information |
| 1 Withdrawn products | |

Overview

Effective July 16, 2022, IBM[®] will withdraw from marketing IBM FlashSystem[®] 5000 models 12G, 24G, and 92G for machine types 2077 and 2078, and associated plant-install features.

Effective January 14, 2023, IBM will withdraw from marketing:

- IBM FlashSystem 5100 models 4H4, UHB, 12G, 24G, and 92G for machine types 2077 and 2078, and related field-install features
- Select FlashSystem 5200 machine type 4662 feature codes
- Select FlashSystem 5015 and 5035 machine type 2072 feature codes

On or after the effective dates of withdrawal, you can no longer order these products directly from IBM.

For new orders, the client-requested arrival date (CRAD) can be no later than July 29, 2022, for products withdrawn effective July 16, 2022, and January 27, 2023, for products withdrawn effective January 14, 2023.

You can obtain the products on an as-available basis through IBM Business Partners.

If you have a continuing need for this machine/model type, go to the [IBM Certified Pre-owned Equipment](#) website to check on availability or utilize the request a quote to communicate your specific requirements. IBM Certified Pre-owned Equipment has the largest inventory of used IBM systems that are refurbished, tested, and warranted for a minimum of 90 days.

Withdrawn products

Effective July 16, 2022, the following models and features will be withdrawn:

| Description | Machine type | Model number | Feature number |
|--|--------------|--------------|----------------|
| IBM FlashSystem 5100 LFF Expansion Enclosure | 2077 | 12G | |
| IBM FlashSystem 5100 SFF Expansion Enclosure | 2077 | 24G | |
| IBM FlashSystem 5100 High Density Expansion | 2077 | 92G | |
| IBM FlashSystem 5100 LFF | 2078 | 12G | |

| Description | Machine type | Model number | Feature number |
|---|---------------------|---------------------|-----------------------|
| Expansion Enclosure | | | |
| IBM FlashSystem 5100 SFF Expansion Enclosure | 2078 | 24G | |
| IBM FlashSystem 5100 High Density Expansion Enclosure | 2078 | 92G | |
| JEMT Indicator | 2077 | 12G, 24G, 92G | 0021 |
| TAA Compliance | 2077 | 12G, 24G, 92G | 0983 |
| Rack Indicator None | 2077 | 12G, 24G, 92G | 4650 |
| Rack Indicator Rack 1 | 2077 | 12G, 24G, 92G | 4651 |
| Rack Indicator Rack 2 | 2077 | 12G, 24G, 92G | 4652 |
| Rack Indicator Rack 3 | 2077 | 12G, 24G, 92G | 4653 |
| Rack Indicator Rack 4 | 2077 | 12G, 24G, 92G | 4654 |
| Rack Indicator Rack 5 | 2077 | 12G, 24G, 92G | 4655 |
| Rack Indicator Rack 6 | 2077 | 12G, 24G, 92G | 4656 |
| Rack Indicator Rack 7 | 2077 | 12G, 24G, 92G | 4657 |
| Rack Indicator Rack 8 | 2077 | 12G, 24G, 92G | 4658 |
| Rack Indicator Rack 9 | 2077 | 12G, 24G, 92G | 4659 |
| Rack Indicator Rack 10 | 2077 | 12G, 24G, 92G | 4660 |
| Rack Indicator Rack 11 | 2077 | 12G, 24G, 92G | 4661 |
| Rack Indicator Rack 12 | 2077 | 12G, 24G, 92G | 4662 |
| Rack Indicator Rack 13 | 2077 | 12G, 24G, 92G | 4663 |
| Rack Indicator Rack 14 | 2077 | 12G, 24G, 92G | 4664 |
| Rack Indicator Rack 15 | 2077 | 12G, 24G, 92G | 4665 |
| Rack Indicator Rack 16 | 2077 | 12G, 24G, 92G | 4666 |
| Storage Subsystem ID 1 | 2077 | 12G, 24G, 92G | 9170 |
| Storage Subsystem ID 2 | 2077 | 12G, 24G, 92G | 9171 |
| Storage Subsystem ID 3 | 2077 | 12G, 24G, 92G | 9172 |
| Storage Subsystem ID 4 | 2077 | 12G, 24G, 92G | 9173 |
| Storage Subsystem ID 5 | 2077 | 12G, 24G, 92G | 9174 |
| Storage Subsystem ID 6 | 2077 | 12G, 24G, 92G | 9175 |
| Storage Subsystem ID 7 | 2077 | 12G, 24G, 92G | 9176 |
| Storage Subsystem ID 8 | 2077 | 12G, 24G, 92G | 9177 |

| Description | Machine type | Model number | Feature number |
|-------------------------------|---------------------|---------------------|-----------------------|
| Storage Subsystem ID 9 | 2077 | 12G, 24G, 92G | 9178 |
| Storage Subsystem ID 10 | 2077 | 12G, 24G, 92G | 9179 |
| Storage Subsystem ID 11 | 2077 | 12G, 24G, 92G | 9180 |
| Storage Subsystem ID 12 | 2077 | 12G, 24G, 92G | 9181 |
| Storage Subsystem ID 13 | 2077 | 12G, 24G, 92G | 9182 |
| Storage Subsystem ID 14 | 2077 | 12G, 24G, 92G | 9183 |
| Storage Subsystem ID 15 | 2077 | 12G, 24G, 92G | 9184 |
| Storage Subsystem ID 16 | 2077 | 12G, 24G, 92G | 9185 |
| Storage Subsystem ID 17 | 2077 | 12G, 24G, 92G | 9186 |
| Storage Subsystem ID 18 | 2077 | 12G, 24G, 92G | 9187 |
| Storage Subsystem ID 19 | 2077 | 12G, 24G, 92G | 9188 |
| Storage Subsystem ID 20 | 2077 | 12G, 24G, 92G | 9189 |
| Month Indicator | 2077 | 12G, 24G, 92G | 9461 |
| Day Indicator | 2077 | 12G, 24G, 92G | 9462 |
| Hour Indicator | 2077 | 12G, 24G, 92G | 9463 |
| Minute Indicator | 2077 | 12G, 24G, 92G | 9464 |
| Quantity Indicator | 2077 | 12G, 24G, 92G | 9465 |
| Countable Member Indicator | 2077 | 12G, 24G, 92G | 9466 |
| RFID AG/AP: 902-928 MHz | 2077 | 12G, 24G, 92G | A2EV |
| RFID EMEA: 865.6-867.8 MHz | 2077 | 12G, 24G, 92G | A2EW |
| OEM 1 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY1 |
| OEM 2 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY2 |
| OEM 3 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY3 |
| OEM 4 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY4 |
| OEM 5 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY5 |
| OEM 6 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY6 |
| OEM 7 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY7 |
| OEM 8 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY8 |
| OEM 9 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACY9 |
| OEM 10 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYA |
| OEM 11 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYB |
| OEM 12 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYC |
| OEM 13 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYD |

| Description | Machine type | Model number | Feature number |
|--|---------------------|---------------------|-----------------------|
| OEM 14 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYE |
| OEM 15 MTM Order Indicator | 2077 | 12G, 24G, 92G | ACYF |
| Generic Bezel | 2077 | 12G, 24G, 92G | ACZA |
| Generic Packaging | 2077 | 12G, 24G, 92G | ACZF |
| Order Type 1 Indicator - CTO | 2077 | 12G, 24G, 92G | ADN1 |
| Order Type 2 Indicator - MTM Only | 2077 | 12G, 24G, 92G | ADN2 |
| TAA Designated Country | 2077 | 12G, 24G, 92G | ADZ1 |
| Shipping and Handling - No Charge | 2077 | 12G, 24G, 92G | AG00 |
| Shipping and Handling | 2077 | 12G, 24G, 92G | AGC8 |
| AC Power Supply High Efficiency (Pair) | 2077 | 12G, 24G | AHPA |
| DC Power Supply -48V | 2077 | 12G, 24G | AHPB |
| Future use - reserved 1 | 2077 | 12G, 24G, 92G | AHY1 |
| Future use - reserved 2 | 2077 | 12G, 24G, 92G | AHY2 |
| Future use - reserved 3 | 2077 | 12G, 24G, 92G | AHY3 |
| Future use - reserved 4 | 2077 | 12G, 24G, 92G | AHY4 |
| Future use - reserved 5 | 2077 | 12G, 24G, 92G | AHY5 |
| Future use - reserved 6 | 2077 | 12G, 24G, 92G | AHY6 |
| Future use - reserved 7 | 2077 | 12G, 24G, 92G | AHY7 |
| Future use - reserved 8 | 2077 | 12G, 24G, 92G | AHY8 |
| Future use - reserved 9 | 2077 | 12G, 24G, 92G | AHY9 |
| Hybrid Flash Indicator | 2077 | 12G, 24G, 92G | AHZE |
| Route to Power Manufacturing Indicator | 2077 | 12G, 24G, 92G | EFD0 |
| VersaStack Solution Indicator | 2077 | 24G, 92G | AHZC |
| All Flash Solution Indicator | 2077 | 24G, 92G | AHZD |
| JEMT Indicator | 2078 | 12G, 24G, 92G | 0021 |
| TAA Compliance | 2078 | 12G, 24G, 92G | 0983 |
| Rack Indicator None | 2078 | 12G, 24G, 92G | 4650 |
| Rack Indicator Rack 1 | 2078 | 12G, 24G, 92G | 4651 |
| Rack Indicator Rack 2 | 2078 | 12G, 24G, 92G | 4652 |
| Rack Indicator Rack 3 | 2078 | 12G, 24G, 92G | 4653 |
| Rack Indicator Rack 4 | 2078 | 12G, 24G, 92G | 4654 |

| Description | Machine type | Model number | Feature number |
|----------------------------|---------------------|---------------------|-----------------------|
| Rack Indicator Rack 5 | 2078 | 12G, 24G, 92G | 4655 |
| Rack Indicator Rack 6 | 2078 | 12G, 24G, 92G | 4656 |
| Rack Indicator Rack 7 | 2078 | 12G, 24G, 92G | 4657 |
| Rack Indicator Rack 8 | 2078 | 12G, 24G, 92G | 4658 |
| Rack Indicator Rack 9 | 2078 | 12G, 24G, 92G | 4659 |
| Rack Indicator Rack 10 | 2078 | 12G, 24G, 92G | 4660 |
| Rack Indicator Rack 11 | 2078 | 12G, 24G, 92G | 4661 |
| Rack Indicator Rack 12 | 2078 | 12G, 24G, 92G | 4662 |
| Rack Indicator Rack 13 | 2078 | 12G, 24G, 92G | 4663 |
| Rack Indicator Rack 14 | 2078 | 12G, 24G, 92G | 4664 |
| Rack Indicator Rack 15 | 2078 | 12G, 24G, 92G | 4665 |
| Rack Indicator Rack 16 | 2078 | 12G, 24G, 92G | 4666 |
| Storage Subsystem ID 1 | 2078 | 12G, 24G, 92G | 9170 |
| Storage Subsystem ID 2 | 2078 | 12G, 24G, 92G | 9171 |
| Storage Subsystem ID 3 | 2078 | 12G, 24G, 92G | 9172 |
| Storage Subsystem ID 4 | 2078 | 12G, 24G, 92G | 9173 |
| Storage Subsystem ID 5 | 2078 | 12G, 24G, 92G | 9174 |
| Storage Subsystem ID 6 | 2078 | 12G, 24G, 92G | 9175 |
| Storage Subsystem ID 7 | 2078 | 12G, 24G, 92G | 9176 |
| Storage Subsystem ID 8 | 2078 | 12G, 24G, 92G | 9177 |
| Storage Subsystem ID 9 | 2078 | 12G, 24G, 92G | 9178 |
| Storage Subsystem ID 10 | 2078 | 12G, 24G, 92G | 9179 |
| Storage Subsystem ID 11 | 2078 | 12G, 24G, 92G | 9180 |
| Storage Subsystem ID 12 | 2078 | 12G, 24G, 92G | 9181 |
| Storage Subsystem ID 13 | 2078 | 12G, 24G, 92G | 9182 |
| Storage Subsystem ID 14 | 2078 | 12G, 24G, 92G | 9183 |
| Storage Subsystem ID 15 | 2078 | 12G, 24G, 92G | 9184 |
| Storage Subsystem ID 16 | 2078 | 12G, 24G, 92G | 9185 |
| Storage Subsystem ID 17 | 2078 | 12G, 24G, 92G | 9186 |
| Storage Subsystem ID 18 | 2078 | 12G, 24G, 92G | 9187 |
| Storage Subsystem ID 19 | 2078 | 12G, 24G, 92G | 9188 |

| Description | Machine type | Model number | Feature number |
|--|---------------------|---------------------|-----------------------|
| Storage Subsystem ID 20 | 2078 | 12G, 24G, 92G | 9189 |
| Month Indicator | 2078 | 12G, 24G, 92G | 9461 |
| Day Indicator | 2078 | 12G, 24G, 92G | 9462 |
| Hour Indicator | 2078 | 12G, 24G, 92G | 9463 |
| Minute Indicator | 2078 | 12G, 24G, 92G | 9464 |
| Quantity Indicator | 2078 | 12G, 24G, 92G | 9465 |
| Countable Member Indicator | 2078 | 12G, 24G, 92G | 9466 |
| RFID AG/AP: 902-928 MHz | 2078 | 12G, 24G, 92G | A2EV |
| RFID EMEA: 865.6-867.8 MHz | 2078 | 12G, 24G, 92G | A2EW |
| OEM 1 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY1 |
| OEM 2 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY2 |
| OEM 3 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY3 |
| OEM 4 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY4 |
| OEM 5 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY5 |
| OEM 6 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY6 |
| OEM 7 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY7 |
| OEM 8 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY8 |
| OEM 9 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACY9 |
| OEM 10 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYA |
| OEM 11 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYB |
| OEM 12 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYC |
| OEM 13 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYD |
| OEM 14 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYE |
| OEM 15 MTM Order Indicator | 2078 | 12G, 24G, 92G | ACYF |
| Generic Bezel | 2078 | 12G, 24G, 92G | ACZA |
| Generic Packaging | 2078 | 12G, 24G, 92G | ACZF |
| Order Type 1 Indicator - CTO | 2078 | 12G, 24G, 92G | ADN1 |
| Order Type 2 Indicator - MTM Only | 2078 | 12G, 24G, 92G | ADN2 |
| TAA Designated Country | 2078 | 12G, 24G, 92G | ADZ1 |
| Shipping and Handling - No Charge | 2078 | 12G, 24G, 92G | AG00 |
| Shipping and Handling | 2078 | 12G, 24G, 92G | AGC8 |
| AC Power Supply High Efficiency (Pair) | 2078 | 12G, 24G | AHPA |
| DC Power Supply -48V | 2078 | 12G, 24G | AHPB |

| Description | Machine type | Model number | Feature number |
|--|---------------------|---------------------|-----------------------|
| Future use - reserved 1 | 2078 | 12G, 24G, 92G | AHY1 |
| Future use - reserved 2 | 2078 | 12G, 24G, 92G | AHY2 |
| Future use - reserved 3 | 2078 | 12G, 24G, 92G | AHY3 |
| Future use - reserved 4 | 2078 | 12G, 24G, 92G | AHY4 |
| Future use - reserved 5 | 2078 | 12G, 24G, 92G | AHY5 |
| Future use - reserved 6 | 2078 | 12G, 24G, 92G | AHY6 |
| Future use - reserved 7 | 2078 | 12G, 24G, 92G | AHY7 |
| Future use - reserved 8 | 2078 | 12G, 24G, 92G | AHY8 |
| Future use - reserved 9 | 2078 | 12G, 24G, 92G | AHY9 |
| Hybrid Flash Indicator | 2078 | 12G, 24G, 92G | AHZE |
| Route to Power Manufacturing Indicator | 2078 | 12G, 24G, 92G | EFD0 |
| VersaStack Solution Indicator | 2078 | 24G, 92G | AHZC |
| All Flash Solution Indicator | 2078 | 24G, 92G | AHZD |

Effective January 14, 2023, the following features will be withdrawn:

| Description | Machine type | Model number | Feature number |
|---|---------------------|---------------------|-----------------------|
| Bulk Order Indicator | 2077 | 12G, 24G, 4H4, 92G | 5555 |
| Storwize ^(R) Expansion Bezel | 2077 | 12G, 24G, 92G | ACZK |
| Order Type 3 Indicator - FC Only | 2077 | 12G, 24G, 4H4, 92G | ADN3 |
| Power Cord - EMEA | 2077 | 12G, 24G, 4H4 | 9716 |
| Power Cord - Australia / New Zealand | 2077 | 12G, 24G, 4H4 | 9717 |
| Power Cord - Europe / Africa | 2077 | 12G, 24G, 4H4 | 9718 |
| Power Cord - Denmark | 2077 | 12G, 24G, 4H4 | 9719 |
| Power Cord - South Africa | 2077 | 12G, 24G, 4H4 | 9720 |
| Power Cord - Switzerland | 2077 | 12G, 24G, 4H4 | 9721 |
| Power Cord - Chile / Italy | 2077 | 12G, 24G, 4H4 | 9722 |
| Power Cord - Israel | 2077 | 12G, 24G, 4H4 | 9723 |
| Power Cord - Argentina | 2077 | 12G, 24G, 4H4 | 9725 |
| Power Cord - China | 2077 | 12G, 24G, 4H4 | 9726 |
| Power Cord - PDU Connection | 2077 | 12G, 24G, 4H4 | 9730 |
| Power Cord - US/ Group 1 | 2077 | 12G, 24G | 9731 |

| Description | Machine type | Model number | Feature number |
|--|---------------------|---------------------|-----------------------|
| Power Cord - Taiwan | 2077 | 12G, 24G | 9732 |
| Power Cord - Brazil | 2077 | 12G, 24G, 4H4 | 9733 |
| Power Cord - India | 2077 | 12G, 24G, 4H4 | 9734 |
| Power Cord - Japan | 2077 | 12G, 24G | 9735 |
| Power Cord - Korea | 2077 | 12G, 24G, 4H4 | 9736 |
| Power Cord - Chicago | 2077 | 12G, 24G | 9737 |
| 1.2TB 10K 3.5 Inch HDD | 2077 | 12G | AC28 |
| 1.8TB 10K 3.5 Inch HDD | 2077 | 12G | AC29 |
| 2.4TB 10K 3.5 Inch HDD | 2077 | 12G | AC2A |
| 6TB 7.2K 3.5 Inch NL HDD | 2077 | 12G | AC3A |
| 8TB 7.2K 3.5 Inch NL HDD | 2077 | 12G | AC3B |
| 10TB 7.2K 3.5 Inch NL HDD | 2077 | 12G | AC3C |
| 12TB 7.2K 3.5 Inch NL HDD | 2077 | 12G | AC3D |
| 0.6m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2077 | 12G, 24G | ACUA |
| 1.5m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2077 | 12G, 24G | ACUB |
| 3m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2077 | 12G, 24G, 92G | ACUC |
| 6m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2077 | 12G, 24G, 92G | ACUE |
| Power Cord - DC | 2077 | 12G, 24G | AHP4 |
| Power Cord - PDU Connection (C20) | 2077 | 12G, 24G, 4H4 | AHP6 |
| Power Cord - PDU Connection - India | 2077 | 12G, 24G, 4H4 | AHP7 |
| Power Cord - PDU Connection (C20) - India | 2077 | 12G, 24G, 4H4 | AHP9 |
| ServicePac ^(R) Warranty and Maintenance Option 5 YR 24x7 Same Day ORT 6hrCL/4hrPD | 2077 | 12G, 24G, 4H4, 92G | B0MT |
| ServicePac Basic Selection Services for Storage 3 years | 2077 | 12G, 24G, 4H4, 92G | B0N1 |
| ServicePac for Hard Drive or Media Retention for Storage 3 years | 2077 | 12G, 24G, 4H4, 92G | B0NQ |
| ServicePac Warranty and Maintenance Option 3 YR 24x7 | 2077 | 12G, 24G, 4H4, 92G | B0NU |

| Description | Machine type | Model number | Feature number |
|--|---------------------|-----------------------|-----------------------|
| Same Day ORT 6hrCL/4hrPD | | | |
| ServicePac for Hard Drive or Media Retention for Storage 5 years | 2077 | 12G, 24G, 4H4, 92G | B0PF |
| ServicePac Basic Selection Services for Storage 5 years | 2077 | 12G, 24G, 4H4, 92G | B0PK |
| ServicePac Warranty and Maintenance Option 5 YR 24x7 Committed Fix 24h | 2077 | 12G, 24G, 4H4, 92G | B17H |
| ServicePac Warranty and Maintenance Option 3 YR 24x7 Committed Fix 24h | 2077 | 12G, 24G, 4H4, 92G | B1K3 |
| CSC ORDER ROUTING INDICATOR - GUADALAJARA | 2077 | 12G | ECSM |
| 1.2TB 10K 2.5 Inch HDD | 2077 | 24G | AC69 |
| 1.8TB 10K 2.5 Inch HDD | 2077 | 24G | AC6A |
| 2.4TB 10K 2.5 Inch HDD | 2077 | 24G | AC6B |
| 800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive | 2077 | 24G | AC8J |
| 1.92TB 2.5" Flash Drive | 2077 | 24G | ACM0 |
| 3.84TB 2.5" Flash Drive | 2077 | 24G | ACM1 |
| 7.68TB 2.5Inch Flash Drive | 2077 | 24G | ACM2 |
| 15.36TB 2.5Inch Flash Drive | 2077 | 24G | ACM3 |
| 30.72 TB 12 Gb SAS 2.5 Inch Flash Drive | 2077 | 24G | ACM4 |
| 32Gb FC Adapter Pair | 2077 | 4H4 | ACB9 |
| SAS Enclosure Attach Card Pair | 2077 | 4H4 | ACBA |
| 16Gb FC Adapter Pair | 2077 | 4H4 | ACBB |
| 25GbE (RoCE) Adapter Pair | 2077 | 4H4 | ACBE |
| 25GbE (iWARP) Adapter Pair | 2077 | 4H4 | ACBF |
| Encryption Enablement | 2077 | 4H4 | ACE3 |
| Encryption USB Drive Pack | 2077 | 4H4 | ACEC |
| V5100 64 GB Cache upgrade | 2077 | 4H4 | ACGE |
| V5100 384 GB Cache upgrade | 2077 | 4H4 | ACGF |
| 16 Gb FC LW SFP Transceivers(Pair) | 2077 | 4H4 | ACHU |

| Description | Machine type | Model number | Feature number |
|---|---------------------|---------------------|-----------------------|
| 32 Gb FC LW SFP Transceivers (Pair) | 2077 | 4H4 | ACHV |
| 1m OM3 Fiber Cable (LC) | 2077 | 4H4 | ACSQ |
| 5m OM3 Fiber Cable (LC) | 2077 | 4H4 | ACSR |
| 10m OM3 Fiber Cable (LC) | 2077 | 4H4 | ACSS |
| 25m OM3 Fiber Cable (LC) | 2077 | 4H4 | ACST |
| 4.8 TB NVMe FlashCore Module | 2077 | 4H4 | AES5 |
| 9.6 TB NVMe FlashCore Module | 2077 | 4H4 | AES6 |
| 19.2 TB NVMe FlashCore Module | 2077 | 4H4 | AES7 |
| 38.4 TB NVMe FlashCore Module | 2077 | 4H4 | AES8 |
| 800 GB 2.5 Inch NVMe Flash Drive | 2077 | 4H4 | AET1 |
| 1.92 TB 2.5 Inch NVMe Flash Drive | 2077 | 4H4 | AET2 |
| 3.84 TB 2.5 Inch NVMe Flash Drive | 2077 | 4H4 | AET3 |
| 7.68 TB 2.5 Inch NVMe Flash Drive | 2077 | 4H4 | AET4 |
| 15.36 TB 2.5 Inch NVMe Flash Drive | 2077 | 4H4 | AET5 |
| 1.6 TB NVMe Storage Class Memory Drive | 2077 | 4H4 | AETF |
| 1.2TB 10K 3.5 Inch HDD | 2077 | 92G | ACP3 |
| 1.8TB 10K 3.5 Inch HDD | 2077 | 92G | ACP4 |
| 2.4TB 10K 3.5 Inch HDD | 2077 | 92G | ACP5 |
| 6TB 7.2K 3.5 Inch NL HDD | 2077 | 92G | ACP7 |
| 8TB 7.2K 3.5 Inch NL HDD | 2077 | 92G | ACP8 |
| 10TB 7.2K 3.5 Inch NL HDD | 2077 | 92G | ACP9 |
| 12TB 7.2K 3.5 Inch NL HDD | 2077 | 92G | ACPA |
| 1.92TB 3.5 Inch Flash Drive | 2077 | 92G | ACPJ |
| 3.84TB 3.5 Inch Flash Drive | 2077 | 92G | ACPK |
| 7.68TB 3.5 Inch Flash Drive | 2077 | 92G | ACPL |
| 15.36TB 3.5 Inch Flash Drive | 2077 | 92G | ACPM |
| 30.72 TB 12 Gb SAS 3.5 Inch Flash Drive | 2077 | 92G | ACPN |
| Power Cord - PDU High Density Expansion | 2077 | 92G | AHP5 |
| Power Cord - PDU High Density Expansion - India | 2077 | 92G | AHP8 |

| Description | Machine type | Model number | Feature number |
|--------------------------------------|---------------------|-------------------------|-----------------------|
| Bulk Order Indicator | 2078 | 12G, 24G, 4H4, 92G, UHB | 5555 |
| Storwize Expansion Bezel | 2078 | 12G, 24G, 92G | ACZK |
| Order Type 3 Indicator - FC Only | 2078 | 12G, 24G, 4H4, 92G, UHB | ADN3 |
| OEM Bulk Option AHL2 | 2078 | 12G | AHL2 |
| OEM Bulk option AHLD | 2078 | 12G | AHLD |
| OEM Bulk Option AHM2 | 2078 | 12G | AHM2 |
| OEM Bulk Option AHMD | 2078 | 12G | AHMD |
| OEM Bulk Option 608 | 2078 | 24G | ACV2 |
| OEM Bulk Option 609 | 2078 | 24G | ACV3 |
| OEM Bulk Option 602 | 2078 | 24G | ACXG |
| OEM Bulk Option 603 | 2078 | 24G | ACXH |
| OEM Bulk Option 604 | 2078 | 24G | ACXJ |
| OEM Bulk Option AHLE | 2078 | 24G | AHLE |
| OEM Bulk Option AHLF | 2078 | 24G | AHLF |
| OEM Bulk Option AHLJ | 2078 | 24G | AHLJ |
| OEM Bulk Option AHME | 2078 | 24G | AHME |
| OEM Bulk Option AHMF | 2078 | 24G | AHMF |
| OEM Bulk Option AHMJ | 2078 | 24G | AHMJ |
| Variable Usage 1TB/month | 2078 | UHB | AE00 |
| Variable Usage 10TB/month | 2078 | UHB | AE01 |
| Variable Usage 100TB/month | 2078 | UHB | AE02 |
| No Ship MES | 2078 | UHB | AQQQ |
| Power Cord - EMEA | 2078 | 12G, 24G, 4H4, UHB | 9716 |
| Power Cord - Australia / New Zealand | 2078 | 12G, 24G, 4H4, UHB | 9717 |
| Power Cord - Europe / Africa | 2078 | 12G, 24G, 4H4, UHB | 9718 |
| Power Cord - Denmark | 2078 | 12G, 24G, 4H4, UHB | 9719 |
| Power Cord - South Africa | 2078 | 12G, 24G, 4H4, UHB | 9720 |
| Power Cord - Switzerland | 2078 | 12G, 24G, 4H4, UHB | 9721 |
| Power Cord - Chile / Italy | 2078 | 12G, 24G, 4H4, UHB | 9722 |
| Power Cord - Israel | 2078 | 12G, 24G, 4H4, UHB | 9723 |
| Power Cord - Argentina | 2078 | 12G, 24G, 4H4, UHB | 9725 |

| Description | Machine type | Model number | Feature number |
|---|---------------------|-------------------------|-----------------------|
| Power Cord - China | 2078 | 12G, 24G, 4H4, UHB | 9726 |
| Power Cord - PDU Connection | 2078 | 12G, 24G, 4H4, UHB | 9730 |
| Power Cord - US/ Group 1 | 2078 | 12G, 24G | 9731 |
| Power Cord - Taiwan | 2078 | 12G, 24G | 9732 |
| Power Cord - Brazil | 2078 | 12G, 24G, 4H4, UHB | 9733 |
| Power Cord - India | 2078 | 12G, 24G, 4H4, UHB | 9734 |
| Power Cord - Japan | 2078 | 12G, 24G | 9735 |
| Power Cord - Korea | 2078 | 12G, 24G, 4H4, UHB | 9736 |
| Power Cord - Chicago | 2078 | 12G, 24G | 9737 |
| 1.2TB 10K 3.5 Inch HDD | 2078 | 12G | AC28 |
| 1.8TB 10K 3.5 Inch HDD | 2078 | 12G | AC29 |
| 2.4TB 10K 3.5 Inch HDD | 2078 | 12G | AC2A |
| 6TB 7.2K 3.5 Inch NL HDD | 2078 | 12G | AC3A |
| 8TB 7.2K 3.5 Inch NL HDD | 2078 | 12G | AC3B |
| 10TB 7.2K 3.5 Inch NL HDD | 2078 | 12G | AC3C |
| 12TB 7.2K 3.5 Inch NL HDD | 2078 | 12G | AC3D |
| 0.6m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2078 | 12G | ACUA |
| 1.5m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2078 | 12G | ACUB |
| 3m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2078 | 12G, 92G | ACUC |
| 6m 12 Gb SAS Cable (mSAS HD to mSAS HD) | 2078 | 12G, 24G, 92G | ACUE |
| Power Cord - DC | 2078 | 12G, 24G | AHP4 |
| Power Cord - PDU Connection (C20) | 2078 | 12G, 24G, 4H4, UHB | AHP6 |
| Power Cord - PDU Connection - India | 2078 | 12G, 24G, 4H4 | AHP7 |
| Power Cord - PDU Connection (C20) - India | 2078 | 12G, 24G, 4H4 | AHP9 |
| ServicePac Warranty and Maintenance Option 5 YR 24x7 Same Day ORT 6hrCL/4hrPD | 2078 | 12G, 24G, 4H4, 92G, UHB | B0MT |
| ServicePac Basic Selection Services for Storage 3 years | 2078 | 12G, 24G, 4H4, 92G, UHB | B0N1 |
| ServicePac for Hard Drive or | 2078 | 12G, 24G, 4H4, 92G, UHB | B0NQ |

| Description | Machine type | Model number | Feature number |
|--|---------------------|-------------------------|-----------------------|
| Media Retention for Storage 3 years | | | |
| ServicePac for Hard Drive or Media Retention for Storage 5 years | 2078 | 12G, 24G, 4H4, 92G, UHB | B0PF |
| ServicePac Basic Selection Services for Storage 5 years | 2078 | 12G, 24G, 4H4, 92G, UHB | B0PK |
| ServicePac Warranty and Maintenance Option 5 YR 24x7 Committed Fix 24h | 2078 | 12G, 24G, 4H4, 92G, UHB | B17H |
| 1.2TB 10K 2.5 Inch HDD | 2078 | 24G | AC69 |
| 1.8TB 10K 2.5 Inch HDD | 2078 | 24G | AC6A |
| 32Gb FC Adapter Pair | 2078 | 4H4, UHB | ACB9 |
| SAS Enclosure Attach Card Pair | 2078 | 4H4, UHB | ACBA |
| 16Gb FC Adapter Pair | 2078 | 4H4, UHB | ACBB |
| 25GbE (RoCE) Adapter Pair | 2078 | 4H4, UHB | ACBE |
| 25GbE (iWARP) Adapter Pair | 2078 | 4H4, UHB | ACBF |
| Encryption USB Drive Pack | 2078 | 4H4, UHB | ACEC |
| V5100 64 GB Cache upgrade | 2078 | 4H4, UHB | ACGE |
| V5100 384 GB Cache upgrade | 2078 | 4H4, UHB | ACGF |
| 16 Gb FC LW SFP Transceivers(Pair) | 2078 | 4H4, UHB | ACHU |
| 32 Gb FC LW SFP Transceivers (Pair) | 2078 | 4H4, UHB | ACHV |
| 1m OM3 Fiber Cable (LC) | 2078 | 4H4, UHB | ACSQ |
| 5m OM3 Fiber Cable (LC) | 2078 | 4H4, UHB | ACSR |
| 10m OM3 Fiber Cable (LC) | 2078 | 4H4, UHB | ACSS |
| 25m OM3 Fiber Cable (LC) | 2078 | 4H4, UHB | ACST |
| 4.8 TB NVMe FlashCore Module | 2078 | 4H4, UHB | AES5 |
| 9.6 TB NVMe FlashCore Module | 2078 | 4H4, UHB | AES6 |
| 19.2 TB NVMe FlashCore Module | 2078 | 4H4, UHB | AES7 |
| 38.4 TB NVMe FlashCore Module | 2078 | 4H4, UHB | AES8 |
| 800 GB 2.5 Inch NVMe Flash Drive | 2078 | 4H4, UHB | AET1 |
| 1.92 TB 2.5 Inch NVMe Flash Drive | 2078 | 4H4, UHB | AET2 |
| 3.84 TB 2.5 Inch NVMe Flash Drive | 2078 | 4H4, UHB | AET3 |

| Description | Machine type | Model number | Feature number |
|---|---------------------|-------------------------|-----------------------|
| 7.68 TB 2.5 Inch NVMe Flash Drive | 2078 | 4H4, UHB | AET4 |
| 15.36 TB 2.5 Inch NVMe Flash Drive | 2078 | 4H4, UHB | AET5 |
| 1.6 TB NVMe Storage Class Memory Drive | 2078 | 4H4, UHB | AETF |
| 1.2TB 10K 3.5 Inch HDD | 2078 | 92G | ACP3 |
| 1.8TB 10K 3.5 Inch HDD | 2078 | 92G | ACP4 |
| 2.4TB 10K 3.5 Inch HDD | 2078 | 92G | ACP5 |
| 6TB 7.2K 3.5 Inch NL HDD | 2078 | 92G | ACP7 |
| 8TB 7.2K 3.5 Inch NL HDD | 2078 | 92G | ACP8 |
| 10TB 7.2K 3.5 Inch NL HDD | 2078 | 92G | ACP9 |
| 12TB 7.2K 3.5 Inch NL HDD | 2078 | 92G | ACPA |
| Power Cord - PDU High Density Expansion | 2078 | 92G | AHP5 |
| Power Cord - PDU High Density Expansion - India | 2078 | 92G | AHP8 |
| ServicePac Warranty Service Upgrade 3 YR 24x7 Same Day ORT 6hrCL/4 hrPD | 2078 | 12G, 24G, 4H4, 92G, UHB | B0PC |
| ServicePac Warranty Service Upgrade 3 YR 24x7 Committed Fix 24h | 2078 | 12G, 24G, 4H4, 92G, UHB | B0YH |
| 800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive | 2078 | 24G | AC9J |
| 1.92TB 2.5" Flash Drive | 2078 | 24G | ACN0 |
| 3.84TB 2.5" Flash Drive | 2078 | 24G | ACN1 |
| 7.68TB 2.5Inch Flash Drive | 2078 | 24G | ACN2 |
| 15.36TB 2.5Inch Flash Drive | 2078 | 24G | ACN3 |
| 30.72 TB 12 Gb SAS 2.5 Inch Flash Drive | 2078 | 24G | ACN4 |
| Encryption Enablement | 2078 | 4H4, UHB | ACE4 |
| 3.84TB 2.5 Inch Flash Drive | 2078 | 92G | ACQK |
| 7.68TB 2.5 Inch Flash Drive | 2078 | 92G | ACQL |
| 15.36TB 2.5 Inch Flash Drive | 2078 | 92G | ACQM |
| 30.72 TB 12 Gb SAS 3.5 Inch Flash Drive | 2078 | 92G | ACQN |
| 800 GB NVMe Flash Drive | 4662 | 6H2, UH6 | AGT1 |

| Description | Machine type | Model number | Feature number |
|--|--------------|---------------|----------------|
| 10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD | 4662 | 12G | AL3C |
| 800 GB 3DWP 12 Gb SAS 2.5 Inch Flash Drive | 4662 | 24G | AL8A |
| 10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD | 4662 | 92G | AL49 |
| 10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD | 2072 | 3N2, 3N2, 12G | AL3C |
| 800 GB 3DWP 12 Gb SAS 2.5 Inch Flash Drive | 2072 | 2N4, 3N4, 24G | AL8A |
| 10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD | 2072 | 92G | AL49 |

Replacement product information

| Withdrawn product | Machine type-model | Replacement product | Machine type-model |
|--|--------------------|--|--------------------|
| IBM FlashSystem 5100 LFF Expansion Enclosure | 2077-12G | IBM FlashSystem 5200 LFF Expansion Enclosure | 4662-12G |
| IBM FlashSystem 5100 SFF Expansion Enclosure | 2077-24G | IBM FlashSystem 5200 SFF Expansion Enclosure | 4662-24G |
| IBM FlashSystem 5100 High Density Expansion | 2077-92G | IBM FlashSystem 5200 High Density Expansion Enclosure | 4662-92G |
| IBM FlashSystem 5100 LFF Expansion Enclosure | 2078-12G | IBM FlashSystem 5200 LFF Expansion Enclosure | 4662-12G |
| IBM FlashSystem 5100 SFF Expansion Enclosure | 2078-24G | IBM FlashSystem 5200 SFF Expansion Enclosure | 4662-24G |
| IBM FlashSystem 5100 High Density Expansion Enclosure | 2078-92G | IBM FlashSystem 5200 High Density Expansion Enclosure | 4662-92G |

For additional replacement product information, see Hardware Announcement [A21-0035](#), dated February 9, 2021.

Order processing

IBM will accept orders for these products only before the withdrawal date. If you defer the shipment date currently assigned to an existing order for a withdrawn product, IBM may not be able to supply the product. IBM will process existing orders without assigned shipment dates and new orders on an "as available" basis. This means that if supply is available, IBM will assign an estimated shipment date. Otherwise, IBM will advise you, not later than one month after the effective date of withdrawal, that your order cannot be accepted.

As your option, you may cancel existing orders for withdrawn products before shipment without penalty.

Your IBM Sales representative or IBM Business Partner can provide you with information about available replacement products.

Trade-marks

IBM FlashSystem, IBM, Storwize and ServicePac are registered trade-marks of IBM Corporation in the United States, other countries, or both.

Other company, product, and service names may be trade-marks or service marks of others.

Trade-mark owned by International Business Machines Corporation and is used under license by IBM Canada Ltd.

® Registered trade-mark of International Business Machines Corporation and is used under license by IBM Canada Ltd.

(**) Company, product or service name may be a trade-mark or service mark of others.

Terms of use

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for your information only. Additional terms of use are located at

[Terms of use](#)

For the most current information regarding IBM products, consult your IBM representative or reseller, or go to the IBM worldwide contacts page

[IBM Canada](#)