

**GSA Hardware Upgrade Prices**  
**10/03/2016**

Machine				Purchase
Type	Model	Feature	Description	Price
2105		2125<2122	18.2GB TO 145.6GB 8 PK 10K	52,786.00
2105		2125<2123	36.4GB TO 145.6GB 8 PK 10K	52,786.00
2105		2125<2124	72.8GB TO 145.6GB 8 PK 10K	52,786.00
2105		2125<2142	18.2GB 15K 8PKTO 145.6GB 10K	52,786.00
2105		2125<2143	36.4GB 15K 8PKTO 145.6GB 10K	52,786.00
2105		2125<2144	72.8GB15K TO 145.6GB10K 8-PK	52,786.00
2105		2717<2716	REMOTE CABLES TO ESS CONSOLE	3,275.00
2105		3002<3013	64BT ESCON TO SCSI HST ADPTR	1,703.00
2105		3002<3024	FIBRE/FICON (LW) TO SCSI HA	1,899.00
2105		3002<3025	FIBRE/FICON (SW) TO SCSI HA	1,899.00
2105		3012<3024	FIBRE/FICON (LW) TO ESCON HA	4,977.00
2105		3012<3025	FIBRE/FICON (SW) TO ESCON HA	3,406.00
2105		3013<3002	SCSI TO 64BT ESCON HST ADPTR	3,275.00
2105		3013<3012	ESCON TO64BT ESCON HST ADPTR	3,209.00
2105		3013<3024	FICON(LW) TO 64 BIT ESCON	3,013.00
2105		3013<3025	FICON(SW) TO 64 BIT ESCON	3,013.00
2105		3024<3002	SCSI TO FIBRE/FICON (LW) HA	8,743.00
2105		3024<3012	ESCON TO FIBRE/FICON (LW) HA	8,677.00
2105		3024<3013	64BT ESCON TO FICON(LW)ADPTR	12,682.00
2105		3024<3025	FIBRE/FICON (SW) TO FIBRE LW	8,579.00
2105		3025<3002	SCSI TO FIBRE/FICON (SW) HA	7,760.00
2105		3025<3012	ESCON TO FIBRE/FICON (SW) HA	7,695.00
2105		3025<3013	64BT ESCON TO FICON(SW)ADPTR	7,695.00
2105		3025<3024	FIBRE/FICON (LW) TO FIBRE SW	7,597.00
2421		1321<1320	I/O CABLE CONVERSION	2,974.00
2421		3153<3157	HOST ADAPTER CONVERSION	25,162.00
2421		3153<3253	HOST ADAPTER CONVERSION	25,162.00
2421		3153<3257	HOST ADAPTER CONVERSION	25,162.00
2421		3157<3153	HOST ADAPTER CONVERSION	40,138.00
2421		3157<3253	HOST ADAPTER CONVERSION	40,138.00
2421		3157<3257	HOST ADAPTER CONVERSION	40,138.00
2421		3253<3153	HOST ADAPTER CONVERSION	25,162.00
2421		3253<3157	HOST ADAPTER CONVERSION	25,162.00
2421		3253<3257	HOST ADAPTER CONVERSION	25,162.00
2421		3257<3153	HOST ADAPTER CONVERSION	40,138.00
2421		3257<3157	HOST ADAPTER CONVERSION	40,138.00
2421		3257<3253	HOST ADAPTER CONVERSION	40,138.00
2421		4312<4311	PROC MEMORY CONVERSION	16,145.00
2421		4313<4311	PROC MEMORY CONVERSION	57,866.00
2421		4313<4312	PROC MEMORY CONVERSION	41,721.00
2421		4314<4311	PROC MEMORY CONVERSION	127,880.00
2421		4314<4312	PROC MEMORY CONVERSION	111,735.00
2421		4314<4313	PROC MEMORY CONVERSION	53,856.00
2421		4315<4311	PROC MEMORY CONVERSION	275,226.00
2421		4315<4312	PROC MEMORY CONVERSION	259,080.00
2421		4315<4313	PROC MEMORY CONVERSION	167,199.00
2421		4316<4311	PROC MEMORY CONVERSION	495,566.00

Machine				Purchase
Type	Model	Feature	Description	Price
2421		4316<4312	PROC MEMORY CONVERSION	479,420.00
2421		4316<4313	PROC MEMORY CONVERSION	336,691.00
2421		4316<4315	PROC MEMORY CONVERSION	169,491.00
2421		4317<4311	PROC MEMORY CONVERSION	819,115.00
2421		4317<4312	PROC MEMORY CONVERSION	802,969.00
2421		4317<4313	PROC MEMORY CONVERSION	585,576.00
2421		4317<4315	PROC MEMORY CONVERSION	418,376.00
2421		4317<4316	PROC MEMORY CONVERSION	248,884.00
2421		4402<4401	PROC LICENSE FEATURE CONV	74,318.00
2421		4403<4401	PROC LICENSE FEATURE CONV	148,637.00
2421		4403<4402	PROC LICENSE FEATURE CONV	57,168.00
2421		4404<4401	PROC LICENSE FEATURE CONV	297,275.00
2421		4404<4402	PROC LICENSE FEATURE CONV	171,504.00
2421		4404<4403	PROC LICENSE FEATURE CONV	114,337.00
2421		5108<5209	ENCRYPTION COD DRIVE CONV	31,493.00
2421		5308<5108	ENCRYPTION DRIVE SET CONV	66,288.00
2421		5308<5309	ENCRYPTION COD DRIVE CONV	59,659.00
2421		5708<5108	ENCRYPTION DRIVE SET CONV	115,844.00
2421		5708<5308	ENCRYPTION DRIVE SET CONV	115,844.00
2421		5708<5709	ENCRYPTION COD DISK CONV	104,259.00
2421		5758<5108	ENCRYPTION DRIVE SET CONV	165,492.00
2421		5758<5308	ENCRYPTION DRIVE SET CONV	165,492.00
2421		5758<5708	ENCRYPTION DRIVE SET CONV	165,492.00
2421		5758<5759	ENCRYPTION COD DRIVE CONV	148,943.00
2421		5858<5859	ENCRYPT COD DISK DR CONVERS	63,853.00
2421		6158<6156	ENCRYPTION SSD DRIVE CONVERS	155,780.00
2422		1321<1320	I/O CABLE CONVERSION	2,974.00
2422		3153<3157	HOST ADAPTER CONVERSION	26,024.00
2422		3153<3253	HOST ADAPTER CONVERSION	26,024.00
2422		3153<3257	HOST ADAPTER CONVERSION	26,024.00
2422		3157<3153	HOST ADAPTER CONVERSION	41,509.00
2422		3157<3253	HOST ADAPTER CONVERSION	41,509.00
2422		3157<3257	HOST ADAPTER CONVERSION	41,509.00
2422		3253<3153	HOST ADAPTER CONVERSION	26,024.00
2422		3253<3157	HOST ADAPTER CONVERSION	26,024.00
2422		3253<3257	HOST ADAPTER CONVERSION	26,024.00
2422		3257<3153	HOST ADAPTER CONVERSION	41,509.00
2422		3257<3157	HOST ADAPTER CONVERSION	41,509.00
2422		3257<3253	HOST ADAPTER CONVERSION	41,509.00
2422		4312<4311	PROC MEMORY CONVERSION	17,050.00
2422		4313<4311	PROC MEMORY CONVERSION	60,582.00
2422		4313<4312	PROC MEMORY CONVERSION	43,531.00
2422		4314<4311	PROC MEMORY CONVERSION	133,482.00
2422		4314<4312	PROC MEMORY CONVERSION	116,431.00
2422		4314<4313	PROC MEMORY CONVERSION	56,077.00
2422		4315<4311	PROC MEMORY CONVERSION	284,223.00
2422		4315<4312	PROC MEMORY CONVERSION	267,172.00
2422		4315<4313	PROC MEMORY CONVERSION	172,030.00
2422		4316<4311	PROC MEMORY CONVERSION	506,826.00
2422		4316<4312	PROC MEMORY CONVERSION	489,775.00

Machine				Purchase
Type	Model	Feature	Description	Price
2422		4316<4313	PROC MEMORY CONVERSION	343,263.00
2422		4316<4315	PROC MEMORY CONVERSION	171,232.00
2422		4317<4311	PROC MEMORY CONVERSION	832,639.00
2422		4317<4312	PROC MEMORY CONVERSION	815,588.00
2422		4317<4313	PROC MEMORY CONVERSION	593,889.00
2422		4317<4315	PROC MEMORY CONVERSION	421,858.00
2422		4317<4316	PROC MEMORY CONVERSION	250,625.00
2422		4402<4401	PROC LICENSE FEATURE CONV	77,714.00
2422		4403<4401	PROC LICENSE FEATURE CONV	154,578.00
2422		4403<4402	PROC LICENSE FEATURE CONV	59,126.00
2422		4404<4401	PROC LICENSE FEATURE CONV	306,045.00
2422		4404<4402	PROC LICENSE FEATURE CONV	175,639.00
2422		4404<4403	PROC LICENSE FEATURE CONV	116,513.00
2422		5108<5209	ENCRYPTION COD DRIVE CONV	33,345.00
2422		5308<5108	ENCRYPTION DRIVE SET CONV	70,362.00
2422		5308<5309	ENCRYPTION COD DRIVE CONV	63,326.00
2422		5708<5108	ENCRYPTION DRIVE SET CONV	120,997.00
2422		5708<5308	ENCRYPTION DRIVE SET CONV	120,997.00
2422		5708<5709	ENCRYPTION COD DISK CONV	108,898.00
2422		5758<5108	ENCRYPTION DRIVE SET CONV	172,570.00
2422		5758<5308	ENCRYPTION DRIVE SET CONV	172,570.00
2422		5758<5708	ENCRYPTION DRIVE SET CONV	172,570.00
2422		5758<5759	ENCRYPTION COD DRIVE CONV	155,314.00
2422		5858<5859	ENCRYPT COD DISK DR CONVERS	67,705.00
2422		6158<6156	ENCRYPTION SSD DRIVE CONVERS	169,753.00
2423		1321<1320	I/O CABLE CONVERSION	2,974.00
2423		3153<3157	HOST ADAPTER CONVERSION	26,886.00
2423		3153<3253	HOST ADAPTER CONVERSION	26,886.00
2423		3153<3257	HOST ADAPTER CONVERSION	26,886.00
2423		3157<3153	HOST ADAPTER CONVERSION	42,881.00
2423		3157<3253	HOST ADAPTER CONVERSION	42,881.00
2423		3157<3257	HOST ADAPTER CONVERSION	42,881.00
2423		3253<3153	HOST ADAPTER CONVERSION	26,886.00
2423		3253<3157	HOST ADAPTER CONVERSION	26,886.00
2423		3253<3257	HOST ADAPTER CONVERSION	26,886.00
2423		3257<3153	HOST ADAPTER CONVERSION	42,881.00
2423		3257<3157	HOST ADAPTER CONVERSION	42,881.00
2423		3257<3253	HOST ADAPTER CONVERSION	42,881.00
2423		4312<4311	PROC MEMORY CONVERSION	17,956.00
2423		4313<4311	PROC MEMORY CONVERSION	63,299.00
2423		4313<4312	PROC MEMORY CONVERSION	45,342.00
2423		4314<4311	PROC MEMORY CONVERSION	139,084.00
2423		4314<4312	PROC MEMORY CONVERSION	121,127.00
2423		4314<4313	PROC MEMORY CONVERSION	58,296.00
2423		4315<4311	PROC MEMORY CONVERSION	293,220.00
2423		4315<4312	PROC MEMORY CONVERSION	275,263.00
2423		4315<4313	PROC MEMORY CONVERSION	176,862.00
2423		4316<4311	PROC MEMORY CONVERSION	518,086.00
2423		4316<4312	PROC MEMORY CONVERSION	500,130.00
2423		4316<4313	PROC MEMORY CONVERSION	349,836.00

Machine				Purchase
Type	Model	Feature	Description	Price
2423		4316<4315	PROC MEMORY CONVERSION	172,973.00
2423		4317<4311	PROC MEMORY CONVERSION	846,162.00
2423		4317<4312	PROC MEMORY CONVERSION	828,207.00
2423		4317<4313	PROC MEMORY CONVERSION	602,203.00
2423		4317<4315	PROC MEMORY CONVERSION	425,340.00
2423		4317<4316	PROC MEMORY CONVERSION	252,366.00
2423		4402<4401	FEATURE CONVERSION	81,109.00
2423		4403<4401	PROC LICENSE FEATURE CONV	160,520.00
2423		4403<4402	PROC LICENSE FEATURE CONV	61,085.00
2423		4404<4401	PROC LICENSE FEATURE CONV	314,816.00
2423		4404<4402	PROC LICENSE FEATURE CONV	179,774.00
2423		4404<4403	PROC LICENSE FEATURE CONV	118,689.00
2423		5108<5209	ENCRYPTION COD DRIVE CONV	35,196.00
2423		5308<5108	ENCRYPTION DRIVE SET CONV	74,436.00
2423		5308<5309	ENCRYPTION COD DRIVE CONV	66,992.00
2423		5708<5108	ENCRYPTION DRIVE SET CONV	126,150.00
2423		5708<5308	ENCRYPTION DRIVE SET CONV	126,150.00
2423		5708<5709	ENCRYPTION COD DISK CONV	113,536.00
2423		5758<5108	ENCRYPTION DRIVE SET CONV	179,649.00
2423		5758<5308	ENCRYPTION DRIVE SET CONV	179,649.00
2423		5758<5708	ENCRYPTION DRIVE SET CONV	179,649.00
2423		5758<5759	ENCRYPTION COD DRIVE CONV	161,685.00
2423		5858<5859	ENCRYPT COD DISK DR CONVERS	71,557.00
2423		6158<6156	ENCRYPTION SSD DRIVE CONVERS	183,768.00
2424		1321<1320	I/O CABLE CONVERSION	2,974.00
2424		3153<3157	HOST ADAPTER CONVERSION	27,748.00
2424		3153<3253	HOST ADAPTER CONVERSION	27,748.00
2424		3153<3257	HOST ADAPTER CONVERSION	27,748.00
2424		3157<3153	HOST ADAPTER CONVERSION	44,252.00
2424		3157<3253	HOST ADAPTER CONVERSION	44,252.00
2424		3157<3257	HOST ADAPTER CONVERSION	44,252.00
2424		3253<3153	HOST ADAPTER CONVERSION	27,748.00
2424		3253<3157	HOST ADAPTER CONVERSION	27,748.00
2424		3253<3257	HOST ADAPTER CONVERSION	27,748.00
2424		3257<3153	HOST ADAPTER CONVERSION	44,252.00
2424		3257<3157	HOST ADAPTER CONVERSION	44,252.00
2424		3257<3253	HOST ADAPTER CONVERSION	44,252.00
2424		4312<4311	PROC MEMORY CONVERSION	18,861.00
2424		4313<4311	PROC MEMORY CONVERSION	66,015.00
2424		4313<4312	PROC MEMORY CONVERSION	47,154.00
2424		4314<4311	PROC MEMORY CONVERSION	144,686.00
2424		4314<4312	PROC MEMORY CONVERSION	125,825.00
2424		4314<4313	PROC MEMORY CONVERSION	60,516.00
2424		4315<4311	PROC MEMORY CONVERSION	302,217.00
2424		4315<4312	PROC MEMORY CONVERSION	283,355.00
2424		4315<4313	PROC MEMORY CONVERSION	181,694.00
2424		4316<4311	PROC MEMORY CONVERSION	529,346.00
2424		4316<4312	PROC MEMORY CONVERSION	510,485.00
2424		4316<4313	PROC MEMORY CONVERSION	356,409.00
2424		4316<4315	PROC MEMORY CONVERSION	174,714.00

Machine				Purchase
Type	Model	Feature	Description	Price
2424		4317<4311	PROC MEMORY CONVERSION	859,686.00
2424		4317<4312	PROC MEMORY CONVERSION	840,824.00
2424		4317<4313	PROC MEMORY CONVERSION	610,516.00
2424		4317<4315	PROC MEMORY CONVERSION	428,822.00
2424		4317<4316	PROC MEMORY CONVERSION	254,107.00
2424		4402<4401	PROC LICENSE FEATURE CONV	84,504.00
2424		4403<4401	PROC LICENSE FEATURE CONV	166,461.00
2424		4403<4402	PROC LICENSE FEATURE CONV	63,044.00
2424		4404<4401	PROC LICENSE FEATURE CONV	323,587.00
2424		4404<4402	PROC LICENSE FEATURE CONV	183,909.00
2424		4404<4403	PROC LICENSE FEATURE CONV	120,865.00
2424		5108<5209	ENCRYPTION COD DRIVE CONV	37,049.00
2424		5308<5108	ENCRYPTION DRIVE SET CONV	78,511.00
2424		5308<5309	ENCRYPTION COD DRIVE CONV	70,660.00
2424		5708<5108	ENCRYPTION DRIVE SET CONV	131,304.00
2424		5708<5308	ENCRYPTION DRIVE SET CONV	131,304.00
2424		5708<5709	ENCRYPTION COD DISK CONV	118,173.00
2424		5758<5108	ENCRYPTION DRIVE SET CONV	186,728.00
2424		5758<5308	ENCRYPTION DRIVE SET CONV	186,728.00
2424		5758<5708	ENCRYPTION DRIVE SET CONV	186,728.00
2424		5758<5759	ENCRYPTION COD DRIVE CONV	168,055.00
2424		5858<5859	ENCRYPT COD DISK DR CONVERS	75,410.00
2424		6158<6156	ENCRYPTION SSD DRIVE CONVERS	197,783.00
2817<2094		0084<0085	TK HMC TO DUAL EN HMC	*Call
2817<2094		1125<1110	S08 TO M15 AIR	*Call
2817<2094		1125<1111	S18 TO M15 AIR	*Call
2817<2094		1125<1112	S28 TO M15 AIR	*Call
2817<2094		1125<1113	S38 TO M15 AIR	*Call
2817<2094		1125<1114	S54 TO M15 AIR	*Call
2817<2094		1126<1110	S08 TO M32 AIR	*Call
2817<2094		1126<1111	S18 TO M32 AIR	*Call
2817<2094		1126<1112	S28 TO M32 AIR	*Call
2817<2094		1126<1113	S38 TO M32 AIR	*Call
2817<2094		1126<1114	S54 TO M32 AIR	*Call
2817<2094		1127<1110	S08 TO M49 AIR	*Call
2817<2094		1127<1111	S18 TO M49 AIR	*Call
2817<2094		1127<1112	S28 TO M49 AIR	*Call
2817<2094		1127<1113	S38 TO M49 AIR	*Call
2817<2094		1127<1114	S54 TO M49 AIR	*Call
2817<2094		1128<1110	S08 TO M66 AIR	*Call
2817<2094		1128<1111	S18 TO M66 AIR	*Call
2817<2094		1128<1112	S28 TO M66 AIR	*Call
2817<2094		1128<1113	S38 TO M66 AIR	*Call
2817<2094		1128<1114	S54 TO M66 AIR	*Call
2817<2094		1129<1110	S08 TO M80 AIR	*Call
2817<2094		1129<1111	S18 TO M80 AIR	*Call
2817<2094		1129<1112	S28 TO M80 AIR	*Call
2817<2094		1129<1113	S38 TO M80 AIR	*Call
2817<2094		1129<1114	S54 TO M80 AIR	*Call
2817<2094		1130<1110	S08 TO M15 WATER	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2817<2094		1130<1111	S18 TO M15 WATER	*Call
2817<2094		1130<1112	S28 TO M15 WATER	*Call
2817<2094		1130<1113	S38 TO M15 WATER	*Call
2817<2094		1130<1114	S54 TO M15 WATER	*Call
2817<2094		1131<1110	S08 TO M32 WATER	*Call
2817<2094		1131<1111	S18 TO M32 WATER	*Call
2817<2094		1131<1112	S28 TO M32 WATER	*Call
2817<2094		1131<1113	S38 TO M32 WATER	*Call
2817<2094		1131<1114	S54 TO M32 WATER	*Call
2817<2094		1132<1110	S08 TO M49 WATER	*Call
2817<2094		1132<1111	S18 TO M49 WATER	*Call
2817<2094		1132<1112	S28 TO M49 WATER	*Call
2817<2094		1132<1113	S38 TO M49 WATER	*Call
2817<2094		1132<1114	S54 TO M49 WATER	*Call
2817<2094		1133<1110	S08 TO M66 WATER	*Call
2817<2094		1133<1111	S18 TO M66 WATER	*Call
2817<2094		1133<1112	S28 TO M66 WATER	*Call
2817<2094		1133<1113	S38 TO M66 WATER	*Call
2817<2094		1133<1114	S54 TO M66 WATER	*Call
2817<2094		1134<1110	S08 TO M80 WATER	*Call
2817<2094		1134<1111	S18 TO M80 WATER	*Call
2817<2094		1134<1112	S28 TO M80 WATER	*Call
2817<2094		1134<1113	S38 TO M80 WATER	*Call
2817<2094		1134<1114	S54 TO M80 WATER	*Call
2817<2094		1881<7811	IFL TO IFL	*Call
2817<2094		1881<7812	ICF TO IFL	*Call
2817<2094		1881<7813	ADDL SAP TO IFL	*Call
2817<2094		1881<7814	ZAAP TO IFL	*Call
2817<2094		1881<7815	ZIIP TO IFL	*Call
2817<2094		1881<7831	UIFL TO IFL	*Call
2817<2094		1882<7811	IFL TO ICF	*Call
2817<2094		1882<7812	ICF TO ICF	*Call
2817<2094		1882<7813	ADDL SAP TO ICF	*Call
2817<2094		1882<7814	ZAAP TO ICF	*Call
2817<2094		1882<7815	ZIIP TO ICF	*Call
2817<2094		1882<7831	UIFL TO ICF	*Call
2817<2094		1883<7811	IFL TO SAP (OPTIONAL)	*Call
2817<2094		1883<7812	ICF TO SAP (OPTIONAL)	*Call
2817<2094		1883<7814	ZAAP TO SAP (OPTIONAL)	*Call
2817<2094		1883<7815	ZIIP TO SAP (OPTIONAL)	*Call
2817<2094		1883<7831	UIFL TO SAP (OPTIONAL)	*Call
2817<2094		1884<7811	IFL TO ZAAP	*Call
2817<2094		1884<7812	ICF TO ZAAP	*Call
2817<2094		1884<7813	ADDL SAP TO ZAAP	*Call
2817<2094		1884<7814	ZAAP TO ZAAP	*Call
2817<2094		1884<7815	ZIIP TO ZAAP	*Call
2817<2094		1884<7831	UIFL TO ZAAP	*Call
2817<2094		1885<7811	IFL TO ZIIP	*Call
2817<2094		1885<7812	ICF TO ZIIP	*Call
2817<2094		1885<7813	ADDL SAP TO ZIIP	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2817<2094		1885<7814	ZAAP TO ZIIP	*Call
2817<2094		1885<7815	ZIIP TO ZIIP	*Call
2817<2094		1885<7831	UIFL TO ZIIP	*Call
2817<2094		1886<7811	IFL TO UNASSIGNED IFL	*Call
2817<2094		1886<7812	ICF TO UNASSIGNED IFL	*Call
2817<2094		1886<7813	ADDL SAP TO UNASSIGNED IFL	*Call
2817<2094		1886<7814	ZAAP TO UNASSIGNED IFL	*Call
2817<2094		1886<7815	ZIIP TO UNASSIGNED IFL	*Call
2817<2094		1886<7831	UIFL TO UNASSIGNED IFL	*Call
2817<2094		4015<7611	1BK 1I/O - AFR NO C/A	*Call
2817<2094		4015<7612	1BK 3I/O - AFR NO C/A	*Call
2817<2094		4015<7613	1BK 3I/O - AFR NO C/A	*Call
2817<2094		4015<7621	2BK 1I/O - AFR NO C/A	*Call
2817<2094		4015<7622	2BK 2I/O - AFR NO C/A	*Call
2817<2094		4015<7623	2BK 3I/O - AFR NO C/A	*Call
2817<2094		4015<7631	3BK 1I/O - AFR NO C/A	*Call
2817<2094		4015<7632	3BK 2I/O - AFR NO C/A	*Call
2817<2094		4015<7633	3BK 3I/O - AFR NO C/A	*Call
2817<2094		4015<7641	4BK 1I/O - AFR NO C/A	*Call
2817<2094		4015<7642	4BK 2I/O - AFR NO C/A	*Call
2817<2094		4015<7643	4BK 3I/O - AFR NO C/A	*Call
2817<2094		4016<7611	1BK 1I/O - AFR C/A	*Call
2817<2094		4016<7612	1BK 3I/O - AFR C/A	*Call
2817<2094		4016<7613	1BK 3I/O - AFR C/A	*Call
2817<2094		4016<7621	2BK 1I/O - AFR C/A	*Call
2817<2094		4016<7622	2BK 2I/O - AFR C/A	*Call
2817<2094		4016<7623	2BK 3I/O - AFR C/A	*Call
2817<2094		4016<7631	3BK 1I/O - AFR C/A	*Call
2817<2094		4016<7632	3BK 2I/O - AFR C/A	*Call
2817<2094		4016<7633	3BK 3I/O - AFR C/A	*Call
2817<2094		4016<7641	4BK 1I/O - AFR C/A	*Call
2817<2094		4016<7642	4BK 2I/O - AFR C/A	*Call
2817<2094		4016<7643	4BK 3I/O - AFR C/A	*Call
2817<2094		4017<7611	1BK 1I/O - AFR NO C/W	*Call
2817<2094		4017<7612	1BK 3I/O - AFR NO C/W	*Call
2817<2094		4017<7613	1BK 3I/O - AFR NO C/W	*Call
2817<2094		4017<7621	2BK 1I/O - AFR NO C/W	*Call
2817<2094		4017<7622	2BK 2I/O - AFR NO C/W	*Call
2817<2094		4017<7623	2BK 3I/O - AFR NO C/W	*Call
2817<2094		4017<7631	3BK 1I/O - AFR NO C/W	*Call
2817<2094		4017<7632	3BK 2I/O - AFR NO C/W	*Call
2817<2094		4017<7633	3BK 3I/O - AFR NO C/W	*Call
2817<2094		4017<7641	4BK 1I/O - AFR NO C/W	*Call
2817<2094		4017<7642	4BK 2I/O - AFR NO C/W	*Call
2817<2094		4017<7643	4BK 3I/O - AFR NO C/W	*Call
2817<2094		4018<7611	1BK 1I/O - AFR C/W	*Call
2817<2094		4018<7612	1BK 3I/O - AFR C/W	*Call
2817<2094		4018<7613	1BK 3I/O - AFR C/W	*Call
2817<2094		4018<7621	2BK 1I/O - AFR C/W	*Call
2817<2094		4018<7622	2BK 2I/O - AFR C/W	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2817<2094		4018<7623	2BK 3I/O - AFR C/W	*Call
2817<2094		4018<7631	3BK 1I/O - AFR C/W	*Call
2817<2094		4018<7632	3BK 2I/O - AFR C/W	*Call
2817<2094		4018<7633	3BK 3I/O - AFR C/W	*Call
2817<2094		4018<7641	4BK 1I/O - AFR C/W	*Call
2817<2094		4018<7642	4BK 2I/O - AFR C/W	*Call
2817<2094		4018<7643	4BK 3I/O - AFR C/W	*Call
2817<2094		4019<7611	1BK 1I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7612	1BK 3I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7613	1BK 3I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7621	2BK 1I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7622	2BK 2I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7623	2BK 3I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7631	3BK 1I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7632	3BK 2I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7633	3BK 3I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7641	4BK 1I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7642	4BK 2I/O - AFR MULT NO C/A	*Call
2817<2094		4019<7643	4BK 3I/O - AFR MULT NO C/A	*Call
2817<2094		4020<7611	1BK 1I/O - AFR MULT C/A	*Call
2817<2094		4020<7612	1BK 3I/O - AFR MULT C/A	*Call
2817<2094		4020<7613	1BK 3I/O - AFR MULT C/A	*Call
2817<2094		4020<7621	2BK 1I/O - AFR MULT C/A	*Call
2817<2094		4020<7622	2BK 2I/O - AFR MULT C/A	*Call
2817<2094		4020<7623	2BK 3I/O - AFR MULT C/A	*Call
2817<2094		4020<7631	3BK 1I/O - AFR MULT C/A	*Call
2817<2094		4020<7632	3BK 2I/O - AFR MULT C/A	*Call
2817<2094		4020<7633	3BK 3I/O - AFR MULT C/A	*Call
2817<2094		4020<7641	4BK 1I/O - AFR MULT C/A	*Call
2817<2094		4020<7642	4BK 2I/O - AFR MULT C/A	*Call
2817<2094		4020<7643	4BK 3I/O - AFR MULT C/A	*Call
2817<2097		1125<1117	E12 TO M15 AIR	*Call
2817<2097		1125<1118	E26 TO M15 AIR	*Call
2817<2097		1125<1119	E40 TO M15 AIR	*Call
2817<2097		1125<1120	E56 TO M15 AIR	*Call
2817<2097		1125<1121	E64 TO M15 AIR	*Call
2817<2097		1126<1117	E12 TO M32 AIR	*Call
2817<2097		1126<1118	E26 TO M32 AIR	*Call
2817<2097		1126<1119	E40 TO M32 AIR	*Call
2817<2097		1126<1120	E56 TO M32 AIR	*Call
2817<2097		1126<1121	E64 TO M32 AIR	*Call
2817<2097		1127<1117	E12 TO M49 AIR	*Call
2817<2097		1127<1118	E26 TO M49 AIR	*Call
2817<2097		1127<1119	E40 TO M49 AIR	*Call
2817<2097		1127<1120	E56 TO M49 AIR	*Call
2817<2097		1127<1121	E64 TO M49 AIR	*Call
2817<2097		1128<1117	E12 TO M66 AIR	*Call
2817<2097		1128<1118	E26 TO M66 AIR	*Call
2817<2097		1128<1119	E40 TO M66 AIR	*Call
2817<2097		1128<1120	E56 TO M66 AIR	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2817<2097		1128<1121	E64 TO M66 AIR	*Call
2817<2097		1129<1117	E12 TO M80 AIR	*Call
2817<2097		1129<1118	E26 TO M80 AIR	*Call
2817<2097		1129<1119	E40 TO M80 AIR	*Call
2817<2097		1129<1120	E56 TO M80 AIR	*Call
2817<2097		1129<1121	E64 TO M80 AIR	*Call
2817<2097		1130<1117	E12 TO M15 WATER	*Call
2817<2097		1130<1118	E26 TO M15 WATER	*Call
2817<2097		1130<1119	E40 TO M15 WATER	*Call
2817<2097		1130<1120	E56 TO M15 WATER	*Call
2817<2097		1130<1121	E64 TO M15 WATER	*Call
2817<2097		1131<1117	E12 TO M32 WATER	*Call
2817<2097		1131<1118	E26 TO M32 WATER	*Call
2817<2097		1131<1119	E40 TO M32 WATER	*Call
2817<2097		1131<1120	E56 TO M32 WATER	*Call
2817<2097		1131<1121	E64 TO M32 WATER	*Call
2817<2097		1132<1117	E12 TO M49 WATER	*Call
2817<2097		1132<1118	E26 TO M49 WATER	*Call
2817<2097		1132<1119	E40 TO M49 WATER	*Call
2817<2097		1132<1120	E56 TO M49 WATER	*Call
2817<2097		1132<1121	E64 TO M49 WATER	*Call
2817<2097		1133<1117	E12 TO M66 WATER	*Call
2817<2097		1133<1118	E26 TO M66 WATER	*Call
2817<2097		1133<1119	E40 TO M66 WATER	*Call
2817<2097		1133<1120	E56 TO M66 WATER	*Call
2817<2097		1133<1121	E64 TO M66 WATER	*Call
2817<2097		1134<1117	E12 TO M80 WATER	*Call
2817<2097		1134<1118	E26 TO M80 WATER	*Call
2817<2097		1134<1119	E40 TO M80 WATER	*Call
2817<2097		1134<1120	E56 TO M80 WATER	*Call
2817<2097		1134<1121	E64 TO M80 WATER	*Call
2817<2097		1881<6811	IFL TO IFL	*Call
2817<2097		1881<6812	ICF TO IFL	*Call
2817<2097		1881<6813	SAP OPTIONAL TO IFL	*Call
2817<2097		1881<6814	ZAAP TO IFL	*Call
2817<2097		1881<6815	ZIIP TO IFL	*Call
2817<2097		1881<6816	UIFL TO IFL	*Call
2817<2097		1882<6811	IFL TO ICF	*Call
2817<2097		1882<6812	ICF TO ICF	*Call
2817<2097		1882<6813	SAP OPTIONAL TO ICF	*Call
2817<2097		1882<6814	ZAAP TO ICF	*Call
2817<2097		1882<6815	ZIIP TO ICF	*Call
2817<2097		1882<6816	UIFL TO ICF	*Call
2817<2097		1883<6811	IFL TO SAP(OPT)	*Call
2817<2097		1883<6812	ICF TO SAP(OPT)	*Call
2817<2097		1883<6814	ZAAP TO SAP(OPT)	*Call
2817<2097		1883<6815	ZIIP TO SAP(OPT)	*Call
2817<2097		1883<6816	UIFL TO SAP(OPT)	*Call
2817<2097		1884<6811	IFL TO ZAAP	*Call
2817<2097		1884<6812	ICF TO ZAAP	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2817<2097		1884<6813	SAP OPTIONAL TO ZAAP	*Call
2817<2097		1884<6814	ZAAP TO ZAAP	*Call
2817<2097		1884<6815	ZIIP TO ZAAP	*Call
2817<2097		1884<6816	UIFL TO ZAAP	*Call
2817<2097		1885<6811	IFL TO ZIIP	*Call
2817<2097		1885<6812	ICF TO ZIIP	*Call
2817<2097		1885<6813	SAP OPTIONAL TO ZIIP	*Call
2817<2097		1885<6814	ZAAP TO ZIIP	*Call
2817<2097		1885<6815	ZIIP TO ZIIP	*Call
2817<2097		1885<6816	UIFL TO ZIIP	*Call
2817<2097		1886<6811	IFL TO UIFL	*Call
2817<2097		1886<6812	ICF TO UIFL	*Call
2817<2097		1886<6813	SAP OPTIONAL TO UIFL	*Call
2817<2097		1886<6814	ZAAP TO UIFL	*Call
2817<2097		1886<6815	ZIIP TO UIFL	*Call
2817<2097		1886<6816	UIFL TO UIFL	*Call
2817<2097		1901<1996	PREPLND MEMTOMEM CPTY INCR	*Call
2817<2097		4015<4311	1BK 1I/O - AFR NO C/A	*Call
2817<2097		4015<4312	1BK 2I/O - AFR NO C/A	*Call
2817<2097		4015<4313	1BK 3I/O - AFR NO C/A	*Call
2817<2097		4015<4321	2BK 1I/O - AFR NO C/A	*Call
2817<2097		4015<4322	2BK 2I/O - AFR NO C/A	*Call
2817<2097		4015<4323	2BK 3I/O - AFR NO C/A	*Call
2817<2097		4015<4331	3BK 1I/O - AFR NO C/A	*Call
2817<2097		4015<4332	3BK 2I/O - AFR NO C/A	*Call
2817<2097		4015<4333	3BK 3I/O - AFR NO C/A	*Call
2817<2097		4015<4341	4BK 1I/O - AFR NO C/A	*Call
2817<2097		4015<4342	4BK 2I/O - AFR NO C/A	*Call
2817<2097		4015<4343	4BK 3I/O - AFR NO C/A	*Call
2817<2097		4016<4311	1BK 1I/O - AFR C/A	*Call
2817<2097		4016<4312	1BK 2I/O - AFR C/A	*Call
2817<2097		4016<4313	1BK 3I/O - AFR C/A	*Call
2817<2097		4016<4321	2BK 1I/O - AFR C/A	*Call
2817<2097		4016<4322	2BK 2I/O - AFR C/A	*Call
2817<2097		4016<4323	2BK 3I/O - AFR C/A	*Call
2817<2097		4016<4331	3BK 1I/O - AFR C/A	*Call
2817<2097		4016<4332	3BK 2I/O - AFR C/A	*Call
2817<2097		4016<4333	3BK 3I/O - AFR C/A	*Call
2817<2097		4016<4341	4BK 1I/O - AFR C/A	*Call
2817<2097		4016<4342	4BK 2I/O - AFR C/A	*Call
2817<2097		4016<4343	4BK 3I/O - AFR C/A	*Call
2817<2097		4017<4311	1BK 1I/O - AFR NO C/W	*Call
2817<2097		4017<4312	1BK 2I/O - AFR NO C/W	*Call
2817<2097		4017<4313	1BK 3I/O - AFR NO C/W	*Call
2817<2097		4017<4321	2BK 1I/O - AFR NO C/W	*Call
2817<2097		4017<4322	2BK 2I/O - AFR NO C/W	*Call
2817<2097		4017<4323	2BK 3I/O - AFR NO C/W	*Call
2817<2097		4017<4331	3BK 1I/O - AFR NO C/W	*Call
2817<2097		4017<4332	3BK 2I/O - AFR NO C/W	*Call
2817<2097		4017<4333	3BK 3I/O - AFR NO C/W	*Call

Machine			Purchase	
Type	Model	Feature	Description	Price
2817<2097		4017<4341	4BK 1I/O - AFR NO C/W	*Call
2817<2097		4017<4342	4BK 2I/O - AFR NO C/W	*Call
2817<2097		4017<4343	4BK 3I/O - AFR NO C/W	*Call
2817<2097		4018<4311	1BK 1I/O - AFR C/W	*Call
2817<2097		4018<4312	1BK 2I/O - AFR C/W	*Call
2817<2097		4018<4313	1BK 3I/O - AFR C/W	*Call
2817<2097		4018<4321	2BK 1I/O - AFR C/W	*Call
2817<2097		4018<4322	2BK 2I/O - AFR C/W	*Call
2817<2097		4018<4323	2BK 3I/O - AFR C/W	*Call
2817<2097		4018<4331	3BK 1I/O - AFR C/W	*Call
2817<2097		4018<4332	3BK 2I/O - AFR C/W	*Call
2817<2097		4018<4333	3BK 3I/O - AFR C/W	*Call
2817<2097		4018<4341	4BK 1I/O - AFR C/W	*Call
2817<2097		4018<4342	4BK 2I/O - AFR C/W	*Call
2817<2097		4018<4343	4BK 3I/O - AFR C/W	*Call
2817<2097		4019<4311	1BK 1I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4312	1BK 2I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4313	1BK 3I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4321	2BK 1I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4322	2BK 2I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4323	2BK 3I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4331	3BK 1I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4332	3BK 2I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4333	3BK 3I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4341	4BK 1I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4342	4BK 2I/O - AFR MULT NO C/A	*Call
2817<2097		4019<4343	4BK 3I/O - AFR MULT NO C/A	*Call
2817<2097		4020<4311	1BK 1I/O - AFR MULT C/A	*Call
2817<2097		4020<4312	1BK 2I/O - AFR MULT C/A	*Call
2817<2097		4020<4313	1BK 3I/O - AFR MULT C/A	*Call
2817<2097		4020<4321	2BK 1I/O - AFR MULT C/A	*Call
2817<2097		4020<4322	2BK 2I/O - AFR MULT C/A	*Call
2817<2097		4020<4323	2BK 3I/O - AFR MULT C/A	*Call
2817<2097		4020<4331	3BK 1I/O - AFR MULT C/A	*Call
2817<2097		4020<4332	3BK 2I/O - AFR MULT C/A	*Call
2817<2097		4020<4333	3BK 3I/O - AFR MULT C/A	*Call
2817<2097		4020<4341	4BK 1I/O - AFR MULT C/A	*Call
2817<2097		4020<4342	4BK 2I/O - AFR MULT C/A	*Call
2817<2097		4020<4343	4BK 3I/O - AFR MULT C/A	*Call
2818<2096	M05<R07		MODEL CONVERSION	*Call
2818<2096	M05<S07		MODEL CONVERSION	*Call
2818<2096	M10<R07		MODEL CONVERSION	*Call
2818<2096	M10<S07		MODEL CONVERSION	*Call
2818<2096		1135<1115	2096 R07 TO 2818 M05	*Call
2818<2096		1135<1116	2096 S07 TO 2818 M05	*Call
2818<2096		1136<1115	2096 R07 TO 2818 M10	*Call
2818<2096		1136<1116	2096 S07 TO 2818 M10	*Call
2818<2096		3394<7838	ADDL SAP TO IFL	*Call
2818<2096		3394<7839	UIFL TO IFL	*Call
2818<2096		3394<7866	IFL TO IFL	*Call

Machine					Purchase
Type	Model	Feature	Description	Price	
2818<2096		3394<7867	ICF TO IFL	*Call	
2818<2096		3394<7868	ZIIP TO IFL	*Call	
2818<2096		3394<7869	ZAAP TO IFL	*Call	
2818<2096		3395<7838	ADDL SAP TO ICF	*Call	
2818<2096		3395<7839	UIFL TO ICF	*Call	
2818<2096		3395<7866	IFL TO ICF	*Call	
2818<2096		3395<7867	ICF TO ICF	*Call	
2818<2096		3395<7868	ZIIP TO ICF	*Call	
2818<2096		3395<7869	ZAAP TO ICF	*Call	
2818<2096		3396<7838	ADDL SAP TO SAP OPTIONAL	*Call	
2818<2096		3396<7839	UIFL TO SAP OPTIONAL	*Call	
2818<2096		3396<7866	IFL TO SAP OPTIONAL	*Call	
2818<2096		3396<7867	ICF TO SAP OPTIONAL	*Call	
2818<2096		3396<7868	ZIIP TO SAP OPTIONAL	*Call	
2818<2096		3396<7869	ZAAP TO SAP OPTIONAL	*Call	
2818<2096		3397<7838	ADDL SAP TO ZAAP	*Call	
2818<2096		3397<7839	UIFL TO ZAAP	*Call	
2818<2096		3397<7866	IFL TO ZAAP	*Call	
2818<2096		3397<7867	ICF TO ZAAP	*Call	
2818<2096		3397<7868	ZIIP TO ZAAP	*Call	
2818<2096		3397<7869	ZAAP TO ZAAP	*Call	
2818<2096		3398<7838	ADDL SAP TO ZIIP	*Call	
2818<2096		3398<7839	UIFL TO ZIIP	*Call	
2818<2096		3398<7866	IFL TO ZIIP	*Call	
2818<2096		3398<7867	ICF TO ZIIP	*Call	
2818<2096		3398<7868	ZIIP TO ZIIP	*Call	
2818<2096		3398<7869	ZAAP TO ZIIP	*Call	
2818<2096		3399<7838	ADDL SAP TO UIFL	*Call	
2818<2096		3399<7839	UIFL TO UIFL	*Call	
2818<2096		3399<7866	IFL TO UIFL	*Call	
2818<2096		3399<7867	ICF TO UIFL	*Call	
2818<2096		3399<7868	ZIIP TO UIFL	*Call	
2818<2096		3399<7869	ZAAP TO UIFL	*Call	
2818<2098	M05<E10		MODEL CONVERSION	*Call	
2818<2098	M10<E10		MODEL CONVERSION	*Call	
2818<2098		1135<1123	2098 E10 TO 2818 M05	*Call	
2818<2098		1136<1123	2098 E10 TO 2818 M10	*Call	
2818<2098		1903<1991	PREPLND MEMTOMEM CPTY INCR	*Call	
2818<2098		3394<6650	IFL TO IFL	*Call	
2818<2098		3394<6651	ICF TO IFL	*Call	
2818<2098		3394<6652	ADDL SAP TO IFL	*Call	
2818<2098		3394<6653	ZAAP TO IFL	*Call	
2818<2098		3394<6654	ZIIP TO IFL	*Call	
2818<2098		3394<6655	UIFL TO IFL	*Call	
2818<2098		3395<6650	IFL TO ICF	*Call	
2818<2098		3395<6651	ICF TO ICF	*Call	
2818<2098		3395<6652	ADDL SAP TO ICF	*Call	
2818<2098		3395<6653	ZAAP TO ICF	*Call	
2818<2098		3395<6654	ZIIP TO ICF	*Call	
2818<2098		3395<6655	UIFL TO ICF	*Call	

Machine					Purchase
Type	Model	Feature	Description	Price	
2818<2098		3396<6650	IFL TO SAP OPTIONAL	*Call	
2818<2098		3396<6651	ICF TO SAP OPTIONAL	*Call	
2818<2098		3396<6652	ADDL SAP TO SAP OPTIONAL	*Call	
2818<2098		3396<6653	ZAAP TO SAP OPTIONAL	*Call	
2818<2098		3396<6654	ZIIP TO SAP OPTIONAL	*Call	
2818<2098		3396<6655	UIFL TO SAP OPTIONAL	*Call	
2818<2098		3397<6650	IFL TO ZAAP	*Call	
2818<2098		3397<6651	ICF TO ZAAP	*Call	
2818<2098		3397<6652	ADDL SAP TO ZAAP	*Call	
2818<2098		3397<6653	ZAAP TO ZAAP	*Call	
2818<2098		3397<6654	ZIIP TO ZAAP	*Call	
2818<2098		3397<6655	UIFL TO ZAAP	*Call	
2818<2098		3398<6650	IFL TO ZIIP	*Call	
2818<2098		3398<6651	ICF TO ZIIP	*Call	
2818<2098		3398<6652	ADDL SAP TO ZIIP	*Call	
2818<2098		3398<6653	ZAAP TO ZIIP	*Call	
2818<2098		3398<6654	ZIIP TO ZIIP	*Call	
2818<2098		3398<6655	UIFL TO ZIIP	*Call	
2818<2098		3399<6650	IFL TO UIFL	*Call	
2818<2098		3399<6651	ICF TO UIFL	*Call	
2818<2098		3399<6652	ADDL SAP TO UIFL	*Call	
2818<2098		3399<6653	ZAAP TO UIFL	*Call	
2818<2098		3399<6654	ZIIP TO UIFL	*Call	
2818<2098		3399<6655	UIFL TO UIFL	*Call	
	2827	1096<1095	H20 R TO H43 R	*Call	
	2827	1097<1095	H20 R TO H66 R	*Call	
	2827	1097<1096	H43 R TO H66 R	*Call	
	2827	1098<1095	H20 R TO H89 R	*Call	
	2827	1098<1096	H43 R TO H89 R	*Call	
	2827	1098<1097	H66 R TO H89 R	*Call	
	2827	1100<1099	H20 W TO H43 W	*Call	
	2827	1101<1099	H20 W TO H66 W	*Call	
	2827	1101<1100	H43 W TO H66 W	*Call	
	2827	1102<1099	H20 W TO H89 W	*Call	
	2827	1102<1100	H43 W TO H89 W	*Call	
	2827	1102<1101	H66 W TO H89 W	*Call	
	2827	1106<1095	H20 R TO HA1 R	*Call	
	2827	1106<1097	H66 R TO HA1 R	*Call	
	2827	1145<1100	H43 W TO HA1 W	*Call	
	2827	1145<1101	H66 W TO HA1 W	*Call	
	2827	1898<1990	PREPLND MEMTO32GBCPTYINCR	*Call	
	2827	1899<1996	PREPLND MEMTO16GBCPTYINCR	*Call	
	2827	1909<1910	ICF TO IFL	*Call	
	2827	1909<1911	SAP(OPT) TO IFL	*Call	
	2827	1909<1912	ZAAP TO IFL	*Call	
	2827	1909<1913	ZIIP TO IFL	*Call	
	2827	1910<1912	ZAAP TO ICF	*Call	
	2827	1911<1912	ZAAP TO SAP(OPT)	*Call	
	2827	1911<1914	UIFL TO SAP(OPT)	*Call	
	2827	1912<1909	IFL TO ZAAP	*Call	

Machine				Purchase
Type	Model	Feature	Description	Price
2827		1912<1910	ICF TO ZAAP	*Call
2827		1912<1911	SAP(OPT) TO ZAAP	*Call
2827		1912<1913	ZIIP TO ZAAP	*Call
2827		1912<1914	UIFL TO ZAAP	*Call
2827		1913<1909	IFL TO ZIIP	*Call
2827		1913<1910	ICF TO ZIIP	*Call
2827		1913<1911	SAP(OPT) TO ZIIP	*Call
2827		1913<1912	ZAAP TO ZIIP	*Call
2827		1913<1914	UIFL TO ZIIP	*Call
2827		1914<1910	ICF TO UIFL	*Call
2827		1914<1911	SAP(OPT) TO UIFL	*Call
2827		1914<1912	ZAAP TO UIFL	*Call
2827		1914<1913	ZIIP TO UIFL	*Call
2827		4022<4025	AFR W SINGLE-AFR W MULTI	*Call
2827		4024<4026	AFR R SINGLE-AFR R MULTI	*Call
2827<2097		1095<1117	E12 TO H20 R	*Call
2827<2097		1095<1118	E26 TO H20 R	*Call
2827<2097		1095<1119	E40 TO H20 R	*Call
2827<2097		1095<1120	E56 TO H20 R	*Call
2827<2097		1095<1121	E64 TO H20 R	*Call
2827<2097		1096<1117	E12 TO H43 R	*Call
2827<2097		1096<1118	E26 TO H43 R	*Call
2827<2097		1096<1119	E40 TO H43 R	*Call
2827<2097		1096<1120	E56 TO H43 R	*Call
2827<2097		1096<1121	E64 TO H43 R	*Call
2827<2097		1097<1117	E12 TO H66 R	*Call
2827<2097		1097<1118	E26 TO H66 R	*Call
2827<2097		1097<1119	E40 TO H66 R	*Call
2827<2097		1097<1120	E56 TO H66 R	*Call
2827<2097		1097<1121	E64 TO H66 R	*Call
2827<2097		1098<1117	E12 TO H89 R	*Call
2827<2097		1098<1118	E26 TO H89 R	*Call
2827<2097		1098<1119	E40 TO H89 R	*Call
2827<2097		1098<1120	E56 TO H89 R	*Call
2827<2097		1098<1121	E64 TO H89 R	*Call
2827<2097		1099<1117	E12 TO H20 W	*Call
2827<2097		1099<1118	E26 TO H20 W	*Call
2827<2097		1099<1119	E40 TO H20 W	*Call
2827<2097		1099<1120	E56 TO H20 W	*Call
2827<2097		1099<1121	E64 TO H20 W	*Call
2827<2097		1100<1117	E12 TO H43 W	*Call
2827<2097		1100<1118	E26 TO H43 W	*Call
2827<2097		1100<1119	E40 TO H43 W	*Call
2827<2097		1100<1120	E56 TO H43 W	*Call
2827<2097		1100<1121	E64 TO H43 W	*Call
2827<2097		1101<1117	E12 TO H66 W	*Call
2827<2097		1101<1118	E26 TO H66 W	*Call
2827<2097		1101<1119	E40 TO H66 W	*Call
2827<2097		1101<1120	E56 TO H66 W	*Call
2827<2097		1101<1121	E64 TO H66 W	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2827<2097		1102<1117	E12 TO H89 W	*Call
2827<2097		1102<1118	E26 TO H89 W	*Call
2827<2097		1102<1119	E40 TO H89 W	*Call
2827<2097		1102<1120	E56 TO H89 W	*Call
2827<2097		1102<1121	E64 TO H89 W	*Call
2827<2097		1106<1117	E12 TO HA1 R	*Call
2827<2097		1106<1118	E26 TO HA1 R	*Call
2827<2097		1106<1119	E40 TO HA1 R	*Call
2827<2097		1106<1120	E56 TO HA1 R	*Call
2827<2097		1106<1121	E64 TO HA1 R	*Call
2827<2097		1145<1117	E12 TO HA1 W	*Call
2827<2097		1145<1118	E26 TO HA1 W	*Call
2827<2097		1145<1119	E40 TO HA1 W	*Call
2827<2097		1145<1120	E56 TO HA1 W	*Call
2827<2097		1145<1121	E64 TO HA1 W	*Call
2827<2097		1898<1996	16GBPREPLNDTO32GBCPTYINCR	*Call
2827<2097		1899<1996	16GBPREPLNDTO16GBCPTYINCR	*Call
2827<2097		1909<6811	IFL TO IFL	*Call
2827<2097		1909<6812	ICF TO IFL	*Call
2827<2097		1909<6813	SAP OPTIONAL TO IFL	*Call
2827<2097		1909<6814	ZAAP TO IFL	*Call
2827<2097		1909<6815	ZIIP TO IFL	*Call
2827<2097		1909<6816	UIFL TO IFL	*Call
2827<2097		1910<6811	IFL TO ICF	*Call
2827<2097		1910<6812	ICF TO ICF	*Call
2827<2097		1910<6813	SAP OPTIONAL TO ICF	*Call
2827<2097		1910<6814	ZAAP TO ICF	*Call
2827<2097		1910<6815	ZIIP TO ICF	*Call
2827<2097		1910<6816	UIFL TO ICF	*Call
2827<2097		1911<6811	IFL TO SAP(OPT)	*Call
2827<2097		1911<6812	ICF TO SAP(OPT)	*Call
2827<2097		1911<6814	ZAAP TO SAP(OPT)	*Call
2827<2097		1911<6815	ZIIP TO SAP(OPT)	*Call
2827<2097		1911<6816	UIFL TO SAP(OPT)	*Call
2827<2097		1912<6811	IFL TO ZAAP	*Call
2827<2097		1912<6812	ICF TO ZAAP	*Call
2827<2097		1912<6813	SAP OPTIONAL TO ZAAP	*Call
2827<2097		1912<6814	ZAAP TO ZAAP	*Call
2827<2097		1912<6815	ZIIP TO ZAAP	*Call
2827<2097		1912<6816	UIFL TO ZAAP	*Call
2827<2097		1913<6811	IFL TO ZIIP	*Call
2827<2097		1913<6812	ICF TO ZIIP	*Call
2827<2097		1913<6813	SAP OPTIONAL TO ZIIP	*Call
2827<2097		1913<6814	ZAAP TO ZIIP	*Call
2827<2097		1913<6815	ZIIP TO ZIIP	*Call
2827<2097		1913<6816	UIFL TO ZIIP	*Call
2827<2097		1914<6811	IFL TO UIFL	*Call
2827<2097		1914<6812	ICF TO UIFL	*Call
2827<2097		1914<6813	SAP OPTIONAL TO UIFL	*Call
2827<2097		1914<6814	ZAAP TO UIFL	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2827<2097	1914<6815		ZIIP TO UIFL	*Call
2827<2097	1914<6816		UIFL TO UIFL	*Call
2827<2097	4022<4311		1BK 1I/O - AFR W MULTI	*Call
2827<2097	4022<4312		1BK 2I/O - AFR W MULTI	*Call
2827<2097	4022<4313		1BK 3I/O - AFR W MULTI	*Call
2827<2097	4022<4321		2BK 1I/O - AFR W MULTI	*Call
2827<2097	4022<4322		2BK 2I/O - AFR W MULTI	*Call
2827<2097	4022<4323		2BK 3I/O - AFR W MULTI	*Call
2827<2097	4022<4331		3BK 1I/O - AFR W MULTI	*Call
2827<2097	4022<4332		3BK 2I/O - AFR W MULTI	*Call
2827<2097	4022<4333		3BK 3I/O - AFR W MULTI	*Call
2827<2097	4022<4341		4BK 1I/O - AFR W MULTI	*Call
2827<2097	4022<4342		4BK 2I/O - AFR W MULTI	*Call
2827<2097	4022<4343		4BK 3I/O - AFR W MULTI	*Call
2827<2097	4024<4311		1BK 1I/O - AFR R MULTI	*Call
2827<2097	4024<4312		1BK 2I/O - AFR R MULTI	*Call
2827<2097	4024<4313		1BK 3I/O - AFR R MULTI	*Call
2827<2097	4024<4321		2BK 1I/O - AFR R MULTI	*Call
2827<2097	4024<4322		2BK 2I/O - AFR R MULTI	*Call
2827<2097	4024<4323		2BK 3I/O - AFR R MULTI	*Call
2827<2097	4024<4331		3BK 1I/O - AFR R MULTI	*Call
2827<2097	4024<4332		3BK 2I/O - AFR R MULTI	*Call
2827<2097	4024<4333		3BK 3I/O - AFR R MULTI	*Call
2827<2097	4024<4341		4BK 1I/O - AFR R MULTI	*Call
2827<2097	4024<4342		4BK 2I/O - AFR R MULTI	*Call
2827<2097	4024<4343		4BK 3I/O - AFR R MULTI	*Call
2827<2097	4025<4311		1BK 1I/O - AFR W SINGLE	*Call
2827<2097	4025<4312		1BK 2I/O - AFR W SINGLE	*Call
2827<2097	4025<4313		1BK 3I/O - AFR W SINGLE	*Call
2827<2097	4025<4321		2BK 1I/O - AFR W SINGLE	*Call
2827<2097	4025<4322		2BK 2I/O - AFR W SINGLE	*Call
2827<2097	4025<4323		2BK 3I/O - AFR W SINGLE	*Call
2827<2097	4025<4331		3BK 1I/O - AFR W SINGLE	*Call
2827<2097	4025<4332		3BK 2I/O - AFR W SINGLE	*Call
2827<2097	4025<4333		3BK 3I/O - AFR W SINGLE	*Call
2827<2097	4025<4341		4BK 1I/O - AFR W SINGLE	*Call
2827<2097	4025<4342		4BK 2I/O - AFR W SINGLE	*Call
2827<2097	4025<4343		4BK 3I/O - AFR W SINGLE	*Call
2827<2097	4026<4311		1BK 1I/O - AFR R SINGLE	*Call
2827<2097	4026<4312		1BK 2I/O - AFR R SINGLE	*Call
2827<2097	4026<4313		1BK 3I/O - AFR R SINGLE	*Call
2827<2097	4026<4321		2BK 1I/O - AFR R SINGLE	*Call
2827<2097	4026<4322		2BK 2I/O - AFR R SINGLE	*Call
2827<2097	4026<4323		2BK 3I/O - AFR R SINGLE	*Call
2827<2097	4026<4331		3BK 1I/O - AFR R SINGLE	*Call
2827<2097	4026<4332		3BK 2I/O - AFR R SINGLE	*Call
2827<2097	4026<4333		3BK 3I/O - AFR R SINGLE	*Call
2827<2097	4026<4341		4BK 1I/O - AFR R SINGLE	*Call
2827<2097	4026<4342		4BK 2I/O - AFR R SINGLE	*Call
2827<2097	4026<4343		4BK 3I/O - AFR R SINGLE	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2827<2817		1095<1125	M15 A TO H20 R	*Call
2827<2817		1095<1126	M32 A TO H20 R	*Call
2827<2817		1095<1127	M49 A TO H20 R	*Call
2827<2817		1095<1128	M66 A TO H20 R	*Call
2827<2817		1095<1129	M80 A TO H20 R	*Call
2827<2817		1096<1125	M15 A TO H43 R	*Call
2827<2817		1096<1126	M32 A TO H43 R	*Call
2827<2817		1096<1127	M49 A TO H43 R	*Call
2827<2817		1096<1128	M66 A TO H43 R	*Call
2827<2817		1096<1129	M80 A TO H43 R	*Call
2827<2817		1097<1125	M15 A TO H66 R	*Call
2827<2817		1097<1126	M32 A TO H66 R	*Call
2827<2817		1097<1127	M49 A TO H66 R	*Call
2827<2817		1097<1128	M66 A TO H66 R	*Call
2827<2817		1097<1129	M80 A TO H66 R	*Call
2827<2817		1098<1125	M15 A TO H89 R	*Call
2827<2817		1098<1126	M32 A TO H89 R	*Call
2827<2817		1098<1127	M49 A TO H89 R	*Call
2827<2817		1098<1128	M66 A TO H89 R	*Call
2827<2817		1098<1129	M80 A TO H89 R	*Call
2827<2817		1099<1125	M15 A TO H20 W	*Call
2827<2817		1099<1126	M32 A TO H20 W	*Call
2827<2817		1099<1127	M49 A TO H20 W	*Call
2827<2817		1099<1128	M66 A TO H20 W	*Call
2827<2817		1099<1129	M80 A TO H20 W	*Call
2827<2817		1099<1130	M15 W TO H20 W	*Call
2827<2817		1099<1131	M32 W TO H20 W	*Call
2827<2817		1099<1132	M49 W TO H20 W	*Call
2827<2817		1099<1133	M66 W TO H20 W	*Call
2827<2817		1099<1134	M80 W TO H20 W	*Call
2827<2817		1100<1125	M15 A TO H43 W	*Call
2827<2817		1100<1126	M32 A TO H43 W	*Call
2827<2817		1100<1127	M49 A TO H43 W	*Call
2827<2817		1100<1128	M66 A TO H43 W	*Call
2827<2817		1100<1129	M80 A TO H43 W	*Call
2827<2817		1100<1130	M15 W TO H43 W	*Call
2827<2817		1100<1131	M32 W TO H43 W	*Call
2827<2817		1100<1132	M49 W TO H43 W	*Call
2827<2817		1100<1133	M66 W TO H43 W	*Call
2827<2817		1100<1134	M80 W TO H43 W	*Call
2827<2817		1101<1125	M15 A TO H66 W	*Call
2827<2817		1101<1126	M32 A TO H66 W	*Call
2827<2817		1101<1127	M49 A TO H66 W	*Call
2827<2817		1101<1128	M66 A TO H66 W	*Call
2827<2817		1101<1129	M80 A TO H66 W	*Call
2827<2817		1101<1130	M15 W TO H66 W	*Call
2827<2817		1101<1131	M32 W TO H66 W	*Call
2827<2817		1101<1132	M49 W TO H66 W	*Call
2827<2817		1101<1133	M66 W TO H66 W	*Call
2827<2817		1101<1134	M80 W TO H66 W	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2827<2817		1102<1125	M15 A TO H89 W	*Call
2827<2817		1102<1126	M32 A TO H89 W	*Call
2827<2817		1102<1127	M49 A TO H89 W	*Call
2827<2817		1102<1128	M66 A TO H89 W	*Call
2827<2817		1102<1129	M80 A TO H89 W	*Call
2827<2817		1102<1130	M15 W TO H89 W	*Call
2827<2817		1102<1131	M32 W TO H89 W	*Call
2827<2817		1102<1132	M49 W TO H89 W	*Call
2827<2817		1102<1133	M66 W TO H89 W	*Call
2827<2817		1102<1134	M80 W TO H89 W	*Call
2827<2817		1106<1125	M15 A TO HA1 R	*Call
2827<2817		1106<1126	M32 A TO HA1 R	*Call
2827<2817		1106<1127	M49 A TO HA1 R	*Call
2827<2817		1106<1128	M66 A TO HA1 R	*Call
2827<2817		1106<1129	M80 A TO HA1 R	*Call
2827<2817		1145<1125	M15 A TO HA1 W	*Call
2827<2817		1145<1126	M32 A TO HA1 W	*Call
2827<2817		1145<1127	M49 A TO HA1 W	*Call
2827<2817		1145<1128	M66 A TO HA1 W	*Call
2827<2817		1145<1129	M80 A TO HA1 W	*Call
2827<2817		1145<1130	M15 W TO HA1 W	*Call
2827<2817		1145<1131	M32 W TO HA1 W	*Call
2827<2817		1145<1132	M49 W TO HA1 W	*Call
2827<2817		1145<1133	M66 W TO HA1 W	*Call
2827<2817		1145<1134	M80 W TO HA1 W	*Call
2827<2817		1898<1996	PREPLND MEMTO32GBCPTYINCR	*Call
2827<2817		1899<1996	PREPLND MEMTO16GBCPTYINCR	*Call
2827<2817		1909<1881	IFL TO IFL	*Call
2827<2817		1909<1882	ICF TO IFL	*Call
2827<2817		1909<1883	SAP(OPT) TO IFL	*Call
2827<2817		1909<1884	ZAAP TO IFL	*Call
2827<2817		1909<1885	ZIIP TO IFL	*Call
2827<2817		1909<1886	UIFL TO IFL	*Call
2827<2817		1910<1881	IFL TO ICF	*Call
2827<2817		1910<1882	ICF TO ICF	*Call
2827<2817		1910<1883	SAP(OPT) TO ICF	*Call
2827<2817		1910<1884	ZAAP TO ICF	*Call
2827<2817		1910<1885	ZIIP TO ICF	*Call
2827<2817		1910<1886	UIFL TO ICF	*Call
2827<2817		1911<1881	IFL TO SAP(OPT)	*Call
2827<2817		1911<1882	ICF TO SAP(OPT)	*Call
2827<2817		1911<1884	ZAAP TO SAP(OPT)	*Call
2827<2817		1911<1885	ZIIP TO SAP(OPT)	*Call
2827<2817		1911<1886	UIFL TO SAP(OPT)	*Call
2827<2817		1912<1881	IFL TO ZAAP	*Call
2827<2817		1912<1882	ICF TO ZAAP	*Call
2827<2817		1912<1883	SAP(OPT) TO ZAAP	*Call
2827<2817		1912<1884	ZAAP TO ZAAP	*Call
2827<2817		1912<1885	ZIIP TO ZAAP	*Call
2827<2817		1912<1886	UIFL TO ZAAP	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2827<2817		1913<1881	IFL TO ZIIP	*Call
2827<2817		1913<1882	ICF TO ZIIP	*Call
2827<2817		1913<1883	SAP(OPT) TO ZIIP	*Call
2827<2817		1913<1884	ZAAP TO ZIIP	*Call
2827<2817		1913<1885	ZIIP TO ZIIP	*Call
2827<2817		1913<1886	UIFL TO ZIIP	*Call
2827<2817		1914<1881	IFL TO UIFL	*Call
2827<2817		1914<1882	ICF TO UIFL	*Call
2827<2817		1914<1883	SAP(OPT) TO UIFL	*Call
2827<2817		1914<1884	ZAAP TO UIFL	*Call
2827<2817		1914<1885	ZIIP TO UIFL	*Call
2827<2817		1914<1886	UIFL TO UIFL	*Call
2827<2817		4022<4015	AFR NO C/A-AFR W MULTI	*Call
2827<2817		4022<4016	AFR C/A-AFR W MULTI	*Call
2827<2817		4022<4017	AFR NO C/W-AFR W MULTI	*Call
2827<2817		4022<4018	AFR C/W-AFR W MULTI	*Call
2827<2817		4022<4019	AFRMULT NOC/A-AFR W MULTI	*Call
2827<2817		4022<4020	AFRMULT C/A-AFR W MULTI	*Call
2827<2817		4024<4015	AFR NO C/A-AFR R MULTI	*Call
2827<2817		4024<4016	AFR C/A-AFR R MULTI	*Call
2827<2817		4024<4019	AFRMULT NOC/A-AFR R MULTI	*Call
2827<2817		4024<4020	AFRMULT C/A-AFR R MULTI	*Call
2827<2817		4025<4015	AFR NO C/A-AFR W SINGLE	*Call
2827<2817		4025<4016	AFR C/A-AFR W SINGLE	*Call
2827<2817		4025<4017	AFR NO C/W-AFR W SINGLE	*Call
2827<2817		4025<4018	AFR C/W-AFR W SINGLE	*Call
2827<2817		4025<4019	AFRMULT NOC/A-AFR W SINGLE	*Call
2827<2817		4025<4020	AFRMULT C/A-AFR W SINGLE	*Call
2827<2817		4026<4015	AFR NO C/A-AFR R SINGLE	*Call
2827<2817		4026<4016	AFR C/A-AFR R SINGLE	*Call
2827<2817		4026<4019	AFRMULT NOC/A-AFR R SINGLE	*Call
2827<2817		4026<4020	AFRMULT C/A-AFR R SINGLE	*Call
2827<2828		0101<0138	CP 2PK TO CP 10PK	*Call
2827<2828		0101<0140	CP 4PK TO CP 10PK	*Call
2827<2828		0101<0142	CP 6PK TO CP 10PK	*Call
2827<2828		1095<1148	H13 TO H20 RAD	*Call
2827<2828		1899<1993	PREPLND MEM TO 16GB MEMCPTYI	*Call
2827<2828		1909<5796	SAP OPTIONAL TO IFL	*Call
2827<2828		1909<5797	ZAAP TO IFL	*Call
2827<2828		1909<5798	ZIIP TO IFL	*Call
2827<2828		1910<5794	IFL TO ICF	*Call
2827<2828		1910<5796	SAP OPTIONAL TO ICF	*Call
2827<2828		1910<5797	ZAAP TO ICF	*Call
2827<2828		1910<5798	ZIIP TO ICF	*Call
2827<2828		1910<5799	UIFL TO ICF	*Call
2827<2828		1911<5794	IFL TO SAP(OPT)	*Call
2827<2828		1911<5795	ICF TO SAP(OPT)	*Call
2827<2828		1911<5797	ZAAP TO SAP(OPT)	*Call
2827<2828		1911<5798	ZIIP TO SAP(OPT)	*Call
2827<2828		1911<5799	UIFL TO SAP(OPT)	*Call

Machine				Purchase	
Type	Model	Feature	Description	Price	
2827<	2828	1912<	5794	IFL TO ZAAP	*Call
2827<	2828	1912<	5795	ICF TO ZAAP	*Call
2827<	2828	1912<	5796	SAP OPTIONAL TO ZAAP	*Call
2827<	2828	1912<	5798	ZIIP TO ZAAP	*Call
2827<	2828	1912<	5799	UIFL TO ZAAP	*Call
2827<	2828	1913<	5794	IFL TO ZIIP	*Call
2827<	2828	1913<	5795	ICF TO ZIIP	*Call
2827<	2828	1913<	5796	SAP OPTIONAL TO ZIIP	*Call
2827<	2828	1913<	5797	ZAAP TO ZIIP	*Call
2827<	2828	1913<	5799	UIFL TO ZIIP	*Call
2827<	2828	1914<	5794	IFL TO UIFL	*Call
2827<	2828	1914<	5796	SAP OPTIONAL TO UIFL	*Call
2827<	2828	1914<	5797	ZAAP TO UIFL	*Call
2827<	2828	1914<	5798	ZIIP TO UIFL	*Call
2827<	2828	1996<	1993	PREPLN MEM TO 16GBPREPLNMEM	*Call
	2828	0140<	0138	CP 2PK TO CP 4PK	*Call
	2828	0142<	0138	CP 2PK TO CP 6PK	*Call
	2828	0142<	0140	CP 4PK TO CP 6PK	*Call
	2828	0150<	0138	CP 2PK TO CP 10PK	*Call
	2828	0150<	0140	CP 4PK TO CP 10PK	*Call
	2828	0150<	0142	CP 6PK TO CP 10PK	*Call
	2828	1148<	1147	H06 TO H13	*Call
	2828	1903<	1993	PREPLND MEMTO8GB MEMCPTYINCR	*Call
	2828	5794<	5795	ICF TO IFL	*Call
	2828	5794<	5796	SAP OPTIONAL TO IFL	*Call
	2828	5794<	5797	ZAAP TO IFL	*Call
	2828	5794<	5798	ZIIP TO IFL	*Call
	2828	5795<	5794	IFL TO ICF	*Call
	2828	5795<	5796	SAP OPTIONAL TO ICF	*Call
	2828	5795<	5797	ZAAP TO ICF	*Call
	2828	5795<	5798	ZIIP TO ICF	*Call
	2828	5795<	5799	UIFL TO ICF	*Call
	2828	5796<	5794	IFL TO SAP OPTIONAL	*Call
	2828	5796<	5795	ICF TO SAP OPTIONAL	*Call
	2828	5796<	5797	ZAAP TO SAP OPTIONAL	*Call
	2828	5796<	5798	ZIIP TO SAP OPTIONAL	*Call
	2828	5796<	5799	UIFL TO SAP OPTIONAL	*Call
	2828	5797<	5794	IFL TO ZAAP	*Call
	2828	5797<	5795	ICF TO ZAAP	*Call
	2828	5797<	5796	SAP OPTIONAL TO ZAAP	*Call
	2828	5797<	5798	ZIIP TO ZAAP	*Call
	2828	5797<	5799	UIFL TO ZAAP	*Call
	2828	5798<	5794	IFL TO ZIIP	*Call
	2828	5798<	5795	ICF TO ZIIP	*Call
	2828	5798<	5796	SAP OPTIONAL TO ZIIP	*Call
	2828	5798<	5797	ZAAP TO ZIIP	*Call
	2828	5798<	5799	UIFL TO ZIIP	*Call
	2828	5799<	5795	ICF TO UIFL	*Call
	2828	5799<	5796	SAP OPTIONAL TO UIFL	*Call
	2828	5799<	5797	ZAAP TO UIFL	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
	2828	5799<5798	ZIIP TO UIFL	*Call
2828<2098		1148<1123	E10 TO H13	*Call
2828<2098		1903<1991	PREPLND MEMTO8GB MEMCPTYINCR	*Call
2828<2098		5794<6650	IFL TO IFL	*Call
2828<2098		5794<6651	ICF TO IFL	*Call
2828<2098		5794<6652	ADDL SAP TO IFL	*Call
2828<2098		5794<6653	ZAAP TO IFL	*Call
2828<2098		5794<6654	ZIIP TO IFL	*Call
2828<2098		5794<6655	UIFL TO IFL	*Call
2828<2098		5795<6650	IFL TO ICF	*Call
2828<2098		5795<6651	ICF TO ICF	*Call
2828<2098		5795<6652	ADDL SAP TO ICF	*Call
2828<2098		5795<6653	ZAAP TO ICF	*Call
2828<2098		5795<6654	ZIIP TO ICF	*Call
2828<2098		5795<6655	UIFL TO ICF	*Call
2828<2098		5796<6650	IFL TO SAP OPTIONAL	*Call
2828<2098		5796<6651	ICF TO SAP OPTIONAL	*Call
2828<2098		5796<6653	ZAAP TO SAP OPTIONAL	*Call
2828<2098		5796<6654	ZIIP TO SAP OPTIONAL	*Call
2828<2098		5796<6655	UIFL TO SAP OPTIONAL	*Call
2828<2098		5797<6650	IFL TO ZAAP	*Call
2828<2098		5797<6651	ICF TO ZAAP	*Call
2828<2098		5797<6652	ADDL SAP TO ZAAP	*Call
2828<2098		5797<6653	ZAAP TO ZAAP	*Call
2828<2098		5797<6654	ZIIP TO ZAAP	*Call
2828<2098		5797<6655	UIFL TO ZAAP	*Call
2828<2098		5798<6650	IFL TO ZIIP	*Call
2828<2098		5798<6651	ICF TO ZIIP	*Call
2828<2098		5798<6652	ADDL SAP TO ZIIP	*Call
2828<2098		5798<6653	ZAAP TO ZIIP	*Call
2828<2098		5798<6654	ZIIP TO ZIIP	*Call
2828<2098		5798<6655	UIFL TO ZIIP	*Call
2828<2098		5799<6650	IFL TO UIFL	*Call
2828<2098		5799<6651	ICF TO UIFL	*Call
2828<2098		5799<6652	ADDL SAP TO UIFL	*Call
2828<2098		5799<6653	ZAAP TO UIFL	*Call
2828<2098		5799<6654	ZIIP TO UIFL	*Call
2828<2098		5799<6655	UIFL TO UIFL	*Call
2828<2818		1148<1135	M05 TO H13	*Call
2828<2818		1148<1136	M10 TO H13	*Call
2828<2818		1903<1993	PREPLND MEMTO8GB MEMCPTYINCR	*Call
2828<2818		5794<3394	IFL TO IFL	*Call
2828<2818		5794<3395	ICF TO IFL	*Call
2828<2818		5794<3396	ADDL SAP TO IFL	*Call
2828<2818		5794<3397	ZAAP TO IFL	*Call
2828<2818		5794<3398	ZIIP TO IFL	*Call
2828<2818		5794<3399	UIFL TO IFL	*Call
2828<2818		5795<3394	IFL TO ICF	*Call
2828<2818		5795<3395	ICF TO ICF	*Call
2828<2818		5795<3396	ADDL SAP TO ICF	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2828<2818		5795<3397	ZAAP TO ICF	*Call
2828<2818		5795<3398	ZIIP TO ICF	*Call
2828<2818		5795<3399	UIFL TO ICF	*Call
2828<2818		5796<3394	IFL TO SAP OPTIONAL	*Call
2828<2818		5796<3395	ICF TO SAP OPTIONAL	*Call
2828<2818		5796<3397	ZAAP TO SAP OPTIONAL	*Call
2828<2818		5796<3398	ZIIP TO SAP OPTIONAL	*Call
2828<2818		5796<3399	UIFL TO SAP OPTIONAL	*Call
2828<2818		5797<3394	IFL TO ZAAP	*Call
2828<2818		5797<3395	ICF TO ZAAP	*Call
2828<2818		5797<3396	ADDL SAP TO ZAAP	*Call
2828<2818		5797<3397	ZAAP TO ZAAP	*Call
2828<2818		5797<3398	ZIIP TO ZAAP	*Call
2828<2818		5797<3399	UIFL TO ZAAP	*Call
2828<2818		5798<3394	IFL TO ZIIP	*Call
2828<2818		5798<3395	ICF TO ZIIP	*Call
2828<2818		5798<3396	ADDL SAP TO ZIIP	*Call
2828<2818		5798<3397	ZAAP TO ZIIP	*Call
2828<2818		5798<3398	ZIIP TO ZIIP	*Call
2828<2818		5798<3399	UIFL TO ZIIP	*Call
2828<2818		5799<3394	IFL TO UIFL	*Call
2828<2818		5799<3395	ICF TO UIFL	*Call
2828<2818		5799<3396	ADDL SAP TO UIFL	*Call
2828<2818		5799<3397	ZAAP TO UIFL	*Call
2828<2818		5799<3398	ZIIP TO UIFL	*Call
2828<2818		5799<3399	UIFL TO UIFL	*Call
	2964	1034<1033	N30 AIR TO N63 AIR	*Call
	2964	1035<1033	N30 AIR TO N96 AIR	*Call
	2964	1035<1034	N63 AIR TO N96 AIR	*Call
	2964	1036<1033	N30 AIR TO NC9 AIR	*Call
	2964	1036<1034	N63 AIR TO NC9 AIR	*Call
	2964	1036<1035	N96 AIR TO NC9 AIR	*Call
	2964	1037<1033	N30 AIR TO NE1 AIR	*Call
	2964	1037<1034	N63 AIR TO NE1 AIR	*Call
	2964	1037<1035	N96 AIR TO NE1 AIR	*Call
	2964	1037<1036	NC9 AIR TO NE1 AIR	*Call
	2964	1039<1038	N30 WATER TO N63 WATER	*Call
	2964	1040<1038	N30 WATER TO N96 WATER	*Call
	2964	1040<1039	N63 WATER TO N96 WATER	*Call
	2964	1041<1038	N30 WATER TO NC9 WATER	*Call
	2964	1041<1039	N63 WATER TO NC9 WATER	*Call
	2964	1041<1040	N96 WATER TO NC9 WATER	*Call
	2964	1042<1038	N30 WATER TO NE1 WATER	*Call
	2964	1042<1039	N63 WATER TO NE1 WATER	*Call
	2964	1042<1040	N96 WATER TO NE1 WATER	*Call
	2964	1042<1041	NC9 WATER TO NE1 WATER	*Call
	2964	1898<1990	32GBPREPLND TO 32GBCPTYINCR	*Call
	2964	1899<1996	16GBPREPLND TO 16GBCPTYINCR	*Call
	2964	1919<1920	ICF TO IFL	*Call
	2964	1919<1921	SAP(OPT) TO IFL	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2964		1919<1922	ZIIP TO IFL	*Call
2964		1920<1919	IFL TO ICF	*Call
2964		1920<1921	SAP(OPT) TO ICF	*Call
2964		1920<1922	ZIIP TO ICF	*Call
2964		1920<1923	UIFL TO ICF	*Call
2964		1921<1919	IFL TO SAP(OPT)	*Call
2964		1921<1920	ICF TO SAP(OPT)	*Call
2964		1921<1922	ZIIP TO SAP(OPT)	*Call
2964		1921<1923	UIFL TO SAP(OPT)	*Call
2964		1922<1919	IFL TO ZIIP	*Call
2964		1922<1920	ICF TO ZIIP	*Call
2964		1922<1921	SAP(OPT) TO ZIIP	*Call
2964		1922<1923	UIFL TO ZIIP	*Call
2964		1923<1920	ICF TO UIFL	*Call
2964		1923<1921	SAP(OPT) TO UIFL	*Call
2964		1923<1922	ZIIP TO UIFL	*Call
2964<2817		1033<1125	M15 AIR TO N30 AIR	*Call
2964<2817		1033<1126	M32 AIR TO N30 AIR	*Call
2964<2817		1033<1127	M49 AIR TO N30 AIR	*Call
2964<2817		1033<1128	M66 AIR TO N30 AIR	*Call
2964<2817		1033<1129	M80 AIR TO N30 AIR	*Call
2964<2817		1034<1125	M15 AIR TO N63 AIR	*Call
2964<2817		1034<1126	M32 AIR TO N63 AIR	*Call
2964<2817		1034<1127	M49 AIR TO N63 AIR	*Call
2964<2817		1034<1128	M66 AIR TO N63 AIR	*Call
2964<2817		1034<1129	M80 AIR TO N63 AIR	*Call
2964<2817		1035<1125	M15 AIR TO N96 AIR	*Call
2964<2817		1035<1126	M32 AIR TO N96 AIR	*Call
2964<2817		1035<1127	M49 AIR TO N96 AIR	*Call
2964<2817		1035<1128	M66 AIR TO N96 AIR	*Call
2964<2817		1035<1129	M80 AIR TO N96 AIR	*Call
2964<2817		1036<1125	M15 AIR TO NC9 AIR	*Call
2964<2817		1036<1126	M32 AIR TO NC9 AIR	*Call
2964<2817		1036<1127	M49 AIR TO NC9 AIR	*Call
2964<2817		1036<1128	M66 AIR TO NC9 AIR	*Call
2964<2817		1036<1129	M80 AIR TO NC9 AIR	*Call
2964<2817		1037<1125	M15 AIR TO NE1 AIR	*Call
2964<2817		1037<1126	M32 AIR TO NE1 AIR	*Call
2964<2817		1037<1127	M49 AIR TO NE1 AIR	*Call
2964<2817		1037<1128	M66 AIR TO NE1 AIR	*Call
2964<2817		1037<1129	M80 AIR TO NE1 AIR	*Call
2964<2817		1038<1125	M15 AIR TO N30 WATER	*Call
2964<2817		1038<1126	M32 AIR TO N30 WATER	*Call
2964<2817		1038<1127	M49 AIR TO N30 WATER	*Call
2964<2817		1038<1128	M66 AIR TO N30 WATER	*Call
2964<2817		1038<1129	M80 AIR TO N30 WATER	*Call
2964<2817		1038<1130	M15 WATER TO N30 WATER	*Call
2964<2817		1038<1131	M32 WATER TO N30 WATER	*Call
2964<2817		1038<1132	M49 WATER TO N30 WATER	*Call
2964<2817		1038<1133	M66 WATER TO N30 WATER	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2964<2817		1038<1134	M80 WATER TO N30 WATER	*Call
2964<2817		1039<1125	M15 AIR TO N63 WATER	*Call
2964<2817		1039<1126	M32 AIR TO N63 WATER	*Call
2964<2817		1039<1127	M49 AIR TO N63 WATER	*Call
2964<2817		1039<1128	M66 AIR TO N63 WATER	*Call
2964<2817		1039<1129	M80 AIR TO N63 WATER	*Call
2964<2817		1039<1130	M15 WATER TO N63 WATER	*Call
2964<2817		1039<1131	M32 WATER TO N63 WATER	*Call
2964<2817		1039<1132	M49 WATER TO N63 WATER	*Call
2964<2817		1039<1133	M66 WATER TO N63 WATER	*Call
2964<2817		1039<1134	M80 WATER TO N63 WATER	*Call
2964<2817		1040<1125	M15 AIR TO N96 WATER	*Call
2964<2817		1040<1126	M32 AIR TO N96 WATER	*Call
2964<2817		1040<1127	M49 AIR TO N96 WATER	*Call
2964<2817		1040<1128	M66 AIR TO N96 WATER	*Call
2964<2817		1040<1129	M80 AIR TO N96 WATER	*Call
2964<2817		1040<1130	M15 WATER TO N96 WATER	*Call
2964<2817		1040<1131	M32 WATER TO N96 WATER	*Call
2964<2817		1040<1132	M49 WATER TO N96 WATER	*Call
2964<2817		1040<1133	M66 WATER TO N96 WATER	*Call
2964<2817		1040<1134	M80 WATER TO N96 WATER	*Call
2964<2817		1041<1125	M15 AIR TO NC9 WATER	*Call
2964<2817		1041<1126	M32 AIR TO NC9 WATER	*Call
2964<2817		1041<1127	M49 AIR TO NC9 WATER	*Call
2964<2817		1041<1128	M66 AIR TO NC9 WATER	*Call
2964<2817		1041<1129	M80 AIR TO NC9 WATER	*Call
2964<2817		1041<1130	M15 WATER TO NC9 WATER	*Call
2964<2817		1041<1131	M32 WATER TO NC9 WATER	*Call
2964<2817		1041<1132	M49 WATER TO NC9 WATER	*Call
2964<2817		1041<1133	M66 WATER TO NC9 WATER	*Call
2964<2817		1041<1134	M80 WATER TO NC9 WATER	*Call
2964<2817		1042<1125	M15 AIR TO NE1 WATER	*Call
2964<2817		1042<1126	M32 AIR TO NE1 WATER	*Call
2964<2817		1042<1127	M49 AIR TO NE1 WATER	*Call
2964<2817		1042<1128	M66 AIR TO NE1 WATER	*Call
2964<2817		1042<1129	M80 AIR TO NE1 WATER	*Call
2964<2817		1042<1130	M15 WATER TO NE1 WATER	*Call
2964<2817		1042<1131	M32 WATER TO NE1 WATER	*Call
2964<2817		1042<1132	M49 WATER TO NE1 WATER	*Call
2964<2817		1042<1133	M66 WATER TO NE1 WATER	*Call
2964<2817		1042<1134	M80 WATER TO NE1 WATER	*Call
2964<2817		1919<1881	IFL TO IFL	*Call
2964<2817		1919<1882	ICF TO IFL	*Call
2964<2817		1919<1883	SAP(OPT) TO IFL	*Call
2964<2817		1919<1884	ZAAP TO IFL	*Call
2964<2817		1919<1885	ZIIP TO IFL	*Call
2964<2817		1919<1886	UIFL TO IFL	*Call
2964<2817		1920<1881	IFL TO ICF	*Call
2964<2817		1920<1882	ICF TO ICF	*Call
2964<2817		1920<1883	SAP(OPT) TO ICF	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2964<2817		1920<1884	ZAAP TO ICF	*Call
2964<2817		1920<1885	ZIIP TO ICF	*Call
2964<2817		1920<1886	UIFL TO ICF	*Call
2964<2817		1921<1881	IFL TO SAP(OPT)	*Call
2964<2817		1921<1882	ICF TO SAP(OPT)	*Call
2964<2817		1921<1884	ZAAP TO SAP(OPT)	*Call
2964<2817		1921<1885	ZIIP TO SAP(OPT)	*Call
2964<2817		1921<1886	UIFL TO SAP(OPT)	*Call
2964<2817		1922<1881	IFL TO ZIIP	*Call
2964<2817		1922<1882	ICF TO ZIIP	*Call
2964<2817		1922<1883	SAP(OPT) TO ZIIP	*Call
2964<2817		1922<1884	ZAAP TO ZIIP	*Call
2964<2817		1922<1885	ZIIP TO ZIIP	*Call
2964<2817		1922<1886	UIFL TO ZIIP	*Call
2964<2817		1923<1881	IFL TO UIFL	*Call
2964<2817		1923<1882	ICF TO UIFL	*Call
2964<2817		1923<1883	SAP(OPT) TO UIFL	*Call
2964<2817		1923<1884	ZAAP TO UIFL	*Call
2964<2817		1923<1885	ZIIP TO UIFL	*Call
2964<2817		1923<1886	UIFL TO UIFL	*Call
2964<2817		4008<4000	I/O DRAWER-A - I/O DRAWER	*Call
2964<2817		4008<4004	I/O DRAWER-W - I/O DRAWER	*Call
2964<2827		1033<1095	H20 R TO N30 R	*Call
2964<2827		1033<1096	H43 R TO N30 R	*Call
2964<2827		1033<1097	H66 R TO N30 R	*Call
2964<2827		1033<1098	H89 R TO N30 R	*Call
2964<2827		1033<1106	HA1 R TO N30 R	*Call
2964<2827		1034<1095	H20 R TO N63 R	*Call
2964<2827		1034<1096	H43 R TO N63 R	*Call
2964<2827		1034<1097	H66 R TO N63 R	*Call
2964<2827		1034<1098	H89 R TO N63 R	*Call
2964<2827		1034<1106	HA1 R TO N63 R	*Call
2964<2827		1035<1095	H20 R TO N96 R	*Call
2964<2827		1035<1096	H43 R TO N96 R	*Call
2964<2827		1035<1097	H66 R TO N96 R	*Call
2964<2827		1035<1098	H89 R TO N96 R	*Call
2964<2827		1035<1106	HA1 R TO N96 R	*Call
2964<2827		1036<1095	H20 R TO NC9 R	*Call
2964<2827		1036<1096	H43 R TO NC9 R	*Call
2964<2827		1036<1097	H66 R TO NC9 R	*Call
2964<2827		1036<1098	H89 R TO NC9 R	*Call
2964<2827		1036<1106	HA1 R TO NC9 R	*Call
2964<2827		1037<1095	H20 R TO NE1 R	*Call
2964<2827		1037<1096	H43 R TO NE1 R	*Call
2964<2827		1037<1097	H66 R TO NE1 R	*Call
2964<2827		1037<1098	H89 R TO NE1 R	*Call
2964<2827		1037<1106	HA1 R TO NE1 R	*Call
2964<2827		1038<1095	H20 R TO N30 W	*Call
2964<2827		1038<1096	H43 R TO N30 W	*Call
2964<2827		1038<1097	H66 R TO N30 W	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2964<2827		1038<1098	H89 R TO N30 W	*Call
2964<2827		1038<1099	H20 W TO N30 W	*Call
2964<2827		1038<1100	H43 W TO N30 W	*Call
2964<2827		1038<1101	H66 W TO N30 W	*Call
2964<2827		1038<1102	H89 W TO N30 W	*Call
2964<2827		1038<1106	HA1 R TO N30 W	*Call
2964<2827		1038<1145	HA1 W TO N30 W	*Call
2964<2827		1039<1095	H20 R TO N63 W	*Call
2964<2827		1039<1096	H43 R TO N63 W	*Call
2964<2827		1039<1097	H66 R TO N63 W	*Call
2964<2827		1039<1098	H89 R TO N63 W	*Call
2964<2827		1039<1099	H20 W TO N63 W	*Call
2964<2827		1039<1100	H43 W TO N63 W	*Call
2964<2827		1039<1101	H66 W TO N63 W	*Call
2964<2827		1039<1102	H89 W TO N63 W	*Call
2964<2827		1039<1106	HA1 R TO N63 W	*Call
2964<2827		1039<1145	HA1 W TO N63 W	*Call
2964<2827		1040<1095	H20 R TO N96 W	*Call
2964<2827		1040<1096	H43 R TO N96 W	*Call
2964<2827		1040<1097	H66 R TO N96 W	*Call
2964<2827		1040<1098	H89 R TO N96 W	*Call
2964<2827		1040<1099	H20 W TO N96 W	*Call
2964<2827		1040<1100	H43 W TO N96 W	*Call
2964<2827		1040<1101	H66 W TO N96 W	*Call
2964<2827		1040<1102	H89 W TO N96 W	*Call
2964<2827		1040<1106	HA1 R TO N96 W	*Call
2964<2827		1040<1145	HA1 W TO N96 W	*Call
2964<2827		1041<1095	H20 R TO NC9 W	*Call
2964<2827		1041<1096	H43 R TO NC9 W	*Call
2964<2827		1041<1097	H66 R TO NC9 W	*Call
2964<2827		1041<1098	H89 R TO NC9 W	*Call
2964<2827		1041<1099	H20 W TO NC9 W	*Call
2964<2827		1041<1100	H43 W TO NC9 W	*Call
2964<2827		1041<1101	H66 W TO NC9 W	*Call
2964<2827		1041<1102	H89 W TO NC9 W	*Call
2964<2827		1041<1106	HA1 R TO NC9 W	*Call
2964<2827		1041<1145	HA1 W TO NC9 W	*Call
2964<2827		1042<1095	H20 R TO NE1 W	*Call
2964<2827		1042<1096	H43 R TO NE1 W	*Call
2964<2827		1042<1097	H66 R TO NE1 W	*Call
2964<2827		1042<1098	H89 R TO NE1 W	*Call
2964<2827		1042<1099	H20 W TO NE1 W	*Call
2964<2827		1042<1100	H43 W TO NE1 W	*Call
2964<2827		1042<1101	H66 W TO NE1 W	*Call
2964<2827		1042<1102	H89 W TO NE1 W	*Call
2964<2827		1042<1106	HA1 R TO NE1 W	*Call
2964<2827		1042<1145	HA1 W TO NE1 W	*Call
2964<2827		1919<1909	IFL TO IFL	*Call
2964<2827		1919<1910	ICF TO IFL	*Call
2964<2827		1919<1911	SAP(OPT) TO IFL	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2964<2827		1919<1912	ZAAP TO IFL	*Call
2964<2827		1919<1913	ZIIP TO IFL	*Call
2964<2827		1919<1914	UIFL TO IFL	*Call
2964<2827		1920<1909	IFL TO ICF	*Call
2964<2827		1920<1910	ICF TO ICF	*Call
2964<2827		1920<1911	SAP(OPT) TO ICF	*Call
2964<2827		1920<1912	ZAAP TO ICF	*Call
2964<2827		1920<1913	ZIIP TO ICF	*Call
2964<2827		1920<1914	UIFL TO ICF	*Call
2964<2827		1921<1909	IFL TO SAP(OPT)	*Call
2964<2827		1921<1910	ICF TO SAP(OPT)	*Call
2964<2827		1921<1912	ZAAP TO SAP(OPT)	*Call
2964<2827		1921<1913	ZIIP TO SAP(OPT)	*Call
2964<2827		1921<1914	UIFL TO SAP(OPT)	*Call
2964<2827		1922<1909	IFL TO ZIIP	*Call
2964<2827		1922<1910	ICF TO ZIIP	*Call
2964<2827		1922<1911	SAP(OPT) TO ZIIP	*Call
2964<2827		1922<1912	ZAAP TO ZIIP	*Call
2964<2827		1922<1913	ZIIP TO ZIIP	*Call
2964<2827		1922<1914	UIFL TO ZIIP	*Call
2964<2827		1923<1909	IFL TO UIFL	*Call
2964<2827		1923<1910	ICF TO UIFL	*Call
2964<2827		1923<1911	SAP(OPT) TO UIFL	*Call
2964<2827		1923<1912	ZAAP TO UIFL	*Call
2964<2827		1923<1913	ZIIP TO UIFL	*Call
2964<2827		1923<1914	UIFL TO UIFL	*Call
2965<2818		1044<1135	M05 TO N20	*Call
2965<2818		1044<1136	M10 TO N20	*Call
2965<2818		1888<1993	8GB PA TO 8GBCPTYINCR 3X	*Call
2965<2818		1891<1993	8GBPA TO 8GBCPTYINCR MEGA	*Call
2965<2818		1903<1993	8GB PA TO 8GBCPTYINCR	*Call
2965<2818		1924<3394	IFL TO IFL	*Call
2965<2818		1924<3395	ICF TO IFL	*Call
2965<2818		1924<3396	SAP OPTIONAL TO IFL	*Call
2965<2818		1924<3397	ZAAP TO IFL	*Call
2965<2818		1924<3398	ZIIP TO IFL	*Call
2965<2818		1924<3399	UIFL TO IFL	*Call
2965<2818		1925<3394	IFL TO ICF	*Call
2965<2818		1925<3395	ICF TO ICF	*Call
2965<2818		1925<3396	SAP OPTIONAL TO ICF	*Call
2965<2818		1925<3397	ZAAP TO ICF	*Call
2965<2818		1925<3398	ZIIP TO ICF	*Call
2965<2818		1925<3399	UIFL TO ICF	*Call
2965<2818		1926<3394	IFL TO SAP OPTIONAL	*Call
2965<2818		1926<3395	ICF TO SAP OPTIONAL	*Call
2965<2818		1926<3397	ZAAP TO SAP OPTIONAL	*Call
2965<2818		1926<3398	ZIIP TO SAP OPTIONAL	*Call
2965<2818		1926<3399	UIFL TO SAP OPTIONAL	*Call
2965<2818		1927<3394	IFL TO ZIIP	*Call
2965<2818		1927<3395	ICF TO ZIIP	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2965<2818		1927<3396	SAP OPTIONAL TO ZIIP	*Call
2965<2818		1927<3397	ZAAP TO ZIIP	*Call
2965<2818		1927<3398	ZIIP TO ZIIP	*Call
2965<2818		1927<3399	UIFL TO ZIIP	*Call
2965<2818		1928<3394	IFL TO UIFL	*Call
2965<2818		1928<3395	ICF TO UIFL	*Call
2965<2818		1928<3396	SAP OPTIONAL TO UIFL	*Call
2965<2818		1928<3397	ZAAP TO UIFL	*Call
2965<2818		1928<3398	ICF TO ZIIP	*Call
2965<2818		1928<3399	UIFL TO UIFL	*Call
2965<2828		1013<0138	2PK TO 4PK	*Call
2965<2828		1014<0138	2PK TO 6PK	*Call
2965<2828		1014<0140	4PK TO 6PK	*Call
2965<2828		1015<0138	2PK TO 10PK	*Call
2965<2828		1015<0140	4PK TO 10PK	*Call
2965<2828		1015<0142	6PK TO 10PK	*Call
2965<2828		1044<1147	H06 TO N20	*Call
2965<2828		1044<1148	H13 TO N20	*Call
2965<2828		1888<1993	8GB PA TO 8GBCPTYINCR 3X	*Call
2965<2828		1891<1993	8GB PA TO 8GBCPTYINCR MEGA	*Call
2965<2828		1903<1993	8GB PA TO 8GBCPTYINCR	*Call
2965<2828		1924<5794	IFL TO IFL	*Call
2965<2828		1924<5795	ICF TO IFL	*Call
2965<2828		1924<5796	SAP OPTIONAL TO IFL	*Call
2965<2828		1924<5797	ZAAP TO IFL	*Call
2965<2828		1924<5798	ZIIP TO IFL	*Call
2965<2828		1924<5799	UIFL TO IFL	*Call
2965<2828		1925<5794	IFL TO ICF	*Call
2965<2828		1925<5795	ICF TO ICF	*Call
2965<2828		1925<5796	SAP OPTIONAL TO ICF	*Call
2965<2828		1925<5797	ZAAP TO ICF	*Call
2965<2828		1925<5798	ZIIP TO ICF	*Call
2965<2828		1925<5799	UIFL TO ICF	*Call
2965<2828		1926<5794	IFL TO SAP OPTIONAL	*Call
2965<2828		1926<5795	ICF TO SAP OPTIONAL	*Call
2965<2828		1926<5797	ZAAP TO SAP OPTIONAL	*Call
2965<2828		1926<5798	ZIIP TO SAP OPTIONAL	*Call
2965<2828		1926<5799	UIFL TO SAP OPTIONAL	*Call
2965<2828		1927<5794	IFL TO ZIIP	*Call
2965<2828		1927<5795	ICF TO ZIIP	*Call
2965<2828		1927<5796	SAP OPTIONAL TO ZIIP	*Call
2965<2828		1927<5797	ZAAP TO ZIIP	*Call
2965<2828		1927<5798	ZIIP TO ZIIP	*Call
2965<2828		1927<5799	UIFL TO ZIIP	*Call
2965<2828		1928<5794	IFL TO UIFL	*Call
2965<2828		1928<5795	ICF TO UIFL	*Call
2965<2828		1928<5796	SAP OPTIONAL TO UIFL	*Call
2965<2828		1928<5797	ZAAP TO UIFL	*Call
2965<2828		1928<5798	ZIIP TO UIFL	*Call
2965<2828		1928<5799	UIFL TO UIFL	*Call

Machine				Purchase
Type	Model	Feature	Description	Price
2965<2965		1013<1012	2PK TO 4PK	*Call
2965<2965		1014<1012	2PK TO 6PK	*Call
2965<2965		1014<1013	4PK TO 6PK	*Call
2965<2965		1015<1012	2PK TO 10PK	*Call
2965<2965		1015<1013	4PK TO 10PK	*Call
2965<2965		1015<1014	6PK TO 10PK	*Call
2965<2965		1044<1043	N10 TO N20	*Call
2965<2965		1044<1056	L10 TO N20	*Call
2965<2965		1057<1056	L10 TO L20	*Call
2965<2965		1887<1996	16GB PA TO 16GBCPTYINCR 3X	*Call
2965<2965		1888<1993	16GB PA TO 32GBCPTYINCR	*Call
2965<2965		1890<1996	16GB PA TO 16GBCPTYINCR MEGA	*Call
2965<2965		1891<1993	2PK TO 10PK	*Call
2965<2965		1899<1996	16GB PA TO 16GBCPTYINCR	*Call
2965<2965		1903<1993	8GB PA TO 32GBCPTYINCR	*Call
2965<2965		1924<1925	ICF TO IFL	*Call
2965<2965		1924<1926	SAP OPTIONAL TO IFL	*Call
2965<2965		1924<1927	ZIIP TO IFL	*Call
2965<2965		1925<1924	IFL TO ICF	*Call
2965<2965		1925<1926	SAP OPTIONAL TO ICF	*Call
2965<2965		1925<1927	ZIIP TO ICF	*Call
2965<2965		1925<1928	UIFL TO ICF	*Call
2965<2965		1926<1924	IFL TO SAP OPTIONAL	*Call
2965<2965		1926<1925	ICF TO SAP OPTIONAL	*Call
2965<2965		1926<1927	ZIIP TO SAP OPTIONAL	*Call
2965<2965		1926<1928	UIFL TO SAP OPTIONAL	*Call
2965<2965		1927<1924	IFL TO ZIIP	*Call
2965<2965		1927<1925	ICF TO ZIIP	*Call
2965<2965		1927<1926	SAP OPTIONAL TO ZIIP	*Call
2965<2965		1927<1928	UIFL TO ZIIP	*Call
2965<2965		1928<1925	ICF TO UIFL	*Call
2965<2965		1928<1926	SAP OPTIONAL TO UIFL	*Call
2965<2965		1928<1927	ZIIP TO UIFL	*Call
	3494	1118<1001	FEATURE CONVERSION 1001-1118	22,569.00
	3494	3705<3704	3704 TO 3705	56,423.00
	3494	4001<4000	CONVERT FC 4000 TO FC 4001	3,526.00
	3588	F5C<F5A	MODEL CONVERSION	1,201.00
	3588	F6C<F6A	MODEL CONVERSION	1,201.00
	3590	3434<3412	DUAL ESCON TO 2-GBPS FICON	10,806.00
	3590	3434<3432	1-GBPS FICON LW TO 2-GBPS	10,806.00
	3590	3434<3433	1-GBPS FICON SW TO 2-GBPS	10,806.00
	3590	3435<3412	DUAL ESCON TO 2-GBPS FICON	10,806.00
	3590	3435<3432	1-GBPS FICON LW TO 2-GBPS	10,806.00
	3590	3435<3433	1-GBPS FICON SW TO 2-GBPS	10,806.00
	3590	5097<5098	CONVERT 3590 FC 5098 TO 5097	1,345.00
	3592	E08<E07	MODEL CONV	14,980.00
	3592	EH7<E07	MODEL CONVERSION	2,539.00
	3957	3441<3442	FICON ATTACH	6,215.00
	3957	3441<3443	FICON ATTACH	6,215.00
	3957	3442<3441	FICON ATTACH	6,215.00

Machine				Purchase
Type	Model	Feature	Description	Price
		3443<3441	FICON ATTACH	7,508.00
		3443<3442	FICON ATTACH	7,508.00
		4468<4183	16GB MEM TO 64GB MEM	114,808.00
		4468<4466	16GB 633MHZ-64GB 633MHZ	119,142.00
		4470<4188	32GB MEM TO 128GB MEM	184,597.00
	047<046		Model Upgrade	2,665.00
		8202	FEAT CONV 5635 TO EPCL	1,108.00
8202<8203	E4D<E4A		MODEL CONVERSION	285.00
		5577<1615	FEAT CONV 1615 TO 5577	6,105.00
		5577<1616	FEAT CONV 1616 TO 5577	6,105.00
		5577<1617	FEAT CONV 1617 TO 5577	6,105.00
		5577<1618	FEAT CONV 1618 TO 5577	6,105.00
		5577<1619	FEAT CONV 1619 TO 5577	6,105.00
		5577<1620	FEAT CONV 1620 TO 5577	6,105.00
		5577<1621	FEAT CONV 1621 TO 5577	6,105.00
		5634<1615	FEAT CONV 1615 TO 5634	3,212.00
		5634<1616	FEAT CONV 1616 TO 5634	3,212.00
		5634<1617	FEAT CONV 1617 TO 5634	3,212.00
		5634<1618	FEAT CONV 1618 TO 5634	3,212.00
		5634<1619	FEAT CONV 1619 TO 5634	3,212.00
		5634<1620	FEAT CONV 1620 TO 5634	3,212.00
		5634<1621	FEAT CONV 1621 TO 5634	3,212.00
8204<9406	E8A<550		MODEL CONVERSION	4,551.00
		4966<1625	FEAT CONV 1625 TO 4966	9,771.00
		4966<1626	FEAT CONV 1626 TO 4966	9,771.00
		4967<1625	FEAT CONV 1625 TO 4967	12,582.00
		4967<1626	FEAT CONV 1626 TO 4967	12,582.00
		4986<7323	FEAT CONV 7323 TO 4986	6,256.00
		4986<7871	FEAT CONV 7871 TO 4986	6,256.00
		4986<8413	FEAT CONV 8413 TO 4986	6,256.00
		4986<8450	FEAT CONV 8450 TO 4986	6,256.00
		4987<7323	FEAT CONV 7323 TO 4987	8,052.00
		4987<7871	FEAT CONV 7871 TO 4987	8,052.00
		4987<8413	FEAT CONV 8413 TO 4987	8,052.00
		4987<8450	FEAT CONV 8450 TO 4987	8,052.00
	MMD<MMV		MODEL CONVERSION	1,519.00
		9117	FEAT CONV 5626 TO EB85	2,684.00
		9117	FEAT CONV 5683 TO EB85	2,684.00
		9117	FEAT CONV 1845 TO EC53	224.00
		9117	FEAT CONV 5695 TO EM41	656.00
		9117	FEAT CONV 5695 TO EM42	1,312.00
		9117	FEAT CONV 5696 TO EM42	1,312.00
		9117	FEAT CONV 5680 TO EMA2	110.00
		9117	FEAT CONV 5684 TO EMA3	11,035.00
		9117	FEAT CONV 7540 TO EPM0	5,282.00
		9117	FEAT CONV 7700 TO EPMA	1,760.00
		9117	FEAT CONV 5648 TO EU09	895.00
9117<9406	MMA<570		MODEL CONVERSION	7,596.00
		7380<1641	FEAT CONV 1641 TO 7380	7,735.00
		7388<1641	FEAT CONV 1641 TO 7388	9,077.00

Machine			Purchase	
Type	Model	Feature	Description	Price
9117<9406		7540<1641	FEAT CONV 1641 TO 7540	16,327.00
9119	595<590		MODEL CONVERSION	25,350.00
9119	FHA<590		MODEL CONVERSION	50,700.00
9119	FHA<595		MODEL CONVERSION	40,262.00
9119	FHB<FHA		MODEL CONVERSION	40,262.00
9119		1814<7818	FEAT CONV 7818 TO 1814	976.00
9119		1816<1814	FEAT CONV 1814 TO 1816	2,050.00
9119		4500<7816	4GB DDR1- 0/4 GB DDR2	995.00
9119		4694<1630	FEAT CONV 1630 TO 4694	22,821.00
9119		4694<1631	FEAT CONV 1631 TO 4694	24,198.00
9119		4694<1632	FEAT CONV 1632 TO 4694	22,194.00
9119		4694<1633	FEAT CONV 1633 TO 4694	22,056.00
9119		4694<1634	FEAT CONV 1634 TO 4694	22,090.00
9119		4694<1635	FEAT CONV 1635 TO 4694	20,040.00
9119		4694<1636	FEAT CONV 1636 TO 4694	23,368.00
9119		4695<1630	FEAT CONV 1630 TO 4695	29,153.00
9119		4695<1631	FEAT CONV 1631 TO 4695	31,782.00
9119		4695<1632	FEAT CONV 1632 TO 4695	28,597.00
9119		4695<1633	FEAT CONV 1633 TO 4695	31,286.00
9119		4695<1634	FEAT CONV 1634 TO 4695	30,357.00
9119		4695<1635	FEAT CONV 1635 TO 4695	22,752.00
9119		4695<1636	FEAT CONV 1636 TO 4695	30,150.00
9119		4700<4694	FEAT CONV 4694 TO 4700	40,966.00
9119		4700<4695	FEAT CONV 4695 TO 4700	40,966.00
9119		4700<4705	FEAT CONV 4705 TO 4700	40,966.00
9119		4702<4694	FEAT CONV 4694 TO 4702	26,565.00
9119		4705<1630	FEAT CONV 1630 TO 4705	29,153.00
9119		4705<1631	FEAT CONV 1631 TO 4705	31,782.00
9119		4705<1632	FEAT CONV 1632 TO 4705	28,597.00
9119		4705<1633	FEAT CONV 1633 TO 4705	31,286.00
9119		4705<1634	FEAT CONV 1634 TO 4705	30,357.00
9119		4705<1635	FEAT CONV 1635 TO 4705	22,752.00
9119		4705<1636	FEAT CONV 1636 TO 4705	30,150.00
9119		4705<4694	FEAT CONV 4694 TO 4705	24,196.00
9119		4713<4754	FEAT CONV 4754 TO 4713	3,321.00
9119		4713<4755	FEAT CONV 4755 TO 4713	3,321.00
9119		4714<4754	FEAT CONV 4754 TO 4714	3,940.00
9119		4754<7667	FEAT CONV 7667 TO 4754	11,072.00
9119		4754<7668	FEAT CONV 7668 TO 4754	9,592.00
9119		4754<7693	FEAT CONV 7693 TO 4754	9,468.00
9119		4754<7815	FEAT CONV 7815 TO 4754	9,176.00
9119		4754<7925	FEAT CONV 7925 TO 4754	12,337.00
9119		4754<7990	FEAT CONV 7990 TO 4754	11,239.00
9119		4755<4754	FEAT CONV 4754 TO 4755	13,460.00
9119		4755<7667	FEAT CONV 7667 TO 4755	12,348.00
9119		4755<7668	FEAT CONV 7668 TO 4755	10,616.00
9119		4755<7693	FEAT CONV 7693 TO 4755	9,759.00
9119		4755<7815	FEAT CONV 7815 TO 4755	10,045.00
9119		4755<7925	FEAT CONV 7925 TO 4755	12,801.00
9119		4755<7990	FEAT CONV 7990 TO 4755	10,694.00

Machine			Purchase	
Type	Model	Feature	Description	Price
9119	5600<5693	FEAT CONV 5693 TO 5600		1,315.00
9119	5600<5694	FEAT CONV 5694 TO 5600		1,315.00
9119	5600<5695	FEAT CONV 5695 TO 5600		1,315.00
9119	5601<5694	FEAT CONV 5694 TO 5601		5,180.00
9119	5601<5695	FEAT CONV 5695 TO 5601		5,180.00
9119	5601<5696	FEAT CONV 5696 TO 5601		5,180.00
9119	5602<5695	FEAT CONV 5695 TO 5602		10,361.00
9119	5602<5696	FEAT CONV 5696 TO 5602		10,361.00
9119	5602<5697	FEAT CONV 5697 TO 5602		10,361.00
9119	5680<7669	FEAT CONV 7669 TO 5680		218.00
9119	5680<7970	FEAT CONV 7970 TO 5680		112.00
9119	5680<8471	FEAT CONV 8471 TO 5680		218.00
9119	5681<7280	FEAT CONV 7280 TO 5681		55,830.00
9119	5681<7799	FEAT CONV 7799 TO 5681		28,631.00
9119	5681<8472	FEAT CONV 8472 TO 5681		55,830.00
9119	5681<8493	FEAT CONV 8493 TO 5681		55,830.00
9119	5693<4500	FEAT CONV 4500 TO 5693		218.00
9119	5693<7814	FEAT CONV 7814 TO 5693		218.00
9119	5693<7816	FEAT CONV 7816 TO 5693		218.00
9119	5694<4500	FEAT CONV 4500 TO 5694		435.00
9119	5694<4501	FEAT CONV 4501 TO 5694		435.00
9119	5694<7814	FEAT CONV 7814 TO 5694		435.00
9119	5694<7816	FEAT CONV 7816 TO 5694		435.00
9119	5694<7835	FEAT CONV 7835 TO 5694		435.00
9119	5695<4501	FEAT CONV 4501 TO 5695		872.00
9119	5695<4502	FEAT CONV 4502 TO 5695		872.00
9119	5695<7828	FEAT CONV 7828 TO 5695		872.00
9119	5695<7835	FEAT CONV 7835 TO 5695		872.00
9119	5696<4502	FEAT CONV 4502 TO 5696		1,744.00
9119	5696<4503	FEAT CONV 4503 TO 5696		1,744.00
9119	5696<7828	FEAT CONV 7828 TO 5696		1,744.00
9119	5696<7829	FEAT CONV 7829 TO 5696		1,744.00
9119	5697<4503	FEAT CONV 4503 TO 5697		41,067.00
9119	5780<5778	FEAT CONV 5778 TO 5780		4,171.00
9119	5782<5778	FEAT CONV 5778 TO 5782		4,171.00
9119	5797<5791	FEAT CONV 5791 TO 5797		11,929.00
9119	5797<5794	FEAT CONV 5794 TO 5797		14,166.00
9119	5797<5798	FEAT CONV 5798 TO 5797		4,846.00
9119	5797<5809	FEAT CONV 5809 TO 5797		14,166.00
9119	5809<4643	FEAT CONV 4643 TO 5809		8,947.00
9119	5908<5904	FEAT CONV 5904 TO 5908		48.00
9119	6259<6331	FEAT CONV 6331 TO 6259		6,710.00
9119	6856<6851	SLIMLINE OEM-RR OEM W/HEATEX		6,710.00
9119	6862<6252	FEAT CONV FROM 6252 TO 6862		3,485.00
9119	6867<6865	FEAT CONV 6865 TO 6867		75.00
9119	6868<6869	FEAT CONV 6869 TO 6868		2,311.00
9119	6887<6866	FEAT CONV 6866 TO 6887		75.00
9119	6888<6870	FEAT CONV 6870 TO 6888		75.00
9119	7280<7799	256X1GB DDR1- 256GB DDR2		226,755.00
9119	7667<7925	FEAT CONV FROM 7925 TO 7667		5,015.00

Machine				Purchase
Type	Model	Feature	Description	Price
9119		7668<7693	FEAT CONV FROM 7693 TO 7668	11,408.00
9119		7668<7815	FEAT CONV FROM 7815 TO 7668	4,017.00
9119		7668<7990	FEAT CONV FROM 7990 TO 7668	11,127.00
9119		7693<7990	FEAT CONV FROM 7990 TO 7693	4,660.00
9119		7815<7925	1WAY ACT 7981-1WAY ACT 7813	13,421.00
9119		7815<7990	1WAY ACT 7988-1WAY ACT 7813	16,682.00
9119		7972<7993	O/O BILL 7981-O/O BILL 7813	178.00
9119		7972<7996	O/O BILL 7988--O/O BILL7913	176.00
9119		7975<7926	30 DAY 7981-30 DAY 7813	5,393.00
9119		7975<7991	30 DAY 7989-30 DAY 7813	5,312.00
9119		7990<7925	1WAY ACT 7981-1WAY ACT 7988	5,965.00
9119		7991<7926	30 DAY 7981--30 DAY 7988	3,439.00
9119		7996<7993	OO BILL 7981--O/O BILL 7988	114.00
9119		8151<8197	512GB DDR1- 0/512 GB DDR2	70,954.00
9119		8201<8195	FEAT CONV 8195 TO 8201	13,957.00
9119		8202<8153	FEAT CONV 8153 TO 8202	13,957.00
9119		8203<8151	FEAT CONV 8151 TO 8203	27,914.00
9119		8203<8195	FEAT CONV 8195 TO 8203	27,914.00
9119		8203<8197	FEAT CONV 8197 TO 8203	27,914.00
9119		8204<8151	FEAT CONV 8151 TO 8204	27,914.00
9119		8204<8153	FEAT CONV 8153 TO 8204	27,914.00
9119		8204<8197	FEAT CONV 8197 TO 8204	27,914.00
9119		8204<8198	FEAT CONV 8198 TO 8204	27,914.00
9119		8204<8200	FEAT CONV 8200 TO 8204	27,914.00
9119		8211<8201	FEAT CONV 8201 TO 8211	10,521.00
9119		8211<8202	FEAT CONV 8202 TO 8211	10,521.00
9119		8212<5680	FEAT CONV 5680 TO 8212	124.00
9119		8213<5681	FEAT CONV 5681 TO 8213	10,262.00
9119		8213<5684	FEAT CONV 5684 TO 8213	12,414.00
9119		8214<8203	FEAT CONV 8203 TO 8214	21,043.00
9119		8218<8202	FEAT CONV 8202 TO 8218	20,721.00
9119		8219<8203	FEAT CONV 8203 TO 8219	41,443.00
9119		8219<8204	FEAT CONV 8204 TO 8219	41,443.00
9119		8221<8203	FEAT CONV 8203 TO 8221	82,886.00
9119		8221<8204	FEAT CONV 8204 TO 8221	82,886.00
9119		8968<7813	FEAT CONV FROM 7813 TO 8968	24,627.00
9119		8968<7981	FEAT CONV FROM 7981 TO 8968	58,380.00
9119		8968<7988	FEAT CONV FROM 7988 TO 8968	51,222.00
9119		8968<8967	FEAT CONV FROM 8967 TO 8968	53,906.00
9119		8968<8969	FEAT CONV FROM 8969 TO 8968	22,160.00
9119		8968<8970	FEAT CONV FROM 8970 TO 8968	45,630.00
9119		8970<7981	FEAT CONV FROM 7981 TO 8970	29,153.00
9119		8970<7988	FEAT CONV FROM 7988 TO 8970	24,903.00
9119		8970<8967	FEAT CONV FROM 8967 TO 8970	38,323.00
9119<9406		4694<1641	FEAT CONV 1641 TO 4694	24,198.00
9119<9406		4694<1642	FEAT CONV 1642 TO 4694	24,198.00
9119<9406		4694<1643	FEAT CONV 1643 TO 4694	24,198.00
9119<9406		4694<1644	FEAT CONV 1644 TO 4694	24,198.00
9119<9406		4694<1645	FEAT CONV 1645 TO 4694	24,198.00
9119<9406		4694<1646	FEAT CONV 1646 TO 4694	24,198.00

Machine			Purchase	
Type	Model	Feature	Description	Price
9119<9406		4694<1647	FEAT CONV 1647 TO 4694	24,198.00
9119<9406		4694<1648	FEAT CONV 1648 TO 4694	24,198.00
9119<9406		4694<1651	FEAT CONV 1651 TO 4694	24,198.00
9119<9406		4694<1652	FEAT CONV 1652 TO 4694	24,198.00
9119<9406		4694<1653	FEAT CONV 1653 TO 4694	24,198.00
9119<9406		4694<1654	FEAT CONV 1654 TO 4694	24,198.00
9119<9406		4694<1655	FEAT CONV 1655 TO 4694	24,198.00
9119<9406		4694<1656	FEAT CONV 1656 TO 4694	24,198.00
9119<9406		4694<1661	FEAT CONV 1661 TO 4694	23,537.00
9119<9406		4694<1662	FEAT CONV 1662 TO 4694	23,537.00
9119<9406		4694<1663	FEAT CONV 1663 TO 4694	23,537.00
9119<9406		4694<1664	FEAT CONV 1664 TO 4694	23,537.00
9119<9406		4694<1665	FEAT CONV 1665 TO 4694	23,537.00
9119<9406		4694<1666	FEAT CONV 1666 TO 4694	23,537.00
9119<9406		4694<1667	FEAT CONV 1667 TO 4694	23,537.00
9119<9406		4694<1668	FEAT CONV 1668 TO 4694	23,537.00
9119<9406		4694<1671	FEAT CONV 1671 TO 4694	24,198.00
9119<9406		4694<1672	FEAT CONV 1672 TO 4694	24,198.00
9119<9406		4694<1673	FEAT CONV 1673 TO 4694	24,198.00
9119<9406		4694<1676	FEAT CONV 1676 TO 4694	22,197.00
9119<9406		4694<1677	FEAT CONV 1677 TO 4694	22,197.00
9119<9406		4694<1679	FEAT CONV 1679 TO 4694	22,197.00
9119<9406		4695<1641	FEAT CONV 1641 TO 4695	34,587.00
9119<9406		4695<1642	FEAT CONV 1642 TO 4695	34,587.00
9119<9406		4695<1644	FEAT CONV 1644 TO 4695	34,587.00
9119<9406		4695<1645	FEAT CONV 1645 TO 4695	34,587.00
9119<9406		4695<1646	FEAT CONV 1646 TO 4695	34,587.00
9119<9406		4695<1647	FEAT CONV 1647 TO 4695	34,587.00
9119<9406		4695<1648	FEAT CONV 1648 TO 4695	34,587.00
9119<9406		4695<1651	FEAT CONV 1651 TO 4695	34,587.00
9119<9406		4695<1652	FEAT CONV 1652 TO 4695	34,587.00
9119<9406		4695<1653	FEAT CONV 1653 TO 4695	34,587.00
9119<9406		4695<1654	FEAT CONV 1654 TO 4695	34,587.00
9119<9406		4695<1655	FEAT CONV 1655 TO 4695	34,587.00
9119<9406		4695<1656	FEAT CONV 1656 TO 4695	34,587.00
9119<9406		4695<1661	FEAT CONV 1661 TO 4695	32,685.00
9119<9406		4695<1662	FEAT CONV 1662 TO 4695	32,685.00
9119<9406		4695<1663	FEAT CONV 1663 TO 4695	32,685.00
9119<9406		4695<1664	FEAT CONV 1664 TO 4695	32,685.00
9119<9406		4695<1665	FEAT CONV 1665 TO 4695	32,685.00
9119<9406		4695<1666	FEAT CONV 1666 TO 4695	32,685.00
9119<9406		4695<1667	FEAT CONV 1667 TO 4695	32,685.00
9119<9406		4695<1668	FEAT CONV 1668 TO 4695	32,685.00
9119<9406		4695<1671	FEAT CONV 1671 TO 4695	34,254.00
9119<9406		4695<1672	FEAT CONV 1672 TO 4695	34,254.00
9119<9406		4695<1673	FEAT CONV 1673 TO 4695	34,254.00
9119<9406		4695<1676	FEAT CONV 1676 TO 4695	28,455.00
9119<9406		4695<1677	FEAT CONV 1677 TO 4695	28,455.00
9119<9406		4695<1678	FEAT CONV 1678 TO 4695	28,455.00
9119<9406		4695<1679	FEAT CONV 1679 TO 4695	28,455.00

Machine			Purchase	
Type	Model	Feature	Description	Price
9119<9406		4705<1641	FEAT CONV 1641 TO 4705	34,587.00
9119<9406		4705<1642	FEAT CONV 1642 TO 4705	34,587.00
9119<9406		4705<1643	FEAT CONV 1643 TO 4705	34,587.00
9119<9406		4705<1644	FEAT CONV 1644 TO 4705	34,587.00
9119<9406		4705<1645	FEAT CONV 1645 TO 4705	34,587.00
9119<9406		4705<1646	FEAT CONV 1646 TO 4705	34,587.00
9119<9406		4705<1647	FEAT CONV 1647 TO 4705	34,587.00
9119<9406		4705<1648	FEAT CONV 1648 TO 4705	34,587.00
9119<9406		4705<1651	FEAT CONV 1651 TO 4705	34,587.00
9119<9406		4705<1652	FEAT CONV 1652 TO 4705	34,587.00
9119<9406		4705<1653	FEAT CONV 1653 TO 4705	34,587.00
9119<9406		4705<1654	FEAT CONV 1654 TO 4705	34,587.00
9119<9406		4705<1655	FEAT CONV 1655 TO 4705	34,587.00
9119<9406		4705<1656	FEAT CONV 1656 TO 4705	34,587.00
9119<9406		4705<1661	FEAT CONV 1661 TO 4705	32,685.00
9119<9406		4705<1662	FEAT CONV 1662 TO 4705	32,685.00
9119<9406		4705<1663	FEAT CONV 1663 TO 4705	32,685.00
9119<9406		4705<1664	FEAT CONV 1664 TO 4705	32,685.00
9119<9406		4705<1665	FEAT CONV 1665 TO 4705	32,685.00
9119<9406		4705<1666	FEAT CONV 1666 TO 4705	32,685.00
9119<9406		4705<1667	FEAT CONV 1667 TO 4705	32,685.00
9119<9406		4705<1668	FEAT CONV 1668 TO 4705	32,685.00
9119<9406		4705<1671	FEAT CONV 1671 TO 4705	34,254.00
9119<9406		4705<1672	FEAT CONV 1672 TO 4705	34,254.00
9119<9406		4705<1673	FEAT CONV 1673 TO 4705	34,254.00
9119<9406		4705<1676	FEAT CONV 1676 TO 4705	28,455.00
9119<9406		4705<1677	FEAT CONV 1677 TO 4705	28,455.00
9119<9406		4705<1678	FEAT CONV 1678 TO 4705	28,455.00
9119<9406		4705<1679	FEAT CONV 1679 TO 4705	28,455.00
	9406	5094<5096	FEAT CONV 5096 TO 5094	2,358.00
	9406	5294<5296	FEAT CONV 5296 TO 5294	19,254.00
	9406	5680<7663	FEAT CONV 7663 TO 5680	230.00
	9406	5781<0650	FEAT CONV 0650 TO 5781	39.00
	9406	5781<5739	FEAT CONV 5739 TO 5781	39.00
	9406	5781<5778	FEAT CONV 5778 TO 5781	39.00
	9406	5781<5799	FEAT CONV 5799 TO 5781	39.00
	9406	5781<5800	FEAT CONV 5800 TO 5781	39.00
	9406	5782<0650	FEAT CONV 0650 TO 5782	39.00
	9406	5782<5739	FEAT CONV 5739 TO 5782	39.00
	9406	5782<5778	FEAT CONV 5778 TO 5782	39.00
	9406	5782<5799	FEAT CONV 5799 TO 5782	39.00
	9406	5782<5800	FEAT CONV 5800 TO 5782	39.00
	9406	7155<7463	FEAT CONV 7463 TO 7155	32,222.00
	9406	7272<7892	FEAT CONV 7892 TO 7272	459.00
	9406	7273<4495	FEAT CONV 4495 TO 7273	919.00
	9406	7273<7893	FEAT CONV 7893 TO 7273	919.00
	9406	7274<4496	FEAT CONV 4496 TO 7274	1,839.00
	9406	7274<7894	FEAT CONV 7894 TO 7274	1,839.00
	9406	7275<4497	FEAT CONV 4497 TO 7275	3,678.00
	9406	7275<4499	FEAT CONV 4499 TO 7275	3,678.00

Machine				Purchase
Type	Model	Feature	Description	Price
9406		7276<4498	FEAT CONV 4498 TO 7276	7,355.00
9406		7463<7462	FEAT CONV 7462 TO 7463	165,981.00
9406		7598<7597	FEAT CONV 7597 TO 7598	78,589.00
9406		7711<7710	FEAT CONV 7710 TO 7711	26,720.00
9406		7735<7734	FEAT CONV 7734 TO 7735	36,623.00
9406		7736<7785	FEAT CONV 7785 TO 7736	77,804.00
9406		7984<7496	FEAT CONV 7496 TO 7984	536,766.00
9406		7984<7498	FEAT CONV 7498 TO 7984	174,469.00
9406		7985<7497	FEAT CONV 7497 TO 7985	613,783.00
9406		7985<7499	FEAT CONV 7499 TO 7985	234,982.00
9406		7985<7984	FEAT CONV 7984 TO 7985	746,914.00
9406<9404	595<840		MODEL CONVERSION	-