

GSA HW REPORT  
01/06/2014

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1164         | 95X   |         | REAR DOOR HEAT EXCHANGER       | 6,044          | Y              | 2              | 36                |
| 1164         |       | ESC2    | RACK S H B                     | 242            | N              |                | 36                |
| 1457         | 7FL   |         | FLEX SYSTEM P24L COMPUTE MODE  | 39             | Y              | 1              | 36                |
| 1457         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 36                |
| 1457         |       | 0011    | TEN CSC BILLING UITS           | 1,370          | N              |                | 36                |
| 1457         |       | 1107    | USB 500 GB REMOVABLE DISK DR   | 238            | N              |                | 36                |
| 1457         |       | 1761    | 2 PORT QDR INFINIBAND CARD     | 1,519          | N              |                | 36                |
| 1457         |       | 1762    | 4 PORT 10 GBE CARD             | 684            | N              |                | 36                |
| 1457         |       | 1763    | 4 PORT 1 GBE CARD              | 560            | N              |                | 36                |
| 1457         |       | 1764    | 2 PORT 8 GB FIBRE CHANNEL CARD | 754            | N              |                | 36                |
| 1457         |       | 4645    | INTEGRATE BLADE SERVER         | 16             | N              |                | 36                |
| 1457         |       | 4646    | INTEGRATE ITE IN CHASSIS       | 20             | N              |                | 36                |
| 1457         |       | 7067    | TOP COVER DISKLESS MODEL       | 37             | N              |                | 36                |
| 1457         |       | 7068    | TOP COVER SSDS INSTALLED       | 1,038          | N              |                | 36                |
| 1457         |       | 7069    | TOP COVER HDDS INSTALLED       | 619            | N              |                | 36                |
| 1457         |       | 8196    | 8GB 2X4GB RDIMMS MEMORY        | 185            | N              |                | 36                |
| 1457         |       | 8207    | 177 GB SOLID STATE DRIVE       | 3,547          | N              |                | 36                |
| 1457         |       | 8274    | 300 GB SAS 10K RPM SAS HDD     | 249            | N              |                | 36                |
| 1457         |       | 8276    | 600 GB SAS 10K RPM SFF         | 499            | N              |                | 36                |
| 1457         |       | 8311    | 900 GB SAS 10K RPM SFF         | 987            | N              |                | 36                |
| 1457         |       | EEMD    | 16GB 2 X 8GB RDIMMS MEMORY     | 321            | N              |                | 36                |
| 1457         |       | EEME    | 32GB 2 X 16GB RDIMMS MEMORY    | 643            | N              |                | 36                |
| 1457         |       | EM04    | 4GB 2X2GB MEMORY DIMMS 1066    | 428            | N              |                | 36                |
| 1457         |       | EPED    | ONE PROCESSOR ENTITLEMENT      | 81             | N              |                | 36                |
| 1457         |       | EPR7    | 12 CORE 3.72 GHZ POWER7 PROC   | 4,452          | N              |                | 36                |
| 1457         |       | EPR8    | 16 CORE 3.2 GHZ POWER7 PROC    | 4,090          | N              |                | 36                |
| 1457         |       | EPR9    | 16 CORE 3.55 GHZ POWER7 PROC   | 5,532          | N              |                | 36                |
| 1457         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 1457         |       | ESC4    | S H                            | 30             | N              |                | 36                |
| 1457         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 278            | N              |                | 36                |
| 1457         |       | EU08    | RDX 320 GB REMOVABLE DISKDRIVE | 181            | N              |                | 36                |
| 1750         |       | 1310    | SHORT WAVE SFP PAIR            | 723            | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1750         |       | 1315    | LONG WAVE SFP PAIR             | 1,594          | N              |                | 48                |
| 1750         |       | 1320    | SHORT WAVE SFP PAIR            | 723            | N              |                | 12                |
| 1750         |       | 1325    | LONG WAVE SFP PAIR             | 1,594          | N              |                | 12                |
| 1750         |       | 1353    | 2M 50 MICRON LC - LC CABLE     | 72             | N              |                | 12                |
| 1750         |       | 1354    | 7M 50 MICRON LC - LC CABLE     | 108            | N              |                | 12                |
| 1750         |       | 1355    | 31M 50 MICRON LC - LC CABLE    | 144            | N              |                | 12                |
| 1750         |       | 1364    | 7M 9 MICRON LC - LC CABLE      | 108            | N              |                | 12                |
| 1750         |       | 1365    | 31M 9 MICRON LC - LC CABLE     | 144            | N              |                | 12                |
| 1750         |       | 1372    | 50 MICRON LC-SC FIBRE CHNL INT | 144            | N              |                | 12                |
| 1750         |       | 1373    | 9 MICRON LC-SC FIBRE CHNL INT  | 144            | N              |                | 12                |
| 1750         |       | 1382    | 31M 50 MICRON LC-LC CABLE SET  | 577            | N              |                | 48                |
| 1750         |       | 1384    | 7M 50 MICRON LC - LC CABLE     | 432            | N              |                | 12                |
| 1750         |       | 1385    | 31M 50 MICRON LC - LC CABLE    | 577            | N              |                | 12                |
| 1750         |       | 2056    | 2GB 300 GB 15K DRIVE SET       | 10,882         | N              |                | 48                |
| 1750         |       | 2062    | 2GB 300 GB 15K DRIVE SET       | 10,882         | N              |                | 12                |
| 1750         |       | 2072    | 450 GB 15 000 RPM DRIVE SET    | 13,239         | N              |                | 12                |
| 1750         |       | 2074    | 450 GB 15 000 RPM DRIVE SET    | 13,239         | N              |                | 12                |
| 1750         |       | 2990    | DISK DRIVE FILLER SET          | 42             | N              |                | 48                |
| 1750         |       | 2991    | DISK DRIVE FILLER SET          | 42             | N              |                | 12                |
| 1750         |       | 5000    | OEL - 1TB                      | 3,083          | N              |                | 48                |
| 1750         |       | 5001    | OEL - 5TB                      | 14,327         | N              |                | 48                |
| 1750         |       | 5002    | OEL - 10TB                     | 27,567         | N              |                | 48                |
| 1750         |       | 5003    | OEL - 25TB                     | 63,476         | N              |                | 48                |
| 1750         |       | 5004    | OEL - 50TB                     | 105,189        | N              |                | 48                |
| 1750         |       | 5010    | OEL - 1 TB                     | 3,083          | N              |                | 12                |
| 1750         |       | 5011    | OEL - 5 TB                     | 14,327         | N              |                | 12                |
| 1750         |       | 5012    | OEL - 10 TB                    | 27,567         | N              |                | 12                |
| 1750         |       | 5013    | OEL - 25 TB                    | 63,476         | N              |                | 12                |
| 1750         |       | 5014    | OEL - 50 TB                    | 105,189        | N              |                | 12                |
| 1750         |       | 5100    | PAV - 1TB                      | 4,715          | N              |                | 48                |
| 1750         |       | 5101    | PAV - 5TB                      | 20,131         | N              |                | 48                |
| 1750         |       | 5102    | PAV - 10TB                     | 39,537         | N              |                | 48                |
| 1750         |       | 5103    | PAV - 25TB                     | 62,751         | N              |                | 48                |
| 1750         |       | 5104    | PAV - 50TB                     | 104,826        | N              |                | 48                |
| 1750         |       | 5110    | PAV - 1 TB                     | 4,715          | N              |                | 12                |
| 1750         |       | 5111    | PAV - 5 TB                     | 20,131         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1750         |       | 5112    | PAV - 10 TB                    | 39,537         | N              |                | 12                |
| 1750         |       | 5113    | PAV - 25 TB                    | 62,751         | N              |                | 12                |
| 1750         |       | 5114    | PAV - 50 TB                    | 104,826        | N              |                | 12                |
| 1750         |       | 5200    | PTC - 1TB                      | 8,705          | N              |                | 48                |
| 1750         |       | 5201    | PTC - 5TB                      | 13,965         | N              |                | 48                |
| 1750         |       | 5202    | PTC - 10TB                     | 17,955         | N              |                | 48                |
| 1750         |       | 5203    | PTC - 25TB                     | 27,567         | N              |                | 48                |
| 1750         |       | 5204    | PTC - 50TB                     | 32,282         | N              |                | 48                |
| 1750         |       | 5210    | PTC - 1 TB                     | 8,705          | N              |                | 12                |
| 1750         |       | 5211    | PTC - 5 TB                     | 13,965         | N              |                | 12                |
| 1750         |       | 5212    | PTC - 10 TB                    | 17,955         | N              |                | 12                |
| 1750         |       | 5213    | PTC - 25 TB                    | 27,567         | N              |                | 12                |
| 1750         |       | 5214    | PTC - 50 TB                    | 32,282         | N              |                | 12                |
| 1750         |       | 5300    | RMC - 1TB                      | 12,332         | N              |                | 48                |
| 1750         |       | 5301    | RMC - 5TB                      | 23,940         | N              |                | 48                |
| 1750         |       | 5302    | RMC - 10TB                     | 27,422         | N              |                | 48                |
| 1750         |       | 5303    | RMC - 25TB                     | 36,997         | N              |                | 48                |
| 1750         |       | 5304    | RMC - 50TB                     | 41,713         | N              |                | 48                |
| 1750         |       | 5310    | RMC - 1 TB                     | 12,332         | N              |                | 12                |
| 1750         |       | 5311    | RMC - 5 TB                     | 23,940         | N              |                | 12                |
| 1750         |       | 5312    | RMC - 10 TB                    | 27,422         | N              |                | 12                |
| 1750         |       | 5313    | RMC - 25 TB                    | 36,997         | N              |                | 12                |
| 1750         |       | 5314    | RMC - 50 TB                    | 41,713         | N              |                | 12                |
| 1750         |       | 5915    | FICON ATTACHMENT               | 7,254          | N              |                | 48                |
| 1750         |       | 5920    | FICON ATTACHMENT               | 7,254          | N              |                | 12                |
| 1812         |       | 2411    | SHORT WAVE 4GB SFP PAIR        | 723            | N              |                | 36                |
| 1812         |       | 4620    | 2 TB 7.2K SATA E DDM           | 2,139          | N              |                | 36                |
| 1812         |       | 4628    | 1TB 7 200 RPM SATA E DDM2      | 1,336          | N              |                | 36                |
| 1812         |       | 5417    | 4 GBPS FC 600 GB/15K E DDM     | 3,048          | N              |                | 36                |
| 1812         |       | 5418    | 300GB 15 000 RPM 4GB FC E DDM2 | 1,905          | N              |                | 36                |
| 1812         |       | 5419    | 450GB 15 000 RPM 4GB FC E DDM2 | 2,286          | N              |                | 36                |
| 1812         |       | 5435    | 16PK 4 GBPS 300 GB/15K E-DDM   | 26,574         | N              |                | 36                |
| 1812         |       | 5436    | 16PK 4GBPS 450 GB/15K E DDM    | 32,675         | N              |                | 36                |
| 1812         |       | 5437    | 16 PAK 600 GB/15K E DDM        | 44,420         | N              |                | 36                |
| 1812         |       | 5601    | 1M FIBER OPTIC CABLE LC-LC     | 56             | N              |                | 36                |
| 1812         |       | 5605    | 5M FIBER OPTIC CABLE LC-LC     | 93             | N              |                | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 1812         |       | 5625    | 25M FIBER OPTIC CABLE LC-LC   | 137            | N              |                | 36                |
| 1814         | 20A   |         | DS5020 MIDRANGE DISK          | 16,322         | Y              | 3              | 36                |
| 1814         | 52A   |         | EXP520 EXPANSION UNIT         | 4,353          | Y              | 3              | 36                |
| 1814         |       | 2011    | AIR FILTER BEZEL              | 821            | N              |                | 36                |
| 1814         |       | 2070    | ADD 2 GB TO CACHE MEMORY      | 2,902          | N              |                | 36                |
| 1814         |       | 2080    | 2 DUAL 8GBPS HOST PT CARDS    | 5,804          | N              |                | 36                |
| 1814         |       | 2081    | 2 DUAL 1GBPS ISCSI HOST PTS   | 3,627          | N              |                | 36                |
| 1814         |       | 2105    | DS4000 1-PT PCI-X 4 GBPS HBA  | 1,077          | N              |                | 36                |
| 1814         |       | 2106    | DS4000 2-PT PCI-X 4 GBPS HBA  | 1,803          | N              |                | 36                |
| 1814         |       | 3791    | 0.6 M YELLOW CAT5E CABLE      | 11             | N              |                | 36                |
| 1814         |       | 3792    | 1.5 M YELLOW CAT5E CABLE      | 12             | N              |                | 36                |
| 1814         |       | 3793    | 3 M YELLOW CAT5E CABLE        | 13             | N              |                | 36                |
| 1814         |       | 3794    | 10M YELLOW CAT5E CABLE        | 20             | N              |                | 36                |
| 1814         |       | 3795    | 25 M YELLOW CAT5E CABLE       | 33             | N              |                | 36                |
| 1814         |       | 3796    | 0.6 M GREEN CAT5E CABLE       | 11             | N              |                | 36                |
| 1814         |       | 3797    | 1.5 M GREEN CAT5E CABLE       | 12             | N              |                | 36                |
| 1814         |       | 3798    | 3 M GREEN CAT5E CABLE         | 13             | N              |                | 36                |
| 1814         |       | 3799    | 10 M GREEN CAT5E CABLE        | 20             | N              |                | 36                |
| 1814         |       | 3800    | 25 M GREEN CAT5E CABLE        | 33             | N              |                | 36                |
| 1814         |       | 3801    | 0.6 M BLUE CAT5E CABLE        | 11             | N              |                | 36                |
| 1814         |       | 3802    | 1.5M BLUE CAT5E CABLE         | 12             | N              |                | 36                |
| 1814         |       | 3803    | 3M BLUE CAT5E CABLE           | 13             | N              |                | 36                |
| 1814         |       | 3804    | 10M BLUE CAT5E CABLE          | 20             | N              |                | 36                |
| 1814         |       | 3805    | 25M BLUE CAT5E CABLE          | 33             | N              |                | 36                |
| 1814         |       | 4203    | DS5020 600GB/15K 4GBPS FC DDM | 3,048          | N              |                | 36                |
| 1814         |       | 4211    | 16PK 300GB 15K 4GBPS FC DDM   | 26,574         | N              |                | 36                |
| 1814         |       | 4212    | 16PK 450GB 15K 4GBPS FC DDM   | 32,675         | N              |                | 36                |
| 1814         |       | 4213    | 16PK 600GB/15K 4GBPS FC DDM   | 44,420         | N              |                | 36                |
| 1814         |       | 4401    | ENCRYPTIBLE DDM 4GBPS 300GB   | 2,510          | N              |                | 36                |
| 1814         |       | 4402    | ENCRYPTIBLE DDM 4GBPS 450GB   | 3,039          | N              |                | 36                |
| 1814         |       | 5417    | 4 GBPS FC 600 GB/15K E DDM    | 3,048          | N              |                | 36                |
| 1814         |       | 5555    | BULK ORDERING FEATURE IND.    | 0              | N              |                | 36                |
| 1814         |       | 5601    | 1M FIBER OPTIC CABLE LC-LC    | 56             | N              |                | 36                |
| 1814         |       | 5605    | 5M FIBER OPTIC CABLE LC-LC    | 93             | N              |                | 36                |
| 1814         |       | 5625    | 25M FIBER OPTIC CABLE LC-LC   | 137            | N              |                | 36                |
| 1814         |       | 5810    | OM3 FIBER OPT. CBL LC LC 10M  | 87             | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 1814         |       | 5818    | 4PK OM3 FIBER CBL LC LC 10M  | 348            | N              |                | 36                |
| 1814         |       | 7301    | DS4700 FLASHCOPY             | 4,353          | N              |                | 36                |
| 1814         |       | 7303    | DS4700 VOLUMECOPY            | 0              | N              |                | 36                |
| 1814         |       | 7304    | DS4700 FLASH/VOLUMECOPY      | 4,353          | N              |                | 36                |
| 1814         |       | 7305    | DS4700 ENH. REMOTE MIRROR    | 7,254          | N              |                | 36                |
| 1814         |       | 7306    | DS4700 FC/SATA ENCL. INTEMIX | 2,176          | N              |                | 36                |
| 1814         |       | 7313    | DS4700 FLASHCPY 4 8 FC UPGR  | 0              | N              |                | 36                |
| 1814         |       | 7316    | DS4700 ENRMIR 32 64 MR UPGR  | 0              | N              |                | 36                |
| 1814         |       | 7382    | DS4700 MOD 70 EXPS ATT 1-3   | 0              | N              |                | 36                |
| 1814         |       | 7383    | DS4700 MOD 70 EXPS ATT 4-6   | 0              | N              |                | 36                |
| 1814         |       | 7384    | DS4700 MOD 72 EXPS ATT 4-6   | 0              | N              |                | 36                |
| 1814         |       | 7393    | DS5020 33 64 DISK DRIVE ATT  | 1,451          | N              |                | 36                |
| 1814         |       | 7394    | DS5020 65 112 DISK DRIVE ATT | 3,591          | N              |                | 36                |
| 1814         |       | 7401    | DS5020 FLASHCOPY             | 7,616          | N              |                | 36                |
| 1814         |       | 7402    | DS5020 FLASHCPY 4 8 FC UPG   | 8,633          | N              |                | 36                |
| 1814         |       | 7403    | DS5020 VOLUMECOPY            | 5,440          | N              |                | 36                |
| 1814         |       | 7404    | DS5020 FLASH VOLUMECOPY      | 5,441          | N              |                | 36                |
| 1814         |       | 7405    | DS5020 ENH. REMOTE MIRROR    | 5,440          | N              |                | 36                |
| 1814         |       | 7406    | DS5020 E.RMR 32 64 MR UPG    | 14,509         | N              |                | 36                |
| 1814         |       | 7410    | DS5020 DISK ENCRYPTION ACT   | 2,720          | N              |                | 36                |
| 1814         |       | 7414    | EXP810 TO DS5020 ATTACH ACT  | 4,353          | N              |                | 36                |
| 1814         |       | 7700    | DS4700 WINDOWS HOST KIT      | 907            | N              |                | 36                |
| 1814         |       | 7701    | DS4700 LINUX/INTEL HOST KIT  | 907            | N              |                | 36                |
| 1814         |       | 7703    | DS4700 VMWARE ESX HOST KIT   | 907            | N              |                | 36                |
| 1814         |       | 7711    | DS4700 AIX/VIOS HOST KIT     | 5,078          | N              |                | 36                |
| 1814         |       | 7712    | DS4700 SUN SOLARIS HOST KIT  | 5,078          | N              |                | 36                |
| 1814         |       | 7713    | DS4700 HPUX HOST KIT         | 5,078          | N              |                | 36                |
| 1814         |       | 7714    | DS4700 LINUX FOR POWER HOST  | 907            | N              |                | 36                |
| 1814         |       | 7801    | DS5020 WINDOWS HOST KIT      | 907            | N              |                | 36                |
| 1814         |       | 7802    | DS5020 LINUX/INTEL HOST KIT  | 907            | N              |                | 36                |
| 1814         |       | 7804    | DS5020 VMWARE ESX HOST KIT   | 907            | N              |                | 36                |
| 1814         |       | 7805    | DS5020 AIX VIOS HOST KIT     | 5,078          | N              |                | 36                |
| 1814         |       | 7806    | DS5020 SUN SOLARIS HOST KIT  | 5,078          | N              |                | 36                |
| 1814         |       | 7807    | DS5020 HPUX HOST KIT         | 5,078          | N              |                | 36                |
| 1814         |       | 7808    | DS5020 LINUX FOR POWER HOST  | 907            | N              |                | 36                |
| 1814         |       | 8700    | DS5020 2 STG PARTIT. IPO     | 1,088          | N              |                | 36                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 1814         |       | 8701    | DS5020 4 STG PARTIT. IPO    | 2,176          | N              |                | 36                |
| 1814         |       | 8702    | DS5020 8 STG PARTIT. IPO    | 6,529          | N              |                | 36                |
| 1814         |       | 8703    | DS5020 16 STG PARTIT. IPO   | 11,752         | N              |                | 36                |
| 1814         |       | 8704    | DS5020 32 STG PARTIT. IPO   | 17,411         | N              |                | 36                |
| 1814         |       | 8705    | DS5020 64 STG PARTIT. IPO   | 22,851         | N              |                | 36                |
| 1814         |       | 8706    | DS5020 128 STG PARTIT. IPO  | 28,945         | N              |                | 36                |
| 1814         |       | 8801    | DS5020 2 4 STG PART. MES    | 1,088          | N              |                | 36                |
| 1814         |       | 8802    | DS5020 2 8 STG PART. MES    | 5,441          | N              |                | 36                |
| 1814         |       | 8803    | DS5020 4 8 STG PART. MES    | 4,353          | N              |                | 36                |
| 1814         |       | 8804    | DS5020 4 16 STG PART. MES   | 9,576          | N              |                | 36                |
| 1814         |       | 8805    | DS5020 8 16 STG PART. MES   | 5,223          | N              |                | 36                |
| 1814         |       | 8806    | DS5020 8 32 STG PART. MES   | 10,882         | N              |                | 36                |
| 1814         |       | 8807    | DS5020 8 64 STG PART. MES   | 16,322         | N              |                | 36                |
| 1814         |       | 8808    | DS5020 16 32 STG PART. MES  | 5,658          | N              |                | 36                |
| 1814         |       | 8809    | DS5020 16 64 STG PART. MES  | 11,099         | N              |                | 36                |
| 1814         |       | 8810    | DS5020 32 64 STG PART. MES  | 5,441          | N              |                | 36                |
| 1814         |       | 8811    | DS5020 32 128 STG PRT. MES  | 11,534         | N              |                | 36                |
| 1814         |       | 8812    | DS5020 64 128 STG PRT. MES  | 6,094          | N              |                | 36                |
| 1814         |       | 8841    | DS4700 32 128 STG PAR. MES  | 11,534         | N              |                | 36                |
| 1814         |       | 8842    | DS4700 64 128 STG PAR. MES  | 6,094          | N              |                | 36                |
| 1814         |       | 8856    | DS4700 MOD 72 8-STG. IPO    | 3,627          | N              |                | 36                |
| 1814         |       | 8857    | DS4700 MOD 72 16-STG. IPO   | 5,078          | N              |                | 36                |
| 1814         |       | 8858    | DS4700 MOD 72 64-STG. IPO   | 13,638         | N              |                | 36                |
| 1814         |       | 8860    | DS4700 2-4 STG. PART. MES   | 725            | N              |                | 36                |
| 1814         |       | 8861    | DS4700 2-8 STG. PART. MES   | 2,902          | N              |                | 36                |
| 1814         |       | 8862    | DS4700 4-8 STG. PART. MES   | 2,176          | N              |                | 36                |
| 1814         |       | 8863    | DS4700 4-16 STG. PART. MES  | 3,627          | N              |                | 36                |
| 1814         |       | 8864    | DS4700 8-16 STG. PART. MES  | 1,451          | N              |                | 36                |
| 1814         |       | 8865    | DS4700 8-64 STG. PART. MES  | 10,011         | N              |                | 36                |
| 1814         |       | 8866    | DS4700 16-64 STG. PART. MES | 8,560          | N              |                | 36                |
| 1814         |       | 8867    | DS4700 8 32 STG PART. MES   | 3,555          | N              |                | 36                |
| 1814         |       | 8868    | DS4700 16 32 STG PART. MES  | 2,176          | N              |                | 36                |
| 1814         |       | 8869    | DS4700 32 64 STG PART. MES  | 5,441          | N              |                | 36                |
| 1815         |       | 2024    | MOD 82 CACHE UPGDE TO 8 GB  | 36,272         | N              |                | 36                |
| 1815         |       | 2025    | MOD 82 CACHE UPGDE TO 16 GB | 71,456         | N              |                | 36                |
| 1815         |       | 2028    | MOD 84 CACHE UPGDE TO 16 GB | 71,456         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1815         |       | 7306    | DS4800 FC/SATA ENCL. INTEMIX   | 4,353          | N              |                | 36                |
| 1818         | 80C   |         | DCS3700 STORAGE SYSTEM         | 30,460         | N              | 1              | 12                |
| 1818         | 80E   |         | DCS3700 EXPANSION UNIT         | 14,436         | N              | 1              | 12                |
| 1818         | D1A   |         | EXP5000 EXPANSION UNIT         | 4,353          | N              | 1              | 12                |
| 1818         |       | 3001    | 8GB CACHE                      | 11,607         | N              |                | 12                |
| 1818         |       | 3002    | 4GB TO 8GB CACHE UPGRADE       | 11,607         | N              |                | 12                |
| 1818         |       | 3100    | PERFORMANCE MODULE CONTROLLER  | 24,665         | N              |                | 12                |
| 1818         |       | 3111    | 24GB CACHE                     | 10,156         | N              |                | 12                |
| 1818         |       | 3112    | 48GB CACHE                     | 20,312         | N              |                | 12                |
| 1818         |       | 3116    | UPGRADE CACHE TO 24GB          | 14,509         | N              |                | 12                |
| 1818         |       | 3117    | UPGRADE CACHE TO 48GB          | 29,018         | N              |                | 12                |
| 1818         |       | 3130    | TWO 4-PORT 8GB FC HIC          | 7,254          | N              |                | 12                |
| 1818         |       | 3300    | TWO 6GB SAS 2 PORT CARDS       | 2,174          | N              |                | 12                |
| 1818         |       | 3310    | TWO 8GB FC 4 PORT CARDS        | 2,899          | N              |                | 12                |
| 1818         |       | 3400    | 300GB 15K SAS HDD 10 PACK      | 5,629          | N              |                | 12                |
| 1818         |       | 3401    | 300GB 15K 6GB SAS 2.5 INCH HDD | 562            | N              |                | 12                |
| 1818         |       | 3460    | 3TB 7.2K SAS HDD 10 PACK       | 7,537          | N              |                | 12                |
| 1818         |       | 3461    | 3TB 7.2K 6GB SAS NL 3.5 INCH H | 754            | N              |                | 12                |
| 1818         |       | 3490    | 200GB SAS 2.5 INCH SSD         | 3,046          | N              |                | 12                |
| 1818         |       | 3491    | 400GB SAS 2.5 INCH SSD         | 6,673          | N              |                | 12                |
| 1818         |       | 3510    | 8 TO 16 PARTITION UPGRADE      | 1,741          | N              |                | 12                |
| 1818         |       | 3511    | 8 TO 32 PARTITION UPGRADE      | 4,498          | N              |                | 12                |
| 1818         |       | 3512    | 8 TO 64 PARTITION UPGRADE      | 9,793          | N              |                | 12                |
| 1818         |       | 3513    | 8 TO 128 PARTITION UPGRADE     | 19,224         | N              |                | 12                |
| 1818         |       | 3514    | 8 TO 256 PARTITION UPGRADE     | 35,909         | N              |                | 12                |
| 1818         |       | 3515    | 8 TO 512 PARTITION UPGRADE     | 65,290         | N              |                | 12                |
| 1818         |       | 3520    | 16 TO 32 PARTITION UPGRADE     | 2,757          | N              |                | 12                |
| 1818         |       | 3521    | 16 TO 64 PARTITION UPGRADE     | 8,052          | N              |                | 12                |
| 1818         |       | 3522    | 16 TO 128 PARTITION UPGRDE     | 17,483         | N              |                | 12                |
| 1818         |       | 3530    | 32 TO 64 PARTITION UPGRADE     | 5,296          | N              |                | 12                |
| 1818         |       | 3531    | 32 TO 128 PARTITION UPGRDE     | 14,726         | N              |                | 12                |
| 1818         |       | 3540    | 64 TO 128 PARTITION UPGRDE     | 9,431          | N              |                | 12                |
| 1818         |       | 3541    | 64 TO 256 PARTITION UPGRADE    | 26,116         | N              |                | 12                |
| 1818         |       | 3551    | 128 TO 256 PARTITION UPGRADE   | 16,685         | N              |                | 12                |
| 1818         |       | 3552    | 128 TO 512 PARTITION UPGRADE   | 46,065         | N              |                | 12                |
| 1818         |       | 3561    | 256 TO 512 PARTITION UPGRADE   | 29,380         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1818         |       | 3600    | AIX VIOS HOST KIT              | 3,809          | N              |                | 12                |
| 1818         |       | 3610    | LINUX ON POWER HOST KIT        | 725            | N              |                | 12                |
| 1818         |       | 3620    | MAC OS HOST KIT                | 1,814          | N              |                | 12                |
| 1818         |       | 3630    | SOLARIS HOST KIT               | 5,078          | N              |                | 12                |
| 1818         |       | 3707    | 3M SAS CABLE                   | 98             | N              |                | 12                |
| 1818         |       | 3708    | 1M SAS CABLE                   | 86             | N              |                | 12                |
| 1818         |       | 3900    | FLASHCOPY VOLUME COPY          | 2,974          | N              |                | 12                |
| 1818         |       | 3901    | ENHANCED FLASHCOPY BASE        | 3,845          | N              |                | 12                |
| 1818         |       | 3902    | ENHANCED FLASHCOPY UPGRADE     | 4,208          | N              |                | 12                |
| 1818         |       | 3904    | ENHANCED FLASHCOPY PLUS        | 5,731          | N              |                | 12                |
| 1818         |       | 3905    | VOLUME COPY PLUS ENHANCED      | 7,617          | N              |                | 12                |
| 1818         |       | 3950    | REMOTE MIRRORING               | 6,165          | N              |                | 12                |
| 1818         |       | 4712    | 2 TB/7.2K SATA DDM             | 2,139          | N              |                | 12                |
| 1818         |       | 4741    | 10PK 2 TB/7.2K SATA DDM        | 19,252         | N              |                | 12                |
| 1818         |       | 4742    | 3TB 7.2K SATA DDM 10 PACK      | 23,104         | N              |                | 12                |
| 1818         |       | 5513    | 4 GBPS FC 600 GB/15K DDM       | 3,048          | N              |                | 12                |
| 1818         |       | 5521    | ENCRYPTIBLE DDM 4GBPS 300GB    | 2,510          | N              |                | 12                |
| 1818         |       | 5522    | ENCRYPTIBLE DDM 4GBPS 450GB    | 3,039          | N              |                | 12                |
| 1818         |       | 5533    | 16 PAK 600 GB/15K DDM          | 44,420         | N              |                | 12                |
| 1818         |       | 5541    | 16PK ENCR DDM 4GBPS 300GB      | 35,808         | N              |                | 12                |
| 1818         |       | 5542    | 16PK ENCR DDM 4GBPS 450GB      | 44,280         | N              |                | 12                |
| 1818         |       | 5601    | 1M FIBER OPTIC CABLE LC LC     | 56             | N              |                | 12                |
| 1818         |       | 5605    | 5M FIBER OPTIC CABLE LC LC     | 93             | N              |                | 12                |
| 1818         |       | 5625    | 25M FIBER OPTIC CABLE LC LC    | 137            | N              |                | 12                |
| 1818         |       | 5810    | OM3 FIBER OPT. CBL LC LC 10M   | 87             | N              |                | 12                |
| 1818         |       | 5818    | 4PK OM3 FIBER CBL LC LC 10M    | 348            | N              |                | 12                |
| 1818         |       | 6510    | 3 TB 7 2K FC SAS NL DDM        | 2,823          | N              |                | 12                |
| 1818         |       | 6530    | 3TB 7 2K FC SAS NL DDM 16 PACK | 40,665         | N              |                | 12                |
| 1818         |       | 7350    | DS5000 FLESH/VOLUMECOPY        | 17,409         | N              |                | 12                |
| 1818         |       | 7353    | DS5000 ENH. REMOTE MIRROR      | 20,312         | N              |                | 12                |
| 1818         |       | 7356    | DS5000 E. RMR 64 128 MR UPG    | 14,509         | N              |                | 12                |
| 1818         |       | 7358    | DS5000 DISK ENCRYPTION ACT     | 3,627          | N              |                | 12                |
| 1818         |       | 7370    | DS5100 PERFORMANCE UPGRADE     | 17,772         | N              |                | 12                |
| 1818         |       | 7371    | ATTACH UP TO 448 DRIVES        | 9,068          | N              |                | 12                |
| 1818         |       | 7372    | ATTACH UP TO EIGHT EXP5060     | 2,902          | N              |                | 12                |
| 1818         |       | 7373    | DS5300 ATT UP TO 8 EXP5060     | 2,902          | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1818         |       | 7720    | DS5000 WINDOWS HOST KIT        | 907            | N              |                | 12                |
| 1818         |       | 7721    | DS5000 LINUX/INTEL HOST KIT    | 907            | N              |                | 12                |
| 1818         |       | 7723    | DS5000 VMWARE ESX HOST KIT     | 907            | N              |                | 12                |
| 1818         |       | 7731    | DS5000 AIX/VIOS HOST KIT       | 5,078          | N              |                | 12                |
| 1818         |       | 7732    | DS5000 SUN HOST KIT            | 5,078          | N              |                | 12                |
| 1818         |       | 7733    | DS5000 HPUX HOST KIT           | 5,078          | N              |                | 12                |
| 1818         |       | 7734    | DS5000 LINUX FOR POWER HOST    | 907            | N              |                | 12                |
| 1818         |       | 7735    | DS5000 IBM I HOST KIT          | 5,078          | N              |                | 12                |
| 1818         |       | 8930    | DS5000 8 16 STG PART. MES      | 6,094          | N              |                | 12                |
| 1818         |       | 8931    | DS5000 8 32 STG PART. MES      | 12,695         | N              |                | 12                |
| 1818         |       | 8932    | DS5000 16 32 STG PART. MES     | 6,892          | N              |                | 12                |
| 1818         |       | 8933    | DS5000 16 64 STG PART. MES     | 15,416         | N              |                | 12                |
| 1818         |       | 8934    | DS5000 32 64 STG PART. MES     | 5,441          | N              |                | 12                |
| 1818         |       | 8935    | DS5000 32 128 STG PRT. MES     | 15,597         | N              |                | 12                |
| 1818         |       | 8936    | DS5000 64 128 STG PRT. MES     | 10,156         | N              |                | 12                |
| 1818         |       | 8937    | DS5000 64 256 STG PRT. MES     | 21,763         | N              |                | 12                |
| 1818         |       | 8938    | DS5000 128 256 STG PT. MES     | 11,607         | N              |                | 12                |
| 1818         |       | 8939    | DS5000 128 512 STG PT. MES     | 21,763         | N              |                | 12                |
| 1818         |       | 8940    | DS5000 256 512 STG PT. MES     | 10,156         | N              |                | 12                |
| 2005         |       | 2410    | 4 GBPS SW SFP TRANSCEIVER      | 109            | N              |                | 12                |
| 2005         |       | 2414    | 4 GBPS SW SFP TRANS 4-PACK     | 399            | N              |                | 12                |
| 2005         |       | 2420    | FC 4 GBPS 10KM LONG WAVE       | 725            | N              |                | 12                |
| 2005         |       | 2424    | FC 4 GBPS 10KM LONG WAVE       | 2,902          | N              |                | 12                |
| 2005         |       | 2430    | FC 4 GBPS 4KM LONG WAVE        | 463            | N              |                | 12                |
| 2005         |       | 2434    | FC 4 GBPS 4KM LONG WAVE        | 1,864          | N              |                | 12                |
| 2005         |       | 5605    | FIBER CABLE LC/LC 5M MULTIMODE | 76             | N              |                | 12                |
| 2005         |       | 5625    | FIBER CBL LC/LC 25M MULTIMODE  | 152            | N              |                | 12                |
| 2005         |       | 5701    | LC/LC COUPLING CABLE 1M        | 144            | N              |                | 12                |
| 2005         |       | 5702    | LC/SC COUPLING CABLE 2M        | 144            | N              |                | 12                |
| 2005         |       | 5720    | 9 MIC FIBRE CAB 31M SM SC/LC   | 73             | N              |                | 12                |
| 2005         |       | 5721    | 9 MIC FIBRE CAB 31M SM LC/LC   | 73             | N              |                | 12                |
| 2005         |       | 6050    | OPTIONAL RAIL KIT              | 57             | N              |                | 12                |
| 2005         |       | 7451    | B16 FULL FABRIC ACT - FIELD    | 914            | N              |                | 12                |
| 2005         |       | 7455    | B16 EXTENDED FABRIC ACTIVATION | 4,976          | N              |                | 12                |
| 2005         |       | 7514    | B32 8-PORT ACTIVATION          | 5,876          | N              |                | 12                |
| 2005         |       | 7515    | B16 4-PORT ACTIVATION          | 1,139          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2005         |       | 7520    | B64 16-PORT ACTIVATION         | 13,072         | N              |                | 12                |
| 2005         |       | 7530    | B32 FICON W/CUP ACTIVATION     | 1,966          | N              |                | 12                |
| 2005         |       | 7550    | B16 FABRIC WATCH               | 1,653          | N              |                | 12                |
| 2005         |       | 7553    | B32 EXTENDED FABRIC ACT        | 4,425          | N              |                | 12                |
| 2005         |       | 7554    | B32 ADVANCED SECURITY ACT      | 3,482          | N              |                | 12                |
| 2005         |       | 7556    | B32 PERFORMANCE MONITOR-FIELD  | 1,719          | N              |                | 12                |
| 2005         |       | 7557    | B32 ENHANCED TRUNKING - FIELD  | 3,438          | N              |                | 12                |
| 2005         |       | 7560    | FICON W/CUP ACTIVATION         | 4,886          | N              |                | 12                |
| 2005         |       | 7563    | B64 EXTEN. FABRIC ACTIVATION   | 6,362          | N              |                | 12                |
| 2005         |       | 7564    | B64 ADV.SECURITY ACTIVATION    | 12,970         | N              |                | 12                |
| 2005         |       | 7566    | B64 PERFORM.MONITOR.-FIELD     | 3,714          | N              |                | 12                |
| 2005         |       | 7567    | B64 ENH.TRUNKING ACTIV.-FIELD  | 6,572          | N              |                | 12                |
| 2005         |       | 7574    | R18 ADV.SECURITY ACTIVATION    | 3,482          | N              |                | 12                |
| 2005         |       | 7576    | R18 PERFORM.MONITORING-FIELD   | 1,719          | N              |                | 12                |
| 2005         |       | 7577    | R18 ENHANCED TRUNKING-FIELD    | 3,438          | N              |                | 12                |
| 2005         |       | 7579    | R18 FCIP ACTIVATION            | 13,834         | N              |                | 12                |
| 2005         |       | 7820    | H16 FULL FABRIC ACTIVATION     | 218            | N              |                | 12                |
| 2026         |       | 4503    | SAN24M1 SANTEGRITY BINDING     | 1,472          | N              |                | 12                |
| 2026         |       | 4508    | SAN24M-1 8PT FLEXPOR           | 2,938          | N              |                | 12                |
| 2026         |       | 4510    | SAN24M1 ELEMENT MANAGER        | 1,929          | N              |                | 12                |
| 2026         |       | 4520    | SAN24M-1 OPEN TRUNKING         | 3,800          | N              |                | 12                |
| 2026         |       | 4550    | SAN24M1 FULL VOLATILITY        | 4,729          | N              |                | 12                |
| 2027         |       | 1511    | SAN256M FICON MANAGEMENT SERV  | 25,100         | N              |                | 12                |
| 2027         |       | 6003    | SAN140M FICON MGT SERVER       | 3,774          | N              |                | 12                |
| 2027         |       | 6007    | SAN140M SANTEGRITY BINDING     | 12,008         | N              |                | 12                |
| 2027         |       | 6120    | SAN140M OPEN TRUNKING          | 32,064         | N              |                | 12                |
| 2027         |       | 6140    | SAN140M ELEMENT MANAGER        | 15,960         | N              |                | 12                |
| 2027         |       | 6150    | SAN140M FULL VOLATILITY        | 6,529          | N              |                | 12                |
| 2027         |       | 6224    | SAN140M SANTEGRITY AUTH        | 13,176         | N              |                | 12                |
| 2054         | E01   |         | CISCO MDS 9222I FC SWITCH      | 42,133         | N              |                | 12                |
| 2054         | E04   |         | CISCO MDS 9506 DIRECTOR        | 52,681         | N              |                | 12                |
| 2054         | E07   |         | CISCO MDS 9509 DIRECTOR        | 54,488         | N              |                | 12                |
| 2054         | E11   |         | CISCO MDS 9513 DIRECTOR        | 63,744         | N              |                | 12                |
| 2054         |       | 2209    | 9200FCIP ACT/8-PORT IP SERV LC | 11,970         | N              |                | 12                |
| 2054         |       | 2210    | FCIP ACT/8-PORT IP SERV LC     | 11,970         | N              |                | 12                |
| 2054         |       | 2215    | 9200 FCIP ACTIVATION FOR MSM   | 15,017         | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2054         |       | 2216    | 9500 FCIP ACTIVATION FOR MSN  | 15,017         | N              |                | 12                |
| 2054         |       | 2404    | 4-PORT 10 GB FC SWITCH MOD    | 39,399         | N              |                | 12                |
| 2054         |       | 2450    | 18/4 MULTISERVICE MODULE      | 45,812         | N              |                | 12                |
| 2054         |       | 5030    | FC 10GB SR X2 TRANSCEIVER     | 4,643          | N              |                | 12                |
| 2054         |       | 5032    | ETHERNET 10GB SR X2 TRANS     | 4,643          | N              |                | 12                |
| 2054         |       | 5050    | FC 10GB 40KM ER X2 TRANS      | 12,020         | N              |                | 12                |
| 2054         |       | 5210    | TRI-RATE SW SFP               | 706            | N              |                | 12                |
| 2054         |       | 5220    | TRI-RATE LW SFP               | 1,624          | N              |                | 12                |
| 2054         |       | 5250    | GIGABIT ETHERNET COPPER SFP   | 587            | N              |                | 12                |
| 2054         |       | 5434    | FC 4 GB SW SFP 4 PACK         | 653            | N              |                | 12                |
| 2054         |       | 5454    | FC 4 GB 10 KM LW SFP 4 PK     | 5,136          | N              |                | 12                |
| 2054         |       | 5605    | 5 M LC/LC FIBER CABLE         | 98             | N              |                | 12                |
| 2054         |       | 5625    | 25 M LC/LC FIBER CABLE        | 150            | N              |                | 12                |
| 2054         |       | 5642    | 5 M LC/LC FIBER CABLE 4 PACK  | 696            | N              |                | 12                |
| 2054         |       | 5643    | 25 M LC/LC FIBER CABLE 4 PACK | 957            | N              |                | 12                |
| 2054         |       | 5811    | CISCO FLASH MEMORY CARD       | 2,829          | N              |                | 12                |
| 2054         |       | 5834    | FC 8 GB SW SFP+ 4 PACK        | 1,175          | N              |                | 12                |
| 2054         |       | 5854    | FC 8 GB 10KM LW SFP+ 4 PACK   | 10,460         | N              |                | 12                |
| 2054         |       | 7011    | MDS 9200 ENTERPRISE PKG       | 8,618          | N              |                | 12                |
| 2054         |       | 7016    | MDS 9200 FAB MGR SERV PKG     | 7,813          | N              |                | 12                |
| 2054         |       | 7021    | MDS 9500 ENTERPRISE PKG       | 28,429         | N              |                | 12                |
| 2054         |       | 7026    | MDS 9500 FABRIC MGR SERV PKG  | 23,432         | N              |                | 12                |
| 2054         |       | 7031    | MDS 9200 MAINFRAME SERVER PKG | 13,108         | N              |                | 12                |
| 2054         |       | 7036    | MDS 9500 MAINFRAME SERVER PKG | 26,217         | N              |                | 12                |
| 2054         |       | 7052    | MDS 9200 FCIP ACT FOR 18/4    | 15,575         | N              |                | 12                |
| 2054         |       | 7055    | MDS 9500 FCIP ACT FOR 18/4    | 15,575         | N              |                | 12                |
| 2061         |       | 4011    | MDS 9000 ENTERPRISE PACKAGE   | 4,954          | N              |                | 12                |
| 2061         |       | 4111    | MDS 9000 FABRIC MANAGER PKG   | 5,382          | N              |                | 12                |
| 2061         |       | 5210    | TRI-RATE SW SFP TRANSCEIVER   | 508            | N              |                | 0                 |
| 2061         |       | 5220    | TRI-RATE LW SFP TRANSCEIVER   | 1,016          | N              |                | 0                 |
| 2061         |       | 5230    | FC PORT SW SFP TRANSCEIVER    | 199            | N              |                | 0                 |
| 2061         |       | 5240    | FC PORT LW SFP TRANSCEIVER    | 802            | N              |                | 0                 |
| 2061         |       | 5605    | 5 M LC/LC FIBER CABLE         | 76             | N              |                | 0                 |
| 2061         |       | 5625    | 25 M LC/LC FIBER CABLE        | 152            | N              |                | 0                 |
| 2062         |       | 2209    | FCIP ACT/8-PORTIP SERV.L.CARD | 11,970         | N              |                | 0                 |
| 2062         |       | 2210    | FCIP ACT/8-PORTIP SERV.L.CARD | 11,970         | N              |                | 0                 |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2062         |       | 5210    | TRI-RATE SW SFP TRANSCEIVER    | 812            | N              |                | 0                 |
| 2062         |       | 5220    | TRI-RATE LW SFP TRANSCEIVER    | 1,624          | N              |                | 0                 |
| 2062         |       | 5605    | 5 M LC/LC FIBER CBL(MULTIMODE) | 98             | N              |                | 0                 |
| 2062         |       | 5625    | 25 M LC/LC FIBERCBL(MULTIMODE) | 150            | N              |                | 0                 |
| 2062         |       | 5811    | CISCO SPARE FLASH MEMORY CARD  | 2,829          | N              |                | 0                 |
| 2073         | 720   |         | STORWIZE V7000 UNIFIED         | 9,068          | Y              | 1              | 36                |
| 2073         |       | 5301    | M FIBER OPTIC CABLE LC LC      | 56             | N              |                | 36                |
| 2073         |       | 5305    | 5 M FIBER OPTIC CABLE LC LC    | 93             | N              |                | 36                |
| 2073         |       | 5325    | 25 M FIBER OPTIC CABLE LC LC   | 137            | N              |                | 36                |
| 2073         |       | 5709    | ETHERNET CABLE 9FT GREEN CAT 5 | 42             | N              |                | 36                |
| 2076         | 112   |         | STORWIZE V7000 CONTROLLER 12   | 16,322         | Y              | 1              | 36                |
| 2076         | 124   |         | STORWIZE V7000 CONTROLLER 24   | 18,136         | Y              | 1              | 36                |
| 2076         | 212   |         | STORWIZE V7000 EXPANSION 12    | 3,845          | Y              | 1              | 36                |
| 2076         | 224   |         | STORWIZE V7000 EXPANSION 24    | 4,353          | Y              | 1              | 36                |
| 2076         | 312   |         | STORWIZE V7000 10 GBE CONTRLEF | 23,577         | Y              | 1              | 36                |
| 2076         | 324   |         | STORWIZE V7000 10 GBE CONTRSFF | 25,390         | Y              | 1              | 36                |
| 2076         |       | 3251    | 146 GB 2.5 INCH 15K RPM SAS HD | 688            | N              |                | 36                |
| 2076         |       | 3253    | 300 GB 2.5INCH 15K RPM SAS HDD | 963            | N              |                | 36                |
| 2076         |       | 3271    | 1 TB 2.5INCH 7.2K RPM NL SAS H | 826            | N              |                | 36                |
| 2076         |       | 3302    | 2TB 3.5 INCH 7.2K HDD          | 870            | N              |                | 36                |
| 2076         |       | 3303    | 3 TB 3.5INCH 7.2K RPM NL SAS H | 1,160          | N              |                | 36                |
| 2076         |       | 3304    | 4TB 6GB NLSAS 3.5INCH LFF      | 1,740          | N              |                | 36                |
| 2076         |       | 3512    | 200 GB 2.5INCH SSD (E MLC)     | 3,481          | N              |                | 36                |
| 2076         |       | 3514    | 400 GB 2.5INCH SSD (E MLC)     | 6,746          | N              |                | 36                |
| 2076         |       | 3516    | 800GB 2.5 INCH SSD             | 12,694         | N              |                | 36                |
| 2076         |       | 3542    | 1.2 TB 6GB SAS 2.5INCH SFF     | 1,595          | N              |                | 36                |
| 2076         |       | 3543    | 300GB 6GB SAS 10K 2.5INCH SFF  | 550            | N              |                | 36                |
| 2076         |       | 3546    | 600GB 6GB SAS 10K 2.5INCH SFF  | 833            | N              |                | 36                |
| 2076         |       | 3549    | 900GB 6GB SAS 10K 2.5INCH SFF  | 1,160          | N              |                | 36                |
| 2076         |       | 5301    | 1 M FIBER OPTIC CABLE LC LC    | 56             | N              |                | 36                |
| 2076         |       | 5305    | 5 M FIBER OPTIC CABLE LC LC    | 93             | N              |                | 36                |
| 2076         |       | 5325    | 25 M FIBER OPTIC CABLE LC LC   | 137            | N              |                | 36                |
| 2076         |       | 5401    | 1 M 6 GB/S EXTERNAL MINI SAS   | 129            | N              |                | 36                |
| 2076         |       | 5403    | 3 M 6 GB/S EXTERNAL MINI SAS   | 144            | N              |                | 36                |
| 2076         |       | 5406    | 6 M 6 GB/S EXTERNAL MINI SAS   | 267            | N              |                | 36                |
| 2076         |       | 5600    | PUREFLEX FIBER CABLE           | 56             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2076         |       | 5608    | 8 GBPS LW SFP                  | 288            | N              |                | 36                |
| 2076         |       | 5711    | 10GBE OPTICAL SW SFP PAIR      | 674            | N              |                | 36                |
| 2076         |       | 8002    | BATTERY                        | 1,669          | N              |                | 36                |
| 2076         |       | ACSC    | 3M SAS CABLE MSAS              | 144            | N              |                | 36                |
| 2076         |       | ACSD    | 6M SAS CABLE MSAS              | 253            | N              |                | 36                |
| 2084         |       | 0081    | HMC W/ DUAL EN DVD - BLK       | *Call          | N              |                | 12                |
| 2084         |       | 0082    | HMC W/ TR EN DVD - BLK         | *Call          | N              |                | 12                |
| 2084         |       | 0219    | ISC-3 PORT ON F/C 218          | *Call          | N              |                | 12                |
| 2084         |       | 0322    | ESTI-M CARD                    | *Call          | N              |                | 12                |
| 2084         |       | 0839    | TKE WORKSTATION                | *Call          | N              |                | 12                |
| 2084         |       | 0993    | ICB-3 FUNCTION ENABLEMENT      | *Call          | N              |                | 12                |
| 2084         |       | 3210    | IBF-360                        | *Call          | N              |                | 12                |
| 2084         |       | 3393    | ICB-4 FUNCTION ENABLEMENT      | *Call          | N              |                | 12                |
| 2084         |       | 3993    | STI-3 EXTENDER CARD            | *Call          | N              |                | 12                |
| 2084         |       | 6154    | ETR 1 PORT                     | *Call          | N              |                | 12                |
| 2084         |       | 6501    | POWER SEQUENCE CONTROLLER      | *Call          | N              |                | 12                |
| 2084         |       | 9888    | ON/OFF COD ACTIVE IFL          | *Call          | N              |                | 12                |
| 2084         |       | 9889    | ON/OFF COD ACTIVE ICF-DAY      | *Call          | N              |                | 12                |
| 2084         |       | 9893    | ON/OFF COD ACTIVE ZAAP DAY     | *Call          | N              |                | 12                |
| 2086         |       | 0077    | HMC W/DUAL EN DVD - BLACK      | *Call          | N              |                | 12                |
| 2086         |       | 0078    | HMC W/TR DVD - BLACK           | *Call          | N              |                | 12                |
| 2086         |       | 0084    | HMC DUAL ETHERNET              | *Call          | N              |                | 12                |
| 2086         |       | 0086    | SE - TOKEN RING / ETHERNET     | *Call          | N              |                | 12                |
| 2086         |       | 0087    | SE - DUAL ETHERNET             | *Call          | N              |                | 12                |
| 2086         |       | 0088    | MAU(MULTI-STATION ACCESS UNIT) | *Call          | N              |                | 12                |
| 2086         |       | 0089    | SE-EN SWITCH (FORMER HUB)      | *Call          | N              |                | 12                |
| 2086         |       | 0219    | ISC-3 PORT ON FC 0218          | *Call          | N              |                | 12                |
| 2086         |       | 0856    | TKE 5.1 LIC                    | *Call          | N              |                | 12                |
| 2086         |       | 0993    | ICB-3 FUNCTION                 | *Call          | N              |                | 12                |
| 2086         |       | 2324    | ESCON CHANNEL PORTS            | *Call          | N              |                | 12                |
| 2086         |       | 2367    | OSA-EXPRESS HIGH SPEED TR      | *Call          | N              |                | 12                |
| 2086         |       | 7995    | BOLT-DOWN KIT HIGH RAISED FLR  | *Call          | N              |                | 12                |
| 2086         |       | 7996    | BOLT-DOWN KIT LOW RAISED FLR   | *Call          | N              |                | 12                |
| 2086         |       | 7997    | BOLT-DOWN KIT NON-RAISED FLR   | *Call          | N              |                | 12                |
| 2094         | S08   |         | SYSTEM Z9 109                  | *Call          | N              | 3              | 12                |
| 2094         | S18   |         | SYSTEM Z9 ENTERPRISE CLASS     | *Call          | N              | 3              | 12                |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2094         | S28   |         | SYSTEM Z9 ENTERPRISE CLASS | *Call          | N              | 3              | 12                |
| 2094         | S38   |         | SYSTEM Z9 ENTERPRISE CLASS | *Call          | N              | 3              | 12                |
| 2094         | S54   |         | SYSTEM Z9 ENTERPRISE CLASS | *Call          | N              | 3              | 12                |
| 2094         |       | 0079    | HMC                        | *Call          | N              |                | 12                |
| 2094         |       | 0080    | HMC W/TR DVD - BLACK       | *Call          | N              |                | 12                |
| 2094         |       | 0081    | HMC W/ DUAL EN DVD - BLK   | *Call          | N              |                | 12                |
| 2094         |       | 0082    | HMC W/ TR EN DVD - BLK     | *Call          | N              |                | 12                |
| 2094         |       | 0088    | EXTERNAL MAU               | *Call          | N              |                | 12                |
| 2094         |       | 0089    | SE-EN SWITCH (FORMER HUB)  | *Call          | N              |                | 12                |
| 2094         |       | 0090    | HMC W/DUAL EN              | *Call          | N              |                | 12                |
| 2094         |       | 0113    | I/O CAGE ISC-D AIRFLOW     | *Call          | N              |                | 12                |
| 2094         |       | 0114    | I/O CAGE FULL CARD AIRFLOW | *Call          | N              |                | 12                |
| 2094         |       | 0160    | MBA FANOUT CARD            | *Call          | N              |                | 12                |
| 2094         |       | 0161    | MBA FANOUT AIRFLOW         | *Call          | N              |                | 12                |
| 2094         |       | 0217    | ISC-MOTHER CARD            | *Call          | N              |                | 12                |
| 2094         |       | 0218    | ISC-DAUGHTER CARD          | *Call          | N              |                | 12                |
| 2094         |       | 0219    | ISC-3 LINK ON F/C 0218     | *Call          | N              |                | 12                |
| 2094         |       | 0227    | ICB-3 CABLE                | *Call          | N              |                | 12                |
| 2094         |       | 0228    | ICB-4 CABLE                | *Call          | N              |                | 12                |
| 2094         |       | 0323    | STI-A8 MOTHER CARD         | *Call          | N              |                | 12                |
| 2094         |       | 0324    | STI-A4 MOTHER CARD         | *Call          | N              |                | 12                |
| 2094         |       | 0325    | STI-MP DAUGHTER CARD       | *Call          | N              |                | 12                |
| 2094         |       | 0839    | TKE WORKSTATION            | *Call          | N              |                | 12                |
| 2094         |       | 0840    | TKE 6.0WORKSTATION         | *Call          | N              |                | 12                |
| 2094         |       | 0856    | TKE 5.1 LIC                | *Call          | N              |                | 12                |
| 2094         |       | 0859    | TKE 5.0 WORKSTATION        | *Call          | N              |                | 12                |
| 2094         |       | 0863    | CRYPTO EXPRESS2            | *Call          | N              |                | 12                |
| 2094         |       | 0887    | TKE SMART CARD READER      | *Call          | N              |                | 12                |
| 2094         |       | 0888    | TKE ADDL SMART CARDS       | *Call          | N              |                | 12                |
| 2094         |       | 0993    | ICB-3 LINK                 | *Call          | N              |                | 12                |
| 2094         |       | 2319    | FICON EXPRESS LX           | *Call          | N              |                | 12                |
| 2094         |       | 2323    | 16-PORT ESCON              | *Call          | N              |                | 12                |
| 2094         |       | 2324    | ESCON CHANNEL PORT         | *Call          | N              |                | 12                |
| 2094         |       | 2719    | 304 GB MEMORY              | *Call          | N              |                | 12                |
| 2094         |       | 2720    | 320 GB MEMORY              | *Call          | N              |                | 12                |
| 2094         |       | 2721    | 336 GB MEMORY              | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2094         |       | 2722    | 352 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2723    | 368 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2724    | 384 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2725    | 400 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2726    | 416 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2727    | 432 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2728    | 448 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2729    | 464 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 2730    | 480 GB MEMORY                | *Call          | N              |                | 12                |
| 2094         |       | 3210    | INTERNAL BATTERY             | *Call          | N              |                | 12                |
| 2094         |       | 3321    | FICON EXPRESS4 10 KM LX      | *Call          | N              |                | 12                |
| 2094         |       | 3322    | FICON EXPRESS4 SX            | *Call          | N              |                | 12                |
| 2094         |       | 3324    | FICON EXPRESS4 4 KM LX       | *Call          | N              |                | 12                |
| 2094         |       | 3364    | OSA-EXPRESS2 GBE LX          | *Call          | N              |                | 12                |
| 2094         |       | 3365    | OSA-EXPRESS2 GBE SX          | *Call          | N              |                | 12                |
| 2094         |       | 3366    | OSA-EXPRESS2 1000BASE-T      | *Call          | N              |                | 12                |
| 2094         |       | 3368    | OSA-EXPRESS2 10 GBE LR       | *Call          | N              |                | 12                |
| 2094         |       | 3393    | ICB-4 LINK                   | *Call          | N              |                | 12                |
| 2094         |       | 3993    | STI-3 DISTRIBUTION CARD      | *Call          | N              |                | 12                |
| 2094         |       | 6094    | 17 INCH PANEL DISPLAY        | *Call          | N              |                | 12                |
| 2094         |       | 6095    | 20 INCH PANEL DISPLAY        | *Call          | N              |                | 12                |
| 2094         |       | 6155    | ETR                          | *Call          | N              |                | 12                |
| 2094         |       | 6501    | POWER SEQUENCE CONTROLLER    | *Call          | N              |                | 12                |
| 2094         |       | 8992    | 6 FT 250V 60A LINE CORD CHI  | *Call          | N              |                | 12                |
| 2094         |       | 8993    | 14 FT 250V CORD US CAN JAPAN | *Call          | N              |                | 12                |
| 2094         |       | 8994    | 6 FT 480V 30A LINE CORD CHI  | *Call          | N              |                | 12                |
| 2094         |       | 8995    | 14 FT 480V CORD US CAN JAPAN | *Call          | N              |                | 12                |
| 2094         |       | 9888    | ON/OFF COD ACTIVE IFL-DAY    | *Call          | N              |                | 12                |
| 2094         |       | 9889    | ON/OFF COD ACTIVE ICF-DAY    | *Call          | N              |                | 12                |
| 2094         |       | 9893    | ON/OFF COD ACTIVE ZAAP-DAY   | *Call          | N              |                | 12                |
| 2094         |       | 9897    | ON/OFF COD ACTIVE CP-DAY     | *Call          | N              |                | 12                |
| 2094         |       | 9908    | ON/OFF COD ACT ZIIP - DAY    | *Call          | N              |                | 12                |
| 2094         |       | 9975    | HEIGHT REDUCTION SHIP 2094   | *Call          | N              |                | 12                |
| 2096         | R07   |         | SYSTEM Z9 BUSINESS CLASS     | *Call          | N              | 3              | 12                |
| 2096         | S07   |         | SYSTEM Z9 BUSINESS CLASS     | *Call          | N              | 3              | 12                |
| 2096         |       | 0076    | HMC W/DUAL EN DVD            | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2096         |       | 0077    | HMC W/DUAL EN DVD - BLACK     | *Call          | N              |                | 12                |
| 2096         |       | 0079    | HMC W/ DUAL EN DVD - BLK      | *Call          | N              |                | 12                |
| 2096         |       | 0080    | HMC W/TR DVD - BLACK          | *Call          | N              |                | 12                |
| 2096         |       | 0088    | EXTERNAL MAU                  | *Call          | N              |                | 12                |
| 2096         |       | 0089    | SE-EN SWITCH (FORMER HUB)     | *Call          | N              |                | 12                |
| 2096         |       | 0113    | I/O CAGE ISC-D AIRFLOW        | *Call          | N              |                | 12                |
| 2096         |       | 0217    | ISC-MOTHER CARD               | *Call          | N              |                | 12                |
| 2096         |       | 0218    | ISC-DAUGHTER CARD             | *Call          | N              |                | 12                |
| 2096         |       | 0219    | ISC-3 LINK ON F/C 0216        | *Call          | N              |                | 12                |
| 2096         |       | 0227    | ICB-3 CABLE                   | *Call          | N              |                | 12                |
| 2096         |       | 0228    | ICB-4 CABLE                   | *Call          | N              |                | 12                |
| 2096         |       | 0840    | TKE 6.0 WORKSTATION           | *Call          | N              |                | 12                |
| 2096         |       | 0859    | TKE 5.0 WORKSTATION           | *Call          | N              |                | 12                |
| 2096         |       | 0863    | CRYPTO EXPRESS2               | *Call          | N              |                | 12                |
| 2096         |       | 0887    | TKE SMART CARD READER         | *Call          | N              |                | 12                |
| 2096         |       | 0888    | TKE ADD'1 SMART CARDS         | *Call          | N              |                | 12                |
| 2096         |       | 0993    | ICB-3 LINK                    | *Call          | N              |                | 12                |
| 2096         |       | 2323    | 16 PORT ESCON CD              | *Call          | N              |                | 12                |
| 2096         |       | 2324    | ESCON CHANNEL PORT            | *Call          | N              |                | 12                |
| 2096         |       | 3210    | INTERNAL BATTERY              | *Call          | N              |                | 12                |
| 2096         |       | 3364    | OSA EXPRESS2 GBEN LX          | *Call          | N              |                | 12                |
| 2096         |       | 3365    | OSA EXPRESS2 GBEN SX          | *Call          | N              |                | 12                |
| 2096         |       | 3368    | OSA EXPRESS2 10 GBEN LR       | *Call          | N              |                | 12                |
| 2096         |       | 3393    | ICB-4 LINK                    | *Call          | N              |                | 12                |
| 2096         |       | 3993    | STI-3 DISTRIBUTION CARD       | *Call          | N              |                | 12                |
| 2096         |       | 6094    | 17 INCH FLAT PANEL            | *Call          | N              |                | 12                |
| 2096         |       | 6095    | 21 INCH FLAT PANEL            | *Call          | N              |                | 12                |
| 2096         |       | 6501    | POWER SEQUENCE CONTROLLER     | *Call          | N              |                | 12                |
| 2096         |       | 9888    | ON/OFF COD ACT IFL - DAY      | *Call          | N              |                | 12                |
| 2096         |       | 9889    | ON/OFF COD ACT ICF - DAY      | *Call          | N              |                | 12                |
| 2096         |       | 9893    | ON/OFF COD ACT ZAAP - DAY     | *Call          | N              |                | 12                |
| 2096         |       | 9975    | HEIGHT REDUCE SHIP            | *Call          | N              |                | 12                |
| 2098         |       | 0871    | CRYPTO EXPRESS3 1P            | *Call          | N              |                | 12                |
| 2101         | 200   |         | STORAGE SOLUTIONS SYSTEM      | 3,176          | N              | 2              | 12                |
| 2101         | N42   |         | STORAGE SOLUTIONS RACK        | 4,315          | N              | 2              | 12                |
| 2101         |       | 0983    | GSA AND/OR TITLE WITH US GOVT | 0              | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2101         |       | 6080    | RUGGEDIZED RACK FEATURE        | 982            | N              |                | 12                |
| 2101         |       | 6086    | SUITE ATTACH KIT 2 M RACK      | 229            | N              |                | 12                |
| 2101         |       | 6098    | SIDE PANEL                     | 163            | N              |                | 12                |
| 2101         |       | 6491    | PWR CD IEC309 P+N+G 63A/MES    | 262            | N              |                | 12                |
| 2101         |       | 6492    | PWR CD IEC309 2P+G 60A/MES     | 262            | N              |                | 12                |
| 2101         |       | 6858    | REAR DOOR HEAT EXCH            | 4,748          | N              |                | 12                |
| 2101         |       | 7188    | SIDE MOUNT 1-PHASE PDUS-OPT.   | 1,310          | N              |                | 12                |
| 2101         |       | 7190    | TWO IPDUS PLANT                | 1,637          | N              |                | 36                |
| 2101         |       | 7192    | TWO IPDUS PLANT/FIELD          | 1,965          | N              |                | 36                |
| 2104         |       | 5301    | ULTRA320 CABLE - 1 M           | 101            | N              |                | 12                |
| 2104         |       | 5303    | ULTRA320 CABLE - 3 M           | 113            | N              |                | 12                |
| 2104         |       | 5305    | ULTRA320 CABLE - 5 M           | 125            | N              |                | 12                |
| 2104         |       | 5310    | ULTRA320 CABLE - 10 M          | 169            | N              |                | 12                |
| 2104         |       | 5313    | ULTRA SCSI TO LVD CABLE - 3 M  | 129            | N              |                | 12                |
| 2104         |       | 5320    | ULTRA320 CABLE - 20 M          | 266            | N              |                | 12                |
| 2104         |       | 5323    | SCSI 2 F/W TO LVD CABLE - 3 M  | 145            | N              |                | 12                |
| 2105         |       | 1830    | FLASHCOPY UP TO 0.5 TB         | 15,521         | N              |                | 36                |
| 2105         |       | 1831    | FLASHCOPY UP TO 1 TB           | 23,315         | N              |                | 36                |
| 2105         |       | 1832    | FLASHCOPY UP TO 2 TB           | 34,907         | N              |                | 36                |
| 2105         |       | 1833    | FLASH COPY- UP TO 4TB          | 52,393         | N              |                | 36                |
| 2105         |       | 1834    | FLASHCOPY UP TO 8 TB           | 78,589         | N              |                | 36                |
| 2105         |       | 1835    | FLASHCOPY UP TO 12 TB          | 96,665         | N              |                | 36                |
| 2105         |       | 2101    | DISK EIGHT-PACK MOUNTING KIT   | 9,169          | N              |                | 36                |
| 2105         |       | 2602    | SINGLE PHASE 50/50HZ 50 AMP EM | 2,292          | N              |                | 0                 |
| 2105         |       | 2603    | SINGLE PHASE 50/60HZ 50 AMP AP | 2,292          | N              |                | 0                 |
| 2105         |       | 2652    | 3 PHASE 50/60HZ 50 AMP         | 2,620          | N              |                | 0                 |
| 2105         |       | 2860    | 50 MICRON FIBRE CAB SC CON     | 216            | N              |                | 36                |
| 2105         |       | 2861    | 50MICRON FIBRE CABLE 31M SC/LC | 216            | N              |                | 36                |
| 2105         |       | 2862    | 50 MICRON FIBRE CAB LC CON     | 216            | N              |                | 36                |
| 2105         |       | 4015    | 24 GB CACHE                    | 94,307         | N              |                | 36                |
| 2105         |       | 9905    | ONE YEAR WARRANTY OPTION       | 0              | N              |                | 36                |
| 2107         |       | 1000    | REMOTE POWER CONTROL           | 798            | N              |                | 48                |
| 2107         |       | 1050    | BATTERY ASSEMBLY               | 1,233          | N              |                | 48                |
| 2107         |       | 1055    | EXTENDED PLD                   | 5,658          | N              |                | 48                |
| 2107         |       | 1090    | LINE CORD (US/LA/AP/CANADA)    | 1,378          | N              |                | 48                |
| 2107         |       | 1091    | LINE CORD (EMEA)               | 363            | N              |                | 48                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2107         |       | 1092    | LINE CORD(JAPAN/US/CANADA)    | 798            | N              |                | 48                |
| 2107         |       | 1170    | MC LINE CORD STANDARD RACK    | 73             | N              |                | 48                |
| 2107         |       | 1171    | MC LINE CORD GROUP 1          | 73             | N              |                | 48                |
| 2107         |       | 1172    | MC LINE CORD GROUP 2          | 73             | N              |                | 48                |
| 2107         |       | 1210    | DISK ENCLOSURE PAIR           | 7,254          | N              |                | 48                |
| 2107         |       | 1211    | DISK DRIVE CABLE GROUP 1      | 725            | N              |                | 48                |
| 2107         |       | 1212    | DISK DRIVE CABLE GROUP 2      | 1,378          | N              |                | 48                |
| 2107         |       | 1213    | DISK DRIVE CABLE GROUP 3      | 1,596          | N              |                | 48                |
| 2107         |       | 1214    | DISK DRIVE CABLE GROUP 4      | 1,741          | N              |                | 48                |
| 2107         |       | 1220    | DISK ENCLOSURE PAIR - A       | 7,254          | N              |                | 48                |
| 2107         |       | 1230    | DISK ENCLOSURE PAIR - B       | 7,254          | N              |                | 48                |
| 2107         |       | 1300    | I/O ENCLOSURE PAIR            | 9,068          | N              |                | 48                |
| 2107         |       | 1312    | RIO-G CABLE GROUP 2           | 871            | N              |                | 48                |
| 2107         |       | 1313    | RIO-G CABLE GROUP 3           | 1,161          | N              |                | 48                |
| 2107         |       | 1314    | RIO-G CABLE GROUP 4           | 1,669          | N              |                | 48                |
| 2107         |       | 1315    | RIO-G CABLE GROUP 5           | 2,539          | N              |                | 48                |
| 2107         |       | 1316    | RIO-G CABLE GROUP 6           | 1,161          | N              |                | 48                |
| 2107         |       | 1410    | 50 UM FIBRE CABLE (LC)        | 73             | N              |                | 48                |
| 2107         |       | 1411    | 50 UM FIBRE CABLE (LC/SC)     | 73             | N              |                | 48                |
| 2107         |       | 1412    | 50 UM FIBRE CABLE (JUMPER)    | 73             | N              |                | 48                |
| 2107         |       | 1420    | 9 UM FIBRE CABLE (LC)         | 73             | N              |                | 48                |
| 2107         |       | 1421    | 9 UM FIBRE CABLE (LC/SC)      | 73             | N              |                | 48                |
| 2107         |       | 1422    | 9 UM FIBRE CABLE (JUMPER)     | 73             | N              |                | 48                |
| 2107         |       | 1501    | POWER5+ PROCESSOR UPGRADE     | 72,544         | N              |                | 48                |
| 2107         |       | 1502    | POWER5+ PROCESSOR UPGRADE     | 145,088        | N              |                | 48                |
| 2107         |       | 1503    | POWER5+ PROCESSOR UPGRADE     | 145,088        | N              |                | 48                |
| 2107         |       | 1801    | RM ETHERNET ADAPTER PAIR      | 2,176          | N              |                | 48                |
| 2107         |       | 1802    | RM ETHERNET ADAPTER PAIR A    | 2,176          | N              |                | 48                |
| 2107         |       | 1803    | RM ETHERNET ADAPTER PAIR B    | 2,176          | N              |                | 48                |
| 2107         |       | 1906    | EARTHQUAKE RESISTANCE KIT     | 15,960         | N              |                | 48                |
| 2107         |       | 1980    | PERFORMANCE ACCELERATOR       | 3,627          | N              |                | 48                |
| 2107         |       | 2999    | DISK ENCLOSURE FILLER SET     | 73             | N              |                | 48                |
| 2107         |       | 3113    | 4GB SW FCP /FICON ADAPTER     | 25,390         | N              |                | 48                |
| 2107         |       | 3123    | 4GB SW FCP /FICON ADAPTER - A | 25,390         | N              |                | 48                |
| 2107         |       | 3133    | 4GB SW FCP /FICON ADAPTER - B | 25,390         | N              |                | 48                |
| 2107         |       | 3213    | 4GB LW FCP/FICON ADAPTER      | 25,390         | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2107         |       | 3215    | 4GB 10KM LW FCP/FICON ADAPTER  | 32,645         | N              |                | 48                |
| 2107         |       | 3223    | 4GB LW FCP/FICON ADAPTER - A   | 25,390         | N              |                | 48                |
| 2107         |       | 3225    | 4GB 10KM LW FCP/FICON ADP - A  | 32,645         | N              |                | 48                |
| 2107         |       | 3233    | 4GB LW FCP/FICON ADAPTER - B   | 25,390         | N              |                | 48                |
| 2107         |       | 3235    | 4GB 10KM LW FCP/FICON ADP - B  | 32,645         | N              |                | 48                |
| 2107         |       | 4012    | 32 GB PROCESSOR MEMORY         | 36,272         | N              |                | 48                |
| 2107         |       | 4013    | 64 GB PROCESSOR MEMORY         | 145,088        | N              |                | 48                |
| 2107         |       | 4014    | 128 GB PROCESSOR MEMORY        | 290,176        | N              |                | 48                |
| 2107         |       | 4113    | 64 GB PROCESSOR MEMORY         | 145,088        | N              |                | 48                |
| 2107         |       | 4114    | 128 GB PROCESSOR MEMORY        | 290,176        | N              |                | 48                |
| 2107         |       | 4115    | 256 GB PROCESSOR MEMORY        | 580,353        | N              |                | 48                |
| 2109         | C36   |         | TOTALSTORAGE SAN SWITCH        | 4,425          | N              | 2              | 12                |
| 2109         |       | 2414    | 4 GBPS SW SFP TRAN 4-PACK      | 580            | N              |                | 12                |
| 2109         |       | 2424    | FC 4 GBPS 10KM LW SFP TRANS 4P | 4,722          | N              |                | 12                |
| 2109         |       | 2434    | FC 4 GBPS 4 KM LW SFP TRANS 4P | 3,039          | N              |                | 12                |
| 2109         |       | 2440    | 4 GBPS 30 KM ELW SFP TRANS     | 4,353          | N              |                | 12                |
| 2109         |       | 5305    | FIBER CABLE LC/LC 5M MULTIMODE | 98             | N              |                | 12                |
| 2109         |       | 5325    | FIBER CABLE LC/LC25M MULTIMODE | 150            | N              |                | 12                |
| 2109         |       | 5371    | M12 SC/LC COUPLING CABLE       | 75             | N              |                | 12                |
| 2109         |       | 5405    | 5M 50U LC/LC FIB CAB 4 PK      | 394            | N              |                | 12                |
| 2109         |       | 5425    | 25M 50U LC/LC FIB CAB 4 PK     | 604            | N              |                | 12                |
| 2109         |       | 5444    | 31M 9U LC/LC FIB CAB 4 PK      | 290            | N              |                | 12                |
| 2109         |       | 5605    | FIBRE CABLE LC/LC 5M MULTIMODE | 98             | N              |                | 12                |
| 2109         |       | 5625    | FIBRE CABLE LC/LC 25M MULTIMO  | 150            | N              |                | 12                |
| 2109         |       | 5721    | 9 MIC FIBRE CABL 31M SM LC/LC  | 73             | N              |                | 12                |
| 2109         |       | 5731    | 9 MIC FIBRE CABL 31M SM LC/LC  | 73             | N              |                | 12                |
| 2109         |       | 6050    | PLANT IPDU UPG TO BASE C36     | 1,458          | N              |                | 12                |
| 2109         |       | 6051    | FIELD IPDU UPG TO BASE C36     | 2,285          | N              |                | 12                |
| 2109         |       | 6052    | 2ND IPDU PAIR C19/C20          | 2,285          | N              |                | 12                |
| 2109         |       | 6080    | RUGGEDIZED RACK FEATURE        | 1,088          | N              |                | 12                |
| 2109         |       | 6081    | PDU PAIR FOR F-SERIES SWITCH   | 725            | N              |                | 12                |
| 2109         |       | 7802    | M48 REMOTE SWITCH ACTIVATION   | 24,810         | N              |                | 12                |
| 2109         |       | 7803    | M48 EXTENDED FABRIC ACTIVA     | 24,810         | N              |                | 12                |
| 2109         |       | 7823    | M48 ADVANCED SECURITY ACTIV    | 31,013         | N              |                | 12                |
| 2109         |       | 7827    | M48 FCIP ACTIVATION            | 25,028         | N              |                | 12                |
| 2109         |       | 7831    | M48 FICON W/CUP ACTIVATION     | 7,631          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2109         |       | 7833    | M48 FICON W/CUP ADV SECURITY   | 24,607         | N              |                | 12                |
| 2145         | CG8   |         | SVC STORAGE ENGINE             | 11,970         | N              | 4              | 12                |
| 2145         |       | 1888    | STG LAB SERVICES               | 1,814          | N              |                | 12                |
| 2145         |       | 3905    | SVC ENGINE REMOVAL             | 1,451          | N              |                | 12                |
| 2145         |       | 4500    | SOLID STATE DEVICE ATTACHMENT  | 813            | N              |                | 12                |
| 2145         |       | 5301    | 1 M FIBER OPTIC CABLE LC-LC    | 73             | N              |                | 12                |
| 2145         |       | 5305    | 5 M FIBER OPTIC CABLE LC-LC    | 123            | N              |                | 12                |
| 2145         |       | 5325    | 25 M FIBER OPTIC CABLE LC-LC   | 188            | N              |                | 12                |
| 2145         |       | 5608    | 8GBPS LW SFP                   | 362            | N              |                | 12                |
| 2145         |       | 5700    | 10 GIGABIT ETHERNET ATTACHMENT | 1,051          | N              |                | 12                |
| 2145         |       | 5702    | LC-SC FC ADAPTER CABLE         | 88             | N              |                | 12                |
| 2145         |       | 5711    | 10GBE OPTICAL SW SFP PAIR      | 674            | N              |                | 12                |
| 2145         |       | 8115    | UPS - SINGLE ENGINE            | 725            | N              |                | 12                |
| 2145         |       | 8300    | REDUNDANT AC POWER             | 624            | N              |                | 12                |
| 2233         |       | 3411    | FILE SYST GTW FIBRE ETH ADATER | 419            | N              |                | 12                |
| 2233         |       | 3550    | HOST FIBRE ETH DUAL P ADPT     | 958            | N              |                | 12                |
| 2233         |       | 3551    | HOST COP ETH DUAL P ADPT       | 241            | N              |                | 12                |
| 2233         |       | 3552    | HOST COP ETH DUAL P SEC ADPT   | 241            | N              |                | 12                |
| 2233         |       | 3560    | LVD SCSI ADPT TAPE OPT SSAM    | 425            | N              |                | 12                |
| 2233         |       | 4101    | FILE SYSTEM GATEWAY            | 7,495          | N              |                | 12                |
| 2233         |       | 4801    | KVM SWITCH                     | 1,469          | N              |                | 12                |
| 2240         | FLC   |         | ESS FUNCTION AUTHORIZATION     | 0              | Y              |                | 36                |
| 2240         | PAV   |         | ESS FUNCTION AUTHORIZATION     | 0              | Y              |                | 36                |
| 2240         | PRC   |         | ESS FUNCTION AUTHORIZATION     | 0              | Y              |                | 36                |
| 2240         | XRC   |         | ESS FUNCTION AUTHORIZATION     | 0              | Y              |                | 36                |
| 2240         |       | 8000    | PAV - UP TO 1 TB               | 13,421         | N              |                | 36                |
| 2240         |       | 8001    | PAV - UP TO 2 TB               | 20,167         | N              |                | 36                |
| 2240         |       | 8002    | PAV - UP TO 3 TB               | 26,479         | N              |                | 36                |
| 2240         |       | 8003    | PAV - UP TO 4 TB               | 32,790         | N              |                | 36                |
| 2240         |       | 8004    | PAV - UP TO 5 TB               | 39,029         | N              |                | 36                |
| 2240         |       | 8005    | PAV - UP TO 6 TB               | 45,340         | N              |                | 36                |
| 2240         |       | 8006    | PAV - UP TO 8 TB               | 52,885         | N              |                | 36                |
| 2240         |       | 8007    | PAV - UP TO 10 TB              | 60,502         | N              |                | 36                |
| 2240         |       | 8008    | PAV - UP TO 12 TB              | 68,046         | N              |                | 36                |
| 2240         |       | 8009    | PAV - UP TO 16 TB              | 78,493         | N              |                | 36                |
| 2240         |       | 8010    | PAV - UP TO 20 TB              | 83,716         | N              |                | 36                |

| Machine Type | Model | Feature | Description        | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------|----------------|----------------|----------------|-------------------|
| 2240         |       | 8011    | PAV - UP TO 25 TB  | 101,997        | N              |                | 36                |
| 2240         |       | 8012    | PAV - UP TO 30 TB  | 116,796        | N              |                | 36                |
| 2240         |       | 8013    | PAV - UP TO 40 TB  | 140,155        | N              |                | 36                |
| 2240         |       | 8014    | PAV - UP TO 50 TB  | 161,193        | N              |                | 36                |
| 2240         |       | 8015    | PAV - UP TO 60 TB  | 180,635        | N              |                | 36                |
| 2240         |       | 8100    | XRC - UP TO 1 TB   | 25,826         | N              |                | 36                |
| 2240         |       | 8101    | XRC - UP TO 2 TB   | 38,666         | N              |                | 36                |
| 2240         |       | 8102    | XRC - UP TO 3 TB   | 50,781         | N              |                | 36                |
| 2240         |       | 8103    | XRC - UP TO 4 TB   | 62,896         | N              |                | 36                |
| 2240         |       | 8104    | XRC - UP TO 5 TB   | 74,938         | N              |                | 36                |
| 2240         |       | 8105    | XRC - UP TO 6 TB   | 87,053         | N              |                | 36                |
| 2240         |       | 8106    | XRC - UP TO 8 TB   | 101,562        | N              |                | 36                |
| 2240         |       | 8107    | XRC - UP TO 10 TB  | 116,071        | N              |                | 36                |
| 2240         |       | 8108    | XRC - UP TO 12 TB  | 130,579        | N              |                | 36                |
| 2240         |       | 8109    | XRC - UP TO 16 TB  | 150,674        | N              |                | 36                |
| 2240         |       | 8110    | XRC - UP TO 20 TB  | 160,613        | N              |                | 36                |
| 2240         |       | 8111    | XRC - UP TO 25 TB  | 195,869        | N              |                | 36                |
| 2240         |       | 8112    | XRC - UP TO 30 TB  | 224,306        | N              |                | 36                |
| 2240         |       | 8113    | XRC - UP TO 40 TB  | 269,139        | N              |                | 36                |
| 2240         |       | 8114    | XRC - UP TO 50 TB  | 309,618        | N              |                | 36                |
| 2240         |       | 8115    | XRC - UP TO 60 TB  | 346,761        | N              |                | 36                |
| 2240         |       | 8200    | PPRC - UP TO 1 TB  | 25,826         | N              |                | 36                |
| 2240         |       | 8201    | PPRC - UP TO 2 TB  | 38,666         | N              |                | 36                |
| 2240         |       | 8202    | PPRC - UP TO 3 TB  | 50,781         | N              |                | 36                |
| 2240         |       | 8203    | PPRC - UP TO 4 TB  | 62,896         | N              |                | 36                |
| 2240         |       | 8204    | PPRC - UP TO 5 TB  | 74,938         | N              |                | 36                |
| 2240         |       | 8205    | PPRC - UP TO 6 TB  | 87,053         | N              |                | 36                |
| 2240         |       | 8206    | PPRC - UP TO 8 TB  | 101,562        | N              |                | 36                |
| 2240         |       | 8207    | PPRC - UP TO 10 TB | 116,071        | N              |                | 36                |
| 2240         |       | 8208    | PPRC - UP TO 12 TB | 130,579        | N              |                | 36                |
| 2240         |       | 8209    | PPRC - UP TO 16 TB | 150,674        | N              |                | 36                |
| 2240         |       | 8210    | PPRC - UP TO 20 TB | 160,613        | N              |                | 36                |
| 2240         |       | 8211    | PPRC - UP TO 25 TB | 195,869        | N              |                | 36                |
| 2240         |       | 8212    | PPRC - UP TO 30 TB | 224,306        | N              |                | 36                |
| 2240         |       | 8213    | PPRC - UP TO 40 TB | 269,139        | N              |                | 36                |
| 2240         |       | 8214    | PPRC - UP TO 50 TB | 309,618        | N              |                | 36                |

| Machine Type | Model | Feature | Description               | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------|----------------|----------------|----------------|-------------------|
| 2240         |       | 8215    | PPRC - UP TO 60 TB        | 346,761        | N              |                | 36                |
| 2240         |       | 8300    | FLASHCOPY - UP TO 1 TB    | 17,193         | N              |                | 36                |
| 2240         |       | 8301    | FLASHCOPY - UP TO 2 TB    | 25,826         | N              |                | 36                |
| 2240         |       | 8302    | FLASHCOPY - UP TO 3 TB    | 33,878         | N              |                | 36                |
| 2240         |       | 8303    | FLASHCOPY - UP TO 4 TB    | 41,930         | N              |                | 36                |
| 2240         |       | 8304    | FLASHCOPY - UP TO 5 TB    | 49,983         | N              |                | 36                |
| 2240         |       | 8305    | FLASHCOPY - UP TO 6 TB    | 58,035         | N              |                | 36                |
| 2240         |       | 8306    | FLASHCOPY - UP TO 8 TB    | 67,684         | N              |                | 36                |
| 2240         |       | 8307    | FLASHCOPY - UP TO 10 TB   | 77,405         | N              |                | 36                |
| 2240         |       | 8308    | FLASHCOPY - UP TO 12 TB   | 87,053         | N              |                | 36                |
| 2240         |       | 8309    | FLASHCOPY - UP TO 16 TB   | 100,474        | N              |                | 36                |
| 2240         |       | 8310    | FLASHCOPY - UP TO 20 TB   | 107,075        | N              |                | 36                |
| 2240         |       | 8311    | FLASHCOPY - UP TO 25 TB   | 130,579        | N              |                | 36                |
| 2240         |       | 8312    | FLASHCOPY - UP TO 30 TB   | 149,513        | N              |                | 36                |
| 2240         |       | 8313    | FLASHCOPY - UP TO 40 TB   | 179,547        | N              |                | 36                |
| 2240         |       | 8314    | FLASHCOPY - UP TO 50 TB   | 206,606        | N              |                | 36                |
| 2240         |       | 8315    | FLASHCOPY - UP TO 60 TB   | 231,416        | N              |                | 36                |
| 2240         |       | 8500    | PPRC V2 - UP TO 1 TB      | 32,282         | N              |                | 36                |
| 2240         |       | 8501    | PPRC V2 - UP TO 2 TB      | 48,314         | N              |                | 36                |
| 2240         |       | 8502    | PPRC V2 - UP TO 3 TB      | 63,476         | N              |                | 36                |
| 2240         |       | 8503    | PPRC V2 - UP TO 4 TB      | 78,638         | N              |                | 36                |
| 2240         |       | 8504    | PPRC V2 - UP TO 5 TB      | 93,654         | N              |                | 36                |
| 2240         |       | 8505    | PPRC V2 - UP TO 6 TB      | 108,816        | N              |                | 36                |
| 2240         |       | 8506    | PPRC V2 - UP TO 8 TB      | 126,952        | N              |                | 36                |
| 2240         |       | 8507    | PPRC V2 - UP TO 10 TB     | 145,088        | N              |                | 36                |
| 2240         |       | 8508    | PPRC V2 - UP TO 12 TB     | 163,224        | N              |                | 36                |
| 2240         |       | 8509    | PPRC V2 - UP TO 16 TB     | 188,324        | N              |                | 36                |
| 2240         |       | 8510    | PPRC V2 - UP TO 20 TB     | 200,802        | N              |                | 36                |
| 2240         |       | 8511    | PPRC V2 - UP TO 25 TB     | 244,836        | N              |                | 36                |
| 2240         |       | 8512    | PPRC V2 - UP TO 30 TB     | 280,383        | N              |                | 36                |
| 2240         |       | 8513    | PPRC V2 - UP TO 40 TB     | 336,459        | N              |                | 36                |
| 2240         |       | 8514    | PPRC V2 - UP TO 50 TB     | 387,023        | N              |                | 36                |
| 2240         |       | 8515    | PPRC V2 - UP TO 60 TB     | 433,451        | N              |                | 36                |
| 2240         |       | 8600    | FLASHCOPY V2 - UP TO 1 TB | 20,603         | N              |                | 36                |
| 2240         |       | 8601    | FLASHCOPY V2 - UP TO 2 TB | 30,976         | N              |                | 36                |
| 2240         |       | 8602    | FLASHCOPY V2 - UP TO 3 TB | 40,625         | N              |                | 36                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2240         |       | 8603    | FLASHCOPY V2 - UP TO 4 TB   | 50,346         | N              |                | 36                |
| 2240         |       | 8604    | FLASHCOPY V2 - UP TO 5 TB   | 59,994         | N              |                | 36                |
| 2240         |       | 8605    | FLASHCOPY V2 - UP TO 6 TB   | 69,642         | N              |                | 36                |
| 2240         |       | 8606    | FLASHCOPY V2 - UP TO 8 TB   | 81,249         | N              |                | 36                |
| 2240         |       | 8607    | FLASHCOPY V2 - UP TO 10 TB  | 92,856         | N              |                | 36                |
| 2240         |       | 8608    | FLASHCOPY V2 - UP TO 12 TB  | 104,463        | N              |                | 36                |
| 2240         |       | 8609    | FLASHCOPY V2 - UP TO 16 TB  | 120,568        | N              |                | 36                |
| 2240         |       | 8610    | FLASHCOPY V2 - UP TO 20 TB  | 128,476        | N              |                | 36                |
| 2240         |       | 8611    | FLASHCOPY V2 - UP TO 25 TB  | 156,695        | N              |                | 36                |
| 2240         |       | 8612    | FLASHCOPY V2 - UP TO 30 TB  | 179,402        | N              |                | 36                |
| 2240         |       | 8613    | FLASHCOPY V2 - UP TO 40 TB  | 215,456        | N              |                | 36                |
| 2240         |       | 8614    | FLASHCOPY V2 - UP TO 50 TB  | 247,956        | N              |                | 36                |
| 2240         |       | 8615    | FLASHCOPY V2 - UP TO 60 TB  | 277,699        | N              |                | 36                |
| 2244         | OEL   |         | DS8000 FUNCT. AUTHORIZATION | 0              | Y              | 3              | 48                |
| 2244         | PAV   |         | DS8000 FUNCT. AUTHORIZATION | 0              | Y              | 3              | 48                |
| 2244         | PTC   |         | DS8000 FUNCT. AUTHORIZATION | 0              | Y              | 3              | 48                |
| 2244         | RMC   |         | DS8000 FUNCT. AUTHORIZATION | 0              | Y              | 3              | 48                |
| 2244         | RMZ   |         | DS8000 FUNCT. AUTHORIZATION | 0              | Y              | 3              | 48                |
| 2244         |       | 7001    | OEL - 1 TB UNIT             | 4,897          | N              |                | 48                |
| 2244         |       | 7002    | OEL - 5 TB UNIT             | 19,768         | N              |                | 48                |
| 2244         |       | 7003    | OEL - 10 TB UNIT            | 39,537         | N              |                | 48                |
| 2244         |       | 7004    | OEL - 25 TB UNIT            | 63,476         | N              |                | 48                |
| 2244         |       | 7005    | OEL - 50 TB UNIT            | 105,189        | N              |                | 48                |
| 2244         |       | 7010    | OEL - 100 TB UNIT           | 170,479        | N              |                | 48                |
| 2244         |       | 7201    | PTC - 1 TB UNIT             | 9,431          | N              |                | 48                |
| 2244         |       | 7202    | PTC - 5 TB UNIT             | 40,081         | N              |                | 48                |
| 2244         |       | 7203    | PTC - 10 TB UNIT            | 79,617         | N              |                | 48                |
| 2244         |       | 7204    | PTC - 25 TB UNIT            | 123,325        | N              |                | 48                |
| 2244         |       | 7205    | PTC - 50 TB UNIT            | 206,751        | N              |                | 48                |
| 2244         |       | 7210    | PTC - 100 TB UNIT           | 337,330        | N              |                | 48                |
| 2244         |       | 7401    | RMC - 1 TB UNIT             | 13,638         | N              |                | 48                |
| 2244         |       | 7402    | RMC - 5 TB UNIT             | 63,113         | N              |                | 48                |
| 2244         |       | 7403    | RMC - 10 TB UNIT            | 120,931        | N              |                | 48                |
| 2244         |       | 7404    | RMC - 25 TB UNIT            | 192,242        | N              |                | 48                |
| 2244         |       | 7405    | RMC - 50 TB UNIT            | 311,940        | N              |                | 48                |
| 2244         |       | 7410    | RMC - 100 TB UNIT           | 507,809        | N              |                | 48                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2244         |       | 7601    | RMZ - 1 TB UNIT             | 11,571         | N              |                | 48                |
| 2244         |       | 7602    | RMZ - 5 TB UNIT             | 52,594         | N              |                | 48                |
| 2244         |       | 7603    | RMZ - 10 TB UNIT            | 99,893         | N              |                | 48                |
| 2244         |       | 7604    | RMZ - 25 TB UNIT            | 159,597        | N              |                | 48                |
| 2244         |       | 7605    | RMZ - 50 TB UNIT            | 264,786        | N              |                | 48                |
| 2244         |       | 7610    | RMZ - 100 TB UNIT           | 431,637        | N              |                | 48                |
| 2244         |       | 7801    | PAV - 1 TB UNIT             | 5,658          | N              |                | 48                |
| 2244         |       | 7802    | PAV - 5 TB UNIT             | 23,940         | N              |                | 48                |
| 2244         |       | 7803    | PAV - 10 TB UNIT            | 47,154         | N              |                | 48                |
| 2244         |       | 7804    | PAV - 25 TB UNIT            | 74,720         | N              |                | 48                |
| 2244         |       | 7805    | PAV - 50 TB UNIT            | 124,776        | N              |                | 48                |
| 2244         |       | 7810    | PAV - 100 TB UNIT           | 202,398        | N              |                | 48                |
| 2396         | LFA   |         | DS8000 FUNCTION AUTHORIZ.   | 0              | Y              |                | 12                |
| 2396         |       | 7001    | OEL - 1 TB UNIT             | 4,713          | N              |                | 12                |
| 2396         |       | 7002    | OEL - 5 TB UNIT             | 18,852         | N              |                | 12                |
| 2396         |       | 7003    | OEL - 10 TB UNIT            | 37,706         | N              |                | 12                |
| 2396         |       | 7004    | OEL - 25 TB UNIT            | 58,899         | N              |                | 12                |
| 2396         |       | 7005    | OEL - 50 TB UNIT            | 96,035         | N              |                | 12                |
| 2396         |       | 7010    | OEL - 100 TB UNIT           | 152,172        | N              |                | 12                |
| 2396         |       | 7015    | OEL - 200 TB UNIT           | 287,297        | N              |                | 12                |
| 2396         |       | 7051    | OEL 1 VALUE UNIT            | 4,713          | N              |                | 12                |
| 2396         |       | 7052    | OEL 5 VALUE UNIT            | 18,852         | N              |                | 12                |
| 2396         |       | 7053    | OEL 10 VALUE UNIT           | 37,706         | N              |                | 12                |
| 2396         |       | 7054    | OEL 25 VALUE UNIT           | 58,899         | N              |                | 12                |
| 2396         |       | 7055    | OEL 50 VALUE UNIT           | 96,035         | N              |                | 12                |
| 2396         |       | 7060    | OEL 100 VALUE UNIT          | 152,171        | N              |                | 12                |
| 2396         |       | 7065    | OEL 200 VALUE UNIT          | 287,297        | N              |                | 12                |
| 2396         |       | 7070    | THIN PROVISIONING           | 50,491         | N              |                | 12                |
| 2396         |       | 7071    | THIN PROVISIONING INDICATOR | 50,491         | N              |                | 12                |
| 2396         |       | 7090    | FICON/ESCON ATTACHMENT      | 13,646         | N              |                | 12                |
| 2396         |       | 7091    | FICON ATTACHMENT            | 13,646         | N              |                | 12                |
| 2396         |       | 7092    | HIGH PERFORMANCE FICON      | 6,823          | N              |                | 12                |
| 2396         |       | 7201    | PTC - 1 TB UNIT             | 9,078          | N              |                | 12                |
| 2396         |       | 7202    | PTC - 5 TB UNIT             | 38,317         | N              |                | 12                |
| 2396         |       | 7203    | PTC - 10 TB UNIT            | 76,091         | N              |                | 12                |
| 2396         |       | 7204    | PTC - 25 TB UNIT            | 114,511        | N              |                | 12                |



| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2396         |       | 7205    | PTC - 50 TB UNIT    | 189,122        | N              |                | 12                |
| 2396         |       | 7210    | PTC - 100 TB UNIT   | 302,074        | N              |                | 12                |
| 2396         |       | 7215    | PTC - 200 TB UNIT   | 570,414        | N              |                | 12                |
| 2396         |       | 7231    | PTC ADD 1 TB UNIT   | 4,539          | N              |                | 12                |
| 2396         |       | 7232    | PTC ADD 5 TB UNIT   | 19,159         | N              |                | 12                |
| 2396         |       | 7233    | PTC ADD 10 TB UNIT  | 38,045         | N              |                | 12                |
| 2396         |       | 7234    | PTC ADD 25 TB UNIT  | 57,255         | N              |                | 12                |
| 2396         |       | 7235    | PTC ADD 50 TB UNIT  | 94,561         | N              |                | 12                |
| 2396         |       | 7240    | PTC ADD 100 TB UNIT | 151,037        | N              |                | 12                |
| 2396         |       | 7245    | PTC ADD 200 TB UNIT | 285,207        | N              |                | 12                |
| 2396         |       | 7251    | PTC 1 TB            | 9,078          | N              |                | 12                |
| 2396         |       | 7252    | PTC 5 TB            | 38,317         | N              |                | 12                |
| 2396         |       | 7253    | PTC 10 TB           | 76,091         | N              |                | 12                |
| 2396         |       | 7254    | PTC 25 TB           | 114,511        | N              |                | 12                |
| 2396         |       | 7255    | PTC 50 TB           | 189,122        | N              |                | 12                |
| 2396         |       | 7260    | PTC 100 TB          | 302,074        | N              |                | 12                |
| 2396         |       | 7301    | SE 1 TB UNIT        | 9,078          | N              |                | 12                |
| 2396         |       | 7302    | SE 5 TB UNIT        | 38,317         | N              |                | 12                |
| 2396         |       | 7303    | SE 10 TB UNIT       | 76,091         | N              |                | 12                |
| 2396         |       | 7304    | SE 25 TB UNIT       | 114,511        | N              |                | 12                |
| 2396         |       | 7305    | SE 50 TB UNIT       | 189,122        | N              |                | 12                |
| 2396         |       | 7310    | SE 100 TB UNIT      | 302,074        | N              |                | 12                |
| 2396         |       | 7315    | SE 200 TB UNIT      | 570,414        | N              |                | 12                |
| 2396         |       | 7331    | SE ADD 1 TB UNIT    | 4,539          | N              |                | 12                |
| 2396         |       | 7332    | SE ADD 5 TB UNIT    | 19,159         | N              |                | 12                |
| 2396         |       | 7333    | SE ADD 10 TB UNIT   | 38,045         | N              |                | 12                |
| 2396         |       | 7334    | SE ADD 25 TB UNIT   | 57,255         | N              |                | 12                |
| 2396         |       | 7335    | SE ADD 50 TB UNIT   | 94,561         | N              |                | 12                |
| 2396         |       | 7340    | SE ADD 100 TB UNIT  | 151,037        | N              |                | 12                |
| 2396         |       | 7345    | SE ADD 200 TB UNIT  | 285,207        | N              |                | 12                |
| 2396         |       | 7351    | SE 1 TB             | 9,078          | N              |                | 12                |
| 2396         |       | 7352    | SE 5 TB             | 38,317         | N              |                | 12                |
| 2396         |       | 7353    | SE 10 TB            | 76,091         | N              |                | 12                |
| 2396         |       | 7354    | SE 25 TB            | 114,511        | N              |                | 12                |
| 2396         |       | 7355    | SE 50 TB            | 189,122        | N              |                | 12                |
| 2396         |       | 7360    | SE 100 TB           | 302,074        | N              |                | 12                |

| Machine Type | Model | Feature | Description       | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------|----------------|----------------|----------------|-------------------|
| 2396         |       | 7421    | MGM - 1TB UNIT    | 1,769          | N              |                | 12                |
| 2396         |       | 7422    | MGM - 5 TB UNIT   | 8,161          | N              |                | 12                |
| 2396         |       | 7423    | MGM - 10 TB UNIT  | 15,607         | N              |                | 12                |
| 2396         |       | 7424    | MGM - 25 TB UNIT  | 24,157         | N              |                | 12                |
| 2396         |       | 7425    | MGM - 50 TB UNIT  | 38,521         | N              |                | 12                |
| 2396         |       | 7430    | MGM - 100 TB UNIT | 61,372         | N              |                | 12                |
| 2396         |       | 7435    | MGM - 200 TB UNIT | 115,889        | N              |                | 12                |
| 2396         |       | 7441    | MM - 1 TB UNIT    | 11,804         | N              |                | 12                |
| 2396         |       | 7442    | MM - 5 TB UNIT    | 54,451         | N              |                | 12                |
| 2396         |       | 7443    | MM - 10 TB UNIT   | 104,137        | N              |                | 12                |
| 2396         |       | 7444    | MM - 25 TB UNIT   | 161,265        | N              |                | 12                |
| 2396         |       | 7445    | MM - 50 TB UNIT   | 257,241        | N              |                | 12                |
| 2396         |       | 7450    | MM - 100 TB UNIT  | 410,019        | N              |                | 12                |
| 2396         |       | 7455    | MM - 200 TB UNIT  | 774,336        | N              |                | 12                |
| 2396         |       | 7461    | GM - 1 TB UNIT    | 11,804         | N              |                | 12                |
| 2396         |       | 7462    | GM - 5 TB UNIT    | 54,451         | N              |                | 12                |
| 2396         |       | 7463    | GM - 10 TB UNIT   | 104,137        | N              |                | 12                |
| 2396         |       | 7464    | GM - 25 TB UNIT   | 161,265        | N              |                | 12                |
| 2396         |       | 7465    | GM - 50 TB UNIT   | 257,241        | N              |                | 12                |
| 2396         |       | 7470    | GM - 100 TB UNIT  | 410,019        | N              |                | 12                |
| 2396         |       | 7475    | GM - 200 TB UNIT  | 774,336        | N              |                | 12                |
| 2396         |       | 7481    | MGM 1 TB          | 1,769          | N              |                | 12                |
| 2396         |       | 7482    | MGM 5 TB          | 8,161          | N              |                | 12                |
| 2396         |       | 7483    | MGM 10 TB         | 15,607         | N              |                | 12                |
| 2396         |       | 7484    | MGM 25 TB         | 24,157         | N              |                | 12                |
| 2396         |       | 7485    | MGM 50 TB         | 38,521         | N              |                | 12                |
| 2396         |       | 7490    | MGM 100 TB        | 61,372         | N              |                | 12                |
| 2396         |       | 7501    | MM 1 TB           | 11,804         | N              |                | 12                |
| 2396         |       | 7502    | MM 5 TB           | 54,451         | N              |                | 12                |
| 2396         |       | 7503    | MM 10 TB          | 104,137        | N              |                | 12                |
| 2396         |       | 7504    | MM 25 TB          | 161,265        | N              |                | 12                |
| 2396         |       | 7505    | MM 50 TB          | 257,241        | N              |                | 12                |
| 2396         |       | 7510    | MM 100 TB         | 410,019        | N              |                | 12                |
| 2396         |       | 7521    | GM 1 TB           | 11,804         | N              |                | 12                |
| 2396         |       | 7522    | GM 5 TB           | 54,451         | N              |                | 12                |
| 2396         |       | 7523    | GM 10 TB          | 104,137        | N              |                | 12                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2396         |       | 7524    | GM 25 TB               | 161,265        | N              |                | 12                |
| 2396         |       | 7525    | GM 50 TB               | 257,241        | N              |                | 12                |
| 2396         |       | 7530    | GM 100 TB              | 410,019        | N              |                | 12                |
| 2396         |       | 7541    | MM ADD - 1 TB UNIT     | 5,901          | N              |                | 12                |
| 2396         |       | 7542    | MM ADD - 5 TB UNIT     | 27,225         | N              |                | 12                |
| 2396         |       | 7543    | MM ADD - 10 TB UNIT    | 52,069         | N              |                | 12                |
| 2396         |       | 7544    | MM ADD - 25 TB UNIT    | 80,633         | N              |                | 12                |
| 2396         |       | 7545    | MM ADD - 50 TB UNIT    | 128,621        | N              |                | 12                |
| 2396         |       | 7550    | MM ADD - 100 TB UNIT   | 205,010        | N              |                | 12                |
| 2396         |       | 7555    | MM ADD - 200 TB UNIT   | 387,168        | N              |                | 12                |
| 2396         |       | 7561    | GM ADD - 1 TB UNIT     | 5,901          | N              |                | 12                |
| 2396         |       | 7562    | GM ADD - 5 TB UNIT     | 27,225         | N              |                | 12                |
| 2396         |       | 7563    | GM ADD - 10 TB UNIT    | 52,069         | N              |                | 12                |
| 2396         |       | 7564    | GM ADD - 25 TB UNIT    | 80,633         | N              |                | 12                |
| 2396         |       | 7565    | GM ADD - 50 TB UNIT    | 128,621        | N              |                | 12                |
| 2396         |       | 7570    | GM ADD - 100 TB UNIT   | 205,010        | N              |                | 12                |
| 2396         |       | 7575    | GM ADD - 200 TB UNIT   | 387,168        | N              |                | 12                |
| 2396         |       | 7601    | RMZ - 1 TB UNIT        | 11,140         | N              |                | 12                |
| 2396         |       | 7602    | RMZ - 5 TB UNIT        | 50,439         | N              |                | 12                |
| 2396         |       | 7603    | RMZ - 10 TB UNIT       | 95,584         | N              |                | 12                |
| 2396         |       | 7604    | RMZ - 25 TB UNIT       | 148,824        | N              |                | 12                |
| 2396         |       | 7605    | RMZ - 50 TB UNIT       | 243,240        | N              |                | 12                |
| 2396         |       | 7610    | RMZ - 100 TB UNIT      | 388,546        | N              |                | 12                |
| 2396         |       | 7615    | RMZ - 200 TB UNIT      | 733,928        | N              |                | 12                |
| 2396         |       | 7631    | RMZ RESYNC 1 TB UNIT   | 2,360          | N              |                | 12                |
| 2396         |       | 7632    | RMZ RESYNC 5 TB UNIT   | 10,890         | N              |                | 12                |
| 2396         |       | 7633    | RMZ RESYNC 10 TB UNIT  | 20,827         | N              |                | 12                |
| 2396         |       | 7634    | RMZ RESYNC 25 TB UNIT  | 32,253         | N              |                | 12                |
| 2396         |       | 7635    | RMZ RESYNC 50 TB UNIT  | 51,448         | N              |                | 12                |
| 2396         |       | 7640    | RMZ RESYNC 100 TB UNIT | 82,003         | N              |                | 12                |
| 2396         |       | 7645    | RMZ RESYNC 200 TB UNIT | 154,866        | N              |                | 12                |
| 2396         |       | 7651    | RMZ 1 TB               | 11,140         | N              |                | 12                |
| 2396         |       | 7652    | RMZ 5 TB               | 50,439         | N              |                | 12                |
| 2396         |       | 7653    | RMZ 10 TB              | 95,584         | N              |                | 12                |
| 2396         |       | 7654    | RMZ 25 TB              | 148,824        | N              |                | 12                |
| 2396         |       | 7655    | RMZ 50 TB              | 243,240        | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2396         |       | 7660    | RMZ 100 TB                     | 388,546        | N              |                | 12                |
| 2396         |       | 7681    | RMZ RESYNC 1 TB                | 2,360          | N              |                | 12                |
| 2396         |       | 7682    | RMZ RESYNC 5 TB                | 10,890         | N              |                | 12                |
| 2396         |       | 7683    | RMZ RESYNC 10 TB               | 20,827         | N              |                | 12                |
| 2396         |       | 7684    | RMZ RESYNC 25 TB               | 32,253         | N              |                | 12                |
| 2396         |       | 7685    | RMZ RESYNC 50 TB               | 51,448         | N              |                | 12                |
| 2396         |       | 7690    | RMZ RESYNC 100 TB              | 82,003         | N              |                | 12                |
| 2396         |       | 7801    | PAV - 1TB UNIT                 | 5,456          | N              |                | 12                |
| 2396         |       | 7802    | PAV - 5 TB UNIT                | 22,927         | N              |                | 12                |
| 2396         |       | 7803    | PAV - 10 TB UNIT               | 45,129         | N              |                | 12                |
| 2396         |       | 7804    | PAV - 25 TB UNIT               | 69,660         | N              |                | 12                |
| 2396         |       | 7805    | PAV - 50 TB UNIT               | 114,656        | N              |                | 12                |
| 2396         |       | 7810    | PAV - 100 TB UNIT              | 182,158        | N              |                | 12                |
| 2396         |       | 7815    | PAV - 200 TB UNIT              | 344,077        | N              |                | 12                |
| 2396         |       | 7821    | PAV 1 TB                       | 5,456          | N              |                | 12                |
| 2396         |       | 7822    | PAV 5 TB                       | 22,927         | N              |                | 12                |
| 2396         |       | 7823    | PAV 10 TB                      | 45,129         | N              |                | 12                |
| 2396         |       | 7824    | PAV 25 TB                      | 69,660         | N              |                | 12                |
| 2396         |       | 7825    | PAV 50 TB                      | 114,656        | N              |                | 12                |
| 2396         |       | 7830    | PAV 100 TB                     | 182,158        | N              |                | 12                |
| 2396         |       | 7841    | IO PRIORITY MANAGER 1TB INDIC  | 4,085          | N              |                | 12                |
| 2396         |       | 7842    | IO PRIORITY MANAGER 5TB INDIC  | 17,242         | N              |                | 12                |
| 2396         |       | 7843    | IO PRIORITY MANAGER 10TB INDIC | 28,914         | N              |                | 12                |
| 2396         |       | 7844    | IO PRIORITY MANAGER 25TB INDIC | 62,980         | N              |                | 12                |
| 2396         |       | 7845    | IO PRIORITY MANAGER 50TB INDIC | 113,473        | N              |                | 12                |
| 2396         |       | 7850    | IO PRIORITY MANAGER 100TB INDI | 211,451        | N              |                | 12                |
| 2396         |       | 7899    | HYPERPAV                       | 29,694         | N              |                | 12                |
| 2397         | LFA   |         | DS8000 FUNCTION AUTHORIZ.      | 0              | Y              |                | 24                |
| 2397         |       | 7001    | OEL - 1 TB UNIT                | 4,774          | N              |                | 24                |
| 2397         |       | 7002    | OEL - 5 TB UNIT                | 19,158         | N              |                | 24                |
| 2397         |       | 7003    | OEL - 10 TB UNIT               | 38,315         | N              |                | 24                |
| 2397         |       | 7004    | OEL - 25 TB UNIT               | 60,424         | N              |                | 24                |
| 2397         |       | 7005    | OEL - 50 TB UNIT               | 99,086         | N              |                | 24                |
| 2397         |       | 7010    | OEL - 100 TB UNIT              | 158,274        | N              |                | 24                |
| 2397         |       | 7015    | OEL - 200 TB UNIT              | 299,500        | N              |                | 24                |
| 2397         |       | 7051    | OEL 1 VALUE UNIT               | 4,775          | N              |                | 24                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2397         |       | 7052    | OEL 5 VALUE UNIT            | 19,158         | N              |                | 24                |
| 2397         |       | 7053    | OEL 10 VALUE UNIT           | 38,315         | N              |                | 24                |
| 2397         |       | 7054    | OEL 25 VALUE UNIT           | 60,424         | N              |                | 24                |
| 2397         |       | 7055    | OEL 50 VALUE UNIT           | 99,086         | N              |                | 24                |
| 2397         |       | 7060    | OEL 100 VALUE UNIT          | 158,274        | N              |                | 24                |
| 2397         |       | 7065    | OEL 200 VALUE UNIT          | 299,500        | N              |                | 24                |
| 2397         |       | 7070    | THIN PROVISIONING           | 51,796         | N              |                | 24                |
| 2397         |       | 7071    | THIN PROVISIONING INDICATOR | 51,796         | N              |                | 24                |
| 2397         |       | 7090    | FICON/ESCON ATTACHMENT      | 13,933         | N              |                | 24                |
| 2397         |       | 7091    | FICON ATTACHMENT            | 13,933         | N              |                | 24                |
| 2397         |       | 7092    | HIGH PERFORMANCE FICON      | 6,966          | N              |                | 24                |
| 2397         |       | 7201    | PTC - 1 TB UNIT             | 9,195          | N              |                | 24                |
| 2397         |       | 7202    | PTC - 5 TB UNIT             | 38,905         | N              |                | 24                |
| 2397         |       | 7203    | PTC - 10 TB UNIT            | 77,266         | N              |                | 24                |
| 2397         |       | 7204    | PTC - 25 TB UNIT            | 117,449        | N              |                | 24                |
| 2397         |       | 7205    | PTC - 50 TB UNIT            | 194,998        | N              |                | 24                |
| 2397         |       | 7210    | PTC - 100 TB UNIT           | 313,826        | N              |                | 24                |
| 2397         |       | 7215    | PTC - 200 TB UNIT           | 593,918        | N              |                | 24                |
| 2397         |       | 7231    | PTC ADD 1 TB UNIT           | 4,597          | N              |                | 24                |
| 2397         |       | 7232    | PTC ADD 5 TB UNIT           | 19,452         | N              |                | 24                |
| 2397         |       | 7233    | PTC ADD 10 TB UNIT          | 38,633         | N              |                | 24                |
| 2397         |       | 7234    | PTC ADD 25 TB UNIT          | 58,724         | N              |                | 24                |
| 2397         |       | 7235    | PTC ADD 50 TB UNIT          | 97,499         | N              |                | 24                |
| 2397         |       | 7240    | PTC ADD 100 TB UNIT         | 156,913        | N              |                | 24                |
| 2397         |       | 7245    | PTC ADD 200 TB UNIT         | 296,959        | N              |                | 24                |
| 2397         |       | 7251    | PTC 1 TB                    | 9,195          | N              |                | 24                |
| 2397         |       | 7252    | PTC 5 TB                    | 38,905         | N              |                | 24                |
| 2397         |       | 7253    | PTC 10 TB                   | 77,266         | N              |                | 24                |
| 2397         |       | 7254    | PTC 25 TB                   | 117,449        | N              |                | 24                |
| 2397         |       | 7255    | PTC 50 TB                   | 194,998        | N              |                | 24                |
| 2397         |       | 7260    | PTC 100 TB                  | 313,826        | N              |                | 24                |
| 2397         |       | 7301    | SE 1 TB UNIT                | 9,195          | N              |                | 24                |
| 2397         |       | 7302    | SE 5 TB UNIT                | 38,905         | N              |                | 24                |
| 2397         |       | 7303    | SE 10 TB UNIT               | 77,266         | N              |                | 24                |
| 2397         |       | 7304    | SE 25 TB UNIT               | 117,449        | N              |                | 24                |
| 2397         |       | 7305    | SE 50 TB UNIT               | 194,998        | N              |                | 24                |

| Machine Type | Model | Feature | Description        | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------|----------------|----------------|----------------|-------------------|
| 2397         |       | 7310    | SE 100 TB UNIT     | 313,826        | N              |                | 24                |
| 2397         |       | 7315    | SE 200 TB UNIT     | 593,918        | N              |                | 24                |
| 2397         |       | 7331    | SE ADD 1 TB UNIT   | 4,597          | N              |                | 24                |
| 2397         |       | 7332    | SE ADD 5 TB UNIT   | 19,452         | N              |                | 24                |
| 2397         |       | 7333    | SE ADD 10 TB UNIT  | 38,633         | N              |                | 24                |
| 2397         |       | 7334    | SE ADD 25 TB UNIT  | 58,724         | N              |                | 24                |
| 2397         |       | 7335    | SE ADD 50 TB UNIT  | 97,499         | N              |                | 24                |
| 2397         |       | 7340    | SE ADD 100 TB UNIT | 156,913        | N              |                | 24                |
| 2397         |       | 7345    | SE ADD 200 TB UNIT | 296,959        | N              |                | 24                |
| 2397         |       | 7351    | SE 1 TB            | 9,195          | N              |                | 24                |
| 2397         |       | 7352    | SE 5 TB            | 38,905         | N              |                | 24                |
| 2397         |       | 7353    | SE 10 TB           | 77,266         | N              |                | 24                |
| 2397         |       | 7354    | SE 25 TB           | 117,449        | N              |                | 24                |
| 2397         |       | 7355    | SE 50 TB           | 194,998        | N              |                | 24                |
| 2397         |       | 7360    | SE 100 TB          | 313,826        | N              |                | 24                |
| 2397         |       | 7421    | MGM - 1TB UNIT     | 1,792          | N              |                | 24                |
| 2397         |       | 7422    | MGM - 5 TB UNIT    | 8,280          | N              |                | 24                |
| 2397         |       | 7423    | MGM - 10 TB UNIT   | 15,847         | N              |                | 24                |
| 2397         |       | 7424    | MGM - 25 TB UNIT   | 24,756         | N              |                | 24                |
| 2397         |       | 7425    | MGM - 50 TB UNIT   | 39,718         | N              |                | 24                |
| 2397         |       | 7430    | MGM - 100 TB UNIT  | 63,766         | N              |                | 24                |
| 2397         |       | 7435    | MGM - 200 TB UNIT  | 120,677        | N              |                | 24                |
| 2397         |       | 7441    | MM - 1 TB UNIT     | 11,961         | N              |                | 24                |
| 2397         |       | 7442    | MM - 5 TB UNIT     | 55,234         | N              |                | 24                |
| 2397         |       | 7443    | MM - 10 TB UNIT    | 105,704        | N              |                | 24                |
| 2397         |       | 7444    | MM - 25 TB UNIT    | 165,183        | N              |                | 24                |
| 2397         |       | 7445    | MM - 50 TB UNIT    | 265,076        | N              |                | 24                |
| 2397         |       | 7450    | MM - 100 TB UNIT   | 425,689        | N              |                | 24                |
| 2397         |       | 7455    | MM - 200 TB UNIT   | 805,675        | N              |                | 24                |
| 2397         |       | 7461    | GM - 1 TB UNIT     | 11,961         | N              |                | 24                |
| 2397         |       | 7462    | GM - 5 TB UNIT     | 55,234         | N              |                | 24                |
| 2397         |       | 7463    | GM - 10 TB UNIT    | 105,704        | N              |                | 24                |
| 2397         |       | 7464    | GM - 25 TB UNIT    | 165,183        | N              |                | 24                |
| 2397         |       | 7465    | GM - 50 TB UNIT    | 265,076        | N              |                | 24                |
| 2397         |       | 7470    | GM - 100 TB UNIT   | 425,689        | N              |                | 24                |
| 2397         |       | 7475    | GM - 200 TB UNIT   | 805,675        | N              |                | 24                |

| Machine Type | Model | Feature | Description          | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2397         |       | 7481    | MGM 1 TB             | 1,792          | N              |                | 24                |
| 2397         |       | 7482    | MGM 5 TB             | 8,280          | N              |                | 24                |
| 2397         |       | 7483    | MGM 10 TB            | 15,847         | N              |                | 24                |
| 2397         |       | 7484    | MGM 25 TB            | 24,756         | N              |                | 24                |
| 2397         |       | 7485    | MGM 50 TB            | 39,718         | N              |                | 24                |
| 2397         |       | 7490    | MGM 100 TB           | 63,766         | N              |                | 24                |
| 2397         |       | 7501    | MM 1 TB              | 11,961         | N              |                | 24                |
| 2397         |       | 7502    | MM 5 TB              | 55,234         | N              |                | 24                |
| 2397         |       | 7503    | MM 10 TB             | 105,704        | N              |                | 24                |
| 2397         |       | 7504    | MM 25 TB             | 165,183        | N              |                | 24                |
| 2397         |       | 7505    | MM 50 TB             | 265,076        | N              |                | 24                |
| 2397         |       | 7510    | MM 100 TB            | 425,689        | N              |                | 24                |
| 2397         |       | 7521    | GM 1 TB              | 11,961         | N              |                | 24                |
| 2397         |       | 7522    | GM 5 TB              | 55,234         | N              |                | 24                |
| 2397         |       | 7523    | GM 10 TB             | 105,704        | N              |                | 24                |
| 2397         |       | 7524    | GM 25 TB             | 165,183        | N              |                | 24                |
| 2397         |       | 7525    | GM 50 TB             | 265,076        | N              |                | 24                |
| 2397         |       | 7530    | GM 100 TB            | 425,689        | N              |                | 24                |
| 2397         |       | 7541    | MM ADD - 1 TB UNIT   | 5,980          | N              |                | 24                |
| 2397         |       | 7542    | MM ADD - 5 TB UNIT   | 27,617         | N              |                | 24                |
| 2397         |       | 7543    | MM ADD - 10 TB UNIT  | 52,851         | N              |                | 24                |
| 2397         |       | 7544    | MM ADD - 25 TB UNIT  | 82,591         | N              |                | 24                |
| 2397         |       | 7545    | MM ADD - 50 TB UNIT  | 132,538        | N              |                | 24                |
| 2397         |       | 7550    | MM ADD - 100 TB UNIT | 212,844        | N              |                | 24                |
| 2397         |       | 7555    | MM ADD - 200 TB UNIT | 402,837        | N              |                | 24                |
| 2397         |       | 7561    | GM ADD - 1 TB UNIT   | 5,980          | N              |                | 24                |
| 2397         |       | 7562    | GM ADD - 5 TB UNIT   | 27,617         | N              |                | 24                |
| 2397         |       | 7563    | GM ADD - 10 TB UNIT  | 52,851         | N              |                | 24                |
| 2397         |       | 7564    | GM ADD - 25 TB UNIT  | 82,591         | N              |                | 24                |
| 2397         |       | 7565    | GM ADD - 50 TB UNIT  | 132,538        | N              |                | 24                |
| 2397         |       | 7570    | GM ADD - 100 TB UNIT | 212,844        | N              |                | 24                |
| 2397         |       | 7575    | GM ADD - 200 TB UNIT | 402,837        | N              |                | 24                |
| 2397         |       | 7601    | RMZ - 1 TB UNIT      | 11,283         | N              |                | 24                |
| 2397         |       | 7602    | RMZ - 5 TB UNIT      | 51,158         | N              |                | 24                |
| 2397         |       | 7603    | RMZ - 10 TB UNIT     | 97,020         | N              |                | 24                |
| 2397         |       | 7604    | RMZ - 25 TB UNIT     | 152,415        | N              |                | 24                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2397         |       | 7605    | RMZ - 50 TB UNIT              | 250,422        | N              |                | 24                |
| 2397         |       | 7610    | RMZ - 100 TB UNIT             | 402,910        | N              |                | 24                |
| 2397         |       | 7615    | RMZ - 200 TB UNIT             | 762,656        | N              |                | 24                |
| 2397         |       | 7631    | RMZ RESYNC 1 TB UNIT          | 2,392          | N              |                | 24                |
| 2397         |       | 7632    | RMZ RESYNC 5 TB UNIT          | 11,047         | N              |                | 24                |
| 2397         |       | 7633    | RMZ RESYNC 10 TB UNIT         | 21,141         | N              |                | 24                |
| 2397         |       | 7634    | RMZ RESYNC 25 TB UNIT         | 33,036         | N              |                | 24                |
| 2397         |       | 7635    | RMZ RESYNC 50 TB UNIT         | 53,015         | N              |                | 24                |
| 2397         |       | 7640    | RMZ RESYNC 100 TB UNIT        | 85,138         | N              |                | 24                |
| 2397         |       | 7645    | RMZ RESYNC 200 TB UNIT        | 161,134        | N              |                | 24                |
| 2397         |       | 7651    | RMZ 1 TB                      | 11,283         | N              |                | 24                |
| 2397         |       | 7652    | RMZ 5 TB                      | 51,158         | N              |                | 24                |
| 2397         |       | 7653    | RMZ 10 TB                     | 97,020         | N              |                | 24                |
| 2397         |       | 7654    | RMZ 25 TB                     | 152,415        | N              |                | 24                |
| 2397         |       | 7655    | RMZ 50 TB                     | 250,422        | N              |                | 24                |
| 2397         |       | 7660    | RMZ 100 TB                    | 402,910        | N              |                | 24                |
| 2397         |       | 7681    | RMZ RESYNC 1 TB               | 2,392          | N              |                | 24                |
| 2397         |       | 7682    | RMZ RESYNC 5 TB               | 11,047         | N              |                | 24                |
| 2397         |       | 7683    | RMZ RESYNC 10 TB              | 21,141         | N              |                | 24                |
| 2397         |       | 7684    | RMZ RESYNC 25 TB              | 33,036         | N              |                | 24                |
| 2397         |       | 7685    | RMZ RESYNC 50 TB              | 53,015         | N              |                | 24                |
| 2397         |       | 7690    | RMZ RESYNC 100 TB             | 85,138         | N              |                | 24                |
| 2397         |       | 7801    | PAV - 1TB UNIT                | 5,523          | N              |                | 24                |
| 2397         |       | 7802    | PAV - 5 TB UNIT               | 23,264         | N              |                | 24                |
| 2397         |       | 7803    | PAV - 10 TB UNIT              | 45,804         | N              |                | 24                |
| 2397         |       | 7804    | PAV - 25 TB UNIT              | 71,347         | N              |                | 24                |
| 2397         |       | 7805    | PAV - 50 TB UNIT              | 118,029        | N              |                | 24                |
| 2397         |       | 7810    | PAV - 100 TB UNIT             | 188,905        | N              |                | 24                |
| 2397         |       | 7815    | PAV - 200 TB UNIT             | 357,570        | N              |                | 24                |
| 2397         |       | 7821    | PAV 1 TB                      | 5,523          | N              |                | 24                |
| 2397         |       | 7822    | PAV 5 TB                      | 23,264         | N              |                | 24                |
| 2397         |       | 7823    | PAV 10 TB                     | 45,804         | N              |                | 24                |
| 2397         |       | 7824    | PAV 25 TB                     | 71,347         | N              |                | 24                |
| 2397         |       | 7825    | PAV 50 TB                     | 118,029        | N              |                | 24                |
| 2397         |       | 7830    | PAV 100 TB                    | 188,905        | N              |                | 24                |
| 2397         |       | 7841    | IO PRIORITY MANAGER 1TB INDIC | 4,137          | N              |                | 24                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2397         |       | 7842    | IO PRIORITY MANAGER 5TB INDIC  | 17,507         | N              |                | 24                |
| 2397         |       | 7843    | IO PRIORITY MANAGER 10TB INDIC | 29,361         | N              |                | 24                |
| 2397         |       | 7844    | IO PRIORITY MANAGER 25TB INDIC | 64,596         | N              |                | 24                |
| 2397         |       | 7845    | IO PRIORITY MANAGER 50TB INDIC | 116,998        | N              |                | 24                |
| 2397         |       | 7850    | IO PRIORITY MANAGER 100TB INDI | 219,678        | N              |                | 24                |
| 2397         |       | 7899    | HYPERPAV                       | 30,677         | N              |                | 24                |
| 2398         | LFA   |         | DS8000 FUNCTION AUTHORIZ.      | 0              | Y              |                | 36                |
| 2398         |       | 7001    | OEL - 1 TB UNIT                | 4,835          | N              |                | 36                |
| 2398         |       | 7002    | OEL - 5 TB UNIT                | 19,463         | N              |                | 36                |
| 2398         |       | 7003    | OEL - 10 TB UNIT               | 38,926         | N              |                | 36                |
| 2398         |       | 7004    | OEL - 25 TB UNIT               | 61,950         | N              |                | 36                |
| 2398         |       | 7005    | OEL - 50 TB UNIT               | 102,137        | N              |                | 36                |
| 2398         |       | 7010    | OEL - 100 TB UNIT              | 164,376        | N              |                | 36                |
| 2398         |       | 7015    | OEL - 200 TB UNIT              | 311,705        | N              |                | 36                |
| 2398         |       | 7051    | OEL 1 VALUE UNIT               | 4,835          | N              |                | 36                |
| 2398         |       | 7052    | OEL 5 VALUE UNIT               | 19,462         | N              |                | 36                |
| 2398         |       | 7053    | OEL 10 VALUE UNIT              | 38,926         | N              |                | 36                |
| 2398         |       | 7054    | OEL 25 VALUE UNIT              | 61,950         | N              |                | 36                |
| 2398         |       | 7055    | OEL 50 VALUE UNIT              | 102,137        | N              |                | 36                |
| 2398         |       | 7060    | OEL 100 VALUE UNIT             | 164,376        | N              |                | 36                |
| 2398         |       | 7065    | OEL 200 VALUE UNIT             | 311,705        | N              |                | 36                |
| 2398         |       | 7070    | THIN PROVISIONING              | 53,102         | N              |                | 36                |
| 2398         |       | 7071    | THIN PROVISIONING INDICATOR    | 53,102         | N              |                | 36                |
| 2398         |       | 7090    | FICON/ESCON ATTACHMENT         | 14,221         | N              |                | 36                |
| 2398         |       | 7091    | FICON ATTACHMENT               | 14,221         | N              |                | 36                |
| 2398         |       | 7092    | HIGH PERFORMANCE FICON         | 7,110          | N              |                | 36                |
| 2398         |       | 7201    | PTC - 1 TB UNIT                | 9,313          | N              |                | 36                |
| 2398         |       | 7202    | PTC - 5 TB UNIT                | 39,492         | N              |                | 36                |
| 2398         |       | 7203    | PTC - 10 TB UNIT               | 78,441         | N              |                | 36                |
| 2398         |       | 7204    | PTC - 25 TB UNIT               | 120,387        | N              |                | 36                |
| 2398         |       | 7205    | PTC - 50 TB UNIT               | 200,875        | N              |                | 36                |
| 2398         |       | 7210    | PTC - 100 TB UNIT              | 325,578        | N              |                | 36                |
| 2398         |       | 7215    | PTC - 200 TB UNIT              | 617,423        | N              |                | 36                |
| 2398         |       | 7231    | PTC ADD 1 TB UNIT              | 4,656          | N              |                | 36                |
| 2398         |       | 7232    | PTC ADD 5 TB UNIT              | 19,746         | N              |                | 36                |
| 2398         |       | 7233    | PTC ADD 10 TB UNIT             | 39,220         | N              |                | 36                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2398         |       | 7234    | PTC ADD 25 TB UNIT  | 60,193         | N              |                | 36                |
| 2398         |       | 7235    | PTC ADD 50 TB UNIT  | 100,437        | N              |                | 36                |
| 2398         |       | 7240    | PTC ADD 100 TB UNIT | 162,789        | N              |                | 36                |
| 2398         |       | 7245    | PTC ADD 200 TB UNIT | 308,711        | N              |                | 36                |
| 2398         |       | 7251    | PTC 1 TB            | 9,313          | N              |                | 36                |
| 2398         |       | 7252    | PTC 5 TB            | 39,492         | N              |                | 36                |
| 2398         |       | 7253    | PTC 10 TB           | 78,441         | N              |                | 36                |
| 2398         |       | 7254    | PTC 25 TB           | 120,387        | N              |                | 36                |
| 2398         |       | 7255    | PTC 50 TB           | 200,875        | N              |                | 36                |
| 2398         |       | 7260    | PTC 100 TB          | 325,578        | N              |                | 36                |
| 2398         |       | 7301    | SE 1 TB UNIT        | 9,313          | N              |                | 36                |
| 2398         |       | 7302    | SE 5 TB UNIT        | 39,492         | N              |                | 36                |
| 2398         |       | 7303    | SE 10 TB UNIT       | 78,441         | N              |                | 36                |
| 2398         |       | 7304    | SE 25 TB UNIT       | 120,387        | N              |                | 36                |
| 2398         |       | 7305    | SE 50 TB UNIT       | 200,875        | N              |                | 36                |
| 2398         |       | 7310    | SE 100 TB UNIT      | 325,578        | N              |                | 36                |
| 2398         |       | 7315    | SE 200 TB UNIT      | 617,423        | N              |                | 36                |
| 2398         |       | 7331    | SE ADD 1 TB UNIT    | 4,656          | N              |                | 36                |
| 2398         |       | 7332    | SE ADD 5 TB UNIT    | 19,746         | N              |                | 36                |
| 2398         |       | 7333    | SE ADD 10 TB UNIT   | 39,220         | N              |                | 36                |
| 2398         |       | 7334    | SE ADD 25 TB UNIT   | 60,193         | N              |                | 36                |
| 2398         |       | 7335    | SE ADD 50 TB UNIT   | 100,437        | N              |                | 36                |
| 2398         |       | 7340    | SE ADD 100 TB UNIT  | 162,789        | N              |                | 36                |
| 2398         |       | 7345    | SE ADD 200 TB UNIT  | 308,711        | N              |                | 36                |
| 2398         |       | 7351    | SE 1 TB             | 9,313          | N              |                | 36                |
| 2398         |       | 7352    | SE 5 TB             | 39,492         | N              |                | 36                |
| 2398         |       | 7353    | SE 10 TB            | 78,441         | N              |                | 36                |
| 2398         |       | 7354    | SE 25 TB            | 120,387        | N              |                | 36                |
| 2398         |       | 7355    | SE 50 TB            | 200,875        | N              |                | 36                |
| 2398         |       | 7360    | SE 100 TB           | 325,578        | N              |                | 36                |
| 2398         |       | 7421    | MGM - 1TB UNIT      | 1,817          | N              |                | 36                |
| 2398         |       | 7422    | MGM - 5 TB UNIT     | 8,400          | N              |                | 36                |
| 2398         |       | 7423    | MGM - 10 TB UNIT    | 16,087         | N              |                | 36                |
| 2398         |       | 7424    | MGM - 25 TB UNIT    | 25,354         | N              |                | 36                |
| 2398         |       | 7425    | MGM - 50 TB UNIT    | 40,915         | N              |                | 36                |
| 2398         |       | 7430    | MGM - 100 TB UNIT   | 66,160         | N              |                | 36                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2398         |       | 7435    | MGM - 200 TB UNIT   | 125,465        | N              |                | 36                |
| 2398         |       | 7441    | MM - 1 TB UNIT      | 12,117         | N              |                | 36                |
| 2398         |       | 7442    | MM - 5 TB UNIT      | 56,018         | N              |                | 36                |
| 2398         |       | 7443    | MM - 10 TB UNIT     | 107,271        | N              |                | 36                |
| 2398         |       | 7444    | MM - 25 TB UNIT     | 169,100        | N              |                | 36                |
| 2398         |       | 7445    | MM - 50 TB UNIT     | 272,911        | N              |                | 36                |
| 2398         |       | 7450    | MM - 100 TB UNIT    | 441,358        | N              |                | 36                |
| 2398         |       | 7455    | MM - 200 TB UNIT    | 837,014        | N              |                | 36                |
| 2398         |       | 7461    | GM - 1 TB UNIT      | 12,117         | N              |                | 36                |
| 2398         |       | 7462    | GM - 5 TB UNIT      | 56,018         | N              |                | 36                |
| 2398         |       | 7463    | GM - 10 TB UNIT     | 107,271        | N              |                | 36                |
| 2398         |       | 7464    | GM - 25 TB UNIT     | 169,100        | N              |                | 36                |
| 2398         |       | 7465    | GM - 50 TB UNIT     | 272,911        | N              |                | 36                |
| 2398         |       | 7470    | GM - 100 TB UNIT    | 441,358        | N              |                | 36                |
| 2398         |       | 7475    | GM - 200 TB UNIT    | 837,014        | N              |                | 36                |
| 2398         |       | 7481    | MGM 1 TB            | 1,817          | N              |                | 36                |
| 2398         |       | 7482    | MGM 5 TB            | 8,400          | N              |                | 36                |
| 2398         |       | 7483    | MGM 10 TB           | 16,087         | N              |                | 36                |
| 2398         |       | 7484    | MGM 25 TB           | 25,354         | N              |                | 36                |
| 2398         |       | 7485    | MGM 50 TB           | 40,915         | N              |                | 36                |
| 2398         |       | 7490    | MGM 100 TB          | 66,160         | N              |                | 36                |
| 2398         |       | 7501    | MM 1 TB             | 12,117         | N              |                | 36                |
| 2398         |       | 7502    | MM 5 TB             | 56,018         | N              |                | 36                |
| 2398         |       | 7503    | MM 10 TB            | 107,271        | N              |                | 36                |
| 2398         |       | 7504    | MM 25 TB            | 169,100        | N              |                | 36                |
| 2398         |       | 7505    | MM 50 TB            | 272,911        | N              |                | 36                |
| 2398         |       | 7510    | MM 100 TB           | 441,358        | N              |                | 36                |
| 2398         |       | 7521    | GM 1 TB             | 12,117         | N              |                | 36                |
| 2398         |       | 7522    | GM 5 TB             | 56,018         | N              |                | 36                |
| 2398         |       | 7523    | GM 10 TB            | 107,271        | N              |                | 36                |
| 2398         |       | 7524    | GM 25 TB            | 169,100        | N              |                | 36                |
| 2398         |       | 7525    | GM 50 TB            | 272,911        | N              |                | 36                |
| 2398         |       | 7530    | GM 100 TB           | 441,358        | N              |                | 36                |
| 2398         |       | 7541    | MM ADD - 1 TB UNIT  | 6,058          | N              |                | 36                |
| 2398         |       | 7542    | MM ADD - 5 TB UNIT  | 28,009         | N              |                | 36                |
| 2398         |       | 7543    | MM ADD - 10 TB UNIT | 53,635         | N              |                | 36                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2398         |       | 7544    | MM ADD - 25 TB UNIT    | 84,550         | N              |                | 36                |
| 2398         |       | 7545    | MM ADD - 50 TB UNIT    | 136,455        | N              |                | 36                |
| 2398         |       | 7550    | MM ADD - 100 TB UNIT   | 220,679        | N              |                | 36                |
| 2398         |       | 7555    | MM ADD - 200 TB UNIT   | 418,507        | N              |                | 36                |
| 2398         |       | 7561    | GM ADD - 1 TB UNIT     | 6,058          | N              |                | 36                |
| 2398         |       | 7562    | GM ADD - 5 TB UNIT     | 28,009         | N              |                | 36                |
| 2398         |       | 7563    | GM ADD - 10 TB UNIT    | 53,635         | N              |                | 36                |
| 2398         |       | 7564    | GM ADD - 25 TB UNIT    | 84,550         | N              |                | 36                |
| 2398         |       | 7565    | GM ADD - 50 TB UNIT    | 136,455        | N              |                | 36                |
| 2398         |       | 7570    | GM ADD - 100 TB UNIT   | 220,679        | N              |                | 36                |
| 2398         |       | 7575    | GM ADD - 200 TB UNIT   | 418,507        | N              |                | 36                |
| 2398         |       | 7601    | RMZ - 1 TB UNIT        | 11,427         | N              |                | 36                |
| 2398         |       | 7602    | RMZ - 5 TB UNIT        | 51,876         | N              |                | 36                |
| 2398         |       | 7603    | RMZ - 10 TB UNIT       | 98,456         | N              |                | 36                |
| 2398         |       | 7604    | RMZ - 25 TB UNIT       | 156,006        | N              |                | 36                |
| 2398         |       | 7605    | RMZ - 50 TB UNIT       | 257,604        | N              |                | 36                |
| 2398         |       | 7610    | RMZ - 100 TB UNIT      | 417,274        | N              |                | 36                |
| 2398         |       | 7615    | RMZ - 200 TB UNIT      | 791,383        | N              |                | 36                |
| 2398         |       | 7631    | RMZ RESYNC 1 TB UNIT   | 2,423          | N              |                | 36                |
| 2398         |       | 7632    | RMZ RESYNC 5 TB UNIT   | 11,203         | N              |                | 36                |
| 2398         |       | 7633    | RMZ RESYNC 10 TB UNIT  | 21,454         | N              |                | 36                |
| 2398         |       | 7634    | RMZ RESYNC 25 TB UNIT  | 33,820         | N              |                | 36                |
| 2398         |       | 7635    | RMZ RESYNC 50 TB UNIT  | 54,581         | N              |                | 36                |
| 2398         |       | 7640    | RMZ RESYNC 100 TB UNIT | 88,271         | N              |                | 36                |
| 2398         |       | 7645    | RMZ RESYNC 200 TB UNIT | 167,403        | N              |                | 36                |
| 2398         |       | 7651    | RMZ 1 TB               | 11,427         | N              |                | 36                |
| 2398         |       | 7652    | RMZ 5 TB               | 51,876         | N              |                | 36                |
| 2398         |       | 7653    | RMZ 10 TB              | 98,456         | N              |                | 36                |
| 2398         |       | 7654    | RMZ 25 TB              | 156,006        | N              |                | 36                |
| 2398         |       | 7655    | RMZ 50 TB              | 257,604        | N              |                | 36                |
| 2398         |       | 7660    | RMZ 100 TB             | 417,274        | N              |                | 36                |
| 2398         |       | 7681    | RMZ RESYNC 1 TB        | 2,423          | N              |                | 36                |
| 2398         |       | 7682    | RMZ RESYNC 5 TB        | 11,203         | N              |                | 36                |
| 2398         |       | 7683    | RMZ RESYNC 10 TB       | 21,454         | N              |                | 36                |
| 2398         |       | 7684    | RMZ RESYNC 25 TB       | 33,820         | N              |                | 36                |
| 2398         |       | 7685    | RMZ RESYNC 50 TB       | 54,581         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2398         |       | 7690    | RMZ RESYNC 100 TB              | 88,271         | N              |                | 36                |
| 2398         |       | 7801    | PAV - 1TB UNIT                 | 5,591          | N              |                | 36                |
| 2398         |       | 7802    | PAV - 5 TB UNIT                | 23,602         | N              |                | 36                |
| 2398         |       | 7803    | PAV - 10 TB UNIT               | 46,479         | N              |                | 36                |
| 2398         |       | 7804    | PAV - 25 TB UNIT               | 73,034         | N              |                | 36                |
| 2398         |       | 7805    | PAV - 50 TB UNIT               | 121,403        | N              |                | 36                |
| 2398         |       | 7810    | PAV - 100 TB UNIT              | 195,651        | N              |                | 36                |
| 2398         |       | 7815    | PAV - 200 TB UNIT              | 371,063        | N              |                | 36                |
| 2398         |       | 7821    | PAV 1 TB                       | 5,591          | N              |                | 36                |
| 2398         |       | 7822    | PAV 5 TB                       | 23,602         | N              |                | 36                |
| 2398         |       | 7823    | PAV 10 TB                      | 46,479         | N              |                | 36                |
| 2398         |       | 7824    | PAV 25 TB                      | 73,034         | N              |                | 36                |
| 2398         |       | 7825    | PAV 50 TB                      | 121,403        | N              |                | 36                |
| 2398         |       | 7830    | PAV 100 TB                     | 195,651        | N              |                | 36                |
| 2398         |       | 7841    | IO PRIORITY MANAGER 1TB INDIC  | 4,190          | N              |                | 36                |
| 2398         |       | 7842    | IO PRIORITY MANAGER 5TB INDIC  | 17,771         | N              |                | 36                |
| 2398         |       | 7843    | IO PRIORITY MANAGER 10TB INDIC | 29,808         | N              |                | 36                |
| 2398         |       | 7844    | IO PRIORITY MANAGER 25TB INDIC | 66,213         | N              |                | 36                |
| 2398         |       | 7845    | IO PRIORITY MANAGER 50TB INDIC | 120,524        | N              |                | 36                |
| 2398         |       | 7850    | IO PRIORITY MANAGER 100TB INDI | 227,904        | N              |                | 36                |
| 2398         |       | 7899    | HYPERPAV                       | 31,660         | N              |                | 36                |
| 2399         | LFA   |         | DS8000 FUNCTION AUTHORIZ.      | 0              | Y              |                | 48                |
| 2399         |       | 7001    | OEL - 1 TB UNIT                | 4,897          | N              |                | 48                |
| 2399         |       | 7002    | OEL - 5 TB UNIT                | 19,768         | N              |                | 48                |
| 2399         |       | 7003    | OEL - 10 TB UNIT               | 39,537         | N              |                | 48                |
| 2399         |       | 7004    | OEL - 25 TB UNIT               | 63,476         | N              |                | 48                |
| 2399         |       | 7005    | OEL - 50 TB UNIT               | 105,189        | N              |                | 48                |
| 2399         |       | 7010    | OEL - 100 TB UNIT              | 170,479        | N              |                | 48                |
| 2399         |       | 7015    | OEL - 200 TB UNIT              | 323,909        | N              |                | 48                |
| 2399         |       | 7051    | OEL 1 VALUE UNIT               | 4,897          | N              |                | 48                |
| 2399         |       | 7052    | OEL 5 VALUE UNIT               | 19,768         | N              |                | 48                |
| 2399         |       | 7053    | OEL 10 VALUE UNIT              | 39,537         | N              |                | 48                |
| 2399         |       | 7054    | OEL 25 VALUE UNIT              | 63,476         | N              |                | 48                |
| 2399         |       | 7055    | OEL 50 VALUE UNIT              | 105,189        | N              |                | 48                |
| 2399         |       | 7060    | OEL 100 VALUE UNIT             | 170,479        | N              |                | 48                |
| 2399         |       | 7065    | OEL 200 VALUE UNIT             | 323,909        | N              |                | 48                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2399         |       | 7070    | THIN PROVISIONING           | 54,408         | N              |                | 48                |
| 2399         |       | 7071    | THIN PROVISIONING INDICATOR | 54,408         | N              |                | 48                |
| 2399         |       | 7090    | FICON/ESCON ATTACHMENT      | 14,509         | N              |                | 48                |
| 2399         |       | 7091    | FICON ATTACHMENT            | 14,509         | N              |                | 48                |
| 2399         |       | 7092    | HIGH PERFORMANCE FICON      | 7,254          | N              |                | 48                |
| 2399         |       | 7201    | PTC - 1 TB UNIT             | 9,431          | N              |                | 48                |
| 2399         |       | 7202    | PTC - 5 TB UNIT             | 40,081         | N              |                | 48                |
| 2399         |       | 7203    | PTC - 10 TB UNIT            | 79,617         | N              |                | 48                |
| 2399         |       | 7204    | PTC - 25 TB UNIT            | 123,325        | N              |                | 48                |
| 2399         |       | 7205    | PTC - 50 TB UNIT            | 206,751        | N              |                | 48                |
| 2399         |       | 7210    | PTC - 100 TB UNIT           | 337,330        | N              |                | 48                |
| 2399         |       | 7215    | PTC - 200 TB UNIT           | 640,927        | N              |                | 48                |
| 2399         |       | 7231    | PTC ADD 1 TB UNIT           | 4,715          | N              |                | 48                |
| 2399         |       | 7232    | PTC ADD 5 TB UNIT           | 20,040         | N              |                | 48                |
| 2399         |       | 7233    | PTC ADD 10 TB UNIT          | 39,809         | N              |                | 48                |
| 2399         |       | 7234    | PTC ADD 25 TB UNIT          | 61,662         | N              |                | 48                |
| 2399         |       | 7235    | PTC ADD 50 TB UNIT          | 103,375        | N              |                | 48                |
| 2399         |       | 7240    | PTC ADD 100 TB UNIT         | 168,665        | N              |                | 48                |
| 2399         |       | 7245    | PTC ADD 200 TB UNIT         | 320,463        | N              |                | 48                |
| 2399         |       | 7251    | PTC 1 TB                    | 9,431          | N              |                | 48                |
| 2399         |       | 7252    | PTC 5 TB                    | 40,081         | N              |                | 48                |
| 2399         |       | 7253    | PTC 10 TB                   | 79,617         | N              |                | 48                |
| 2399         |       | 7254    | PTC 25 TB                   | 123,325        | N              |                | 48                |
| 2399         |       | 7255    | PTC 50 TB                   | 206,751        | N              |                | 48                |
| 2399         |       | 7260    | PTC 100 TB                  | 337,330        | N              |                | 48                |
| 2399         |       | 7301    | SE 1 TB UNIT                | 9,431          | N              |                | 48                |
| 2399         |       | 7302    | SE 5 TB UNIT                | 40,081         | N              |                | 48                |
| 2399         |       | 7303    | SE 10 TB UNIT               | 79,617         | N              |                | 48                |
| 2399         |       | 7304    | SE 25 TB UNIT               | 123,325        | N              |                | 48                |
| 2399         |       | 7305    | SE 50 TB UNIT               | 206,751        | N              |                | 48                |
| 2399         |       | 7310    | SE 100 TB UNIT              | 337,330        | N              |                | 48                |
| 2399         |       | 7315    | SE 200 TB UNIT              | 640,927        | N              |                | 48                |
| 2399         |       | 7331    | SE ADD 1 TB UNIT            | 4,715          | N              |                | 48                |
| 2399         |       | 7332    | SE ADD 5 TB UNIT            | 20,040         | N              |                | 48                |
| 2399         |       | 7333    | SE ADD 10 TB UNIT           | 39,809         | N              |                | 48                |
| 2399         |       | 7334    | SE ADD 25 TB UNIT           | 61,662         | N              |                | 48                |

| <b>Machine</b> |              |                |                    | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|--------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b> | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2399           |              | 7335           | SE ADD 50 TB UNIT  | 103,375         | N               |                 | 48              |
| 2399           |              | 7340           | SE ADD 100 TB UNIT | 168,665         | N               |                 | 48              |
| 2399           |              | 7345           | SE ADD 200 TB UNIT | 320,463         | N               |                 | 48              |
| 2399           |              | 7351           | SE 1 TB            | 9,431           | N               |                 | 48              |
| 2399           |              | 7352           | SE 5 TB            | 40,081          | N               |                 | 48              |
| 2399           |              | 7353           | SE 10 TB           | 79,617          | N               |                 | 48              |
| 2399           |              | 7354           | SE 25 TB           | 123,325         | N               |                 | 48              |
| 2399           |              | 7355           | SE 50 TB           | 206,751         | N               |                 | 48              |
| 2399           |              | 7360           | SE 100 TB          | 337,330         | N               |                 | 48              |
| 2399           |              | 7421           | MGM - 1TB UNIT     | 1,841           | N               |                 | 48              |
| 2399           |              | 7422           | MGM - 5 TB UNIT    | 8,520           | N               |                 | 48              |
| 2399           |              | 7423           | MGM - 10 TB UNIT   | 16,325          | N               |                 | 48              |
| 2399           |              | 7424           | MGM - 25 TB UNIT   | 25,953          | N               |                 | 48              |
| 2399           |              | 7425           | MGM - 50 TB UNIT   | 42,112          | N               |                 | 48              |
| 2399           |              | 7430           | MGM - 100 TB UNIT  | 68,554          | N               |                 | 48              |
| 2399           |              | 7435           | MGM - 200 TB UNIT  | 130,253         | N               |                 | 48              |
| 2399           |              | 7441           | MM - 1 TB UNIT     | 12,274          | N               |                 | 48              |
| 2399           |              | 7442           | MM - 5 TB UNIT     | 56,802          | N               |                 | 48              |
| 2399           |              | 7443           | MM - 10 TB UNIT    | 108,837         | N               |                 | 48              |
| 2399           |              | 7444           | MM - 25 TB UNIT    | 173,018         | N               |                 | 48              |
| 2399           |              | 7445           | MM - 50 TB UNIT    | 280,746         | N               |                 | 48              |
| 2399           |              | 7450           | MM - 100 TB UNIT   | 457,028         | N               |                 | 48              |
| 2399           |              | 7455           | MM - 200 TB UNIT   | 868,353         | N               |                 | 48              |
| 2399           |              | 7461           | GM - 1 TB UNIT     | 12,274          | N               |                 | 48              |
| 2399           |              | 7462           | GM - 5 TB UNIT     | 56,802          | N               |                 | 48              |
| 2399           |              | 7463           | GM - 10 TB UNIT    | 108,837         | N               |                 | 48              |
| 2399           |              | 7464           | GM - 25 TB UNIT    | 173,018         | N               |                 | 48              |
| 2399           |              | 7465           | GM - 50 TB UNIT    | 280,746         | N               |                 | 48              |
| 2399           |              | 7470           | GM - 100 TB UNIT   | 457,028         | N               |                 | 48              |
| 2399           |              | 7475           | GM - 200 TB UNIT   | 868,353         | N               |                 | 48              |
| 2399           |              | 7481           | MGM 1 TB           | 1,841           | N               |                 | 48              |
| 2399           |              | 7482           | MGM 5 TB           | 8,520           | N               |                 | 48              |
| 2399           |              | 7483           | MGM 10 TB          | 16,325          | N               |                 | 48              |
| 2399           |              | 7484           | MGM 25 TB          | 25,953          | N               |                 | 48              |
| 2399           |              | 7485           | MGM 50 TB          | 42,112          | N               |                 | 48              |
| 2399           |              | 7490           | MGM 100 TB         | 68,554          | N               |                 | 48              |

| Machine Type | Model | Feature | Description           | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------|----------------|----------------|----------------|-------------------|
| 2399         |       | 7501    | MM 1 TB               | 12,274         | N              |                | 48                |
| 2399         |       | 7502    | MM 5 TB               | 56,802         | N              |                | 48                |
| 2399         |       | 7503    | MM 10 TB              | 108,837        | N              |                | 48                |
| 2399         |       | 7504    | MM 25 TB              | 173,018        | N              |                | 48                |
| 2399         |       | 7505    | MM 50 TB              | 280,746        | N              |                | 48                |
| 2399         |       | 7510    | MM 100 TB             | 457,028        | N              |                | 48                |
| 2399         |       | 7521    | GM 1 TB               | 12,274         | N              |                | 48                |
| 2399         |       | 7522    | GM 5 TB               | 56,802         | N              |                | 48                |
| 2399         |       | 7523    | GM 10 TB              | 108,837        | N              |                | 48                |
| 2399         |       | 7524    | GM 25 TB              | 173,018        | N              |                | 48                |
| 2399         |       | 7525    | GM 50 TB              | 280,746        | N              |                | 48                |
| 2399         |       | 7530    | GM 100 TB             | 457,028        | N              |                | 48                |
| 2399         |       | 7541    | MM ADD - 1 TB UNIT    | 6,137          | N              |                | 48                |
| 2399         |       | 7542    | MM ADD - 5 TB UNIT    | 28,401         | N              |                | 48                |
| 2399         |       | 7543    | MM ADD - 10 TB UNIT   | 54,418         | N              |                | 48                |
| 2399         |       | 7544    | MM ADD - 25 TB UNIT   | 86,509         | N              |                | 48                |
| 2399         |       | 7545    | MM ADD - 50 TB UNIT   | 140,373        | N              |                | 48                |
| 2399         |       | 7550    | MM ADD - 100 TB UNIT  | 228,514        | N              |                | 48                |
| 2399         |       | 7555    | MM ADD - 200 TB UNIT  | 434,176        | N              |                | 48                |
| 2399         |       | 7561    | GM ADD - 1 TB UNIT    | 6,137          | N              |                | 48                |
| 2399         |       | 7562    | GM ADD - 5 TB UNIT    | 28,401         | N              |                | 48                |
| 2399         |       | 7563    | GM ADD - 10 TB UNIT   | 54,418         | N              |                | 48                |
| 2399         |       | 7564    | GM ADD - 25 TB UNIT   | 86,509         | N              |                | 48                |
| 2399         |       | 7565    | GM ADD - 50 TB UNIT   | 140,373        | N              |                | 48                |
| 2399         |       | 7570    | GM ADD - 100 TB UNIT  | 228,514        | N              |                | 48                |
| 2399         |       | 7575    | GM ADD - 200 TB UNIT  | 434,176        | N              |                | 48                |
| 2399         |       | 7601    | RMZ - 1 TB UNIT       | 11,571         | N              |                | 48                |
| 2399         |       | 7602    | RMZ - 5 TB UNIT       | 52,594         | N              |                | 48                |
| 2399         |       | 7603    | RMZ - 10 TB UNIT      | 99,893         | N              |                | 48                |
| 2399         |       | 7604    | RMZ - 25 TB UNIT      | 159,597        | N              |                | 48                |
| 2399         |       | 7605    | RMZ - 50 TB UNIT      | 264,786        | N              |                | 48                |
| 2399         |       | 7610    | RMZ - 100 TB UNIT     | 431,637        | N              |                | 48                |
| 2399         |       | 7615    | RMZ - 200 TB UNIT     | 820,111        | N              |                | 48                |
| 2399         |       | 7631    | RMZ RESYNC 1 TB UNIT  | 2,454          | N              |                | 48                |
| 2399         |       | 7632    | RMZ RESYNC 5 TB UNIT  | 11,360         | N              |                | 48                |
| 2399         |       | 7633    | RMZ RESYNC 10 TB UNIT | 21,767         | N              |                | 48                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2399         |       | 7634    | RMZ RESYNC 25 TB UNIT          | 34,604         | N              |                | 48                |
| 2399         |       | 7635    | RMZ RESYNC 50 TB UNIT          | 56,149         | N              |                | 48                |
| 2399         |       | 7640    | RMZ RESYNC 100 TB UNIT         | 91,406         | N              |                | 48                |
| 2399         |       | 7645    | RMZ RESYNC 200 TB UNIT         | 173,671        | N              |                | 48                |
| 2399         |       | 7651    | RMZ 1 TB                       | 11,571         | N              |                | 48                |
| 2399         |       | 7652    | RMZ 5 TB                       | 52,594         | N              |                | 48                |
| 2399         |       | 7653    | RMZ 10 TB                      | 99,893         | N              |                | 48                |
| 2399         |       | 7654    | RMZ 25 TB                      | 159,597        | N              |                | 48                |
| 2399         |       | 7655    | RMZ 50 TB                      | 264,786        | N              |                | 48                |
| 2399         |       | 7660    | RMZ 100 TB                     | 431,637        | N              |                | 48                |
| 2399         |       | 7681    | RMZ RESYNC 1 TB                | 2,454          | N              |                | 48                |
| 2399         |       | 7682    | RMZ RESYNC 5 TB                | 11,360         | N              |                | 48                |
| 2399         |       | 7683    | RMZ RESYNC 10 TB               | 21,767         | N              |                | 48                |
| 2399         |       | 7684    | RMZ RESYNC 25 TB               | 34,604         | N              |                | 48                |
| 2399         |       | 7685    | RMZ RESYNC 50 TB               | 56,149         | N              |                | 48                |
| 2399         |       | 7690    | RMZ RESYNC 100 TB              | 91,406         | N              |                | 48                |
| 2399         |       | 7801    | PAV - 1TB UNIT                 | 5,658          | N              |                | 48                |
| 2399         |       | 7802    | PAV - 5 TB UNIT                | 23,940         | N              |                | 48                |
| 2399         |       | 7803    | PAV - 10 TB UNIT               | 47,154         | N              |                | 48                |
| 2399         |       | 7804    | PAV - 25 TB UNIT               | 74,720         | N              |                | 48                |
| 2399         |       | 7805    | PAV - 50 TB UNIT               | 124,776        | N              |                | 48                |
| 2399         |       | 7810    | PAV - 100 TB UNIT              | 202,398        | N              |                | 48                |
| 2399         |       | 7815    | PAV - 200 TB UNIT              | 384,556        | N              |                | 48                |
| 2399         |       | 7821    | PAV 1 TB                       | 5,658          | N              |                | 48                |
| 2399         |       | 7822    | PAV 5 TB                       | 23,940         | N              |                | 48                |
| 2399         |       | 7823    | PAV 10 TB                      | 47,154         | N              |                | 48                |
| 2399         |       | 7824    | PAV 25 TB                      | 74,720         | N              |                | 48                |
| 2399         |       | 7825    | PAV 50 TB                      | 124,776        | N              |                | 48                |
| 2399         |       | 7830    | PAV 100 TB                     | 202,398        | N              |                | 48                |
| 2399         |       | 7841    | IO PRIORITY MANAGER 1TB INDIC  | 4,244          | N              |                | 48                |
| 2399         |       | 7842    | IO PRIORITY MANAGER 5TB INDIC  | 18,036         | N              |                | 48                |
| 2399         |       | 7843    | IO PRIORITY MANAGER 10TB INDIC | 30,254         | N              |                | 48                |
| 2399         |       | 7844    | IO PRIORITY MANAGER 25TB INDIC | 67,829         | N              |                | 48                |
| 2399         |       | 7845    | IO PRIORITY MANAGER 50TB INDIC | 124,050        | N              |                | 48                |
| 2399         |       | 7850    | IO PRIORITY MANAGER 100TB INDI | 236,131        | N              |                | 48                |
| 2399         |       | 7899    | HYPERPAV                       | 32,645         | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421         | 94E   |         | DS8700 EXPANSION UNIT          | 51,144         | N              | 3              | 12                |
| 2421         | 95E   |         | DS8800 EXPANSION UNIT          | 51,144         | N              | 3              | 12                |
| 2421         | 961   |         | DS8870                         | 38,725         | N              | 3              | 12                |
| 2421         | 96E   |         | DS8870 EXPANSION UNIT          | 51,144         | N              | 3              | 12                |
| 2421         |       | 1000    | REMOTE POWER CONTROL           | 798            | N              |                | 12                |
| 2421         |       | 1050    | BATTERY ASSEMBLY               | 1,233          | N              |                | 12                |
| 2421         |       | 1051    | PWR BATTERY ASSEMBLY           | 10,882         | N              |                | 12                |
| 2421         |       | 1055    | EXTENDED PLD                   | 5,658          | N              |                | 12                |
| 2421         |       | 1060    | SPP CORD GROUP 1               | 1,378          | N              |                | 12                |
| 2421         |       | 1061    | SPP CORD 200-240V 60A 3PIN     | 7,254          | N              |                | 12                |
| 2421         |       | 1065    | SPP CORD GROUP 2               | 1,378          | N              |                | 12                |
| 2421         |       | 1067    | SPP CORD GROUP 3               | 1,378          | N              |                | 12                |
| 2421         |       | 1068    | SPP CORD 200-240V 63A NO CNCTR | 5,078          | N              |                | 12                |
| 2421         |       | 1070    | TOP EXIT SPP CORD GROUP 1      | 4,570          | N              |                | 12                |
| 2421         |       | 1071    | TOP EXIT SPP CORD GROUP 3      | 2,031          | N              |                | 12                |
| 2421         |       | 1072    | TOP EXIT SPP 200-240V 60A 3PIN | 7,109          | N              |                | 12                |
| 2421         |       | 1073    | TOP EXT SPP 200-240V 63A NO CN | 5,078          | N              |                | 12                |
| 2421         |       | 1081    | THREE PHS WYE 380-440V 32A     | 2,539          | N              |                | 12                |
| 2421         |       | 1082    | THREE PHS DLT 200-240V 60A 4PI | 5,078          | N              |                | 12                |
| 2421         |       | 1083    | TOP EXT THREE PHS WYE 380-440  | 3,264          | N              |                | 12                |
| 2421         |       | 1084    | TOP EXT THREE PHS DLT 200-240  | 7,254          | N              |                | 12                |
| 2421         |       | 1090    | LINE CORD (US/LA/AP/CAN)       | 1,378          | N              |                | 12                |
| 2421         |       | 1095    | TOP EXIT LINE CORD (US/LA/AP/C | 1,378          | N              |                | 12                |
| 2421         |       | 1096    | TOP EXIT LINE CORD (EMEA)      | 4,135          | N              |                | 12                |
| 2421         |       | 1097    | TOP EXIT LINE CORD (JAPAN/US/C | 3,627          | N              |                | 12                |
| 2421         |       | 1101    | UNIVERSAL LADDER               | 1,814          | N              |                | 12                |
| 2421         |       | 1120    | MGMT CONSOLE - ENGLISH INT     | 5,426          | N              |                | 12                |
| 2421         |       | 1130    | MGMT CONSOLE - ENGLISH EXT     | 5,426          | N              |                | 12                |
| 2421         |       | 1170    | MC LINE CORD STANDRD RACK      | 73             | N              |                | 12                |
| 2421         |       | 1171    | MC LINE CORD GROUP 1           | 73             | N              |                | 12                |
| 2421         |       | 1172    | MC LINE CORD GROUP 2           | 73             | N              |                | 12                |
| 2421         |       | 1210    | DISK ENCLOSURE PAIR            | 7,254          | N              |                | 12                |
| 2421         |       | 1211    | DISK DRIVE CABLE GROUP 1       | 725            | N              |                | 12                |
| 2421         |       | 1212    | DISK DRIVE CABLE GROUP 2       | 1,378          | N              |                | 12                |
| 2421         |       | 1213    | DISK DRIVE CABLE GROUP 3       | 1,596          | N              |                | 12                |
| 2421         |       | 1214    | DISK DRIVE CABLE GROUP 4       | 1,741          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421         |       | 1241    | DISK ENCLOSURE PAIR            | 14,509         | N              |                | 12                |
| 2421         |       | 1246    | HD DISK DRIVE CABLE GROUP 1    | 5,078          | N              |                | 12                |
| 2421         |       | 1247    | HD DISK DRIVE CABLE GROUP 2    | 6,529          | N              |                | 12                |
| 2421         |       | 1248    | HD DISK DRIVE CABLE GROUP 4    | 8,705          | N              |                | 12                |
| 2421         |       | 1249    | HD DISK DRIVE CABLE GROUP 5    | 8,705          | N              |                | 12                |
| 2421         |       | 1250    | HD BC DISK DRIVE CABLE GROUP   | 2,176          | N              |                | 12                |
| 2421         |       | 1301    | I/O ENCLOSURE PAIR PCIE        | 7,500          | N              |                | 12                |
| 2421         |       | 1320    | PCI E CABLE GROUP 1            | 2,176          | N              |                | 12                |
| 2421         |       | 1321    | PCI E CABLE GROUP 2            | 2,974          | N              |                | 12                |
| 2421         |       | 1322    | PCI E CABLE GROUP 3            | 3,627          | N              |                | 12                |
| 2421         |       | 1400    | TOP EXIT BRACKET FOR FIBRE CAB | 617            | N              |                | 12                |
| 2421         |       | 1410    | 50 UM FIBRE CABLE (LC)         | 73             | N              |                | 12                |
| 2421         |       | 1411    | 50 UM FIBRE CABLE (LC/SC)      | 73             | N              |                | 12                |
| 2421         |       | 1412    | 50 UM FIBRE CBL (JUMPER)       | 73             | N              |                | 12                |
| 2421         |       | 1420    | 9 UM FIBRE CABLE (LC)          | 73             | N              |                | 12                |
| 2421         |       | 1421    | 9 UM FIBRE CABLE (LC/SC)       | 73             | N              |                | 12                |
| 2421         |       | 1422    | 9 UM FIBRE CABLE (JUMPER)      | 73             | N              |                | 12                |
| 2421         |       | 1721    | DS8000 LMC R6.0                | 29,018         | N              |                | 12                |
| 2421         |       | 1722    | DS8000 LMC R6.1                | 29,018         | N              |                | 12                |
| 2421         |       | 1724    | DS8000 LMC R6.3                | 29,018         | N              |                | 12                |
| 2421         |       | 1760    | TKLM ISOLATED KEY SERVER       | 14,509         | N              |                | 12                |
| 2421         |       | 1906    | EARTHQUAKE RESISTANCE KIT      | 13,683         | N              |                | 12                |
| 2421         |       | 1980    | PERFORMANCE ACCELERATOR        | 3,109          | N              |                | 12                |
| 2421         |       | 1999    | HARDWARE INSTALLATION MES      | 14,509         | N              |                | 12                |
| 2421         |       | 2208    | 146 GB 15K DRIVE SET           | 29,908         | N              |                | 12                |
| 2421         |       | 2209    | 146 GB 15K COD DRIVE SET       | 2,990          | N              |                | 12                |
| 2421         |       | 2308    | 300 GB 15K SAS DRIVE SET       | 56,657         | N              |                | 12                |
| 2421         |       | 2309    | 300 GB 15K SAS COD DRIVE SET   | 5,665          | N              |                | 12                |
| 2421         |       | 2416    | 300 GB 15K DRIVE SET           | 56,657         | N              |                | 12                |
| 2421         |       | 2417    | 300 GB 15K COD DRIVE SET       | 5,665          | N              |                | 12                |
| 2421         |       | 2616    | 450 GB 15K DRIVE SET           | 86,037         | N              |                | 12                |
| 2421         |       | 2617    | 450 GB 15K COD DRIVE SET       | 8,604          | N              |                | 12                |
| 2421         |       | 2708    | 600 GB 10K DRIVE SET           | 99,012         | N              |                | 12                |
| 2421         |       | 2709    | 600 GB 10K COD DRIVE SET       | 9,901          | N              |                | 12                |
| 2421         |       | 2716    | 600 GB 15K FC DRIVE SET        | 108,804        | N              |                | 12                |
| 2421         |       | 2717    | 600 GB 15K FC COD DRIVE SET    | 10,880         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421         |       | 2758    | 900 GB 10K SAS DRIVE SET       | 141,446        | N              |                | 12                |
| 2421         |       | 2759    | 900 GB 10K SAS COD DRIVE SET   | 14,144         | N              |                | 12                |
| 2421         |       | 2858    | 3 TB 7.2K SAS HALF DRIVE S     | 61,445         | N              |                | 12                |
| 2421         |       | 2859    | 3 TB 7.2K SAS COD HALF DRI     | 6,144          | N              |                | 12                |
| 2421         |       | 2997    | 3 5 DISK ENCLOSURE FILLER SET  | 73             | N              |                | 12                |
| 2421         |       | 2998    | DISK ENCLOSURE FILLER HALF SET | 36             | N              |                | 12                |
| 2421         |       | 2999    | DISK ENCLOSURE FILLER SET      | 73             | N              |                | 12                |
| 2421         |       | 3043    | DEVICE ADAPTER PAIR III        | 7,254          | N              |                | 12                |
| 2421         |       | 3053    | DEVICE ADAPTER PAIR I          | 10,882         | N              |                | 12                |
| 2421         |       | 3143    | 4GB SW FCP/FICON ADAPTER PCIE  | 23,040         | N              |                | 12                |
| 2421         |       | 3153    | 8 GB 4 PORT SW FCPFICON ADAPT  | 25,343         | N              |                | 12                |
| 2421         |       | 3157    | 8 GB 8 PORT SW FCP FICON ADAPT | 40,319         | N              |                | 12                |
| 2421         |       | 3215    | 4GB 10KM LW FCP/FICON          | 30,294         | N              |                | 12                |
| 2421         |       | 3243    | 4GB LW FCP/FICON ADAPTER PCIE  | 23,040         | N              |                | 12                |
| 2421         |       | 3245    | 4GB 10KM LW FCP/FICON AD PCIE  | 30,294         | N              |                | 12                |
| 2421         |       | 3253    | 8 GB 4 PORT LW FCP FICON ADAPT | 25,343         | N              |                | 12                |
| 2421         |       | 3257    | 8 GB 8 PORT LW FCP FICON ADAPT | 40,319         | N              |                | 12                |
| 2421         |       | 4211    | 16GB PROCESSOR MEMORY          | 19,674         | N              |                | 12                |
| 2421         |       | 4212    | 32 GB PROCESSOR MEMORY (2W)    | 32,093         | N              |                | 12                |
| 2421         |       | 4213    | 64 GB PROCESSOR MEMORY (2W)    | 136,730        | N              |                | 12                |
| 2421         |       | 4214    | 128 GB PROCESSOR MEMORY (2W)   | 273,462        | N              |                | 12                |
| 2421         |       | 4222    | 32 GB PROCESSOR MEMORY (4W)    | 32,093         | N              |                | 12                |
| 2421         |       | 4223    | 64 GB PROCESSOR MEMORY (4W)    | 136,730        | N              |                | 12                |
| 2421         |       | 4224    | 128 GB PROCESSOR MEMORY (4W)   | 273,462        | N              |                | 12                |
| 2421         |       | 4225    | 256 GB PROCESSOR MEMORY (4W)   | 546,924        | N              |                | 12                |
| 2421         |       | 4226    | 384 GB PROCESSOR MEMORY (4W)   | 820,386        | N              |                | 12                |
| 2421         |       | 4302    | 4 WAY PROCESSOR CARD           | 57,167         | N              |                | 12                |
| 2421         |       | 4311    | 16GB PROCESSOR MMR 2CR         | 19,674         | N              |                | 12                |
| 2421         |       | 4312    | 32GB PROCESSOR MMR 2CR         | 32,093         | N              |                | 12                |
| 2421         |       | 4313    | 64GB PROCESSOR MMR 4CR ONLY    | 64,186         | N              |                | 12                |
| 2421         |       | 4314    | 128GB PROCESSOR MMR 8CR ONLY   | 118,043        | N              |                | 12                |
| 2421         |       | 4315    | 256GB PROCESSOR MMR 8CR ONLY   | 231,386        | N              |                | 12                |
| 2421         |       | 4316    | 512GB PROCESSOR MMR 16CR ONLY  | 400,879        | N              |                | 12                |
| 2421         |       | 4317    | 1TB PROCESSOR MMR 16CORE ONLY  | 649,762        | N              |                | 12                |
| 2421         |       | 4402    | 4-CORE PROCESSOR INDICATOR     | 57,168         | N              |                | 12                |
| 2421         |       | 4403    | 8-CORE PROCESSOR INDICATOR     | 114,337        | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421         |       | 4404    | 16-CORE PROCESSOR INDICATOR    | 228,673        | N              |                | 12                |
| 2421         |       | 5108    | 146 GB 15K FDE DRIVE SET       | 34,992         | N              |                | 12                |
| 2421         |       | 5116    | 300 GB 15K FDE DRIVE SET       | 67,422         | N              |                | 12                |
| 2421         |       | 5117    | 300 GB 15K FDE COD DRIVE SET   | 6,742          | N              |                | 12                |
| 2421         |       | 5209    | 146 GB 15K FDE COD DRIVE SET   | 3,499          | N              |                | 12                |
| 2421         |       | 5216    | 450 GB 15K FDE DRIVE SET       | 100,663        | N              |                | 12                |
| 2421         |       | 5217    | 450 GB 15K FDE COD DRIVE SET   | 10,065         | N              |                | 12                |
| 2421         |       | 5308    | 300 GB 15K FDE DRIVE SET       | 66,288         | N              |                | 12                |
| 2421         |       | 5309    | 300 GB 15K FDE COD DRIVE SET   | 6,629          | N              |                | 12                |
| 2421         |       | 5708    | 600 GB 10K FDE DRIVE SET       | 115,844        | N              |                | 12                |
| 2421         |       | 5709    | 600 GB 10K FDE COD DRIVE SET   | 11,584         | N              |                | 12                |
| 2421         |       | 5758    | 900 GB 10K FDE DRIVE SET       | 165,492        | N              |                | 12                |
| 2421         |       | 5759    | 900 GB 10K FDE COD DRIVE SET   | 16,549         | N              |                | 12                |
| 2421         |       | 5858    | 3 TB 7.2K FDE HALF DRIVE SET   | 70,948         | N              |                | 12                |
| 2421         |       | 5859    | 3 TB 7.2K FDE COD HALF         | 7,094          | N              |                | 12                |
| 2421         |       | 6106    | 400 GB SSD HALF DRIVE SET      | 254,630        | N              |                | 12                |
| 2421         |       | 6108    | 400 GB SSD DRIVE SET           | 509,259        | N              |                | 12                |
| 2421         |       | 6156    | 400 GB SSD FDE HALF DRIVE SET  | 155,780        | N              |                | 12                |
| 2421         |       | 6158    | 400 GB SSD FDE DRIVE SET       | 311,562        | N              |                | 12                |
| 2421         |       | 6214    | 600 GB SSD HALF DRIVE SET      | 386,297        | N              |                | 12                |
| 2421         |       | 6216    | 600 GB SSD DRIVE SET           | 772,594        | N              |                | 12                |
| 2422         | 94E   |         | DS8700 EXPANSION UNIT          | 52,232         | N              | 3              | 24                |
| 2422         | 95E   |         | DS8800 EXPANSION UNIT          | 52,232         | N              | 3              | 24                |
| 2422         | 961   |         | DS8870                         | 45,631         | N              | 3              | 24                |
| 2422         | 96E   |         | DS8870 EXPANSION UNIT          | 52,232         | N              | 3              | 24                |
| 2422         |       | 1000    | REMOTE POWER CONTROL           | 798            | N              |                | 24                |
| 2422         |       | 1050    | BATTERY ASSEMBLY               | 1,233          | N              |                | 24                |
| 2422         |       | 1051    | BATTERY ASSEMBLY               | 11,317         | N              |                | 24                |
| 2422         |       | 1055    | 9XE FACTORY MERGE              | 5,658          | N              |                | 24                |
| 2422         |       | 1060    | SPP CORD GROUP 1               | 1,378          | N              |                | 24                |
| 2422         |       | 1061    | SPPCORD 200-240V 60A 3PIN CONN | 7,254          | N              |                | 24                |
| 2422         |       | 1065    | SPP CORD GROUP 2               | 1,378          | N              |                | 24                |
| 2422         |       | 1067    | SPP CORD GROUP 3               | 1,378          | N              |                | 24                |
| 2422         |       | 1068    | SPP CORD 200-240V 63A NO CONN  | 5,078          | N              |                | 24                |
| 2422         |       | 1070    | TOP EXIT SPP CORD GROUP 1      | 4,570          | N              |                | 24                |
| 2422         |       | 1071    | TOP EXIT SPP CORD GROUP 3      | 2,031          | N              |                | 24                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 2422         |       | 1072    | TOPEXITSPP200-240V60A3PIN CONN  | 7,109          | N              |                | 24                |
| 2422         |       | 1073    | TOPEXITSPP200-240V63A NO CONN   | 5,078          | N              |                | 24                |
| 2422         |       | 1081    | 3PHS WYE380-440V32A NO CONN     | 2,539          | N              |                | 24                |
| 2422         |       | 1082    | 3PHS DELTA200-240V60A4PIN CONN  | 5,078          | N              |                | 24                |
| 2422         |       | 1083    | TEXTIT3PHS WYE380-440V32A NO C  | 3,264          | N              |                | 24                |
| 2422         |       | 1084    | TEXTIT3PHS DEL200-240V60A4PIN C | 7,254          | N              |                | 24                |
| 2422         |       | 1090    | LINE CORD (US/LA/AP/CANADA)     | 1,378          | N              |                | 24                |
| 2422         |       | 1091    | LINE CORD (EMEA)                | 363            | N              |                | 24                |
| 2422         |       | 1092    | LINE CORD (JAPAN)               | 798            | N              |                | 24                |
| 2422         |       | 1095    | TOP EXIT LINE CORD (US/LA/AP/C  | 1,378          | N              |                | 24                |
| 2422         |       | 1101    | UNIVERSAL LADDER                | 1,814          | N              |                | 24                |
| 2422         |       | 1120    | MGMT CONSOLE - ENGLISH INT      | 6,035          | N              |                | 24                |
| 2422         |       | 1130    | MGMT CONSOLE - ENGLISH EXT      | 6,035          | N              |                | 24                |
| 2422         |       | 1170    | MC LINE CORD STANDARD RACK      | 73             | N              |                | 24                |
| 2422         |       | 1171    | MC LINE CORD GROUP 1            | 73             | N              |                | 24                |
| 2422         |       | 1172    | MC LINE CORD GROUP 2            | 73             | N              |                | 24                |
| 2422         |       | 1210    | DISC ENCLOSURE PAIR             | 7,254          | N              |                | 24                |
| 2422         |       | 1211    | DISK DRIVE CABLE GROUP 1        | 725            | N              |                | 24                |
| 2422         |       | 1212    | DISK DRIVE CABLE GROUP 2        | 1,378          | N              |                | 24                |
| 2422         |       | 1213    | DISK DRIVE CABLE GROUP 3        | 1,596          | N              |                | 24                |
| 2422         |       | 1214    | DISK DRIVE CABLE GROUP 4        | 1,741          | N              |                | 24                |
| 2422         |       | 1241    | DISK ENCLOSURE PAIR             | 14,509         | N              |                | 24                |
| 2422         |       | 1246    | DISK CABLE HD DISK DRIVE C.GR1  | 5,078          | N              |                | 24                |
| 2422         |       | 1247    | DISK CABLE HD DISK DRIVE C.GR2  | 6,529          | N              |                | 24                |
| 2422         |       | 1248    | DISK CABLE HD DISK DRIVE C.GR4  | 8,705          | N              |                | 24                |
| 2422         |       | 1249    | HD DISK DRIVE CABLE GROUP 5     | 8,705          | N              |                | 24                |
| 2422         |       | 1250    | HD BC DISK DRIVE CABLE GROUP    | 2,176          | N              |                | 24                |
| 2422         |       | 1301    | I/O ENCLOSURE PAIR PCIE         | 8,023          | N              |                | 24                |
| 2422         |       | 1320    | PCI E CABLE GROUP 1             | 2,176          | N              |                | 24                |
| 2422         |       | 1321    | PCI E CABLE GROUP 2             | 2,974          | N              |                | 24                |
| 2422         |       | 1322    | PCI E CABLE GROUP 3             | 3,627          | N              |                | 24                |
| 2422         |       | 1400    | TOP EXIT BRACKET FOR FIBRE CAB  | 617            | N              |                | 24                |
| 2422         |       | 1410    | 50 UM FIBRE CABLE (LC)          | 73             | N              |                | 24                |
| 2422         |       | 1411    | 50 UM FIBRE CABLE (LC/SC)       | 73             | N              |                | 24                |
| 2422         |       | 1412    | 50 UM FIBRE CABLE (JUMPER)      | 73             | N              |                | 24                |
| 2422         |       | 1420    | 9 UM FIBRE CABLE (LC)           | 73             | N              |                | 24                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422         |       | 1421    | 9 UM FIBRE CABLE (LC/SC)       | 73             | N              |                | 24                |
| 2422         |       | 1422    | 9 UM FIBRE CABLE (JUMPER)      | 73             | N              |                | 24                |
| 2422         |       | 1721    | DS8000 LMC R6.0                | 29,018         | N              |                | 24                |
| 2422         |       | 1722    | DS8000 LMC R6.1                | 29,018         | N              |                | 12                |
| 2422         |       | 1724    | DS8000 LMC R6.3                | 29,018         | N              |                | 24                |
| 2422         |       | 1760    | TKLM ISOLATED KEY SERVER       | 15,727         | N              |                | 24                |
| 2422         |       | 1906    | EARTHQUAKE RESISTANCE KIT      | 14,403         | N              |                | 24                |
| 2422         |       | 1980    | PERFORMANCE ACCELERATOR        | 3,274          | N              |                | 24                |
| 2422         |       | 1999    | HARDWARE INSTALLATION MES      | 14,509         | N              |                | 24                |
| 2422         |       | 2208    | 146 GB 15K DRIVE SET           | 31,666         | N              |                | 24                |
| 2422         |       | 2209    | 146 GB 15K COD DRIVE SET       | 3,166          | N              |                | 24                |
| 2422         |       | 2416    | 300 GB 15K DRIVE SET           | 60,139         | N              |                | 24                |
| 2422         |       | 2417    | 300 GB 15K COD DRIVE SET       | 6,013          | N              |                | 24                |
| 2422         |       | 2616    | 450 GB 15K DRIVE SET           | 89,519         | N              |                | 24                |
| 2422         |       | 2617    | 450 GB 15K COD DRIVE SET       | 8,951          | N              |                | 24                |
| 2422         |       | 2708    | 600 GB 10K DRIVE SET           | 103,417        | N              |                | 24                |
| 2422         |       | 2709    | 600 GB 10K COD DRIVE SET       | 10,342         | N              |                | 24                |
| 2422         |       | 2716    | 600 GB 15K FC DRIVE SET        | 113,644        | N              |                | 24                |
| 2422         |       | 2717    | 600 GB 15K FC COD DRIVE SET    | 11,364         | N              |                | 24                |
| 2422         |       | 2758    | 900 GB 10K SAS DRIVE SET       | 158,189        | N              |                | 24                |
| 2422         |       | 2759    | 900 GB 10K SAS COD DRIVE SET   | 15,819         | N              |                | 24                |
| 2422         |       | 2858    | 3 TB 7.2K SAS HALF DRIVE S     | 71,658         | N              |                | 24                |
| 2422         |       | 2859    | 3 TB 7.2K SAS COD HALF DRI     | 7,166          | N              |                | 24                |
| 2422         |       | 2997    | 3 5 DISK ENCLOSURE FILLER SET  | 73             | N              |                | 24                |
| 2422         |       | 2998    | DISK ENCLOSURE FILLER HALF SET | 36             | N              |                | 24                |
| 2422         |       | 2999    | DISK ENCLOSURE FILLER SET      | 73             | N              |                | 24                |
| 2422         |       | 3043    | DEVICE ADAPTER PAIR III        | 7,254          | N              |                | 24                |
| 2422         |       | 3053    | DEVICE ADAPTER PAIR I          | 10,882         | N              |                | 24                |
| 2422         |       | 3143    | 4GB SW FCP/FICON ADAPTER PCIE  | 23,823         | N              |                | 24                |
| 2422         |       | 3153    | 8 GB 4 PORT SW FCP FICON ADAPT | 26,206         | N              |                | 24                |
| 2422         |       | 3157    | 8 GB 8 PORT SW FCP FICON ADAPT | 41,691         | N              |                | 24                |
| 2422         |       | 3215    | 4GB 10KM LW FCP/FICON ADAPTER  | 31,077         | N              |                | 24                |
| 2422         |       | 3243    | 4GB LW FCP/FICON ADAPTER PCIE  | 23,823         | N              |                | 24                |
| 2422         |       | 3245    | 4GB 10KM LW FCP/FICON ADAPTER  | 31,077         | N              |                | 24                |
| 2422         |       | 3253    | 8 GB 4 PORT LW FCP FICON ADAPT | 26,206         | N              |                | 24                |
| 2422         |       | 3257    | 8 GB 8 PORT LW FCP FICON ADAPT | 41,691         | N              |                | 24                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422         |       | 4211    | 16GB PROCESSOR MEMORY          | 20,370         | N              |                | 24                |
| 2422         |       | 4212    | 32 GB PROCESSOR MEMORY (2W)    | 33,486         | N              |                | 24                |
| 2422         |       | 4213    | 64 GB PROCESSOR MEMORY (2W)    | 139,516        | N              |                | 24                |
| 2422         |       | 4214    | 128 GB PROCESSOR MEMORY (2W)   | 279,033        | N              |                | 24                |
| 2422         |       | 4222    | 32 GB PROCESSOR MEMORY (4W)    | 33,486         | N              |                | 24                |
| 2422         |       | 4223    | 64 GB PROCESSOR MEMORY (4W)    | 139,516        | N              |                | 24                |
| 2422         |       | 4224    | 128 GB PROCESSOR MEMORY (4W)   | 279,033        | N              |                | 24                |
| 2422         |       | 4225    | 256 GB PROCESSOR MEMORY (4W)   | 558,066        | N              |                | 24                |
| 2422         |       | 4226    | 384 GB PROCESSOR MEMORY (4W)   | 837,100        | N              |                | 24                |
| 2422         |       | 4302    | 4 WAY PROCESSOR CARD           | 57,924         | N              |                | 24                |
| 2422         |       | 4311    | 16GB PROCESSOR MMR 2CR         | 20,370         | N              |                | 24                |
| 2422         |       | 4312    | 32GB PROCESSOR MMR 2CR         | 33,486         | N              |                | 24                |
| 2422         |       | 4313    | 64 GB CPU MEMORY 4 CORE ONLY   | 66,972         | N              |                | 24                |
| 2422         |       | 4314    | 128 GB CPU MEMORY 8 CORE ONLY  | 123,049        | N              |                | 24                |
| 2422         |       | 4315    | 256 GB CPU MEMORY 8 CORE ONLY  | 239,004        | N              |                | 24                |
| 2422         |       | 4316    | 512 GB CPU MEMORY 16 CORE ONLY | 410,237        | N              |                | 24                |
| 2422         |       | 4317    | 1 TB CPU MEMORY 16 CORE ONLY   | 660,861        | N              |                | 24                |
| 2422         |       | 4402    | 4 CORE PROCESSOR INDICATOR     | 59,779         | N              |                | 24                |
| 2422         |       | 4403    | 8 CORE PROCESSOR INDICATOR     | 118,907        | N              |                | 24                |
| 2422         |       | 4404    | 16 CORE PROCESSOR INDICATOR    | 235,420        | N              |                | 24                |
| 2422         |       | 5108    | 146 GB 15K FDE DRIVE SET       | 37,050         | N              |                | 24                |
| 2422         |       | 5116    | 300 GB 15K FDE DRIVE SET       | 71,565         | N              |                | 24                |
| 2422         |       | 5117    | 300 GB 15K FDE COD DRIVE SET   | 7,156          | N              |                | 24                |
| 2422         |       | 5209    | 146 GB 15K FDE COD DRIVE SET   | 3,705          | N              |                | 24                |
| 2422         |       | 5216    | 450 GB 15K FDE DRIVE SET       | 104,738        | N              |                | 24                |
| 2422         |       | 5217    | 450 GB 15K FDE COD DRIVE SET   | 10,474         | N              |                | 24                |
| 2422         |       | 5308    | 300 GB 15K FDE DRIVE SET       | 70,362         | N              |                | 24                |
| 2422         |       | 5309    | 300 GB 15K FDE COD DRIVE SET   | 7,036          | N              |                | 24                |
| 2422         |       | 5708    | 600 GB 10K FDE DRIVE SET       | 120,997        | N              |                | 24                |
| 2422         |       | 5709    | 600 GB 10K FDE COD DRIVE SET   | 12,099         | N              |                | 24                |
| 2422         |       | 5758    | 900 GB 10K FDE DRIVE SET       | 172,570        | N              |                | 24                |
| 2422         |       | 5759    | 900 GB 10K FDE COD DRIVE SET   | 17,256         | N              |                | 24                |
| 2422         |       | 5858    | 3 TB 7.2K FDE HALF DRIVE SET   | 75,228         | N              |                | 24                |
| 2422         |       | 5859    | 3 TB 7.2K FDE COD HALF         | 7,522          | N              |                | 24                |
| 2422         |       | 6106    | 400 GB SSD HALF DRIVE SET      | 277,481        | N              |                | 24                |
| 2422         |       | 6108    | 400 GB SSD DRIVE SET           | 554,962        | N              |                | 24                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422         |       | 6156    | 400 GB SSD FDE HALF DRIVE SET  | 169,753        | N              |                | 24                |
| 2422         |       | 6158    | 400 GB SSD FDE DRIVE SET       | 339,506        | N              |                | 24                |
| 2422         |       | 6214    | 600 GB SSD HALF DRIVE SET      | 413,501        | N              |                | 24                |
| 2422         |       | 6216    | 600 GB SSD DRIVE SET           | 827,003        | N              |                | 24                |
| 2423         | 94E   |         | DS8700 EXPANSION UNIT          | 53,320         | N              | 3              | 36                |
| 2423         | 95E   |         | DS8800 EXPANSION UNIT          | 53,320         | N              | 3              | 36                |
| 2423         | 961   |         | DS8870                         | 52,535         | N              | 3              | 36                |
| 2423         | 96E   |         | DS8870 EXPANSION UNIT          | 53,320         | N              | 3              | 36                |
| 2423         |       | 1000    | REMOTE POWER CONTROL           | 798            | N              |                | 36                |
| 2423         |       | 1050    | BATTERY ASSEMBLY               | 1,233          | N              |                | 36                |
| 2423         |       | 1051    | BATTERY ASSEMBLY               | 11,752         | N              |                | 36                |
| 2423         |       | 1055    | EXTENDED PLD                   | 5,658          | N              |                | 36                |
| 2423         |       | 1060    | SPP CORD GROUP 1               | 1,378          | N              |                | 36                |
| 2423         |       | 1061    | SPPCORD 200 240V 60A 3PIN CONN | 7,254          | N              |                | 36                |
| 2423         |       | 1065    | SPP CORD GROUP 2               | 1,378          | N              |                | 36                |
| 2423         |       | 1067    | SPP CORD GROUP 3               | 1,378          | N              |                | 36                |
| 2423         |       | 1068    | SPPCORD 200 240V 63A NO CONN   | 5,078          | N              |                | 36                |
| 2423         |       | 1070    | TOP EXIT SPP CORD GROUP 1      | 4,570          | N              |                | 36                |
| 2423         |       | 1071    | TOP EXIT SPP CORD GROUP 3      | 2,031          | N              |                | 36                |
| 2423         |       | 1072    | SPPCORD 200 240V 60A 3PIN CONN | 7,109          | N              |                | 36                |
| 2423         |       | 1073    | SPPCORD 200 240V 63A NO CONN   | 5,078          | N              |                | 36                |
| 2423         |       | 1081    | 3PHASE WYE380 440V 32A NO CON  | 2,539          | N              |                | 36                |
| 2423         |       | 1082    | 3PHASE DELTA 200 240V60A 4PIN  | 5,078          | N              |                | 36                |
| 2423         |       | 1083    | 3PHASE WYE 380 440V 32A NO CON | 3,264          | N              |                | 36                |
| 2423         |       | 1084    | 3PHASE DELTA 200 240V60A4PIN   | 7,254          | N              |                | 36                |
| 2423         |       | 1090    | LINE CORD (US/LA/AP/CANADA)    | 1,378          | N              |                | 36                |
| 2423         |       | 1091    | LINE CORD (EMEA)               | 363            | N              |                | 36                |
| 2423         |       | 1092    | LINE CORD (JAPAN)              | 798            | N              |                | 36                |
| 2423         |       | 1095    | TOP EXIT LINE CORD US/LA/AP/CA | 1,378          | N              |                | 36                |
| 2423         |       | 1096    | TOP EXIT LINE CORD (EMEA)      | 4,135          | N              |                | 36                |
| 2423         |       | 1101    | UNIVERSAL LADDER               | 1,814          | N              |                | 36                |
| 2423         |       | 1120    | MGMT CONSOLE - ENGLISH INT     | 6,645          | N              |                | 36                |
| 2423         |       | 1130    | MGMT CONSOLE - ENGLISH EXT     | 6,645          | N              |                | 36                |
| 2423         |       | 1170    | MC LINE CORD STANDARD RACK     | 73             | N              |                | 36                |
| 2423         |       | 1171    | MC LINE CORD GROUP 1           | 73             | N              |                | 36                |
| 2423         |       | 1172    | MC LINE CORD GROUP 2           | 73             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2423         |       | 1210    | DISK ENCLOSURE PAIR            | 7,254          | N              |                | 36                |
| 2423         |       | 1211    | DISK DRIVE CABLE GROUP 1       | 725            | N              |                | 36                |
| 2423         |       | 1212    | DISK DRIVE CABLE GROUP 2       | 1,378          | N              |                | 36                |
| 2423         |       | 1213    | DISK DRIVE CABLE GROUP 3       | 1,596          | N              |                | 36                |
| 2423         |       | 1214    | DISK DRIVE CABLE GROUP 4       | 1,741          | N              |                | 36                |
| 2423         |       | 1241    | DISK ENCLOSURE PAIR            | 14,509         | N              |                | 36                |
| 2423         |       | 1246    | HD DISK DRIVE CABLE GROUP 1    | 5,078          | N              |                | 36                |
| 2423         |       | 1247    | HD DISK DRIVE CABLE GROUP 2    | 6,529          | N              |                | 36                |
| 2423         |       | 1248    | HD DISK DRIVE CABLE GROUP 4    | 8,705          | N              |                | 36                |
| 2423         |       | 1249    | HD DISK DRIVE CABLE GROUP 5    | 8,705          | N              |                | 36                |
| 2423         |       | 1250    | HD BC DISK DRIVE CABLE GROUP   | 2,176          | N              |                | 36                |
| 2423         |       | 1301    | I/O ENCLOSURE PAIR PCIE        | 8,545          | N              |                | 12                |
| 2423         |       | 1320    | PCI E CABLE GROUP 1            | 2,176          | N              |                | 12                |
| 2423         |       | 1321    | PCI E CABLE GROUP 2            | 2,974          | N              |                | 12                |
| 2423         |       | 1322    | PCI E CABLE GROUP 3            | 3,627          | N              |                | 12                |
| 2423         |       | 1400    | TOP EXIT BRACKET FOR FIBRE CAB | 617            | N              |                | 36                |
| 2423         |       | 1410    | 50 UM FIBRE CABLE (LC)         | 73             | N              |                | 36                |
| 2423         |       | 1411    | 50 UM FIBRE CABLE (LC/SC)      | 73             | N              |                | 36                |
| 2423         |       | 1412    | 50 UM FIBRE CABLE (JUMPER)     | 73             | N              |                | 36                |
| 2423         |       | 1420    | 9 UM FIBRE CABLE (LC)          | 73             | N              |                | 36                |
| 2423         |       | 1421    | 9 UM FIBRE CABLE (LC/SC)       | 73             | N              |                | 36                |
| 2423         |       | 1422    | 9 UM FIBRE CABLE (JUMPER)      | 73             | N              |                | 36                |
| 2423         |       | 1721    | DS8000 LMC R6.0                | 29,018         | N              |                | 36                |
| 2423         |       | 1722    | DS8000 LMC R6.1                | 29,018         | N              |                | 12                |
| 2423         |       | 1724    | DS8000 LMC R6.3                | 29,018         | N              |                | 36                |
| 2423         |       | 1760    | TKLM ISOLATED KEY SERVER       | 17,207         | N              |                | 36                |
| 2423         |       | 1906    | EARTHQUAKE RESISTANCE KIT      | 15,162         | N              |                | 36                |
| 2423         |       | 1980    | PERFORMANCE ACCELERATOR        | 3,446          | N              |                | 36                |
| 2423         |       | 1999    | HARDWARE INSTALLATION MES      | 14,509         | N              |                | 12                |
| 2423         |       | 2208    | 146 GB 15K DRIVE SET           | 33,425         | N              |                | 36                |
| 2423         |       | 2209    | 146 GB 15K COD DRIVE SET       | 3,342          | N              |                | 36                |
| 2423         |       | 2308    | 300 GB 15K SAS DRIVE SET       | 68,046         | N              |                | 36                |
| 2423         |       | 2309    | 300 GB 15K SAS COD DRIVE SET   | 6,804          | N              |                | 36                |
| 2423         |       | 2416    | 300 GB 15K DRIVE SET           | 63,621         | N              |                | 36                |
| 2423         |       | 2417    | 300 GB 15K COD DRIVE SET       | 6,362          | N              |                | 36                |
| 2423         |       | 2616    | 450 GB 15K DRIVE SET           | 93,002         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2423         |       | 2617    | 450 GB 15K COD DRIVE SET       | 9,300          | N              |                | 36                |
| 2423         |       | 2708    | 600 GB 10K DRIVE SET           | 107,821        | N              |                | 36                |
| 2423         |       | 2709    | 600 GB 10K COD DRIVE SET       | 10,782         | N              |                | 36                |
| 2423         |       | 2716    | 600 GB 15K FC DRIVE SET        | 118,485        | N              |                | 36                |
| 2423         |       | 2717    | 600 GB 15K FC COD DRIVE SET    | 11,848         | N              |                | 36                |
| 2423         |       | 2758    | 900 GB 10K SAS DRIVE SET       | 164,240        | N              |                | 36                |
| 2423         |       | 2759    | 900 GB 10K SAS COD DRIVE SET   | 16,423         | N              |                | 36                |
| 2423         |       | 2858    | 3 TB 7.2K SAS HALF DRIVE S     | 75,728         | N              |                | 36                |
| 2423         |       | 2859    | 3 TB 7.2K SAS COD HALF DRIVE S | 7,573          | N              |                | 36                |
| 2423         |       | 2997    | 3.5 DISK ENCLOSURE FILLER SET  | 73             | N              |                | 36                |
| 2423         |       | 2998    | DISK ENCLOSURE FILLER HALF SET | 36             | N              |                | 36                |
| 2423         |       | 2999    | DISK ENCLOSURE FILLER SET      | 73             | N              |                | 36                |
| 2423         |       | 3043    | DEVICE ADAPTER PAIR III        | 7,254          | N              |                | 12                |
| 2423         |       | 3053    | DEVICE ADAPTER PAIR I          | 10,882         | N              |                | 36                |
| 2423         |       | 3143    | 4GB SW FCP/FICON ADAPTER PCIE  | 24,607         | N              |                | 12                |
| 2423         |       | 3153    | 8 GB 4 PORT SW FCP/FICON ADAPT | 27,067         | N              |                | 36                |
| 2423         |       | 3157    | 8 GB 8 PORT SW FCP/FICON ADAPT | 43,062         | N              |                | 36                |
| 2423         |       | 3215    | 4 GB 10KM LW FCP/FICON ADAPTER | 31,861         | N              |                | 36                |
| 2423         |       | 3243    | 4GB LW FCP/FICON ADAPTER PCIE  | 24,607         | N              |                | 12                |
| 2423         |       | 3245    | 4GB 10KM SW FCP/FICON AD PCIE  | 31,861         | N              |                | 12                |
| 2423         |       | 3253    | 8 GB 4 PORT LW FCP/FICON ADAPT | 27,067         | N              |                | 36                |
| 2423         |       | 3257    | 8 GB 8 PORT LW FCP/FICON ADAPT | 43,062         | N              |                | 36                |
| 2423         |       | 4211    | 16GB PROCESSOR MEMORY          | 21,066         | N              |                | 36                |
| 2423         |       | 4212    | 32 GB PROCESSOR MEMORY (2W)    | 34,879         | N              |                | 12                |
| 2423         |       | 4213    | 64 GB PROCESSOR MEMORY (2W)    | 142,302        | N              |                | 12                |
| 2423         |       | 4214    | 128 GB PROCESSOR MEMORY (2W)   | 284,605        | N              |                | 12                |
| 2423         |       | 4222    | 32 GB PROCESSOR MEMORY (4W)    | 34,879         | N              |                | 12                |
| 2423         |       | 4223    | 64 GB PROCESSOR MEMORY (4W)    | 142,302        | N              |                | 12                |
| 2423         |       | 4224    | 128 GB PROCESSOR MEMORY (4W)   | 284,605        | N              |                | 12                |
| 2423         |       | 4225    | 256 GB PROCESSOR MEMORY (4W)   | 569,209        | N              |                | 12                |
| 2423         |       | 4226    | 384 GB PROCESSOR MEMORY (4W)   | 853,815        | N              |                | 12                |
| 2423         |       | 4302    | 4 WAY PROCESSOR CARD           | 58,682         | N              |                | 12                |
| 2423         |       | 4311    | 16GB PROCESSOR MMR 2CR         | 21,066         | N              |                | 36                |
| 2423         |       | 4312    | 32GB PROCESSOR MMR 2CR         | 34,879         | N              |                | 36                |
| 2423         |       | 4313    | 64 GB CPU MEMORY 4CORE ONLY    | 69,758         | N              |                | 36                |
| 2423         |       | 4314    | 128GB CPU MEMORY 8CORE ONLY    | 128,054        | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2423         |       | 4315    | 256GB CPU MEMORY 8CORE ONLY    | 246,621        | N              |                | 36                |
| 2423         |       | 4316    | 512GB CPU MEMORY 16CORE ONLY   | 419,595        | N              |                | 36                |
| 2423         |       | 4317    | 1 TB CPU 16CORE ONLY           | 671,961        | N              |                | 36                |
| 2423         |       | 4402    | 4 CORE CPU INDICATOR           | 62,391         | N              |                | 36                |
| 2423         |       | 4403    | 8 CORE CPU INDICATOR           | 123,477        | N              |                | 36                |
| 2423         |       | 5108    | 146 GB 15K FDE DRIVE SET       | 39,107         | N              |                | 36                |
| 2423         |       | 5116    | 300 GB 15K FDE DRIVE SET       | 75,709         | N              |                | 36                |
| 2423         |       | 5117    | 300 GB 15K FDE COD DRIVE SET   | 7,570          | N              |                | 36                |
| 2423         |       | 5209    | 146 GB 15K FDE COD DRIVE SET   | 3,910          | N              |                | 36                |
| 2423         |       | 5216    | 450 GB 15K FDE DRIVE SET       | 108,811        | N              |                | 36                |
| 2423         |       | 5217    | 450 GB 15K FDE COD DRIVE SET   | 10,881         | N              |                | 36                |
| 2423         |       | 5308    | 300 GB 15K FDE DRIVE SET       | 74,436         | N              |                | 36                |
| 2423         |       | 5309    | 300 GB 15K FDE COD DRIVE SET   | 7,443          | N              |                | 36                |
| 2423         |       | 5708    | 600 GB 10K FDE DRIVE SET       | 126,150        | N              |                | 36                |
| 2423         |       | 5709    | 600 GB 10K FDE COD DRIVE SET   | 12,615         | N              |                | 36                |
| 2423         |       | 5758    | 900 GB 10K FDE DRIVE SET       | 179,649        | N              |                | 36                |
| 2423         |       | 5759    | 900 GB 10K FDE COD DRIVE SET   | 17,965         | N              |                | 36                |
| 2423         |       | 5858    | 3 TB 7.2K FDE HALF DRIVE SET   | 79,508         | N              |                | 36                |
| 2423         |       | 5859    | 3 TB 7.2K FDE COD HALF         | 7,951          | N              |                | 36                |
| 2423         |       | 6106    | 400 GB SSD HALF DRIVE SET      | 300,332        | N              |                | 36                |
| 2423         |       | 6108    | 400 GB SSD DRIVE SET           | 600,665        | N              |                | 36                |
| 2423         |       | 6156    | 400 GB SSD FDE HALF DRIVE SET  | 183,768        | N              |                | 36                |
| 2423         |       | 6158    | 400 GB SSD FDE DRIVE SET       | 367,537        | N              |                | 36                |
| 2423         |       | 6214    | 600 GB SSD HALF DRIVE SET      | 440,705        | N              |                | 36                |
| 2423         |       | 6216    | 600 GB SSD DRIVE SET           | 881,411        | N              |                | 36                |
| 2424         | 94E   |         | DS8700 EXPANSION UNIT          | 54,408         | N              | 3              | 48                |
| 2424         | 95E   |         | DS8800 EXPANSION UNIT          | 54,408         | N              | 3              | 48                |
| 2424         | 961   |         | DS8870                         | 59,441         | N              | 3              | 48                |
| 2424         | 96E   |         | DS8870 EXPANSION UNIT          | 54,408         | N              | 3              | 48                |
| 2424         |       | 1000    | REMOTE POWER CONTROL           | 798            | N              |                | 48                |
| 2424         |       | 1050    | BATTERY ASSEMBLY               | 1,233          | N              |                | 48                |
| 2424         |       | 1051    | BATTERY ASSEMBLY               | 12,187         | N              |                | 48                |
| 2424         |       | 1055    | EXTENDED PLD                   | 5,658          | N              |                | 48                |
| 2424         |       | 1060    | SPP CORD GROUP 1               | 1,378          | N              |                | 48                |
| 2424         |       | 1061    | SPP CORD 200 240V60A 3PIN CONN | 7,254          | N              |                | 48                |
| 2424         |       | 1065    | SPP CORD GROUP 2               | 1,378          | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2424         |       | 1067    | SPP CORD GROUP 3               | 1,378          | N              |                | 48                |
| 2424         |       | 1068    | SPP CORD 200 240V 63A NO CONN  | 5,078          | N              |                | 48                |
| 2424         |       | 1070    | TOP EXIT SPP CORD GROUP 1      | 4,570          | N              |                | 48                |
| 2424         |       | 1071    | TOP EXIT SPP CORD GROUP 3      | 2,031          | N              |                | 48                |
| 2424         |       | 1072    | TOP EXIT SPP 200 240V          | 7,109          | N              |                | 48                |
| 2424         |       | 1073    | TOP EXIT SPP 200 240V          | 5,078          | N              |                | 48                |
| 2424         |       | 1081    | 3PHASE WYE 380 440V 32ANO CONN | 2,539          | N              |                | 48                |
| 2424         |       | 1082    | 3PHASE DELTA 200 240V 60A 4PIN | 5,078          | N              |                | 48                |
| 2424         |       | 1083    | TOP EXIT 3 PHS WYE NO CNNCTR   | 3,264          | N              |                | 48                |
| 2424         |       | 1084    | TOP EXIT 3 PHS DELTA NO CNNCTR | 7,254          | N              |                | 48                |
| 2424         |       | 1090    | LINE CORD (US/LA/AP/CANADA)    | 1,378          | N              |                | 48                |
| 2424         |       | 1091    | LINE CORD (EMEA)               | 363            | N              |                | 48                |
| 2424         |       | 1092    | LINE CORD (JAPAN)              | 798            | N              |                | 48                |
| 2424         |       | 1095    | TOP EXIT LINE CORD (US/LA/AP/C | 1,378          | N              |                | 48                |
| 2424         |       | 1101    | UNIVERSAL LADDER               | 1,814          | N              |                | 48                |
| 2424         |       | 1120    | MGMT CONSOLE - ENGLISH INT     | 7,254          | N              |                | 48                |
| 2424         |       | 1130    | MGMT CONSOLE - ENGLISH EXT     | 7,254          | N              |                | 48                |
| 2424         |       | 1170    | MC LINE CORD STANDARD RACK     | 73             | N              |                | 48                |
| 2424         |       | 1171    | MC LINE CORD GROUP 1           | 73             | N              |                | 48                |
| 2424         |       | 1172    | MC LINE CORD GROUP 2           | 73             | N              |                | 48                |
| 2424         |       | 1210    | DISK ENCLOSURE PAIR            | 7,254          | N              |                | 48                |
| 2424         |       | 1211    | DISK DRIVE CABLE GROUP 1       | 725            | N              |                | 48                |
| 2424         |       | 1212    | DISK DRIVE CABLE GROUP 2       | 1,378          | N              |                | 48                |
| 2424         |       | 1213    | DISK DRIVE CABLE GROUP 3       | 1,596          | N              |                | 48                |
| 2424         |       | 1214    | DISK DRIVE CABLE GROUP 4       | 1,741          | N              |                | 48                |
| 2424         |       | 1241    | DISK ENCLOSURE PAIR            | 14,509         | N              |                | 48                |
| 2424         |       | 1246    | HD DISK DRIVE CABLE GROUP 1    | 5,078          | N              |                | 48                |
| 2424         |       | 1247    | HD DISK DRIVE CABLE GROUP 2    | 6,529          | N              |                | 48                |
| 2424         |       | 1248    | HD DISK DRIVE CABLE GROUP 4    | 8,705          | N              |                | 48                |
| 2424         |       | 1249    | HD DISK DRIVE CABLE GROUP 5    | 8,705          | N              |                | 48                |
| 2424         |       | 1250    | HD BC DISK DRIVE CABLE GROUP   | 2,176          | N              |                | 48                |
| 2424         |       | 1301    | I/O ENCLOSURE PAIR PCIE        | 9,068          | N              |                | 48                |
| 2424         |       | 1320    | PCI E CABLE GROUP 1            | 2,176          | N              |                | 48                |
| 2424         |       | 1321    | PCI E CABLE GROUP 2            | 2,974          | N              |                | 48                |
| 2424         |       | 1322    | PCI E CABLE GROUP 3            | 3,627          | N              |                | 48                |
| 2424         |       | 1400    | TOP EXIT BRACKET FOR FIBRE CAB | 617            | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2424         |       | 1410    | 50 UM FIBRE CABLE (LC)         | 73             | N              |                | 48                |
| 2424         |       | 1411    | 50 UM FIBRE CABLE (LC/SC)      | 73             | N              |                | 48                |
| 2424         |       | 1412    | 50 UM FIBRE CABLE (JUMPER)     | 73             | N              |                | 48                |
| 2424         |       | 1420    | 9 UM FIBRE CABLE (LC)          | 73             | N              |                | 48                |
| 2424         |       | 1421    | 9 UM FIBRE CABLE (LC/SC)       | 73             | N              |                | 48                |
| 2424         |       | 1422    | 9 UM FIBRE CABLE (JUMPER)      | 73             | N              |                | 48                |
| 2424         |       | 1721    | DS8000 LMC R6.0                | 29,018         | N              |                | 48                |
| 2424         |       | 1722    | DS8000 LMC R6.1                | 29,018         | N              |                | 12                |
| 2424         |       | 1724    | DS8000 LMC R6.3                | 29,018         | N              |                | 48                |
| 2424         |       | 1760    | TKLM ISOLATED KEY SERVER       | 18,687         | N              |                | 48                |
| 2424         |       | 1906    | EARTHQUAKE RESISTANCE KIT      | 15,960         | N              |                | 48                |
| 2424         |       | 1980    | PERFORMANCE ACCELERATOR        | 3,627          | N              |                | 48                |
| 2424         |       | 1999    | HARDWARE INSTALLATION MES      | 14,509         | N              |                | 48                |
| 2424         |       | 2208    | 146 GB 15K DRIVE SET           | 35,184         | N              |                | 48                |
| 2424         |       | 2209    | 146 GB 15K COD DRIVE SET       | 3,518          | N              |                | 48                |
| 2424         |       | 2308    | 300 GB 15K SAS DRIVE SET       | 71,528         | N              |                | 48                |
| 2424         |       | 2309    | 300 GB 15K SAS COD DRIVE SET   | 7,153          | N              |                | 48                |
| 2424         |       | 2416    | 300 GB 15K DRIVE SET           | 67,103         | N              |                | 48                |
| 2424         |       | 2417    | 300 GB 15K COD DRIVE SET       | 6,710          | N              |                | 48                |
| 2424         |       | 2616    | 450 GB 15K DRIVE SET           | 96,484         | N              |                | 48                |
| 2424         |       | 2617    | 450 GB 15K COD DRIVE SET       | 9,648          | N              |                | 48                |
| 2424         |       | 2708    | 600 GB 10K DRIVE SET           | 112,226        | N              |                | 48                |
| 2424         |       | 2709    | 600 GB 10K COD DRIVE SET       | 11,222         | N              |                | 48                |
| 2424         |       | 2716    | 600 GB 15K FC DRIVE SET        | 123,325        | N              |                | 48                |
| 2424         |       | 2717    | 600 GB 15K FC COD DRIVE SET    | 12,332         | N              |                | 48                |
| 2424         |       | 2758    | 900 GB 10K SAS DRIVE SET       | 170,289        | N              |                | 48                |
| 2424         |       | 2759    | 900 GB 10K SAS COD DRIVE SET   | 17,029         | N              |                | 48                |
| 2424         |       | 2858    | 3 TB 7.2K SAS HALF DRIVE SET   | 79,798         | N              |                | 48                |
| 2424         |       | 2859    | 3 TB 7.2K SAS COD HALF DRIVE S | 7,980          | N              |                | 48                |
| 2424         |       | 2997    | 3.5 DISK ENCLOSURE FILLER SET  | 73             | N              |                | 48                |
| 2424         |       | 2998    | DISK ENCLOSURE FILLER HALF SET | 36             | N              |                | 48                |
| 2424         |       | 2999    | DISK ENCLOSURE FILLER SET      | 73             | N              |                | 48                |
| 2424         |       | 3043    | DEVICE ADAPTER PAIR III        | 7,254          | N              |                | 48                |
| 2424         |       | 3053    | DEVICE ADAPTER PAIR I          | 10,882         | N              |                | 48                |
| 2424         |       | 3143    | 4GB SW FCP/FICON ADAPTER PCIE  | 25,390         | N              |                | 48                |
| 2424         |       | 3153    | 8 GB 4 PORT SW FCP FICON ADAPT | 27,929         | N              |                | 48                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2424         |       | 3157    | 8 GB 8 PORT SW FCP FICON ADAPT | 44,433         | N              |                | 48                |
| 2424         |       | 3215    | 4 GB 10KM LW FCP/FICON ADAPTER | 32,645         | N              |                | 48                |
| 2424         |       | 3243    | 4GB LW FCP/FICON ADAPTER PCIE  | 25,390         | N              |                | 48                |
| 2424         |       | 3245    | 4GB 10KM LW FCP/FICON ADAPTER  | 32,645         | N              |                | 48                |
| 2424         |       | 3253    | 8 GB 4 PORT LW FCP FICON ADAPT | 27,929         | N              |                | 48                |
| 2424         |       | 3257    | 8 GB 8 PORT LW FCP FICON ADAPT | 44,433         | N              |                | 48                |
| 2424         |       | 4211    | 16GB PROCESSOR MEMORY          | 21,763         | N              |                | 48                |
| 2424         |       | 4212    | 32 GB PROCESSOR MEMORY (2W)    | 36,272         | N              |                | 48                |
| 2424         |       | 4213    | 64 GB PROCESSOR MEMORY (2W)    | 145,088        | N              |                | 48                |
| 2424         |       | 4214    | 128 GB PROCESSOR MEMORY (2W)   | 290,176        | N              |                | 48                |
| 2424         |       | 4222    | 32 GB PROCESSOR MEMORY (4W)    | 36,272         | N              |                | 48                |
| 2424         |       | 4223    | 64 GB PROCESSOR MEMORY (4W)    | 145,088        | N              |                | 48                |
| 2424         |       | 4224    | 128 GB PROCESSOR MEMORY (4W)   | 290,176        | N              |                | 48                |
| 2424         |       | 4225    | 256 GB PROCESSOR MEMORY (4W)   | 580,353        | N              |                | 48                |
| 2424         |       | 4226    | 384 GB PROCESSOR MEMORY (4W)   | 870,529        | N              |                | 48                |
| 2424         |       | 4302    | 4 WAY PROCESSOR CARD           | 59,441         | N              |                | 48                |
| 2424         |       | 4311    | 16GB PROCESSOR MMR 2CR         | 21,763         | N              |                | 48                |
| 2424         |       | 4312    | 32GB PROCESSOR MMR 2CR         | 36,272         | N              |                | 48                |
| 2424         |       | 4313    | 64 GB CPU 4 CORE ONLY          | 72,544         | N              |                | 48                |
| 2424         |       | 4314    | 128 GB CPU 8 CORE ONLY         | 133,060        | N              |                | 48                |
| 2424         |       | 4315    | 256 GB CPU 8 CORE ONLY         | 254,238        | N              |                | 48                |
| 2424         |       | 4316    | 512 GB CPU 16 CORE ONLY        | 428,953        | N              |                | 48                |
| 2424         |       | 4317    | 1TB CPU 16 CORE ONLY           | 683,060        | N              |                | 48                |
| 2424         |       | 4402    | 4 CORE CPU INDICATOR           | 65,003         | N              |                | 48                |
| 2424         |       | 4403    | 8 CORE CPU INDICATOR           | 128,047        | N              |                | 48                |
| 2424         |       | 4404    | 16 CORE CPU INDICATOR          | 248,913        | N              |                | 48                |
| 2424         |       | 5108    | 146 GB 15K FDE DRIVE SET       | 41,165         | N              |                | 48                |
| 2424         |       | 5116    | 300 GB 15K FDE DRIVE SET       | 79,853         | N              |                | 48                |
| 2424         |       | 5117    | 300 GB 15K FDE COD DRIVE SET   | 7,985          | N              |                | 48                |
| 2424         |       | 5209    | 146 GB 15K FDE COD DRIVE SET   | 4,117          | N              |                | 48                |
| 2424         |       | 5216    | 450 GB 15K FDE DRIVE SET       | 112,886        | N              |                | 48                |
| 2424         |       | 5217    | 450 GB 15K FDE COD DRIVE SET   | 11,288         | N              |                | 48                |
| 2424         |       | 5308    | 300 GB 15K FDE DRIVE SET       | 78,511         | N              |                | 48                |
| 2424         |       | 5309    | 300 GB 15K FDE COD DRIVE SET   | 7,851          | N              |                | 48                |
| 2424         |       | 5708    | 600 GB 10K FDE DRIVE SET       | 131,304        | N              |                | 48                |
| 2424         |       | 5709    | 600 GB 10K FDE COD DRIVE SET   | 13,130         | N              |                | 48                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2424         |       | 5758    | 900 GB 10K FDE DRIVE SET      | 186,728        | N              |                | 48                |
| 2424         |       | 5759    | 900 GB 10K FDE COD DRIVE SET  | 18,672         | N              |                | 48                |
| 2424         |       | 5858    | 3 TB 7.2K FDE HALF DRIVE SET  | 83,788         | N              |                | 48                |
| 2424         |       | 5859    | 3 TB 7.2K FDE COD HALF        | 8,379          | N              |                | 48                |
| 2424         |       | 6106    | 400 GB SSD HALF DRIVE SET     | 323,184        | N              |                | 48                |
| 2424         |       | 6108    | 400 GB SSD DRIVE SET          | 646,368        | N              |                | 48                |
| 2424         |       | 6156    | 400 GB SSD FDE HALF DRIVE SET | 197,783        | N              |                | 48                |
| 2424         |       | 6158    | 400 GB SSD FDE DRIVE SET      | 395,568        | N              |                | 48                |
| 2424         |       | 6214    | 600 GB SSD HALF DRIVE SET     | 467,909        | N              |                | 48                |
| 2424         |       | 6216    | 600 GB SSD DRIVE SET          | 935,819        | N              |                | 48                |
| 2452         |       | 3003    | 3M GREEN CAT5E CABLE          | 28             | N              |                | 12                |
| 2452         |       | 3705    | 5M LC LC OPTICAL CABLE        | 93             | N              |                | 12                |
| 2458         | 002   |         | ZENTERPRISE BC EXTENSION      | *Call          | N              | 3              | 12                |
| 2458         | 003   |         | ZENTERPRISE BLADECENTER EXT   | *Call          | N              | 3              | 12                |
| 2458         |       | 0091    | HMC WITH DUAL ETHERNET        | *Call          | N              |                | 12                |
| 2458         |       | 0092    | HMC                           | *Call          | N              |                | 12                |
| 2458         |       | 0520    | POWER 3PH DELTA W/CORD        | *Call          | N              |                | 12                |
| 2458         |       | 0521    | POWER W/O CORD                | *Call          | N              |                | 12                |
| 2458         |       | 0531    | 60A/208V 1PH CORD             | *Call          | N              |                | 12                |
| 2458         |       | 0532    | 63A/230V 1PH CORD             | *Call          | N              |                | 12                |
| 2458         |       | 0533    | 32A/380 415V 3PH WYE CORD     | *Call          | N              |                | 12                |
| 2458         |       | 0540    | REAR DOOR HEAT EXCHANGER      | *Call          | N              |                | 12                |
| 2458         |       | 0541    | STD FRONT DOOR                | *Call          | N              |                | 12                |
| 2458         |       | 0542    | STD REAR DOOR                 | *Call          | N              |                | 12                |
| 2458         |       | 0543    | ACOUSTIC REAR DOOR            | *Call          | N              |                | 12                |
| 2458         |       | 0544    | CHASSIS COUNTER WEIGHT        | *Call          | N              |                | 12                |
| 2458         |       | 0570    | RACK HEIGHT REDUCTION         | *Call          | N              |                | 12                |
| 2458         |       | 0601    | PRIMARY ZBX RACK              | *Call          | N              |                | 12                |
| 2458         |       | 0602    | EXPANSION ZBX RACK            | *Call          | N              |                | 12                |
| 2458         |       | 0603    | ZBX CONFIGURED CHASSIS ASM    | *Call          | N              |                | 12                |
| 2458         |       | 0605    | 10 GBE ESM SWITCH             | *Call          | N              |                | 12                |
| 2458         |       | 0606    | FIBRE CHANNEL SWITCH          | *Call          | N              |                | 12                |
| 2458         |       | 0607    | MGMT TOR SWITCH               | *Call          | N              |                | 12                |
| 2458         |       | 0608    | IEDN TOR SWITCH               | *Call          | N              |                | 12                |
| 2458         |       | 0610    | ISAOPT BLADE                  | *Call          | N              |                | 12                |
| 2458         |       | 0614    | 10 GB SR OPTICAL MODULE       | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2458         |       | 0615    | 8 GB SW OPTICAL MODULE      | *Call          | N              |                | 12                |
| 2458         |       | 0618    | PROCESSOR BLADE FILLER      | *Call          | N              |                | 12                |
| 2458         |       | 0619    | RACK FILLER PLATE           | *Call          | N              |                | 12                |
| 2458         |       | 0620    | 1000 MM CAT6 CABLE          | *Call          | N              |                | 12                |
| 2458         |       | 0621    | 5M LC DUPLEX CABLE          | *Call          | N              |                | 12                |
| 2458         |       | 0624    | 15 FT CAT6 CABLE            | *Call          | N              |                | 12                |
| 2458         |       | 0625    | 3200 MM CAT6 CABLE          | *Call          | N              |                | 12                |
| 2458         |       | 0626    | 10 GB ETHERNET 1M SFP CABLE | *Call          | N              |                | 12                |
| 2458         |       | 0627    | 10 GB ETHERNET 3M SFP CABLE | *Call          | N              |                | 12                |
| 2458         |       | 0628    | 10 GB ETHERNET 7M SFP CABLE | *Call          | N              |                | 12                |
| 2458         |       | 0632    | 10 GB ETHERNET LR 10KM SFP  | *Call          | N              |                | 12                |
| 2458         |       | 0633    | 10 GB ETHERNET SR SFP       | *Call          | N              |                | 12                |
| 2458         |       | 0634    | 1000BASE LX 1310NM 10KM SFP | *Call          | N              |                | 12                |
| 2458         |       | 0635    | 1000BASE SX 850NM 550M SFP  | *Call          | N              |                | 12                |
| 2458         |       | 6096    | FLAT PANEL DISPLAY          | *Call          | N              |                | 12                |
| 2498         | B24   |         | SAN24B 4 EXPRESS            | 3,917          | Y              | 2              | 12                |
| 2498         | B80   |         | SAN80B 4                    | 54,255         | Y              | 2              | 12                |
| 2498         | E32   |         | SYSTEM STORAGE SAN32B E4    | 94,017         | Y              | 2              | 12                |
| 2498         | F24   |         | SYSTEM NETWORKING SAN24B 5  | 6,818          | Y              | 2              | 12                |
| 2498         | F48   |         | SYSTEM STORAGE SAN48B 5     | 15,550         | Y              | 2              | 12                |
| 2498         | F96   |         | SYSTEM NETWORKING SAN96B 5  | 51,543         | Y              | 2              | 12                |
| 2498         | N96   |         | SYSTEM NETWORKING SAN96B 5  | 51,543         | Y              | 2              | 12                |
| 2498         | R06   |         | SYSTEM STORAGE SAN06B R     | 13,458         | Y              | 2              | 12                |
| 2498         | X24   |         | SYSTEM NETWORKING SAN24B 5  | 5,528          | Y              | 2              | 12                |
| 2498         |       | 2401    | SFP 4 GBPS SW               | 104            | N              |                | 12                |
| 2498         |       | 2408    | SFP 4 GBPS SW 8 PACK        | 823            | N              |                | 12                |
| 2498         |       | 2411    | SFP 4 GBPS 10 KM LW         | 1,451          | N              |                | 12                |
| 2498         |       | 2418    | SFP 4 GBPS 10 KM LW 8 PACK  | 11,607         | N              |                | 12                |
| 2498         |       | 2441    | SFP 4 GBPS 4 KM LW          | 744            | N              |                | 12                |
| 2498         |       | 2448    | SFP 4 GBPS 4 KM LW 8 PACK   | 5,967          | N              |                | 12                |
| 2498         |       | 2480    | SFP 4 GBPS 30 KM ELW        | 3,438          | N              |                | 12                |
| 2498         |       | 2551    | SFP 1 GBE COPPER            | 544            | N              |                | 12                |
| 2498         |       | 2601    | SFP 16 GBPS SW              | 434            | N              |                | 12                |
| 2498         |       | 2608    | SFP 16 GBPS SW 8 PACK       | 3,477          | N              |                | 12                |
| 2498         |       | 2609    | SFP 10 GBPS 10 KM SW        | 709            | N              |                | 12                |
| 2498         |       | 2610    | SFP 10 GBPS 10 KM LW        | 2,205          | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2498         |       | 2611    | SFP+ 16 GBPS 10 KM LW         | 2,371          | N              |                | 12                |
| 2498         |       | 2618    | SFP+ 16 GBPS 10 KM LW 8 PACK  | 18,971         | N              |                | 12                |
| 2498         |       | 2801    | SFP 8 GBPS SW                 | 87             | N              |                | 12                |
| 2498         |       | 2802    | SFP 8 GBPS SW                 | 87             | N              |                | 12                |
| 2498         |       | 2808    | SFP 8 GBPS SW 8 PACK          | 681            | N              |                | 12                |
| 2498         |       | 2809    | SFP 8 GBPS SW 8 PACK          | 681            | N              |                | 12                |
| 2498         |       | 2821    | SFP 8 GBPS 10 KM LW           | 1,542          | N              |                | 12                |
| 2498         |       | 2828    | SFP 8 GBPS 10 KM LW 8 PACK    | 12,332         | N              |                | 12                |
| 2498         |       | 2881    | SFP 8 GBPS 25 KM ELW          | 9,219          | N              |                | 12                |
| 2498         |       | 2886    | SFP 16 GBPS 25 KM ELW         | 12,522         | N              |                | 12                |
| 2498         |       | 5600    | MFG SEL LEN INRCK FIB OP CB   | 48             | N              |                | 12                |
| 2498         |       | 5605    | LC LC 5 M 50U                 | 76             | N              |                | 12                |
| 2498         |       | 5625    | LC LC 25 M 50U                | 152            | N              |                | 12                |
| 2498         |       | 5721    | LC LC 31 M 9U                 | 73             | N              |                | 12                |
| 2498         |       | 5810    | OM3 CABLE LC LC 10M           | 87             | N              |                | 12                |
| 2498         |       | 5910    | MID-MOUNT TELCO RACK KIT      | 168            | N              |                | 12                |
| 2498         |       | 5911    | MID MOUNT TELCO RACK KIT      | 289            | N              |                | 12                |
| 2498         |       | 5998    | SAN24B 5 POWER SUPPLY FAN KIT | 1,741          | N              |                | 12                |
| 2498         |       | 7200    | 8 PORT ACTIVATION             | 2,517          | N              |                | 12                |
| 2498         |       | 7201    | B24 ENTERPRISE PACKAGE        | 13,457         | N              |                | 12                |
| 2498         |       | 7202    | FABRIC WATCH                  | 1,741          | N              |                | 12                |
| 2498         |       | 7203    | EXTENDED FABRIC               | 3,917          | N              |                | 12                |
| 2498         |       | 7204    | ADVANCED PERFORMANCE MONITOR  | 1,632          | N              |                | 12                |
| 2498         |       | 7205    | TRUNKING ACTIVATION           | 3,264          | N              |                | 12                |
| 2498         |       | 7206    | ADAPTIVE NETWORKING           | 2,263          | N              |                | 12                |
| 2498         |       | 7210    | B24 SERVER APPL OPT           | 640            | N              |                | 12                |
| 2498         |       | 7212    | 12 PORT ACTIVATION            | 5,101          | N              |                | 12                |
| 2498         |       | 7230    | SYSTEM STORAGE SAN06BR FIPS   | 1,519          | N              |                | 12                |
| 2498         |       | 7400    | 8 PORT ACTIVATION             | 6,180          | N              |                | 12                |
| 2498         |       | 7401    | B40 ENTERPRISE PACKAGE        | 20,333         | N              |                | 12                |
| 2498         |       | 7403    | EXTENDED FABRIC               | 4,643          | N              |                | 12                |
| 2498         |       | 7404    | ADVANCED PERFORMANCE MONITOR  | 1,741          | N              |                | 12                |
| 2498         |       | 7405    | TRUNKING ACTIVATION           | 3,482          | N              |                | 12                |
| 2498         |       | 7406    | ADAPTIVE NETWORKING           | 3,424          | N              |                | 12                |
| 2498         |       | 7407    | INTEGRATED ROUTING            | 13,696         | N              |                | 12                |
| 2498         |       | 7409    | FICON W CUP ACTIVATION        | 2,205          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2498         |       | 7410    | B40 SERVER APPL OPT            | 1,298          | N              |                | 12                |
| 2498         |       | 7411    | 12 PORT ACTIVATION             | 8,290          | N              |                | 12                |
| 2498         |       | 7413    | INTEGRATED 10 GBPS FC          | 12,382         | N              |                | 12                |
| 2498         |       | 7716    | 2498 R06 FIRMWARE UPGR 1 YR    | 467            | N              |                | 12                |
| 2498         |       | 7717    | 2498 R06 FIRMWARE UPGR 2 YR    | 889            | N              |                | 12                |
| 2498         |       | 7718    | 2498 E32 FIRMWARE UPGR 1 YR    | 6,096          | N              |                | 12                |
| 2498         |       | 7719    | 2498 E32 FIRMWARE UPGR 2 YR    | 11,582         | N              |                | 12                |
| 2498         |       | 7720    | 2498 F48 FW UPGR RENEWAL 1YR   | 1,161          | N              |                | 12                |
| 2498         |       | 7721    | 2498 F48 FW UPGR RENEWAL 2YR   | 2,321          | N              |                | 12                |
| 2498         |       | 7722    | 2498 F24 FW UPGR RENEWAL 1YR   | 399            | N              |                | 12                |
| 2498         |       | 7723    | 2498 F24 FW UPGR RENEWAL 2YR   | 798            | N              |                | 12                |
| 2498         |       | 7726    | SAN96B-5 FW UPGR RENEWAL 1YR   | 4,173          | N              |                | 12                |
| 2498         |       | 7727    | SAN96B-5 FW UPGR RENEWAL 2YR   | 8,370          | N              |                | 12                |
| 2498         |       | 7732    | PORT ACTIVATION 12 FC 4 IP     | 43,748         | N              |                | 12                |
| 2498         |       | 7733    | 8 GBPS ROUTER ADVANCED EXT     | 9,477          | N              |                | 12                |
| 2498         |       | 7734    | R06 PERFORMANCE MONITOR        | 3,081          | N              |                | 12                |
| 2498         |       | 7735    | R06 TRUNKING ACTIVATION        | 4,622          | N              |                | 12                |
| 2498         |       | 7736    | ADAPTIVE NETWORKING            | 4,596          | N              |                | 12                |
| 2498         |       | 7737    | FICON W CUP ACTIVATION         | 5,587          | N              |                | 12                |
| 2498         |       | 7738    | SYS STOR SAN06BR R06 FICON ACC | 31,469         | N              |                | 12                |
| 2498         |       | 7739    | INTEGRATED ROUTING             | 13,266         | N              |                | 12                |
| 2498         |       | 7740    | FABRIC WATCH                   | 2,773          | N              |                | 12                |
| 2498         |       | 7741    | R06 SERVER APPL OPT            | 968            | N              |                | 12                |
| 2498         |       | 7742    | EXTENDED FABRIC                | 3,389          | N              |                | 12                |
| 2498         |       | 7800    | 16 PORT ACTIVATION             | 15,307         | N              |                | 12                |
| 2498         |       | 7801    | B80 ENTERPRISE PACKAGE         | 42,953         | N              |                | 12                |
| 2498         |       | 7802    | FABRIC WATCH                   | 2,539          | N              |                | 12                |
| 2498         |       | 7803    | EXTENDED FABRIC                | 5,426          | N              |                | 12                |
| 2498         |       | 7804    | ADVANCED PERFORMANCE MONITOR   | 3,068          | N              |                | 12                |
| 2498         |       | 7805    | TRUNKING ACTIVATION            | 5,426          | N              |                | 12                |
| 2498         |       | 7806    | ADAPTIVE NETWORKING            | 4,976          | N              |                | 12                |
| 2498         |       | 7807    | INTEGRATED ROUTING             | 20,043         | N              |                | 12                |
| 2498         |       | 7809    | FICON W CUP ACTIVATION         | 4,483          | N              |                | 12                |
| 2498         |       | 7810    | B80 SERVER APPL OPT            | 2,595          | N              |                | 12                |
| 2498         |       | 7812    | 24-PORT ACTIVATION             | 20,809         | N              |                | 12                |
| 2498         |       | 7813    | INTEGRATED 10 GB FC            | 12,518         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2498         |       | 7815    | ENCRYPTION 96 GB DISK PERFORMA | 87,516         | N              |                | 12                |
| 2499         | 192   |         | IBM SYSTEM STORAGE SAN384B     | 72,713         | N              | 2              | 12                |
| 2499         | 384   |         | IBM SYSTEM STORAGE SAN768B     | 116,447        | N              | 2              | 12                |
| 2499         | 416   |         | SAN384B 2                      | 77,070         | N              | 2              | 12                |
| 2499         | 816   |         | SAN768B 2                      | 99,217         | N              | 2              | 12                |
| 2499         |       | 2117    | SFP+ TRANSCEIVER 10 GBPS SR    | 671            | N              |                | 12                |
| 2499         |       | 2118    | SFP+ 10 GBPS SR 8 PACK         | 4,948          | N              |                | 12                |
| 2499         |       | 2151    | SFP+ TRANSCEIVER 10 GBPS LR    | 2,896          | N              |                | 12                |
| 2499         |       | 2158    | SFP+ 10 GBPS LR 8 PACK         | 19,923         | N              |                | 12                |
| 2499         |       | 2401    | SFP 4 GBPS SW                  | 130            | N              |                | 12                |
| 2499         |       | 2408    | SFP 4 GBPS SW 8 PACK           | 1,043          | N              |                | 12                |
| 2499         |       | 2411    | SFP 4 GBPS 10 KM LW            | 1,976          | N              |                | 12                |
| 2499         |       | 2418    | SFP 4 GBPS 10 KM LW 8 PACK     | 15,809         | N              |                | 12                |
| 2499         |       | 2441    | SFP 4 GBPS 4 KM LW             | 943            | N              |                | 12                |
| 2499         |       | 2448    | SFP 4 GBPS 4 KM LW 8 PACK      | 7,545          | N              |                | 12                |
| 2499         |       | 2480    | SFP 4 GBPS 30 KM ELW           | 4,353          | N              |                | 12                |
| 2499         |       | 2550    | SFP TRANSCEIVER 1 GBE COPPER   | 653            | N              |                | 12                |
| 2499         |       | 2551    | SFP TRANSCEIVER 1 GBE COPPER   | 544            | N              |                | 12                |
| 2499         |       | 2601    | SFP 16 GBPS SW                 | 550            | N              |                | 12                |
| 2499         |       | 2608    | SFP 16 GBPS SW 8 PACK          | 4,402          | N              |                | 12                |
| 2499         |       | 2609    | SFP 10 GBPS 10 KM SW           | 889            | N              |                | 12                |
| 2499         |       | 2610    | SFP 10 GBPS 10 KM LW           | 3,256          | N              |                | 12                |
| 2499         |       | 2611    | SFPPLUS 16 GBPS 10 KM LW       | 3,502          | N              |                | 12                |
| 2499         |       | 2618    | SFPPLUS 16 GBPS 10 KM LW 8PACK | 28,025         | N              |                | 12                |
| 2499         |       | 2801    | SFP 8 GBPS SW                  | 109            | N              |                | 12                |
| 2499         |       | 2802    | SFP 8 GBPS SW                  | 109            | N              |                | 12                |
| 2499         |       | 2808    | SFP 8 GBPS SW 8 PACK           | 862            | N              |                | 12                |
| 2499         |       | 2809    | SFP 8 GBPS SW 8-PACK           | 862            | N              |                | 12                |
| 2499         |       | 2821    | SFP 8 GBPS10 KM LW             | 2,274          | N              |                | 12                |
| 2499         |       | 2828    | SFP 8 GBPS10 KM LW 8 PACK      | 18,197         | N              |                | 12                |
| 2499         |       | 2881    | SFP 8 GBPS 25 KM ELW           | 9,219          | N              |                | 12                |
| 2499         |       | 3016    | 16 GBPS CORE BLADE KIT         | 50,581         | N              |                | 12                |
| 2499         |       | 3017    | 16 GBPS CORE BLADE KIT         | 70,661         | N              |                | 12                |
| 2499         |       | 3632    | FC 16GBPS 32 PORT BLADE        | 52,514         | N              |                | 12                |
| 2499         |       | 3648    | FC 16GBPS 48 PORT BLADE        | 72,163         | N              |                | 12                |
| 2499         |       | 3816    | FC 8 GB 16 PORT BLADE          | 27,087         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2499         |       | 3832    | FC 8 GB 32 PORT BLADE          | 44,361         | N              |                | 12                |
| 2499         |       | 3848    | FC 8 GB 48 PORT BLADE          | 61,524         | N              |                | 12                |
| 2499         |       | 3864    | SAN768B FC 8 GBPS 64 PORT      | 74,668         | N              |                | 12                |
| 2499         |       | 3880    | CEE 10GBE 24 PORT BLADE        | 86,252         | N              |                | 12                |
| 2499         |       | 3895    | SYSTEM STORAGE SAN768B ENCRYPT | 101,852        | N              |                | 12                |
| 2499         |       | 5305    | LC/LC 5 M 50U                  | 98             | N              |                | 12                |
| 2499         |       | 5325    | LC/LC 25 M 50U                 | 150            | N              |                | 12                |
| 2499         |       | 5405    | LC/LC 5 M 50U 4 PACK           | 394            | N              |                | 12                |
| 2499         |       | 5425    | LC/LC 25 M 50U 4 PACK          | 604            | N              |                | 12                |
| 2499         |       | 5444    | LC/LC 31 M 9U 4 PACK           | 290            | N              |                | 12                |
| 2499         |       | 5731    | LC/LC 31 M 9U                  | 73             | N              |                | 12                |
| 2499         |       | 5810    | OM3 CABLE LC LC 10M            | 87             | N              |                | 12                |
| 2499         |       | 5818    | OM3 CABLE LC LC 10M 4 PACK     | 348            | N              |                | 12                |
| 2499         |       | 7710    | 2499 816 FW UPGRADE 1 YEAR     | 10,863         | N              |                | 12                |
| 2499         |       | 7711    | 2499 816 FW UPGRADE 2 YEARS    | 21,727         | N              |                | 12                |
| 2499         |       | 7712    | 2499 192 FW UPGRADE 1 YEAR     | 5,492          | N              |                | 12                |
| 2499         |       | 7713    | 2499 192 FW UPGRADE 2 YEARS    | 10,435         | N              |                | 12                |
| 2499         |       | 7714    | 2499 416 FW UPGRADE 1 YEAR     | 6,602          | N              |                | 12                |
| 2499         |       | 7715    | 2499 416 FW UPGRADE 2 YEARS    | 13,203         | N              |                | 12                |
| 2499         |       | 7803    | EXTENDED FABRIC ACTIVATION     | 27,137         | N              |                | 12                |
| 2499         |       | 7870    | INTER CHASSIS CABLE KIT        | 14,494         | N              |                | 12                |
| 2499         |       | 7880    | 384 UPGRADE POWER SUPPLY       | 11,984         | N              |                | 12                |
| 2499         |       | 7882    | INTER CHASSIS LICENSE HALF     | 31,725         | N              |                | 12                |
| 2499         |       | 7883    | SAN384B INTER CHASSIS LICENSE  | 28,861         | N              |                | 12                |
| 2499         |       | 7884    | FICON W CUP ACTIVATION         | 13,909         | N              |                | 12                |
| 2499         |       | 7885    | INTER CHASSIS LICENCE          | 53,958         | N              |                | 12                |
| 2499         |       | 7886    | FICON W/CUP ACTIVATION         | 17,722         | N              |                | 12                |
| 2499         |       | 7887    | FCIP/FC EXTENSION              | 23,859         | N              |                | 12                |
| 2499         |       | 7888    | FICON ACCELERATOR              | 67,385         | N              |                | 12                |
| 2499         |       | 7889    | INTEGRATED ROUTING             | 38,063         | N              |                | 12                |
| 2499         |       | 7890    | INTEGRATED ROUTING             | 37,723         | N              |                | 12                |
| 2499         |       | 7891    | 8 GBPS ADV EXT ACTIVATION      | 13,371         | N              |                | 12                |
| 2499         |       | 7892    | 10 GBE ACTIVATION              | 31,246         | N              |                | 12                |
| 2499         |       | 7893    | 8 GBPS FICON ACCELERATOR       | 39,276         | N              |                | 12                |
| 2499         |       | 7895    | SYSTEM STORAGE SAN768B ENCRYPT | 111,659        | N              |                | 12                |
| 2499         |       | 7910    | SAN768B SERVER APPLICATION FI  | 217            | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2499         |       | 7920    | SAN384B SERVER APPLICATION FI | 217            | N              |                | 12                |
| 2805         |       | 1810    | DUAL POWER SUPPLY OPTION      | 190            | N              |                | 12                |
| 2805         |       | 9100    | CONSOLE KEYBOARD/DISPLAY/DRAW | 1,717          | N              |                | 12                |
| 2810         |       | 0080    | RUGGEDIZED RACK               | 13,783         | N              |                | 12                |
| 2810         |       | 0082    | REAR WATER COOLED DOOR        | 19,587         | N              |                | 12                |
| 2810         |       | 1101    | DUAL CPU INTERFACE MODULE     | 30,004         | N              |                | 12                |
| 2810         |       | 1102    | 2 TB DCPU INTERFACE MODULE    | 52,667         | N              |                | 12                |
| 2810         |       | 1106    | LV DATA MODULE                | 30,004         | N              |                | 12                |
| 2810         |       | 1107    | 2 TB LV DATA MODULE           | 52,667         | N              |                | 12                |
| 2810         |       | 1111    | DUAL CPU COD INTERFACE MODULE | 2,999          | N              |                | 12                |
| 2810         |       | 1116    | LV COD DATA MODULE            | 2,999          | N              |                | 12                |
| 2810         |       | 1119    | COD 5.5 TB ACTIVATION         | 27,004         | N              |                | 12                |
| 2810         |       | 1120    | 1TB HDD MODULE COD ACTIVATION | 27,004         | N              |                | 12                |
| 2810         |       | 1121    | 2TB HDD MODULE COD ACTIVATION | 47,399         | N              |                | 12                |
| 2810         |       | 1125    | 2TB INTERFACE MODULE          | 65,834         | N              |                | 12                |
| 2810         |       | 1126    | 2TB DATA MODULE               | 65,834         | N              |                | 12                |
| 2810         |       | 1135    | 3TB INTERFACE MODULE          | 79,436         | N              |                | 12                |
| 2810         |       | 1136    | 3TB DATA MODULE               | 79,436         | N              |                | 12                |
| 2810         |       | 1145    | 2TB COD INTERFACE MODULE      | 6,583          | N              |                | 12                |
| 2810         |       | 1146    | 2TB COD DATA MODULE           | 6,583          | N              |                | 12                |
| 2810         |       | 1147    | 3TB COD INTERFACE MODULE      | 7,944          | N              |                | 12                |
| 2810         |       | 1148    | 3TB COD DATA MODULE           | 7,944          | N              |                | 12                |
| 2810         |       | 1149    | 2TB HDD COD ACTIVATION        | 59,250         | N              |                | 12                |
| 2810         |       | 1150    | 3TB HDD COD ACTIVATION        | 71,492         | N              |                | 12                |
| 2810         |       | 3900    | ETHERNET CABLE                | 544            | N              |                | 12                |
| 2810         |       | 3910    | FIBRE CABLE (LC)              | 544            | N              |                | 12                |
| 2810         |       | 3920    | FIBRE CABLE (LC/SC)           | 544            | N              |                | 12                |
| 2810         |       | 9000    | MAINTENANCE MODULE            | 5,745          | N              |                | 12                |
| 2810         |       | 9101    | MODEM                         | 725            | N              |                | 12                |
| 2810         |       | 9811    | US/CA/LA/AP 60A PIN CORD      | 2,176          | N              |                | 12                |
| 2810         |       | 9813    | EMEA/AUS/NZ 60A HARD WIRED    | 2,176          | N              |                | 12                |
| 2810         |       | 9820    | 3PH NON EMEA 60A PIN CORD     | 3,627          | N              |                | 12                |
| 2810         |       | 9822    | 3PH EMEA ANZ 30A HARD WIRED   | 3,627          | N              |                | 12                |
| 2810         |       | 9824    | 3PH 30A NON EMEA PIN CORD     | 3,627          | N              |                | 12                |
| 2812         | 116   |         | XIV STORAGE SYSTEM MODEL R3   | 137,108        | N              | 3              | 36                |
| 2812         | 214   |         | XIV STORAGE SYSTEM MODEL R3   | 132,897        | N              | 3              | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2812         | 215   |         | XIV STORAGE SYSTEM MODEL R3   | 199,786        | N              | 3              | 36                |
| 2812         | 216   |         | XIV STORAGE SYSTEM MODEL R3   | 270,005        | N              | 3              | 36                |
| 2812         |       | 0080    | RUGGEDIZED RACK               | 18,608         | N              |                | 36                |
| 2812         |       | 0082    | REAR WATER COOLED DOOR        | 26,442         | N              |                | 36                |
| 2812         |       | 1101    | DUAL CPU INTERFACE MODULE     | 40,505         | N              |                | 36                |
| 2812         |       | 1102    | 2 TB DCPU INTERFACE MODULE    | 71,052         | N              |                | 36                |
| 2812         |       | 1106    | LV DATA MODULE                | 40,505         | N              |                | 36                |
| 2812         |       | 1107    | 2 TB LV DATA MODULE           | 71,052         | N              |                | 36                |
| 2812         |       | 1111    | DUAL CPU COD INTERFACE MODULE | 4,050          | N              |                | 36                |
| 2812         |       | 1116    | LV COD DATA MODULE            | 4,050          | N              |                | 36                |
| 2812         |       | 1120    | 1TB HDD MODULE COD ACTIVATION | 36,454         | N              |                | 36                |
| 2812         |       | 1121    | 2TB HDD MODULE COD ACTIVATION | 63,948         | N              |                | 36                |
| 2812         |       | 1122    | 1TB INTERFACE MODULE          | 73,451         | N              |                | 36                |
| 2812         |       | 1123    | 1TB DATA MODULE               | 73,451         | N              |                | 36                |
| 2812         |       | 1125    | 2TB INTERFACE MODULE          | 88,815         | N              |                | 36                |
| 2812         |       | 1126    | 2TB DATA MODULE               | 88,815         | N              |                | 36                |
| 2812         |       | 1135    | 3TB INTERFACE MODULE          | 107,238        | N              |                | 36                |
| 2812         |       | 1136    | 3TB DATA MODULE               | 107,238        | N              |                | 36                |
| 2812         |       | 1145    | 2TB COD INTERFACE MODULE      | 8,881          | N              |                | 36                |
| 2812         |       | 1146    | 2TB COD DATA MODULE           | 8,881          | N              |                | 36                |
| 2812         |       | 1147    | 3TB COD INTERFACE MODULE      | 10,723         | N              |                | 36                |
| 2812         |       | 1148    | 3TB COD DATA MODULE           | 10,723         | N              |                | 36                |
| 2812         |       | 1149    | 2TB HDD COD ACTIVATION        | 79,933         | N              |                | 36                |
| 2812         |       | 1150    | 3TB HDD COD ACTIVATION        | 96,514         | N              |                | 12                |
| 2812         |       | 1155    | IBM XIV SSD CACHING           | 19,587         | N              |                | 36                |
| 2812         |       | 2015    | 1TB INTERFACE MODULE 1GBE     | 73,451         | N              |                | 36                |
| 2812         |       | 2016    | 1TB DATA MODULE               | 73,451         | N              |                | 36                |
| 2812         |       | 2025    | 2TB INTERFACE MODULE 1GBE     | 88,815         | N              |                | 36                |
| 2812         |       | 2026    | 2TB DATA MODULE               | 88,815         | N              |                | 36                |
| 2812         |       | 2027    | 2TB COD INTERFACE MOD 1GBE    | 8,881          | N              |                | 36                |
| 2812         |       | 2028    | 2TB COD DATA MODULE           | 8,881          | N              |                | 36                |
| 2812         |       | 2029    | 2TB HDD COD ACTIVATION 1GBE   | 79,933         | N              |                | 36                |
| 2812         |       | 2035    | 3TB INTERFACE MODULE 1GBE     | 107,238        | N              |                | 36                |
| 2812         |       | 2036    | 3TB DATA MODULE               | 107,238        | N              |                | 36                |
| 2812         |       | 2037    | 3TB COD INTERFACE MOD 1GBE    | 10,723         | N              |                | 36                |
| 2812         |       | 2038    | 3TB COD DATA MODULE           | 10,723         | N              |                | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2812         |       | 2039    | 3TB HDD COD ACTIVATION 1GBE   | 96,514         | N              |                | 36                |
| 2812         |       | 2041    | 4TB INTERFACE MODULE 1GBE     | 123,325        | N              |                | 12                |
| 2812         |       | 2042    | 4TB DATA MODULE               | 123,325        | N              |                | 12                |
| 2812         |       | 2043    | 4TB COD INTERFACE MODULE 1GBE | 12,332         | N              |                | 12                |
| 2812         |       | 2044    | 4TB COD DATA MODULE           | 12,332         | N              |                | 12                |
| 2812         |       | 2049    | 4TB HDD COD ACTIVATION 1GBE   | 110,992        | N              |                | 12                |
| 2812         |       | 2115    | 1TB INTERFACE MODULE 10GBE    | 80,796         | N              |                | 36                |
| 2812         |       | 2125    | 2TB INTERFACE MODULE 10GBE    | 97,697         | N              |                | 36                |
| 2812         |       | 2127    | 2TB COD INTERFACE MOD 10GBE   | 9,769          | N              |                | 36                |
| 2812         |       | 2129    | 2TB HDD COD ACTIVATION 10GBE  | 87,927         | N              |                | 12                |
| 2812         |       | 2135    | 3TB INTERFACE MODULE 10GBE    | 117,962        | N              |                | 36                |
| 2812         |       | 2137    | 3TB COD INTERFACE MOD 10GBE   | 11,795         | N              |                | 36                |
| 2812         |       | 2139    | 3TB HDD COD ACTIVATION 10GBE  | 106,137        | N              |                | 12                |
| 2812         |       | 2141    | 4TB SED INTERFACE MODUL 10GBE | 135,657        | N              |                | 12                |
| 2812         |       | 2143    | 4TB SED COD INTRFC MOD 10GBE  | 13,566         | N              |                | 12                |
| 2812         |       | 2149    | 4TB SED HDD COD ACTIV 10GBE   | 122,092        | N              |                | 12                |
| 2812         |       | 2255    | XIV SSD CACHING               | 19,587         | N              |                | 36                |
| 2812         |       | 3900    | ETHERNET CABLE                | 544            | N              |                | 36                |
| 2812         |       | 3910    | FIBRE CABLE (LC)              | 544            | N              |                | 36                |
| 2812         |       | 3920    | FIBRE CABLE (LC SC)           | 544            | N              |                | 36                |
| 2812         |       | 8101    | ELECTRORACK MIGRATION KIT     | 19,587         | N              |                | 36                |
| 2812         |       | 8102    | APC RACK AR3350 MIGRATION KIT | 17,773         | N              |                | 12                |
| 2812         |       | 9000    | MAINTENANCE MODULE            | 7,756          | N              |                | 36                |
| 2812         |       | 9101    | MODEM                         | 725            | N              |                | 36                |
| 2812         |       | 9811    | US/CA/LA/AP 60A PIN CORD      | 2,176          | N              |                | 36                |
| 2812         |       | 9813    | EMEA/AUS/NZ 60A HARD WIRED    | 2,176          | N              |                | 36                |
| 2812         |       | 9820    | 3PH NON EMEA 60A PIN CORD     | 3,627          | N              |                | 36                |
| 2812         |       | 9822    | 3PH EMEA ANZ 30A HARD WIRED   | 3,627          | N              |                | 36                |
| 2812         |       | 9824    | 3PH 30A NON EMEA PIN CORD     | 3,627          | N              |                | 12                |
| 2817         | M15   |         | ZENTERPRISE 196               | *Call          | N              | 3              | 12                |
| 2817         | M32   |         | ZENTERPRISE 196               | *Call          | N              | 3              | 12                |
| 2817         | M49   |         | ZENTERPRISE 196               | *Call          | N              | 3              | 12                |
| 2817         | M66   |         | ZENTERPRISE 196               | *Call          | N              | 3              | 12                |
| 2817         | M80   |         | ZENTERPRISE 196               | *Call          | N              | 3              | 12                |
| 2817         |       | 0001    | MTU 1 D                       | *Call          | N              |                | 12                |
| 2817         |       | 0002    | MTU 100 D                     | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 0003    | MTU 1 V                    | *Call          | N              |                | 12                |
| 2817         |       | 0004    | MTU 100 V                  | *Call          | N              |                | 12                |
| 2817         |       | 0005    | GTU 1 D                    | *Call          | N              |                | 12                |
| 2817         |       | 0006    | GTU 100 D                  | *Call          | N              |                | 12                |
| 2817         |       | 0007    | GTU 1 V                    | *Call          | N              |                | 12                |
| 2817         |       | 0008    | GTU 100 V                  | *Call          | N              |                | 12                |
| 2817         |       | 0009    | GTU 1000 D                 | *Call          | N              |                | 12                |
| 2817         |       | 0010    | GTU 1000 V                 | *Call          | N              |                | 12                |
| 2817         |       | 0039    | MANAGE FW ISAOPT           | *Call          | N              |                | 12                |
| 2817         |       | 0041    | MANAGE FW PASB             | *Call          | N              |                | 12                |
| 2817         |       | 0042    | MANAGE FW SYSTEM X BLADE   | *Call          | N              |                | 12                |
| 2817         |       | 0045    | AUTOMATE FW PASB           | *Call          | N              |                | 12                |
| 2817         |       | 0046    | ADV MGMT FW SYSTEM X BLADE | *Call          | N              |                | 12                |
| 2817         |       | 0052    | AUTOMATE FW IFL            | *Call          | N              |                | 12                |
| 2817         |       | 0070    | ETHERNET SWITCH            | *Call          | N              |                | 12                |
| 2817         |       | 0091    | HMC W DUAL EN              | *Call          | N              |                | 12                |
| 2817         |       | 0113    | I O CAGE ISC D AIRFLOW     | *Call          | N              |                | 12                |
| 2817         |       | 0114    | I O CAGE FULL CARD AIRFLOW | *Call          | N              |                | 12                |
| 2817         |       | 0116    | 1 CPE CAPACITY UNIT        | *Call          | N              |                | 12                |
| 2817         |       | 0117    | 100 CPE CAPACITY UNIT      | *Call          | N              |                | 12                |
| 2817         |       | 0118    | 10000 CPE CAPACITY UNIT    | *Call          | N              |                | 12                |
| 2817         |       | 0119    | 1 CPE CAPACITY UNIT IFL    | *Call          | N              |                | 12                |
| 2817         |       | 0120    | 100 CPE CAPACITY UNIT IFL  | *Call          | N              |                | 12                |
| 2817         |       | 0121    | 1 CPE CAPACITY UNIT ICF    | *Call          | N              |                | 12                |
| 2817         |       | 0122    | 100 CPE CAPACITY UNIT ICF  | *Call          | N              |                | 12                |
| 2817         |       | 0123    | 1 CPE CAPACITY UNIT ZAAP   | *Call          | N              |                | 12                |
| 2817         |       | 0124    | 100 CPE CAPACITY UNIT ZAAP | *Call          | N              |                | 12                |
| 2817         |       | 0125    | 1 CPE CAPACITY UNIT ZIIP   | *Call          | N              |                | 12                |
| 2817         |       | 0126    | 100 CPE CAPACITY UNIT ZIIP | *Call          | N              |                | 12                |
| 2817         |       | 0127    | 1 CPE CAPACITY UNIT SAP    | *Call          | N              |                | 12                |
| 2817         |       | 0128    | 100 CPE CAPACITY UNIT SAP  | *Call          | N              |                | 12                |
| 2817         |       | 0158    | CPC AIR                    | *Call          | N              |                | 12                |
| 2817         |       | 0159    | CPC WATER                  | *Call          | N              |                | 12                |
| 2817         |       | 0162    | HCA2 C FANOUT              | *Call          | N              |                | 12                |
| 2817         |       | 0163    | HCA2 O FANOUT FOR 12X IFB  | *Call          | N              |                | 12                |
| 2817         |       | 0165    | FANOUT AIRFLOW             | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 0169    | PCIE FANOUT                 | *Call          | N              |                | 12                |
| 2817         |       | 0170    | HCA3 O LR FANOUT FOR 1X IFB | *Call          | N              |                | 12                |
| 2817         |       | 0171    | HCA3 O FANOUT FOR 12X IFB   | *Call          | N              |                | 12                |
| 2817         |       | 0217    | ISC MOTHER CARD             | *Call          | N              |                | 12                |
| 2817         |       | 0218    | ISC DAUGHTER CARD           | *Call          | N              |                | 12                |
| 2817         |       | 0219    | ISC 3 LINK ON F C 0218      | *Call          | N              |                | 12                |
| 2817         |       | 0326    | IFB MP DAUGHTER CARD        | *Call          | N              |                | 12                |
| 2817         |       | 0327    | STI A8 MOTHER CARD          | *Call          | N              |                | 12                |
| 2817         |       | 0328    | STI A4 MOTHER CARD          | *Call          | N              |                | 12                |
| 2817         |       | 0400    | PCIE INTERCONNECT           | *Call          | N              |                | 12                |
| 2817         |       | 0404    | OSA EXPRESS4S GBE LX        | *Call          | N              |                | 12                |
| 2817         |       | 0405    | OSA EXPRESS4S GBE SX        | *Call          | N              |                | 12                |
| 2817         |       | 0406    | OSA EXPRESS4S 10 GBE LR     | *Call          | N              |                | 12                |
| 2817         |       | 0407    | OSA EXPRESS4S 10 GBE SR     | *Call          | N              |                | 12                |
| 2817         |       | 0409    | FICON EXPRESS8S 10KM LX     | *Call          | N              |                | 12                |
| 2817         |       | 0410    | FICON EXPRESS8S SX          | *Call          | N              |                | 12                |
| 2817         |       | 0841    | TKE WORKSTATION             | *Call          | N              |                | 12                |
| 2817         |       | 0864    | CRYPTO EXPRESS3             | *Call          | N              |                | 12                |
| 2817         |       | 0884    | TKE ADDL SMART CARDS        | *Call          | N              |                | 12                |
| 2817         |       | 0885    | TKE SMART CARD READER       | *Call          | N              |                | 12                |
| 2817         |       | 0998    | UID LABEL FOR DOD           | *Call          | N              |                | 12                |
| 2817         |       | 1021    | STP ENABLEMENT              | *Call          | N              |                | 12                |
| 2817         |       | 1125    | MODEL M15 AIR COOLED        | *Call          | N              |                | 12                |
| 2817         |       | 1126    | MODEL M32 AIR COOLED        | *Call          | N              |                | 12                |
| 2817         |       | 1127    | MODEL M49 AIR COOLED        | *Call          | N              |                | 12                |
| 2817         |       | 1128    | MODEL M66 AIR COOLED        | *Call          | N              |                | 12                |
| 2817         |       | 1129    | MODEL M80 AIR COOLED        | *Call          | N              |                | 12                |
| 2817         |       | 1130    | MODEL M15 WATER COOLED      | *Call          | N              |                | 12                |
| 2817         |       | 1131    | MODEL M32 WATER COOLED      | *Call          | N              |                | 12                |
| 2817         |       | 1132    | MODEL M49 WATER COOLED      | *Call          | N              |                | 12                |
| 2817         |       | 1133    | MODEL M66 WATER COOLED      | *Call          | N              |                | 12                |
| 2817         |       | 1134    | MODEL M80 WATER COOLED      | *Call          | N              |                | 12                |
| 2817         |       | 1751    | 1 WAY PROCESSOR CP4         | *Call          | N              |                | 12                |
| 2817         |       | 1752    | 2 WAY PROCESSOR CP4         | *Call          | N              |                | 12                |
| 2817         |       | 1753    | 3 WAY PROCESSOR CP4         | *Call          | N              |                | 12                |
| 2817         |       | 1754    | 4 WAY PROCESSOR CP4         | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description          | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 1755    | 5 WAY PROCESSOR CP4  | *Call          | N              |                | 12                |
| 2817         |       | 1756    | 6 WAY PROCESSOR CP4  | *Call          | N              |                | 12                |
| 2817         |       | 1757    | 7 WAY PROCESSOR CP4  | *Call          | N              |                | 12                |
| 2817         |       | 1758    | 8 WAY PROCESSOR CP4  | *Call          | N              |                | 12                |
| 2817         |       | 1759    | 9 WAY PROCESSOR CP4  | *Call          | N              |                | 12                |
| 2817         |       | 1760    | 10 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1761    | 11 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1762    | 12 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1763    | 13 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1764    | 14 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1765    | 15 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2817         |       | 1766    | 1 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1767    | 2 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1768    | 3 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1769    | 4 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1770    | 5 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1771    | 6 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1772    | 7 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1773    | 8 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1774    | 9 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2817         |       | 1775    | 10 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1776    | 11 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1777    | 12 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1778    | 13 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1779    | 14 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1780    | 15 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2817         |       | 1781    | 1 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1782    | 2 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1783    | 3 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1784    | 4 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1785    | 5 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1786    | 6 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1787    | 7 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1788    | 8 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1789    | 9 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2817         |       | 1790    | 10 WAY PROCESSOR CP6 | *Call          | N              |                | 12                |

| <b>Machine</b> |              |                |                      | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>   | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2817           |              | 1791           | 11 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2817           |              | 1792           | 12 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2817           |              | 1793           | 13 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2817           |              | 1794           | 14 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2817           |              | 1795           | 15 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2817           |              | 1797           | 1 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1798           | 2 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1799           | 3 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1800           | 4 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1801           | 5 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1802           | 6 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1803           | 7 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1804           | 8 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1805           | 9 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2817           |              | 1806           | 10 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1807           | 11 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1808           | 12 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1809           | 13 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1810           | 14 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1811           | 15 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1812           | 16 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1813           | 17 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1814           | 18 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1815           | 19 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1816           | 20 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1817           | 21 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1818           | 22 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1819           | 23 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1820           | 24 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1821           | 25 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1822           | 26 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1823           | 27 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1824           | 28 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1825           | 29 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1826           | 30 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1827           | 31 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |

| <b>Machine</b> |              |                |                      | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>   | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2817           |              | 1828           | 32 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1829           | 33 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1830           | 34 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1831           | 35 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1832           | 36 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1833           | 37 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1834           | 38 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1835           | 39 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1836           | 40 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1837           | 41 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1838           | 42 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1839           | 43 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1840           | 44 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1841           | 45 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1842           | 46 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1843           | 47 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1844           | 48 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1845           | 49 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1846           | 50 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1847           | 51 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1848           | 52 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1849           | 53 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1850           | 54 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1851           | 55 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1852           | 56 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1853           | 57 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1854           | 58 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1855           | 59 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1856           | 60 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1857           | 61 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1858           | 62 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1859           | 63 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1860           | 64 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1861           | 65 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1862           | 66 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2817           |              | 1863           | 67 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |

| Machine Type | Model | Feature | Description               | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 1864    | 68 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1865    | 69 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1866    | 70 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1867    | 71 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1868    | 72 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1869    | 73 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1870    | 74 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1871    | 75 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1872    | 76 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1873    | 77 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1874    | 78 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1875    | 79 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1876    | 80 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2817         |       | 1881    | IFL                       | *Call          | N              |                | 12                |
| 2817         |       | 1882    | ICF                       | *Call          | N              |                | 12                |
| 2817         |       | 1883    | SAP (OPTIONAL)            | *Call          | N              |                | 12                |
| 2817         |       | 1884    | ZAAP                      | *Call          | N              |                | 12                |
| 2817         |       | 1885    | ZIIP                      | *Call          | N              |                | 12                |
| 2817         |       | 1886    | UNASSIGNED IFL            | *Call          | N              |                | 12                |
| 2817         |       | 1901    | 16GB MEMORY CAPACITY INCR | *Call          | N              |                | 12                |
| 2817         |       | 1902    | 16GB FTR CONVERTED MEMORY | *Call          | N              |                | 12                |
| 2817         |       | 1996    | PREPLANNED MEMORY         | *Call          | N              |                | 12                |
| 2817         |       | 2323    | 16 PORT ESCON CARD        | *Call          | N              |                | 12                |
| 2817         |       | 2324    | ESCON CHANNEL PORT        | *Call          | N              |                | 12                |
| 2817         |       | 3004    | BPR PAIR AIR MODEL        | *Call          | N              |                | 12                |
| 2817         |       | 3005    | BPD PAIR AIR MODEL        | *Call          | N              |                | 12                |
| 2817         |       | 3006    | BPR PAIR WATER MODEL      | *Call          | N              |                | 12                |
| 2817         |       | 3007    | BPD PAIR WATER MODEL      | *Call          | N              |                | 12                |
| 2817         |       | 3212    | INTERNAL BATTERY IBF ED   | *Call          | N              |                | 12                |
| 2817         |       | 3325    | FICON EXPRESS8 10KM LX    | *Call          | N              |                | 12                |
| 2817         |       | 3326    | FICON EXPRESS8 SX         | *Call          | N              |                | 12                |
| 2817         |       | 3362    | OSA EXPRESS3 GBE LX       | *Call          | N              |                | 12                |
| 2817         |       | 3363    | OSA EXPRESS3 GBE SX       | *Call          | N              |                | 12                |
| 2817         |       | 3367    | OSA EXPRESS3 1000BASET EN | *Call          | N              |                | 12                |
| 2817         |       | 3370    | OSA EXPRESS3 10 GBE LR    | *Call          | N              |                | 12                |
| 2817         |       | 3371    | OSA EXPRESS3 10 GBE SR    | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 3377    | FILL AND DRAIN KIT         | *Call          | N              |                | 12                |
| 2817         |       | 3759    | UNIVERSAL LIFT TOOL LADDER | *Call          | N              |                | 12                |
| 2817         |       | 4000    | I O DRAWER AIR             | *Call          | N              |                | 12                |
| 2817         |       | 4002    | I O CAGE AIR               | *Call          | N              |                | 12                |
| 2817         |       | 4003    | PCIE I/O DRAWER A          | *Call          | N              |                | 12                |
| 2817         |       | 4004    | I O DRAWER WATER           | *Call          | N              |                | 12                |
| 2817         |       | 4005    | I O CAGE WATER             | *Call          | N              |                | 12                |
| 2817         |       | 4006    | PCIE I/O DRAWER W          | *Call          | N              |                | 12                |
| 2817         |       | 4015    | A FRAME W O CARGO AIR      | *Call          | N              |                | 12                |
| 2817         |       | 4016    | A FRAME W CARGO AIR        | *Call          | N              |                | 12                |
| 2817         |       | 4017    | A FRAME W O CARGO WATER    | *Call          | N              |                | 12                |
| 2817         |       | 4018    | A FRAME W CARGO WATER      | *Call          | N              |                | 12                |
| 2817         |       | 4019    | A FR MULTINODE W O CARGO A | *Call          | N              |                | 12                |
| 2817         |       | 4020    | A FR MULTINODE W CARGO A   | *Call          | N              |                | 12                |
| 2817         |       | 6096    | FLAT PANEL DISPLAY         | *Call          | N              |                | 12                |
| 2817         |       | 6501    | POWER SEQUENCE CONTROLLER  | *Call          | N              |                | 12                |
| 2817         |       | 6805    | ADDITIONAL CBU TEST        | *Call          | N              |                | 12                |
| 2817         |       | 6818    | CBU RECORDS ORDERED        | *Call          | N              |                | 12                |
| 2817         |       | 6820    | SINGLE CBU CP YEAR         | *Call          | N              |                | 12                |
| 2817         |       | 6821    | 25 CBU CP YEAR             | *Call          | N              |                | 12                |
| 2817         |       | 6822    | SINGLE CBU IFL YEAR        | *Call          | N              |                | 12                |
| 2817         |       | 6823    | 25 CBU IFL YEAR            | *Call          | N              |                | 12                |
| 2817         |       | 6824    | SINGLE CBU ICF YEAR        | *Call          | N              |                | 12                |
| 2817         |       | 6825    | 25 CBU ICF YEAR            | *Call          | N              |                | 12                |
| 2817         |       | 6826    | SINGLE CBU ZAAP YEAR       | *Call          | N              |                | 12                |
| 2817         |       | 6827    | 25 CBU ZAAP YEAR           | *Call          | N              |                | 12                |
| 2817         |       | 6828    | SINGLE CBU ZIIP YEAR       | *Call          | N              |                | 12                |
| 2817         |       | 6829    | 25 CBU ZIIP YEAR           | *Call          | N              |                | 12                |
| 2817         |       | 6830    | SINGLE CBU SAP YEAR        | *Call          | N              |                | 12                |
| 2817         |       | 6831    | 25 CBU SAP YEAR            | *Call          | N              |                | 12                |
| 2817         |       | 7900    | FQC BRACKET MOUNT HW A     | *Call          | N              |                | 12                |
| 2817         |       | 7902    | MT RJ 6 FT HARNESS A       | *Call          | N              |                | 12                |
| 2817         |       | 7903    | MT RJ 8 5 FT HARNESS A     | *Call          | N              |                | 12                |
| 2817         |       | 7904    | MT RJ 5 FT HARNESS A       | *Call          | N              |                | 12                |
| 2817         |       | 7905    | MT RJ 3 5 FT HARNESS A     | *Call          | N              |                | 12                |
| 2817         |       | 7906    | LC DUP 6 FT HARNESS A      | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 7908    | LC DUP 8 5 FT HARNESS A    | *Call          | N              |                | 12                |
| 2817         |       | 7910    | FQC BRACKET MOUNT HW W     | *Call          | N              |                | 12                |
| 2817         |       | 7912    | MT RJ 6 FT HARNESS W       | *Call          | N              |                | 12                |
| 2817         |       | 7913    | MT RJ 8 5 FT HARNESS W     | *Call          | N              |                | 12                |
| 2817         |       | 7914    | MT RJ 5 FT HARNESS W       | *Call          | N              |                | 12                |
| 2817         |       | 7915    | MT RJ 3 5 FT HARNESS W     | *Call          | N              |                | 12                |
| 2817         |       | 7916    | LC DUP 6 6 FT HARNESS W    | *Call          | N              |                | 12                |
| 2817         |       | 7918    | LC DUP 8 5 FT HARNESS W    | *Call          | N              |                | 12                |
| 2817         |       | 7942    | TOP EXIT I O CABLING       | *Call          | N              |                | 12                |
| 2817         |       | 7949    | SIDE COVERS                | *Call          | N              |                | 12                |
| 2817         |       | 8008    | 3 IN 1 BOLT DOWN KIT A     | *Call          | N              |                | 12                |
| 2817         |       | 8009    | 3 IN 1 BOLT DOWN KIT W     | *Call          | N              |                | 12                |
| 2817         |       | 8963    | 14FT 380 520V DC LINE CORD | *Call          | N              |                | 12                |
| 2817         |       | 8983    | 14FT 480V 3PH LINE CORD    | *Call          | N              |                | 12                |
| 2817         |       | 8993    | 14FT 200V 3PH CORD         | *Call          | N              |                | 12                |
| 2817         |       | 9888    | ON OFF COD ACT IFL DAY     | *Call          | N              |                | 12                |
| 2817         |       | 9889    | ON OFF COD ACT ICF DAY     | *Call          | N              |                | 12                |
| 2817         |       | 9893    | ON OFF COD ACT ZAAP DAY    | *Call          | N              |                | 12                |
| 2817         |       | 9897    | ON OFF COD ACT CAP CP DAY  | *Call          | N              |                | 12                |
| 2817         |       | 9908    | ON OFF COD ACT ZIIP DAY    | *Call          | N              |                | 12                |
| 2817         |       | 9909    | ON OFF COD ACT SAP DAY     | *Call          | N              |                | 12                |
| 2817         |       | 9917    | 1 MSU DAY                  | *Call          | N              |                | 12                |
| 2817         |       | 9918    | 100 MSU DAYS               | *Call          | N              |                | 12                |
| 2817         |       | 9919    | 10000 MSU DAYS             | *Call          | N              |                | 12                |
| 2817         |       | 9920    | 1 IFL DAY                  | *Call          | N              |                | 12                |
| 2817         |       | 9921    | 100 IFL DAYS               | *Call          | N              |                | 12                |
| 2817         |       | 9922    | 1 ICF DAY                  | *Call          | N              |                | 12                |
| 2817         |       | 9923    | 100 ICF DAYS               | *Call          | N              |                | 12                |
| 2817         |       | 9924    | 1 ZIIP DAY                 | *Call          | N              |                | 12                |
| 2817         |       | 9925    | 100 ZIIP DAYS              | *Call          | N              |                | 12                |
| 2817         |       | 9926    | 1 ZAAP DAY                 | *Call          | N              |                | 12                |
| 2817         |       | 9927    | 100 ZAAP DAYS              | *Call          | N              |                | 12                |
| 2817         |       | 9928    | 1 SAP DAY                  | *Call          | N              |                | 12                |
| 2817         |       | 9929    | 100 SAP DAYS               | *Call          | N              |                | 12                |
| 2817         |       | 9968    | SITE TOOL KIT              | *Call          | N              |                | 12                |
| 2817         |       | 9970    | WEIGHT DISTRIBUTION KIT    | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817         |       | 9975    | HEIGHT REDUCE SHIP         | *Call          | N              |                | 12                |
| 2818         | M05   |         | ZENTERPRISE 114            | *Call          | N              | 3              | 12                |
| 2818         | M10   |         | ZENTERPRISE 114            | *Call          | N              | 3              | 12                |
| 2818         |       | 0001    | MTU 1 D                    | *Call          | N              |                | 12                |
| 2818         |       | 0002    | MTU 100 D                  | *Call          | N              |                | 12                |
| 2818         |       | 0003    | MTU 1 V                    | *Call          | N              |                | 12                |
| 2818         |       | 0004    | MTU 100 V                  | *Call          | N              |                | 12                |
| 2818         |       | 0005    | GTU 1 D                    | *Call          | N              |                | 12                |
| 2818         |       | 0006    | GTU 100 D                  | *Call          | N              |                | 12                |
| 2818         |       | 0007    | GTU 1 V                    | *Call          | N              |                | 12                |
| 2818         |       | 0008    | GTU 100 V                  | *Call          | N              |                | 12                |
| 2818         |       | 0009    | GTU 1000 D                 | *Call          | N              |                | 12                |
| 2818         |       | 0010    | GTU 1000 V                 | *Call          | N              |                | 12                |
| 2818         |       | 0039    | MANAGE FW ISAOPT           | *Call          | N              |                | 12                |
| 2818         |       | 0040    | MANAGE FW DP               | *Call          | N              |                | 12                |
| 2818         |       | 0041    | MANAGE FW PWR BLADE        | *Call          | N              |                | 12                |
| 2818         |       | 0042    | MANAGE FW SYSTEM X BLADE   | *Call          | N              |                | 12                |
| 2818         |       | 0045    | AUTOMATE FW PWR BLADE      | *Call          | N              |                | 12                |
| 2818         |       | 0046    | ADV MGMT FW SYSTEM X BLADE | *Call          | N              |                | 12                |
| 2818         |       | 0052    | AUTOMATE FW IFL            | *Call          | N              |                | 12                |
| 2818         |       | 0070    | ETHERNET SWITCH            | *Call          | N              |                | 12                |
| 2818         |       | 0084    | HMC W/DUAL EN              | *Call          | N              |                | 12                |
| 2818         |       | 0089    | SE EN SWITCH (FORMER HUB)  | *Call          | N              |                | 12                |
| 2818         |       | 0091    | HMC W/DUAL EN              | *Call          | N              |                | 12                |
| 2818         |       | 0113    | I/O CAGE ISC D AIRFLOW     | *Call          | N              |                | 12                |
| 2818         |       | 0114    | I/O CAGE FULL CARD AIRFLOW | *Call          | N              |                | 12                |
| 2818         |       | 0116    | 1 CPE CAPACITY UNIT        | *Call          | N              |                | 12                |
| 2818         |       | 0117    | 100 CPE CAPACITY UNIT      | *Call          | N              |                | 12                |
| 2818         |       | 0118    | 10000 CPE CAPACITY UNIT    | *Call          | N              |                | 12                |
| 2818         |       | 0119    | 1 CPE CAPACITY UNIT IFL    | *Call          | N              |                | 12                |
| 2818         |       | 0120    | 100 CPE CAPACITY UNIT IFL  | *Call          | N              |                | 12                |
| 2818         |       | 0121    | 1 CPE CAPACITY UNIT ICF    | *Call          | N              |                | 12                |
| 2818         |       | 0122    | 100 CPE CAPACITY UNIT ICF  | *Call          | N              |                | 12                |
| 2818         |       | 0123    | 1 CPE CAPACITY UNIT ZAAP   | *Call          | N              |                | 12                |
| 2818         |       | 0124    | 100 CPE CAPACITY UNIT ZAAP | *Call          | N              |                | 12                |
| 2818         |       | 0125    | 1 CPE CAPACITY UNIT ZIIP   | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 0126    | 100 CPE CAPACITY UNIT ZIIP  | *Call          | N              |                | 12                |
| 2818         |       | 0127    | 1 CPE CAPACITY UNIT SAP     | *Call          | N              |                | 12                |
| 2818         |       | 0128    | 100 CPE CAPACITY UNIT SAP   | *Call          | N              |                | 12                |
| 2818         |       | 0162    | HCA2 C FANOUT               | *Call          | N              |                | 12                |
| 2818         |       | 0163    | HCA2 O FANOUT FOR 12X IFB   | *Call          | N              |                | 12                |
| 2818         |       | 0165    | FANOUT AIRFLOW              | *Call          | N              |                | 12                |
| 2818         |       | 0168    | HCA2 O LR FANOUT            | *Call          | N              |                | 12                |
| 2818         |       | 0169    | PCIE FANOUT                 | *Call          | N              |                | 12                |
| 2818         |       | 0170    | HCA3 O LR FANOUT FOR 1X IFB | *Call          | N              |                | 12                |
| 2818         |       | 0171    | HCA3 O FANOUT FOR 12X IFB   | *Call          | N              |                | 12                |
| 2818         |       | 0217    | ISC MOTHER CARD             | *Call          | N              |                | 12                |
| 2818         |       | 0218    | ISC DAUGHTER CARD           | *Call          | N              |                | 12                |
| 2818         |       | 0219    | ISC 3 LINK ON F/C 0218      | *Call          | N              |                | 12                |
| 2818         |       | 0326    | IFB MP DAUGHTER CARD        | *Call          | N              |                | 12                |
| 2818         |       | 0327    | STI A8 MOTHER CARD          | *Call          | N              |                | 12                |
| 2818         |       | 0400    | PCIE INTERCONNECT           | *Call          | N              |                | 12                |
| 2818         |       | 0404    | OSA EXPRESS4S GBE LX        | *Call          | N              |                | 12                |
| 2818         |       | 0405    | OSA EXPRESS4S GBE SX        | *Call          | N              |                | 12                |
| 2818         |       | 0406    | OSA EXPRESS4S 10 GBE LR     | *Call          | N              |                | 12                |
| 2818         |       | 0407    | OSA EXPRESS4S 10 GBE SR     | *Call          | N              |                | 12                |
| 2818         |       | 0409    | FICON EXPRESS8S 10KM LX     | *Call          | N              |                | 12                |
| 2818         |       | 0410    | FICON EXPRESS8S SX          | *Call          | N              |                | 12                |
| 2818         |       | 0841    | TKE WORKSTATION             | *Call          | N              |                | 12                |
| 2818         |       | 0864    | CRYPTO EXPRESS3             | *Call          | N              |                | 12                |
| 2818         |       | 0871    | CRYPTO EXPRESS3 1P          | *Call          | N              |                | 12                |
| 2818         |       | 0884    | TKE ADDL SMART CARDS        | *Call          | N              |                | 12                |
| 2818         |       | 0885    | TKE SMART CARD READER       | *Call          | N              |                | 12                |
| 2818         |       | 0998    | UID LABEL FOR DOD           | *Call          | N              |                | 12                |
| 2818         |       | 1021    | STP ENABLEMENT              | *Call          | N              |                | 12                |
| 2818         |       | 1135    | MODEL M05                   | *Call          | N              |                | 12                |
| 2818         |       | 1136    | MODEL M10                   | *Call          | N              |                | 12                |
| 2818         |       | 1903    | 8 GB MEMORY CAPACITY INCR   | *Call          | N              |                | 12                |
| 2818         |       | 1904    | 8 GB FTR CONVERTED MEMORY   | *Call          | N              |                | 12                |
| 2818         |       | 1993    | PREPLANNED MEMORY           | *Call          | N              |                | 12                |
| 2818         |       | 2323    | 16 PORT ESCON CARD          | *Call          | N              |                | 12                |
| 2818         |       | 2324    | ESCON CHANNEL PORT          | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3004    | BPR PAIR AIR MODEL       | *Call          | N              |                | 12                |
| 2818         |       | 3005    | BPD PAIR AIR MODEL       | *Call          | N              |                | 12                |
| 2818         |       | 3074    | CP A                     | *Call          | N              |                | 12                |
| 2818         |       | 3075    | CP B                     | *Call          | N              |                | 12                |
| 2818         |       | 3076    | CP C                     | *Call          | N              |                | 12                |
| 2818         |       | 3077    | CP D                     | *Call          | N              |                | 12                |
| 2818         |       | 3078    | CP E                     | *Call          | N              |                | 12                |
| 2818         |       | 3079    | CP F                     | *Call          | N              |                | 12                |
| 2818         |       | 3080    | CP G                     | *Call          | N              |                | 12                |
| 2818         |       | 3081    | CP H                     | *Call          | N              |                | 12                |
| 2818         |       | 3082    | CP I                     | *Call          | N              |                | 12                |
| 2818         |       | 3083    | CP J                     | *Call          | N              |                | 12                |
| 2818         |       | 3084    | CP K                     | *Call          | N              |                | 12                |
| 2818         |       | 3085    | CP L                     | *Call          | N              |                | 12                |
| 2818         |       | 3086    | CP M                     | *Call          | N              |                | 12                |
| 2818         |       | 3087    | CP N                     | *Call          | N              |                | 12                |
| 2818         |       | 3088    | CP O                     | *Call          | N              |                | 12                |
| 2818         |       | 3089    | CP P                     | *Call          | N              |                | 12                |
| 2818         |       | 3090    | CP Q                     | *Call          | N              |                | 12                |
| 2818         |       | 3091    | CP R                     | *Call          | N              |                | 12                |
| 2818         |       | 3092    | CP S                     | *Call          | N              |                | 12                |
| 2818         |       | 3093    | CP T                     | *Call          | N              |                | 12                |
| 2818         |       | 3094    | CP U                     | *Call          | N              |                | 12                |
| 2818         |       | 3095    | CP V                     | *Call          | N              |                | 12                |
| 2818         |       | 3096    | CP W                     | *Call          | N              |                | 12                |
| 2818         |       | 3097    | CP X                     | *Call          | N              |                | 12                |
| 2818         |       | 3098    | CP Y                     | *Call          | N              |                | 12                |
| 2818         |       | 3099    | CP Z                     | *Call          | N              |                | 12                |
| 2818         |       | 3212    | INTERNAL BATTERY IBF E   | *Call          | N              |                | 12                |
| 2818         |       | 3318    | FICON EXPRESS4 2C SX     | *Call          | N              |                | 12                |
| 2818         |       | 3321    | FICON EXPRESS4 10KM LX   | *Call          | N              |                | 12                |
| 2818         |       | 3322    | FICON EXPRESS4 SX        | *Call          | N              |                | 12                |
| 2818         |       | 3323    | FICON EXPRESS4 2C 4KM LX | *Call          | N              |                | 12                |
| 2818         |       | 3324    | FICON EXPRESS4 4KM LX    | *Call          | N              |                | 12                |
| 2818         |       | 3325    | FICON EXPRESS8 10KM LX   | *Call          | N              |                | 12                |
| 2818         |       | 3326    | FICON EXPRESS8 SX        | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3362    | OSA EXPRESS3 GBE LX          | *Call          | N              |                | 12                |
| 2818         |       | 3363    | OSA EXPRESS3 GBE SX          | *Call          | N              |                | 12                |
| 2818         |       | 3364    | OSA EXPRESS2 GBE LX          | *Call          | N              |                | 12                |
| 2818         |       | 3365    | OSA EXPRESS2 GBE SX          | *Call          | N              |                | 12                |
| 2818         |       | 3366    | OSA EXPRESS2 1000BASET EN    | *Call          | N              |                | 12                |
| 2818         |       | 3367    | OSA EXPRESS3 1000BASET EN    | *Call          | N              |                | 12                |
| 2818         |       | 3369    | OSA EXPRESS3 2P 1000BASET EN | *Call          | N              |                | 12                |
| 2818         |       | 3370    | OSA EXPRESS3 10 GBE LR       | *Call          | N              |                | 12                |
| 2818         |       | 3371    | OSA EXPRESS3 10 GBE SR       | *Call          | N              |                | 12                |
| 2818         |       | 3373    | OSA EXPRESS3 2P GBE SX       | *Call          | N              |                | 12                |
| 2818         |       | 3394    | IFL                          | *Call          | N              |                | 12                |
| 2818         |       | 3395    | ICF                          | *Call          | N              |                | 12                |
| 2818         |       | 3396    | SAP OPTIONAL                 | *Call          | N              |                | 12                |
| 2818         |       | 3397    | ZAAP                         | *Call          | N              |                | 12                |
| 2818         |       | 3398    | ZIIP                         | *Call          | N              |                | 12                |
| 2818         |       | 3399    | UNASSIGNED IFL               | *Call          | N              |                | 12                |
| 2818         |       | 3400    | 0 WAY PROCESSOR A00          | *Call          | N              |                | 12                |
| 2818         |       | 3401    | 1 WAY PROCESSOR A01          | *Call          | N              |                | 12                |
| 2818         |       | 3402    | 1 WAY PROCESSOR B01          | *Call          | N              |                | 12                |
| 2818         |       | 3403    | 1 WAY PROCESSOR C01          | *Call          | N              |                | 12                |
| 2818         |       | 3404    | 1 WAY PROCESSOR D01          | *Call          | N              |                | 12                |
| 2818         |       | 3405    | 1 WAY PROCESSOR E01          | *Call          | N              |                | 12                |
| 2818         |       | 3406    | 1 WAY PROCESSOR F01          | *Call          | N              |                | 12                |
| 2818         |       | 3407    | 1 WAY PROCESSOR G01          | *Call          | N              |                | 12                |
| 2818         |       | 3408    | 1 WAY PROCESSOR H01          | *Call          | N              |                | 12                |
| 2818         |       | 3409    | 1 WAY PROCESSOR I01          | *Call          | N              |                | 12                |
| 2818         |       | 3410    | 1 WAY PROCESSOR J01          | *Call          | N              |                | 12                |
| 2818         |       | 3411    | 1 WAY PROCESSOR K01          | *Call          | N              |                | 12                |
| 2818         |       | 3412    | 1 WAY PROCESSOR L01          | *Call          | N              |                | 12                |
| 2818         |       | 3413    | 1 WAY PROCESSOR M01          | *Call          | N              |                | 12                |
| 2818         |       | 3414    | 1 WAY PROCESSOR N01          | *Call          | N              |                | 12                |
| 2818         |       | 3415    | 1 WAY PROCESSOR O01          | *Call          | N              |                | 12                |
| 2818         |       | 3416    | 1 WAY PROCESSOR P01          | *Call          | N              |                | 12                |
| 2818         |       | 3417    | 1 WAY PROCESSOR Q01          | *Call          | N              |                | 12                |
| 2818         |       | 3418    | 1 WAY PROCESSOR R01          | *Call          | N              |                | 12                |
| 2818         |       | 3419    | 1 WAY PROCESSOR S01          | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3420    | 1 WAY PROCESSOR T01 | *Call          | N              |                | 12                |
| 2818         |       | 3421    | 1 WAY PROCESSOR U01 | *Call          | N              |                | 12                |
| 2818         |       | 3422    | 1 WAY PROCESSOR V01 | *Call          | N              |                | 12                |
| 2818         |       | 3423    | 1 WAY PROCESSOR W01 | *Call          | N              |                | 12                |
| 2818         |       | 3424    | 1 WAY PROCESSOR X01 | *Call          | N              |                | 12                |
| 2818         |       | 3425    | 1 WAY PROCESSOR Y01 | *Call          | N              |                | 12                |
| 2818         |       | 3426    | 1 WAY PROCESSOR Z01 | *Call          | N              |                | 12                |
| 2818         |       | 3429    | 2 WAY PROCESSOR A02 | *Call          | N              |                | 12                |
| 2818         |       | 3430    | 2 WAY PROCESSOR B02 | *Call          | N              |                | 12                |
| 2818         |       | 3431    | 2 WAY PROCESSOR C02 | *Call          | N              |                | 12                |
| 2818         |       | 3432    | 2 WAY PROCESSOR D02 | *Call          | N              |                | 12                |
| 2818         |       | 3433    | 2 WAY PROCESSOR E02 | *Call          | N              |                | 12                |
| 2818         |       | 3434    | 2 WAY PROCESSOR F02 | *Call          | N              |                | 12                |
| 2818         |       | 3435    | 2 WAY PROCESSOR G02 | *Call          | N              |                | 12                |
| 2818         |       | 3436    | 2 WAY PROCESSOR H02 | *Call          | N              |                | 12                |
| 2818         |       | 3437    | 2 WAY PROCESSOR I02 | *Call          | N              |                | 12                |
| 2818         |       | 3438    | 2 WAY PROCESSOR J02 | *Call          | N              |                | 12                |
| 2818         |       | 3439    | 2 WAY PROCESSOR K02 | *Call          | N              |                | 12                |
| 2818         |       | 3440    | 2 WAY PROCESSOR L02 | *Call          | N              |                | 12                |
| 2818         |       | 3441    | 2 WAY PROCESSOR M02 | *Call          | N              |                | 12                |
| 2818         |       | 3442    | 2 WAY PROCESSOR N02 | *Call          | N              |                | 12                |
| 2818         |       | 3443    | 2 WAY PROCESSOR O02 | *Call          | N              |                | 12                |
| 2818         |       | 3444    | 2 WAY PROCESSOR P02 | *Call          | N              |                | 12                |
| 2818         |       | 3445    | 2 WAY PROCESSOR Q02 | *Call          | N              |                | 12                |
| 2818         |       | 3446    | 2 WAY PROCESSOR R02 | *Call          | N              |                | 12                |
| 2818         |       | 3447    | 2 WAY PROCESSOR S02 | *Call          | N              |                | 12                |
| 2818         |       | 3448    | 2 WAY PROCESSOR T02 | *Call          | N              |                | 12                |
| 2818         |       | 3449    | 2 WAY PROCESSOR U02 | *Call          | N              |                | 12                |
| 2818         |       | 3450    | 2 WAY PROCESSOR V02 | *Call          | N              |                | 12                |
| 2818         |       | 3451    | 2 WAY PROCESSOR W02 | *Call          | N              |                | 12                |
| 2818         |       | 3452    | 2 WAY PROCESSOR X02 | *Call          | N              |                | 12                |
| 2818         |       | 3453    | 2 WAY PROCESSOR Y02 | *Call          | N              |                | 12                |
| 2818         |       | 3454    | 2 WAY PROCESSOR Z02 | *Call          | N              |                | 12                |
| 2818         |       | 3457    | 3 WAY PROCESSOR A03 | *Call          | N              |                | 12                |
| 2818         |       | 3458    | 3 WAY PROCESSOR B03 | *Call          | N              |                | 12                |
| 2818         |       | 3459    | 3 WAY PROCESSOR C03 | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3460    | 3 WAY PROCESSOR D03 | *Call          | N              |                | 12                |
| 2818         |       | 3461    | 3 WAY PROCESSOR E03 | *Call          | N              |                | 12                |
| 2818         |       | 3462    | 3 WAY PROCESSOR F03 | *Call          | N              |                | 12                |
| 2818         |       | 3463    | 3 WAY PROCESSOR G03 | *Call          | N              |                | 12                |
| 2818         |       | 3464    | 3 WAY PROCESSOR H03 | *Call          | N              |                | 12                |
| 2818         |       | 3465    | 3 WAY PROCESSOR I03 | *Call          | N              |                | 12                |
| 2818         |       | 3466    | 3 WAY PROCESSOR J03 | *Call          | N              |                | 12                |
| 2818         |       | 3467    | 3 WAY PROCESSOR K03 | *Call          | N              |                | 12                |
| 2818         |       | 3468    | 3 WAY PROCESSOR L03 | *Call          | N              |                | 12                |
| 2818         |       | 3469    | 3 WAY PROCESSOR M03 | *Call          | N              |                | 12                |
| 2818         |       | 3470    | 3 WAY PROCESSOR N03 | *Call          | N              |                | 12                |
| 2818         |       | 3471    | 3 WAY PROCESSOR O03 | *Call          | N              |                | 12                |
| 2818         |       | 3472    | 3 WAY PROCESSOR P03 | *Call          | N              |                | 12                |
| 2818         |       | 3473    | 3 WAY PROCESSOR Q03 | *Call          | N              |                | 12                |
| 2818         |       | 3474    | 3 WAY PROCESSOR R03 | *Call          | N              |                | 12                |
| 2818         |       | 3475    | 3 WAY PROCESSOR S03 | *Call          | N              |                | 12                |
| 2818         |       | 3476    | 3 WAY PROCESSOR T03 | *Call          | N              |                | 12                |
| 2818         |       | 3477    | 3 WAY PROCESSOR U03 | *Call          | N              |                | 12                |
| 2818         |       | 3478    | 3 WAY PROCESSOR V03 | *Call          | N              |                | 12                |
| 2818         |       | 3479    | 3 WAY PROCESSOR W03 | *Call          | N              |                | 12                |
| 2818         |       | 3480    | 3 WAY PROCESSOR X03 | *Call          | N              |                | 12                |
| 2818         |       | 3481    | 3 WAY PROCESSOR Y03 | *Call          | N              |                | 12                |
| 2818         |       | 3482    | 3 WAY PROCESSOR Z03 | *Call          | N              |                | 12                |
| 2818         |       | 3485    | 4 WAY PROCESSOR A04 | *Call          | N              |                | 12                |
| 2818         |       | 3486    | 4 WAY PROCESSOR B04 | *Call          | N              |                | 12                |
| 2818         |       | 3487    | 4 WAY PROCESSOR C04 | *Call          | N              |                | 12                |
| 2818         |       | 3488    | 4 WAY PROCESSOR D04 | *Call          | N              |                | 12                |
| 2818         |       | 3489    | 4 WAY PROCESSOR E04 | *Call          | N              |                | 12                |
| 2818         |       | 3490    | 4 WAY PROCESSOR F04 | *Call          | N              |                | 12                |
| 2818         |       | 3491    | 4 WAY PROCESSOR G04 | *Call          | N              |                | 12                |
| 2818         |       | 3492    | 4 WAY PROCESSOR H04 | *Call          | N              |                | 12                |
| 2818         |       | 3493    | 4 WAY PROCESSOR I04 | *Call          | N              |                | 12                |
| 2818         |       | 3494    | 4 WAY PROCESSOR J04 | *Call          | N              |                | 12                |
| 2818         |       | 3495    | 4 WAY PROCESSOR K04 | *Call          | N              |                | 12                |
| 2818         |       | 3496    | 4 WAY PROCESSOR L04 | *Call          | N              |                | 12                |
| 2818         |       | 3497    | 4 WAY PROCESSOR M04 | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3498    | 4 WAY PROCESSOR N04 | *Call          | N              |                | 12                |
| 2818         |       | 3499    | 4 WAY PROCESSOR O04 | *Call          | N              |                | 12                |
| 2818         |       | 3500    | 4 WAY PROCESSOR P04 | *Call          | N              |                | 12                |
| 2818         |       | 3501    | 4 WAY PROCESSOR Q04 | *Call          | N              |                | 12                |
| 2818         |       | 3502    | 4 WAY PROCESSOR R04 | *Call          | N              |                | 12                |
| 2818         |       | 3503    | 4 WAY PROCESSOR S04 | *Call          | N              |                | 12                |
| 2818         |       | 3504    | 4 WAY PROCESSOR T04 | *Call          | N              |                | 12                |
| 2818         |       | 3505    | 4 WAY PROCESSOR U04 | *Call          | N              |                | 12                |
| 2818         |       | 3506    | 4 WAY PROCESSOR V04 | *Call          | N              |                | 12                |
| 2818         |       | 3507    | 4 WAY PROCESSOR W04 | *Call          | N              |                | 12                |
| 2818         |       | 3508    | 4 WAY PROCESSOR X04 | *Call          | N              |                | 12                |
| 2818         |       | 3509    | 4 WAY PROCESSOR Y04 | *Call          | N              |                | 12                |
| 2818         |       | 3510    | 4 WAY PROCESSOR Z04 | *Call          | N              |                | 12                |
| 2818         |       | 3513    | 5 WAY PROCESSOR A05 | *Call          | N              |                | 12                |
| 2818         |       | 3514    | 5 WAY PROCESSOR B05 | *Call          | N              |                | 12                |
| 2818         |       | 3515    | 5 WAY PROCESSOR C05 | *Call          | N              |                | 12                |
| 2818         |       | 3516    | 5 WAY PROCESSOR D05 | *Call          | N              |                | 12                |
| 2818         |       | 3517    | 5 WAY PROCESSOR E05 | *Call          | N              |                | 12                |
| 2818         |       | 3518    | 5 WAY PROCESSOR F05 | *Call          | N              |                | 12                |
| 2818         |       | 3519    | 5 WAY PROCESSOR G05 | *Call          | N              |                | 12                |
| 2818         |       | 3520    | 5 WAY PROCESSOR H05 | *Call          | N              |                | 12                |
| 2818         |       | 3521    | 5 WAY PROCESSOR I05 | *Call          | N              |                | 12                |
| 2818         |       | 3522    | 5 WAY PROCESSOR J05 | *Call          | N              |                | 12                |
| 2818         |       | 3523    | 5 WAY PROCESSOR K05 | *Call          | N              |                | 12                |
| 2818         |       | 3524    | 5 WAY PROCESSOR L05 | *Call          | N              |                | 12                |
| 2818         |       | 3525    | 5 WAY PROCESSOR M05 | *Call          | N              |                | 12                |
| 2818         |       | 3526    | 5 WAY PROCESSOR N05 | *Call          | N              |                | 12                |
| 2818         |       | 3527    | 5 WAY PROCESSOR O05 | *Call          | N              |                | 12                |
| 2818         |       | 3528    | 5 WAY PROCESSOR P05 | *Call          | N              |                | 12                |
| 2818         |       | 3529    | 5 WAY PROCESSOR Q05 | *Call          | N              |                | 12                |
| 2818         |       | 3530    | 5 WAY PROCESSOR R05 | *Call          | N              |                | 12                |
| 2818         |       | 3531    | 5 WAY PROCESSOR S05 | *Call          | N              |                | 12                |
| 2818         |       | 3532    | 5 WAY PROCESSOR T05 | *Call          | N              |                | 12                |
| 2818         |       | 3533    | 5 WAY PROCESSOR U05 | *Call          | N              |                | 12                |
| 2818         |       | 3534    | 5 WAY PROCESSOR V05 | *Call          | N              |                | 12                |
| 2818         |       | 3535    | 5 WAY PROCESSOR W05 | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 3536    | 5 WAY PROCESSOR X05        | *Call          | N              |                | 12                |
| 2818         |       | 3537    | 5 WAY PROCESSOR Y05        | *Call          | N              |                | 12                |
| 2818         |       | 3538    | 5 WAY PROCESSOR Z05        | *Call          | N              |                | 12                |
| 2818         |       | 3759    | UNIVERSAL LIFT TOOL/LADDER | *Call          | N              |                | 12                |
| 2818         |       | 4000    | I/O DRAWER                 | *Call          | N              |                | 12                |
| 2818         |       | 4003    | PCIE I/O DRAWER A          | *Call          | N              |                | 12                |
| 2818         |       | 4049    | A00 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4050    | A01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4051    | B01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4052    | C01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4053    | D01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4054    | E01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4055    | F01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4056    | G01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4057    | H01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4058    | I01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4059    | J01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4060    | K01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4061    | L01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4062    | M01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4063    | N01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4064    | O01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4065    | P01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4066    | Q01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4067    | R01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4068    | S01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4069    | T01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4070    | U01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4071    | V01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4072    | W01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4073    | X01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4074    | Y01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4075    | Z01 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4078    | A02 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4079    | B02 CAPACITY MARKER        | *Call          | N              |                | 12                |
| 2818         |       | 4080    | C02 CAPACITY MARKER        | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 4081    | D02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4082    | E02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4083    | F02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4084    | G02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4085    | H02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4086    | I02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4087    | J02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4088    | K02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4089    | L02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4090    | M02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4091    | N02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4092    | O02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4093    | P02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4094    | Q02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4095    | R02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4096    | S02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4097    | T02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4098    | U02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4099    | V02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4100    | W02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4101    | X02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4102    | Y02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4103    | Z02 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4106    | A03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4107    | B03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4108    | C03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4109    | D03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4110    | E03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4111    | F03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4112    | G03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4113    | H03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4114    | I03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4115    | J03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4116    | K03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4117    | L03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4118    | M03 CAPACITY MARKER | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 4119    | N03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4120    | O03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4121    | P03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4122    | Q03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4123    | R03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4124    | S03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4125    | T03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4126    | U03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4127    | V03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4128    | W03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4129    | X03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4130    | Y03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4131    | Z03 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4134    | A04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4135    | B04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4136    | C04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4137    | D04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4138    | E04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4139    | F04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4140    | G04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4141    | H04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4142    | I04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4143    | J04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4144    | K04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4145    | L04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4146    | M04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4147    | N04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4148    | O04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4149    | P04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4150    | Q04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4151    | R04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4152    | S04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4153    | T04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4154    | U04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4155    | V04 CAPACITY MARKER | *Call          | N              |                | 12                |
| 2818         |       | 4156    | W04 CAPACITY MARKER | *Call          | N              |                | 12                |

| <b>Machine</b> |              |                |                           | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|---------------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>        | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2818           |              | 4157           | X04 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4158           | Y04 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4159           | Z04 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4162           | A05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4163           | B05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4164           | C05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4165           | D05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4166           | E05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4167           | F05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4168           | G05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4169           | H05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4170           | I05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4171           | J05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4172           | K05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4173           | L05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4174           | M05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4175           | N05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4176           | O05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4177           | P05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4178           | Q05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4179           | R05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4180           | S05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4181           | T05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4182           | U05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4183           | V05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4184           | W05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4185           | X05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4186           | Y05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 4187           | Z05 CAPACITY MARKER       | *Call           | N               |                 | 12              |
| 2818           |              | 6094           | 17 INCH PANEL DISPLAY     | *Call           | N               |                 | 12              |
| 2818           |              | 6095           | 21 INCH PANEL DISPLAY     | *Call           | N               |                 | 12              |
| 2818           |              | 6096           | FLAT PANEL DISPLAY        | *Call           | N               |                 | 12              |
| 2818           |              | 6501           | POWER SEQUENCE CONTROLLER | *Call           | N               |                 | 12              |
| 2818           |              | 6805           | ADDITIONAL CBU TEST       | *Call           | N               |                 | 12              |
| 2818           |              | 6818           | CBU RECORDS ORDERED       | *Call           | N               |                 | 12              |
| 2818           |              | 6820           | SINGLE CBU CP YEAR        | *Call           | N               |                 | 12              |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2818         |       | 6821    | 25 CBU CP YEAR               | *Call          | N              |                | 12                |
| 2818         |       | 6822    | SINGLE CBU IFL YEAR          | *Call          | N              |                | 12                |
| 2818         |       | 6823    | 25 CBU IFL YEAR              | *Call          | N              |                | 12                |
| 2818         |       | 6824    | SINGLE CBU ICF YEAR          | *Call          | N              |                | 12                |
| 2818         |       | 6825    | 25 CBU ICF YEAR              | *Call          | N              |                | 12                |
| 2818         |       | 6826    | SINGLE CBU ZAAP YEAR         | *Call          | N              |                | 12                |
| 2818         |       | 6827    | 25 CBU ZAAP YEAR             | *Call          | N              |                | 12                |
| 2818         |       | 6828    | SINGLE CBU ZIIP YEAR         | *Call          | N              |                | 12                |
| 2818         |       | 6829    | 25 CBU ZIIP YEAR             | *Call          | N              |                | 12                |
| 2818         |       | 6830    | SINGLE CBU SAP YEAR          | *Call          | N              |                | 12                |
| 2818         |       | 6831    | 25 CBU SAP YEAR              | *Call          | N              |                | 12                |
| 2818         |       | 7830    | MT RJ 8.5 FT HARNESS         | *Call          | N              |                | 12                |
| 2818         |       | 7832    | FQC BRACKET AND MOUNTING HDW | *Call          | N              |                | 12                |
| 2818         |       | 7833    | MT RJ 3.5 FT HARNESS         | *Call          | N              |                | 12                |
| 2818         |       | 7834    | MT RJ 5 FT HARNESS           | *Call          | N              |                | 12                |
| 2818         |       | 7835    | MT RJ 6 FT HARNESS           | *Call          | N              |                | 12                |
| 2818         |       | 7836    | LC DUP 6.6 FT HARNESS        | *Call          | N              |                | 12                |
| 2818         |       | 7837    | LC DUP 8.5FT HARNESS         | *Call          | N              |                | 12                |
| 2818         |       | 7920    | TOP EXIT CABLING             | *Call          | N              |                | 12                |
| 2818         |       | 7921    | SIDE COVERS                  | *Call          | N              |                | 12                |
| 2818         |       | 7998    | NON RAISED FLOOR SUPPORT     | *Call          | N              |                | 12                |
| 2818         |       | 8012    | 3N1 BOLT DOWN KIT            | *Call          | N              |                | 12                |
| 2818         |       | 8013    | BOLT DOWN KIT NON RAISED F   | *Call          | N              |                | 12                |
| 2818         |       | 8964    | 14FT 380 520V DC CUT CORD    | *Call          | N              |                | 12                |
| 2818         |       | 8966    | 14FT 380 520V DC LINE CORD   | *Call          | N              |                | 12                |
| 2818         |       | 8969    | 6FT 480V 3PH CORD TOP EXIT   | *Call          | N              |                | 12                |
| 2818         |       | 8970    | 14FT HILOV 3PH CUT TOP EXIT  | *Call          | N              |                | 12                |
| 2818         |       | 8971    | 6FT 200V 1PH CORD TOP EXIT   | *Call          | N              |                | 12                |
| 2818         |       | 8972    | 14FT HILOV 1PH CUT TOP EXIT  | *Call          | N              |                | 12                |
| 2818         |       | 8973    | 6FT 380 520VDC TOP EXIT      | *Call          | N              |                | 12                |
| 2818         |       | 8974    | 14FT 380 520V DC CUT TOP EX  | *Call          | N              |                | 12                |
| 2818         |       | 8975    | 6FT 200V 3PH CORD TOP EXIT   | *Call          | N              |                | 12                |
| 2818         |       | 8983    | 14FT 480V 30A 3PH CORD       | *Call          | N              |                | 12                |
| 2818         |       | 8984    | 6FT 480V 30A 3PH CORD        | *Call          | N              |                | 12                |
| 2818         |       | 8986    | 6FT 200V 30A 3PH CORD        | *Call          | N              |                | 12                |
| 2818         |       | 8987    | 14FT 200V 30A 3 PH CORD      | *Call          | N              |                | 12                |

| Machine |       |         |                              | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|------------------------------|----------|----------|----------|----------|
| Type    | Model | Feature | Description                  | Price    | Setup    | Class    | (months) |
| 2818    |       | 8988    | 14FT HI/LOV 3 PH CUT CORD    | *Call    | N        |          | 12       |
| 2818    |       | 8989    | 6FT 200V 30A 1PH CORD        | *Call    | N        |          | 12       |
| 2818    |       | 8990    | 14FT 200V 30A 1 PH LINE CORD | *Call    | N        |          | 12       |
| 2818    |       | 8991    | 14FT HILLOV 1 PH CUT CORD    | *Call    | N        |          | 12       |
| 2818    |       | 8998    | 14FT HIV 3PH CUT LINE LSZH   | *Call    | N        |          | 12       |
| 2818    |       | 8999    | 14FT HIV 1 PH CUT LSZH       | *Call    | N        |          | 12       |
| 2818    |       | 9888    | ON/OFF COD ACT IFL DAY       | *Call    | N        |          | 12       |
| 2818    |       | 9889    | ON/OFF COD ACT ICF DAY       | *Call    | N        |          | 12       |
| 2818    |       | 9893    | ON/OFF COD ACT ZAAP DAY      | *Call    | N        |          | 12       |
| 2818    |       | 9897    | ON/OFF COD ACT CAP CP DAY    | *Call    | N        |          | 12       |
| 2818    |       | 9908    | ON/OFF COD ACT ZIIP DAY      | *Call    | N        |          | 12       |
| 2818    |       | 9909    | ON/OFF COD ACT SAP DAY       | *Call    | N        |          | 12       |
| 2818    |       | 9917    | 1 MSU DAY                    | *Call    | N        |          | 12       |
| 2818    |       | 9918    | 100 MSU DAYS                 | *Call    | N        |          | 12       |
| 2818    |       | 9919    | 10000 MSU DAYS               | *Call    | N        |          | 12       |
| 2818    |       | 9920    | 1 IFL DAY                    | *Call    | N        |          | 12       |
| 2818    |       | 9921    | 100 IFL DAYS                 | *Call    | N        |          | 12       |
| 2818    |       | 9922    | 1 ICF DAY                    | *Call    | N        |          | 12       |
| 2818    |       | 9923    | 100 ICF DAYS                 | *Call    | N        |          | 12       |
| 2818    |       | 9924    | 1 ZIIP DAY                   | *Call    | N        |          | 12       |
| 2818    |       | 9925    | 100 ZIIP DAYS                | *Call    | N        |          | 12       |
| 2818    |       | 9926    | 1 ZAAP DAY                   | *Call    | N        |          | 12       |
| 2818    |       | 9927    | 100 ZAAP DAYS                | *Call    | N        |          | 12       |
| 2818    |       | 9928    | 1 SAP DAY                    | *Call    | N        |          | 12       |
| 2818    |       | 9929    | 100 SAP DAYS                 | *Call    | N        |          | 12       |
| 2818    |       | 9975    | HEIGHT REDUCE SHIP           | *Call    | N        |          | 12       |
| 2827    | H20   |         | ZENTERPRISE EC12             | *Call    | N        | 3        | 12       |
| 2827    | H43   |         | ZENTERPRISE EC12             | *Call    | N        | 3        | 12       |
| 2827    | H66   |         | ZENTERPRISE EC12             | *Call    | N        | 3        | 12       |
| 2827    | H89   |         | ZENTERPRISE EC12             | *Call    | N        | 3        | 12       |
| 2827    | HA1   |         | ZENTERPRISE EC12             | *Call    | N        | 3        | 12       |
| 2827    |       | 0001    | MTU 1 D                      | *Call    | N        |          | 12       |
| 2827    |       | 0002    | MTU 100 D                    | *Call    | N        |          | 12       |
| 2827    |       | 0003    | MTU 1 V                      | *Call    | N        |          | 12       |
| 2827    |       | 0004    | MTU 100 V                    | *Call    | N        |          | 12       |
| 2827    |       | 0005    | GTU 1 D                      | *Call    | N        |          | 12       |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 0006    | GTU 100 D                  | *Call          | N              |                | 12                |
| 2827         |       | 0007    | GTU 1 V                    | *Call          | N              |                | 12                |
| 2827         |       | 0008    | GTU 100 V                  | *Call          | N              |                | 12                |
| 2827         |       | 0009    | GTU 1000 D                 | *Call          | N              |                | 12                |
| 2827         |       | 0010    | GTU 1000 V                 | *Call          | N              |                | 12                |
| 2827         |       | 0025    | ENSEMBLE MEMBERSHIP        | *Call          | N              |                | 12                |
| 2827         |       | 0047    | MANAGE FW DP               | *Call          | N              |                | 12                |
| 2827         |       | 0048    | MANAGE FW PWR BLADE        | *Call          | N              |                | 12                |
| 2827         |       | 0049    | MANAGE FW IBM SYSTEM X BL  | *Call          | N              |                | 12                |
| 2827         |       | 0051    | AUTOMATE FW PWR BLADE      | *Call          | N              |                | 12                |
| 2827         |       | 0053    | ADV MGMT FW SYSTEM X BLADE | *Call          | N              |                | 12                |
| 2827         |       | 0054    | AUTOMATE FW IFL            | *Call          | N              |                | 12                |
| 2827         |       | 0071    | AUTOMATE FW SYSTEM X BL    | *Call          | N              |                | 12                |
| 2827         |       | 0091    | HMC                        | *Call          | N              |                | 12                |
| 2827         |       | 0092    | HMC                        | *Call          | N              |                | 12                |
| 2827         |       | 0101    | ZAWARE CP 10 PACK          | *Call          | N              |                | 12                |
| 2827         |       | 0113    | I O CAGE ISC D AIRFLOW     | *Call          | N              |                | 12                |
| 2827         |       | 0114    | I O CAGE FULL CARD AIRFLOW | *Call          | N              |                | 12                |
| 2827         |       | 0116    | 1 CPE CAPACITY UNIT        | *Call          | N              |                | 12                |
| 2827         |       | 0117    | 100 CPE CAPACITY UNIT      | *Call          | N              |                | 12                |
| 2827         |       | 0118    | 10000 CPE CAPACITY UNIT    | *Call          | N              |                | 12                |
| 2827         |       | 0119    | 1 CPE CAPACITY UNIT IFL    | *Call          | N              |                | 12                |
| 2827         |       | 0120    | 100 CPE CAPACITY UNIT IFL  | *Call          | N              |                | 12                |
| 2827         |       | 0121    | 1 CPE CAPACITY UNIT ICF    | *Call          | N              |                | 12                |
| 2827         |       | 0122    | 100 CPE CAPACITY UNIT ICF  | *Call          | N              |                | 12                |
| 2827         |       | 0123    | 1 CPE CAPACITY UNIT ZAAP   | *Call          | N              |                | 12                |
| 2827         |       | 0124    | 100 CPE CAPACITY UNIT ZAAP | *Call          | N              |                | 12                |
| 2827         |       | 0125    | 1 CPE CAPACITY UNIT ZIIP   | *Call          | N              |                | 12                |
| 2827         |       | 0126    | 100 CPE CAPACITY UNIT ZIIP | *Call          | N              |                | 12                |
| 2827         |       | 0127    | 1 CPE CAPACITY UNIT SAP    | *Call          | N              |                | 12                |
| 2827         |       | 0128    | 100 CPE CAPACITY UNIT SAP  | *Call          | N              |                | 12                |
| 2827         |       | 0147    | CPC RADIATOR               | *Call          | N              |                | 12                |
| 2827         |       | 0149    | CPC WATER                  | *Call          | N              |                | 12                |
| 2827         |       | 0162    | HCA2 C FANOUT              | *Call          | N              |                | 12                |
| 2827         |       | 0163    | HCA2 O FANOUT FOR 12X IFB  | *Call          | N              |                | 12                |
| 2827         |       | 0165    | FANOUT AIRFLOW             | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 0168    | HCA2 O LR FANOUT FOR 1X IFB  | *Call          | N              |                | 12                |
| 2827         |       | 0169    | PCIE FANOUT                  | *Call          | N              |                | 12                |
| 2827         |       | 0170    | HCA3 O LR FANOUT FOR 1X IFB  | *Call          | N              |                | 12                |
| 2827         |       | 0171    | HCA3 O FANOUT FOR 12X IFB    | *Call          | N              |                | 12                |
| 2827         |       | 0217    | ISC MOTHER CARD              | *Call          | N              |                | 12                |
| 2827         |       | 0218    | ISC DAUGHTER CARD            | *Call          | N              |                | 12                |
| 2827         |       | 0219    | ISC 3 LINK ON F C 0218       | *Call          | N              |                | 12                |
| 2827         |       | 0326    | IFB MP DAUGHTER CARD         | *Call          | N              |                | 12                |
| 2827         |       | 0327    | STI A8 MOTHER CARD           | *Call          | N              |                | 12                |
| 2827         |       | 0328    | STI A4 MOTHER CARD           | *Call          | N              |                | 12                |
| 2827         |       | 0400    | PCIE INTERCONNECT CARD       | *Call          | N              |                | 12                |
| 2827         |       | 0402    | FLASHEXP ZOS EST AVAIL 12 12 | *Call          | N              |                | 12                |
| 2827         |       | 0404    | OSA EXPRESS4S 1 GBE LX       | *Call          | N              |                | 12                |
| 2827         |       | 0405    | OSA EXPRESS4S 1 GBE SX       | *Call          | N              |                | 12                |
| 2827         |       | 0406    | OSA EXPRESS4S 10 GBE LR      | *Call          | N              |                | 12                |
| 2827         |       | 0407    | OSA EXPRESS4S 10 GBE SR      | *Call          | N              |                | 12                |
| 2827         |       | 0408    | OSA EXPRESS4S 1000BASE T     | *Call          | N              |                | 12                |
| 2827         |       | 0409    | FICON EXPRESS8S 10KM LX      | *Call          | N              |                | 12                |
| 2827         |       | 0410    | FICON EXPRESS8S SX           | *Call          | N              |                | 12                |
| 2827         |       | 0411    | 10GBE ROCE EXPRESS           | *Call          | N              |                | 12                |
| 2827         |       | 0413    | OSA EXPRESS5S GBE LX         | *Call          | N              |                | 12                |
| 2827         |       | 0414    | OSA EXPRESS5S GBE SX         | *Call          | N              |                | 12                |
| 2827         |       | 0415    | OSA EXPRESS5S 10 GBE LR      | *Call          | N              |                | 12                |
| 2827         |       | 0416    | OSA EXPRESS5S 10 GBE SR      | *Call          | N              |                | 12                |
| 2827         |       | 0417    | OSA EXPRESS5S 1000BASE T     | *Call          | N              |                | 12                |
| 2827         |       | 0420    | ZEDC EXPRESS                 | *Call          | N              |                | 12                |
| 2827         |       | 0841    | TKE WORKSTATION              | *Call          | N              |                | 12                |
| 2827         |       | 0842    | TKE WORKSTATION              | *Call          | N              |                | 12                |
| 2827         |       | 0864    | CRYPTO EXPRESS3              | *Call          | N              |                | 12                |
| 2827         |       | 0865    | CRYPTO EXPRESS4S             | *Call          | N              |                | 12                |
| 2827         |       | 0884    | ADDL SMART CARDS             | *Call          | N              |                | 12                |
| 2827         |       | 0885    | TKE SMART CARD READER        | *Call          | N              |                | 12                |
| 2827         |       | 0998    | UID LABEL FOR DOD            | *Call          | N              |                | 12                |
| 2827         |       | 1021    | STP ENABLEMENT               | *Call          | N              |                | 12                |
| 2827         |       | 1095    | MODEL H20 AIR COOLED         | *Call          | N              |                | 12                |
| 2827         |       | 1096    | MODEL H43 AIR COOLED         | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 1097    | MODEL H66 AIR COOLED       | *Call          | N              |                | 12                |
| 2827         |       | 1098    | MODEL H89 AIR COOLED       | *Call          | N              |                | 12                |
| 2827         |       | 1099    | MODEL H20 WATER COOLED     | *Call          | N              |                | 12                |
| 2827         |       | 1100    | MODEL H43 WATER COOLED     | *Call          | N              |                | 12                |
| 2827         |       | 1101    | MODEL H66 WATER COOLED     | *Call          | N              |                | 12                |
| 2827         |       | 1102    | MODEL H89 WATER COOLED     | *Call          | N              |                | 12                |
| 2827         |       | 1106    | MODEL HA1 AIR COOLED       | *Call          | N              |                | 12                |
| 2827         |       | 1145    | MODEL HA1 WATER COOLED     | *Call          | N              |                | 12                |
| 2827         |       | 1897    | 32GB FTR CONVERTED MEMORY  | *Call          | N              |                | 12                |
| 2827         |       | 1898    | 32GB MEMORY CAPACITY INCR  | *Call          | N              |                | 12                |
| 2827         |       | 1899    | 16GB MEMORY CAPACITY INCR  | *Call          | N              |                | 12                |
| 2827         |       | 1900    | 16GB FTR CONVERTED MEMORY  | *Call          | N              |                | 12                |
| 2827         |       | 1909    | IFL                        | *Call          | N              |                | 12                |
| 2827         |       | 1910    | ICF                        | *Call          | N              |                | 12                |
| 2827         |       | 1911    | SAP OPTIONAL               | *Call          | N              |                | 12                |
| 2827         |       | 1912    | ZAAP                       | *Call          | N              |                | 12                |
| 2827         |       | 1913    | ZIIP                       | *Call          | N              |                | 12                |
| 2827         |       | 1914    | UNASSIGNED IFL             | *Call          | N              |                | 12                |
| 2827         |       | 1990    | 32GB PREPLANNED MEMORY     | *Call          | N              |                | 12                |
| 2827         |       | 1996    | 16GB PREPLANNED MEMORY     | *Call          | N              |                | 12                |
| 2827         |       | 3008    | BPD PAIR                   | *Call          | N              |                | 12                |
| 2827         |       | 3009    | BPR PAIR                   | *Call          | N              |                | 12                |
| 2827         |       | 3213    | INTERNAL BATTERY IBF ED    | *Call          | N              |                | 12                |
| 2827         |       | 3321    | FICON EXPRESS4 10KM LX     | *Call          | N              |                | 12                |
| 2827         |       | 3322    | FICON EXPRESS4 SX          | *Call          | N              |                | 12                |
| 2827         |       | 3325    | FICON EXPRESS8 10KM LX     | *Call          | N              |                | 12                |
| 2827         |       | 3326    | FICON EXPRESS8 SX          | *Call          | N              |                | 12                |
| 2827         |       | 3362    | OSA EXPRESS3 GBE LX        | *Call          | N              |                | 12                |
| 2827         |       | 3363    | OSA EXPRESS3 GBE SX        | *Call          | N              |                | 12                |
| 2827         |       | 3367    | OSA EXPRESS3 1000BASET EN  | *Call          | N              |                | 12                |
| 2827         |       | 3370    | OSA EXPRESS3 10 GBE LR     | *Call          | N              |                | 12                |
| 2827         |       | 3371    | OSA EXPRESS3 10 GBE SR     | *Call          | N              |                | 12                |
| 2827         |       | 3378    | FILL AND DRAIN KIT         | *Call          | N              |                | 12                |
| 2827         |       | 3759    | UNIVERSAL LIFT TOOL LADDER | *Call          | N              |                | 12                |
| 2827         |       | 4007    | I O CAGE                   | *Call          | N              |                | 12                |
| 2827         |       | 4008    | I O DRAWER                 | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description               | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 4009    | PCIE I O DRAWER           | *Call          | N              |                | 12                |
| 2827         |       | 4022    | A FR WATER MULTI NODE     | *Call          | N              |                | 12                |
| 2827         |       | 4024    | A FR RADIATOR MULTI NODE  | *Call          | N              |                | 12                |
| 2827         |       | 4025    | A FR WATER SINGLE NODE    | *Call          | N              |                | 12                |
| 2827         |       | 4026    | A FR RADIATOR SINGLE NODE | *Call          | N              |                | 12                |
| 2827         |       | 6096    | FLAT PANEL DISPLAY        | *Call          | N              |                | 12                |
| 2827         |       | 6805    | ADDITIONAL CBU TEST       | *Call          | N              |                | 12                |
| 2827         |       | 6818    | CBU RECORDS ORDERED       | *Call          | N              |                | 12                |
| 2827         |       | 6820    | SINGLE CBU CP YEAR        | *Call          | N              |                | 12                |
| 2827         |       | 6821    | 25 CBU CP YEAR            | *Call          | N              |                | 12                |
| 2827         |       | 6822    | SINGLE CBU IFL YEAR       | *Call          | N              |                | 12                |
| 2827         |       | 6823    | 25 CBU IFL YEAR           | *Call          | N              |                | 12                |
| 2827         |       | 6824    | SINGLE CBU ICF YEAR       | *Call          | N              |                | 12                |
| 2827         |       | 6825    | 25 CBU ICF YEAR           | *Call          | N              |                | 12                |
| 2827         |       | 6826    | SINGLE CBU ZAAP YEAR      | *Call          | N              |                | 12                |
| 2827         |       | 6827    | 25 CBU ZAAP YEAR          | *Call          | N              |                | 12                |
| 2827         |       | 6828    | SINGLE CBU ZIIP YEAR      | *Call          | N              |                | 12                |
| 2827         |       | 6829    | 25 CBU ZIIP YEAR          | *Call          | N              |                | 12                |
| 2827         |       | 6830    | SINGLE CBU SAP YEAR       | *Call          | N              |                | 12                |
| 2827         |       | 6831    | 25 CBU SAP YEAR           | *Call          | N              |                | 12                |
| 2827         |       | 7325    | 1 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7326    | 2 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7327    | 3 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7328    | 4 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7329    | 5 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7330    | 6 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7331    | 7 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7332    | 8 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7333    | 9 WAY PROCESSOR CP4       | *Call          | N              |                | 12                |
| 2827         |       | 7334    | 10 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7335    | 11 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7336    | 12 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7337    | 13 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7338    | 14 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7339    | 15 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |
| 2827         |       | 7340    | 16 WAY PROCESSOR CP4      | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description          | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 7341    | 17 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2827         |       | 7342    | 18 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2827         |       | 7343    | 19 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2827         |       | 7344    | 20 WAY PROCESSOR CP4 | *Call          | N              |                | 12                |
| 2827         |       | 7350    | 1 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7351    | 2 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7352    | 3 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7353    | 4 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7354    | 5 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7355    | 6 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7356    | 7 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7357    | 8 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7358    | 9 WAY PROCESSOR CP5  | *Call          | N              |                | 12                |
| 2827         |       | 7359    | 10 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7360    | 11 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7361    | 12 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7362    | 13 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7363    | 14 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7364    | 15 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7365    | 16 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7366    | 17 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7367    | 18 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7368    | 19 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7369    | 20 WAY PROCESSOR CP5 | *Call          | N              |                | 12                |
| 2827         |       | 7375    | 1 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7376    | 2 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7377    | 3 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7378    | 4 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7379    | 5 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7380    | 6 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7381    | 7 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7382    | 8 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7383    | 9 WAY PROCESSOR CP6  | *Call          | N              |                | 12                |
| 2827         |       | 7384    | 10 WAY PROCESSOR CP6 | *Call          | N              |                | 12                |
| 2827         |       | 7385    | 11 WAY PROCESSOR CP6 | *Call          | N              |                | 12                |
| 2827         |       | 7386    | 12 WAY PROCESSOR CP6 | *Call          | N              |                | 12                |

| <b>Machine</b> |              |                |                      | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>   | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2827           |              | 7387           | 13 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7388           | 14 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7389           | 15 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7390           | 16 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7391           | 17 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7392           | 18 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7393           | 19 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7394           | 20 WAY PROCESSOR CP6 | *Call           | N               |                 | 12              |
| 2827           |              | 7401           | 1 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7402           | 2 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7403           | 3 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7404           | 4 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7405           | 5 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7406           | 6 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7407           | 7 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7408           | 8 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7409           | 9 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7410           | 10 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7411           | 11 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7412           | 12 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7413           | 13 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7414           | 14 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7415           | 15 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7416           | 16 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7417           | 17 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7418           | 18 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7419           | 19 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7420           | 20 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7421           | 21 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7422           | 22 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7423           | 23 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7424           | 24 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7425           | 25 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7426           | 26 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7427           | 27 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7428           | 28 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |

| <b>Machine</b> |              |                |                      | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>   | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2827           |              | 7429           | 29 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7430           | 30 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7431           | 31 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7432           | 32 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7433           | 33 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7434           | 34 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7435           | 35 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7436           | 36 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7437           | 37 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7438           | 38 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7439           | 39 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7440           | 40 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7441           | 41 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7442           | 42 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7443           | 43 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7444           | 44 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7445           | 45 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7446           | 46 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7447           | 47 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7448           | 48 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7449           | 49 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7450           | 50 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7451           | 51 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7452           | 52 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7453           | 53 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7454           | 54 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7455           | 55 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7456           | 56 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7457           | 57 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7458           | 58 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7459           | 59 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7460           | 60 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7461           | 61 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7462           | 62 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7463           | 63 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |
| 2827           |              | 7464           | 64 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |

| <b>Machine</b> |              |                |                       | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|-----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>    | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2827           |              | 7465           | 65 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7466           | 66 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7467           | 67 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7468           | 68 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7469           | 69 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7470           | 70 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7471           | 71 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7472           | 72 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7473           | 73 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7474           | 74 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7475           | 75 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7476           | 76 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7477           | 77 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7478           | 78 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7479           | 79 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7480           | 80 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7481           | 81 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7482           | 82 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7483           | 83 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7484           | 84 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7485           | 85 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7486           | 86 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7487           | 87 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7488           | 88 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7489           | 89 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7490           | 90 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7491           | 91 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7492           | 92 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7493           | 93 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7494           | 94 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7495           | 95 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7496           | 96 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7497           | 97 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7498           | 98 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7499           | 99 WAY PROCESSOR CP7  | *Call           | N               |                 | 12              |
| 2827           |              | 7500           | 100 WAY PROCESSOR CP7 | *Call           | N               |                 | 12              |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2827         |       | 7501    | 101 WAY PROCESSOR CP7      | *Call          | N              |                | 12                |
| 2827         |       | 7801    | 14FT WATER HOSE            | *Call          | N              |                | 12                |
| 2827         |       | 7922    | FQC BRACKET & MOUNTING HDW | *Call          | N              |                | 12                |
| 2827         |       | 7927    | LC DUPLEX 6.6FT HARNESSSES | *Call          | N              |                | 12                |
| 2827         |       | 7942    | TOP EXIT I O CABLING       | *Call          | N              |                | 12                |
| 2827         |       | 7949    | SIDE COVERS                | *Call          | N              |                | 12                |
| 2827         |       | 7998    | NON RAISED FLOOR SUPPORT   | *Call          | N              |                | 12                |
| 2827         |       | 8000    | 3 IN 1 BOLT DOWN KIT       | *Call          | N              |                | 12                |
| 2827         |       | 8001    | 3 IN 1 BOLT DOWN KIT W     | *Call          | N              |                | 12                |
| 2827         |       | 8002    | BOLT DOWN KIT NRF          | *Call          | N              |                | 12                |
| 2827         |       | 8947    | 380-520V DC TE CORD BPE-1  | *Call          | N              |                | 12                |
| 2827         |       | 8948    | 14FT 380-520V DC CUT TE CD | *Call          | N              |                | 0                 |
| 2827         |       | 8949    | 14FT LOV 3PH CUT TE CORD   | *Call          | N              |                | 0                 |
| 2827         |       | 8950    | 480V 3PH TE CORD           | *Call          | N              |                | 12                |
| 2827         |       | 8951    | 14FT HIV 3PH CUT TE CORD   | *Call          | N              |                | 0                 |
| 2827         |       | 8952    | 200V 3PH TE CORD BPE 1     | *Call          | N              |                | 12                |
| 2827         |       | 8953    | 380-520V DC TE CORD BPE-2  | *Call          | N              |                | 12                |
| 2827         |       | 8955    | 200V 3PH TE CORD BPE 2     | *Call          | N              |                | 12                |
| 2827         |       | 8963    | 14FT 380-520V DC LINE CORD | *Call          | N              |                | 12                |
| 2827         |       | 8965    | 14FT 380-520V DC CUT CORD  | *Call          | N              |                | 0                 |
| 2827         |       | 8976    | 14 FT 380-415V 3PH         | *Call          | N              |                | 12                |
| 2827         |       | 8977    | 380 415V 3PH TE CORD       | *Call          | N              |                | 12                |
| 2827         |       | 8982    | 14FT LOV 3PH CUT LINE CORD | *Call          | N              |                | 0                 |
| 2827         |       | 8983    | 14FT 480V 3PH LINE CORD    | *Call          | N              |                | 12                |
| 2827         |       | 8988    | 14FT HIV 3PH CUT LINE CORD | *Call          | N              |                | 12                |
| 2827         |       | 8993    | 14 FT 200V 3PH CORD        | *Call          | N              |                | 12                |
| 2827         |       | 8996    | 14FT 200-240V 3PH CUT-LSZH | *Call          | N              |                | 0                 |
| 2827         |       | 8998    | 14FT HIV 3PH CUT LINE LSZH | *Call          | N              |                | 12                |
| 2827         |       | 9888    | ON OFF COD ACT IFL DAY     | *Call          | N              |                | 12                |
| 2827         |       | 9889    | ON OFF COD ACT ICF DAY     | *Call          | N              |                | 12                |
| 2827         |       | 9893    | ON OFF COD ACT ZAAP DAY    | *Call          | N              |                | 12                |
| 2827         |       | 9897    | ON OFF COD ACT CAP CP DAY  | *Call          | N              |                | 12                |
| 2827         |       | 9908    | ON OFF COD ACT ZIIP DAY    | *Call          | N              |                | 12                |
| 2827         |       | 9909    | ON OFF COD ACT SAP DAY     | *Call          | N              |                | 12                |
| 2827         |       | 9917    | 1 MSU DAY                  | *Call          | N              |                | 12                |
| 2827         |       | 9918    | 100 MSU DAYS               | *Call          | N              |                | 12                |

| Machine |       |         |                             | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-----------------------------|----------|----------|----------|----------|
| Type    | Model | Feature | Description                 | Price    | Setup    | Class    | (months) |
| 2827    |       | 9919    | 10000 MSU DAYS              | *Call    | N        |          | 12       |
| 2827    |       | 9920    | 1 IFL DAY                   | *Call    | N        |          | 12       |
| 2827    |       | 9921    | 100 IFL DAYS                | *Call    | N        |          | 12       |
| 2827    |       | 9922    | 1 ICF DAY                   | *Call    | N        |          | 12       |
| 2827    |       | 9923    | 100 ICF DAYS                | *Call    | N        |          | 12       |
| 2827    |       | 9924    | 1 ZIIP DAY                  | *Call    | N        |          | 12       |
| 2827    |       | 9925    | 100 ZIIP DAYS               | *Call    | N        |          | 12       |
| 2827    |       | 9926    | 1 ZAAP DAY                  | *Call    | N        |          | 12       |
| 2827    |       | 9927    | 100 ZAAP DAYS               | *Call    | N        |          | 12       |
| 2827    |       | 9928    | 1 SAP DAY                   | *Call    | N        |          | 12       |
| 2827    |       | 9929    | 100 SAP DAYS                | *Call    | N        |          | 12       |
| 2827    |       | 9968    | SITE TOOL KIT               | *Call    | N        |          | 12       |
| 2827    |       | 9970    | WEIGHT DISTRIBUTION KIT     | *Call    | N        |          | 12       |
| 2827    |       | 9975    | HEIGHT REDUCE SHIP          | *Call    | N        |          | 12       |
| 2828    | H06   |         | ZNEXT BC                    | *Call    | N        | 3        | 12       |
| 2828    | H13   |         | ZNEXT BC                    | *Call    | N        | 3        | 12       |
| 2828    |       | 0001    | MTU 1 - D                   | *Call    | N        |          | 12       |
| 2828    |       | 0002    | MTU 100 - D                 | *Call    | N        |          | 12       |
| 2828    |       | 0003    | MTU 1 - V                   | *Call    | N        |          | 12       |
| 2828    |       | 0004    | MTU 100 - V                 | *Call    | N        |          | 12       |
| 2828    |       | 0005    | GTU 1 - D                   | *Call    | N        |          | 12       |
| 2828    |       | 0006    | GTU 100 - D                 | *Call    | N        |          | 12       |
| 2828    |       | 0007    | GTU 1 - V                   | *Call    | N        |          | 12       |
| 2828    |       | 0008    | GTU 100 - V                 | *Call    | N        |          | 12       |
| 2828    |       | 0009    | GTU 1000 - D                | *Call    | N        |          | 12       |
| 2828    |       | 0010    | GTU 1000 - V                | *Call    | N        |          | 12       |
| 2828    |       | 0060    | AUTOMATE FW IFL             | *Call    | N        |          | 12       |
| 2828    |       | 0064    | MANAGE FW DP                | *Call    | N        |          | 12       |
| 2828    |       | 0065    | MANAGE FW PWR BLADE         | *Call    | N        |          | 12       |
| 2828    |       | 0066    | MANAGE FW IBM SYSTEM X BL   | *Call    | N        |          | 12       |
| 2828    |       | 0068    | AUTOMATE FW PWR BLADE       | *Call    | N        |          | 12       |
| 2828    |       | 0069    | AUTOMATE FW IBM SYSTEM X BL | *Call    | N        |          | 12       |
| 2828    |       | 0092    | HMC                         | *Call    | N        |          | 12       |
| 2828    |       | 0113    | I/O CAGE ISC-D AIRFLOW      | *Call    | N        |          | 12       |
| 2828    |       | 0114    | I/O CAGE FULL CARD AIRFLOW  | *Call    | N        |          | 12       |
| 2828    |       | 0116    | 1 CPE CAPACITY UNIT         | *Call    | N        |          | 12       |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2828         |       | 0117    | 100 CPE CAPACITY UNIT       | *Call          | N              |                | 12                |
| 2828         |       | 0118    | 10000 CPE CAPACITY UNIT     | *Call          | N              |                | 12                |
| 2828         |       | 0119    | 1 CPE CAPACITY UNIT-IFL     | *Call          | N              |                | 12                |
| 2828         |       | 0120    | 100 CPE CAPACITY UNIT-IFL   | *Call          | N              |                | 12                |
| 2828         |       | 0121    | 1 CPE CAPACITY UNIT-ICF     | *Call          | N              |                | 12                |
| 2828         |       | 0122    | 100 CPE CAPACITY UNIT-ICF   | *Call          | N              |                | 12                |
| 2828         |       | 0123    | 1 CPE CAPACITY UNIT-ZAAP    | *Call          | N              |                | 12                |
| 2828         |       | 0124    | 100 CPE CAPACITY UNIT-ZAAP  | *Call          | N              |                | 12                |
| 2828         |       | 0125    | 1 CPE CAPACITY UNIT-ZIIP    | *Call          | N              |                | 12                |
| 2828         |       | 0126    | 100 CPE CAPACITY UNIT-ZIIP  | *Call          | N              |                | 12                |
| 2828         |       | 0127    | 1 CPE CAPACITY UNIT-SAP     | *Call          | N              |                | 12                |
| 2828         |       | 0128    | 100 CPE CAPACITY UNIT-SAP   | *Call          | N              |                | 12                |
| 2828         |       | 0138    | ZAWARE CP 2PACK             | *Call          | N              |                | 12                |
| 2828         |       | 0140    | ZAWARE CP 4PACK             | *Call          | N              |                | 12                |
| 2828         |       | 0142    | ZAWARE CP 6PACK             | *Call          | N              |                | 12                |
| 2828         |       | 0150    | ZAWARE CP 10PACK            | *Call          | N              |                | 12                |
| 2828         |       | 0165    | FANOUT AIRFLOW              | *Call          | N              |                | 12                |
| 2828         |       | 0169    | PCIE FANOUT                 | *Call          | N              |                | 12                |
| 2828         |       | 0170    | HCA3-O LR FANOUT FOR 1X IFB | *Call          | N              |                | 12                |
| 2828         |       | 0171    | HCA3-O FANOUT FOR 12X IFB   | *Call          | N              |                | 12                |
| 2828         |       | 0400    | PCIE INTERCONNECT CARD      | *Call          | N              |                | 12                |
| 2828         |       | 0402    | FLASH EXPRESS               | *Call          | N              |                | 12                |
| 2828         |       | 0409    | FICON EXPRESS8S 10KM LX     | *Call          | N              |                | 12                |
| 2828         |       | 0410    | FICON EXPRESS8S SX          | *Call          | N              |                | 12                |
| 2828         |       | 0411    | 10GBE ROCE EXPRESS          | *Call          | N              |                | 12                |
| 2828         |       | 0413    | OSA-EXPRESS5S GBE LX        | *Call          | N              |                | 12                |
| 2828         |       | 0414    | OSA-EXPRESS5S GBE SX        | *Call          | N              |                | 12                |
| 2828         |       | 0415    | OSA-EXPRESS5S 10 GBE LR     | *Call          | N              |                | 12                |
| 2828         |       | 0416    | OSA-EXPRESS5S 10 GBE SR     | *Call          | N              |                | 12                |
| 2828         |       | 0417    | OSA-EXPRESS5S 1000BASE-T    | *Call          | N              |                | 12                |
| 2828         |       | 0420    | ZEDC EXPRESS                | *Call          | N              |                | 12                |
| 2828         |       | 0842    | TKE WORKSTATION             | *Call          | N              |                | 12                |
| 2828         |       | 0865    | CRYPTO EXPRESS4S            | *Call          | N              |                | 12                |
| 2828         |       | 0884    | ADDL SMART CARDS            | *Call          | N              |                | 12                |
| 2828         |       | 0885    | TKE SMART CARD READER       | *Call          | N              |                | 12                |
| 2828         |       | 0998    | UID LABEL FOR DOD           | *Call          | N              |                | 12                |



| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2828         |       | 1021    | STP ENABLEMENT             | *Call          | N              |                | 12                |
| 2828         |       | 1148    | MODEL H13                  | *Call          | N              |                | 12                |
| 2828         |       | 1903    | 8GB MEMORY CAPACITY INCR   | *Call          | N              |                | 12                |
| 2828         |       | 1904    | 8GB FTR CONVERTED MEMORY   | *Call          | N              |                | 12                |
| 2828         |       | 1993    | PREPLANNED MEMORY          | *Call          | N              |                | 12                |
| 2828         |       | 3004    | BPR PAIR AIR MODEL         | *Call          | N              |                | 12                |
| 2828         |       | 3008    | BPD PAIR AIR MODEL         | *Call          | N              |                | 12                |
| 2828         |       | 3213    | INTERNAL BATTERY IBF-E     | *Call          | N              |                | 12                |
| 2828         |       | 3759    | UNIVERSAL LIFT TOOL/LADDER | *Call          | N              |                | 12                |
| 2828         |       | 4009    | PCIE I/O DRAWER            | *Call          | N              |                | 12                |
| 2828         |       | 5794    | IFL                        | *Call          | N              |                | 12                |
| 2828         |       | 5795    | ICF                        | *Call          | N              |                | 12                |
| 2828         |       | 5796    | SAP (OPTIONAL)             | *Call          | N              |                | 12                |
| 2828         |       | 5797    | ZAAP                       | *Call          | N              |                | 12                |
| 2828         |       | 5798    | ZIIP                       | *Call          | N              |                | 12                |
| 2828         |       | 5799    | UNASSIGNED IFL             | *Call          | N              |                | 12                |
| 2828         |       | 5905    | 0-WAY PROCESSOR A00        | *Call          | N              |                | 12                |
| 2828         |       | 5906    | 1-WAY PROCESSOR A01        | *Call          | N              |                | 12                |
| 2828         |       | 5907    | 1-WAY PROCESSOR B01        | *Call          | N              |                | 12                |
| 2828         |       | 5908    | 1-WAY PROCESSOR C01        | *Call          | N              |                | 12                |
| 2828         |       | 5909    | 1-WAY PROCESSOR D01        | *Call          | N              |                | 12                |
| 2828         |       | 5910    | 1-WAY PROCESSOR E01        | *Call          | N              |                | 12                |
| 2828         |       | 5911    | 1-WAY PROCESSOR F01        | *Call          | N              |                | 12                |
| 2828         |       | 5912    | 1-WAY PROCESSOR G01        | *Call          | N              |                | 12                |
| 2828         |       | 5913    | 1-WAY PROCESSOR H01        | *Call          | N              |                | 12                |
| 2828         |       | 5914    | 1-WAY PROCESSOR I01        | *Call          | N              |                | 12                |
| 2828         |       | 5915    | 1-WAY PROCESSOR J01        | *Call          | N              |                | 12                |
| 2828         |       | 5916    | 1-WAY PROCESSOR K01        | *Call          | N              |                | 12                |
| 2828         |       | 5917    | 1-WAY PROCESSOR L01        | *Call          | N              |                | 12                |
| 2828         |       | 5918    | 1-WAY PROCESSOR M01        | *Call          | N              |                | 12                |
| 2828         |       | 5920    | 1-WAY PROCESSOR N01        | *Call          | N              |                | 12                |
| 2828         |       | 5921    | 1-WAY PROCESSOR O01        | *Call          | N              |                | 12                |
| 2828         |       | 5922    | 1-WAY PROCESSOR P01        | *Call          | N              |                | 12                |
| 2828         |       | 5923    | 1-WAY PROCESSOR Q01        | *Call          | N              |                | 12                |
| 2828         |       | 5924    | 1-WAY PROCESSOR R01        | *Call          | N              |                | 12                |
| 2828         |       | 5925    | 1-WAY PROCESSOR S01        | *Call          | N              |                | 12                |

| Machine Type | Model | Feature | Description         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2828         |       | 5926    | 1-WAY PROCESSOR T01 | *Call          | N              |                | 12                |
| 2828         |       | 5927    | 1-WAY PROCESSOR U01 | *Call          | N              |                | 12                |
| 2828         |       | 5928    | 1-WAY PROCESSOR V01 | *Call          | N              |                | 12                |
| 2828         |       | 5929    | 1-WAY PROCESSOR W01 | *Call          | N              |                | 12                |
| 2828         |       | 5930    | 1-WAY PROCESSOR X01 | *Call          | N              |                | 12                |
| 2828         |       | 5931    | 1-WAY PROCESSOR Y01 | *Call          | N              |                | 12                |
| 2828         |       | 5932    | 1-WAY PROCESSOR Z01 | *Call          | N              |                | 12                |
| 2828         |       | 5933    | 2-WAY PROCESSOR A02 | *Call          | N              |                | 12                |
| 2828         |       | 5934    | 2-WAY PROCESSOR B02 | *Call          | N              |                | 12                |
| 2828         |       | 5935    | 2-WAY PROCESSOR C02 | *Call          | N              |                | 12                |
| 2828         |       | 5936    | 2-WAY PROCESSOR D02 | *Call          | N              |                | 12                |
| 2828         |       | 5937    | 2-WAY PROCESSOR E02 | *Call          | N              |                | 12                |
| 2828         |       | 5938    | 2-WAY PROCESSOR F02 | *Call          | N              |                | 12                |
| 2828         |       | 5939    | 2-WAY PROCESSOR G02 | *Call          | N              |                | 12                |
| 2828         |       | 5940    | 2-WAY PROCESSOR H02 | *Call          | N              |                | 12                |
| 2828         |       | 5941    | 2-WAY PROCESSOR I02 | *Call          | N              |                | 12                |
| 2828         |       | 5942    | 2-WAY PROCESSOR J02 | *Call          | N              |                | 12                |
| 2828         |       | 5943    | 2-WAY PROCESSOR K02 | *Call          | N              |                | 12                |
| 2828         |       | 5944    | 2-WAY PROCESSOR L02 | *Call          | N              |                | 12                |
| 2828         |       | 5945    | 2-WAY PROCESSOR M02 | *Call          | N              |                | 12                |
| 2828         |       | 5946    | 2-WAY PROCESSOR N02 | *Call          | N              |                | 12                |
| 2828         |       | 5947    | 2-WAY PROCESSOR O02 | *Call          | N              |                | 12                |
| 2828         |       | 5948    | 2-WAY PROCESSOR P02 | *Call          | N              |                | 12                |
| 2828         |       | 5949    | 2-WAY PROCESSOR Q02 | *Call          | N              |                | 12                |
| 2828         |       | 5950    | 2-WAY PROCESSOR R02 | *Call          | N              |                | 12                |
| 2828         |       | 5951    | 2-WAY PROCESSOR S02 | *Call          | N              |                | 12                |
| 2828         |       | 5952    | 2-WAY PROCESSOR T02 | *Call          | N              |                | 12                |
| 2828         |       | 5953    | 2-WAY PROCESSOR U02 | *Call          | N              |                | 12                |
| 2828         |       | 5954    | 2-WAY PROCESSOR V02 | *Call          | N              |                | 12                |
| 2828         |       | 5955    | 2-WAY PROCESSOR W02 | *Call          | N              |                | 12                |
| 2828         |       | 5956    | 2-WAY PROCESSOR X02 | *Call          | N              |                | 12                |
| 2828         |       | 5957    | 2-WAY PROCESSOR Y02 | *Call          | N              |                | 12                |
| 2828         |       | 5958    | 2-WAY PROCESSOR Z02 | *Call          | N              |                | 12                |
| 2828         |       | 5959    | 3-WAY PROCESSOR A03 | *Call          | N              |                | 12                |
| 2828         |       | 5960    | 3-WAY PROCESSOR B03 | *Call          | N              |                | 12                |
| 2828         |       | 5961    | 3-WAY PROCESSOR C03 | *Call          | N              |                | 12                |

| <b>Machine</b> |              |                |                     | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>  | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2828           |              | 5962           | 3-WAY PROCESSOR D03 | *Call           | N               |                 | 12              |
| 2828           |              | 5963           | 3-WAY PROCESSOR E03 | *Call           | N               |                 | 12              |
| 2828           |              | 5964           | 3-WAY PROCESSOR F03 | *Call           | N               |                 | 12              |
| 2828           |              | 5965           | 3-WAY PROCESSOR G03 | *Call           | N               |                 | 12              |
| 2828           |              | 5966           | 3-WAY PROCESSOR H03 | *Call           | N               |                 | 12              |
| 2828           |              | 5967           | 3-WAY PROCESSOR I03 | *Call           | N               |                 | 12              |
| 2828           |              | 5968           | 3-WAY PROCESSOR J03 | *Call           | N               |                 | 12              |
| 2828           |              | 5969           | 3-WAY PROCESSOR K03 | *Call           | N               |                 | 12              |
| 2828           |              | 5970           | 3-WAY PROCESSOR L03 | *Call           | N               |                 | 12              |
| 2828           |              | 5971           | 3-WAY PROCESSOR M03 | *Call           | N               |                 | 12              |
| 2828           |              | 5972           | 3-WAY PROCESSOR N03 | *Call           | N               |                 | 12              |
| 2828           |              | 5973           | 3-WAY PROCESSOR O03 | *Call           | N               |                 | 12              |
| 2828           |              | 5974           | 3-WAY PROCESSOR P03 | *Call           | N               |                 | 12              |
| 2828           |              | 5975           | 3-WAY PROCESSOR Q03 | *Call           | N               |                 | 12              |
| 2828           |              | 5976           | 3-WAY PROCESSOR R03 | *Call           | N               |                 | 12              |
| 2828           |              | 5977           | 3-WAY PROCESSOR S03 | *Call           | N               |                 | 12              |
| 2828           |              | 5978           | 3-WAY PROCESSOR T03 | *Call           | N               |                 | 12              |
| 2828           |              | 5979           | 3-WAY PROCESSOR U03 | *Call           | N               |                 | 12              |
| 2828           |              | 5980           | 3-WAY PROCESSOR V03 | *Call           | N               |                 | 12              |
| 2828           |              | 5981           | 3-WAY PROCESSOR W03 | *Call           | N               |                 | 12              |
| 2828           |              | 5982           | 3-WAY PROCESSOR X03 | *Call           | N               |                 | 12              |
| 2828           |              | 5983           | 3-WAY PROCESSOR Y03 | *Call           | N               |                 | 12              |
| 2828           |              | 5984           | 3-WAY PROCESSOR Z03 | *Call           | N               |                 | 12              |
| 2828           |              | 5985           | 4-WAY PROCESSOR A04 | *Call           | N               |                 | 12              |
| 2828           |              | 5986           | 4-WAY PROCESSOR B04 | *Call           | N               |                 | 12              |
| 2828           |              | 5987           | 4-WAY PROCESSOR C04 | *Call           | N               |                 | 12              |
| 2828           |              | 5988           | 4-WAY PROCESSOR D04 | *Call           | N               |                 | 12              |
| 2828           |              | 5989           | 4-WAY PROCESSOR E04 | *Call           | N               |                 | 12              |
| 2828           |              | 5990           | 4-WAY PROCESSOR F04 | *Call           | N               |                 | 12              |
| 2828           |              | 5991           | 4-WAY PROCESSOR G04 | *Call           | N               |                 | 12              |
| 2828           |              | 5992           | 4-WAY PROCESSOR H04 | *Call           | N               |                 | 12              |
| 2828           |              | 5993           | 4-WAY PROCESSOR I04 | *Call           | N               |                 | 12              |
| 2828           |              | 5994           | 4-WAY PROCESSOR J04 | *Call           | N               |                 | 12              |
| 2828           |              | 5995           | 4-WAY PROCESSOR K04 | *Call           | N               |                 | 12              |
| 2828           |              | 5996           | 4-WAY PROCESSOR L04 | *Call           | N               |                 | 12              |
| 2828           |              | 5997           | 4-WAY PROCESSOR M04 | *Call           | N               |                 | 12              |

| <b>Machine</b> |              |                |                     | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>  | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2828           |              | 5998           | 4-WAY PROCESSOR N04 | *Call           | N               |                 | 12              |
| 2828           |              | 5999           | 4-WAY PROCESSOR O04 | *Call           | N               |                 | 12              |
| 2828           |              | 6000           | 4-WAY PROCESSOR P04 | *Call           | N               |                 | 12              |
| 2828           |              | 6001           | 4-WAY PROCESSOR Q04 | *Call           | N               |                 | 12              |
| 2828           |              | 6002           | 4-WAY PROCESSOR R04 | *Call           | N               |                 | 12              |
| 2828           |              | 6003           | 4-WAY PROCESSOR S04 | *Call           | N               |                 | 12              |
| 2828           |              | 6004           | 4-WAY PROCESSOR T04 | *Call           | N               |                 | 12              |
| 2828           |              | 6005           | 4-WAY PROCESSOR U04 | *Call           | N               |                 | 12              |
| 2828           |              | 6006           | 4-WAY PROCESSOR V04 | *Call           | N               |                 | 12              |
| 2828           |              | 6007           | 4-WAY PROCESSOR W04 | *Call           | N               |                 | 12              |
| 2828           |              | 6008           | 4-WAY PROCESSOR X04 | *Call           | N               |                 | 12              |
| 2828           |              | 6009           | 4-WAY PROCESSOR Y04 | *Call           | N               |                 | 12              |
| 2828           |              | 6010           | 4-WAY PROCESSOR Z04 | *Call           | N               |                 | 12              |
| 2828           |              | 6011           | 5-WAY PROCESSOR A05 | *Call           | N               |                 | 12              |
| 2828           |              | 6012           | 5-WAY PROCESSOR B05 | *Call           | N               |                 | 12              |
| 2828           |              | 6013           | 5-WAY PROCESSOR C05 | *Call           | N               |                 | 12              |
| 2828           |              | 6014           | 5-WAY PROCESSOR D05 | *Call           | N               |                 | 12              |
| 2828           |              | 6015           | 5-WAY PROCESSOR E05 | *Call           | N               |                 | 12              |
| 2828           |              | 6016           | 5-WAY PROCESSOR F05 | *Call           | N               |                 | 12              |
| 2828           |              | 6017           | 5-WAY PROCESSOR G05 | *Call           | N               |                 | 12              |
| 2828           |              | 6018           | 5-WAY PROCESSOR H05 | *Call           | N               |                 | 12              |
| 2828           |              | 6019           | 5-WAY PROCESSOR I05 | *Call           | N               |                 | 12              |
| 2828           |              | 6020           | 5-WAY PROCESSOR J05 | *Call           | N               |                 | 12              |
| 2828           |              | 6021           | 5-WAY PROCESSOR K05 | *Call           | N               |                 | 12              |
| 2828           |              | 6022           | 5-WAY PROCESSOR L05 | *Call           | N               |                 | 12              |
| 2828           |              | 6023           | 5-WAY PROCESSOR M05 | *Call           | N               |                 | 12              |
| 2828           |              | 6024           | 5-WAY PROCESSOR N05 | *Call           | N               |                 | 12              |
| 2828           |              | 6025           | 5-WAY PROCESSOR O05 | *Call           | N               |                 | 12              |
| 2828           |              | 6026           | 5-WAY PROCESSOR P05 | *Call           | N               |                 | 12              |
| 2828           |              | 6027           | 5-WAY PROCESSOR Q05 | *Call           | N               |                 | 12              |
| 2828           |              | 6028           | 5-WAY PROCESSOR R05 | *Call           | N               |                 | 12              |
| 2828           |              | 6029           | 5-WAY PROCESSOR S05 | *Call           | N               |                 | 12              |
| 2828           |              | 6030           | 5-WAY PROCESSOR T05 | *Call           | N               |                 | 12              |
| 2828           |              | 6031           | 5-WAY PROCESSOR U05 | *Call           | N               |                 | 12              |
| 2828           |              | 6032           | 5-WAY PROCESSOR V05 | *Call           | N               |                 | 12              |
| 2828           |              | 6033           | 5-WAY PROCESSOR W05 | *Call           | N               |                 | 12              |

| <b>Machine</b> |              |                |                     | <b>Purchase</b> | <b>Customer</b> | <b>Per Call</b> | <b>Warranty</b> |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Type</b>    | <b>Model</b> | <b>Feature</b> | <b>Description</b>  | <b>Price</b>    | <b>Setup</b>    | <b>Class</b>    | <b>(months)</b> |
| 2828           |              | 6034           | 5-WAY PROCESSOR X05 | *Call           | N               |                 | 12              |
| 2828           |              | 6035           | 5-WAY PROCESSOR Y05 | *Call           | N               |                 | 12              |
| 2828           |              | 6036           | 5-WAY PROCESSOR Z05 | *Call           | N               |                 | 12              |
| 2828           |              | 6037           | 6-WAY PROCESSOR A06 | *Call           | N               |                 | 12              |
| 2828           |              | 6038           | 6-WAY PROCESSOR B06 | *Call           | N               |                 | 12              |
| 2828           |              | 6039           | 6-WAY PROCESSOR C06 | *Call           | N               |                 | 12              |
| 2828           |              | 6040           | 6-WAY PROCESSOR D06 | *Call           | N               |                 | 12              |
| 2828           |              | 6041           | 6-WAY PROCESSOR E06 | *Call           | N               |                 | 12              |
| 2828           |              | 6042           | 6-WAY PROCESSOR F06 | *Call           | N               |                 | 12              |
| 2828           |              | 6043           | 6-WAY PROCESSOR G06 | *Call           | N               |                 | 12              |
| 2828           |              | 6044           | 6-WAY PROCESSOR H06 | *Call           | N               |                 | 12              |
| 2828           |              | 6045           | 6-WAY PROCESSOR I06 | *Call           | N               |                 | 12              |
| 2828           |              | 6046           | 6-WAY PROCESSOR J06 | *Call           | N               |                 | 12              |
| 2828           |              | 6047           | 6-WAY PROCESSOR K06 | *Call           | N               |                 | 12              |
| 2828           |              | 6048           | 6-WAY PROCESSOR L06 | *Call           | N               |                 | 12              |
| 2828           |              | 6049           | 6-WAY PROCESSOR M06 | *Call           | N               |                 | 12              |
| 2828           |              | 6050           | 6-WAY PROCESSOR N06 | *Call           | N               |                 | 12              |
| 2828           |              | 6051           | 6-WAY PROCESSOR O06 | *Call           | N               |                 | 12              |
| 2828           |              | 6052           | 6-WAY PROCESSOR P06 | *Call           | N               |                 | 12              |
| 2828           |              | 6053           | 6-WAY PROCESSOR Q06 | *Call           | N               |                 | 12              |
| 2828           |              | 6054           | 6-WAY PROCESSOR R06 | *Call           | N               |                 | 12              |
| 2828           |              | 6055           | 6-WAY PROCESSOR S06 | *Call           | N               |                 | 12              |
| 2828           |              | 6056           | 6-WAY PROCESSOR T06 | *Call           | N               |                 | 12              |
| 2828           |              | 6057           | 6-WAY PROCESSOR U06 | *Call           | N               |                 | 12              |
| 2828           |              | 6058           | 6-WAY PROCESSOR V06 | *Call           | N               |                 | 12              |
| 2828           |              | 6059           | 6-WAY PROCESSOR W06 | *Call           | N               |                 | 12              |
| 2828           |              | 6060           | 6-WAY PROCESSOR X06 | *Call           | N               |                 | 12              |
| 2828           |              | 6061           | 6-WAY PROCESSOR Y06 | *Call           | N               |                 | 12              |
| 2828           |              | 6062           | 6-WAY PROCESSOR Z06 | *Call           | N               |                 | 12              |
| 2828           |              | 6096           | FLAT PANEL DISPLAY  | *Call           | N               |                 | 12              |
| 2828           |              | 6805           | ADDITIONAL CBU TEST | *Call           | N               |                 | 12              |
| 2828           |              | 6818           | CBU RECORDS ORDERED | *Call           | N               |                 | 12              |
| 2828           |              | 6820           | SINGLE CBU CP-YEAR  | *Call           | N               |                 | 12              |
| 2828           |              | 6821           | 25 CBU CP-YEAR      | *Call           | N               |                 | 12              |
| 2828           |              | 6822           | SINGLE CBU IFL-YEAR | *Call           | N               |                 | 12              |
| 2828           |              | 6823           | 25 CBU IFL-YEAR     | *Call           | N               |                 | 12              |

| Machine Type | Model | Feature | Description                | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2828         |       | 6824    | SINGLE CBU ICF-YEAR        | *Call          | N              |                | 12                |
| 2828         |       | 6825    | 25 CBU ICF-YEAR            | *Call          | N              |                | 12                |
| 2828         |       | 6826    | SINGLE CBU ZAAP-YEAR       | *Call          | N              |                | 12                |
| 2828         |       | 6827    | 25 CBU ZAAP-YEAR           | *Call          | N              |                | 12                |
| 2828         |       | 6828    | SINGLE CBU ZIIP-YEAR       | *Call          | N              |                | 12                |
| 2828         |       | 6829    | 25 CBU ZIIP-YEAR           | *Call          | N              |                | 12                |
| 2828         |       | 6830    | SINGLE CBU SAP-YEAR        | *Call          | N              |                | 12                |
| 2828         |       | 6831    | 25 CBU SAP-YEAR            | *Call          | N              |                | 12                |
| 2828         |       | 7907    | FQC BRACKET & MOUNTING HDW | *Call          | N              |                | 12                |
| 2828         |       | 7909    | LC DUPLEX 6.6FT HARNESSSES | *Call          | N              |                | 12                |
| 2828         |       | 7911    | LC DUPLEX 8.5FT HARNESSSES | *Call          | N              |                | 12                |
| 2828         |       | 7920    | TOP EXIT CABLING           | *Call          | N              |                | 12                |
| 2828         |       | 7921    | SIDE COVERS                | *Call          | N              |                | 12                |
| 2828         |       | 7998    | NON RAISED FLOOR SUPPORT   | *Call          | N              |                | 12                |
| 2828         |       | 8016    | 3-IN-1 BOLT DOWN KIT       | *Call          | N              |                | 12                |
| 2828         |       | 8017    | BOLT DOWN KIT NRF          | *Call          | N              |                | 12                |
| 2828         |       | 8957    | 400V 3PH TOP EXIT CORD     | *Call          | N              |                | 12                |
| 2828         |       | 8964    | 14FT 380-520V DC CUT CORD  | *Call          | N              |                | 12                |
| 2828         |       | 8966    | 14FT 380-520V DC LINE CORD | *Call          | N              |                | 12                |
| 2828         |       | 8969    | 6FT 480V 3PH CORD TOP EXIT | *Call          | N              |                | 12                |
| 2828         |       | 8970    | 14FT HILOV 3PH CUT TE      | *Call          | N              |                | 12                |
| 2828         |       | 8971    | 6FT 200V 1PH CORD TOP EXIT | *Call          | N              |                | 12                |
| 2828         |       | 8972    | 14FT HILOV 1PH CUT TE      | *Call          | N              |                | 12                |
| 2828         |       | 8973    | 6FT 380-520V DC TOP EXIT   | *Call          | N              |                | 12                |
| 2828         |       | 8974    | 14FT 380-520V DC CUT TE    | *Call          | N              |                | 12                |
| 2828         |       | 8975    | 6FT 200V 3PH CORD TOP EXIT | *Call          | N              |                | 12                |
| 2828         |       | 8976    | 400V 3PH LINE CORD         | *Call          | N              |                | 12                |
| 2828         |       | 8983    | 14FT 480V 30A 3PH CORD     | *Call          | N              |                | 12                |
| 2828         |       | 8987    | 14FT 200V 30A 3PH CORD     | *Call          | N              |                | 12                |
| 2828         |       | 8988    | 14FT HILOV 3PH CUT CORD    | *Call          | N              |                | 12                |
| 2828         |       | 8990    | 14FT 200V 30A 1PH LINE     | *Call          | N              |                | 12                |
| 2828         |       | 8991    | 14FT HILOV 1PH CUT CORD    | *Call          | N              |                | 12                |
| 2828         |       | 8998    | 14FT HIV 3PH CUT LINE LSZH | *Call          | N              |                | 12                |
| 2828         |       | 9888    | ON/OFF COD ACT IFL DAY     | *Call          | N              |                | 12                |
| 2828         |       | 9889    | ON/OFF COD ACT ICF DAY     | *Call          | N              |                | 12                |
| 2828         |       | 9893    | ON/OFF COD ACT ZAAP DAY    | *Call          | N              |                | 12                |

| Machine |       |         |                                | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type    | Model | Feature | Description                    | Price    | Setup    | Class    | (months) |
| 2828    |       | 9897    | ON/OFF COD ACT CAP CP DAY      | *Call    | N        |          | 12       |
| 2828    |       | 9908    | ON/OFF COD ACT ZIIP DAY        | *Call    | N        |          | 12       |
| 2828    |       | 9909    | ON/OFF COD ACT SAP DAY         | *Call    | N        |          | 12       |
| 2828    |       | 9917    | 1 MSU DAY                      | *Call    | N        |          | 12       |
| 2828    |       | 9918    | 100 MSU DAYS                   | *Call    | N        |          | 12       |
| 2828    |       | 9919    | 10000 MSU DAYS                 | *Call    | N        |          | 12       |
| 2828    |       | 9920    | 1 IFL DAY                      | *Call    | N        |          | 12       |
| 2828    |       | 9921    | 100 IFL DAYS                   | *Call    | N        |          | 12       |
| 2828    |       | 9922    | 1 ICF DAY                      | *Call    | N        |          | 12       |
| 2828    |       | 9923    | 100 ICF DAYS                   | *Call    | N        |          | 12       |
| 2828    |       | 9924    | 1 ZIIP DAY                     | *Call    | N        |          | 12       |
| 2828    |       | 9925    | 100 ZIIP DAYS                  | *Call    | N        |          | 12       |
| 2828    |       | 9926    | 1 ZAAP DAY                     | *Call    | N        |          | 12       |
| 2828    |       | 9927    | 100 ZAAP DAYS                  | *Call    | N        |          | 12       |
| 2828    |       | 9928    | 1 SAP DAY                      | *Call    | N        |          | 12       |
| 2828    |       | 9929    | 100 SAP DAYS                   | *Call    | N        |          | 12       |
| 2828    |       | 9975    | HEIGHT REDUCE SHIP             | *Call    | N        |          | 12       |
| 2851    | I36   |         | SYSTEM STORAGE SONAS           | 25,330   | N        | 1        | 12       |
| 2851    | RXA   |         | SYSTEM STORAGE SONAS           | 20,845   | N        | 1        | 12       |
| 2851    | RXB   |         | SYSTEM STORAGE SONAS           | 16,763   | N        | 1        | 12       |
| 2851    | RXC   |         | SYSTEM STORAGE SONAS           | 16,763   | N        | 1        | 12       |
| 2851    | SI2   |         | SYSTEM STORAGE SONAS INTERFACE | 6,199    | N        | 3        | 12       |
| 2851    | SS2   |         | SYSTEM STORAGE SONAS STORAGE C | 9,355    | N        | 3        | 12       |
| 2851    |       | 0100    | TWO 50 PORT 10 100 1000 LEVEL  | 4,960    | N        |          | 12       |
| 2851    |       | 0102    | SECOND 2.66GHZ INTEL XEON X565 | 4,355    | N        |          | 12       |
| 2851    |       | 0110    | NETWORK PATCH PANEL            | 127      | N        |          | 12       |
| 2851    |       | 0111    | PATCH PANEL INSERT: 6X1GB & 2X | 202      | N        |          | 12       |
| 2851    |       | 0112    | PATCH PANEL INSERT: 4X1GB & 4X | 168      | N        |          | 12       |
| 2851    |       | 1000    | ADDITIONAL 32GB MEMORY         | 1,023    | N        |          | 12       |
| 2851    |       | 1001    | 128 GB MEMORY OPTION           | 19,224   | N        |          | 12       |
| 2851    |       | 1002    | USB MODEM                      | 269      | N        |          | 12       |
| 2851    |       | 1003    | ADDITIONAL 24 GB MEMORY        | 3,060    | N        |          | 12       |
| 2851    |       | 1004    | 300GB 2.5-INCH 10K SAS HDD     | 1,004    | N        |          | 12       |
| 2851    |       | 1100    | QUAD PORT 1GBE NIC             | 383      | N        |          | 12       |
| 2851    |       | 1101    | DUAL PORT 10GB CNA             | 2,175    | N        |          | 12       |
| 2851    |       | 1102    | DUAL PORT 10GB UNIVERSAL CNA   | 1,303    | N        |          | 12       |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 2851         |       | 1220    | 10M INFINIBAND X4 TO QSFP OPTI  | 1,256          | N              |                | 12                |
| 2851         |       | 1221    | 20M INFINIBAND X4 TO QSFP OPTI  | 1,356          | N              |                | 12                |
| 2851         |       | 1222    | 30M INFINIBAND X4 TO QSFP OPTI  | 1,456          | N              |                | 12                |
| 2851         |       | 1223    | 50M INFINIBAND X4 TO QSFP OPTI  | 1,655          | N              |                | 12                |
| 2851         |       | 1230    | 10M INFINIBAND X4 TO X4 OPTICAL | 1,256          | N              |                | 12                |
| 2851         |       | 1231    | 20M INFINIBAND X4 TO X4 OPTICA  | 1,356          | N              |                | 12                |
| 2851         |       | 1232    | 30M INFINIBAND X4 TO X4 OPTICA  | 1,456          | N              |                | 12                |
| 2851         |       | 1233    | 50M INFINIBAND X4 TO X4 OPTICA  | 1,655          | N              |                | 12                |
| 2851         |       | 6070    | STANDARD FRONT AND REAR DOORS   | 1,529          | N              |                | 12                |
| 2851         |       | 6086    | SUITE ATTACH KIT 2M RACK        | 181            | N              |                | 12                |
| 2851         |       | 6098    | SIDE PANEL                      | 109            | N              |                | 12                |
| 2851         |       | 6249    | ACOUSTIC FRONT AND REAR DOORS   | 5,279          | N              |                | 12                |
| 2851         |       | 6580    | RACK SECURITY KIT               | 444            | N              |                | 12                |
| 2851         |       | 6858    | REAR DOOR HEAT EXCHANGER        | 5,259          | N              |                | 12                |
| 2851         |       | 7188    | SIDE MOUNT 1 PHASE PDUS         | 1,451          | N              |                | 12                |
| 2851         |       | 7192    | INTELLIGENT PDUS                | 1,814          | N              |                | 12                |
| 2857         | 003   |         | EXN3000 SAS/SATA EXP. UNIT      | 13,675         | Y              | 1              | 36                |
| 2857         | 006   |         | EXN3500 SAS EXP. UNIT           | 12,450         | Y              | 1              | 36                |
| 2857         | 306   |         | EXN3200 SATA EXPANSION UNIT     | 17,048         | Y              | 1              | 36                |
| 2857         | A12   |         | N3220 MODEL A12                 | 12,448         | Y              | 1              | 36                |
| 2857         | A14   |         | N3240 MODEL A14                 | 16,080         | Y              | 1              | 36                |
| 2857         | A15   |         | N3150 MODEL A15                 | 6,892          | Y              | 1              | 36                |
| 2857         | A22   |         | N3220 MODEL A22                 | 19,411         | Y              |                | 36                |
| 2857         | A24   |         | N3240 MODEL A24                 | 23,090         | Y              | 1              | 36                |
| 2857         | A25   |         | N3150 MODEL A25                 | 9,340          | Y              | 1              | 36                |
| 2857         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC      | 45             | N              |                | 36                |
| 2857         |       | 1051    | FC CABLE 50U 31M LC LC          | 58             | N              |                | 36                |
| 2857         |       | 1102    | SAS DISK POWER SUPPLY           | 612            | N              |                | 36                |
| 2857         |       | 2013    | 10 GBE SFP                      | 720            | N              |                | 36                |
| 2857         |       | 2030    | 8 GB FC MEZZANINE               | 3,157          | N              |                | 36                |
| 2857         |       | 2031    | 10 GBE MEZZANINE                | 1,917          | N              |                | 36                |
| 2857         |       | 2050    | 2.0 M MINI SAS QSFP CABLE       | 136            | N              |                | 36                |
| 2857         |       | 2051    | 5.0 M MINI SAS QSFP CABLE       | 181            | N              |                | 36                |
| 2857         |       | 2052    | 0.5 M QSFP QSFP CABLE           | 91             | N              |                | 36                |
| 2857         |       | 2053    | 2.0 M QSFP QSFP CABLE           | 136            | N              |                | 36                |
| 2857         |       | 2054    | 5.0 M QSFP QSFP CABLE           | 181            | N              |                | 36                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2857         |       | 2063    | 0.5 M SAS RJ 45 ACP CABLE    | 5              | N              |                | 36                |
| 2857         |       | 2064    | 2.0 M SAS RJ 45 ACP CABLE    | 8              | N              |                | 36                |
| 2857         |       | 2065    | 5.0 M SAS RJ 45 ACP CABLE    | 11             | N              |                | 36                |
| 2857         |       | 4020    | 1 TB SATA DRIVE              | 737            | N              |                | 36                |
| 2857         |       | 4021    | 2 TB SATA DRIVE              | 1,148          | N              |                | 36                |
| 2857         |       | 4022    | 3 TB SATA DRIVE              | 1,855          | N              |                | 36                |
| 2857         |       | 4023    | 4 TB NL SAS DRIVE            | 3,486          | N              |                | 36                |
| 2857         |       | 4051    | 200 GB SOLID STATE DISK      | 4,860          | N              |                | 36                |
| 2857         |       | 4099    | HDD BLANK PANEL              | 22             | N              |                | 36                |
| 2857         |       | 4100    | 450 GB SAS DRIVE             | 1,400          | N              |                | 36                |
| 2857         |       | 4101    | 600 GB SAS DRIVE             | 1,678          | N              |                | 36                |
| 2857         |       | 4102    | 900 GB SFF SAS DISK DRIVE    | 2,476          | N              |                | 36                |
| 2857         |       | 4103    | 1.2 TB SAS SFF DISK DRIVE    | 3,406          | N              |                | 36                |
| 2857         |       | 4122    | 3 TB SED SAS DRIVE           | 3,649          | N              |                | 36                |
| 2857         |       | 4151    | 200 GB SOLID STATE DISK      | 4,860          | N              |                | 36                |
| 2857         |       | 4152    | 800 GB SOLID STATE DISK NIC  | 25,889         | N              |                | 36                |
| 2857         |       | 4201    | 600 GB FDE-SAS DRIVE         | 2,312          | N              |                | 36                |
| 2857         |       | 4922    | 3 TB DISK DRIVE QUANTITY 2   | 5,445          | N              |                | 36                |
| 2857         |       | 4923    | 4 TB DISK DRIVE QUANTITY 2   | 7,554          | N              |                | 36                |
| 2857         |       | 9201    | PLNT INSTALL IN 2101 RACK    | 145            | N              |                | 36                |
| 2857         |       | 9202    | FLD INSTALL RACK MNT KIT     | 145            | N              |                | 36                |
| 2858         |       | 1012    | 2-PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2858         |       | 1013    | 2-PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2858         |       | 1014    | 4 GBPS FC HBA DISK 2 PORT    | 2,086          | N              |                | 36                |
| 2858         |       | 1015    | 4 GBPS FC HBA TAPE 2 PORT    | 2,131          | N              |                | 36                |
| 2858         |       | 1017    | 2 PORT 4 GBPS FC HBA TARGET  | 2,086          | N              |                | 36                |
| 2858         |       | 1021    | 2 PORT ISCSI TARGET FI NIC   | 2,539          | N              |                | 36                |
| 2858         |       | 1026    | 2 PORT ISCSI TARGET CU NIC   | 2,176          | N              |                | 36                |
| 2858         |       | 1029    | 4 PORT 4 GBPS FC HBA DISK    | 3,627          | N              |                | 36                |
| 2858         |       | 1030    | 4 PORT 4 GBPS PCIE TARGET    | 3,627          | N              |                | 36                |
| 2858         |       | 1031    | 2 PORT 10GBE TOE NIC         | 10,882         | N              |                | 36                |
| 2858         |       | 1033    | SNAPMIRROR OVER FC HBA PCIE  | 2,675          | N              |                | 36                |
| 2858         |       | 1035    | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627          | N              |                | 36                |
| 2858         |       | 1036    | 2 PORT 8 GBPS PCIE TARGET    | 2,720          | N              |                | 36                |
| 2858         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2858         |       | 1047    | 10GBE FI CABLE 30M LC/SC     | 272            | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2858         |       | 1050    | EXT. LONGWAVE SFP 4 GBPS     | 1,224          | N              |                | 36                |
| 2858         |       | 1051    | FC CABLE 50U 31M LC/LC       | 58             | N              |                | 36                |
| 2858         |       | 1052    | FC CABLE 50U 31M LC/SC       | 58             | N              |                | 36                |
| 2858         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2858         |       | 1061    | 4 PORT 6 GBPS SAS ADAPTER    | 1,814          | N              |                | 36                |
| 2858         |       | 1063    | 2 PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2858         |       | 1064    | 2 PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |
| 2858         |       | 1065    | 2 PORT 10 GBPS ENET NIC      | 3,627          | N              |                | 36                |
| 2858         |       | 1066    | 8 GB METROCLUSTER VI FC HBA  | 3,718          | N              |                | 36                |
| 2858         |       | 1067    | 8 GB SNAPMIRROR OVER FC HBA  | 3,718          | N              |                | 36                |
| 2858         |       | 1078    | 2 PORT 10 GBE NIC SFP        | 2,720          | N              |                | 36                |
| 2858         |       | 2012    | NIC SFP+                     | 635            | N              |                | 36                |
| 2858         |       | 2013    | 10GBE SFP                    | 720            | N              |                | 36                |
| 2858         |       | 2014    | SFP OPTICAL MOD. FOR 1078    | 680            | N              |                | 36                |
| 2858         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2858         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2859         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2859         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2859         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2859         |       | 2011    | 4-GBPS SFP GBIC              | 163            | N              |                | 36                |
| 2859         |       | 4016    | 450 GB 15K RPM SAS HDD       | 1,735          | N              |                | 36                |
| 2859         |       | 4017    | 600 GB 15K RPM SAS HDD       | 2,308          | N              |                | 36                |
| 2859         |       | 4020    | 1 TB SATA DRIVE              | 1,066          | N              |                | 36                |
| 2859         |       | 4021    | 2 TB SATA DRIVE              | 2,115          | N              |                | 36                |
| 2859         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2859         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2861         |       | 2010    | SFP GBIC                     | 91             | N              |                | 36                |
| 2861         |       | 2021    | 0.5 M FC COPPER CABLE        | 67             | N              |                | 36                |
| 2861         |       | 2042    | 1.0 M FC OPTICAL CABLE       | 91             | N              |                | 36                |
| 2861         |       | 2043    | 2.0 M FC OPTICAL CABLE       | 113            | N              |                | 36                |
| 2861         |       | 2044    | 5.0 M FC OPTICAL CABLE       | 136            | N              |                | 36                |
| 2861         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2861         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2862         |       | 1012    | 2-PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2862         |       | 1013    | 2-PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2862         |       | 1014    | 2-PORT 4-GBPS FC HBA - DISK  | 2,086          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2862         |       | 1015    | 2-PORT 4-GBPS FC HBA - TAPE  | 2,131          | N              |                | 36                |
| 2862         |       | 1029    | 4 PORT 4 GBPS FC HBA         | 3,627          | N              |                | 36                |
| 2862         |       | 1030    | 4 PORT 4 GBPS PCIE TARGET    | 3,627          | N              |                | 36                |
| 2862         |       | 1033    | SNAPMIRROR OVER FC HBA       | 2,675          | N              |                | 36                |
| 2862         |       | 1036    | 2 PORT 8 GBPS PCIE TARGET    | 2,720          | N              |                | 36                |
| 2862         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2862         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2862         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2862         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2862         |       | 1063    | 2 PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2862         |       | 1064    | 2 PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |
| 2862         |       | 2011    | 4-GBPS SFP GBIC              | 163            | N              |                | 36                |
| 2862         |       | 4016    | 450 GB 15K RPM SAS HDD       | 1,735          | N              |                | 36                |
| 2862         |       | 4020    | 1 TB SATA DRIVE              | 1,066          | N              |                | 36                |
| 2862         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2862         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2863         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2863         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2863         |       | 2010    | SFP GBIC                     | 91             | N              |                | 36                |
| 2863         |       | 2021    | FC EXP TO EXP CBL 0.5M       | 67             | N              |                | 36                |
| 2863         |       | 2042    | 1.0 M FC OPTICAL CABLE       | 91             | N              |                | 36                |
| 2863         |       | 2043    | 2.0 M FC OPTICAL CABLE       | 113            | N              |                | 36                |
| 2863         |       | 2044    | 5.0 M FC OPTICAL CABLE       | 136            | N              |                | 36                |
| 2863         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2863         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2864         |       | 1007    | QUAD PORT COPPER GIGE NIC    | 1,632          | N              |                | 36                |
| 2864         |       | 1037    | 2M COPPER CLUSTER 4X IB CBL  | 67             | N              |                | 36                |
| 2864         |       | 1040    | 5M FIBER CLUSTER 4X IB CBL   | 126            | N              |                | 36                |
| 2864         |       | 1041    | 30M FIBER CLUSTER 4X IB CBL  | 290            | N              |                | 36                |
| 2864         |       | 1042    | COPPER-FIBER CONVERTER       | 457            | N              |                | 36                |
| 2864         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2864         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2865         |       | 1052    | FC CABLE 50U 31M LC SC       | 46             | N              |                | 36                |
| 2866         |       | 1012    | 2 PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2866         |       | 1013    | 2 PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2866         |       | 1014    | 4 GBPS FC HBA DISK 2 PORT    | 2,086          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2866         |       | 1015    | 4 GBPS FC HBA TAPE 2 PORT    | 2,131          | N              |                | 36                |
| 2866         |       | 1016    | SCSI LVD TAPE ADAPTER        | 544            | N              |                | 36                |
| 2866         |       | 1017    | 2 PORT 4 GBPS FC HBA TARGET  | 2,086          | N              |                | 36                |
| 2866         |       | 1029    | 4 PORT 4 GBPS FC HBA         | 3,627          | N              |                | 36                |
| 2866         |       | 1030    | 4 PORT 4 GBPS PCIE TARGET    | 3,627          | N              |                | 36                |
| 2866         |       | 1031    | 2-PORT 10GBE TOE NIC         | 10,882         | N              |                | 36                |
| 2866         |       | 1032    | 2-PORT METROCLUSTER VI HBA   | 2,947          | N              |                | 36                |
| 2866         |       | 1033    | SNAPMIRROR OVER FC HBA PCIE  | 2,675          | N              |                | 36                |
| 2866         |       | 1035    | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627          | N              |                | 36                |
| 2866         |       | 1036    | 2 PORT 8 GBPS PCIE TARGET    | 2,720          | N              |                | 36                |
| 2866         |       | 1037    | 2M COPPER CLUSTER 4X IB CBL  | 67             | N              |                | 36                |
| 2866         |       | 1040    | 5M FIBER CLUSTER 4X IB CBL   | 126            | N              |                | 36                |
| 2866         |       | 1041    | 30M FIBER CLUSTER 4X IB CBL  | 290            | N              |                | 36                |
| 2866         |       | 1042    | COPPER-FIBER CONVERTER       | 457            | N              |                | 36                |
| 2866         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2866         |       | 1047    | 10-GBE FI CABLE 30M LC/SC    | 272            | N              |                | 36                |
| 2866         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2866         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2866         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2866         |       | 1057    | 512 GB PERF ACCEL MODULE     | 81,612         | N              |                | 36                |
| 2866         |       | 1061    | 4 PORT 6 GBPS SAS ADAPTER    | 1,814          | N              |                | 36                |
| 2866         |       | 1063    | 2 PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2866         |       | 1064    | 2 PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |
| 2866         |       | 1065    | 2 PORT 10 GBPS ENET NIC      | 3,627          | N              |                | 36                |
| 2866         |       | 2012    | NIC SFP+                     | 635            | N              |                | 36                |
| 2866         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2866         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2867         |       | 1007    | QUAD PORT COPPER GIG E NIC   | 1,632          | N              |                | 36                |
| 2867         |       | 1012    | 2-PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2867         |       | 1013    | 2 PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2867         |       | 1014    | 4-GBPS FC HBA - DISK 2-PORT  | 2,086          | N              |                | 36                |
| 2867         |       | 1015    | 4-GBPS FC HBA - TAPE 2-PORT  | 2,131          | N              |                | 36                |
| 2867         |       | 1016    | SCSI LVD TAPE ADAPTER        | 544            | N              |                | 36                |
| 2867         |       | 1017    | 2 PORT 4 GBPS FC HBA TARGET  | 2,086          | N              |                | 36                |
| 2867         |       | 1029    | 4-PORT 4-GBPS FC HBA - DISK  | 3,627          | N              |                | 36                |
| 2867         |       | 1030    | 4-PORT 4-GBPS PCIE TARGET    | 3,627          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2867         |       | 1031    | 2-PORT 10GBE TOE NIC         | 10,882         | N              |                | 36                |
| 2867         |       | 1032    | 2-PORT METROCLUSTER VI HBA   | 2,947          | N              |                | 36                |
| 2867         |       | 1033    | SNAPMIRROR OVER FC HBA PCIE  | 2,675          | N              |                | 36                |
| 2867         |       | 1035    | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627          | N              |                | 36                |
| 2867         |       | 1036    | 2-PORT 8-GBPS PCIE TARGET    | 1,995          | N              |                | 36                |
| 2867         |       | 1037    | CLUSTER 4X IB CU CABLE 2M    | 67             | N              |                | 36                |
| 2867         |       | 1040    | CLUSTER 4X IB FI CABLE 5M    | 126            | N              |                | 36                |
| 2867         |       | 1041    | CLUSTER 4X IB FI CABLE 30M   | 290            | N              |                | 36                |
| 2867         |       | 1042    | COPPER-FIBER CONVERTER       | 457            | N              |                | 36                |
| 2867         |       | 1044    | FIBRE CHANNEL WRAP PLUG - LC | 45             | N              |                | 36                |
| 2867         |       | 1047    | 10-GBE FI CABLE 30M LC/SC    | 272            | N              |                | 36                |
| 2867         |       | 1051    | FC CABLE 50U 31M LC-LC       | 58             | N              |                | 36                |
| 2867         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2867         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2867         |       | 1057    | 512 GB PERF ACCEL MODULE     | 44,433         | N              |                | 36                |
| 2867         |       | 1061    | 4 PORT 6 GBPS SAS ADAPTER    | 1,270          | N              |                | 36                |
| 2867         |       | 1063    | 2-PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2867         |       | 1064    | 2-PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |
| 2867         |       | 1065    | 2 PORT 10 GBPS ENET NIC      | 3,627          | N              |                | 36                |
| 2867         |       | 9201    | PLANT INSTALL IN 2101 RACK   | 145            | N              |                | 36                |
| 2867         |       | 9202    | FIELD INSTALL RACK MOUNT KIT | 145            | N              |                | 36                |
| 2868         |       | 1012    | 2-PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2868         |       | 1013    | 2-PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2868         |       | 1014    | 4-GBPS FC HBA - DISK 2-PORT  | 2,086          | N              |                | 36                |
| 2868         |       | 1015    | 4-GBPS FC HBA - TAPE 2-PORT  | 2,131          | N              |                | 36                |
| 2868         |       | 1017    | 2-PORT 4-GBPS FC HBA-TARGET  | 2,086          | N              |                | 36                |
| 2868         |       | 1029    | 4 PORT 4 GBPS FC HBA         | 3,627          | N              |                | 36                |
| 2868         |       | 1030    | 4 PORT 4 GBPS PCIE TARGET    | 3,627          | N              |                | 36                |
| 2868         |       | 1031    | 2-PORT 10GBE TOE NIC         | 10,882         | N              |                | 36                |
| 2868         |       | 1032    | 2-PORT METROCLUSTER VI HBA   | 2,947          | N              |                | 36                |
| 2868         |       | 1033    | SNAPMIRROR OVER FC HBA       | 2,675          | N              |                | 36                |
| 2868         |       | 1035    | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627          | N              |                | 36                |
| 2868         |       | 1036    | 2 PORT 8 GBPS PCIE TARGET    | 2,720          | N              |                | 36                |
| 2868         |       | 1037    | 2M COPPER CLUSTER 4X IB CBL  | 67             | N              |                | 36                |
| 2868         |       | 1040    | 5M FIBER CLUSTER 4X IB CBL   | 126            | N              |                | 36                |
| 2868         |       | 1041    | 30M FIBER CLUSTER 4X IB CBL  | 290            | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2868         |       | 1042    | COPPER-FIBER CONVERTER       | 457            | N              |                | 36                |
| 2868         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2868         |       | 1047    | 10-GBE FI CABLE 30M LC/SC    | 272            | N              |                | 36                |
| 2868         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2868         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2868         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2868         |       | 1058    | 256 GB PERF ACCEL MODULE     | 40,806         | N              |                | 36                |
| 2868         |       | 1061    | 4 PORT 6 GBPS SAS ADAPTER    | 1,814          | N              |                | 36                |
| 2868         |       | 1063    | 2 PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2868         |       | 1064    | 2 PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |
| 2868         |       | 1065    | 2 PORT 10 GBPS ENET NIC      | 3,627          | N              |                | 36                |
| 2868         |       | 2012    | NIC SFP+                     | 635            | N              |                | 36                |
| 2869         |       | 1012    | 2-PORT FIBER GBE NIC         | 1,632          | N              |                | 36                |
| 2869         |       | 1013    | 2-PORT CU GBE NIC            | 544            | N              |                | 36                |
| 2869         |       | 1014    | 4-GBPS FC HBA - DISK 2-PORT  | 2,086          | N              |                | 36                |
| 2869         |       | 1015    | 4-GBPS FC HBA - TAPE 2-PORT  | 2,131          | N              |                | 36                |
| 2869         |       | 1017    | 2-PORT 4-GBPS FC HBA-TARGET  | 2,086          | N              |                | 36                |
| 2869         |       | 1029    | 4 PORT 4 GBPS FC HBA         | 3,627          | N              |                | 36                |
| 2869         |       | 1030    | 4 PORT 4 GBPS PCIE TARGET    | 3,627          | N              |                | 36                |
| 2869         |       | 1031    | 2-PORT 10GBE TOE NIC         | 10,882         | N              |                | 36                |
| 2869         |       | 1032    | 2-PORT METROCLUSTER VI HBA   | 2,947          | N              |                | 36                |
| 2869         |       | 1033    | SNAPMIRROR OVER FC HBA PCIE  | 2,675          | N              |                | 36                |
| 2869         |       | 1035    | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627          | N              |                | 36                |
| 2869         |       | 1036    | 2 PORT 8 GBPS PCIE TARGET    | 2,720          | N              |                | 36                |
| 2869         |       | 1037    | 2M COPPER CLUSTER 4X IB CBL  | 67             | N              |                | 36                |
| 2869         |       | 1040    | 5M FIBER CLUSTER 4X IB CBL   | 126            | N              |                | 36                |
| 2869         |       | 1041    | 30M FIBER CLUSTER 4X IB CBL  | 290            | N              |                | 36                |
| 2869         |       | 1042    | COPPER-FIBER CONVERTER       | 457            | N              |                | 36                |
| 2869         |       | 1044    | FIBRE CHANNEL WRAP PLUG LC   | 45             | N              |                | 36                |
| 2869         |       | 1047    | 10-GBE FI CABLE 30M LC/SC    | 272            | N              |                | 36                |
| 2869         |       | 1051    | FC CABLE 50U 31M LC LC       | 58             | N              |                | 36                |
| 2869         |       | 1052    | FC CABLE 50U 31M LC SC       | 58             | N              |                | 36                |
| 2869         |       | 1055    | FCOE SFP+ COPPER CABLE 5M    | 126            | N              |                | 36                |
| 2869         |       | 1061    | 4 PORT 6 GBPS SAS ADAPTER    | 1,814          | N              |                | 36                |
| 2869         |       | 1063    | 2 PORT FCOE FI TARGET ADAPT  | 2,720          | N              |                | 36                |
| 2869         |       | 1064    | 2 PORT FCOE CU TARGET ADAPT  | 1,904          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2869         |       | 1065    | 2 PORT 10 GBPS ENET NIC      | 3,627          | N              |                | 36                |
| 2869         |       | 2012    | NIC SFP+                     | 635            | N              |                | 36                |
| 2870         | 571   |         | N3220 571 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 572   |         | N3220 572 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 573   |         | N3220 573 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 574   |         | N3220 574 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 575   |         | N3150 575 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 576   |         | N3150 576 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 581   |         | N6040 MODEL 581              | 0              | Y              |                | 36                |
| 2870         | 582   |         | N6040 MODEL 582              | 0              | Y              |                | 36                |
| 2870         | 583   |         | N6070 MODEL 583              | 0              | Y              |                | 36                |
| 2870         | 584   |         | N6070 MODEL 584              | 0              | Y              |                | 36                |
| 2870         | 585   |         | N6060 585 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 586   |         | N6060 586 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58I   |         | N6220 58I FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58J   |         | N6220 58J FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58K   |         | N6220 58K FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58L   |         | N6220 58L FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58N   |         | N6250 58N FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 58P   |         | N6250 58P FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 591   |         | N3300 591 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 592   |         | N3300 592 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 593   |         | N3400 593 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 594   |         | N3400 594 FUNC AUTHORIZATION | 0              | Y              | 1              | 36                |
| 2870         | 621   |         | N3600 621 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 622   |         | N3600 622 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 641   |         | N5200 641 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 642   |         | N5200 642 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 645   |         | N5200 645 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 646   |         | N5200 646 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 651   |         | N5500 651 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 652   |         | N5500 652 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 655   |         | N5500 655 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 656   |         | N5500 656 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 661   |         | N7600 661 FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 662   |         | N7600 662 FUNC AUTHORIZATION | 0              | Y              |                | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2870         | 663   |         | N7700 663 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 664   |         | N7700 664 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 665   |         | N7600 665 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 666   |         | N7600 666 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 667   |         | N7700 667 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 668   |         | N7700 668 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 671   |         | N7800 671 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 672   |         | N7800 672 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 673   |         | N7900 673 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 674   |         | N7900 674 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 675   |         | N7800 675 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 676   |         | N7800 676 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 677   |         | N7900 677 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 678   |         | N7900 678 FUNC. AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 67B   |         | N7550T C20 FUNCTION AUTHORIZ  | 0              | Y              |                | 36                |
| 2870         | 67J   |         | N7950T 67J FUNC AUTHORIZATION | 0              | Y              |                | 36                |
| 2870         | 681   |         | N5600 681 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 682   |         | N5600 682 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 685   |         | N5600 685 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 686   |         | N5600 686 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 691   |         | N5300 691 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 692   |         | N5300 692 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 695   |         | N5300 695 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         | 696   |         | N5300 696 FUNC AUTHORIZATION  | 0              | Y              |                | 36                |
| 2870         |       | 5002    | FOUNDATION PACK               | 2,404          | N              |                | 36                |
| 2870         |       | 5003    | PROTECTION PACK               | 5,050          | N              |                | 36                |
| 2870         |       | 5004    | ADVANCED PACK                 | 7,695          | N              |                | 36                |
| 2870         |       | 5020    | WINDOWS BUNDLE                | 6,396          | N              |                | 36                |
| 2870         |       | 5021    | VIRTUALIZATION BUNDLE         | 6,042          | N              |                | 36                |
| 2870         |       | 5022    | COMPLETE BUNDLE               | 7,996          | N              |                | 36                |
| 2870         |       | 5052    | FOUNDATION PACK               | 3,347          | N              |                | 36                |
| 2870         |       | 5053    | PROTECTION PACK               | 5,596          | N              |                | 36                |
| 2870         |       | 5054    | ADVANCED PACK                 | 12,077         | N              |                | 36                |
| 2870         |       | 5070    | WINDOWS BUNDLE                | 9,604          | N              |                | 36                |
| 2870         |       | 5071    | VIRTUALIZATION BUNDLE         | 9,565          | N              |                | 36                |
| 2870         |       | 5072    | COMPLETE BUNDLE               | 12,005         | N              |                | 36                |



| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5102    | FOUNDATION PACK          | 7,091          | N              |                | 36                |
| 2870         |       | 5103    | PROTECTION PACK          | 23,785         | N              |                | 36                |
| 2870         |       | 5104    | ADVANCED PACK            | 19,978         | N              |                | 36                |
| 2870         |       | 5152    | FOUNDATION PACK          | 10,606         | N              |                | 36                |
| 2870         |       | 5153    | PROTECTION PACK          | 33,978         | N              |                | 36                |
| 2870         |       | 5154    | ADVANCED PACK            | 33,963         | N              |                | 36                |
| 2870         |       | 5170    | WINDOWS BUNDLE           | 76,616         | N              |                | 36                |
| 2870         |       | 5171    | VIRTUALIZATION BUNDLE    | 64,881         | N              |                | 36                |
| 2870         |       | 5172    | COMPLETE BUNDLE          | 95,769         | N              |                | 36                |
| 2870         |       | 5202    | FOUNDATION PACK          | 1,226          | N              |                | 36                |
| 2870         |       | 5203    | PROTECTION PACK          | 4,113          | N              |                | 36                |
| 2870         |       | 5204    | ADVANCED PACK            | 6,597          | N              |                | 36                |
| 2870         |       | 5220    | WINDOWS BUNDLE           | 5,179          | N              |                | 36                |
| 2870         |       | 5221    | VIRTUALIZATION BUNDLE    | 4,827          | N              |                | 36                |
| 2870         |       | 5222    | COMPLETE BUNDLE          | 7,461          | N              |                | 36                |
| 2870         |       | 5223    | APPLICATION PACK         | 6,961          | N              |                | 36                |
| 2870         |       | 5224    | SERVER PACK              | 3,299          | N              |                | 36                |
| 2870         |       | 5252    | FOUNDATION PACK          | 1,714          | N              |                | 36                |
| 2870         |       | 5253    | PROTECTION PACK          | 5,710          | N              |                | 36                |
| 2870         |       | 5254    | ADVANCED PACK            | 10,359         | N              |                | 36                |
| 2870         |       | 5270    | WINDOWS BUNDLE           | 8,200          | N              |                | 36                |
| 2870         |       | 5271    | VIRTUALIZATION BUNDLE    | 7,251          | N              |                | 36                |
| 2870         |       | 5272    | COMPLETE BUNDLE          | 11,297         | N              |                | 36                |
| 2870         |       | 5273    | APPLICATION PACK         | 9,643          | N              |                | 36                |
| 2870         |       | 5274    | SERVER PACK              | 5,487          | N              |                | 36                |
| 2870         |       | 5302    | WINDOWS BUNDLE           | 93,044         | N              |                | 36                |
| 2870         |       | 5303    | VIRTUALIZATION BUNDLE    | 82,918         | N              |                | 36                |
| 2870         |       | 5304    | COMPLETE BUNDLE          | 122,321        | N              |                | 36                |
| 2870         |       | 5327    | WINDOWS BUNDLE GW        | 93,044         | N              |                | 36                |
| 2870         |       | 5328    | VIRTUALIZATION BUNDLE GW | 82,918         | N              |                | 36                |
| 2870         |       | 5329    | COMPLETE BUNDLE GW       | 122,321        | N              |                | 36                |
| 2870         |       | 5352    | WINDOWS BUNDLE           | 69,036         | N              |                | 36                |
| 2870         |       | 5353    | VIRTUALIZATION BUNDLE    | 113,163        | N              |                | 36                |
| 2870         |       | 5354    | COMPLETE BUNDLE          | 96,675         | N              |                | 36                |
| 2870         |       | 5377    | WINDOWS BUNDLE GW        | 114,110        | N              |                | 36                |
| 2870         |       | 5378    | VIRTUALIZATION BUNDLE GW | 113,163        | N              |                | 36                |

| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5379    | COMPLETE BUNDLE GW       | 159,794        | N              |                | 36                |
| 2870         |       | 5402    | WINDOWS BUNDLE           | 188,611        | N              |                | 36                |
| 2870         |       | 5403    | VIRTUALIZATION BUNDLE    | 176,880        | N              |                | 36                |
| 2870         |       | 5404    | COMPLETE BUNDLE          | 255,207        | N              |                | 36                |
| 2870         |       | 5427    | WINDOWS BUNDLE GW        | 188,611        | N              |                | 36                |
| 2870         |       | 5428    | VIRTUALIZATION BUNDLE GW | 176,880        | N              |                | 36                |
| 2870         |       | 5429    | COMPLETE BUNDLE GW       | 255,207        | N              |                | 36                |
| 2870         |       | 5452    | WINDOWS BUNDLE           | 303,289        | N              |                | 36                |
| 2870         |       | 5453    | VIRTUALIZATION BUNDLE    | 285,142        | N              |                | 36                |
| 2870         |       | 5454    | COMPLETE BUNDLE          | 420,203        | N              |                | 36                |
| 2870         |       | 5477    | WINDOWS BUNDLE GW        | 303,289        | N              |                | 36                |
| 2870         |       | 5478    | VIRTUALIZATION BUNDLE GW | 285,142        | N              |                | 36                |
| 2870         |       | 5479    | COMPLETE BUNDLE GW       | 420,203        | N              |                | 36                |
| 2870         |       | 5502    | WINDOWS BUNDLE           | 152,527        | N              |                | 36                |
| 2870         |       | 5503    | VIRTUALIZATION BUNDLE    | 124,699        | N              |                | 36                |
| 2870         |       | 5504    | COMPLETE BUNDLE          | 211,691        | N              |                | 36                |
| 2870         |       | 5527    | WINDOWS BUNDLE GW        | 152,527        | N              |                | 36                |
| 2870         |       | 5528    | VIRTUALIZATION BUNDLE GW | 124,699        | N              |                | 36                |
| 2870         |       | 5529    | COMPLETE BUNDLE GW       | 211,691        | N              |                | 36                |
| 2870         |       | 5552    | WINDOWS BUNDLE           | 233,178        | N              |                | 36                |
| 2870         |       | 5553    | VIRTUALIZATION BUNDLE    | 187,747        | N              |                | 36                |
| 2870         |       | 5554    | COMPLETE BUNDLE          | 330,651        | N              |                | 36                |
| 2870         |       | 5577    | WINDOWS BUNDLE GW        | 233,178        | N              |                | 36                |
| 2870         |       | 5578    | VIRTUALIZATION BUNDLE GW | 187,747        | N              |                | 36                |
| 2870         |       | 5579    | COMPLETE BUNDLE GW       | 330,651        | N              |                | 36                |
| 2870         |       | 5602    | CIFS SECONDARY           | 40,450         | N              |                | 36                |
| 2870         |       | 5604    | FCP SECONDARY            | 40,450         | N              |                | 36                |
| 2870         |       | 5606    | ISCSI SECONDARY          | 40,450         | N              |                | 36                |
| 2870         |       | 5608    | NFS SECONDARY            | 40,450         | N              |                | 36                |
| 2870         |       | 5609    | SNAPLOCK COMPLIANCE      | 51,796         | N              |                | 36                |
| 2870         |       | 5611    | SNAPRESTORE              | 19,115         | N              |                | 36                |
| 2870         |       | 5612    | SNAPMIRROR               | 82,011         | N              |                | 36                |
| 2870         |       | 5613    | SNAPVAULT                | 53,030         | N              |                | 36                |
| 2870         |       | 5614    | FLEXCLONE                | 35,517         | N              |                | 36                |
| 2870         |       | 5615    | SNAPMANAGER SUITE        | 106,059        | N              |                | 36                |
| 2870         |       | 5616    | COMPLETE BUNDLE          | 267,244        | N              |                | 36                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5619    | SNAPLOCK ENTERPRISE    | 51,796         | N              |                | 36                |
| 2870         |       | 5627    | CIFS SECONDARY GW      | 40,450         | N              |                | 36                |
| 2870         |       | 5629    | FCP SECONDARY GW       | 40,450         | N              |                | 36                |
| 2870         |       | 5631    | ISCSI SECONDARY GW     | 40,450         | N              |                | 36                |
| 2870         |       | 5633    | NFS SECONDARY GW       | 40,450         | N              |                | 36                |
| 2870         |       | 5634    | SNAPLOCK COMPLIANCE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5636    | SNAPRESTORE GW         | 19,115         | N              |                | 36                |
| 2870         |       | 5637    | SNAPMIRROR GW          | 82,011         | N              |                | 36                |
| 2870         |       | 5638    | SNAPVAULT GW           | 53,030         | N              |                | 36                |
| 2870         |       | 5639    | FLEXCLONE GW           | 35,517         | N              |                | 36                |
| 2870         |       | 5640    | SNAPMANAGER SUITE GW   | 106,059        | N              |                | 36                |
| 2870         |       | 5641    | COMPLETE BUNDLE GW     | 267,244        | N              |                | 36                |
| 2870         |       | 5644    | SNAPLOCK ENTERPRISE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5652    | CIFS SECONDARY         | 31,509         | N              |                | 36                |
| 2870         |       | 5654    | FCP SECONDARY          | 31,509         | N              |                | 36                |
| 2870         |       | 5656    | ISCSI SECONDARY        | 31,509         | N              |                | 36                |
| 2870         |       | 5658    | NFS SECONDARY          | 31,509         | N              |                | 36                |
| 2870         |       | 5659    | SNAPLOCK COMPLIANCE    | 25,898         | N              |                | 36                |
| 2870         |       | 5661    | SNAPRESTORE            | 13,380         | N              |                | 36                |
| 2870         |       | 5662    | SNAPMIRROR             | 57,408         | N              |                | 36                |
| 2870         |       | 5663    | SNAPVAULT              | 37,182         | N              |                | 36                |
| 2870         |       | 5664    | FLEXCLONE              | 24,849         | N              |                | 36                |
| 2870         |       | 5665    | SNAPMANAGER SUITE      | 74,241         | N              |                | 36                |
| 2870         |       | 5666    | COMPLETE BUNDLE        | 198,368        | N              |                | 36                |
| 2870         |       | 5669    | SNAPLOCK ENTERPRISE    | 25,898         | N              |                | 36                |
| 2870         |       | 5677    | CIFS SECONDARY GW      | 31,509         | N              |                | 36                |
| 2870         |       | 5679    | FCP SECONDARY GW       | 31,509         | N              |                | 36                |
| 2870         |       | 5681    | ISCSI SECONDARY GW     | 31,509         | N              |                | 36                |
| 2870         |       | 5683    | NFS SECONDARY GW       | 31,509         | N              |                | 36                |
| 2870         |       | 5684    | SNAPLOCK COMPLIANCE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5686    | SNAPRESTORE GW         | 13,380         | N              |                | 36                |
| 2870         |       | 5687    | SNAPMIRROR GW          | 57,408         | N              |                | 36                |
| 2870         |       | 5688    | SNAPVAULT GW           | 37,182         | N              |                | 36                |
| 2870         |       | 5689    | FLEXCLONE GW           | 24,849         | N              |                | 36                |
| 2870         |       | 5690    | SNAPMANAGER SUITE GW   | 74,241         | N              |                | 36                |
| 2870         |       | 5691    | COMPLETE BUNDLE GW     | 198,368        | N              |                | 36                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5694    | SNAPLOCK ENTERPRISE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5702    | CIFS SECONDARY         | 24,541         | N              |                | 36                |
| 2870         |       | 5704    | FCP SECONDARY          | 24,541         | N              |                | 36                |
| 2870         |       | 5706    | ISCSI SECONDARY        | 24,541         | N              |                | 36                |
| 2870         |       | 5708    | NFS SECONDARY          | 24,541         | N              |                | 36                |
| 2870         |       | 5709    | SNAPLOCK COMPLIANCE    | 51,796         | N              |                | 36                |
| 2870         |       | 5711    | SNAPRESTORE            | 10,483         | N              |                | 36                |
| 2870         |       | 5712    | SNAPMIRROR             | 44,767         | N              |                | 36                |
| 2870         |       | 5713    | SNAPVAULT              | 28,981         | N              |                | 36                |
| 2870         |       | 5714    | FLEXCLONE              | 19,361         | N              |                | 36                |
| 2870         |       | 5715    | SNAPMANAGER SUITE      | 69,062         | N              |                | 36                |
| 2870         |       | 5716    | COMPLETE BUNDLE        | 154,649        | N              |                | 36                |
| 2870         |       | 5719    | SNAPLOCK COMPLIANCE    | 51,796         | N              |                | 36                |
| 2870         |       | 5727    | CIFS SECONDARY GW      | 24,541         | N              |                | 36                |
| 2870         |       | 5729    | FCP SECONDARY GW       | 24,541         | N              |                | 36                |
| 2870         |       | 5731    | ISCSI SECONDARY GW     | 24,541         | N              |                | 36                |
| 2870         |       | 5733    | NFS SECONDARY GW       | 24,541         | N              |                | 36                |
| 2870         |       | 5734    | SNAPLOCK COMPLIANCE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5736    | SNAPRESTORE GW         | 10,483         | N              |                | 36                |
| 2870         |       | 5737    | SNAPMIRROR GW          | 44,767         | N              |                | 36                |
| 2870         |       | 5738    | SNAPVAULT GW           | 28,981         | N              |                | 36                |
| 2870         |       | 5739    | FLEXCLONE GW           | 19,361         | N              |                | 36                |
| 2870         |       | 5740    | SNAPMANAGER SUITE GW   | 69,062         | N              |                | 36                |
| 2870         |       | 5741    | COMPLETE BUNDLE GW     | 154,649        | N              |                | 36                |
| 2870         |       | 5744    | SNAPLOCK ENTERPRISE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5752    | CIFS SECONDARY         | 17,203         | N              |                | 36                |
| 2870         |       | 5754    | FCP SECONDARY          | 17,203         | N              |                | 36                |
| 2870         |       | 5756    | ISCSI SECONDARY        | 17,203         | N              |                | 36                |
| 2870         |       | 5758    | NFS SECONDARY          | 17,203         | N              |                | 36                |
| 2870         |       | 5759    | SNAPLOCK COMPLIANCE    | 25,898         | N              |                | 36                |
| 2870         |       | 5761    | SNAPRESTORE            | 7,337          | N              |                | 36                |
| 2870         |       | 5762    | SNAPMIRROR             | 31,324         | N              |                | 36                |
| 2870         |       | 5763    | SNAPVAULT              | 20,286         | N              |                | 36                |
| 2870         |       | 5764    | FLEXCLONE              | 13,566         | N              |                | 36                |
| 2870         |       | 5765    | SNAPMANAGER SUITE      | 48,343         | N              |                | 36                |
| 2870         |       | 5766    | COMPLETE BUNDLE        | 108,218        | N              |                | 36                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5769    | SNAPLOCK COMPLIANCE    | 25,898         | N              |                | 36                |
| 2870         |       | 5777    | CIFS SECONDARY GW      | 17,203         | N              |                | 36                |
| 2870         |       | 5779    | FCP SECONDARY GW       | 17,203         | N              |                | 36                |
| 2870         |       | 5781    | ISCSI SECONDARY GW     | 17,203         | N              |                | 36                |
| 2870         |       | 5783    | NFS SECONDARY GW       | 17,203         | N              |                | 36                |
| 2870         |       | 5784    | SNAPLOCK COMPLIANCE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5786    | SNAPRESTORE GW         | 7,337          | N              |                | 36                |
| 2870         |       | 5787    | SNAPMIRROR GW          | 31,324         | N              |                | 36                |
| 2870         |       | 5788    | SNAPVAULT GW           | 20,286         | N              |                | 36                |
| 2870         |       | 5789    | FLEXCLONE GW           | 13,566         | N              |                | 36                |
| 2870         |       | 5790    | SNAPMANAGER SUITE GW   | 48,343         | N              |                | 36                |
| 2870         |       | 5791    | COMPLETE BUNDLE GW     | 108,218        | N              |                | 36                |
| 2870         |       | 5794    | SNAPLOCK ENTERPRISE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5802    | CIFS SECONDARY         | 89,040         | N              |                | 36                |
| 2870         |       | 5804    | FCP SECONDARY          | 89,040         | N              |                | 36                |
| 2870         |       | 5806    | ISCSI SECONDARY        | 89,040         | N              |                | 36                |
| 2870         |       | 5808    | NFS SECONDARY          | 89,040         | N              |                | 36                |
| 2870         |       | 5809    | SNAPLOCK COMPLIANCE    | 51,796         | N              |                | 36                |
| 2870         |       | 5811    | SNAPRESTORE            | 29,968         | N              |                | 36                |
| 2870         |       | 5812    | SNAPMIRROR             | 134,300        | N              |                | 36                |
| 2870         |       | 5813    | SNAPVAULT              | 79,790         | N              |                | 36                |
| 2870         |       | 5814    | FLEXCLONE              | 46,000         | N              |                | 36                |
| 2870         |       | 5815    | SNAPMANAGER SUITE      | 140,590        | N              |                | 36                |
| 2870         |       | 5816    | COMPLETE BUNDLE        | 517,718        | N              |                | 36                |
| 2870         |       | 5819    | SNAPLOCK ENTERPRISE    | 51,796         | N              |                | 36                |
| 2870         |       | 5827    | CIFS SECONDARY GW      | 89,040         | N              |                | 36                |
| 2870         |       | 5829    | FCP SECONDARY GW       | 89,040         | N              |                | 36                |
| 2870         |       | 5831    | ISCSI SECONDARY GW     | 89,040         | N              |                | 36                |
| 2870         |       | 5833    | NFS SECONDARY GW       | 89,040         | N              |                | 36                |
| 2870         |       | 5834    | SNAPLOCK COMPLIANCE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5836    | SNAPRESTORE GW         | 29,968         | N              |                | 36                |
| 2870         |       | 5837    | SNAPMIRROR GW          | 134,300        | N              |                | 36                |
| 2870         |       | 5838    | SNAPVAULT GW           | 79,790         | N              |                | 36                |
| 2870         |       | 5839    | FLEXCLONE GW           | 46,000         | N              |                | 36                |
| 2870         |       | 5840    | SNAPMANAGER SUITE GW   | 140,590        | N              |                | 36                |
| 2870         |       | 5841    | COMPLETE BUNDLE GW     | 517,718        | N              |                | 36                |

| Machine Type | Model | Feature | Description            | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5844    | SNAPLOCK ENTERPRISE GW | 51,796         | N              |                | 36                |
| 2870         |       | 5852    | CIFS SECONDARY         | 62,341         | N              |                | 36                |
| 2870         |       | 5854    | FCP SECONDARY          | 62,341         | N              |                | 36                |
| 2870         |       | 5856    | ISCSI SECONDARY        | 62,341         | N              |                | 36                |
| 2870         |       | 5858    | NFS SECONDARY          | 62,341         | N              |                | 36                |
| 2870         |       | 5859    | SNAPLOCK COMPLIANCE    | 25,898         | N              |                | 36                |
| 2870         |       | 5861    | SNAPRESTORE            | 20,965         | N              |                | 36                |
| 2870         |       | 5862    | SNAPMIRROR             | 93,973         | N              |                | 36                |
| 2870         |       | 5863    | SNAPVAULT              | 55,866         | N              |                | 36                |
| 2870         |       | 5864    | FLEXCLONE              | 32,187         | N              |                | 36                |
| 2870         |       | 5865    | SNAPMANAGER SUITE      | 98,413         | N              |                | 36                |
| 2870         |       | 5866    | COMPLETE BUNDLE        | 362,390        | N              |                | 36                |
| 2870         |       | 5869    | SNAPLOCK ENTERPRISE    | 25,898         | N              |                | 36                |
| 2870         |       | 5877    | CIFS SECONDARY GW      | 62,341         | N              |                | 36                |
| 2870         |       | 5879    | FCP SECONDARY GW       | 62,341         | N              |                | 36                |
| 2870         |       | 5881    | ISCSI SECONDARY GW     | 62,341         | N              |                | 36                |
| 2870         |       | 5883    | NFS SECONDARY GW       | 62,341         | N              |                | 36                |
| 2870         |       | 5884    | SNAPLOCK COMPLIANCE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5886    | SNAPRESTORE GW         | 20,965         | N              |                | 36                |
| 2870         |       | 5887    | SNAPMIRROR GW          | 93,973         | N              |                | 36                |
| 2870         |       | 5888    | SNAPVAULT GW           | 55,866         | N              |                | 36                |
| 2870         |       | 5889    | FLEXCLONE GW           | 32,187         | N              |                | 36                |
| 2870         |       | 5890    | SNAPMANAGER SUITE GW   | 98,413         | N              |                | 36                |
| 2870         |       | 5891    | COMPLETE BUNDLE GW     | 362,390        | N              |                | 36                |
| 2870         |       | 5894    | SNAPLOCK ENTERPRISE GW | 25,898         | N              |                | 36                |
| 2870         |       | 5902    | CIFS SECONDARY         | 119,107        | N              |                | 36                |
| 2870         |       | 5904    | FCP SECONDARY          | 119,107        | N              |                | 36                |
| 2870         |       | 5906    | ISCSI SECONDARY        | 119,107        | N              |                | 36                |
| 2870         |       | 5908    | NFS SECONDARY          | 119,107        | N              |                | 36                |
| 2870         |       | 5909    | SNAPLOCK COMPLIANCE    | 51,796         | N              |                | 36                |
| 2870         |       | 5911    | SNAPRESTORE            | 30,066         | N              |                | 36                |
| 2870         |       | 5912    | SNAPMIRROR             | 154,550        | N              |                | 36                |
| 2870         |       | 5913    | SNAPVAULT              | 89,311         | N              |                | 36                |
| 2870         |       | 5914    | FLEXCLONE              | 75,697         | N              |                | 36                |
| 2870         |       | 5915    | SNAPMANAGER SUITE      | 114,223        | N              |                | 36                |
| 2870         |       | 5916    | COMPLETE BUNDLE        | 650,304        | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 5919    | SNAPLOCK ENTERPRISE          | 51,796         | N              |                | 36                |
| 2870         |       | 5927    | CIFS SECONDARY GW            | 119,107        | N              |                | 36                |
| 2870         |       | 5929    | FCP SECONDARY GW             | 119,107        | N              |                | 36                |
| 2870         |       | 5931    | ISCSI SECONDARY GW           | 119,107        | N              |                | 36                |
| 2870         |       | 5933    | NFS SECONDARY GW             | 119,107        | N              |                | 36                |
| 2870         |       | 5934    | SNAPLOCK COMPLIANCE GW       | 51,796         | N              |                | 36                |
| 2870         |       | 5936    | SNAPRESTORE GW               | 30,066         | N              |                | 36                |
| 2870         |       | 5937    | SNAPMIRROR GW                | 154,550        | N              |                | 36                |
| 2870         |       | 5938    | SNAPVAULT GW                 | 89,311         | N              |                | 36                |
| 2870         |       | 5939    | FLEXCLONE GW                 | 75,697         | N              |                | 36                |
| 2870         |       | 5940    | SNAPMANAGER SUITE GW         | 114,223        | N              |                | 36                |
| 2870         |       | 5941    | COMPLETE BUNDLE GW           | 650,304        | N              |                | 36                |
| 2870         |       | 5944    | SNAPLOCK ENTERPRISE GW       | 51,796         | N              |                | 36                |
| 2870         |       | 6002    | CIFS                         | 0              | N              |                | 36                |
| 2870         |       | 6004    | NFS                          | 0              | N              |                | 36                |
| 2870         |       | 6051    | CIFS                         | 92,123         | N              |                | 36                |
| 2870         |       | 6052    | HTTP                         | 21,582         | N              |                | 36                |
| 2870         |       | 6053    | NFS                          | 98,968         | N              |                | 36                |
| 2870         |       | 6054    | CFO                          | 25,829         | N              |                | 36                |
| 2870         |       | 6055    | FLEXCLONE                    | 39,310         | N              |                | 36                |
| 2870         |       | 6056    | MULTISTORE                   | 64,746         | N              |                | 36                |
| 2870         |       | 6057    | SNAPMIRROR                   | 124,311        | N              |                | 36                |
| 2870         |       | 6058    | SNAPLOCK COMPLIANCE          | 77,695         | N              |                | 36                |
| 2870         |       | 6059    | SNAPLOCK ENTERPRISE          | 77,695         | N              |                | 36                |
| 2870         |       | 6061    | SNAPRESTORE                  | 27,748         | N              |                | 36                |
| 2870         |       | 6062    | SNAPVAULT PRIMARY            | 44,397         | N              |                | 36                |
| 2870         |       | 6063    | SNAPVAULT SECONDARY          | 124,311        | N              |                | 36                |
| 2870         |       | 6068    | FIBRE CHANNEL PROTOCOL       | 14,635         | N              |                | 36                |
| 2870         |       | 6070    | SNAPMANAGER/EXCHANGE - FILER | 73,378         | N              |                | 36                |
| 2870         |       | 6071    | SNAPMANAGER/SQL - FILER      | 73,378         | N              |                | 36                |
| 2870         |       | 6072    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 6073    | METROCLUSTER                 | 39,464         | N              |                | 36                |
| 2870         |       | 6074    | SAN BUNDLE                   | 25,829         | N              |                | 36                |
| 2870         |       | 6078    | MS EXCHANGE BUNDLE 5K USRS   | 79,445         | N              |                | 36                |
| 2870         |       | 6079    | SNAPMIRROR/SNAPVAULT BUNDLE  | 155,389        | N              |                | 36                |
| 2870         |       | 6088    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6089    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 6091    | SNAPMANAGER HYPER V FILER    | 20,466         | N              |                | 36                |
| 2870         |       | 6096    | SNAPDRIVE FOR UNIX FILER     | 34,112         | N              |                | 36                |
| 2870         |       | 6097    | SNAPDRIVE FOR WIN FILER      | 34,112         | N              |                | 36                |
| 2870         |       | 6098    | SNAPMANAGER VI FILER         | 34,112         | N              |                | 36                |
| 2870         |       | 6099    | SNAPMANAGER SHAREPOINT FILER | 57,716         | N              |                | 36                |
| 2870         |       | 6100    | DATA ONTAP                   | 28,537         | N              |                | 36                |
| 2870         |       | 6102    | CIFS                         | 0              | N              |                | 36                |
| 2870         |       | 6104    | NFS                          | 0              | N              |                | 36                |
| 2870         |       | 6105    | CFO                          | 0              | N              |                | 36                |
| 2870         |       | 6150    | DATA ONTAP                   | 32,645         | N              |                | 36                |
| 2870         |       | 6151    | CIFS                         | 92,123         | N              |                | 36                |
| 2870         |       | 6152    | HTTP                         | 21,582         | N              |                | 36                |
| 2870         |       | 6153    | NFS                          | 98,968         | N              |                | 36                |
| 2870         |       | 6154    | CFO                          | 25,829         | N              |                | 36                |
| 2870         |       | 6155    | FLEXCLONE                    | 39,310         | N              |                | 36                |
| 2870         |       | 6156    | MULTISTORE                   | 64,746         | N              |                | 36                |
| 2870         |       | 6157    | SNAPMIRROR                   | 124,311        | N              |                | 36                |
| 2870         |       | 6158    | SNAPLOCK COMPLIANCE          | 77,695         | N              |                | 36                |
| 2870         |       | 6159    | SNAPLOCK ENTERPRISE          | 77,695         | N              |                | 36                |
| 2870         |       | 6161    | SNAPRESTORE                  | 27,748         | N              |                | 36                |
| 2870         |       | 6162    | SNAPVAULT PRIMARY            | 44,397         | N              |                | 36                |
| 2870         |       | 6163    | SNAPVAULT SECONDARY          | 124,311        | N              |                | 36                |
| 2870         |       | 6168    | FIBRE CHANNEL PROTOCOL       | 14,635         | N              |                | 36                |
| 2870         |       | 6170    | SNAPMANAGER/EXCHANGE - FILER | 73,378         | N              |                | 36                |
| 2870         |       | 6171    | SNAPMANAGER/SQL - FILER      | 73,378         | N              |                | 36                |
| 2870         |       | 6172    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 6173    | METROCLUSTER                 | 39,464         | N              |                | 36                |
| 2870         |       | 6179    | SNAPMIRROR/SNAPVAULT BUNDLE  | 155,389        | N              |                | 36                |
| 2870         |       | 6188    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |
| 2870         |       | 6189    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 6191    | SNAPMGR HYPER V FILER GW     | 20,466         | N              |                | 36                |
| 2870         |       | 6196    | SNAPDRIVE FOR UNIX FILER GW  | 34,112         | N              |                | 36                |
| 2870         |       | 6197    | SNAPDRIVE FOR WIN FILER GW   | 34,112         | N              |                | 36                |
| 2870         |       | 6198    | SNAPMANAGER VI FILER GW      | 34,112         | N              |                | 36                |
| 2870         |       | 6199    | SNAPMANAGER SHAREPOINT FILER | 57,716         | N              |                | 36                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6200    | DATA ONTAP                   | 15,900         | N              |                | 36                |
| 2870         |       | 6250    | DATA ONTAP                   | 10,368         | N              |                | 36                |
| 2870         |       | 6301    | DATA ONTAP GW                | 15,900         | N              |                | 36                |
| 2870         |       | 6302    | CIFS                         | 0              | N              |                | 36                |
| 2870         |       | 6303    | HTTP                         | 1,418          | N              |                | 36                |
| 2870         |       | 6304    | NFS                          | 0              | N              |                | 36                |
| 2870         |       | 6307    | SNAPMANAGER HYPER V FILER    | 2,959          | N              |                | 36                |
| 2870         |       | 6311    | FLEXCLONE                    | 11,839         | N              |                | 36                |
| 2870         |       | 6320    | MULTISTORE                   | 6,166          | N              |                | 36                |
| 2870         |       | 6322    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 6327    | SNAPDRIVE FOR UNIX FILER     | 5,919          | N              |                | 36                |
| 2870         |       | 6328    | SNAPDRIVE FOR WIN FILER      | 4,933          | N              |                | 36                |
| 2870         |       | 6329    | SNAPMIRROR/SNAPVAULT BUNDLE  | 8,092          | N              |                | 36                |
| 2870         |       | 6331    | SNAPMIRROR                   | 7,769          | N              |                | 36                |
| 2870         |       | 6332    | SNAPLOCK COMPLIANCE          | 9,866          | N              |                | 36                |
| 2870         |       | 6333    | SNAPLOCK ENTERPRISE          | 9,866          | N              |                | 36                |
| 2870         |       | 6335    | SNAPRESTORE                  | 3,700          | N              |                | 36                |
| 2870         |       | 6336    | SNAPVAULT PRIMARY            | 3,700          | N              |                | 36                |
| 2870         |       | 6337    | SNAPVAULT SECONDARY          | 6,475          | N              |                | 36                |
| 2870         |       | 6338    | SNAPMANAGER SAP FILER        | 13,874         | N              |                | 36                |
| 2870         |       | 6339    | SNAPMANAGER ORACLE FILER     | 9,249          | N              |                | 36                |
| 2870         |       | 6343    | FIBRE CHANNEL PROTOCOL       | 1,233          | N              |                | 36                |
| 2870         |       | 6345    | SNAPMANAGER/EXCHANGE - FILER | 9,249          | N              |                | 36                |
| 2870         |       | 6346    | SNAPMANAGER/SQL - FILER      | 9,249          | N              |                | 36                |
| 2870         |       | 6348    | SNAPMANAGER VI FILER         | 4,933          | N              |                | 36                |
| 2870         |       | 6349    | SNAPMANAGER SHAREPOINT FILER | 7,276          | N              |                | 36                |
| 2870         |       | 6352    | CIFS                         | 0              | N              |                | 36                |
| 2870         |       | 6353    | HTTP                         | 2,133          | N              |                | 36                |
| 2870         |       | 6354    | NFS                          | 0              | N              |                | 36                |
| 2870         |       | 6355    | CFO                          | 0              | N              |                | 36                |
| 2870         |       | 6357    | SNAPMANAGER HYPER V FILER    | 5,327          | N              |                | 36                |
| 2870         |       | 6361    | FLEXCLONE                    | 20,126         | N              |                | 36                |
| 2870         |       | 6370    | MULTISTORE                   | 9,249          | N              |                | 36                |
| 2870         |       | 6372    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 6377    | SNAPDRIVE FOR UNIX FILER     | 10,655         | N              |                | 36                |
| 2870         |       | 6378    | SNAPDRIVE FOR WIN FILER      | 8,879          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6379    | SNAPMIRROR/SNAPVAULT BUNDLE  | 12,150         | N              |                | 36                |
| 2870         |       | 6381    | SNAPMIRROR                   | 11,661         | N              |                | 36                |
| 2870         |       | 6382    | SNAPLOCK COMPLIANCE          | 14,799         | N              |                | 36                |
| 2870         |       | 6383    | SNAPLOCK ENTERPRISE          | 14,799         | N              |                | 36                |
| 2870         |       | 6385    | SNAPRESTORE                  | 5,550          | N              |                | 36                |
| 2870         |       | 6386    | SNAPVAULT PRIMARY            | 5,550          | N              |                | 36                |
| 2870         |       | 6387    | SNAPVAULT SECONDARY          | 9,718          | N              |                | 36                |
| 2870         |       | 6388    | SNAPMANAGER SAP FILER        | 20,811         | N              |                | 36                |
| 2870         |       | 6389    | SNAPMANAGER ORACLE FILER     | 13,874         | N              |                | 36                |
| 2870         |       | 6393    | FIBRE CHANNEL PROTOCOL       | 1,850          | N              |                | 36                |
| 2870         |       | 6395    | SNAPMANAGER/EXCHANGE - FILER | 13,874         | N              |                | 36                |
| 2870         |       | 6396    | SNAPMANAGER/SQL - FILER      | 13,874         | N              |                | 36                |
| 2870         |       | 6398    | SNAPMANAGER VI FILER         | 8,879          | N              |                | 36                |
| 2870         |       | 6399    | SNAPMANAGER SHAREPOINT FILER | 10,914         | N              |                | 36                |
| 2870         |       | 6401    | DATA ONTAP GW                | 32,645         | N              |                | 36                |
| 2870         |       | 6501    | CIFS                         | 33,298         | N              |                | 36                |
| 2870         |       | 6502    | HTTP                         | 8,633          | N              |                | 36                |
| 2870         |       | 6503    | NFS                          | 33,569         | N              |                | 36                |
| 2870         |       | 6505    | FLRXCLONE                    | 18,499         | N              |                | 36                |
| 2870         |       | 6506    | MULTISTORE                   | 30,831         | N              |                | 36                |
| 2870         |       | 6507    | SNAPMIRROR                   | 65,262         | N              |                | 36                |
| 2870         |       | 6508    | SNAPLOCK COMPLIANCE          | 34,531         | N              |                | 36                |
| 2870         |       | 6509    | SNAPLOCK ENTERPRISE          | 34,531         | N              |                | 36                |
| 2870         |       | 6511    | SNAPRESTORE                  | 12,332         | N              |                | 36                |
| 2870         |       | 6512    | SNAPVAULT PRIMARY            | 18,499         | N              |                | 36                |
| 2870         |       | 6513    | SNAPVAULT SECONDARY          | 65,262         | N              |                | 36                |
| 2870         |       | 6519    | FIBRE CHANNEL PROTOCOL       | 5,613          | N              |                | 36                |
| 2870         |       | 6521    | SNAPMANAGER EXCHANGE FILER   | 36,997         | N              |                | 36                |
| 2870         |       | 6522    | SNAPMANAGER SQL FILER        | 36,997         | N              |                | 36                |
| 2870         |       | 6524    | METROCLUSTER                 | 18,499         | N              |                | 36                |
| 2870         |       | 6529    | SNAPMIRROR SNAPVAULT BUNDLE  | 81,579         | N              |                | 36                |
| 2870         |       | 6538    | SNAPMANAGER SAP FILER        | 46,247         | N              |                | 36                |
| 2870         |       | 6539    | SNAPMANAGER ORACLE FILER     | 36,997         | N              |                | 36                |
| 2870         |       | 6541    | SNAPMANAGER HYPER V FILER    | 8,122          | N              |                | 36                |
| 2870         |       | 6545    | SNAPDRIVE FOR UNIX FILER     | 13,536         | N              |                | 36                |
| 2870         |       | 6546    | SNAPDRIVE FOR WIN FILER      | 13,536         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6548    | SNAPMANAGER VI FILER         | 13,536         | N              |                | 36                |
| 2870         |       | 6549    | SNAPMANAGER SHAREPOINT FILER | 29,104         | N              |                | 36                |
| 2870         |       | 6551    | CIFS                         | 53,276         | N              |                | 36                |
| 2870         |       | 6552    | HTTP                         | 15,539         | N              |                | 36                |
| 2870         |       | 6553    | NFS                          | 47,949         | N              |                | 36                |
| 2870         |       | 6554    | CFO                          | 15,230         | N              |                | 36                |
| 2870         |       | 6555    | FLEXCLONE                    | 31,448         | N              |                | 36                |
| 2870         |       | 6556    | MULTISTORE                   | 46,247         | N              |                | 36                |
| 2870         |       | 6557    | SNAPMIRROR                   | 93,233         | N              |                | 36                |
| 2870         |       | 6558    | SNAPLOCK COMPLIANCE          | 62,155         | N              |                | 36                |
| 2870         |       | 6559    | SNAPLOCK ENTERPRISE          | 62,155         | N              |                | 36                |
| 2870         |       | 6561    | SNAPRESTORE                  | 22,198         | N              |                | 36                |
| 2870         |       | 6562    | SNAPVAULT PRIMARY            | 33,298         | N              |                | 36                |
| 2870         |       | 6563    | SNAPVAULT SECONDARY          | 93,233         | N              |                | 36                |
| 2870         |       | 6569    | FIBRE CHANNEL PROTOCOL       | 8,018          | N              |                | 36                |
| 2870         |       | 6571    | SNAPMANAGER/EXCHANGE FILER   | 62,896         | N              |                | 36                |
| 2870         |       | 6572    | SNAPMANAGER SQL FILER        | 62,896         | N              |                | 36                |
| 2870         |       | 6574    | SAN BUNDLE                   | 15,230         | N              |                | 36                |
| 2870         |       | 6576    | METROCLUSTER                 | 29,598         | N              |                | 36                |
| 2870         |       | 6579    | SNAPMIRROR/SNAPVAULT BUNDLE  | 116,542        | N              |                | 36                |
| 2870         |       | 6588    | SNAPMANAGER SAP FILER        | 78,620         | N              |                | 36                |
| 2870         |       | 6589    | SNAPMANAGER ORACLE FILER     | 62,896         | N              |                | 36                |
| 2870         |       | 6591    | SNAPMANAGER HYPER V FILER    | 14,618         | N              |                | 36                |
| 2870         |       | 6595    | SNAPDRIVE FOR UNIX FILER     | 24,366         | N              |                | 36                |
| 2870         |       | 6596    | SNAPDRIVE FOR WIN FILER      | 24,366         | N              |                | 36                |
| 2870         |       | 6598    | SNAPMANAGER VI FILER         | 24,366         | N              |                | 36                |
| 2870         |       | 6599    | SNAPMANAGER SHAREPOINT FILER | 49,330         | N              |                | 36                |
| 2870         |       | 6600    | DATA ONTAP GW                | 8,038          | N              |                | 36                |
| 2870         |       | 6601    | CIFS GW                      | 33,298         | N              |                | 36                |
| 2870         |       | 6602    | HTTP GW                      | 8,633          | N              |                | 36                |
| 2870         |       | 6603    | NFS GW                       | 33,569         | N              |                | 36                |
| 2870         |       | 6605    | FLEXCLONE GW                 | 18,499         | N              |                | 36                |
| 2870         |       | 6606    | MULTISTORE GW                | 30,831         | N              |                | 36                |
| 2870         |       | 6607    | SNAPMIRROR GW                | 65,262         | N              |                | 36                |
| 2870         |       | 6608    | SNAPLOCK COMPLIANCE GW       | 34,531         | N              |                | 36                |
| 2870         |       | 6609    | SNAPLOCK ENTERPRISE GW       | 34,531         | N              |                | 36                |

| Machine Type | Model | Feature | Description                 | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6611    | SNAPRESTORE GW              | 12,332         | N              |                | 36                |
| 2870         |       | 6612    | SNAPVALUT PRIMARY GW        | 18,499         | N              |                | 36                |
| 2870         |       | 6613    | SNAPVALUT SECONDARY GW      | 65,262         | N              |                | 36                |
| 2870         |       | 6619    | FIBRE CHANNEL PROTOCOL GW   | 5,613          | N              |                | 36                |
| 2870         |       | 6621    | SNAPMANAGER EXCH FILER GW   | 36,997         | N              |                | 36                |
| 2870         |       | 6622    | SNAPMANAGER SQL FILER GW    | 36,997         | N              |                | 36                |
| 2870         |       | 6624    | METROCLUSTER GW             | 18,499         | N              |                | 36                |
| 2870         |       | 6629    | SNAPMIR SNAPVLT BUNDLE GW   | 81,579         | N              |                | 36                |
| 2870         |       | 6638    | SNAPMANAGER SAP FILER GW    | 46,247         | N              |                | 36                |
| 2870         |       | 6639    | SNAPMANAGER ORACLE FILER GW | 36,997         | N              |                | 36                |
| 2870         |       | 6641    | SNAPMGR HYPER V FILER GW    | 8,122          | N              |                | 36                |
| 2870         |       | 6645    | SNAPDRIVE FOR UNIX FILER GW | 13,536         | N              |                | 36                |
| 2870         |       | 6646    | SNAPDRIVE FOR WIN FILER GW  | 13,536         | N              |                | 36                |
| 2870         |       | 6648    | SNAPMANAGER VI FILER GW     | 13,536         | N              |                | 36                |
| 2870         |       | 6649    | SNAPMANAGER SHPNT FILER GW  | 29,104         | N              |                | 36                |
| 2870         |       | 6650    | DATA ONTAP GW               | 12,990         | N              |                | 36                |
| 2870         |       | 6651    | CIFS GW                     | 53,276         | N              |                | 36                |
| 2870         |       | 6652    | HTTP GW                     | 15,539         | N              |                | 36                |
| 2870         |       | 6653    | NFS GW                      | 47,949         | N              |                | 36                |
| 2870         |       | 6654    | CFO GW                      | 15,230         | N              |                | 36                |
| 2870         |       | 6655    | FLEXCLONE GW                | 31,448         | N              |                | 36                |
| 2870         |       | 6656    | MULTISTORE GW               | 46,247         | N              |                | 36                |
| 2870         |       | 6657    | SNAPMIRROR GW               | 93,233         | N              |                | 36                |
| 2870         |       | 6658    | SNAPLOCK COMPLIANCE GW      | 62,155         | N              |                | 36                |
| 2870         |       | 6659    | SNAPLOCK ENTERPRISE GW      | 62,155         | N              |                | 36                |
| 2870         |       | 6661    | SNAPRESTORE GW              | 22,198         | N              |                | 36                |
| 2870         |       | 6662    | SNAPVAULT PRIMARY GW        | 33,298         | N              |                | 36                |
| 2870         |       | 6663    | SNAPVAULT SECONDARY GW      | 93,233         | N              |                | 36                |
| 2870         |       | 6669    | FIBRE CHANNEL PROTOCOL GW   | 8,018          | N              |                | 36                |
| 2870         |       | 6671    | SNAPMANAGER EXCH FILER GW   | 62,896         | N              |                | 36                |
| 2870         |       | 6672    | SNAPMANAGER SQL FILER GW    | 62,896         | N              |                | 36                |
| 2870         |       | 6674    | METROCLUSTER GW             | 29,598         | N              |                | 36                |
| 2870         |       | 6679    | SNAPMIR SNAPVLT BUNDLE GW   | 116,542        | N              |                | 36                |
| 2870         |       | 6688    | SNAPMANAGER SAP FILER GW    | 78,620         | N              |                | 36                |
| 2870         |       | 6689    | SNAPMANAGER ORACLE FILER GW | 62,896         | N              |                | 36                |
| 2870         |       | 6691    | SNAPMGR HYPER V FILER GW    | 14,618         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6695    | SNAPDRIVE FOR UNIX FILER GW  | 24,366         | N              |                | 36                |
| 2870         |       | 6696    | SNAPDRIVE FOR WIN FILER GW   | 24,366         | N              |                | 36                |
| 2870         |       | 6698    | SNAPMANAGER VI FILER GW      | 24,366         | N              |                | 36                |
| 2870         |       | 6699    | SNAPMANAGER SHPNT FILER GW   | 49,330         | N              |                | 36                |
| 2870         |       | 6801    | CIFS                         | 15,733         | N              |                | 36                |
| 2870         |       | 6802    | HTTP                         | 5,673          | N              |                | 36                |
| 2870         |       | 6803    | NFS                          | 29,968         | N              |                | 36                |
| 2870         |       | 6805    | FLEXCLONE                    | 17,265         | N              |                | 36                |
| 2870         |       | 6806    | MULTISTORE                   | 18,499         | N              |                | 36                |
| 2870         |       | 6807    | SNAPMIRROR                   | 43,508         | N              |                | 36                |
| 2870         |       | 6808    | SNAPLOCK COMPLIANCE          | 25,898         | N              |                | 36                |
| 2870         |       | 6809    | SNAPLOCK ENTERPRISE          | 25,898         | N              |                | 36                |
| 2870         |       | 6811    | SNAPRESTORE                  | 9,866          | N              |                | 36                |
| 2870         |       | 6812    | SNAPVAULT PRIMARY            | 12,332         | N              |                | 36                |
| 2870         |       | 6813    | SNAPVAULT SECONDARY          | 43,508         | N              |                | 36                |
| 2870         |       | 6819    | FIBRE CHANNEL PROTOCOL       | 3,302          | N              |                | 36                |
| 2870         |       | 6821    | SNAPMANAGER/EXCHANGE FILER   | 30,831         | N              |                | 36                |
| 2870         |       | 6822    | SNAPMANAGER/SQL FILER        | 30,831         | N              |                | 36                |
| 2870         |       | 6823    | METROCLUSTER                 | 12,332         | N              |                | 36                |
| 2870         |       | 6829    | SNAPMIRROR/SNAPVAULT BUNDLE  | 54,386         | N              |                | 36                |
| 2870         |       | 6838    | SNAPMANAGER SAP FILER        | 38,539         | N              |                | 36                |
| 2870         |       | 6839    | SNAPMANAGER ORACLE FILER     | 30,831         | N              |                | 36                |
| 2870         |       | 6841    | SNAPMANAGER HYPER V FILER    | 5,800          | N              |                | 36                |
| 2870         |       | 6845    | SNAPDRIVE FOR UNIX FILER     | 9,667          | N              |                | 36                |
| 2870         |       | 6846    | SNAPDRIVE FOR WIN FILER      | 9,667          | N              |                | 36                |
| 2870         |       | 6848    | SNAPMANAGER VI FILER         | 9,667          | N              |                | 36                |
| 2870         |       | 6849    | SNAPMANAGER SHAREPOINT FILER | 24,264         | N              |                | 36                |
| 2870         |       | 6900    | DATA ONTAP GW                | 7,258          | N              |                | 36                |
| 2870         |       | 6901    | CIFS GW                      | 15,733         | N              |                | 36                |
| 2870         |       | 6902    | HTTP GW                      | 5,673          | N              |                | 36                |
| 2870         |       | 6903    | NFS GW                       | 29,968         | N              |                | 36                |
| 2870         |       | 6905    | FLEXCLONE GW                 | 17,265         | N              |                | 36                |
| 2870         |       | 6906    | MULTISTORE GW                | 18,499         | N              |                | 36                |
| 2870         |       | 6907    | SNAPMIRROR GW                | 43,508         | N              |                | 36                |
| 2870         |       | 6908    | SNAPLOCK COMLIANCE GW        | 25,898         | N              |                | 36                |
| 2870         |       | 6909    | SNAPLOCK ENTERPRISE GW       | 25,898         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 6911    | SNAPRESTORE GW               | 9,866          | N              |                | 36                |
| 2870         |       | 6912    | SNAPVAULT PRIMARY GW         | 12,332         | N              |                | 36                |
| 2870         |       | 6913    | SNAPVAULT SECONDARY GW       | 43,508         | N              |                | 36                |
| 2870         |       | 6919    | FIBRE CHANNEL PROTOCOL GW    | 3,302          | N              |                | 36                |
| 2870         |       | 6921    | SNAPMANAGER/EXCH FILER GW    | 30,831         | N              |                | 36                |
| 2870         |       | 6922    | SNAPMANAGER/SQL FILER GW     | 30,831         | N              |                | 36                |
| 2870         |       | 6923    | METROCLUSTER GW              | 12,332         | N              |                | 36                |
| 2870         |       | 6929    | SNAPMIR/SNAPVLT BUNDLE GW    | 54,386         | N              |                | 36                |
| 2870         |       | 6938    | SNAPMANAGER SAP FILER GW     | 38,539         | N              |                | 36                |
| 2870         |       | 6939    | SNAPMANAGER ORACLE FILER GW  | 30,831         | N              |                | 36                |
| 2870         |       | 6941    | SNAPMGR HYPER V FILER GW     | 5,800          | N              |                | 36                |
| 2870         |       | 6945    | SNAPDRIVE FOR UNIX FILER GW  | 9,667          | N              |                | 36                |
| 2870         |       | 6946    | SNAPDRIVE FOR WIN FILER GW   | 9,667          | N              |                | 36                |
| 2870         |       | 6948    | SNAPMANAGER VI FILER GW      | 9,667          | N              |                | 36                |
| 2870         |       | 6949    | SNAPMANAGER SHPNT FILER GW   | 24,264         | N              |                | 36                |
| 2870         |       | 6950    | DATA ONTAP GW                | 10,368         | N              |                | 36                |
| 2870         |       | 7002    | CIFS                         | 7,597          | N              |                | 36                |
| 2870         |       | 7003    | HTTP                         | 4,070          | N              |                | 36                |
| 2870         |       | 7004    | NFS                          | 13,683         | N              |                | 36                |
| 2870         |       | 7011    | FLEXCLONE                    | 19,978         | N              |                | 36                |
| 2870         |       | 7020    | MULTISTORE                   | 15,416         | N              |                | 36                |
| 2870         |       | 7022    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7029    | SNAPMIRROR/SNAPVAULT BUNDLE  | 24,775         | N              |                | 36                |
| 2870         |       | 7031    | SNAPMIRROR                   | 23,722         | N              |                | 36                |
| 2870         |       | 7032    | SNAPLOCK COMPLIANCE          | 18,499         | N              |                | 36                |
| 2870         |       | 7033    | SNAPLOCK ENTERPRISE          | 18,499         | N              |                | 36                |
| 2870         |       | 7035    | SNAPRESTORE                  | 7,091          | N              |                | 36                |
| 2870         |       | 7036    | SNAPVAULT PRIMARY            | 7,892          | N              |                | 36                |
| 2870         |       | 7037    | SNAPVAULT SECONDARY          | 19,821         | N              |                | 36                |
| 2870         |       | 7038    | SNAPMANAGER SAP FILER        | 41,622         | N              |                | 36                |
| 2870         |       | 7039    | SNAPMANAGER ORACLE FILER     | 27,748         | N              |                | 36                |
| 2870         |       | 7043    | FIBRE CHANNEL PROTOCOL       | 1,850          | N              |                | 36                |
| 2870         |       | 7045    | SNAPMANAGER/EXCHANGE - FILER | 27,748         | N              |                | 36                |
| 2870         |       | 7046    | SNAPMANAGER/SQL - FILER      | 27,748         | N              |                | 36                |
| 2870         |       | 7048    | SNAPMANAGER VI FILER         | 6,906          | N              |                | 36                |
| 2870         |       | 7049    | SNAPMANAGER SHAREPOINT FILER | 21,828         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7050    | SNAPMANAGER HYPER V FILER    | 4,144          | N              |                | 36                |
| 2870         |       | 7076    | SNAPDRIVE FOR UNIX FILER     | 8,287          | N              |                | 36                |
| 2870         |       | 7077    | SNAPDRIVE FOR WIN FILER      | 6,906          | N              |                | 36                |
| 2870         |       | 7102    | CIFS                         | 10,852         | N              |                | 36                |
| 2870         |       | 7103    | HTTP                         | 6,104          | N              |                | 36                |
| 2870         |       | 7104    | NFS                          | 20,533         | N              |                | 36                |
| 2870         |       | 7105    | CFO                          | 2,355          | N              |                | 36                |
| 2870         |       | 7111    | FLEXCLONE                    | 33,963         | N              |                | 36                |
| 2870         |       | 7120    | MULTISTORE                   | 23,123         | N              |                | 36                |
| 2870         |       | 7122    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7129    | SNAPMIRROR/SNAPVAULT BUNDLE  | 35,393         | N              |                | 36                |
| 2870         |       | 7131    | SNAPMIRROR                   | 33,978         | N              |                | 36                |
| 2870         |       | 7132    | SNAPLOCK COMPLIANCE          | 27,748         | N              |                | 36                |
| 2870         |       | 7133    | SNAPLOCK ENTERPRISE          | 27,748         | N              |                | 36                |
| 2870         |       | 7135    | SNAPRESTORE                  | 10,606         | N              |                | 36                |
| 2870         |       | 7136    | SNAPVAULT PRIMARY            | 11,839         | N              |                | 36                |
| 2870         |       | 7137    | SHAPVAULT SECONDARY          | 28,315         | N              |                | 36                |
| 2870         |       | 7138    | SNAPMANAGER SAP FILER        | 62,433         | N              |                | 36                |
| 2870         |       | 7139    | SNAPMANAGER ORACLE FILER     | 41,622         | N              |                | 36                |
| 2870         |       | 7143    | FIBRE CHANNEL PROTOCOL       | 2,775          | N              |                | 36                |
| 2870         |       | 7145    | SNAPMANAGER/EXCHANGE - FILER | 41,622         | N              |                | 36                |
| 2870         |       | 7146    | SNAPMANAGER/SQL - FILER      | 41,622         | N              |                | 36                |
| 2870         |       | 7148    | SNAPMANAGER VI FILER         | 13,319         | N              |                | 36                |
| 2870         |       | 7149    | SNAPMANAGER SHAREPOINT FILER | 32,743         | N              |                | 36                |
| 2870         |       | 7150    | SNAPMANAGER HYPER V FILER    | 7,458          | N              |                | 36                |
| 2870         |       | 7176    | SNAPDRIVE FOR UNIX FILER     | 15,983         | N              |                | 36                |
| 2870         |       | 7177    | SNAPDRIVE FOR WIN FILER      | 13,319         | N              |                | 36                |
| 2870         |       | 7178    | MS EXCHANGE BUNDLE 2.5K USRS | 42,861         | N              |                | 36                |
| 2870         |       | 7201    | CIFS                         | 15,733         | N              |                | 36                |
| 2870         |       | 7202    | HTTP                         | 5,673          | N              |                | 36                |
| 2870         |       | 7203    | NFS                          | 33,298         | N              |                | 36                |
| 2870         |       | 7204    | FLEXCLONE                    | 17,265         | N              |                | 36                |
| 2870         |       | 7205    | MULTISTORE                   | 18,499         | N              |                | 36                |
| 2870         |       | 7206    | SNAPMIRROR                   | 43,508         | N              |                | 36                |
| 2870         |       | 7207    | SNAPLOCK COMPLIANCE          | 25,898         | N              |                | 36                |
| 2870         |       | 7208    | SNAPLOCK ENTERPRISE          | 25,898         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7209    | SNAPRESTORE                  | 9,866          | N              |                | 36                |
| 2870         |       | 7210    | SNAPVAULT PRIMARY            | 12,332         | N              |                | 36                |
| 2870         |       | 7211    | SNAPVAULT SECONDARY          | 43,508         | N              |                | 36                |
| 2870         |       | 7214    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7217    | FIBRE CHANNEL PROTOCOL       | 3,546          | N              |                | 36                |
| 2870         |       | 7219    | SNAPMANAGER/EXCHANGE - FILER | 30,831         | N              |                | 36                |
| 2870         |       | 7220    | SNAPMANAGER/SQL - FILER      | 30,831         | N              |                | 36                |
| 2870         |       | 7229    | SNAPMIRROR/SNAPVAULT BUNDLE  | 54,386         | N              |                | 36                |
| 2870         |       | 7230    | NEARLINE FUNCTION            | 0              | N              |                | 36                |
| 2870         |       | 7233    | SNAPMANAGER SAP FILER        | 38,539         | N              |                | 36                |
| 2870         |       | 7234    | SNAPMANAGER ORACLE FILER     | 30,831         | N              |                | 36                |
| 2870         |       | 7235    | SNAPMANAGER VI FILER         | 9,667          | N              |                | 36                |
| 2870         |       | 7241    | SNAPMANAGER HYPER V FILER    | 5,800          | N              |                | 36                |
| 2870         |       | 7247    | SNAPDRIVE FOR UNIX FILER     | 9,667          | N              |                | 36                |
| 2870         |       | 7248    | SNAPDRIVE FOR WIN FILER      | 9,667          | N              |                | 36                |
| 2870         |       | 7249    | SNAPMANAGER SHAREPOINT FILER | 24,264         | N              |                | 36                |
| 2870         |       | 7251    | CIFS                         | 22,477         | N              |                | 36                |
| 2870         |       | 7252    | HTTP                         | 8,509          | N              |                | 36                |
| 2870         |       | 7253    | NFS                          | 45,452         | N              |                | 36                |
| 2870         |       | 7254    | CFO                          | 23,328         | N              |                | 36                |
| 2870         |       | 7255    | FLEXCLONE                    | 29,351         | N              |                | 36                |
| 2870         |       | 7256    | MULTISTORE                   | 27,748         | N              |                | 36                |
| 2870         |       | 7257    | SNAPMIRROR                   | 62,155         | N              |                | 36                |
| 2870         |       | 7258    | SNAPLOCK COMPLIANCE          | 46,617         | N              |                | 36                |
| 2870         |       | 7259    | SNAPLOCK ENTERPRISE          | 46,617         | N              |                | 36                |
| 2870         |       | 7261    | SNAPRESTORE                  | 14,503         | N              |                | 36                |
| 2870         |       | 7262    | SNAPVAULT PRIMARY            | 22,198         | N              |                | 36                |
| 2870         |       | 7263    | SNAPVAULT SECONDARY          | 62,155         | N              |                | 36                |
| 2870         |       | 7266    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7269    | FIBRE CHANNEL PROTOCOL       | 5,065          | N              |                | 36                |
| 2870         |       | 7271    | SNAPMANAGER/EXCHANGE - FILER | 52,413         | N              |                | 36                |
| 2870         |       | 7272    | SNAPMANAGER/SQL - FILER      | 52,413         | N              |                | 36                |
| 2870         |       | 7273    | METROCLUSTER                 | 19,732         | N              |                | 36                |
| 2870         |       | 7274    | SAN BUNDLE                   | 8,050          | N              |                | 36                |
| 2870         |       | 7279    | SNAPMIRROR/SNAPVAULT BUNDLE  | 77,695         | N              |                | 36                |
| 2870         |       | 7281    | NEARLINE FUNCTION            | 0              | N              |                | 36                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7283    | SNAPMANAGER SAP FILER        | 65,522         | N              |                | 36                |
| 2870         |       | 7284    | SNAPMANAGER ORACLE FILER     | 52,413         | N              |                | 36                |
| 2870         |       | 7285    | SNAPMANAGER VI FILER         | 17,403         | N              |                | 36                |
| 2870         |       | 7291    | SNAPMANAGER HYPER V FILER    | 10,442         | N              |                | 36                |
| 2870         |       | 7297    | SNAPDRIVE FOR UNIX FILER     | 17,403         | N              |                | 36                |
| 2870         |       | 7298    | SNAPDRIVE FOR WIN FILER      | 17,403         | N              |                | 36                |
| 2870         |       | 7299    | SNAPMANAGER SHAREPOINT FILER | 41,251         | N              |                | 36                |
| 2870         |       | 7300    | DATA ONTAP                   | 7,258          | N              |                | 36                |
| 2870         |       | 7301    | CIFS                         | 15,733         | N              |                | 36                |
| 2870         |       | 7302    | HTTP                         | 5,673          | N              |                | 36                |
| 2870         |       | 7303    | NFS                          | 33,298         | N              |                | 36                |
| 2870         |       | 7304    | FLEXCLONE                    | 17,265         | N              |                | 36                |
| 2870         |       | 7305    | MULTISTORE                   | 18,499         | N              |                | 36                |
| 2870         |       | 7306    | SNAPMIRROR                   | 43,508         | N              |                | 36                |
| 2870         |       | 7307    | SNAPLOCK ENTERPRISE          | 25,898         | N              |                | 36                |
| 2870         |       | 7309    | SNAPRESTORE                  | 9,866          | N              |                | 36                |
| 2870         |       | 7310    | SNAPVAULT PRIMARY            | 12,332         | N              |                | 36                |
| 2870         |       | 7311    | SNAPVAULT SECONDARY          | 43,508         | N              |                | 36                |
| 2870         |       | 7314    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7315    | SNAPLOCK COMPLIANCE          | 25,898         | N              |                | 36                |
| 2870         |       | 7317    | FIBRE CHANNEL PROTOCOL       | 3,302          | N              |                | 36                |
| 2870         |       | 7318    | SNAPMANAGER/EXCHANGE - FILER | 30,831         | N              |                | 36                |
| 2870         |       | 7319    | SNAPMANAGER/SQL - FILER      | 30,831         | N              |                | 36                |
| 2870         |       | 7322    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7329    | SNAPMIRROR/SNAPVAULT BUNDLE  | 54,386         | N              |                | 36                |
| 2870         |       | 7333    | SNAPMANAGER SAP FILER        | 38,539         | N              |                | 36                |
| 2870         |       | 7334    | SNAPMANAGER ORACLE FILER     | 30,831         | N              |                | 36                |
| 2870         |       | 7335    | SNAPMANAGER VI FILER         | 9,667          | N              |                | 36                |
| 2870         |       | 7341    | SNAPMANAGER HYPER V FILER    | 5,800          | N              |                | 36                |
| 2870         |       | 7347    | SNAPDRIVE FOR UNIX FILER     | 9,667          | N              |                | 36                |
| 2870         |       | 7348    | SNAPDRIVE FOR WIN FILER      | 9,667          | N              |                | 36                |
| 2870         |       | 7349    | SNAPMANAGER SHAREPOINT FILER | 24,264         | N              |                | 36                |
| 2870         |       | 7350    | DATA ONTAP                   | 6,681          | N              |                | 36                |
| 2870         |       | 7351    | CIFS                         | 22,477         | N              |                | 36                |
| 2870         |       | 7352    | HTTP                         | 8,509          | N              |                | 36                |
| 2870         |       | 7353    | NFS                          | 45,452         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7354    | CFO                          | 23,328         | N              |                | 36                |
| 2870         |       | 7355    | FLEXCLONE                    | 29,351         | N              |                | 36                |
| 2870         |       | 7356    | MULTISTORE                   | 27,748         | N              |                | 36                |
| 2870         |       | 7357    | SNAPMIRROR                   | 62,155         | N              |                | 36                |
| 2870         |       | 7358    | SNAPLOCK COMPLIANCE          | 46,617         | N              |                | 36                |
| 2870         |       | 7359    | SNAPLOCK ENTERPRISE          | 46,617         | N              |                | 36                |
| 2870         |       | 7361    | SNAPRESTORE                  | 14,503         | N              |                | 36                |
| 2870         |       | 7362    | SNAPVAULT PRIMARY            | 22,198         | N              |                | 36                |
| 2870         |       | 7363    | SNAPVAULT SECONDARY          | 62,155         | N              |                | 36                |
| 2870         |       | 7366    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7369    | FIBRE CHANNEL PROTOCOL       | 4,717          | N              |                | 36                |
| 2870         |       | 7370    | SNAPMANAGER/EXCHANGE - FILER | 52,413         | N              |                | 36                |
| 2870         |       | 7371    | SNAPMANAGER/SQL - FILER      | 52,413         | N              |                | 36                |
| 2870         |       | 7372    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7373    | METROCLUSTER                 | 19,732         | N              |                | 36                |
| 2870         |       | 7379    | SNAPMIRROR/SNAPVAULT BUNDLE  | 77,695         | N              |                | 36                |
| 2870         |       | 7383    | SNAPMANAGER SAP FILER        | 65,522         | N              |                | 36                |
| 2870         |       | 7384    | SNAPMANAGER ORACLE FILER     | 52,413         | N              |                | 36                |
| 2870         |       | 7385    | SNAPMANAGER VI FILER         | 17,403         | N              |                | 36                |
| 2870         |       | 7391    | SNAPMANAGER HYPER V FILER    | 10,442         | N              |                | 36                |
| 2870         |       | 7397    | SNAPDRIVE FOR UNIX FILER     | 17,403         | N              |                | 36                |
| 2870         |       | 7398    | SNAPDRIVE FOR WIN FILER      | 17,403         | N              |                | 36                |
| 2870         |       | 7399    | SNAPMANAGER SHAREPOINT FILER | 41,251         | N              |                | 36                |
| 2870         |       | 7401    | CIFS                         | 51,180         | N              |                | 36                |
| 2870         |       | 7402    | HTTP                         | 11,962         | N              |                | 36                |
| 2870         |       | 7403    | NFS                          | 69,253         | N              |                | 36                |
| 2870         |       | 7404    | FLEXCLONE                    | 23,123         | N              |                | 36                |
| 2870         |       | 7405    | MULTISTORE                   | 43,164         | N              |                | 36                |
| 2870         |       | 7406    | SNAPMIRROR                   | 87,018         | N              |                | 36                |
| 2870         |       | 7407    | SNAPLOCK COMPLIANCE          | 43,164         | N              |                | 36                |
| 2870         |       | 7408    | SNAPLOCK ENTERPRISE          | 43,164         | N              |                | 36                |
| 2870         |       | 7409    | SNAPRESTORE                  | 15,416         | N              |                | 36                |
| 2870         |       | 7410    | SNAPVAULT PRIMARY            | 24,665         | N              |                | 36                |
| 2870         |       | 7411    | SNAPVAULT SECONDARY          | 87,018         | N              |                | 36                |
| 2870         |       | 7414    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7417    | FIBRE CHANNEL PROTOCOL       | 9,543          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7419    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7420    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7429    | SNAPMIRROR/SNAPVAULT BUNDLE  | 108,772        | N              |                | 36                |
| 2870         |       | 7430    | NEARLINE FUNCTION            | 0              | N              |                | 36                |
| 2870         |       | 7431    | METROCLUSTER                 | 24,665         | N              |                | 36                |
| 2870         |       | 7438    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7439    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |
| 2870         |       | 7441    | SNAPMANAGER HYPER V FILER    | 11,370         | N              |                | 36                |
| 2870         |       | 7445    | SNAPDRIVE FOR UNIX FILER     | 18,950         | N              |                | 36                |
| 2870         |       | 7446    | SNAPDRIVE FOR WIN FILER      | 18,950         | N              |                | 36                |
| 2870         |       | 7448    | SNAPMANAGER VI FILER         | 18,950         | N              |                | 36                |
| 2870         |       | 7449    | SNAPMANAGER SHAREPOINT FILER | 33,945         | N              |                | 36                |
| 2870         |       | 7451    | CIFS                         | 22,477         | N              |                | 36                |
| 2870         |       | 7452    | HTTP                         | 8,509          | N              |                | 36                |
| 2870         |       | 7453    | NFS                          | 40,906         | N              |                | 36                |
| 2870         |       | 7454    | CFO                          | 15,230         | N              |                | 36                |
| 2870         |       | 7455    | FLEXCLONE                    | 29,351         | N              |                | 36                |
| 2870         |       | 7456    | MULTISTORE                   | 27,748         | N              |                | 36                |
| 2870         |       | 7457    | SNAPMIRROR                   | 62,155         | N              |                | 36                |
| 2870         |       | 7458    | SNAPLOCK COMPLIANCE          | 46,617         | N              |                | 36                |
| 2870         |       | 7459    | SNAPLOCK ENTERPRISE          | 46,617         | N              |                | 36                |
| 2870         |       | 7461    | SNAPRESTORE                  | 14,503         | N              |                | 36                |
| 2870         |       | 7462    | SNAPVAULT PRIMARY            | 22,198         | N              |                | 36                |
| 2870         |       | 7463    | SNAPVAULT SECONDARY          | 62,155         | N              |                | 36                |
| 2870         |       | 7466    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7469    | FIBRE CHANNEL PROTOCOL       | 5,065          | N              |                | 36                |
| 2870         |       | 7471    | SNAPMANAGER/EXCHANGE - FILER | 52,413         | N              |                | 36                |
| 2870         |       | 7472    | SNAPMANAGER/SQL - FILER      | 52,413         | N              |                | 36                |
| 2870         |       | 7473    | METROCLUSTER                 | 19,732         | N              |                | 36                |
| 2870         |       | 7474    | SAN BUNDLE                   | 12,983         | N              |                | 36                |
| 2870         |       | 7479    | SNAPMIRROR/SNAPVAULT BUNDLE  | 77,695         | N              |                | 36                |
| 2870         |       | 7481    | NEARLINE FUNCTION            | 0              | N              |                | 36                |
| 2870         |       | 7488    | SNAPMANAGER SAP FILER        | 65,522         | N              |                | 36                |
| 2870         |       | 7489    | SNAPMANAGER ORACLE FILER     | 52,413         | N              |                | 36                |
| 2870         |       | 7491    | SNAPMANAGER HYPER V FILER    | 10,442         | N              |                | 36                |
| 2870         |       | 7495    | SNAPDRIVE FOR UNIX FILER     | 17,403         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7496    | SNAPDRIVE FOR WIN FILER      | 17,403         | N              |                | 36                |
| 2870         |       | 7498    | SNAPMANAGER VI FILER         | 17,403         | N              |                | 36                |
| 2870         |       | 7499    | SNAPMANAGER SHAREPOINT FILER | 41,251         | N              |                | 36                |
| 2870         |       | 7501    | CIFS                         | 51,180         | N              |                | 36                |
| 2870         |       | 7502    | HTTP                         | 11,962         | N              |                | 36                |
| 2870         |       | 7503    | NFS                          | 69,253         | N              |                | 36                |
| 2870         |       | 7504    | FLEXCLONE                    | 23,123         | N              |                | 36                |
| 2870         |       | 7505    | MULTISTORE                   | 43,164         | N              |                | 36                |
| 2870         |       | 7506    | SNAPMIRROR                   | 87,018         | N              |                | 36                |
| 2870         |       | 7507    | SNAPLOCK ENTERPRISE          | 43,164         | N              |                | 36                |
| 2870         |       | 7509    | SNAPRESTORE                  | 15,416         | N              |                | 36                |
| 2870         |       | 7510    | SNAPVAULT PRIMARY            | 24,665         | N              |                | 36                |
| 2870         |       | 7511    | SNAPVAULT SECONDARY          | 87,018         | N              |                | 36                |
| 2870         |       | 7514    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7517    | FIBRE CHANNEL PROTOCOL       | 9,543          | N              |                | 36                |
| 2870         |       | 7518    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7519    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7520    | SNAPLOCK COMPLIANCE          | 43,164         | N              |                | 36                |
| 2870         |       | 7522    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7523    | METROCLUSTER GW              | 24,665         | N              |                | 36                |
| 2870         |       | 7529    | SNAPMIRROR/SNAPVAULT BUNDLE  | 108,772        | N              |                | 36                |
| 2870         |       | 7538    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7539    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |
| 2870         |       | 7541    | SNAPMANAGER HYPER V FILER    | 11,370         | N              |                | 36                |
| 2870         |       | 7545    | SNAPDRIVE FOR UNIX FILER GW  | 18,950         | N              |                | 36                |
| 2870         |       | 7546    | SNAPDRIVE FOR WIN FILER      | 18,950         | N              |                | 36                |
| 2870         |       | 7548    | SNAPMANAGER VI FILER GW      | 18,950         | N              |                | 36                |
| 2870         |       | 7549    | SNAPMANAGER SHAREPOINT FILER | 33,945         | N              |                | 36                |
| 2870         |       | 7551    | CIFS                         | 22,477         | N              |                | 36                |
| 2870         |       | 7552    | HTTP                         | 8,509          | N              |                | 36                |
| 2870         |       | 7553    | NFS                          | 40,906         | N              |                | 36                |
| 2870         |       | 7554    | CFO                          | 9,403          | N              |                | 36                |
| 2870         |       | 7555    | FLEXCLONE                    | 29,351         | N              |                | 36                |
| 2870         |       | 7556    | MULTISTORE                   | 27,748         | N              |                | 36                |
| 2870         |       | 7557    | SNAPMIRROR                   | 62,155         | N              |                | 36                |
| 2870         |       | 7558    | SNAPLOCK COMPLIANCE          | 46,617         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7559    | SNAPLOCK ENTERPRISE          | 46,617         | N              |                | 36                |
| 2870         |       | 7561    | SNAPRESTORE                  | 14,503         | N              |                | 36                |
| 2870         |       | 7562    | SNAPVAULT PRIMARY            | 22,198         | N              |                | 36                |
| 2870         |       | 7563    | SNAPVAULT SECONDARY          | 62,155         | N              |                | 36                |
| 2870         |       | 7566    | SYNCMIRROR                   | 0              | N              |                | 36                |
| 2870         |       | 7569    | FIBRE CHANNEL PROTOCOL       | 5,065          | N              |                | 36                |
| 2870         |       | 7570    | SNAPMANAGER/EXCHANGE - FILER | 52,413         | N              |                | 36                |
| 2870         |       | 7571    | SNAPMANAGER/SQL - FILER      | 52,413         | N              |                | 36                |
| 2870         |       | 7572    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7573    | METROCLUSTER                 | 19,732         | N              |                | 36                |
| 2870         |       | 7579    | SNAPMIRROR/SNAPVAULT BUNDLE  | 77,695         | N              |                | 36                |
| 2870         |       | 7588    | SNAPMANAGER SAP FILER        | 65,522         | N              |                | 36                |
| 2870         |       | 7589    | SNAPMANAGER ORACLE FILER     | 52,413         | N              |                | 36                |
| 2870         |       | 7591    | SNAPMANAGER HYPER V FILER    | 10,442         | N              |                | 36                |
| 2870         |       | 7595    | SNAPDRIVE FOR UNIX FILER GW  | 17,403         | N              |                | 36                |
| 2870         |       | 7596    | SNAPDRIVE FOR WIN FILER GW   | 17,403         | N              |                | 36                |
| 2870         |       | 7598    | SNAPMANAGER VI FILER GW      | 17,403         | N              |                | 36                |
| 2870         |       | 7599    | SNAPMANAGER SHAREPOINT FILER | 41,251         | N              |                | 36                |
| 2870         |       | 7601    | CIFS                         | 60,904         | N              |                | 36                |
| 2870         |       | 7602    | HTTP                         | 16,748         | N              |                | 36                |
| 2870         |       | 7603    | NFS                          | 69,185         | N              |                | 36                |
| 2870         |       | 7605    | FLEXCLONE                    | 28,857         | N              |                | 36                |
| 2870         |       | 7606    | MULTISTORE                   | 55,496         | N              |                | 36                |
| 2870         |       | 7607    | SNAPMIRROR                   | 98,660         | N              |                | 36                |
| 2870         |       | 7608    | SNAPLOCK COMPLIANCE          | 57,963         | N              |                | 36                |
| 2870         |       | 7609    | SNAPLOCK ENTERPRISE          | 57,963         | N              |                | 36                |
| 2870         |       | 7611    | SNAPRESTORE                  | 19,238         | N              |                | 36                |
| 2870         |       | 7612    | SNAPVAULT PRIMARY            | 32,064         | N              |                | 36                |
| 2870         |       | 7613    | SNAPVAULT SECONDARY          | 98,660         | N              |                | 36                |
| 2870         |       | 7618    | FIBRE CHANNEL PROTOCOL       | 17,416         | N              |                | 36                |
| 2870         |       | 7620    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7621    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7622    | NEAR-LINE FUNCTION           | 0              | N              |                | 36                |
| 2870         |       | 7629    | SNAPMIRROR/SNAPVAULT BUNDLE  | 123,325        | N              |                | 36                |
| 2870         |       | 7638    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7639    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7641    | SNAPMANAGER HYPER V FILER    | 15,918         | N              |                | 36                |
| 2870         |       | 7646    | SNAPDRIVE FOR UNIX FILER     | 26,531         | N              |                | 36                |
| 2870         |       | 7647    | SNAPDRIVE FOR WIN FILER      | 26,531         | N              |                | 36                |
| 2870         |       | 7648    | SNAPMANAGER VI FILER         | 26,531         | N              |                | 36                |
| 2870         |       | 7649    | SNAPMANAGER SHAREPOINT FILER | 33,914         | N              |                | 36                |
| 2870         |       | 7651    | CIFS                         | 109,628        | N              |                | 36                |
| 2870         |       | 7652    | HTTP                         | 30,145         | N              |                | 36                |
| 2870         |       | 7653    | NFS                          | 124,533        | N              |                | 36                |
| 2870         |       | 7654    | CFO                          | 49,897         | N              |                | 36                |
| 2870         |       | 7655    | FLEXCLONE                    | 49,058         | N              |                | 36                |
| 2870         |       | 7656    | MULTISTORE                   | 99,893         | N              |                | 36                |
| 2870         |       | 7657    | SNAPMIRROR                   | 177,588        | N              |                | 36                |
| 2870         |       | 7658    | SNAPLOCK COMPLIANCE          | 104,210        | N              |                | 36                |
| 2870         |       | 7659    | SNAPLOCK ENTERPRISE          | 104,210        | N              |                | 36                |
| 2870         |       | 7661    | SNAPRESTORE                  | 34,531         | N              |                | 36                |
| 2870         |       | 7662    | SNAPVAULT PRIMARY            | 57,963         | N              |                | 36                |
| 2870         |       | 7663    | SNAPVAULT SECONDARY          | 177,588        | N              |                | 36                |
| 2870         |       | 7668    | FIBRE CHANNEL PROTOCOL       | 24,879         | N              |                | 36                |
| 2870         |       | 7670    | SNAPMANAGER/EXCHANGE - FILER | 77,695         | N              |                | 36                |
| 2870         |       | 7671    | SNAPMANAGER/SQL - FILER      | 77,695         | N              |                | 36                |
| 2870         |       | 7672    | NEAR-LINE - FUNCTION         | 0              | N              |                | 36                |
| 2870         |       | 7673    | METROCLUSTER                 | 49,330         | N              |                | 36                |
| 2870         |       | 7674    | SAN BUNDLE                   | 48,473         | N              |                | 36                |
| 2870         |       | 7678    | MS EXCHANGE BUNDLE 10K USRS  | 100,144        | N              |                | 36                |
| 2870         |       | 7679    | SNAPMIRROR/SNAPVAULT BUNDLE  | 221,985        | N              |                | 36                |
| 2870         |       | 7688    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |
| 2870         |       | 7689    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 7691    | SNAPMANAGER HYPER V FILER    | 28,653         | N              |                | 36                |
| 2870         |       | 7696    | SNAPDRIVE FOR UNIX FILER     | 47,756         | N              |                | 36                |
| 2870         |       | 7697    | SNAPDRIVE FOR WIN FILER      | 47,756         | N              |                | 36                |
| 2870         |       | 7698    | SNAPMANAGER VI FILER         | 47,756         | N              |                | 36                |
| 2870         |       | 7699    | SNAPMANAGER SHAREPOINT FILER | 61,107         | N              |                | 36                |
| 2870         |       | 7700    | DATA ONTAP                   | 28,537         | N              |                | 36                |
| 2870         |       | 7701    | CIFS                         | 60,904         | N              |                | 36                |
| 2870         |       | 7702    | HTTP                         | 16,748         | N              |                | 36                |
| 2870         |       | 7703    | NFS                          | 69,185         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7705    | FLEXCLONE                    | 28,857         | N              |                | 36                |
| 2870         |       | 7706    | MULTISTORE                   | 55,496         | N              |                | 36                |
| 2870         |       | 7707    | SNAPMIRROR                   | 98,660         | N              |                | 36                |
| 2870         |       | 7708    | SNAPLOCK COMPLIANCE          | 57,963         | N              |                | 36                |
| 2870         |       | 7709    | SNAPLOCK ENTERPRISE          | 57,963         | N              |                | 36                |
| 2870         |       | 7711    | SNAPRESTORE                  | 19,238         | N              |                | 36                |
| 2870         |       | 7712    | SNAPVAULT PRIMARY            | 32,064         | N              |                | 36                |
| 2870         |       | 7713    | SNAPVAULT SECONDARY          | 98,660         | N              |                | 36                |
| 2870         |       | 7718    | FIBRECHANNEL PROTOCOL        | 16,223         | N              |                | 36                |
| 2870         |       | 7720    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7721    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7722    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7729    | SNAPMIRROR/SNAPVAULT BUNDLE  | 123,325        | N              |                | 36                |
| 2870         |       | 7738    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7739    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |
| 2870         |       | 7741    | SNAPMANAGER HYPER V FILER    | 15,918         | N              |                | 36                |
| 2870         |       | 7746    | SNAPDRIVE FOR UNIX FILER     | 26,531         | N              |                | 36                |
| 2870         |       | 7747    | SNAPDRIVE FOR WIN FILER      | 26,531         | N              |                | 36                |
| 2870         |       | 7748    | SNAPMANAGER VI FILER         | 26,531         | N              |                | 36                |
| 2870         |       | 7749    | SNAPMANAGER SHAREPOINT FILER | 33,914         | N              |                | 36                |
| 2870         |       | 7750    | DATA ONTAP                   | 39,078         | N              |                | 36                |
| 2870         |       | 7751    | CIFS                         | 109,628        | N              |                | 36                |
| 2870         |       | 7752    | HTTP                         | 30,145         | N              |                | 36                |
| 2870         |       | 7753    | NFS                          | 124,533        | N              |                | 36                |
| 2870         |       | 7754    | CFO                          | 49,897         | N              |                | 36                |
| 2870         |       | 7755    | FLEXCLONE                    | 49,058         | N              |                | 36                |
| 2870         |       | 7756    | MULTISTORE                   | 99,893         | N              |                | 36                |
| 2870         |       | 7757    | SNAPMIRROR                   | 177,588        | N              |                | 36                |
| 2870         |       | 7758    | SNAPLOCK COMPLIANCE          | 104,210        | N              |                | 36                |
| 2870         |       | 7759    | SNAPLOCK ENTERPRISE          | 104,210        | N              |                | 36                |
| 2870         |       | 7761    | SNAPRESTORE                  | 34,531         | N              |                | 36                |
| 2870         |       | 7762    | SNAPVAULT PRIMARY            | 57,963         | N              |                | 36                |
| 2870         |       | 7763    | SNAPVAULT SECONDARY          | 177,588        | N              |                | 36                |
| 2870         |       | 7768    | FIBRE CHANNEL PROTOCOL       | 23,175         | N              |                | 36                |
| 2870         |       | 7770    | SNAPMANAGER/EXCHANGE - FILER | 77,695         | N              |                | 36                |
| 2870         |       | 7771    | SNAPMANAGER/SQL - FILER      | 77,695         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7772    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7773    | METROCLUSTER                 | 49,330         | N              |                | 36                |
| 2870         |       | 7779    | SNAPMIRROR/SNAPVAULT BUNDLE  | 221,985        | N              |                | 36                |
| 2870         |       | 7788    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |
| 2870         |       | 7789    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 7791    | SNAPMANAGER HYPER V FILER    | 28,653         | N              |                | 36                |
| 2870         |       | 7796    | SNAPDRIVE FOR UNIX FILER     | 47,756         | N              |                | 36                |
| 2870         |       | 7797    | SNAPDRIVE FOR WIN FILER      | 47,756         | N              |                | 36                |
| 2870         |       | 7798    | SNAPMANAGER VI FILER         | 47,756         | N              |                | 36                |
| 2870         |       | 7799    | SNAPMANAGER SHAREPOINT FILER | 61,107         | N              |                | 36                |
| 2870         |       | 7801    | CIFS                         | 80,210         | N              |                | 36                |
| 2870         |       | 7802    | HTTP                         | 23,432         | N              |                | 36                |
| 2870         |       | 7803    | NFS                          | 91,161         | N              |                | 36                |
| 2870         |       | 7805    | FLEXCLONE                    | 43,533         | N              |                | 36                |
| 2870         |       | 7806    | MULTISTORE                   | 55,496         | N              |                | 36                |
| 2870         |       | 7807    | SNAPMIRROR                   | 98,660         | N              |                | 36                |
| 2870         |       | 7808    | SNAPLOCK COMPLIANCE          | 57,963         | N              |                | 36                |
| 2870         |       | 7809    | SNAPLOCK ENTERPRISE          | 57,963         | N              |                | 36                |
| 2870         |       | 7811    | SNAPRESTORE                  | 19,238         | N              |                | 36                |
| 2870         |       | 7812    | SNAPVAULT PRIMARY            | 32,064         | N              |                | 36                |
| 2870         |       | 7813    | SNAPVAULT SECONDARY          | 98,660         | N              |                | 36                |
| 2870         |       | 7818    | FIBRE CHANNEL PROTOCOL       | 29,607         | N              |                | 36                |
| 2870         |       | 7820    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7821    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7822    | NEAR-LINE FUNCTION           | 0              | N              |                | 36                |
| 2870         |       | 7829    | SNAPMIRROR/SNAPVAULT BUNDLE  | 123,325        | N              |                | 36                |
| 2870         |       | 7838    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7839    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |
| 2870         |       | 7841    | SNAPMANAGER HYPER V FILER    | 22,286         | N              |                | 36                |
| 2870         |       | 7846    | SNAPDRIVE FOR UNIX FILER     | 37,143         | N              |                | 36                |
| 2870         |       | 7847    | SNAPDRIVE FOR WIN FILER      | 37,143         | N              |                | 36                |
| 2870         |       | 7848    | SNAPMANAGER VI FILER         | 37,143         | N              |                | 36                |
| 2870         |       | 7849    | SNAPMANAGER SHAREPOINT FILER | 33,914         | N              |                | 36                |
| 2870         |       | 7851    | CIFS                         | 144,437        | N              |                | 36                |
| 2870         |       | 7852    | HTTP                         | 42,176         | N              |                | 36                |
| 2870         |       | 7853    | NFS                          | 164,169        | N              |                | 36                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7854    | CFO                          | 83,498         | N              |                | 36                |
| 2870         |       | 7855    | FLEXCLONE                    | 78,434         | N              |                | 36                |
| 2870         |       | 7856    | MULTISTORE                   | 99,893         | N              |                | 36                |
| 2870         |       | 7857    | SNAPMIRROR                   | 177,588        | N              |                | 36                |
| 2870         |       | 7858    | SNAPLOCK COMPLIANCE          | 104,210        | N              |                | 36                |
| 2870         |       | 7859    | SNAPLOCK ENTERPRISE          | 104,210        | N              |                | 36                |
| 2870         |       | 7861    | SNAPRESTORE                  | 34,531         | N              |                | 36                |
| 2870         |       | 7862    | SNAPVAULT PRIMARY            | 57,963         | N              |                | 36                |
| 2870         |       | 7863    | SNAPVAULT SECONDARY          | 177,588        | N              |                | 36                |
| 2870         |       | 7868    | FIBRE CHANNEL PROTOCOL       | 42,293         | N              |                | 36                |
| 2870         |       | 7870    | SNAPMANAGER/EXCHANGE - FILER | 77,695         | N              |                | 36                |
| 2870         |       | 7871    | SNAPMANAGER/SQL - FILER      | 77,695         | N              |                | 36                |
| 2870         |       | 7872    | NEAR-LINE FUNCTION           | 0              | N              |                | 36                |
| 2870         |       | 7873    | METROCLUSTER                 | 49,330         | N              |                | 36                |
| 2870         |       | 7874    | SAN BUNDLE                   | 79,159         | N              |                | 36                |
| 2870         |       | 7878    | PERF ACCEL MODULE II BUNDLE  | 132,182        | N              |                | 36                |
| 2870         |       | 7879    | SNAPMIRROR/SNAPVAULT BUNDLE  | 221,985        | N              |                | 36                |
| 2870         |       | 7888    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |
| 2870         |       | 7889    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 7891    | SNAPMANAGER HYPER V FILER    | 40,115         | N              |                | 36                |
| 2870         |       | 7896    | SNAPDRIVE FOR UNIX FILER     | 66,858         | N              |                | 36                |
| 2870         |       | 7897    | SNAPDRIVE FOR WIN FILER      | 66,858         | N              |                | 36                |
| 2870         |       | 7898    | SNAPMANAGER VI FILER         | 66,858         | N              |                | 36                |
| 2870         |       | 7899    | SNAPMANAGER SHAREPOINT FILER | 61,107         | N              |                | 36                |
| 2870         |       | 7900    | DATA ONTAP                   | 46,042         | N              |                | 36                |
| 2870         |       | 7901    | CIFS                         | 80,210         | N              |                | 36                |
| 2870         |       | 7902    | HTTP                         | 23,432         | N              |                | 36                |
| 2870         |       | 7903    | NFS                          | 91,161         | N              |                | 36                |
| 2870         |       | 7905    | FLEXCLONE                    | 43,599         | N              |                | 36                |
| 2870         |       | 7906    | MULTISTORE                   | 55,496         | N              |                | 36                |
| 2870         |       | 7907    | SNAPMIRROR                   | 98,660         | N              |                | 36                |
| 2870         |       | 7908    | SNAPLOCK COMPLIANCE          | 57,963         | N              |                | 36                |
| 2870         |       | 7909    | SNAPLOCK ENTERPRISE          | 57,963         | N              |                | 36                |
| 2870         |       | 7911    | SNAPRESTORE                  | 19,238         | N              |                | 36                |
| 2870         |       | 7912    | SNAPVAULT PRIMARY            | 32,064         | N              |                | 36                |
| 2870         |       | 7913    | SNAPVAULT SECONDARY          | 98,660         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7918    | FIBRE CHANNEL PROTOCOL       | 27,579         | N              |                | 36                |
| 2870         |       | 7920    | SNAPMANAGER/EXCHANGE - FILER | 43,164         | N              |                | 36                |
| 2870         |       | 7921    | SNAPMANAGER/SQL - FILER      | 43,164         | N              |                | 36                |
| 2870         |       | 7922    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7929    | SNAPMIRROR/SNAPVAULT BUNDLE  | 123,325        | N              |                | 36                |
| 2870         |       | 7938    | SNAPMANAGER SAP FILER        | 53,955         | N              |                | 36                |
| 2870         |       | 7939    | SNAPMANAGER ORACLE FILER     | 43,164         | N              |                | 36                |
| 2870         |       | 7941    | SNAPMANAGER HYPER V FILER    | 22,286         | N              |                | 36                |
| 2870         |       | 7946    | SNAPDRIVE FOR UNIX FILER     | 37,143         | N              |                | 36                |
| 2870         |       | 7947    | SNAPDRIVE FOR WIN FILER      | 37,143         | N              |                | 36                |
| 2870         |       | 7948    | SNAPMANAGER VI FILER         | 37,143         | N              |                | 36                |
| 2870         |       | 7949    | SNAPMANAGER SHAREPOINT FILER | 33,914         | N              |                | 36                |
| 2870         |       | 7950    | DATA ONTAP                   | 68,308         | N              |                | 36                |
| 2870         |       | 7951    | CIFS                         | 144,437        | N              |                | 36                |
| 2870         |       | 7952    | HTTP                         | 42,176         | N              |                | 36                |
| 2870         |       | 7953    | NFS                          | 164,169        | N              |                | 36                |
| 2870         |       | 7954    | CFO                          | 83,498         | N              |                | 36                |
| 2870         |       | 7955    | FLEXCLONE                    | 78,434         | N              |                | 36                |
| 2870         |       | 7956    | MULTISTORE                   | 99,893         | N              |                | 36                |
| 2870         |       | 7957    | SNAPMIRROR                   | 177,588        | N              |                | 36                |
| 2870         |       | 7958    | SNAPLOCK COMPLIANCE          | 104,210        | N              |                | 36                |
| 2870         |       | 7959    | SNAPLOCK ENTERPRISE          | 104,210        | N              |                | 36                |
| 2870         |       | 7961    | SNAPRESTORE                  | 34,531         | N              |                | 36                |
| 2870         |       | 7962    | SNAPVAULT PRIMARY            | 57,963         | N              |                | 36                |
| 2870         |       | 7963    | SNAPVAULT SECONDARY          | 177,588        | N              |                | 36                |
| 2870         |       | 7968    | FIBRE CHANNEL PROTOCOL       | 39,397         | N              |                | 36                |
| 2870         |       | 7970    | SNAPMANAGER/EXCHANGE - FILER | 77,695         | N              |                | 36                |
| 2870         |       | 7971    | SNAPMANAGER/SQL - FILER      | 77,695         | N              |                | 36                |
| 2870         |       | 7972    | NEARSTORE                    | 0              | N              |                | 36                |
| 2870         |       | 7973    | METROCLUSTER                 | 49,330         | N              |                | 36                |
| 2870         |       | 7978    | PERF ACCEL MODULE II BUNDLE  | 244,119        | N              |                | 36                |
| 2870         |       | 7979    | SNAPMIRROR/SNAPVAULT BUNDLE  | 221,985        | N              |                | 36                |
| 2870         |       | 7988    | SNAPMANAGER SAP FILER        | 97,118         | N              |                | 36                |
| 2870         |       | 7989    | SNAPMANAGER ORACLE FILER     | 77,695         | N              |                | 36                |
| 2870         |       | 7991    | SNAPMANAGER HYPER V FILER    | 40,115         | N              |                | 36                |
| 2870         |       | 7996    | SNAPDRIVE FOR UNIX FILER     | 66,858         | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 7997    | SNAPDRIVE FOR WIN FILER      | 66,858         | N              |                | 36                |
| 2870         |       | 7998    | SNAPMANAGER VI FILER         | 66,858         | N              |                | 36                |
| 2870         |       | 7999    | SNAPMANAGER SHAREPOINT FILER | 61,107         | N              |                | 36                |
| 2870         |       | 8024    | SNAPDRIVE FOR UNIX AIX       | 2,793          | N              |                | 36                |
| 2870         |       | 8025    | SNAPDRIVE FOR UNIX SOLARIS   | 2,793          | N              |                | 36                |
| 2870         |       | 8026    | SNAPDRIVE FOR UNIX HPUX      | 2,793          | N              |                | 36                |
| 2870         |       | 8027    | SNAPDRIVE FOR UNIX LINUX     | 2,793          | N              |                | 36                |
| 2870         |       | 8050    | SNAPDRIVE FOR WINDOWS        | 795            | N              |                | 36                |
| 2870         |       | 8129    | SNAPMANAGER/ORACLE WIN       | 11,048         | N              |                | 36                |
| 2870         |       | 8131    | SNAPMANAGER/EXCHANGE - HOST  | 9,249          | N              |                | 36                |
| 2870         |       | 8133    | SNAPMANAGER/VI HOST          | 2,793          | N              |                | 36                |
| 2870         |       | 8135    | SNAPMGR HYPER V HOST         | 1,676          | N              |                | 36                |
| 2870         |       | 8140    | SNAPMANAGER FOR SAP WIN      | 13,785         | N              |                | 36                |
| 2870         |       | 8141    | SNAPMANAGER FOR SQL - HOST   | 9,249          | N              |                | 36                |
| 2870         |       | 8143    | SNAPMANAGER FOR ORACLE       | 4,102          | N              |                | 36                |
| 2870         |       | 8145    | SNAPMANAGER FOR SAP          | 5,129          | N              |                | 36                |
| 2870         |       | 8147    | SNAPMANAGER SHAREPOINT HOST  | 7,276          | N              |                | 36                |
| 2870         |       | 8149    | SM SHAREPOINT MGMT. BUNDLE   | 17,019         | N              |                | 36                |
| 2870         |       | 8150    | SINGLE MBOX RECOVERY 100PK   | 2,459          | N              |                | 36                |
| 2870         |       | 8151    | SINGLE MBOX RECOVERY 500PK   | 5,204          | N              |                | 36                |
| 2870         |       | 8152    | SINGLE MBOX RECOVERY 1000PK  | 8,176          | N              |                | 36                |
| 2870         |       | 8153    | SINGLE MBOX RECOVERY 2500PK  | 16,636         | N              |                | 36                |
| 2870         |       | 8154    | SINGLE MBOX RECOVERY 5K PK   | 26,995         | N              |                | 36                |
| 2870         |       | 8155    | SINGLE MBOX RECOVERY 10K PK  | 46,111         | N              |                | 36                |
| 2870         |       | 8156    | SINGLE MBOX RECOVERY 50K PK  | 225,672        | N              |                | 36                |
| 2870         |       | 8158    | SMBR CA-ARCSERVE EXTRACT WIZ | 740            | N              |                | 36                |
| 2870         |       | 8159    | SMBR TIVOLI TAPE EXTRACT WIZ | 740            | N              |                | 36                |
| 2870         |       | 8160    | SMBR LEGATO TAPE EXTRACT WIZ | 740            | N              |                | 36                |
| 2870         |       | 8161    | SMBR NETBACKUP EXTRACT WIZ   | 740            | N              |                | 36                |
| 2870         |       | 8162    | SMBR PST TAPE EXTRACT WIZ    | 1,233          | N              |                | 36                |
| 2870         |       | 8163    | SMBR HP TAPE EXTRACT WIZ     | 740            | N              |                | 36                |
| 2870         |       | 8164    | SMBR COMMVAULT GALAXY EX WIZ | 740            | N              |                | 36                |
| 2870         |       | 8165    | SMBR ULTRABAC EXTRACT WIZARD | 740            | N              |                | 36                |
| 2870         |       | 8166    | SMBR AGENT FOR ADV SEARCH    | 740            | N              |                | 36                |
| 2870         |       | 8167    | SMBR CONTENT ANALYSIS WIZARD | 740            | N              |                | 36                |
| 2870         |       | 8168    | SMBR ADMINISTRATIVE SERVER   | 4,189          | N              |                | 36                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | 8187    | SMSP FILESHARE CONNECTOR     | 30,831         | N              |                | 36                |
| 2870         |       | 8188    | SMSP STORAGE MANAGER         | 16,442         | N              |                | 36                |
| 2870         |       | 8189    | SMSP ARCHIVE MANAGER         | 12,332         | N              |                | 36                |
| 2870         |       | 8255    | ONCOMMAND CORE               | 0              | N              |                | 36                |
| 2870         |       | 8261    | OPS MGR TIER 1 LICENCE       | 0              | N              |                | 36                |
| 2870         |       | 8262    | OPS MGR CORE TIER 2 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8263    | OPS MGR CORE TIER 3 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8264    | OPS MGR CORE TIER 4 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8265    | OPS MGR CORE TIER 5 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8266    | OPS MGR CORE TIER 6 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8267    | OPS MGR CORE TIER 7 LICENSE  | 0              | N              |                | 36                |
| 2870         |       | 8268    | PROTECT MGR TIER 1 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8269    | PROTECT MGR TIER 2 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8270    | PROTECT MGR TIER 3 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8271    | PROTECT MGR TIER 4 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8272    | PROTECT MGR TIER 5 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8273    | PROTECT MGR TIER 6 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8274    | PROTECT MGR TIER 7 LICENCE   | 0              | N              |                | 36                |
| 2870         |       | 8275    | PROVISIONING MGR. TIER 1     | 0              | N              |                | 36                |
| 2870         |       | 8276    | PROVISIONING MGR. TIER 2     | 0              | N              |                | 36                |
| 2870         |       | 8277    | PROVISIONING MGR. TIER 3     | 0              | N              |                | 36                |
| 2870         |       | 8278    | PROVISIONING MGR. TIER 4     | 0              | N              |                | 36                |
| 2870         |       | 8279    | PROVISIONING MGR. TIER 5     | 0              | N              |                | 36                |
| 2870         |       | 8280    | PROVISIONING MGR. TIER 6     | 0              | N              |                | 36                |
| 2870         |       | 8281    | PROVISIONING MGR. TIER 7     | 0              | N              |                | 36                |
| 2870         |       | 8400    | OPERATIONS MANAGER FOR N3400 | 0              | N              |                | 36                |
| 2870         |       | 8401    | PROTECTION MANAGER FOR N3400 | 0              | N              |                | 36                |
| 2870         |       | 8402    | PROVISIONING MGR. FOR N3400  | 0              | N              |                | 36                |
| 2870         |       | A8P5    | SNAPLOCK COMPLIANCE          | 38,847         | N              |                | 36                |
| 2870         |       | A8P6    | SNAPLOCK COMPLIANCE          | 38,847         | N              |                | 36                |
| 2870         |       | A8P8    | LFI - SNAPRESTORE            | 4,134          | N              |                | 36                |
| 2870         |       | A8P9    | LFI - SNAPMIRROR             | 11,090         | N              |                | 36                |
| 2870         |       | A8PA    | LFI - SNAPVAULT              | 6,243          | N              |                | 36                |
| 2870         |       | A8PB    | LFI - FLEXCLONE              | 5,243          | N              |                | 36                |
| 2870         |       | A8PC    | LFI - SNAPMANAGER SUITE      | 16,158         | N              |                | 36                |
| 2870         |       | A8PD    | LFI - COMPLETE BUNDLE        | 25,796         | N              |                | 36                |

| Machine Type | Model | Feature | Description             | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | A8PN    | SNAPLOCK COMPLIANCE     | 77,695         | N              |                | 36                |
| 2870         |       | A8PP    | SNAPLOCK COMPLIANCE     | 77,695         | N              |                | 36                |
| 2870         |       | A8PR    | LFI - SNAPRESTORE       | 6,196          | N              |                | 36                |
| 2870         |       | A8PS    | LFI - SNAPMIRROR        | 15,853         | N              |                | 36                |
| 2870         |       | A8PT    | LFI - SNAPVAULT         | 8,916          | N              |                | 36                |
| 2870         |       | A8PU    | LFI - FLEXCLONE         | 7,454          | N              |                | 36                |
| 2870         |       | A8PV    | LFI - SNAPMANAGER SUITE | 24,251         | N              |                | 36                |
| 2870         |       | A8PW    | LFI - COMPLETE BUNDLE   | 37,959         | N              |                | 36                |
| 2870         |       | A8Q5    | SNAPLOCK COMPLIANCE     | 38,847         | N              |                | 36                |
| 2870         |       | A8Q6    | SNAPLOCK COMPLIANCE     | 38,847         | N              |                | 36                |
| 2870         |       | A8Q8    | LFI - SNAPRESTORE       | 4,134          | N              |                | 36                |
| 2870         |       | A8Q9    | LFI - SNAPMIRROR        | 11,090         | N              |                | 36                |
| 2870         |       | A8QA    | LFI - SNAPVAULT         | 6,243          | N              |                | 36                |
| 2870         |       | A8QB    | LFI - FLEXCLONE         | 5,243          | N              |                | 36                |
| 2870         |       | A8QC    | LFI - SNAPMANAGER SUITE | 16,158         | N              |                | 36                |
| 2870         |       | A8QD    | LFI - COMPLETE BUNDLE   | 25,796         | N              |                | 36                |
| 2870         |       | A8QN    | SNAPLOCK COMPLIANCE     | 77,695         | N              |                | 36                |
| 2870         |       | A8QP    | SNAPLOCK COMPLIANCE     | 77,695         | N              |                | 36                |
| 2870         |       | A8QR    | LFI - SNAPRESTORE       | 6,196          | N              |                | 36                |
| 2870         |       | A8QS    | LFI - SNAPMIRROR        | 15,853         | N              |                | 36                |
| 2870         |       | A8QT    | LFI - SNAPVAULT         | 8,916          | N              |                | 36                |
| 2870         |       | A8QU    | LFI - FLEXCLONE         | 7,454          | N              |                | 36                |
| 2870         |       | A8QV    | LFI - SNAPMANAGER SUITE | 24,251         | N              |                | 36                |
| 2870         |       | A8QW    | LFI - COMPLETE BUNDLE   | 37,959         | N              |                | 36                |
| 2870         |       | A8R5    | SNAPLOCK COMPLIANCE     | 38,847         | N              |                | 36                |
| 2870         |       | A8R6    | SNAPLOCK ENTERPRISE     | 38,847         | N              |                | 36                |
| 2870         |       | A8R8    | SNAPRESTORE             | 1,748          | N              |                | 36                |
| 2870         |       | A8R9    | SNAPMIRROR              | 4,679          | N              |                | 36                |
| 2870         |       | A8RA    | SNAPVAULT               | 2,636          | N              |                | 36                |
| 2870         |       | A8RB    | FLEXCLONE               | 2,211          | N              |                | 36                |
| 2870         |       | A8RC    | SNAPMANAGER SUITE       | 9,240          | N              |                | 36                |
| 2870         |       | A8RD    | COMPLETE BUNDLE         | 11,191         | N              |                | 36                |
| 2870         |       | A8RN    | SNAPLOCK COMPLIANCE     | 77,695         | N              |                | 36                |
| 2870         |       | A8RP    | SNAPLOCK ENTERPRISE     | 77,695         | N              |                | 36                |
| 2870         |       | A8RR    | SNAPRESTORE             | 2,386          | N              |                | 36                |
| 2870         |       | A8RS    | SNAPMIRROR              | 6,104          | N              |                | 36                |

| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | A8RT    | SNAPVAULT                | 3,422          | N              |                | 36                |
| 2870         |       | A8RU    | FLEXCLONE                | 2,866          | N              |                | 36                |
| 2870         |       | A8RV    | SNAPMANAGER SUITE        | 12,024         | N              |                | 36                |
| 2870         |       | A8RW    | COMPLETE BUNDLE          | 16,944         | N              |                | 36                |
| 2870         |       | A8S3    | CIFS SECONDARY           | 17,067         | N              |                | 36                |
| 2870         |       | A8S5    | FCP SECONDARY            | 17,067         | N              |                | 36                |
| 2870         |       | A8S7    | ISCSI SECONDARY          | 17,067         | N              |                | 36                |
| 2870         |       | A8S9    | NFS SECONDARY            | 17,067         | N              |                | 36                |
| 2870         |       | A8SA    | SNAPLOCK COMPLIANCE      | 35,764         | N              |                | 36                |
| 2870         |       | A8SB    | SNAPLOCK ENTERPRISE      | 35,764         | N              |                | 36                |
| 2870         |       | A8SC    | SNAPRESTORE              | 7,276          | N              |                | 36                |
| 2870         |       | A8SD    | SNAPMIRROR               | 28,377         | N              |                | 36                |
| 2870         |       | A8SE    | SNAPVAULT                | 19,855         | N              |                | 36                |
| 2870         |       | A8SF    | FLEXCLONE                | 13,072         | N              |                | 36                |
| 2870         |       | A8SG    | SNAPMANAGER SUITE        | 31,571         | N              |                | 36                |
| 2870         |       | A8SH    | COMPLETE BUNDLE          | 111,671        | N              |                | 36                |
| 2870         |       | A8T5    | FCP SECONDARY - GW       | 17,067         | N              |                | 36                |
| 2870         |       | A8T7    | ISCSI SECONDARY - GW     | 17,067         | N              |                | 36                |
| 2870         |       | A8T9    | NFS SECONDARY - GW       | 17,067         | N              |                | 36                |
| 2870         |       | A8TA    | SNAPLOCK COMPLIANCE - GW | 35,764         | N              |                | 36                |
| 2870         |       | A8TB    | SNAPLOCK ENTERPRISE - GW | 35,764         | N              |                | 36                |
| 2870         |       | A8TC    | SNAPRESTORE - GW         | 7,276          | N              |                | 36                |
| 2870         |       | A8TD    | SNAPMIRROR - GW          | 28,377         | N              |                | 36                |
| 2870         |       | A8TE    | SNAPVAULT - GW           | 19,855         | N              |                | 36                |
| 2870         |       | A8TF    | FLEXCLONE - GW           | 13,072         | N              |                | 36                |
| 2870         |       | A8TG    | SNAPMANAGER SUITE - GW   | 31,571         | N              |                | 36                |
| 2870         |       | A8TH    | COMPLETE BUNDLE - GW     | 111,671        | N              |                | 36                |
| 2870         |       | A8U3    | CIFS SECONDARY           | 11,969         | N              |                | 36                |
| 2870         |       | A8U5    | FCP SECONDARY            | 11,969         | N              |                | 36                |
| 2870         |       | A8U7    | ISCSI SECONDARY          | 11,969         | N              |                | 36                |
| 2870         |       | A8U9    | NFS SECONDARY            | 11,969         | N              |                | 36                |
| 2870         |       | A8UA    | SNAPLOCK COMPLIANCE      | 17,882         | N              |                | 36                |
| 2870         |       | A8UB    | SNAPLOCK ENTERPRISE      | 17,882         | N              |                | 36                |
| 2870         |       | A8UC    | SNAPRESTORE              | 5,105          | N              |                | 36                |
| 2870         |       | A8UD    | SNAPMIRROR               | 19,904         | N              |                | 36                |
| 2870         |       | A8UE    | SNAPVAULT                | 13,922         | N              |                | 36                |

| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | A8UF    | FLEXCLONE                | 9,187          | N              |                | 36                |
| 2870         |       | A8UG    | SNAPMANAGER SUITE        | 22,149         | N              |                | 36                |
| 2870         |       | A8UH    | COMPLETE BUNDLE          | 73,106         | N              |                | 36                |
| 2870         |       | A8V3    | CIFS SECONDARY - GW      | 11,969         | N              |                | 36                |
| 2870         |       | A8V5    | FCP SECONDARY - GW       | 11,969         | N              |                | 36                |
| 2870         |       | A8V7    | ISCSI SECONDARY - GW     | 11,969         | N              |                | 36                |
| 2870         |       | A8V9    | NFS SECONDARY - GW       | 11,969         | N              |                | 36                |
| 2870         |       | A8VA    | SNAPLOCK COMPLIANCE - GW | 17,882         | N              |                | 36                |
| 2870         |       | A8VB    | SNAPLOCK ENTERPRISE - GW | 17,882         | N              |                | 36                |
| 2870         |       | A8VC    | SNAPRESTORE - GW         | 5,105          | N              |                | 36                |
| 2870         |       | A8VD    | SNAPMIRROR - GW          | 19,904         | N              |                | 36                |
| 2870         |       | A8VE    | SNAPVAULT - GW           | 13,922         | N              |                | 36                |
| 2870         |       | A8VF    | FLEXCLONE - GW           | 9,187          | N              |                | 36                |
| 2870         |       | A8VG    | SNAPMANAGER SUITE - GW   | 22,149         | N              |                | 36                |
| 2870         |       | A8VH    | COMPLETE BUNDLE - GW     | 73,106         | N              |                | 36                |
| 2870         |       | A8W3    | CIFS SECONDARY           | 28,919         | N              |                | 36                |
| 2870         |       | A8W5    | FCP SECONDARY            | 28,919         | N              |                | 36                |
| 2870         |       | A8W7    | ISCSI SECONDARY          | 28,919         | N              |                | 36                |
| 2870         |       | A8W9    | NFS SECONDARY            | 28,919         | N              |                | 36                |
| 2870         |       | A8WA    | SNAPLOCK COMPLIANCE      | 35,764         | N              |                | 36                |
| 2870         |       | A8WB    | SNAPLOCK ENTERPRISE      | 35,764         | N              |                | 36                |
| 2870         |       | A8WC    | SNAPRESTORE              | 13,639         | N              |                | 36                |
| 2870         |       | A8WD    | SNAPMIRROR               | 53,880         | N              |                | 36                |
| 2870         |       | A8WE    | SNAPVAULT                | 37,713         | N              |                | 36                |
| 2870         |       | A8WF    | FLEXCLONE                | 25,367         | N              |                | 36                |
| 2870         |       | A8WG    | SNAPMANAGER SUITE        | 61,390         | N              |                | 36                |
| 2870         |       | A8WH    | COMPLETE BUNDLE          | 185,134        | N              |                | 36                |
| 2870         |       | A8X3    | CIFS SECONDARY - GW      | 28,919         | N              |                | 36                |
| 2870         |       | A8X5    | FCP SECONDARY - GW       | 28,919         | N              |                | 36                |
| 2870         |       | A8X7    | ISCSI SECONDARY - GW     | 28,919         | N              |                | 36                |
| 2870         |       | A8X9    | NFS SECONDARY - GW       | 28,919         | N              |                | 36                |
| 2870         |       | A8XA    | SNAPLOCK COMPLIANCE - GW | 35,764         | N              |                | 36                |
| 2870         |       | A8XB    | SNAPLOCK ENTERPRISE - GW | 35,764         | N              |                | 36                |
| 2870         |       | A8XC    | SNAPRESTORE - GW         | 13,639         | N              |                | 36                |
| 2870         |       | A8XD    | SNAPMIRROR - GW          | 53,880         | N              |                | 36                |
| 2870         |       | A8XE    | SNAPVAULT - GW           | 37,713         | N              |                | 36                |

| Machine Type | Model | Feature | Description              | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | A8XF    | FLEXCLONE - GW           | 25,367         | N              |                | 36                |
| 2870         |       | A8XG    | SNAPMANAGER SUITE - GW   | 61,390         | N              |                | 36                |
| 2870         |       | A8XH    | COMPLETE BUNDLE - GW     | 185,134        | N              |                | 36                |
| 2870         |       | A8Y3    | CIFS SECONDARY           | 22,519         | N              |                | 36                |
| 2870         |       | A8Y5    | FCP SECONDARY            | 22,519         | N              |                | 36                |
| 2870         |       | A8Y7    | ISCSI SECONDARY          | 22,519         | N              |                | 36                |
| 2870         |       | A8Y9    | NFS SECONDARY            | 22,519         | N              |                | 36                |
| 2870         |       | A8YA    | SNAPLOCK COMPLIANCE      | 17,882         | N              |                | 36                |
| 2870         |       | A8YB    | SNAPLOCK ENTERPRISE      | 17,882         | N              |                | 36                |
| 2870         |       | A8YC    | SNAPRESTORE              | 9,564          | N              |                | 36                |
| 2870         |       | A8YD    | SNAPMIRROR               | 37,761         | N              |                | 36                |
| 2870         |       | A8YE    | SNAPVAULT                | 26,422         | N              |                | 36                |
| 2870         |       | A8YF    | FLEXCLONE                | 17,782         | N              |                | 36                |
| 2870         |       | A8YG    | SNAPMANAGER SUITE        | 43,028         | N              |                | 36                |
| 2870         |       | A8YH    | COMPLETE BUNDLE          | 137,852        | N              |                | 36                |
| 2870         |       | A8Z3    | CIFS SECONDARY - GW      | 22,519         | N              |                | 36                |
| 2870         |       | A8Z5    | FCP SECONDARY - GW       | 22,519         | N              |                | 36                |
| 2870         |       | A8Z7    | ISCSI SECONDARY - GW     | 22,519         | N              |                | 36                |
| 2870         |       | A8Z9    | NFS SECONDARY - GW       | 22,519         | N              |                | 36                |
| 2870         |       | A8ZA    | SNAPLOCK COMPLIANCE - GW | 17,882         | N              |                | 36                |
| 2870         |       | A8ZB    | SNAPLOCK ENTERPRISE - GW | 17,882         | N              |                | 36                |
| 2870         |       | A8ZC    | SNAPRESTORE - GW         | 9,564          | N              |                | 36                |
| 2870         |       | A8ZD    | SNAPMIRROR - GW          | 37,761         | N              |                | 36                |
| 2870         |       | A8ZE    | SNAPVAULT - GW           | 26,422         | N              |                | 36                |
| 2870         |       | A8ZF    | FLEXCLONE - GW           | 17,782         | N              |                | 36                |
| 2870         |       | A8ZG    | SNAPMANAGER SUITE - GW   | 43,028         | N              |                | 36                |
| 2870         |       | A8ZH    | COMPLETE BUNDLE - GW     | 137,852        | N              |                | 36                |
| 2870         |       | A903    | CIFS SECONDARY           | 65,807         | N              |                | 36                |
| 2870         |       | A905    | FCP SECONDARY            | 65,807         | N              |                | 36                |
| 2870         |       | A907    | ISCSI SECONDARY          | 65,807         | N              |                | 36                |
| 2870         |       | A909    | NFS SECONDARY            | 65,807         | N              |                | 36                |
| 2870         |       | A90A    | SNAPLOCK COMPLIANCE      | 35,764         | N              |                | 36                |
| 2870         |       | A90B    | SNAPLOCK ENTERPRISE      | 35,764         | N              |                | 36                |
| 2870         |       | A90C    | SNAPRESTORE              | 22,075         | N              |                | 36                |
| 2870         |       | A90D    | SNAPMIRROR               | 98,759         | N              |                | 36                |
| 2870         |       | A90E    | SNAPVAULT                | 67,236         | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2870         |       | A90F    | FLEXCLONE                      | 44,445         | N              |                | 36                |
| 2870         |       | A90G    | SNAPMANAGER SUITE              | 88,005         | N              |                | 36                |
| 2870         |       | A90H    | COMPLETE BUNDLE                | 381,899        | N              |                | 36                |
| 2870         |       | A913    | CIFS SECONDARY GW              | 65,807         | N              |                | 36                |
| 2870         |       | A915    | FCP SECONDARY GW               | 65,807         | N              |                | 36                |
| 2870         |       | A917    | ISCSI SECONDARY GW             | 65,807         | N              |                | 36                |
| 2870         |       | A919    | NFS SECONDARY GW               | 65,807         | N              |                | 36                |
| 2870         |       | A91A    | SNAPLOCK COMPLIANCE GW         | 35,764         | N              |                | 36                |
| 2870         |       | A91B    | SNAPLOCK ENTERPRISE GW         | 35,764         | N              |                | 36                |
| 2870         |       | A91C    | SNAPRESTORE GW                 | 22,075         | N              |                | 36                |
| 2870         |       | A91D    | SNAPMIRROR GW                  | 98,759         | N              |                | 36                |
| 2870         |       | A91E    | SNAPVAULT GW                   | 67,236         | N              |                | 36                |
| 2870         |       | A91F    | FLEXCLONE GW                   | 44,445         | N              |                | 36                |
| 2870         |       | A91G    | SNAPMANAGER SUITE GW           | 88,005         | N              |                | 36                |
| 2870         |       | A91H    | COMPLETE BUNDLE GW             | 381,899        | N              |                | 36                |
| 3494         |       | 3302    | ADD'S ENHANCED ESCON CHANNELS  | 18,295         | N              |                | 12                |
| 3494         |       | 3702    | DISK STORAGE CAPACITY          | 49,370         | N              |                | 12                |
| 3494         |       | 4036    | INCREASED LOGICAL VOLUMES      | 7,053          | N              |                | 12                |
| 3494         |       | 4630    | FIELD INSTALL DRIVE            | 1,763          | N              |                | 12                |
| 3494         |       | 4772    | REMOVE 3592 DRIVE FROM 3494    | 247            | N              |                | 12                |
| 3494         |       | 4800    | INSTALL CRADLE PAIR            | 4,232          | N              |                | 12                |
| 3494         |       | 4801    | REMOVE CRADLE PAIR             | 987            | N              |                | 12                |
| 3494         |       | 5210    | INPUT/OUTPUT STATION           | 2,560          | N              |                | 12                |
| 3494         |       | 5214    | 2ND DSK DRV FOR LIB MGR        | 353            | N              |                | 12                |
| 3494         |       | 5220    | ETHERNET LAN ADAPTOR           | 1,587          | N              |                | 12                |
| 3494         |       | 5226    | REMOTE CONSOLE                 | 705            | N              |                | 12                |
| 3494         |       | 5228    | TAPE CONTROL UNIT EXPANSION    | 1,411          | N              |                | 12                |
| 3494         |       | 5229    | TAPE CONTROL UNIT ATTACHMENT   | 4,232          | N              |                | 12                |
| 3494         |       | 5230    | 30 CARTRIDGE I/O STATION       | 6,143          | N              |                | 12                |
| 3494         |       | 8002    | 1-3590 CLEANING CARTRIDGE      | 67             | N              |                | 12                |
| 3494         |       | 8005    | 1-3490E CLEANING CARTRIDGE     | 24             | N              |                | 12                |
| 3494         |       | 8510    | 210-3590 DATA CARTRIDGES       | 8,649          | N              |                | 12                |
| 3494         |       | 8610    | 210 EXTENDED LENGTH CARTS      | 15,018         | N              |                | 12                |
| 3572         |       | 5402    | 2.0 M SAS MINISAS 1X CABLE     | 80             | N              |                | 12                |
| 3572         |       | 5502    | 2.0 M MINISAS MINISAS 1X CABLE | 84             | N              |                | 12                |
| 3572         |       | 5901    | TRANSPARENT LTO ENCRYPTION     | 944            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3572         |       | 7006    | 3572 RACK MOUNT KIT            | 301            | N              |                | 12                |
| 3572         |       | 7010    | 3572 DESKSIDE COVERS           | 283            | N              |                | 12                |
| 3572         |       | 8002    | ULTRIUM CLEANING CART L1 UCC   | 48             | N              |                | 12                |
| 3572         |       | 8111    | 3572 ADDITIONAL MAGAZINE       | 525            | N              |                | 12                |
| 3572         |       | 8305    | ULTRIUM 3 DATA CART 5 PACK     | 140            | N              |                | 12                |
| 3572         |       | 8405    | ULTRIUM 4 DATA CART 5 PACK     | 317            | N              |                | 12                |
| 3573         | L2U   |         | TS3100 TAPE LIBRARY            | 3,023          | Y              | 1              | 36                |
| 3573         | L4U   |         | TS3200 TAPE LIBRARY            | 5,671          | Y              | 1              | 36                |
| 3573         |       | 1682    | PATH FAILOVER                  | 1,700          | N              |                | 36                |
| 3573         |       | 1901    | ADDITIONAL POWER SUPPLY        | 657            | N              |                | 36                |
| 3573         |       | 5400    | SAS/MINI-SAS 4X INTERPOSER     | 94             | N              |                | 36                |
| 3573         |       | 5402    | 2M SAS/MINI-SAS 1X CABLE       | 80             | N              |                | 36                |
| 3573         |       | 5500    | MINI-SAS/MINI-SAS 4X INTERPOS  | 94             | N              |                | 36                |
| 3573         |       | 5502    | 2M MINI-SAS/MINI-SAS 1X CABLE  | 84             | N              |                | 36                |
| 3573         |       | 5604    | 4.5 M VHDCI/HD68 SCSI CABLE    | 104            | N              |                | 36                |
| 3573         |       | 5610    | 10 M VHDCI/HD68 SCSI CABLE     | 133            | N              |                | 36                |
| 3573         |       | 5900    | TRANSPARENT LTO ENCRYPTION     | 1,889          | N              |                | 36                |
| 3573         |       | 6013    | 13M LC/LC FIBRE CABLE          | 139            | N              |                | 36                |
| 3573         |       | 6025    | 25 M LC/LC FIBRE CABLE         | 181            | N              |                | 36                |
| 3573         |       | 7002    | RACK MOUNT KIT                 | 301            | N              |                | 36                |
| 3573         |       | 8002    | ULTRIUM CLEANING CARTRIDGE L1  | 48             | N              |                | 36                |
| 3573         |       | 8106    | RIGHT SIDE MAGAZINE            | 245            | N              |                | 36                |
| 3573         |       | 8107    | 3573 LEFT UPPER 4U MAGAZINE    | 264            | N              |                | 36                |
| 3573         |       | 8108    | 3573 LEFT LOWER 4U MAGAZINE    | 298            | N              |                | 36                |
| 3573         |       | 8109    | 3573 LEFT SIDE 2U MAGAZINE     | 298            | N              |                | 36                |
| 3573         |       | 8143    | ULTRIUM 4 LVD SCSI DRIVE       | 4,245          | N              |                | 36                |
| 3573         |       | 8144    | ULTRIUM 4 FIBRE CHANNEL DRIVE  | 4,739          | N              |                | 36                |
| 3573         |       | 8145    | ULTRIUM 4 SAS DRIVE            | 4,410          | N              |                | 36                |
| 3573         |       | 8148    | ULTRIUM 4 HALF HIGH FIBRE CHAN | 3,216          | N              |                | 36                |
| 3573         |       | 8149    | ULTRIUM 4 HALF HIGH SAS TAPE   | 2,803          | N              |                | 36                |
| 3573         |       | 8244    | ULTRIUM 5 FIBRE CHANNEL DRIVE  | 5,450          | N              |                | 36                |
| 3573         |       | 8245    | ULTRIUM 5 SAS DRIVE            | 5,072          | N              |                | 36                |
| 3573         |       | 8247    | ULTRIUM 5 HALF HIGH SAS DRIVE  | 3,224          | N              |                | 36                |
| 3573         |       | 8248    | ULTRIUM 5 HALF HIGH FIBRE DRIV | 3,385          | N              |                | 36                |
| 3573         |       | 8344    | ULTRIUM 6 FIBRE CHANNEL DRIVE  | 5,885          | N              |                | 36                |
| 3573         |       | 8347    | ULTRIUM 6 HALF-HIGH SAS DRIVE  | 3,482          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3573         |       | 8348    | ULTRIUM 6 HALFHIGHFIBRCHANDRV  | 3,655          | N              |                | 36                |
| 3573         |       | 8405    | ULTRIUM 4 DATA CARTRIDGES      | 317            | N              |                | 36                |
| 3573         |       | 8505    | ULTRIUM 5 DATA CARTRIDGES 5PAC | 378            | N              |                | 36                |
| 3576         | E9U   |         | TS3310 TAPE EXPANSION MOD      | 8,312          | Y              | 2              | 12                |
| 3576         | L5B   |         | TS3310 TAPE LIBRARY            | 10,579         | Y              | 2              | 12                |
| 3576         |       | 0500    | LIBRARY&DRIVE CODE UPDATE      | 378            | N              |                | 12                |
| 3576         |       | 1640    | CAPACITY EXPANSION             | 756            | N              |                | 12                |
| 3576         |       | 1650    | ADVANCED REPORTING             | 2,229          | N              |                | 12                |
| 3576         |       | 1682    | PATH FAILOVER                  | 3,400          | N              |                | 12                |
| 3576         |       | 1900    | ADDITIONAL POWER SUPPLY        | 1,016          | N              |                | 12                |
| 3576         |       | 3470    | ETHERNET EXPANSION BLADE       | 1,587          | N              |                | 12                |
| 3576         |       | 5400    | SAS/MINI-SAS 4X INTERPOSER     | 147            | N              |                | 12                |
| 3576         |       | 5402    | 2 M SAS/MINI-SAS 1X CABLE      | 124            | N              |                | 12                |
| 3576         |       | 5500    | MINI-SAS INTERPOSER            | 147            | N              |                | 12                |
| 3576         |       | 5502    | 2.0 M MINI-SAS 1X CABLE        | 130            | N              |                | 12                |
| 3576         |       | 5604    | 4.5M VHDCI/HD68 SCSI CABLE     | 147            | N              |                | 12                |
| 3576         |       | 5610    | 10M VHDCI/HD68 SCSI CABLE      | 188            | N              |                | 12                |
| 3576         |       | 5900    | TRANSPARENT LTO ENCRYPTION     | 3,778          | N              |                | 12                |
| 3576         |       | 6001    | TWO LIB TO DRV ETHERNET CABLES | 122            | N              |                | 12                |
| 3576         |       | 6013    | 13M LC/LC FIBRE CABLE          | 196            | N              |                | 12                |
| 3576         |       | 6025    | 25M LC/LC FIBRE CABLE          | 257            | N              |                | 12                |
| 3576         |       | 7003    | RACK MOUNT KIT                 | 888            | N              |                | 12                |
| 3576         |       | 8002    | 1-CLEANING CARTRIDGE           | 76             | N              |                | 12                |
| 3576         |       | 8139    | ULTRIUM 4 SAS TAPE DRIVE       | 11,112         | N              |                | 12                |
| 3576         |       | 8142    | ULTRIUM 4 FIBRE TAPE DRIVE     | 12,491         | N              |                | 12                |
| 3576         |       | 8242    | ULTRIUM 5 FIBRE TAPE DRIVE     | 13,115         | N              |                | 12                |
| 3576         |       | 8342    | ULTRIUM 6 FIBRE TAPE DRIVE     | 14,164         | N              |                | 12                |
| 3577         |       | 0500    | LIBRARY&DRIVE CODE UPDATE      | 479            | N              |                | 12                |
| 3577         |       | 4685    | 3592 FIELD INSTALL/MERGE       | 479            | N              |                | 12                |
| 3580         | H4V   |         | TS2240 TAPE DRIVE EXPRESS      | 2,792          | Y              | 2              | 36                |
| 3580         |       | 5099    | VHDCI/HD68 CABLE/INTERPOSER    | 112            | N              |                | 12                |
| 3580         |       | 5402    | 2.0M SAS/MINI-SAS 1X CABLE     | 94             | N              |                | 36                |
| 3580         |       | 5502    | 2.0M MINI-SAS/MINI-SAS 1X CBL  | 98             | N              |                | 36                |
| 3580         |       | 5604    | 4.5M VHDCI/HD68 SCSI CABLE     | 122            | N              |                | 12                |
| 3580         |       | 5610    | 10M VHDCI/HD68 SCSI CABLE      | 155            | N              |                | 12                |
| 3580         |       | 7003    | 19-INCH RACK MOUNT KIT         | 125            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3580         |       | 8405    | ULTRIUM 4 DATA CARTRIDGES      | 372            | N              |                | 36                |
| 3580         |       | 8505    | ULTRIUM 5 DATA CARTRIDGE       | 443            | N              |                | 36                |
| 3580         |       | 8723    | RACK MOUNT KIT                 | 125            | N              |                | 12                |
| 3584         | D23   |         | TS3500 EXPANSION FRAME         | 22,670         | N              | 2              | 12                |
| 3584         | D53   |         | TS3500 EXPANSION FRAME         | 22,670         | N              | 2              | 12                |
| 3584         | HA1   |         | HIGH AVAILABILITY FRAME        | 22,670         | N              | 2              | 12                |
| 3584         | L23   |         | TS3500 TAPE LIBRARY            | 34,005         | N              | 2              | 12                |
| 3584         | L53   |         | TS3500 TAPE LIBRARY            | 34,005         | N              | 2              | 12                |
| 3584         | S24   |         | TS3500 HD FRAMES ENTERPR DRIVE | 30,227         | N              | 2              | 12                |
| 3584         | S54   |         | TS3500 HD FRAMES LTO DRIVE     | 30,227         | N              | 2              | 12                |
| 3584         | SC1   |         | TS3500 TAPE LIBRARY CONNECTOR  | 15,113         | N              | 2              | 12                |
| 3584         |       | 0500    | LIBRARY & DRIVE CODE UPDATE    | 378            | N              |                | 12                |
| 3584         |       | 1440    | SERVICE BAY B CONFIG/ACCESSOR  | 21,914         | N              |                | 12                |
| 3584         |       | 1451    | ENH. FRAME CONTROL ASSEMBLY    | 4,347          | N              |                | 12                |
| 3584         |       | 1461    | ADD'1 LC/LC PATCH PANEL CABLE  | 49             | N              |                | 12                |
| 3584         |       | 1462    | FIBRE CHANNEL PATCH PANEL      | 317            | N              |                | 12                |
| 3584         |       | 1501    | FIBRE DRIVE MOVE KIT           | 907            | N              |                | 12                |
| 3584         |       | 1503    | 3592 FIBRE DRIVE MTG KIT       | 460            | N              |                | 12                |
| 3584         |       | 1504    | LTO FIBRE DRIVE MTG KIT        | 460            | N              |                | 12                |
| 3584         |       | 1514    | LTO FIBRE DRIVE MTG KIT        | 460            | N              |                | 12                |
| 3584         |       | 1515    | 3592 FIBRE DRIVE MOUNTING KIT  | 460            | N              |                | 12                |
| 3584         |       | 1530    | WEB CAMERA MOUNTING HARDWARE   | 1,738          | N              |                | 12                |
| 3584         |       | 1603    | CAPACITY EXPANSION             | 11,335         | N              |                | 12                |
| 3584         |       | 1604    | TRANSPARENT LTO ENCRYPTION     | 9,068          | N              |                | 12                |
| 3584         |       | 1608    | MIXED MEDIA D22/D23 SUPPORT    | 5,970          | N              |                | 12                |
| 3584         |       | 1610    | ADD D22/D23/D52/D53 TO X32     | 1,851          | N              |                | 12                |
| 3584         |       | 1620    | ADD D32 TO X22/X52/X23/X53     | 1,851          | N              |                | 12                |
| 3584         |       | 1643    | INTERMED. CAP. ON DEMAND       | 11,335         | N              |                | 12                |
| 3584         |       | 1644    | FULL CAPACITY ON DEMAND        | 11,335         | N              |                | 12                |
| 3584         |       | 1645    | HD COD FOR S24                 | 15,113         | N              |                | 12                |
| 3584         |       | 1646    | HD COD FOR S54                 | 22,670         | N              |                | 12                |
| 3584         |       | 1655    | 64 ADDITIONAL I/O SLOTS-LTO    | 6,801          | N              |                | 12                |
| 3584         |       | 1656    | 64 ADDITIONAL I/O SLOTS-3592   | 6,801          | N              |                | 12                |
| 3584         |       | 1658    | 16 ADDITIONAL LTO I/O SLOTS    | 1,360          | N              |                | 12                |
| 3584         |       | 1659    | 16 ADDITIONAL 3592 I/O SLOTS   | 1,360          | N              |                | 12                |
| 3584         |       | 1660    | 10/100 ETHERNET SUPPORT        | 2,852          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3584         |       | 1663    | DRIVE REMOVAL                  | 510            | N              |                | 12                |
| 3584         |       | 1665    | LTO ULTRIUM DRIVE REINSTALL    | 510            | N              |                | 12                |
| 3584         |       | 1668    | DLT DRIVE REINSTALL            | 510            | N              |                | 12                |
| 3584         |       | 1674    | 3592 DRIVE FIELD INSTALL       | 510            | N              |                | 12                |
| 3584         |       | 1675    | 3592 E07 DRIVE FIELD INSTALL   | 510            | N              |                | 12                |
| 3584         |       | 1678    | 3588 FIELD INSTALL ASSIST      | 510            | N              |                | 12                |
| 3584         |       | 1680    | CONTROL PATH FAILOVER          | 6,801          | N              |                | 12                |
| 3584         |       | 1681    | DATA PATH FAILOVER             | 1,511          | N              |                | 12                |
| 3584         |       | 1682    | PATH FAILOVER                  | 6,801          | N              |                | 12                |
| 3584         |       | 1690    | ADVANCED LIB MGT SYSTEM        | 9,446          | N              |                | 12                |
| 3584         |       | 1692    | ENTRY ALMS                     | 1,511          | N              |                | 12                |
| 3584         |       | 1693    | INTERMEDIATE ALMS              | 3,400          | N              |                | 12                |
| 3584         |       | 1694    | FULL ALMS                      | 4,534          | N              |                | 12                |
| 3584         |       | 1695    | LTO TEST HARDWARE FOR HD       | 1,507          | N              |                | 12                |
| 3584         |       | 1696    | 3592 TEST HARDWARE FOR HD      | 1,507          | N              |                | 12                |
| 3584         |       | 1697    | MIXED MEDIA HD TESTS SLOTS     | 1,507          | N              |                | 12                |
| 3584         |       | 1700    | ENHANCED NODE CARDS            | 7,443          | N              |                | 12                |
| 3584         |       | 1701    | ENHANCED NODE CARD             | 2,720          | N              |                | 12                |
| 3584         |       | 1802    | 1-2 FRAME X-TRACK CABLE        | 103            | N              |                | 12                |
| 3584         |       | 1806    | 3-6 FRAME X-TRACK CABLE        | 399            | N              |                | 12                |
| 3584         |       | 1814    | 7-14 FRAME X-TRACK CABLE       | 591            | N              |                | 12                |
| 3584         |       | 1816    | 8-16 FRAME X-TRACK CABLE       | 849            | N              |                | 12                |
| 3584         |       | 1840    | CHANGE HA X-TRACK CABLE        | 880            | N              |                | 12                |
| 3584         |       | 1855    | SHUTTLE COMPLEX SERVICE INSTAL | 378            | N              |                | 12                |
| 3584         |       | 1901    | DUAL AC POWER                  | 450            | N              |                | 12                |
| 3584         |       | 1909    | SINGLE POWER SOURCE BIFUR. CAB | 139            | N              |                | 12                |
| 3584         |       | 1950    | POWER DISTRIBUTION UNIT        | 2,817          | N              |                | 12                |
| 3584         |       | 2205    | ENHANCED GRIPPERS/PIVOT        | 5,667          | N              |                | 12                |
| 3584         |       | 2206    | ENH. GRIPPERS/PIVOT FOR HA     | 5,667          | N              |                | 12                |
| 3584         |       | 2304    | ENHANCED ACCESSOR              | 17,758         | N              |                | 12                |
| 3584         |       | 2305    | ENHANCED ACCESSOR FOR HA       | 17,758         | N              |                | 12                |
| 3584         |       | 2704    | CONSOLE EXPANSION 26PORT ENET  | 1,110          | N              |                | 12                |
| 3584         |       | 2724    | RACKMOUNT TS3000 SYST CONSOLE  | 1,889          | N              |                | 12                |
| 3584         |       | 2734    | USB MODEM                      | 151            | N              |                | 12                |
| 3584         |       | 4871    | TS7700 BE SW MOUNTING HARDWARE | 2,282          | N              |                | 12                |
| 3584         |       | 4873    | REINSTALL TS7700 BE SWITCH     | 363            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3584         |       | 4874    | ADJ FRAME SUPPORT BE SWITCH    | 332            | N              |                | 12                |
| 3584         |       | 4875    | BACK END 8GB SWITCH            | 15,113         | N              |                | 12                |
| 3584         |       | 4876    | CONTROL UNIT BE SWITCH         | 2,282          | N              |                | 12                |
| 3584         |       | 4877    | REINSTALL 8GB BE SWITCHES      | 363            | N              |                | 12                |
| 3584         |       | 4878    | CU ADJ FRAME SUPPORT FOR       | 332            | N              |                | 12                |
| 3584         |       | 5512    | KVM DISPLAY KEYBOARD MOUSE     | 1,360          | N              |                | 12                |
| 3584         |       | 5922    | 22 M LC-SC FIBRE CABLE         | 234            | N              |                | 12                |
| 3584         |       | 6013    | 13 METER LC-LC FIBRE CABLE     | 196            | N              |                | 12                |
| 3584         |       | 6025    | 25 METER LC-LC FIBRE CABLE     | 257            | N              |                | 12                |
| 3584         |       | 6061    | 61 METER LC-LC FIBRE CABLE     | 355            | N              |                | 12                |
| 3584         |       | 8750    | ULTRIUM CLEANING CARTRIDGE     | 76             | N              |                | 12                |
| 3584         |       | 8802    | 3592 CLEANING CARTRIDGE        | 106            | N              |                | 12                |
| 3584         |       | 9984    | DUAL 4.3M PWRCORD NEMA L6/20P  | 0              | N              |                | 12                |
| 3584         |       | 9985    | DUAL 4.3M PWRCORD RUSSELLSTOLL | 0              | N              |                | 12                |
| 3588         | F4A   |         | TS1040 ULTRIUM 4 TAPE DRIVE    | 17,229         | Y              | 2              | 12                |
| 3588         | F5A   |         | TS1050 ULTRIUM 5 TAPE DRIVE    | 18,091         | Y              | 2              | 12                |
| 3589         | 004   |         | ULTRIUM CLEANING CARTRIDGES    | 0              | Y              |                | 60                |
| 3589         | 010   |         | 800GB ULTRIUM TAPE CART LAB    | 0              | Y              |                | 60                |
| 3589         | 011   |         | 800GB ULTRIUM TAPE CARTRIDGES  | 0              | Y              |                | 60                |
| 3589         | 550   |         | 2.5 TB ULTRIUM TAPE CART LABEL | 0              | Y              |                | 60                |
| 3589         | 570   |         | 2.5 TB ULTRIUM TAPE WORM CARTR | 0              | Y              |                | 60                |
| 3589         | 650   |         | 2.5 TB ULTRIUM TAPE CARTRIDGE  | 0              | Y              |                | 60                |
| 3589         | 670   |         | 2.5 TB ULTRIUM TAPE WORM CARTR | 0              | Y              |                | 60                |
| 3589         |       | 0820    | 400GB ULTR.TAPE LABELED 20-PAK | 886            | N              |                | 60                |
| 3589         |       | 0821    | 20 PACK 400GB ULTR T RFID      | 931            | N              |                | 60                |
| 3589         |       | 0920    | 400GB ULTR.TAPE 20-PAK         | 871            | N              |                | 60                |
| 3589         |       | 1020    | 800GB LABEL 20-PK              | 1,953          | N              |                | 60                |
| 3589         |       | 1021    | 20 PACK 800GB ULTR T RFID      | 1,998          | N              |                | 60                |
| 3589         |       | 1120    | 800GB 20-PK                    | 1,938          | N              |                | 60                |
| 3589         |       | 1420    | 1.5 TB ULTRIUM TAPE CART L 20P | 2,350          | N              |                | 60                |
| 3589         |       | 1421    | 1.5 TB ULTRIUM TAPE RFID L 20P | 2,395          | N              |                | 60                |
| 3589         |       | 1520    | 1.5 TB ULTRIUM TAPE CART 20 P  | 2,334          | N              |                | 60                |
| 3589         |       | 2820    | 400GB WORM ULT.TAPE LAB.20-PAK | 1,068          | N              |                | 60                |
| 3589         |       | 2821    | 20 PACK 400GB ULTRT WORM RFID  | 1,113          | N              |                | 60                |
| 3589         |       | 2920    | 400GB WORM ULT.TAPE 20-PAK     | 1,053          | N              |                | 60                |
| 3589         |       | 3221    | 20 PACK 800GB ULTRT WORM RFID  | 2,325          | N              |                | 60                |

| Machine |       |         |                                | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type    | Model | Feature | Description                    | Price    | Setup    | Class    | (months) |
| 3589    |       | 3420    | 1.5 TB ULTRIUM WORM TP CT L20P | 2,685    | N        |          | 60       |
| 3589    |       | 3421    | 1.5 TB ULTRIUM WORM RFID L 20P | 2,730    | N        |          | 60       |
| 3589    |       | 3520    | 1.5 TB ULTRIUM WORM TAPE C 20P | 2,670    | N        |          | 60       |
| 3589    |       | 4005    | ULTRIUM CLEANING CARTR. 5-PACK | 381      | N        |          | 60       |
| 3589    |       | 5500    | 2.5 TB ULTRIUM TP LABELD 20PAK | 3,262    | N        |          | 60       |
| 3589    |       | 5510    | 2.5TB ULTRIUM TP RFID LBL 20PA | 3,277    | N        |          | 60       |
| 3589    |       | 5700    | 2.5 TB ULTRIUM WORM TP CART    | 3,338    | N        |          | 60       |
| 3589    |       | 5710    | 2.5 TB ULTRIUM WORM RFID LBLD  | 3,352    | N        |          | 60       |
| 3589    |       | 6500    | 2.5 TB ULTRIUM TAPE 20PAK      | 3,249    | N        |          | 60       |
| 3589    |       | 6700    | 2.5 TB ULTIRUM WORM TP CART    | 3,325    | N        |          | 60       |
| 3590    | E11   |         | MAGSTAR TAPE SUBSYSTEM         | 29,867   | N        | 3        | 12       |
| 3590    | E1A   |         | MAGSTAR TAPE SUBSYSTEM         | 27,941   | N        | 3        | 12       |
| 3590    | H11   |         | ENTERPRISE TAPE DRIVE          | 35,139   | N        | 3        | 12       |
| 3590    | H1A   |         | ENTERPRISE TAPE DRIVE          | 32,872   | N        | 3        | 12       |
| 3592    | C07   |         | TAPE CONTROLLER MODEL C07      | 27,204   | N        | 3        | 12       |
| 3592    | E06   |         | TS1130 TAPE DRIVE              | 29,508   | N        | 3        | 12       |
| 3592    | E07   |         | TS1140 TAPE DRIVE              | 32,459   | N        | 3        | 12       |
| 3592    | J1A   |         | ENTERPRISE TAPE DRIVE          | 24,181   | N        | 3        | 12       |
| 3592    |       | 0500    | DRIVE MICROCODE UPDATE         | 378      | N        |          | 12       |
| 3592    |       | 0520    | J70 FUNCTION ENHANCE FIELD     | 378      | N        |          | 12       |
| 3592    |       | 2704    | CONSOLE EXPANSION 26PORT ENET  | 1,110    | N        |          | 12       |
| 3592    |       | 2724    | RACKMOUNT TS3000 SYST CONSOLE  | 1,889    | N        |          | 12       |
| 3592    |       | 2734    | USB MODEM                      | 151      | N        |          | 12       |
| 3592    |       | 3062    | DRIVE-TO-SWITCH CABLE/RACK     | 121      | N        |          | 12       |
| 3592    |       | 3441    | FICON SW ATTACHMENT            | 9,710    | N        |          | 12       |
| 3592    |       | 3442    | FICON LW ATTACHMENT            | 9,710    | N        |          | 12       |
| 3592    |       | 3443    | FICON 10KM LW ATTACHMENT       | 11,731   | N        |          | 12       |
| 3592    |       | 3478    | DUAL PORTED FIBRE ADAPTERS     | 3,400    | N        |          | 12       |
| 3592    |       | 3518    | FCSWITCH MOUNT KIT FORTS3500 A | 1,286    | N        |          | 12       |
| 3592    |       | 3519    | REDUNDANT FC MOUNTING          | 139      | N        |          | 12       |
| 3592    |       | 4444    | LOGICAL LIBRARY OPTION PROVIDE | 4,534    | N        |          | 12       |
| 3592    |       | 4451    | 1ST CONTROLLER INSTALLED       | 491      | N        |          | 12       |
| 3592    |       | 4452    | 2NDCONTROLLER INST IN BASE F05 | 491      | N        |          | 12       |
| 3592    |       | 4453    | 3RDCONTROLLER INST IN BASE F05 | 491      | N        |          | 12       |
| 3592    |       | 4454    | 4THCONTROLLER INST IN BASE F05 | 491      | N        |          | 12       |
| 3592    |       | 4461    | 1ST CONTROLLER INST IN AN EXPA | 491      | N        |          | 12       |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 3592         |       | 4462    | 2ND CONTROLLER INST IN AN EXPA  | 491            | N              |                | 12                |
| 3592         |       | 4463    | 3RD CONTROLLER INST IN AN EXPA  | 491            | N              |                | 12                |
| 3592         |       | 4464    | 4TH CONTROLLER INST IN AN EXPA  | 491            | N              |                | 12                |
| 3592         |       | 4641    | INSTALL CONTROLLER IN RACK      | 491            | N              |                | 12                |
| 3592         |       | 4674    | INSTALL 3592 IN RACK            | 529            | N              |                | 12                |
| 3592         |       | 4684    | 3592 E07 ADDITIONAL RACKMOUNT   | 188            | N              |                | 12                |
| 3592         |       | 4772    | REMOVE 3592 FROM RACK           | 264            | N              |                | 12                |
| 3592         |       | 4802    | RACK LEFT CRADLE                | 4,534          | N              |                | 12                |
| 3592         |       | 4812    | RACK RIGHT CRADLE               | 5,667          | N              |                | 12                |
| 3592         |       | 4875    | 8GB FIBRE CHANNEL SWITCH        | 15,113         | N              |                | 12                |
| 3592         |       | 4897    | REINSTALL 4GB FC SWITCH         | 363            | N              |                | 12                |
| 3592         |       | 5241    | DUAL PORT FC HBA                | 7,406          | N              |                | 12                |
| 3592         |       | 5512    | KVM DISPLAY KEYBOARD MOUSE      | 1,360          | N              |                | 12                |
| 3592         |       | 5595    | CU ENCRYPT.CONFIGURATION/FIELD  | 378            | N              |                | 12                |
| 3592         |       | 5596    | ENCRYPT. CONFIGURATION - FIELD  | 378            | N              |                | 12                |
| 3592         |       | 5597    | QUADPORT ETHERNET ADAPTER       | 1,814          | N              |                | 12                |
| 3592         |       | 5891    | FIELD MERGE C07 IN A 3952       | 1,889          | N              |                | 12                |
| 3592         |       | 5913    | 13 M LC/SC FIBRE CABLE          | 169            | N              |                | 12                |
| 3592         |       | 5922    | 22 M LC/SC FIBRE CABLE          | 188            | N              |                | 12                |
| 3592         |       | 5961    | 61 M LC/SC FIBRE CABLE          | 322            | N              |                | 12                |
| 3592         |       | 6013    | 13 M LC/LC FIBRE CABLE          | 169            | N              |                | 12                |
| 3592         |       | 6025    | 25 M LC/LC FIBRE CABLE          | 249            | N              |                | 12                |
| 3592         |       | 6061    | 61 M LC/LC FIBRE CABLE          | 322            | N              |                | 12                |
| 3599         | 011   |         | TAPE CARTRIDGE 3592 (DATA)      | 0              | Y              |                | 120               |
| 3599         | 012   |         | TAPE CARTRIDGE 3592 (DATA)      | 0              | Y              |                | 120               |
| 3599         | 013   |         | TAPE CARTRIDGE 3592 (DATA)      | 0              | Y              |                | 120               |
| 3599         | 017   |         | TAPE CARTRIDGE 3592 (CLEANING)  | 0              | Y              |                | 120               |
| 3599         | 420   |         | TC 3592 LABEL INIT DAT CART TC  | 0              | Y              |                | 120               |
| 3599         | 430   |         | TC 3592 LABELED INIT ECO DA TK  | 0              | Y              |                | 120               |
| 3599         | 440   |         | TC 3592 LABEL INIT WORM CART TY | 0              | Y              |                | 120               |
| 3599         | 520   |         | TC 3592 LABELED DATA CART TC    | 0              | Y              |                | 120               |
| 3599         | 530   |         | TC 3592 LABELED ECO DATA TK     | 0              | Y              |                | 120               |
| 3599         | 540   |         | TC 3592 LABELED WORM CARTR TY   | 0              | Y              |                | 120               |
| 3599         | 620   |         | TAPE CART 3592 DATA CART TYPE C | 0              | Y              |                | 120               |
| 3599         | 630   |         | TAPE CART 3592 ECO DATA TYPE K  | 0              | Y              |                | 120               |
| 3599         | 640   |         | TAPE CART 3592 WORM CART TYPE Y | 0              | Y              |                | 120               |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3599         |       | 1020    | 20-PACK3592 DATA CART W/INTL   | 3,285          | N              |                | 120               |
| 3599         |       | 1021    | 20 PACK 3592 STD CART RFID L&I | 3,348          | N              |                | 60                |
| 3599         |       | 1120    | 20PACK3592 DCART W/LABEL.&INIT | 2,187          | N              |                | 120               |
| 3599         |       | 1121    | 20 PK 3592 ECON CART RFID L&I  | 2,251          | N              |                | 120               |
| 3599         |       | 1220    | 20PACK3592 DCART W/LABEL.SERV  | 2,177          | N              |                | 120               |
| 3599         |       | 1221    | 20 PK 3592 ECON CART RFID LAB  | 2,222          | N              |                | 120               |
| 3599         |       | 1320    | 20-PACK 3592 DATA CARTRIDGES   | 2,158          | N              |                | 120               |
| 3599         |       | 2020    | 20-PACK3592 DATA CART W/LAB    | 3,269          | N              |                | 120               |
| 3599         |       | 2021    | 20 PACK 3592 STD CART RFID LAB | 3,301          | N              |                | 120               |
| 3599         |       | 2420    | 20-PCK 3592 EXT.WORM DATA CART | 4,331          | N              |                | 120               |
| 3599         |       | 2421    | 20 PK 3592 EX WORM C RFID L&I  | 4,395          | N              |                | 120               |
| 3599         |       | 2520    | 20-PCK 3592 EXT.WORM DATA CART | 4,316          | N              |                | 120               |
| 3599         |       | 2521    | 20 PK 3592 EX WORM C RFID LAB  | 4,348          | N              |                | 120               |
| 3599         |       | 2620    | 20-PCK 3592 EXT.WORM DATA CART | 4,284          | N              |                | 120               |
| 3599         |       | 3020    | 20-PACK 3592 DATA CART.        | 3,237          | N              |                | 120               |
| 3599         |       | 4020    | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,331          | N              |                | 120               |
| 3599         |       | 4021    | 20 PK 3592 EXT CART RFID L&I   | 4,395          | N              |                | 120               |
| 3599         |       | 4211    | 20PACK3592 DATA CARTR WITH LAB | 6,440          | N              |                | 120               |
| 3599         |       | 4221    | 20PACK3592DATA CARTR WITH RFID | 6,472          | N              |                | 120               |
| 3599         |       | 4300    | 20PCK3592ECONOM DATA CARTR WIT | 4,022          | N              |                | 120               |
| 3599         |       | 4310    | 20PACK 3592 ECONOMY DATA CARTR | 4,053          | N              |                | 120               |
| 3599         |       | 4400    | 20PCK3592WORM DATA CARTR WITH  | 6,440          | N              |                | 120               |
| 3599         |       | 4410    | 20PCK3592WORM DATACART WITHRFI | 6,472          | N              |                | 120               |
| 3599         |       | 5020    | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,316          | N              |                | 120               |
| 3599         |       | 5021    | 20 PK 3592 EXT CART RFID LAB   | 4,348          | N              |                | 120               |
| 3599         |       | 5221    | 20PACK 3592DATA CART TC WITH L | 6,424          | N              |                | 120               |
| 3599         |       | 5231    | 20PCK3592DATA CART TC WITH RFI | 6,456          | N              |                | 120               |
| 3599         |       | 5300    | 20PCK3592ECO DATA CART TK WITH | 4,006          | N              |                | 120               |
| 3599         |       | 5310    | 20PCK3592ECODATA CART TK WITH  | 4,038          | N              |                | 120               |
| 3599         |       | 5400    | 20PCK3592WORM DATA CART TY WIT | 6,424          | N              |                | 120               |
| 3599         |       | 5410    | 20PCK3592WORM DATA CART TY WIT | 6,456          | N              |                | 120               |
| 3599         |       | 6020    | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,284          | N              |                | 120               |
| 3599         |       | 6200    | 20PCK3592DATACARTR WITHOUT LAB | 6,393          | N              |                | 120               |
| 3599         |       | 6300    | 20PCK3592ECO DATA CARTR WITHOU | 3,975          | N              |                | 120               |
| 3599         |       | 6400    | 20PCK3592WORM DATA CARTR WITHO | 6,393          | N              |                | 120               |
| 3599         |       | 7005    | 5-PACK CLNR CART W/MEDIA       | 538            | N              |                | 120               |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3599         |       | 7006    | 5-PACK CLNR CART WITHOUT MEDIA | 538            | N              |                | 120               |
| 3758         |       | 2117    | SFP+ 10 GBPS SR                | 660            | N              |                | 12                |
| 3758         |       | 2118    | SFP+ 10 GBPS SR 8 PACK         | 4,867          | N              |                | 12                |
| 3758         |       | 2151    | SFP+ 10 GBPS LR                | 2,850          | N              |                | 12                |
| 3758         |       | 2158    | SFP+ 10 GBPS LR 8 PACK         | 19,579         | N              |                | 12                |
| 3758         |       | 2711    | TWINAX ACTIVE 1 M              | 181            | N              |                | 12                |
| 3758         |       | 2718    | TWINAX ACTIVE 1 M 8 PACK       | 1,247          | N              |                | 12                |
| 3758         |       | 2731    | TWINAX ACTIVE 3 M              | 225            | N              |                | 12                |
| 3758         |       | 2738    | TWINAX ACTIVE 3 M 8 PACK       | 1,683          | N              |                | 12                |
| 3758         |       | 2751    | TWINAX ACTIVE 5 M              | 282            | N              |                | 12                |
| 3758         |       | 2758    | TWINAX ACTIVE 5 M 8 PACK       | 2,125          | N              |                | 12                |
| 3758         |       | 2801    | SFP 8 GBPS SW                  | 210            | N              |                | 12                |
| 3758         |       | 2808    | SFP 8 GBPS SW 8 PACK           | 1,676          | N              |                | 12                |
| 3758         |       | 2821    | SFP 8 GBPS 10 KM LW            | 1,683          | N              |                | 12                |
| 3758         |       | 2828    | SFP 8 GBPS 10 KM LW 8 PACK     | 13,464         | N              |                | 12                |
| 3758         |       | 5605    | LC LC 5 M MMF 50 MICRON        | 76             | N              |                | 12                |
| 3758         |       | 5625    | LC LC 25 M MMF 50 MICRON       | 152            | N              |                | 12                |
| 3758         |       | 5721    | LC LC 31 M SMF 9 MICRON        | 73             | N              |                | 12                |
| 3758         |       | 5810    | OM3 CABLE LC LC 10 M           | 87             | N              |                | 12                |
| 3758         |       | 5910    | MID MOUNT RACK KIT             | 102            | N              |                | 12                |
| 3758         |       | 5999    | USB DRIVE                      | 261            | N              |                | 12                |
| 3758         |       | 7404    | ADVANCED PERFORMANCE MONITOR   | 1,741          | N              |                | 12                |
| 3758         |       | 7405    | TRUNKING ACTIVATION            | 3,482          | N              |                | 12                |
| 3758         |       | 7408    | FC AND CONVERGED ACTIVATION    | 14,074         | N              |                | 12                |
| 3758         |       | 7714    | 3758 B32 FW UPGRADE 1 YEAR     | 1,070          | N              |                | 12                |
| 3758         |       | 7715    | 3758 B32 FW UPGRADE 2 YEARS    | 2,031          | N              |                | 12                |
| 3890         |       | 3021    | PROG ENDORSING / ITEM NUM      | 123,609        | N              |                | 12                |
| 3890         |       | 3022    | STACKER MODULE(MAX 4)          | 79,569         | N              |                | 12                |
| 3890         |       | 4666    | ITEM NUMBERING/ENDORSING       | 83,416         | N              |                | 12                |
| 3890         |       | 5111    | MICROFILMING                   | 179,782        | N              |                | 12                |
| 3890         |       | 5115    | OCR FEATURE                    | 264,969        | N              |                | 12                |
| 3890         |       | 5120    | E13B MICR                      | 62,365         | N              |                | 12                |
| 3890         |       | 6370    | S/370 ATTACHMENT               | 7,823          | N              |                | 12                |
| 3952         | F05   |         | TAPE FRAME                     | 9,446          | N              | 2              | 12                |
| 3952         |       | 1903    | DUAL AC POWER                  | 907            | N              |                | 12                |
| 3952         |       | 3517    | REDUNDANT FC ATTACH            | 139            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3952         |       | 4743    | REMOVE 3957 V06 VEA            | 8,932          | N              |                | 12                |
| 3952         |       | 4870    | REPLACE CONTROLLER W/C06       | 2,649          | N              |                | 12                |
| 3952         |       | 5594    | ATTACH ADDITIONAL CU TO ROUTER | 741            | N              |                | 12                |
| 3952         |       | 5627    | INSTALL 3957 VEB               | 544            | N              |                | 12                |
| 3952         |       | 5629    | INSTALL 3957 V07               | 544            | N              |                | 12                |
| 3952         |       | 5758    | INTEGRATED CONTROL PATH        | 6,366          | N              |                | 12                |
| 3952         |       | 5875    | FIELD MERGE 3592 J70           | 1,889          | N              |                | 12                |
| 3952         |       | 5877    | FIELD INSTALL 3592 J70         | 2,040          | N              |                | 12                |
| 3952         |       | 5878    | FIELD MERGE 3592 C06           | 1,889          | N              |                | 12                |
| 3952         |       | 5880    | FIELD INSTALL 3592 C06         | 2,040          | N              |                | 12                |
| 3953         |       | 0500    | LM FUNCTION ENHANCE FIELD      | 378            | N              |                | 12                |
| 3953         |       | 3488    | 4GB FIBRE CHANNEL SWITCH       | 12,355         | N              |                | 12                |
| 3953         |       | 4865    | CONTROL UNIT REMOVAL           | 320            | N              |                | 12                |
| 3953         |       | 4897    | REINSTALL 4GB FC SWITCH        | 363            | N              |                | 12                |
| 3953         |       | 5875    | FIELD MERGE 3592 J70           | 1,889          | N              |                | 12                |
| 3953         |       | 5878    | FIELD MERGE 3592 C06           | 1,889          | N              |                | 12                |
| 3956         |       | 7403    | ENABLE 1ST EXPANSION DRAWER    | 9,940          | N              |                | 12                |
| 3957         | VEB   |         | TS7720 VIRTUALIZ ENGINE SERVER | 60,453         | N              | 3              | 12                |
| 3957         |       | 0201    | 9 MICRON LC/LC 31 METER        | 188            | N              |                | 12                |
| 3957         |       | 0203    | 50 MICRON LC/LC 31 METER       | 158            | N              |                | 12                |
| 3957         |       | 0521    | FUNCTIONAL ENHANCE FIELD       | 378            | N              |                | 120               |
| 3957         |       | 1032    | 1GB GRID DUAL PORT COPPER CONN | 491            | N              |                | 12                |
| 3957         |       | 1033    | 1GB GRID DUAL PORT OPTICAL SW  | 1,473          | N              |                | 12                |
| 3957         |       | 1034    | ENABLE DUAL PORT GRID CONNECTI | 4,549          | N              |                | 12                |
| 3957         |       | 1036    | 1GB GRID DUAL PORT COPPER CONN | 491            | N              |                | 12                |
| 3957         |       | 1037    | 1GB GRID DUAL PORT OPTICAL SW  | 1,473          | N              |                | 12                |
| 3957         |       | 3441    | FICON SHORT WAVELENGTH ATT     | 9,710          | N              |                | 12                |
| 3957         |       | 3442    | FICON LONG WAVELENGTH ATT      | 9,710          | N              |                | 12                |
| 3957         |       | 3443    | FICON 10K LG WAVELENGTH ATT    | 11,731         | N              |                | 12                |
| 3957         |       | 3461    | 8GB MEMORY UPGRADE FIELD       | 5,290          | N              |                | 12                |
| 3957         |       | 4015    | GRID ENABLEMENT                | 37,783         | N              |                | 12                |
| 3957         |       | 4016    | REMOVE CLUSTER FROM GRID       | 1,511          | N              |                | 12                |
| 3957         |       | 4017    | CLUSTER CLEANUP                | 1,511          | N              |                | 12                |
| 3957         |       | 5240    | DUAL PORT FC HBA               | 4,214          | N              |                | 12                |
| 3957         |       | 5241    | DUAL PORT FC HBA               | 7,406          | N              |                | 12                |
| 3957         |       | 5267    | 1 TB CACHE ENABLEMENT          | 35,894         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3957         |       | 5268    | 100 MB/SEC INCREMENT           | 51,008         | N              |                | 12                |
| 3957         |       | 5270    | INCREASED LOGICAL VOLUMES      | 7,557          | N              |                | 12                |
| 3957         |       | 5271    | SELECTIVE DEVICE ACCESS CONTRO | 37,783         | N              |                | 12                |
| 3958         |       | 0201    | 9 MICRON LC/LC 31 METER        | 188            | N              |                | 12                |
| 3958         |       | 0203    | 50 MICRON LC/LC 31 METER       | 158            | N              |                | 12                |
| 3958         |       | 3121    | PROTECTTIER SERVER             | 65,365         | N              |                | 12                |
| 3958         |       | 3437    | CLUSTER CONNECTION KIT         | 2,645          | N              |                | 12                |
| 3958         |       | 3441    | PROTECTTIER SERVER             | 9,710          | N              |                | 12                |
| 3958         |       | 3442    | FICON 4KM LONGWAVE             | 9,710          | N              |                | 12                |
| 3958         |       | 3443    | FICON 10KM LONGWAVE            | 11,731         | N              |                | 12                |
| 3958         |       | 3444    | FICON SHORTWAVE                | 9,710          | N              |                | 12                |
| 3958         |       | 3445    | FICON 4KM LONGWAVE             | 9,710          | N              |                | 12                |
| 3958         |       | 3446    | FICON 10KM LONGWAVE            | 11,731         | N              |                | 12                |
| 3958         |       | 3447    | CLUSTER CONNECTION KIT         | 1,738          | N              |                | 12                |
| 3958         |       | 3448    | DUAL PORT ETHERNET CARD        | 635            | N              |                | 12                |
| 3958         |       | 3449    | 4GB FC DUAL PORT HBA DISK      | 586            | N              |                | 12                |
| 3958         |       | 3456    | 1 GB QUAD PORT ETHERNET ADAPTE | 1,814          | N              |                | 12                |
| 3958         |       | 3457    | 10GB DUAL PORT ETHER. 3958 ADA | 4,309          | N              |                | 12                |
| 3958         |       | 3458    | 8 GB FC DUAL PORT HBA HOST     | 3,287          | N              |                | 12                |
| 3958         |       | 3467    | MEMORY UPGRADE                 | 5,290          | N              |                | 12                |
| 3958         |       | 3707    | 4.8 TB FC DISK EXPANSION       | 33,400         | N              |                | 12                |
| 3958         |       | 5247    | ENHANCED ROUTER                | 2,267          | N              |                | 12                |
| 3958         |       | 5510    | PLANT INSTALL KVM SWITCH       | 1,209          | N              |                | 12                |
| 3958         |       | 5512    | KVM DISPLAY                    | 1,360          | N              |                | 12                |
| 3958         |       | 5513    | KVM ADJACENT FRAME CONNECTION  | 370            | N              |                | 12                |
| 3958         |       | 5514    | 2ND SERVER IN ADJACENT FRAME   | 219            | N              |                | 12                |
| 3958         |       | 5770    | ENTERPRISE CONTROLLER          | 31,639         | N              |                | 12                |
| 3958         |       | 5771    | ENTERPRISE CONTROLLER          | 31,639         | N              |                | 12                |
| 3958         |       | 6025    | 25 METER LC/LC FC CABLE        | 249            | N              |                | 12                |
| 4003         |       | 1661    | 4 PORT MODULE 10GBE (XFP)      | 17,346         | N              |                | 12                |
| 4003         |       | 1662    | 16 PORT MODULE 10GBE (SFP+)    | 37,952         | N              |                | 12                |
| 4003         |       | 1663    | 24 PORT MODULE 1GBE (RJ45)     | 8,671          | N              |                | 12                |
| 4003         |       | 1664    | 48 PORT MODULE 1GBE (MRJ21)    | 17,346         | N              |                | 12                |
| 4003         |       | 1665    | 24 PORT MODULE 1GBE (FIBER)    | 10,839         | N              |                | 12                |
| 4003         |       | 2101    | XFP 10GB COPPER 15M CX4        | 1,069          | N              |                | 12                |
| 4003         |       | 2110    | XFP 850NM 300M MMF             | 1,337          | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 4003         |       | 2111    | XFP 1310NM 10KM SMF          | 2,680          | N              |                | 12                |
| 4003         |       | 2112    | XFP 1550NM 40KM SMF          | 10,734         | N              |                | 12                |
| 4003         |       | 2130    | SFP+ 10 GBE SR 300M MMF      | 1,350          | N              |                | 12                |
| 4003         |       | 2131    | SFP+ 10 GBE LR 10KM SMF      | 2,705          | N              |                | 12                |
| 4003         |       | 2202    | SFP 1GE COPPER RJ-45         | 317            | N              |                | 12                |
| 4003         |       | 2211    | SFP 1GE SX MMF W/OM          | 513            | N              |                | 12                |
| 4003         |       | 2212    | SFP 1GE LX SMF W/OM          | 1,122          | N              |                | 12                |
| 4003         |       | 2213    | SFP 1GE LHA SMF W/OM         | 4,505          | N              |                | 12                |
| 4003         |       | 2216    | SFP 100MBE MMF W/OM          | 190            | N              |                | 12                |
| 4003         |       | 2801    | SFP 1GE COPPER RJ-45 8-PACK  | 2,538          | N              |                | 12                |
| 4003         |       | 2810    | SFP 100MBE MMF W/OM 8 PACK   | 1,522          | N              |                | 12                |
| 4003         |       | 2811    | SFP 1GE SX MMF W/OM 8-PACK   | 4,100          | N              |                | 12                |
| 4003         |       | 2812    | SFP 1GE LX SMF W/OM 8-PACK   | 8,981          | N              |                | 12                |
| 4003         |       | 2813    | SFP 1GE LHA SMF W/OM 8-PACK  | 36,045         | N              |                | 12                |
| 4003         |       | 2830    | SFP+ 10 GBE SR 300M MMF 8 P  | 10,805         | N              |                | 12                |
| 4003         |       | 2831    | SFP+ 10 GBE LR 10KM SMF 8 P  | 21,650         | N              |                | 12                |
| 4003         |       | 8710    | 128MB FLASH MEMORY           | 754            | N              |                | 12                |
| 4274         |       | 2610    | MXX MULTISERVICES DPC        | 120,019        | N              |                | 12                |
| 4274         |       | 2710    | MXX FLEX PIC CONC TYPE 3     | 82,871         | N              |                | 12                |
| 4274         |       | 2810    | MXX 1 P SONET OC192 VSR PIC  | 122,040        | N              |                | 12                |
| 4274         |       | 2820    | MXX 1 P SONET OC192 XFP PIC  | 161,093        | N              |                | 12                |
| 4274         |       | 2830    | 10/100/1000B T RJ 45 100M X4 | 200,146        | N              |                | 12                |
| 4274         |       | 5810    | OC 48 SR 2KM SFP             | 4,882          | N              |                | 12                |
| 4274         |       | 5820    | OC 48 IR 15KM SFP            | 7,811          | N              |                | 12                |
| 4274         |       | 5830    | OC 48 LR 80KM SFP            | 24,408         | N              |                | 12                |
| 4274         |       | 5910    | 10GE/OC192 1310NM 10KM XFP   | 4,686          | N              |                | 12                |
| 4274         |       | 5920    | 10GE/OC192 1550NM 40KM XFP   | 9,763          | N              |                | 12                |
| 4274         |       | 5930    | 10GE/OC192 1550NM 80KM XFP   | 13,669         | N              |                | 12                |
| 4274         |       | 7340    | 5MFLOWS                      | 5,467          | N              |                | 12                |
| 4274         |       | 7350    | 2K IKE SESSIONS              | 4,882          | N              |                | 12                |
| 4274         |       | 7360    | 2.5M SFW/NAT SESSIONS        | 14,645         | N              |                | 12                |
| 7009         | C1L   |         | 8A0927 R/6000 PWRSRV C1L     | 9,685          | N              | 2              | 12                |
| 7009         |       | 1906    | IBM FIBRE CHANNEL ADAPTER    | 4,772          | N              |                | 0                 |
| 7009         |       | 2415    | SCSI-2 FAST/WIDE ADPT/A      | 797            | N              |                | 12                |
| 7009         |       | 2416    | SCSI-2 DIFFERENTIAL FW ADPT  | 1,021          | N              |                | 12                |
| 7009         |       | 2422    | SCSI-2 DIFF Y-CABLE          | 166            | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 7009         |       | 2423    | SCSI-2 DIFF SYS TO SYS CABLE  | 80             | N              |                | 12                |
| 7009         |       | 2424    | .6M SCSI-2 DIFFERENTIAL CBL   | 80             | N              |                | 12                |
| 7009         |       | 2425    | 2.5M SCSI2 DIFFERENTIAL CBL   | 97             | N              |                | 12                |
| 7009         |       | 2426    | SCSI2 DIFFERENTIAL WIDE YCBL  | 331            | N              |                | 12                |
| 7009         |       | 2427    | SCSI-2 DIFFERENTIAL Y-CBL     | 316            | N              |                | 12                |
| 7009         |       | 2434    | 16BIT SCSI-2 F/W ADPT/A INT   | 261            | N              |                | 12                |
| 7009         |       | 2435    | 16 BIT SCSI-2 FW ADPT DUAL    | 112            | N              |                | 12                |
| 7009         |       | 2436    | 16 BIT SCSI-2 DIFF FW ADPT    | 112            | N              |                | 12                |
| 7009         |       | 2437    | 8 BIT SCSI-2 FW ADPT DUAL     | 93             | N              |                | 12                |
| 7009         |       | 2438    | 8BIT SCSI-2 DIFF FW ADPT/A    | 93             | N              |                | 12                |
| 7009         |       | 2439    | 8BIT SCSI-2 FW ADPT/A SING    | 108            | N              |                | 12                |
| 7009         |       | 2555    | 1GB SCSI-2 DISK DRIVE         | 1,342          | N              |                | 12                |
| 7009         |       | 2580    | 2GB SCSI-2 DISK DRIVE         | 2,311          | N              |                | 12                |
| 7009         |       | 2583    | 2GB SCSI-2 DISK DR (SELECT)   | 969            | N              |                | 12                |
| 7009         |       | 2586    | 2GB SCSI-2 F/W DISK DR        | 2,311          | N              |                | 12                |
| 7009         |       | 2588    | 2GB SCSI-2 F/W DSK DR SEL     | 969            | N              |                | 12                |
| 7009         |       | 2619    | 20X(MAX)SCSI-2 CD-ROM DRIVE   | 279            | N              |                | 12                |
| 7009         |       | 2700    | 4PORT MULTIPROT COMM ADAPTER  | 1,939          | N              |                | 12                |
| 7009         |       | 2702    | MULTIP ATTCHMNT CABLE V.35    | 87             | N              |                | 12                |
| 7009         |       | 2704    | MULTIPROTO ATTCH CABLE X.21   | 87             | N              |                | 12                |
| 7009         |       | 2705    | 4-P MULTIPROTO INTERF CABLE   | 373            | N              |                | 12                |
| 7009         |       | 2706    | MULTIP ATTCH CBL-EIA-232/V24  | 69             | N              |                | 12                |
| 7009         |       | 2707    | EICON ISDN DIVA MCA ADAPTER   | 224            | N              |                | 12                |
| 7009         |       | 2723    | FDDI FIBER DUAL RING UPGRADE  | 1,487          | N              |                | 12                |
| 7009         |       | 2724    | FDDI FIBER SINGLE RING ADPT   | 2,978          | N              |                | 12                |
| 7009         |       | 2757    | BLOCK MULTIPLEXER ADPT CABLE  | 522            | N              |                | 0                 |
| 7009         |       | 2758    | MULTIPLEXER CHNL CABLE ASSEM  | 671            | N              |                | 0                 |
| 7009         |       | 2834    | SCSI SINGLE-END CONTROL CBL   | 186            | N              |                | 12                |
| 7009         |       | 2921    | 1MB ARTIC960 COPROCESSOR      | 3,803          | N              |                | 12                |
| 7009         |       | 2922    | AIB CABLE OPTION EIA 232      | 354            | N              |                | 12                |
| 7009         |       | 2923    | AIB CABLE OPTION EIA 530      | 428            | N              |                | 12                |
| 7009         |       | 2924    | 4MB ARTIC960 COPROCESSOR      | 1,577          | N              |                | 12                |
| 7009         |       | 2926    | AIB CABLE OPTION ISO 4902 V36 | 428            | N              |                | 12                |
| 7009         |       | 2927    | AIB CABLE OPTION ISO 4903 X21 | 428            | N              |                | 12                |
| 7009         |       | 2928    | 8MB ARTIC960 COPROCESSOR      | 4,250          | N              |                | 12                |
| 7009         |       | 2930    | 8-PORT ASYNC ADAPTER-EIA-232  | 620            | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7009         |       | 2934    | ASYNCH TERM/PRT CABLE EIA-232   | 33             | N              |                | 12                |
| 7009         |       | 2936    | ASYNCH CABLE EIA-232/V.24       | 54             | N              |                | 12                |
| 7009         |       | 2937    | PRINT/TERM INTERPOS EIA-232     | 21             | N              |                | 12                |
| 7009         |       | 2940    | 8-PORT ASYNCH ADAPTER-EIA 422A  | 697            | N              |                | 0                 |
| 7009         |       | 2945    | TERMINAL CABLE-EAI-422A         | 97             | N              |                | 12                |
| 7009         |       | 2955    | 16PORT ASYNCH ADAPTER EIA-232   | 838            | N              |                | 12                |
| 7009         |       | 2957    | 16-PORT ASYNCH ADAPTER EIA 422A | 1,156          | N              |                | 0                 |
| 7009         |       | 2972    | AUTO TR LANSTREAMER MC 32ADP    | 634            | N              |                | 12                |
| 7009         |       | 2995    | MULTIPOINT INTERFACE CABLE      | 286            | N              |                | 12                |
| 7009         |       | 2996    | 16PORT INTERF CABLE EIA-232     | 220            | N              |                | 12                |
| 7009         |       | 2997    | 16-PORT INTERFACE CABLE EIA     | 476            | N              |                | 0                 |
| 7009         |       | 3100    | PC PARALLEL PRINTER CABLE       | 35             | N              |                | 12                |
| 7009         |       | 3107    | SERIAL PORT CONVERTER CABLE     | 37             | N              |                | 12                |
| 7009         |       | 3130    | SCSI DEVICE-DEVICE CABLE        | 57             | N              |                | 12                |
| 7009         |       | 3750    | SERV PUBLICATION WRAP PLUGS     | 42             | N              |                | 12                |
| 7009         |       | 3751    | DIAGNOSTIC MEDIA                | 42             | N              |                | 12                |
| 7009         |       | 4011    | 16MB SIMM MEMORY                | 477            | N              |                | 12                |
| 7009         |       | 4012    | 32MB SIMM MEMORY                | 954            | N              |                | 12                |
| 7009         |       | 4024    | 8MB SIMM MEMORY (SELECT)        | 119            | N              |                | 12                |
| 7009         |       | 4025    | 16MB SIMM MEMORY (SELECT)       | 358            | N              |                | 12                |
| 7009         |       | 4026    | 32MB SIMM MEMORY (SELECT)       | 834            | N              |                | 12                |
| 7009         |       | 4218    | T-R CABLE INCL F/C 2970         | 26             | N              |                | 12                |
| 7009         |       | 4223    | ETHERNET 10BASE2 TRANSCEIVER    | 145            | N              |                | 12                |
| 7009         |       | 4224    | ETHERNET 10BASET TRANSCEIVER    | 145            | N              |                | 12                |
| 7009         |       | 4227    | SUN COMPTBLE DISP CONTV CBL     | 23             | N              |                | 12                |
| 7009         |       | 4229    | PWR GT1X-PWRDISPLAY 16S         | 27             | N              |                | 12                |
| 7009         |       | 6033    | KEYBOARD 106 KEY CHIN/TR/TAW    | 242            | N              |                | 12                |
| 7009         |       | 6145    | 4GB INTR 4MM TAPE DR SELECT     | 1,491          | N              |                | 12                |
| 7009         |       | 6212    | HP SUBSYSTEM ADAPTER            | 249            | N              |                | 12                |
| 7009         |       | 6305    | DIGITAL TRUNK DUAL ADAPTER      | 1,789          | N              |                | 12                |
| 7009         |       | 7006    | RT INTERF CO-PROC PRTMASTER     | 1,189          | N              |                | 12                |
| 7009         |       | 7042    | RT INTRF RS-232 INTERF B/A      | 596            | N              |                | 12                |
| 7009         |       | 7044    | RT INTRF RS-422 INTERF B/A      | 671            | N              |                | 12                |
| 7009         |       | 7046    | RT CP 6-PORT V.35 INTERF B/A    | 914            | N              |                | 12                |
| 7009         |       | 7048    | RT CP 6-PORT X.21 INTERF B/A    | 746            | N              |                | 12                |
| 7009         |       | 7106    | RT INTERF 6-PORT V.35 CABLE     | 632            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7009         |       | 7108    | RT INTRF CP 8-PORT CABLE       | 279            | N              |                | 12                |
| 7009         |       | 7110    | RT INTRF CP 6-PORT X.21 CBL    | 522            | N              |                | 12                |
| 7009         |       | 8128    | RISC/6000 128 PORT ASYNC CTR   | 965            | N              |                | 12                |
| 7009         |       | 8130    | RISC/6000 RSN 16-PORTEIA-232   | 1,114          | N              |                | 12                |
| 7009         |       | 8131    | R/6000 128-PORT ACC 4.5METER   | 44             | N              |                | 12                |
| 7009         |       | 8132    | R/6000 128-PORT ACC 23CM 9IN   | 29             | N              |                | 12                |
| 7009         |       | 8133    | R/6000 RJ-45-DB-25 CONV CBL    | 89             | N              |                | 12                |
| 7009         |       | 8135    | 64 PORT-128 PIN-OUT CONVERT    | 33             | N              |                | 12                |
| 7014         | B42   |         | IBM 7014 MODEL B42 RACK        | 2,214          | Y              | 2              | 12                |
| 7014         | S25   |         | IBM 7014 MODEL S25 RACK        | 1,490          | Y              | 2              | 12                |
| 7014         | T00   |         | RS/6000 SYSTEM RACK            | 2,176          | Y              | 2              | 12                |
| 7014         | T42   |         | RS/6000 SYSTEM RACK            | 2,959          | Y              | 2              | 12                |
| 7014         |       | 0469    | CUSTOMER-SPECIFIED RACK PLAC   | 373            | N              |                | 12                |
| 7014         |       | 5889    | INTELLIGENT PDU+ BASE OPTION   | 450            | N              |                | 12                |
| 7014         |       | 6068    | FRONT DOOR FOR 1.8 METER RACK  | 336            | N              |                | 12                |
| 7014         |       | 6069    | FRONT DOOR FOR 2.0 METER RACK  | 410            | N              |                | 12                |
| 7014         |       | 6080    | RUGGEDIZED RACK FEATURE        | 1,118          | N              |                | 12                |
| 7014         |       | 6084    | FRONT DOOR FOR 2.0M OEM RACK   | 1,208          | N              |                | 12                |
| 7014         |       | 6086    | SUITE ATTACH KIT 2M RACK BLACK | 186            | N              |                | 12                |
| 7014         |       | 6095    | POWER CORD PDU-EXTERNAL I/O    | 18             | N              |                | 12                |
| 7014         |       | 6098    | SIDE PANEL 1.8M/2M RACK BLACK  | 112            | N              |                | 12                |
| 7014         |       | 6101    | FRONT DOOR FOR 1.8M OEM RACK   | 722            | N              |                | 12                |
| 7014         |       | 6104    | SUITE ATT. KIT 1.8M RACK BLACK | 264            | N              |                | 12                |
| 7014         |       | 6116    | DC POWER DISTRIBUTION SELECT   | 1,118          | N              |                | 12                |
| 7014         |       | 6117    | DC PWR DISTR.SEL BLKHD CONNECT | 1,491          | N              |                | 12                |
| 7014         |       | 6248    | ACOUSTIC RACK DOORS 1.8M       | 3,467          | N              |                | 12                |
| 7014         |       | 6249    | ACOUSTIC RACK DOORS 2.0M       | 3,467          | N              |                | 12                |
| 7014         |       | 6255    | OEM ACOUST.RACK DOORS 1.8M     | 2,796          | N              |                | 12                |
| 7014         |       | 6256    | OEM ACOUST.RACK DOORS 2.0M     | 2,796          | N              |                | 12                |
| 7014         |       | 6489    | P.CORD 24A IEC309 3P+N+G 32A   | 247            | N              |                | 12                |
| 7014         |       | 6491    | P.CORD 48A IEC309 P+N+G 63A    | 298            | N              |                | 12                |
| 7014         |       | 6492    | P.CORD 48A IEC309 2P+G 60A     | 260            | N              |                | 12                |
| 7014         |       | 6580    | RACK SECURITY KIT              | 134            | N              |                | 12                |
| 7014         |       | 6586    | MODEM TRAY FOR 19-INCH RACK    | 186            | N              |                | 12                |
| 7014         |       | 6653    | P.CORD 16A IEC309 3P+N+G 16A   | 178            | N              |                | 12                |
| 7014         |       | 6654    | P.CORD 4.3M 24A NEMA L6-30PLG  | 178            | N              |                | 12                |



| Machine Type | Model | Feature | Description                      | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 7014         |       | 6656    | P.CORD 24A IEC309 P+N+G 32A      | 178            | N              |                | 12                |
| 7014         |       | 6657    | P.CORD 4.3M 24A PDL PLUG         | 186            | N              |                | 12                |
| 7014         |       | 6658    | P.CORD 4.3M 24A KOREAN PLUG      | 178            | N              |                | 12                |
| 7014         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V    | 14             | N              |                | 12                |
| 7014         |       | 6858    | REAR DOOR HEAT EXCHANGER         | 4,314          | N              |                | 12                |
| 7014         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT      | 1,084          | N              |                | 12                |
| 7014         |       | 7188    | PWR DIST.UNIT -SIDE MOUNT        | 746            | N              |                | 12                |
| 7014         |       | 7189    | POWDISTRIBUTUNIT(WW)UTG0247CONN  | 895            | N              |                | 12                |
| 7014         |       | 7196    | POWDISTRIBUTUNIT(US)FIXED POWCRD | 1,118          | N              |                | 12                |
| 7031         |       | 6458    | PWR CABLE-DRAWER TO IBM PDU      | 11             | N              |                | 12                |
| 7031         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6470    | PWR CORD(6FT) TO WALL            | 11             | N              |                | 12                |
| 7031         |       | 6471    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6472    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6473    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6474    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6475    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6476    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6477    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6478    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6488    | PWR CORD(9FT) TO WALL/OEM PDU    | 34             | N              |                | 12                |
| 7031         |       | 6493    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6494    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6496    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6598    | DISK SLOT FILLERS (QUANTITY 4)   | 38             | N              |                | 12                |
| 7031         |       | 6651    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6659    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6660    | PWR CORD(14FT) DRW TO OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V    | 11             | N              |                | 12                |
| 7031         |       | 6669    | PWR CORD(14FT) DRW TO OEM PDU    | 11             | N              |                | 12                |
| 7031         |       | 6670    | PWR CORD(6FT) TO WALL            | 11             | N              |                | 12                |
| 7031         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU     | 11             | N              |                | 12                |
| 7031         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU     | 11             | N              |                | 12                |
| 7031         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU    | 11             | N              |                | 12                |
| 7036         | P16   |         | IBM 16-PORT LAN-ATTACHED RAN     | 1,611          | Y              | 2              | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7036         |       | 2934    | ASYNCH.TERMINAL/PRINTER CBL.   | 36             | N              |                | 12                |
| 7036         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 60             | N              |                | 12                |
| 7036         |       | 6458    | PWR.CABLE--DRAWER TO IBM PDU   | 14             | N              |                | 12                |
| 7036         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 14             | N              |                | 12                |
| 7040         |       | 2456    | LC-SC FIBRE CHAN.CONV.C.       | 76             | N              |                | 12                |
| 7040         |       | 2459    | LC-SC 62.5 MICRON FIBER CONV C | 76             | N              |                | 12                |
| 7040         |       | 2934    | ASYNCH TERM/PRT CABLE 3M 25PIN | 33             | N              |                | 12                |
| 7040         |       | 2936    | ASYNCHR.C.EIA-232/V.24         | 54             | N              |                | 12                |
| 7040         |       | 3125    | SERIAL/SERIAL PORT C.RACK/RACK | 60             | N              |                | 12                |
| 7040         |       | 3636    | L200P FLAT PANEL MONITOR       | 1,212          | N              |                | 12                |
| 7040         |       | 3637    | T541H 15 TFT COL.MON CAPT.CAB  | 460            | N              |                | 12                |
| 7040         |       | 3925    | SER.PORT CONV.C.9-PIN/25-PIN   | 18             | N              |                | 12                |
| 7040         |       | 4242    | 6 FOOT EXT. CAB. FOR DISPLAYS  | 76             | N              |                | 12                |
| 7040         |       | 4253    | SCSI-TO-IDE INTERFACE BRIDGE   | 76             | N              |                | 12                |
| 7040         |       | 4256    | EXTENDER CABLE USB KEYBDS 2M   | 37             | N              |                | 12                |
| 7040         |       | 4599    | PCI BLIND SWAP CASS. KIT       | 37             | N              |                | 12                |
| 7040         |       | 5706    | 2-PORT BASE-TX ETHT PCI-X ADPT | 855            | N              |                | 12                |
| 7040         |       | 5711    | PCI-X D.CH.U320 RAID BL.SW.ADP | 2,266          | N              |                | 12                |
| 7040         |       | 7060    | 4GB MEM.ACTIV.4FEAT.7054&7051  | 8,666          | N              |                | 12                |
| 7040         |       | 7061    | 4GB MEM.ACTIV.4FEAT.7054&7055  | 8,666          | N              |                | 12                |
| 7040         |       | 7063    | 4GBCUODMEM.ACT.FOR FC7040/41   | 8,666          | N              |                | 12                |
| 7040         |       | 7064    | 4GBCUODMEM.ACT.FOR FC7043/45   | 8,666          | N              |                | 12                |
| 7040         |       | 7410    | 2 PROC.ACTIV.4CUOD PROC.FC7400 | 19,647         | N              |                | 12                |
| 7040         |       | 7412    | 2 PROC ACTIV CUOD PROC FC 7402 | 12,846         | N              |                | 12                |
| 7040         |       | 7413    | 2 PROC ACTIV CUOD PROC FC 7403 | 21,159         | N              |                | 12                |
| 7040         |       | 7414    | 2 PROC.ACTIV.4CUOD PROC.FC7404 | 31,738         | N              |                | 12                |
| 7040         |       | 7415    | 2 PROC ACTIV CUOD PROC FC 7405 | 28,715         | N              |                | 12                |
| 7040         |       | 7416    | 2 PROC.ACTIV.4CUOD PROC.FC7406 | 41,562         | N              |                | 12                |
| 7040         |       | 7420    | ON/OFFCOD 30DAYPRC.ACT.4FC7400 | 8,563          | N              |                | 12                |
| 7040         |       | 7422    | ON/OFFCOD 30DAYPRC.ACT.4FC7402 | 4,282          | N              |                | 12                |
| 7040         |       | 7423    | ON/OFFCOD 30DAYPRC.ACT.4FC7403 | 7,052          | N              |                | 12                |
| 7040         |       | 7424    | ON/OFFCOD 30DAYPRC.ACT.4FC7404 | 13,853         | N              |                | 12                |
| 7040         |       | 7425    | ON/OFFCOD 30DAYPRC.ACT.4FC7405 | 9,572          | N              |                | 12                |
| 7040         |       | 7426    | ON/OFFCOD 30DAYPRC.ACT.4FC7406 | 17,631         | N              |                | 12                |
| 7040         |       | 7441    | 2 PROC.ACT.FOR PROC. FC 7431   | 57,431         | N              |                | 12                |
| 7040         |       | 7451    | ON/OFFCODPROC.ACT.FOR FC 7431  | 19,143         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7040         |       | 8131    | 128-PORT ASY.CONTR.CAB 4.5 M   | 45             | N              |                | 12                |
| 7040         |       | 8132    | 128-PORT ASY.CONTR.CAB 23CM    | 30             | N              |                | 12                |
| 7042         | CR7   |         | RACK MOUNTED HW MNG CONSOLE    | 4,324          | Y              | 2              | 12                |
| 7042         |       | 0010    | ONE CSC BILLING UNIT           | 126            | N              |                | 12                |
| 7042         |       | 0011    | TEN CSC BILLING UNITS          | 1,267          | N              |                | 12                |
| 7042         |       | 0033    | INTERNAL MODEM                 | 149            | N              |                | 12                |
| 7042         |       | 0034    | SPCFY CD ALTER EXT HIGH SPEED  | 387            | N              |                | 12                |
| 7042         |       | 1208    | 8GB PLUGGABLE USB MEMORY OPTIO | 205            | N              |                | 12                |
| 7042         |       | 1946    | 4GB (2X2GB) MEMORY             | 167            | N              |                | 12                |
| 7042         |       | 1998    | 500GB SATA HDD 2.5IN           | 210            | N              |                | 12                |
| 7042         |       | 3632    | WIDESCREEN LCD MONITOR         | 901            | N              |                | 12                |
| 7042         |       | 4242    | 6-FT EXT CBL DISPLAYS(15TO15)  | 80             | N              |                | 12                |
| 7042         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 39             | N              |                | 12                |
| 7042         |       | 4765    | HMC CR5 REDUNDANT PWR SUPPLY   | 206            | N              |                | 12                |
| 7042         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 17             | N              |                | 12                |
| 7042         |       | 5767    | 2PORT BASETX ETH PCI EXPRS ADP | 475            | N              |                | 12                |
| 7042         |       | 6458    | POW CBL DRAW 14-FT 250V/10A    | 13             | N              |                | 12                |
| 7042         |       | 6460    | POWCRD 14-FT DRW(125V 15A)PT#4 | 13             | N              |                | 12                |
| 7042         |       | 6469    | PCRD14-FT DRW(250V 15A)US PT#5 | 13             | N              |                | 12                |
| 7042         |       | 6470    | PCRD 6-FT TOWALL(125V 15A)PT#4 | 13             | N              |                | 12                |
| 7042         |       | 6471    | PCRD 9-FT OEM (125V 15A)PT#70  | 13             | N              |                | 12                |
| 7042         |       | 6472    | PCORD 9-FT OEM (250V 16A)PT#18 | 13             | N              |                | 12                |
| 7042         |       | 6473    | PCORD 9-FT OEM (250V 10A)PT#19 | 13             | N              |                | 12                |
| 7042         |       | 6474    | PCORD 9-FT OEM(250V 13A)PT#23  | 13             | N              |                | 12                |
| 7042         |       | 6475    | PCORD 9-FT OEM(250V 16A)PT#32  | 13             | N              |                | 12                |
| 7042         |       | 6476    | PCORD 9-FT OEM(250V 10A)PT#24  | 13             | N              |                | 12                |
| 7042         |       | 6477    | PCORD 9-FT OEM(250V 16A)PT#22  | 13             | N              |                | 12                |
| 7042         |       | 6478    | PCORD 9-FT OEM(250V 16A)PT#25  | 13             | N              |                | 12                |
| 7042         |       | 6488    | PCORD 9FT (125V 15A/250V 10A)  | 37             | N              |                | 12                |
| 7042         |       | 6493    | PCORD 9-FT OEM(250V 10A)PT#62  | 13             | N              |                | 12                |
| 7042         |       | 6494    | PCORD 9-FT OEM(250V 10A)PT#69  | 13             | N              |                | 12                |
| 7042         |       | 6496    | PCORD 9-FT OEM(250V 10A)PT#66  | 13             | N              |                | 12                |
| 7042         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 13             | N              |                | 12                |
| 7042         |       | 6651    | PCORD 9-FT OEM(125V 15A)PT#75  | 13             | N              |                | 12                |
| 7042         |       | 6659    | PCORD 14-FT OEM(250V 15A)PT#76 | 13             | N              |                | 12                |
| 7042         |       | 6660    | PCORD 14-FT OEM(125V 15A)PT#59 | 13             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7042         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 13             | N              |                | 12                |
| 7042         |       | 6669    | PCORD 14-FT OEM(250V 15A)PT#57 | 13             | N              |                | 12                |
| 7042         |       | 6671    | PCORD 9-FT IBM PDU 250V/10A    | 13             | N              |                | 12                |
| 7042         |       | 6672    | PCORD 5-FT IBM PDU 250V/10A    | 13             | N              |                | 12                |
| 7042         |       | 6680    | PCORD 9-FT OEM(250V 10A) PT#6  | 13             | N              |                | 12                |
| 7042         |       | 7802    | ETH CBL 15M HMC CSL TO SYSUNIT | 24             | N              |                | 12                |
| 7042         |       | 8845    | USB MOUSE                      | 26             | N              |                | 12                |
| 7042         |       | EM07    | ADDTNL 8GB1X8GB 1.333GHZ       | 316            | N              |                | 12                |
| 7042         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 19             | N              |                | 12                |
| 7042         |       | EU02    | HMC CR7 REDUNDANT POWER SU     | 224            | N              |                | 12                |
| 7045         | SW4   |         | P SERIES                       | 53,683         | N              | 2              | 12                |
| 7045         |       | 6125    | I/O DR.ATT.CAB.GR DR.PS#4401   | 298            | N              |                | 12                |
| 7045         |       | 6126    | I/O DR.ATT.CAB.GR DR.PS#4405   | 298            | N              |                | 12                |
| 7045         |       | 6127    | I/O DR.ATT.CAB.GR DR.PS#4409   | 298            | N              |                | 12                |
| 7045         |       | 6186    | BULK POWER REGULATOR           | 2,982          | N              |                | 12                |
| 7045         |       | 6855    | WEIGHT DISTRIBUTION PLATE      | 559            | N              |                | 12                |
| 7045         |       | 7802    | ETH.CAB 15M HMC TO SYS.UNIT    | 22             | N              |                | 12                |
| 7045         |       | 7837    | BULK POWER DISTRIB.ASSEMBLY    | 1,864          | N              |                | 12                |
| 7045         |       | 7937    | BOLT-DOWN KIT LOW-RAISED FLOOR | 5,219          | N              |                | 12                |
| 7045         |       | 7938    | BOLT-DOWN KIT HIGH-RAIS.FLOOR  | 5,219          | N              |                | 12                |
| 7045         |       | 7960    | COMPACT HANDLING OPTION        | 494            | N              |                | 12                |
| 7045         |       | 8686    | LINE CORD 6AWG 14FT IEC309     | 746            | N              |                | 12                |
| 7045         |       | 8688    | LINE CORD 6AWG/TYPE W 14FT     | 1,118          | N              |                | 12                |
| 7045         |       | 8697    | LINE CORD 8AWG 14FT IEC309     | 1,491          | N              |                | 12                |
| 7205         |       | 5060    | RACK POWER CORD SINGLE         | 27             | N              |                | 12                |
| 7205         |       | 5061    | RACK POWER CORD BIFURCATED     | 56             | N              |                | 12                |
| 7205         |       | 8723    | RACK MOUNT KIT                 | 115            | N              |                | 12                |
| 7206         |       | 2832    | SCSI CONTROLLER CABLE          | 235            | N              |                | 12                |
| 7206         |       | 2833    | INTEGRATED SCSI CABLE          | 145            | N              |                | 12                |
| 7206         |       | 2838    | SCSI INTEGRATED CONTROLR CBL   | 145            | N              |                | 12                |
| 7206         |       | 2872    | SCSI-2 F/W 1.0M W/TERM 50-PIN  | 100            | N              |                | 12                |
| 7206         |       | 3130    | SCSI DEVICE-TO-DEVICE CBL      | 57             | N              |                | 12                |
| 7206         |       | 5060    | RACK POWER CORD SINGLE         | 21             | N              |                | 12                |
| 7206         |       | 8723    | RACK MOUNT KIT                 | 89             | N              |                | 12                |
| 7210         |       | 5060    | RACK POWER CORD SINGLE         | 21             | N              |                | 12                |
| 7210         |       | 5860    | RACK POWER CORD SINGLE         | 21             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
|              |       | 5861    | RACK POWER CORD BIFURCATED     | 43             | N              |                | 12                |
|              |       | 5805    | 5-PK 4.7 GB DVD-RAM 2 DISK     | 33             | N              |                | 12                |
|              |       | 1401    | DAT160 TAPE DRIVE              | 1,095          | N              |                | 12                |
|              |       | 1404    | HHLTO ULTRIUM 4 TAPE DRIVE     | 2,550          | N              |                | 12                |
|              |       | 1420    | DVD RAM SLED W/1 DVD-RAM SAS D | 340            | N              |                | 12                |
|              |       | 8247    | HHLTO5 SAS TAPE DRIVE          | 2,720          | N              |                | 12                |
|              | 1U3   |         | 7226 MULTI MEDIA ENCLOSURE     | 982            | Y              | 2              | 12                |
|              |       | 1107    | 500 GB REMOVABLE RDX DRIVE     | 223            | N              |                | 12                |
|              |       | 1420    | DVD RAM SATA SAS SLED W1 DRIVE | 340            | N              |                | 12                |
|              |       | 1422    | DVD RAM SATA SAS DRIVE ONLY    | 113            | N              |                | 12                |
|              |       | 1705    | RDX 3.0 BUNDLE 320 GB DRIVE    | 429            | N              |                | 12                |
|              |       | 1706    | RDX 3.0 BUNDLE 500 GB DRIVE    | 573            | N              |                | 12                |
|              |       | 1707    | RDX 3.0 BUNDLE 1.0 TB DRIVE    | 724            | N              |                | 12                |
|              |       | 1708    | 320 GB REMOVABLE RDX DRIVE     | 147            | N              |                | 12                |
|              |       | 2516    | DAT160 TAPE CARTRIDGE 80 GB    | 36             | N              |                | 12                |
|              |       | 2518    | DAT160 5 PAK DATA CARTRIDGE    | 148            | N              |                | 12                |
|              |       | 5544    | QUAD SAS CABLE                 | 151            | N              |                | 12                |
|              |       | 5619    | DAT160 SAS 80 GB TAPE DRIVE    | 1,378          | N              |                | 12                |
|              |       | 5757    | DVD RAM USB DRIVE ONLY         | 94             | N              |                | 12                |
|              |       | 5762    | DVD RAM USB SLED W1 DRIVE      | 320            | N              |                | 12                |
|              |       | 8002    | ULTRIUM CLEANING CARTRIDGE     | 52             | N              |                | 12                |
|              |       | 8248    | HHLTO5 FC 1.5 TB TAPE DRIVE    | 2,494          | N              |                | 12                |
|              |       | 8348    | HLTO6 FIBRE CHANTAPEDRV1.5 TB  | 2,872          | N              |                | 12                |
|              |       | 8501    | ULTRIUM 5 CARTRIDGE 1.5 TB     | 120            | N              |                | 12                |
|              |       | 8505    | ULTRIUM 5 5 PAK DATA CARTRIDGE | 566            | N              |                | 12                |
|              |       | 8601    | ULTRIUM 6 TAPE CARTRIDGE       | 105            | N              |                | 12                |
|              |       | 8605    | ULTR 6 5-PACK TP CARTR 2.5 TB  | 525            | N              |                | 12                |
|              |       | EU01    | 1.0 TB REMOVABLE RDX DRIVE     | 260            | N              |                | 12                |
|              |       | EU03    | RDX 3.0 REMOVABLE DISC DOCKING | 166            | N              |                | 36                |
|              |       | EU15    | 1.5 TB RDX CARTRIDGE           | 298            | N              |                | 12                |
|              |       | EU16    | DAT160 USB 80 GB TAPE DRIVE    | 1,360          | N              |                | 12                |
|              |       | 3636    | L200P FLAT PANEL MONITOR       | 1,077          | N              |                | 12                |
|              |       | 3637    | T541H/L150P 15 TFT COL.MON.    | 409            | N              |                | 12                |
|              |       | 3640    | THINKVISION L171P FLAT PAN.MON | 584            | N              |                | 12                |
|              |       | 3642    | THINKVISION L191P FLAT PAN.MON | 685            | N              |                | 12                |
|              |       | 4242    | 6FOOT EXT.CAB.FOR DISPLAYS     | 84             | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7310         |       | 4256    | EXTENDER CABLE-USB KEYB 2M      | 42             | N              |                | 12                |
| 7310         |       | 5706    | 2-PORT BASETX ETHHT.PCI-X ADP   | 761            | N              |                | 12                |
| 7310         |       | 6458    | POWER CORD(4M)-ALL              | 14             | N              |                | 12                |
| 7310         |       | 6460    | POWER CORD(4M)-US/CANADA        | 14             | N              |                | 12                |
| 7310         |       | 6651    | PWR CORD(9FT) TO WALL/OEM PDU   | 14             | N              |                | 12                |
| 7310         |       | 6659    | PWR CORD(9FT) TO WALL/OEM PDU   | 14             | N              |                | 12                |
| 7310         |       | 6660    | PWR CORD(14FT) DR.TO OEM PDU    | 14             | N              |                | 12                |
| 7310         |       | 6669    | PWR CORD(14FT) DR.TO OEM PDU    | 14             | N              |                | 12                |
| 7310         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU   | 14             | N              |                | 12                |
| 7310         |       | 7802    | ETHERNET CABLE 15M              | 25             | N              |                | 12                |
| 7311         |       | 2456    | LC-SC 50 MICRON FIBER CABLE     | 66             | N              |                | 12                |
| 7311         |       | 2459    | LC-SC 62.5 MICRON FIBER CABLE   | 66             | N              |                | 12                |
| 7311         |       | 2934    | ASYNCH TERMINAL/PRINTER CABLE   | 29             | N              |                | 12                |
| 7311         |       | 2936    | ASYNCH CABLE EIA-232/V.24       | 48             | N              |                | 12                |
| 7311         |       | 3124    | SERIAL TO SERIAL PORT CABLE DD  | 53             | N              |                | 12                |
| 7311         |       | 3125    | SERIAL TO SERIAL PORT CABLE RR  | 53             | N              |                | 12                |
| 7311         |       | 3636    | L200P FLAT PANEL MONITOR        | 862            | N              |                | 12                |
| 7311         |       | 3637    | T541H 15 TFT COL.MON CAPT.CAB   | 327            | N              |                | 12                |
| 7311         |       | 3640    | THINKVISION L171P FLAT PAN.MON  | 467            | N              |                | 12                |
| 7311         |       | 3642    | THINKVISION L191P FLAT PAN.MON  | 548            | N              |                | 12                |
| 7311         |       | 3925    | SERIAL PORT CONVERTER CABLE     | 16             | N              |                | 12                |
| 7311         |       | 3927    | SERIAL PRT CBL 9-9 PIN 3.7M     | 53             | N              |                | 12                |
| 7311         |       | 3928    | SERIAL PRT CBL 9-9 PIN 10M      | 53             | N              |                | 12                |
| 7311         |       | 4242    | 6 FOOT EXTENDER CABLE FOR DISP  | 66             | N              |                | 12                |
| 7311         |       | 4256    | EXTENDER CABLE - USB KEYBOARDS  | 33             | N              |                | 12                |
| 7311         |       | 4599    | PCI BLIND SWAP CASSETTE KIT     | 40             | N              |                | 12                |
| 7311         |       | 5647    | BLIND SWAP TYPE III CAS PCI X   | 30             | N              |                | 12                |
| 7311         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP   | 1,611          | N              |                | 12                |
| 7311         |       | 5706    | 2-PORT BASE-TX ETHHT PCI-X ADPT | 609            | N              |                | 12                |
| 7311         |       | 5711    | PCI-X D.CH.U320 RAID BL.SW.ADP  | 1,611          | N              |                | 12                |
| 7311         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT   | 725            | N              |                | 12                |
| 7311         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320    | 473            | N              |                | 12                |
| 7311         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL     | 2,014          | N              |                | 12                |
| 7311         |       | 5912    | PCI-X DDR DUAL X4 SAS ADAPTER   | 665            | N              |                | 12                |
| 7311         |       | 6006    | POWER CONTROL CABLE (SPCN) 3M   | 32             | N              |                | 12                |
| 7311         |       | 6007    | POWER CONTROL CABLE (SPCN) 15M  | 64             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7311         |       | 6470    | P.CORD-UNITED STATES/CANADA    | 11             | N              |                | 12                |
| 7311         |       | 6651    | PWR CORD(9FT) TO WALL/OEM PDU  | 11             | N              |                | 12                |
| 7311         |       | 6659    | PWR CORD(9FT) TO WALL/OEM PDU  | 11             | N              |                | 12                |
| 7311         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 11             | N              |                | 12                |
| 7311         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 11             | N              |                | 12                |
| 7311         |       | 8131    | 128-PORT ASYNCHRONOUS CONTROLL | 40             | N              |                | 12                |
| 7311         |       | 8132    | 128-PORT ASYNCHRONOUS CONTROLL | 26             | N              |                | 12                |
| 7314         |       | 2456    | LC-SC 50 MICRON FIBER CONV CAB | 66             | N              |                | 12                |
| 7314         |       | 2459    | LC-SC 62.5 MICRON FIBER CONV C | 66             | N              |                | 12                |
| 7314         |       | 2934    | ASY.TERM/PRINTER CABLE EIA-232 | 29             | N              |                | 12                |
| 7314         |       | 2936    | ASYNC CABLE EIA-232/V.24       | 48             | N              |                | 12                |
| 7314         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 53             | N              |                | 12                |
| 7314         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 53             | N              |                | 12                |
| 7314         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 16             | N              |                | 12                |
| 7314         |       | 3927    | SERIAL PRT CBL 9-9 PIN 3.7M    | 53             | N              |                | 12                |
| 7314         |       | 3928    | SERIAL PRT CBL 9-9 PIN 10M     | 53             | N              |                | 12                |
| 7314         |       | 4242    | 6-FT EXT CBL DISPLAYS(15TO15)  | 66             | N              |                | 12                |
| 7314         |       | 4256    | EXT CBL - USB KEYBOARDS 2M     | 33             | N              |                | 12                |
| 7314         |       | 5647    | BL.SWAP III CAS-PC-X OR PCIE   | 28             | N              |                | 12                |
| 7314         |       | 5706    | 2-PORT 10/100/1000 BASE-TX ETH | 609            | N              |                | 12                |
| 7314         |       | 5713    | 1 GB ISCSI TOE PCI X ON COPPER | 725            | N              |                | 12                |
| 7314         |       | 5736    | PCI-X DDR DUAL CHAN.U320 SCSI  | 473            | N              |                | 12                |
| 7314         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL    | 2,014          | N              |                | 12                |
| 7314         |       | 5908    | PCI X DDR 1.5GB CACHE SAS RAID | 6,851          | N              |                | 12                |
| 7314         |       | 5912    | PCI-X DDR DUAL X4 SAS ADAPTER  | 665            | N              |                | 12                |
| 7314         |       | 6001    | POWER CONTROL CABLE(SPCN) - 2M | 20             | N              |                | 12                |
| 7314         |       | 6006    | POWER CONTROL CABLE(SPCN) - 3M | 32             | N              |                | 12                |
| 7314         |       | 6007    | POWER CONTROL CABLE(SPCN) -15M | 64             | N              |                | 12                |
| 7314         |       | 6458    | POW CBL DRAW 14-FT 250V/10A    | 11             | N              |                | 12                |
| 7314         |       | 6469    | PCRD14-FT DRW(250V 15A)US PT#5 | 11             | N              |                | 12                |
| 7314         |       | 6472    | PCORD 9-FT OEM (250V 16A)PT#18 | 11             | N              |                | 12                |
| 7314         |       | 6473    | PCORD 9-FT OEM (250V 10A)PT#19 | 11             | N              |                | 12                |
| 7314         |       | 6474    | PCORD 9-FT OEM(250V 13A)PT#23  | 11             | N              |                | 12                |
| 7314         |       | 6475    | PCORD 9-FT OEM(250V 16A)PT#32  | 11             | N              |                | 12                |
| 7314         |       | 6476    | PCORD 9-FT OEM(250V 10A)PT#24  | 11             | N              |                | 12                |
| 7314         |       | 6477    | PCORD 9-FT DRAW(250V 16A)PT#22 | 11             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7314         |       | 6478    | PCORD 9-FT DRAW(250V 16A)PT#25 | 11             | N              |                | 12                |
| 7314         |       | 6488    | PCORD 9FT (125V 15A/250V 10A)  | 32             | N              |                | 12                |
| 7314         |       | 6493    | PCORD 9-FT OEM(250V 10A)PT#62  | 11             | N              |                | 12                |
| 7314         |       | 6494    | PCORD 9-FT OEM(250V 10A)PT#69  | 11             | N              |                | 12                |
| 7314         |       | 6496    | PCORD 9-FT OEM(250V 10A)PT#66  | 11             | N              |                | 12                |
| 7314         |       | 6659    | PCORD 9-FT OEM(250V 15A)PT#76  | 11             | N              |                | 12                |
| 7314         |       | 6669    | PCORD 14-FT OEM(250V 15A)PT#57 | 11             | N              |                | 12                |
| 7314         |       | 6680    | PCORD 9-FT OEM(250V 10A) PT#6  | 11             | N              |                | 12                |
| 7315         |       | 3636    | L200P FLAT PANEL MONITOR       | 862            | N              |                | 12                |
| 7315         |       | 3637    | T541H 15 TFT COL.MON CAPT.CAB  | 327            | N              |                | 12                |
| 7315         |       | 4242    | 6 FOOT EXTENDER CABLE DISPLAYS | 66             | N              |                | 12                |
| 7315         |       | 4256    | EXTENDER CABLE-USB KEYB 2M     | 33             | N              |                | 12                |
| 7315         |       | 7802    | ETH.CAB 15M HMC TO SYS.UNIT    | 20             | N              |                | 12                |
| 7315         |       | 8131    | 128-PORT ASYNC CONTR CAB 4.5M  | 40             | N              |                | 12                |
| 7315         |       | 8132    | 128-PORT ASYNC CONTR CAB 23CM  | 26             | N              |                | 12                |
| 7316         | TF3   |         | FLAT PANEL CONSOLE KIT         | 2,237          | Y              | 2              | 12                |
| 7316         |       | 4242    | 6FT EXT. CABLE FOR DISPLAYS    | 95             | N              |                | 12                |
| 7316         |       | 4268    | CAB KEYB/VID/MOUSE(KVM)CON.OPT | 570            | N              |                | 12                |
| 7316         |       | 4269    | CABLE USB CON.OPTION-1.5M      | 570            | N              |                | 12                |
| 7316         |       | 4283    | IBM 1X8 RACK CONSOLE SWITCH    | 1,267          | N              |                | 12                |
| 7316         |       | 8880    | USB TRAVEL KEYB.W/CBL US ENG.  | 112            | N              |                | 12                |
| 7778         |       | 4645    | INTEGRATE BLADE SERVER CHASSIS | 18             | N              |                | 36                |
| 7778         |       | 4646    | INTEGRATE BLADE SERVER CHASSIS | 22             | N              |                | 36                |
| 7778         |       | 8141    | IBM I SOFTWARE PREINSTALL      | 54             | N              |                | 36                |
| 7778         |       | 8142    | IBM I SW PREINSTALL NON SDI    | 45             | N              |                | 36                |
| 7778         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 54             | N              |                | 36                |
| 7778         |       | 8144    | LINUX SOFTWARE PREINSTALL SDI  | 54             | N              |                | 36                |
| 7778         |       | 8146    | SOFTWARE PREINSTALL            | 54             | N              |                | 36                |
| 7778         |       | 8147    | SOFTWARE PREINSTALL BP ORDER   | 45             | N              |                | 36                |
| 7778         |       | 8240    | EMULEX 8GB FIBRE CHANNEL EXP   | 996            | N              |                | 36                |
| 7778         |       | 8241    | QLOGIC 4 GB FIBRE CHANNEL EXP  | 679            | N              |                | 36                |
| 7778         |       | 8242    | QLOGIC 8GB FIBRE CHANNEL EXP   | 996            | N              |                | 36                |
| 7778         |       | 8246    | 3 GB SAS PASSTHROUGH EXPANSION | 226            | N              |                | 36                |
| 7778         |       | 8271    | QLOGIC ETHERNET AND 8 GBFCE C  | 996            | N              |                | 36                |
| 7778         |       | 8274    | IBM 300GB SAS 10K RPM SAS HDD  | 625            | N              |                | 36                |
| 7778         |       | 8291    | BROADCOM 2/4 PORT ETH EXP      | 570            | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7778         |       | 8395    | ONE PROCESSOR ENTITLEMENT JS23 | 91             | N              |                | 36                |
| 7779         | BCS   |         | IBM BLADECENTER S CHASSIS      | 1,220          | Y              | 1              | 36                |
| 7779         |       | 0983    | US TAA COMPLIANCE INDICATOR    | 0              | N              |                | 36                |
| 7779         |       | 3174    | CISCO 3012 CATALYST SWITCH     | 2,955          | N              |                | 36                |
| 7779         |       | 3212    | NORTEL NETWORKS LAYER 2/3      | 1,813          | N              |                | 36                |
| 7779         |       | 3220    | SERVER CONNECTIVITY MODULE FBC | 1,203          | N              |                | 36                |
| 7779         |       | 3238    | SHORT WAVE SFP MODULE 4 GB     | 136            | N              |                | 36                |
| 7779         |       | 3260    | 1M SAS 4 CHANNEL CABLE         | 108            | N              |                | 36                |
| 7779         |       | 3266    | 3M SAS 4 CHANNEL CABLE         | 122            | N              |                | 36                |
| 7779         |       | 3267    | IBM BC SAS CONNECTIVITY MODULE | 906            | N              |                | 36                |
| 7779         |       | 3733    | POWER CORD (2.5 M) BC TO WALL  | 9              | N              |                | 36                |
| 7779         |       | 3747    | 300 GB 15K RPM SAS DISK DRIVE  | 724            | N              |                | 36                |
| 7779         |       | 4380    | LC LC FIBER CHANNEL CBL 5 M    | 117            | N              |                | 36                |
| 7779         |       | 4385    | LC LC FIBER CHANNEL CBL 25 M   | 171            | N              |                | 36                |
| 7779         |       | 4545    | IBM BC S 6 DISK STORAGE MODULE | 720            | N              |                | 36                |
| 7779         |       | 4558    | POWER CORD (2.5 M) TO PDU/UPS  | 17             | N              |                | 36                |
| 7779         |       | 4560    | POWER CORD (4.3 M) WALL 208V   | 44             | N              |                | 36                |
| 7779         |       | 4561    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4562    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4563    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4564    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4565    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4566    | POWER CORD (4.3 M) WALL 230V   | 44             | N              |                | 36                |
| 7779         |       | 4568    | POWER CBL (4.3 M) WALL 240V    | 17             | N              |                | 36                |
| 7779         |       | 4570    | POWER CORD (4.3 M) WALL 220V   | 17             | N              |                | 36                |
| 7779         |       | 4571    | POWER CORD (4.3 M) WALL 230V   | 17             | N              |                | 36                |
| 7779         |       | 4572    | POWER CORD (4.3 M) WALL 125V   | 17             | N              |                | 36                |
| 7779         |       | 4578    | POWER CORD (2.5 M) WALL 120V   | 9              | N              |                | 36                |
| 7779         |       | 4648    | RACK INTEGRATION SERVICES: BP  | 109            | N              |                | 36                |
| 7779         |       | 4649    | RACK INTEGRATION SERVICES      | 136            | N              |                | 36                |
| 7779         |       | 5818    | POWER CORD (4.3 M) BC 220V/16A | 44             | N              |                | 36                |
| 7779         |       | 6470    | POWER CORD (6 FOOT) WALL 125V  | 12             | N              |                | 36                |
| 7779         |       | 6471    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6472    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6473    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6474    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7779         |       | 6475    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6476    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6477    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6478    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6488    | POWER CORD (9 FOOT) WALL 125V  | 36             | N              |                | 36                |
| 7779         |       | 6493    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6494    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6496    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6651    | POWER CORD (9 FOOT) WALL 125V  | 12             | N              |                | 36                |
| 7779         |       | 6659    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7779         |       | 6680    | POWER CORD (9 FOOT) WALL 250V  | 12             | N              |                | 36                |
| 7809         | H22   |         | 7809 H22                       | 1,560          | Y              | 1              | 36                |
| 7809         |       | 3741    | 146 GB 10 000 RPM 2.5 SAS DISK | 271            | N              |                | 36                |
| 7809         |       | 3743    | 300 GB 10 000 RPM 2.5 SAS DISK | 507            | N              |                | 36                |
| 7809         |       | 4645    | INTEGRATE BLADE SERVER IN CHAS | 18             | N              |                | 36                |
| 7809         |       | 4646    | INTEGRATE BLADE SERVER IN CHAS | 22             | N              |                | 36                |
| 7809         |       | 8215    | 2GB 1333MHZ DDR3 1 GB RDIMM    | 113            | N              |                | 36                |
| 7809         |       | 8216    | 4GB 1333MHZ DDR3 1 GB RDIMM    | 213            | N              |                | 36                |
| 7809         |       | 8217    | 8GB 1066MHZ DDR3 2 GB RDIMM    | 951            | N              |                | 36                |
| 7809         |       | 8241    | QLOGIC 4 GB FIBRE CHANNEL EXPA | 679            | N              |                | 36                |
| 7809         |       | 8243    | BROADCOM 2 PORT GB ETHERNET EX | 271            | N              |                | 36                |
| 7809         |       | 8246    | 3 GB SAS PASSTHROUGH EXPANSION | 226            | N              |                | 36                |
| 7809         |       | 8257    | SERVERAID MR10IE CONTROLLER BC | 679            | N              |                | 36                |
| 7809         |       | 8271    | QLOGIC ETHERNET AND 8 GB FCE C | 996            | N              |                | 36                |
| 7809         |       | 8272    | 2 PORT QDR 40 GB/S INFINIBAND  | 1,341          | N              |                | 36                |
| 7809         |       | 8356    | 4 CORE 2.53 GHZ 1066 MHZ PROCE | 1,065          | N              |                | 36                |
| 7809         |       | 8357    | 4 CORE 2.80 GHZ 1333 MHZ PROCE | 1,564          | N              |                | 36                |
| 7863         | 10X   |         | FLEX SYSTEM X240 COMPUTE NODE  | 40             | Y              | 2              | 36                |
| 7863         |       | 1759    | CN4054 10 GB VIRTUAL FABRIC    | 886            | N              |                | 36                |
| 7863         |       | 1760    | UPGRADE KEY FOR 1759           | 620            | N              |                | 36                |
| 7863         |       | 1763    | EN2024 4-PORT 1GB ENET ADAPTR  | 560            | N              |                | 36                |
| 7863         |       | 1764    | FC3172 2-PORT 8GB FC ADAPTER   | 684            | N              |                | 36                |
| 7863         |       | 3743    | 300 GB 10 000 RPM 2.5 SAS DISK | 233            | N              |                | 36                |
| 7863         |       | 3766    | 600 GB 10 000 RPM 2.5 SAS DISK | 450            | N              |                | 36                |
| 7863         |       | 4645    | INTEGRATE BLADE SERVER         | 16             | N              |                | 36                |
| 7863         |       | 4646    | INTEGRATE ITE IN CHASSIS       | 20             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7863         |       | EB2C    | VIRTUAL FABRIC S/W UPGRADE     | 80             | N              |                | 36                |
| 7863         |       | EBK1    | BLANK 2 GB USB KEY OPTION      | 60             | N              |                | 36                |
| 7863         |       | EBK2    | USB ENABLEMENT KIT             | 55             | N              |                | 36                |
| 7863         |       | EBK3    | 2GB USB HYPERVISOR KEY         | 60             | N              |                | 36                |
| 7863         |       | EC25    | FC3052 2 PORT 8GB FC ADAPTER   | 684            | N              |                | 36                |
| 7863         |       | EC2B    | FC5022 2PORT 16GB FC ADAPTER   | 1,152          | N              |                | 36                |
| 7863         |       | EC2C    | IB6132 2PORT INFINIBAND ADAPT  | 1,772          | N              |                | 36                |
| 7863         |       | EC2D    | EN4132 2-PORT 10GB ENET ADAPT  | 886            | N              |                | 36                |
| 7863         |       | EEM1    | 32GB (2X16GB RDIMMS) MEMORY    | 643            | N              |                | 36                |
| 7863         |       | EEM3    | 8GB (2X4GB UDIMMS) MEMORY      | 143            | N              |                | 36                |
| 7863         |       | EEM4    | 8GB (2X4GB RDIMMS) MEMORY      | 159            | N              |                | 36                |
| 7863         |       | EEM5    | 8GB (2X4GB RDIMMS) MEMORY      | 185            | N              |                | 36                |
| 7863         |       | EEM6    | 32GB (2X16GB LRDIMMS) MEMORY   | 594            | N              |                | 36                |
| 7863         |       | EEM8    | 64GB (2X32GB LRDIMMS) MEMORY   | 2,255          | N              |                | 36                |
| 7863         |       | EEM9    | 16GB (2X8GB RDIMMS) MEMORY     | 304            | N              |                | 36                |
| 7863         |       | EEMC    | 8GB (2X4GB RDIMMS) MEMORY      | 185            | N              |                | 36                |
| 7863         |       | EHD1    | 146 GB 15 000 RPM 2.5 SAS DISK | 281            | N              |                | 36                |
| 7863         |       | EHD2    | 500 GB 7 200 RPM 2.5 SAS DISK  | 281            | N              |                | 36                |
| 7863         |       | EHD3    | 200 GB 2.5 SATA SSD            | 1,772          | N              |                | 36                |
| 7863         |       | EHD4    | 900 GB 10 000 RPM 2.5 SAS DISK | 668            | N              |                | 36                |
| 7863         |       | EHD5    | 300 GB 15 000 RPM 2.5 SAS DISK | 507            | N              |                | 36                |
| 7863         |       | EHD6    | 1 TB 7 200 RPM 2.5 SAS DISK    | 483            | N              |                | 36                |
| 7863         |       | EHD7    | 250 GB 7 200 RPM 2.5 SATA DISK | 225            | N              |                | 36                |
| 7863         |       | EHD8    | 500 GB 7 200 RPM 2.5 SATA DISK | 257            | N              |                | 36                |
| 7863         |       | EHD9    | 1 TB 7 200 RPM 2.5 SATA DISK   | 418            | N              |                | 36                |
| 7863         |       | EHDC    | 256 GB 2.5 SATA SSD            | 571            | N              |                | 36                |
| 7863         |       | EHDD    | 128 GB 2.5 SATA SSD            | 297            | N              |                | 36                |
| 7863         |       | EM09    | 8GB (2X4GB RDIMMS) MEMORY      | 175            | N              |                | 36                |
| 7863         |       | EM17    | 16GB (2X8GB RDIMMS) MEMORY     | 272            | N              |                | 36                |
| 7863         |       | EM33    | 32GB (2X16GB RDIMMS) MEMORY    | 530            | N              |                | 36                |
| 7863         |       | EN20    | COMPUTE NODE W/10GB VIRTUAL FA | 1,552          | N              |                | 36                |
| 7863         |       | EN21    | COMPUTE NODE W/O 10GB VIRTUAL  | 1,511          | N              |                | 36                |
| 7863         |       | EP30    | ADD. 8-CORE 2.9GHZ 20MB PROC   | 2,511          | N              |                | 36                |
| 7863         |       | EP31    | 8-CORE 2.9GHZ 20MB PROCESSOR   | 2,511          | N              |                | 36                |
| 7863         |       | EP32    | ADD. 2-CORE 3.0GHZ 5MB PROC    | 1,119          | N              |                | 36                |
| 7863         |       | EP33    | 2-CORE 3.0GHZ 5MB PROCESSOR    | 1,119          | N              |                | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 7863         |       | EP34    | ADD. 8-CORE 2.4GHZ 20MB PROC  | 1,713          | N              |                | 36                |
| 7863         |       | EP35    | 8-CORE 2.4GHZ 20MB PROCESSOR  | 1,713          | N              |                | 36                |
| 7863         |       | EP36    | ADD. 4-CORE 1.8GHZ 10MB PROC  | 281            | N              |                | 36                |
| 7863         |       | EP37    | 4-CORE 1.8GHZ 10MB PROCESSOR  | 281            | N              |                | 36                |
| 7863         |       | EP38    | ADD. 4-CORE 2.4GHZ 10MB PROC  | 391            | N              |                | 36                |
| 7863         |       | EP39    | 4-CORE 2.4GHZ 10MB PROCESSOR  | 391            | N              |                | 36                |
| 7863         |       | EP3A    | ADD. 6-CORE 2.0GHZ 15MB PROC  | 520            | N              |                | 36                |
| 7863         |       | EP3B    | 6-CORE 2.0GHZ 15MB PROCESSOR  | 520            | N              |                | 36                |
| 7863         |       | EP3C    | ADD. 8-CORE 2.2GHZ 20MB PROC  | 1,579          | N              |                | 36                |
| 7863         |       | EP3D    | 8-CORE 2.2GHZ 20MB PROCESSOR  | 1,579          | N              |                | 36                |
| 7863         |       | EP3E    | ADD. 6-CORE 2.9GHZ 15MB PROC  | 1,850          | N              |                | 36                |
| 7863         |       | EP3F    | 6-CORE 2.9GHZ 15MB PROCESSOR  | 1,850          | N              |                | 36                |
| 7863         |       | EP3G    | ADD. 4-CORE 3.3GHZ 10MB PROC  | 1,119          | N              |                | 36                |
| 7863         |       | EP3J    | ADD. 8-CORE 2.0GHZ 15MB PROC  | 1,345          | N              |                | 36                |
| 7863         |       | EP3K    | 8-CORE 2.0GHZ 20MB PROCESSOR  | 1,345          | N              |                | 36                |
| 7863         |       | EP3L    | 4-CORE 3.3GHZ 10MB PROCESSOR  | 1,119          | N              |                | 36                |
| 7863         |       | EP3M    | ADD. 6-CORE 2.0GHZ 15MB PROC  | 834            | N              |                | 36                |
| 7863         |       | EP3N    | 6-CORE 2.0GHZ 15MB PROCESSOR  | 834            | N              |                | 36                |
| 7863         |       | EP3P    | ADD. 8-CORE 1.8GHZ 20MB PROC  | 1,318          | N              |                | 36                |
| 7863         |       | EP3Q    | 8-CORE 1.8GHZ 20MB PROCESSOR  | 1,318          | N              |                | 36                |
| 7863         |       | EP3R    | ADD. 8-CORE 2.6GHZ 20MB PROC  | 1,850          | N              |                | 36                |
| 7863         |       | EP3S    | 8-CORE 2.6GHZ 20MB PROCESSOR  | 1,850          | N              |                | 36                |
| 7863         |       | EP3T    | ADD. 8 CORE 1.8GHZ 20MB PROC  | 1,463          | N              |                | 36                |
| 7863         |       | EP3U    | 8 CORE 1.8GHZ 20MB PROCESSOR  | 1,463          | N              |                | 36                |
| 7863         |       | EP3V    | ADD. 8 CORE 2.1GHZ 20MB PROC  | 1,463          | N              |                | 36                |
| 7863         |       | EP3W    | 8 CORE 2.1GHZ 20MB PROCESSOR  | 1,463          | N              |                | 36                |
| 7863         |       | EPA5    | 6-CORE 2.3 GHZ 15MB PROCESSOR | 778            | N              |                | 36                |
| 7863         |       | EPA6    | 6-CORE 2.5 GHZ 15MB PROCESSOR | 1,119          | N              |                | 36                |
| 7863         |       | EPA7    | 8-CORE 2.7 GHZ 20MB PROCESSOR | 2,051          | N              |                | 36                |
| 7863         |       | EPB5    | 6-CORE 2.3 GHZ 15MB PROCESSOR | 778            | N              |                | 36                |
| 7863         |       | EPB6    | 6-CORE 2.5 GHZ 15MB PROCESSOR | 1,119          | N              |                | 36                |
| 7863         |       | EPB7    | 8-CORE 2.7 GHZ 20MB PROCESSOR | 2,051          | N              |                | 36                |
| 7863         |       | ERF1    | RFID TAGS FOR COMPUTE NODES   | 16             | N              |                | 36                |
| 7863         |       | ESC4    | S H                           | 30             | N              |                | 36                |
| 7868         | 047   |         | RACK-MOUNTED MODEM            | 3,159          | Y              | 2              | 12                |
| 7891         | 73X   |         | BLADECENTER PS703             | 7,698          | Y              | 1              | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7891         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 36                |
| 7891         |       | 0011    | TEN CSC BILLING UNITS          | 1,370          | N              |                | 36                |
| 7891         |       | 1107    | USB 500 GB REMOVABLE DISK DR   | 238            | N              |                | 36                |
| 7891         |       | 1111    | 3M BLUE CAT5E CABLE            | 20             | N              |                | 36                |
| 7891         |       | 1113    | 25M BLUE CAT5E CABLE           | 64             | N              |                | 36                |
| 7891         |       | 1121    | CAT5E ETHERNET CBL 25M YELLOW  | 64             | N              |                | 36                |
| 7891         |       | 4539    | INTERPOSER FOR 1.8-INCH SSD    | 967            | N              |                | 36                |
| 7891         |       | 4796    | AME ENABLEMENT                 | 1,290          | N              |                | 36                |
| 7891         |       | 8144    | LINUX SW PREIN BPS             | 48             | N              |                | 36                |
| 7891         |       | 8196    | 8GB (2X4GB RDIMMS)1066MHZ      | 407            | N              |                | 36                |
| 7891         |       | 8207    | 200GB SSD                      | 3,547          | N              |                | 36                |
| 7891         |       | 8240    | EMULEX 8GB FIBRE               | 886            | N              |                | 36                |
| 7891         |       | 8241    | QLOGIC 4GB FIBR                | 604            | N              |                | 36                |
| 7891         |       | 8242    | QLOGIC 8GB FIB                 | 886            | N              |                | 36                |
| 7891         |       | 8243    | BROADCOM 2-PORT GB ETHERNET    | 241            | N              |                | 36                |
| 7891         |       | 8246    | 3GB SAS PASS                   | 200            | N              |                | 36                |
| 7891         |       | 8271    | QLOGIC 8GB FIBR                | 886            | N              |                | 36                |
| 7891         |       | 8272    | 2-PORT QDR 40 GB/S INFINIBAND  | 1,192          | N              |                | 36                |
| 7891         |       | 8274    | 300GB 10K HDD                  | 555            | N              |                | 36                |
| 7891         |       | 8275    | QLOGIC 2-PORT 10GB             | 1,208          | N              |                | 36                |
| 7891         |       | 8276    | 600GB SAS 10K HDD              | 724            | N              |                | 36                |
| 7891         |       | 8291    | BROADCOM 2/4-PORT ETHERNET     | 507            | N              |                | 36                |
| 7891         |       | 8408    | ONE PROC ENT                   | 81             | N              |                | 36                |
| 7891         |       | EM34    | 5M 10GBE CABLE SFP ACT TWINAX  | 3,626          | N              |                | 36                |
| 7891         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 278            | N              |                | 36                |
| 7891         |       | EU04    | RDX USB EXTERNAL DOCKING       | 222            | N              |                | 36                |
| 7891         |       | EU08    | RDX 320 GB REMOVABLE DISKDRIVE | 181            | N              |                | 36                |
| 7891         |       | EU15    | 1.5TB REMOVABLE DISKDRIVECARTR | 399            | N              |                | 36                |
| 7891         |       | EUC6    | CORE USE HW FEATURE            | 403            | N              |                | 36                |
| 7891         |       | EUC7    | CORE USE HW FEATURE 10         | 4,030          | N              |                | 36                |
| 7893         | 92X   |         | FLEX SYSTEM CHASSIS            | 3,013          | Y              | 2              | 36                |
| 7893         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 36                |
| 7893         |       | 0011    | TEN CSC BILLING UNITS          | 1,370          | N              |                | 36                |
| 7893         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 20             | N              |                | 36                |
| 7893         |       | 1113    | 25M BLUE CAT5E CABLE           | 51             | N              |                | 36                |
| 7893         |       | 1452    | 200V 14 FT 4.3M LINE CORD      | 31             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7893         |       | 3238    | SHORT WAVE SFP MODULE 4 GB     | 121            | N              |                | 36                |
| 7893         |       | 3249    | QDR INFINIBAND 3M QSFP CABLE   | 128            | N              |                | 36                |
| 7893         |       | 3282    | 10 GB ETHERNET 850 NM FIBER SF | 724            | N              |                | 36                |
| 7893         |       | 3286    | 8 GB SFP SHORT WAVE OPTIC TRA  | 152            | N              |                | 36                |
| 7893         |       | 3590    | REDUNDANT 2500W POWER MODUL    | 354            | N              |                | 36                |
| 7893         |       | 3591    | FC3171 8GB SAN PASS-THRU       | 4,876          | N              |                | 36                |
| 7893         |       | 3592    | CME FOR REDUNDANCY             | 754            | N              |                | 36                |
| 7893         |       | 3594    | PORT UPGRADE 1 FOR #3598       | 1,772          | N              |                | 36                |
| 7893         |       | 3595    | FC3171 8GB SAN SWITCH          | 7,979          | N              |                | 36                |
| 7893         |       | 3596    | EN4093 SWITCH UPGRADE 1        | 7,979          | N              |                | 36                |
| 7893         |       | 3597    | EN4093 SWITCH UPGRADE 2        | 7,092          | N              |                | 36                |
| 7893         |       | 3598    | EN2092 1GB ENET SCALABLE SWIT  | 1,950          | N              |                | 36                |
| 7893         |       | 3599    | PORT UPGRADE 2 FOR #3598       | 1,772          | N              |                | 36                |
| 7893         |       | 3666    | REDUNDANT 2100W POWER MODUL    | 305            | N              |                | 36                |
| 7893         |       | 3699    | IB6131 INIFINIBAND SWITCH      | 11,522         | N              |                | 36                |
| 7893         |       | 3700    | 10 GB ETHERNET PASS-THRU       | 4,029          | N              |                | 36                |
| 7893         |       | 3733    | POWER CORD 2.5 M BC TO WALL    | 8              | N              |                | 36                |
| 7893         |       | 3770    | FC5022 16GB SAN SCALABLE SWTCH | 7,979          | N              |                | 36                |
| 7893         |       | 3771    | FC5022 24-PORT 16GB ESB SAN SW | 14,185         | N              |                | 36                |
| 7893         |       | 3772    | FC5022 PORT UPGRADE 1          | 6,206          | N              |                | 36                |
| 7893         |       | 3773    | FC5022 PORT UPGRADE 2          | 10,478         | N              |                | 36                |
| 7893         |       | 4380    | LC LC FIBER CHANNEL CBL 5 M    | 104            | N              |                | 36                |
| 7893         |       | 4385    | LC LC FIBER CHANNEL CBL 25 M   | 152            | N              |                | 36                |
| 7893         |       | 4558    | POWER CORD (2.5 M) TO PDU/UPS  | 15             | N              |                | 36                |
| 7893         |       | 4560    | POWER CORD 4.3 M WALL 208V     | 39             | N              |                | 36                |
| 7893         |       | 4648    | RACK INTEGRATION SERVICES BP   | 97             | N              |                | 36                |
| 7893         |       | 4649    | RACK INTEGRATION SERVICES      | 121            | N              |                | 36                |
| 7893         |       | 5370    | BROCADE 8GB SFP TRANSCEIVER    | 222            | N              |                | 36                |
| 7893         |       | 5371    | BROCADE 16GB SFP TRANSCEIVER   | 620            | N              |                | 36                |
| 7893         |       | 7805    | ADDITIONAL (2X) ITE FANS       | 353            | N              |                | 36                |
| 7893         |       | 9036    | BASE 2100W POWER MODULE IND    | 305            | N              |                | 36                |
| 7893         |       | 9039    | BASE CME                       | 754            | N              |                | 36                |
| 7893         |       | 9059    | BASE 2500W POWER MODULE IND    | 354            | N              |                | 36                |
| 7893         |       | A2RR    | SERIAL CABLE FOR EN FCOE SW    | 23             | N              |                | 36                |
| 7893         |       | EB24    | 1M QSFP BREAK OUT CABLE        | 418            | N              |                | 36                |
| 7893         |       | EB25    | 3M QSFP BREAK OUT CABLE        | 604            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7893         |       | EB26    | 5M QSFP BREAK OUT CABLE        | 805            | N              |                | 36                |
| 7893         |       | EB27    | QSFP 40G TRANSCEIVER           | 2,337          | N              |                | 36                |
| 7893         |       | EB28    | 1M 3.3-FTPASSIVE QSFP+         | 536            | N              |                | 36                |
| 7893         |       | EB29    | BASE T SFP RJ45 TRANSCEIVER    | 241            | N              |                | 36                |
| 7893         |       | EB2A    | BASE-SX SFP TRANSCEIVER        | 225            | N              |                | 36                |
| 7893         |       | EB2B    | 3M 9.8-FTPASSIVE QSFP+         | 418            | N              |                | 36                |
| 7893         |       | EB2H    | 10M 30.3FTPASSIVE QSFP+ MTP    | 523            | N              |                | 36                |
| 7893         |       | EB2J    | 30M 90.3FTPASSIVE QSFFP+ MTP   | 136            | N              |                | 36                |
| 7893         |       | EB2K    | SFP 1000BASELX LR FIBER TRANS  | 241            | N              |                | 36                |
| 7893         |       | EB37    | BROCADE VDX SFP+ LR TRANSC     | 1,289          | N              |                | 36                |
| 7893         |       | EB38    | SFP+ TRANSCEIVER 10GBE         | 732            | N              |                | 36                |
| 7893         |       | EB3A    | 3M 10GE TWINAX ACT COPPER      | 245            | N              |                | 36                |
| 7893         |       | EB3B    | 5M 10GE TWINAX ACT COPPER      | 326            | N              |                | 36                |
| 7893         |       | EB3C    | BROCADE VDX SFP+SR OPTICAL TRA | 2,804          | N              |                | 36                |
| 7893         |       | EB3D    | 1M 10GE TWINAX ACT COPPER SFP+ | 220            | N              |                | 36                |
| 7893         |       | ECB1    | FDR INFINIBAND 3M 9 8 FT CAB   | 302            | N              |                | 36                |
| 7893         |       | ECB2    | 1.5M CAT5 ETHERNET CABLE(BLUE) | 13             | N              |                | 36                |
| 7893         |       | ECB4    | 10 GBE SFP+ DAC CABLE 1M       | 120            | N              |                | 36                |
| 7893         |       | ECB5    | 3M (9.8-FT)10 GBE SFP COPPERCB | 168            | N              |                | 36                |
| 7893         |       | ECB6    | 5M (16.4-FT) DAC SFP SWITCHCBL | 209            | N              |                | 36                |
| 7893         |       | ECB8    | SFP 1000BASELX LR FIBER TRANS  | 386            | N              |                | 36                |
| 7893         |       | ECB9    | SFP+ LR FIBER TRANSCEIVER      | 1,289          | N              |                | 36                |
| 7893         |       | EN01    | 1M 10GBE CABLE SFP+ ACT TWINAX | 165            | N              |                | 36                |
| 7893         |       | EN02    | 3M 10GBE CABLE SFP+ ACT TWINAX | 181            | N              |                | 36                |
| 7893         |       | EN03    | 5M 10GBE CABLE SFP+ ACT TWINAX | 249            | N              |                | 36                |
| 7893         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 7893         |       | ESC5    | S H A                          | 236            | N              |                | 36                |
| 7893         |       | ESU1    | CN4093 PORT UPGRADE 1          | 8,865          | N              |                | 36                |
| 7893         |       | ESU2    | CN4093 PORT UPGRADE 2          | 8,865          | N              |                | 36                |
| 7893         |       | ESW1    | IB6131SWITCH FDR UPGRADE       | 4,432          | N              |                | 36                |
| 7893         |       | ESW2    | CN4093 10GB CONVERGED SWITCH   | 16,845         | N              |                | 36                |
| 7893         |       | ESW3    | FC5022 FABRIC WATCH UPGRADE    | 2,417          | N              |                | 36                |
| 7893         |       | ESW4    | FC5022 ISL TRUNKING UPGRADE    | 4,835          | N              |                | 36                |
| 7893         |       | ESW5    | FC5022 24-PORT 16GB SAN SWITCH | 10,478         | N              |                | 36                |
| 7893         |       | ESW6    | EN6131 40GB ETHERNET SWITCH    | 28,211         | N              |                | 36                |
| 7893         |       | ESW7    | FABRIC EN4093R 10GB SWITCH     | 10,639         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7893         |       | ESW8    | FABRIC SI4093 UPGRADE 1        | 7,656          | N              |                | 36                |
| 7893         |       | ESW9    | FABRIC SI4093 UPGRADE 2        | 6,125          | N              |                | 36                |
| 7893         |       | ESWA    | FABRIC SI4093 INTERCONNECT MOD | 7,656          | N              |                | 36                |
| 7893         |       | ESWB    | CISCO NEXUS B22 FABRIC EXTENDE | 8,059          | N              |                | 36                |
| 7893         |       | ESWC    | CISCO 10GB FABRIC EXT W 16 FET | 12,896         | N              |                | 36                |
| 7893         |       | ESWD    | FLEX SYSTEM EN4023 10GB SCALAB | 11,445         | N              |                | 36                |
| 7893         |       | ESWE    | FLEX SYSTEM EN4023 10GB FOD 1  | 8,865          | N              |                | 36                |
| 7893         |       | ESWF    | FLEX SYSTEM EN4023 10GB FOD 2  | 8,865          | N              |                | 36                |
| 7895         | 23X   |         | POWER SYSTEMS 7895             | 39             | Y              | 1              | 36                |
| 7895         | 42X   |         | FLEX SYSTEM P460 COMPUTE NODE  | 80             | Y              | 1              | 36                |
| 7895         | 43X   |         | FLEX SYSTEM P460 COMPUTE NODE  | 80             | Y              | 1              | 36                |
| 7895         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 36                |
| 7895         |       | 0011    | TEN CSC BILLING UNITS          | 1,370          | N              |                | 36                |
| 7895         |       | 1107    | USB 500GB REMOVABLE DISK DRIVE | 238            | N              |                | 36                |
| 7895         |       | 1761    | IB6132 2 PORT QDR INFINIBAND   | 1,519          | N              |                | 36                |
| 7895         |       | 1762    | EN4054 4 PORT 10GB ENET ADAPT  | 684            | N              |                | 36                |
| 7895         |       | 1763    | EN2024 4 PORT 1GB ENET ADAPTR  | 560            | N              |                | 36                |
| 7895         |       | 1764    | FC3172 2 PORT 8GB FC ADAPTER   | 754            | N              |                | 36                |
| 7895         |       | 4645    | INTEGRATE FLEX SERVER CHASSIS  | 16             | N              |                | 36                |
| 7895         |       | 4646    | INTEGRATE ITE IN CHASSIS       | 20             | N              |                | 36                |
| 7895         |       | 4796    | CTIVEMEMORYEXPANSIONENABLEMEI  | 1,290          | N              |                | 36                |
| 7895         |       | 7005    | TOP COVER NO SSDSHDDS INSTALL  | 64             | N              |                | 36                |
| 7895         |       | 7065    | TOP COVER SSDS INSTALLED       | 1,065          | N              |                | 36                |
| 7895         |       | 7066    | TOP COVER HDDS INSTALLED       | 652            | N              |                | 36                |
| 7895         |       | 7067    | TOP COVER DISKLESS MODEL       | 37             | N              |                | 36                |
| 7895         |       | 7068    | TOP COVER SSDS INSTALLED       | 1,038          | N              |                | 36                |
| 7895         |       | 7069    | TOP COVER HDDS INSTALLED       | 619            | N              |                | 36                |
| 7895         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 48             | N              |                | 36                |
| 7895         |       | 8144    | LINUX SOFTWARE PREINSTALL BP   | 48             | N              |                | 36                |
| 7895         |       | 8146    | SOFTWARE PREINSTALL            | 48             | N              |                | 36                |
| 7895         |       | 8147    | SOFTWARE PREINSTALL BP ORDER   | 40             | N              |                | 36                |
| 7895         |       | 8196    | 8GB 2X4GB RDIMMS DDR3 MEMORY   | 185            | N              |                | 36                |
| 7895         |       | 8207    | 177GB 1.8 SATA SOLIDSTATEDRIVE | 3,547          | N              |                | 36                |
| 7895         |       | 8274    | 300GB SAS 10K RPM SFF HDD      | 249            | N              |                | 36                |
| 7895         |       | 8276    | 600GB SAS 10K RPM SFF HDD      | 499            | N              |                | 36                |
| 7895         |       | 8311    | 900GB SAS 10K RPM SFF HDD      | 987            | N              |                | 36                |



| Machine Type | Model | Feature | Description                      | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 7895         |       | 8491    | ONE PROCESSOR ENTITLEMENT        | 81             | N              |                | 36                |
| 7895         |       | EC23    | FLEX SYSTEM FC5052 2-PORT 16GB   | 1,152          | N              |                | 36                |
| 7895         |       | EC24    | CN4058 8-PORT 10GB CONVERGED     | 2,418          | N              |                | 36                |
| 7895         |       | EC26    | EN4132 2-PORT 10GB ROCE ADAPTR   | 1,693          | N              |                | 36                |
| 7895         |       | EC2E    | FLEX SYSTEM FC5054 4-PORT 16GB   | 1,772          | N              |                | 36                |
| 7895         |       | EEMD    | 16GB 2 X 8GB RDIMMS MEMORY       | 321            | N              |                | 36                |
| 7895         |       | EEME    | 32GB 2 X 16GB RDIMMS MEMORY      | 643            | N              |                | 36                |
| 7895         |       | EEMF    | 64GB (2 X 32GB RDIMMS) MEMORY    | 2,255          | N              |                | 36                |
| 7895         |       | EM04    | 4GB 2X2GB MEMORY DIMMS 1066      | 428            | N              |                | 36                |
| 7895         |       | EPR2    | 16CORE 3.3 GHZ POWER7 PROC       | 16,664         | N              |                | 36                |
| 7895         |       | EPR4    | 32CORE 3.2 GHZ POWER7 PROC       | 28,981         | N              |                | 36                |
| 7895         |       | EPR6    | 32CORE 3.55 GHZ POWER7 PROC      | 34,096         | N              |                | 36                |
| 7895         |       | EPRA    | 16-CORE 4.1 GHZ POWER7+ PROC     | 7,094          | N              |                | 36                |
| 7895         |       | EPRB    | 16-CORE 3.6 GHZ POWER7+ PROC     | 5,016          | N              |                | 36                |
| 7895         |       | EPRD    | 8-CORE 4.0 GHZ POWER7+ PROC      | 5,016          | N              |                | 36                |
| 7895         |       | EPRH    | 32-CORE 3.6 GHZ POWER7           | 32,655         | N              |                | 36                |
| 7895         |       | EPRJ    | 32-CORE 4.1 GHZ POWER7           | 36,995         | N              |                | 36                |
| 7895         |       | EPRK    | 16-CORE 4.0 GHZ POWER7           | 19,157         | N              |                | 36                |
| 7895         |       | ERF1    | RFID TAGS FOR SERVERS COMPUTE    | 16             | N              |                | 36                |
| 7895         |       | ESC4    | S H                              | 30             | N              |                | 36                |
| 7895         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE     | 278            | N              |                | 36                |
| 7895         |       | EU04    | RDX USB EXTERNAL DOCKING         | 222            | N              |                | 36                |
| 7895         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV   | 181            | N              |                | 36                |
| 7895         |       | EU15    | 1.5TB REMOVABLE DISKDRIVECARTR   | 399            | N              |                | 36                |
| 7895         |       | EUC6    | CORE USE HW FEATURE              | 403            | N              |                | 36                |
| 7895         |       | EUC7    | COREUSE HW FEATURE10             | 4,030          | N              |                | 36                |
| 7953         | 94X   |         | 42U SLIM RACK                    | 1,450          | Y              | 2              | 36                |
| 7953         |       | 6489    | 4.3M (14 FT) 3PH 24A 380 415V    | 375            | N              |                | 36                |
| 7953         |       | 6491    | 4.3M (14 FT) 1PH 48A PWRCRD 2    | 322            | N              |                | 36                |
| 7953         |       | 6492    | 4.3M (14 FT) 1PH 48 60A 200 2    | 322            | N              |                | 36                |
| 7953         |       | 7109    | IINTELLIGENT PDU 1 EIA UNIT      | 1,173          | N              |                | 36                |
| 7953         |       | 7188    | POWER DISTRIBUTION UNIT          | 806            | N              |                | 36                |
| 7953         |       | 7189    | POWDISTRIBUTUNIT WW UTG0247CONN  | 967            | N              |                | 36                |
| 7953         |       | 7196    | POWDISTRIBUTUNIT US FIXED POWCRD | 1,209          | N              |                | 36                |
| 7953         |       | EC01    | RACK FRONT DOOR BLACK            | 322            | N              |                | 36                |
| 7953         |       | EC02    | RACK REAR DOOR                   | 322            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7953         |       | EC03    | RACK SIDE COVER                | 403            | N              |                | 36                |
| 7953         |       | EC04    | RACK SUITE ATTACHMENT KIT      | 145            | N              |                | 36                |
| 7953         |       | EC11    | OEM RACK FRONT DOOR (BLACK)    | 443            | N              |                | 36                |
| 7953         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 7953         |       | ESC1    | RACK S H A                     | 322            | N              |                | 36                |
| 7955         | 01M   |         | FLEX SYSTEM MANAGER            | 3,838          | Y              | 2              | 36                |
| 7955         |       | 1771    | 200 GB SOLID STATE DRIVE       | 1,772          | N              |                | 36                |
| 7955         |       | 3767    | 1TB 7.2K RPM 2.5 SATA DISK     | 483            | N              |                | 36                |
| 7955         |       | 4645    | INTEGRATE BLADE SERVER         | 16             | N              |                | 36                |
| 7955         |       | 4646    | INTEGRATE ITE IN CHASSIS       | 20             | N              |                | 36                |
| 7955         |       | EM09    | 8GB 2X4GB RDIMMS MEMORY        | 169            | N              |                | 36                |
| 7955         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 7955         |       | ESC3    | S H                            | 237            | N              |                | 36                |
| 7988         |       | 4645    | INTEGRBLADE SERVER INCHASS(BP) | 18             | N              |                | 36                |
| 7988         |       | 4646    | INTEGRBLADE SERVER INCHASSIS   | 22             | N              |                | 36                |
| 7988         |       | 5405    | ADVPOWERVIRT FOR 4-CORE CONFIG | 72             | N              |                | 36                |
| 7988         |       | 5407    | ADVPOWERVIRT FOR 2-CORE CONFIG | 144            | N              |                | 36                |
| 7988         |       | 8146    | SOFTWARE PREINSTALL            | 54             | N              |                | 36                |
| 7988         |       | 8147    | SW PREINSTALL BP ORDER         | 45             | N              |                | 36                |
| 7989         | BCH   |         | IBM BLADECENTER H CHASSIS      | 3,310          | Y              | 2              | 36                |
| 7989         |       | 3194    | UPGRADE FOR IBM BLADECENTER    | 5,440          | N              |                | 36                |
| 7989         |       | 3199    | QLOGIC FABRIC MGR SUPPORT      | 1,994          | N              |                | 36                |
| 7989         |       | 3201    | BC KVM/ADVANCED MNG MODULE     | 770            | N              |                | 36                |
| 7989         |       | 3212    | NORTEL NETWORKS LAYER 2/3 COPP | 1,813          | N              |                | 36                |
| 7989         |       | 3220    | SERVER CONNECTIVITY MOD FOR BC | 1,203          | N              |                | 36                |
| 7989         |       | 3238    | SHORT WAVE SFP MODULE 4 GB     | 136            | N              |                | 36                |
| 7989         |       | 3239    | MULTI-SWITCH INTERCONNECT MOD  | 1,241          | N              |                | 36                |
| 7989         |       | 3248    | BNT 10 PORT 10 GB ETHERNET SWI | 10,155         | N              |                | 36                |
| 7989         |       | 3260    | 1M SAS 4 CHANNEL CABLE         | 108            | N              |                | 36                |
| 7989         |       | 3266    | 3M SAS 4 CHANNEL CABLE         | 122            | N              |                | 36                |
| 7989         |       | 3267    | IBM BC SAS CONNECTIVITY MODULE | 906            | N              |                | 36                |
| 7989         |       | 3286    | 8GB SFP+ SHORT WAVE OPTIC      | 171            | N              |                | 36                |
| 7989         |       | 3632    | WIDESCREEN LCD MONITOR         | 990            | N              |                | 36                |
| 7989         |       | 4154    | ULTRASLIM ENH SATA DVD RAM     | 180            | N              |                | 36                |
| 7989         |       | 4242    | 6-FOOT EXTENDER CABLE FOR DISP | 82             | N              |                | 36                |
| 7989         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 41             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7989         |       | 4380    | LC LC FIBER CHANNEL CBL 5 M    | 117            | N              |                | 36                |
| 7989         |       | 4385    | LC LC FIBER CHANNEL CBL 25 M   | 171            | N              |                | 36                |
| 7989         |       | 4648    | RACK INTEGR SERV: BP ONLY      | 109            | N              |                | 36                |
| 7989         |       | 4649    | RACK INTEGRATION SERVICES      | 136            | N              |                | 36                |
| 7989         |       | 6673    | PWRCORD-BC CHASSIS TO PDU      | 81             | N              |                | 36                |
| 7989         |       | 6674    | 4.3M 200-240V 2X NEMA L6-30P   | 131            | N              |                | 36                |
| 7989         |       | 6675    | 4.3M 200-240V 2X KSC3805 30A   | 204            | N              |                | 36                |
| 7989         |       | 6676    | 4.3M 200-240V 1X IEC309 32A    | 204            | N              |                | 36                |
| 7989         |       | 6677    | 4.3M 200-240V 1X AS/NZS 3112   | 198            | N              |                | 36                |
| 7989         |       | EUC6    | CORE USE HW FEATURE            | 453            | N              |                | 36                |
| 7998         |       | 4645    | INTEGRATE BLADE SERVER         | 18             | N              |                | 36                |
| 7998         |       | 4646    | INTEGRATE BLADE SERVER         | 22             | N              |                | 36                |
| 7998         |       | 5649    | ADVANCED POWER VIRTUALIZATION  | 0              | N              |                | 36                |
| 7998         |       | 8146    | SOFTWARE PREINSTALL            | 54             | N              |                | 36                |
| 7998         |       | 8147    | SOFTWARE PREINSTALL BP ORDER   | 45             | N              |                | 36                |
| 7998         |       | 8291    | BROADCOM 2/4 PORT ETH EXP      | 570            | N              |                | 36                |
| 7998         |       | 8401    | ONE PROCESSOR ENTITLEMENT      | 91             | N              |                | 36                |
| 7998         |       | 8444    | ONE PROC. ENTITLEMENT FOR PROC | 91             | N              |                | 36                |
| 8202         | E4C   |         | POWER 720                      | 285            | Y              | 2              | 36                |
| 8202         | E4D   |         | POWER 720                      | 285            | Y              | 2              | 36                |
| 8202         |       | 0010    | ONE CSC BILLING UNIT           | 143            | N              |                | 36                |
| 8202         |       | 0011    | TEN CSC BILLING UITS           | 1,439          | N              |                | 36                |
| 8202         |       | 0348    | V.24/EIA232 6.1M (20 FT) PCI C | 105            | N              |                | 36                |
| 8202         |       | 0353    | V.35 6.1M (20 FT) PCI CABLE    | 105            | N              |                | 36                |
| 8202         |       | 0359    | X.21 6.1M (20 FT) PCI CABLE    | 313            | N              |                | 36                |
| 8202         |       | 0456    | CUSTOMER SPECIFIED PLACEMENT   | 339            | N              |                | 36                |
| 8202         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,237          | N              |                | 36                |
| 8202         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 3,034          | N              |                | 36                |
| 8202         |       | 0599    | RACK FILLER PANEL KIT          | 62             | N              |                | 36                |
| 8202         |       | 1025    | MODEM CABLE US/CANADA          | 10             | N              |                | 36                |
| 8202         |       | 1107    | USB 500 GB REMOVABLE DISK DRIV | 249            | N              |                | 36                |
| 8202         |       | 1111    | 3M BLUE CAT5E CABLE            | 21             | N              |                | 36                |
| 8202         |       | 1112    | 10M BLUE CAT5E CABLE           | 37             | N              |                | 36                |
| 8202         |       | 1113    | 25M BLUE CAT5E CABLE           | 67             | N              |                | 36                |
| 8202         |       | 1459    | 200V (6 FT) 1.8M UPPER LOCKING | 167            | N              |                | 36                |
| 8202         |       | 1737    | 856GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 1738    | 856GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8202         |       | 1751    | 900GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |
| 8202         |       | 1752    | 900GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8202         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8202         |       | 1817    | QUANTITY 150 OF 1962           | 152,343        | N              |                | 36                |
| 8202         |       | 1818    | QUANTITY 150 OF 1964           | 152,343        | N              |                | 36                |
| 8202         |       | 1824    | QUAD PORT 1 GB HEA DAUGHTER CA | 254            | N              |                | 36                |
| 8202         |       | 1825    | DUAL PORT 10 GB HEA DAUGHFIBER | 1,481          | N              |                | 36                |
| 8202         |       | 1826    | DUAL PORT 10 GB HEA DAUGCOPPER | 296            | N              |                | 36                |
| 8202         |       | 1827    | SYSTEM PORT/UPS CONVERSION CAB | 80             | N              |                | 36                |
| 8202         |       | 1828    | 1.5 METER 12X TO 4X CHANNEL    | 254            | N              |                | 36                |
| 8202         |       | 1841    | 3 METER 12X TO 4X CHANNEL      | 317            | N              |                | 36                |
| 8202         |       | 1844    | QUANTITY 150 OF 1956           | 101,308        | N              |                | 36                |
| 8202         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 508            | N              |                | 36                |
| 8202         |       | 1861    | 0.6 METER 12X DDR CABLE        | 296            | N              |                | 36                |
| 8202         |       | 1862    | 1.5 METER 12X DDR CABLE        | 339            | N              |                | 36                |
| 8202         |       | 1864    | 8.0 METER 12X DDR CABLE        | 614            | N              |                | 36                |
| 8202         |       | 1865    | 3.0 METER 12X DDR CABLE        | 402            | N              |                | 36                |
| 8202         |       | 1866    | QUANTITY 150 OF 1917           | 63,222         | N              |                | 36                |
| 8202         |       | 1868    | QUANTITY 150 OF 1947           | 63,222         | N              |                | 36                |
| 8202         |       | 1869    | QUANTITY 150 OF 1925           | 101,308        | N              |                | 36                |
| 8202         |       | 1879    | 283GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8202         |       | 1880    | 300GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8202         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 675            | N              |                | 36                |
| 8202         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 421            | N              |                | 36                |
| 8202         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 421            | N              |                | 36                |
| 8202         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 675            | N              |                | 36                |
| 8202         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8202         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8202         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |
| 8202         |       | 1927    | QUANTITY 150 OF 1948           | 120,605        | N              |                | 36                |
| 8202         |       | 1929    | QUANTITY 150 OF 1953           | 120,605        | N              |                | 36                |
| 8202         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8202         |       | 1948    | 283GB 15K RPM SAS SFF 2 DISK   | 804            | N              |                | 36                |
| 8202         |       | 1953    | 300GB 15K RPM SAS SFF 2 DISK   | 804            | N              |                | 36                |
| 8202         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8202         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8202         |       | 1996    | 177GB SSD MODULE WITH EMLC     | 3,724          | N              |                | 36                |
| 8202         |       | 2053    | PCIE LP RAID SSD SAS ADAPTER 3 | 2,584          | N              |                | 36                |
| 8202         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,584          | N              |                | 36                |
| 8202         |       | 2456    | 2M LC SC 50 MICRON FIBER CONVE | 70             | N              |                | 36                |
| 8202         |       | 2459    | 2M LC SC 62.5 MICRON FIBER CON | 70             | N              |                | 36                |
| 8202         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 127            | N              |                | 36                |
| 8202         |       | 2893    | PCIE 2-LINE WAN W/MODEM        | 490            | N              |                | 36                |
| 8202         |       | 2934    | 3M ASYNCHRONOUS TERMINAL/PRINT | 31             | N              |                | 36                |
| 8202         |       | 2936    | ASYNCHRONOUS CABLE EIA 232/V.2 | 51             | N              |                | 36                |
| 8202         |       | 3124    | SERIAL TO SERIAL PORT CABLE FO | 56             | N              |                | 36                |
| 8202         |       | 3125    | SERIAL TO SERIAL PORT CABLE FO | 56             | N              |                | 36                |
| 8202         |       | 3287    | 1M QDR IB ENET COPPER CABLE    | 438            | N              |                | 36                |
| 8202         |       | 3288    | 3M QDR IB ENET COPPER CABLE    | 549            | N              |                | 36                |
| 8202         |       | 3289    | 5M QDR IB ENET COPPER CABLE    | 592            | N              |                | 36                |
| 8202         |       | 3290    | 10M QDR IB OPTIC CABLE         | 635            | N              |                | 36                |
| 8202         |       | 3293    | 30M QDR IB OPTIC CABLE         | 762            | N              |                | 36                |
| 8202         |       | 3450    | SAS YO CABLE 1.5M HD 6GB ADA   | 203            | N              |                | 36                |
| 8202         |       | 3451    | SAS YO CABLE 3M HD 6GB ADAPT   | 254            | N              |                | 36                |
| 8202         |       | 3452    | SAS YO CABLE 6M HD 6GB ADAPT   | 381            | N              |                | 36                |
| 8202         |       | 3453    | SAS YO CABLE 10M HD 6GB ADAP   | 571            | N              |                | 36                |
| 8202         |       | 3454    | SAS X CABLE 3M HD 6GB 2 ADAP   | 381            | N              |                | 36                |
| 8202         |       | 3455    | SAS X CABLE 6M HD 6GB 2 ADAP   | 635            | N              |                | 36                |
| 8202         |       | 3456    | SAS X CABLE 10M HD 6GB 2 ADA   | 1,058          | N              |                | 36                |
| 8202         |       | 3457    | SAS YO CABLE 15M HD 3GB ADAP   | 1,058          | N              |                | 36                |
| 8202         |       | 3458    | SAS X CABLE 15M HD 3GB 2 ADA   | 2,031          | N              |                | 36                |
| 8202         |       | 3632    | WIDESCREEN LCD MONITOR         | 845            | N              |                | 36                |
| 8202         |       | 3652    | SAS CABLE (EE) DRAWER TO D 1M  | 42             | N              |                | 36                |
| 8202         |       | 3653    | SAS CABLE (EE) DRAWER TO D 3M  | 58             | N              |                | 36                |
| 8202         |       | 3654    | SAS CABLE (EE) DRAWER TO D 6M  | 101            | N              |                | 36                |
| 8202         |       | 3656    | SAS SFF CABLE                  | 33             | N              |                | 36                |
| 8202         |       | 3661    | SAS CABLE (X) ADAPTER SAS 3M   | 127            | N              |                | 36                |
| 8202         |       | 3662    | SAS CABLE (X) ADAPTER SAS 6M   | 254            | N              |                | 36                |
| 8202         |       | 3663    | SAS CABLE (X) ADAPTER SAS 15M  | 517            | N              |                | 36                |
| 8202         |       | 3675    | SAS EX CABLE 3M - DRW TO DRW   | 145            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 3680    | SAS EX CABLE 6M - DRW TO DRW   | 258            | N              |                | 36                |
| 8202         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR    | 63             | N              |                | 36                |
| 8202         |       | 3684    | SAS CABLE (AE) ADAPTER TO E 3M | 127            | N              |                | 36                |
| 8202         |       | 3685    | SAS CABLE (AE) ADAPTER TO E 6M | 254            | N              |                | 36                |
| 8202         |       | 3687    | SAS CABLE (YI) S TO SAS 3M     | 93             | N              |                | 36                |
| 8202         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 76             | N              |                | 36                |
| 8202         |       | 3689    | SAS AT CABLE 0.6M HD 6GB ADA   | 101            | N              |                | 36                |
| 8202         |       | 3691    | SAS CABLE (YO) ADAPTER 1.5M    | 76             | N              |                | 36                |
| 8202         |       | 3692    | SAS CABLE (YO) ADAPTER 3M      | 93             | N              |                | 36                |
| 8202         |       | 3693    | SAS CABLE (YO) ADAPTER 6M      | 127            | N              |                | 36                |
| 8202         |       | 3694    | SAS CABLE (YO) ADAPTER 15M     | 446            | N              |                | 36                |
| 8202         |       | 3925    | 0.3M SERIAL PORT CONVERTER CAB | 17             | N              |                | 36                |
| 8202         |       | 3927    | SERIAL PORT NULL MODEM 3.7.M   | 56             | N              |                | 36                |
| 8202         |       | 3928    | SERIAL PORT NULL MODEM 10M     | 56             | N              |                | 36                |
| 8202         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 11             | N              |                | 36                |
| 8202         |       | 4242    | 1.8 M (6 FT) EXTENDER CABLE    | 70             | N              |                | 36                |
| 8202         |       | 4256    | EXTENDER CABLE USB KEYBOARDS   | 35             | N              |                | 36                |
| 8202         |       | 4276    | VGA TO DVI CONNECTION CONVERT  | 6              | N              |                | 36                |
| 8202         |       | 4526    | 8GB (2X4GB) MEMORY DIMMS 1066  | 901            | N              |                | 36                |
| 8202         |       | 4529    | 16GB (2X8GB) MEMORY DIMMS 106  | 1,803          | N              |                | 36                |
| 8202         |       | 4793    | POWER ACTIVE MEMORY EXPANSION  | 1,777          | N              |                | 36                |
| 8202         |       | 4807    | PCIE CRYPTO COPROCESSOR NO BSC | 9,310          | N              |                | 36                |
| 8202         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 9,310          | N              |                | 36                |
| 8202         |       | 5260    | PCIE2 LP 4-PORT 1GBE ADAPTR    | 254            | N              |                | 36                |
| 8202         |       | 5269    | PCIE LP POWER GXT145 GRAPHICS  | 489            | N              |                | 36                |
| 8202         |       | 5270    | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,962          | N              |                | 36                |
| 8202         |       | 5271    | PCIE LP 4 PORT 10/100/1000 BAS | 702            | N              |                | 36                |
| 8202         |       | 5273    | PCIE LP 8GB 2 PORT FIBRE CHANN | 2,961          | N              |                | 36                |
| 8202         |       | 5274    | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,118          | N              |                | 36                |
| 8202         |       | 5275    | PCIE LP 10GBE SR 1 PORT ADAPT  | 2,962          | N              |                | 36                |
| 8202         |       | 5276    | PCIE LP 4GB 2 PORT FIBRE CHANN | 2,115          | N              |                | 36                |
| 8202         |       | 5277    | PCIE LP 4 PORT ASYNC EIA 232   | 591            | N              |                | 36                |
| 8202         |       | 5278    | PCIE LP 2X4 PORT SAS ADAPTER   | 634            | N              |                | 36                |
| 8202         |       | 5279    | PCIE2 4PORT 10GBE1GBE SFP LP   | 2,115          | N              |                | 36                |
| 8202         |       | 5280    | PCIE2 4 PORT 10GBE1GBE SR LP   | 2,961          | N              |                | 36                |
| 8202         |       | 5283    | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 5284    | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539          | N              |                | 36                |
| 8202         |       | 5285    | PCIE 2 PORT 4X IB QDR ADAPT    | 846            | N              |                | 36                |
| 8202         |       | 5286    | PCIE2 LP 2 PORT 10GBE SFP+     | 1,354          | N              |                | 36                |
| 8202         |       | 5287    | PCIE2 2 PORT 10GBE SR ADAPTER  | 2,539          | N              |                | 36                |
| 8202         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP    | 1,354          | N              |                | 36                |
| 8202         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 167            | N              |                | 36                |
| 8202         |       | 5290    | PCIE LP 2 PORT ASYNC EIA 232 A | 167            | N              |                | 36                |
| 8202         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 36                |
| 8202         |       | 5532    | SYSTEM PWR SUP -1925W          | 339            | N              |                | 36                |
| 8202         |       | 5603    | SYSTEM AC POWER SUPPLY 1725 W  | 339            | N              |                | 36                |
| 8202         |       | 5604    | MEMORY RISER CARD              | 677            | N              |                | 36                |
| 8202         |       | 5615    | GX++ DUAL PORT 12X CHANNEL ATT | 1,481          | N              |                | 36                |
| 8202         |       | 5618    | STORAGE BACKPLANE 6 SFF BAYS   | 676            | N              |                | 36                |
| 8202         |       | 5619    | 80/160GB DAT160 SAS TAPE DRIVE | 1,546          | N              |                | 36                |
| 8202         |       | 5630    | STORAGE BACKPLANE 8 SFF BAYS/1 | 1,523          | N              |                | 36                |
| 8202         |       | 5631    | SPLIT DRIVE BAY CAPABILITY5618 | 676            | N              |                | 36                |
| 8202         |       | 5638    | 1.5TB/3.0TB LTO 5 SAS TAPE DR  | 3,385          | N              |                | 36                |
| 8202         |       | 5685    | PCIE RISER CARD (GEN2)         | 1,693          | N              |                | 36                |
| 8202         |       | 5706    | IBM 2 PORT 10/100/1000 BASE TX | 639            | N              |                | 36                |
| 8202         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962          | N              |                | 36                |
| 8202         |       | 5713    | 1 GIGABIT ISCSI TOE PCI X      | 762            | N              |                | 36                |
| 8202         |       | 5717    | 4 PORT 10/100/1000 B TX EXPR A | 702            | N              |                | 36                |
| 8202         |       | 5729    | PCIE2 8GB 4PORT FIBRE CHANN    | 5,078          | N              |                | 36                |
| 8202         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961          | N              |                | 36                |
| 8202         |       | 5736    | PCI X DDR DUAL CHANNEL ULTRA32 | 497            | N              |                | 36                |
| 8202         |       | 5740    | 4 PORT 10/100/1000 B TX X ADAP | 702            | N              |                | 36                |
| 8202         |       | 5744    | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 2,961          | N              |                | 36                |
| 8202         |       | 5745    | PCIE2 4 PORT 10GBE GBE SFP COP | 2,115          | N              |                | 36                |
| 8202         |       | 5747    | IBM LTO ULTRIUM 4 800 GB DATA  | 508            | N              |                | 36                |
| 8202         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 319            | N              |                | 36                |
| 8202         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)   | 2,115          | N              |                | 36                |
| 8202         |       | 5759    | 4 GB DUAL PORT FIBRE CHANNEL P | 2,115          | N              |                | 36                |
| 8202         |       | 5767    | 2 PORT 10/100/1000 BASE TX ETH | 446            | N              |                | 36                |
| 8202         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,118          | N              |                | 36                |
| 8202         |       | 5769    | 10 GIGABIT ETHERNET SR PCI     | 2,962          | N              |                | 36                |
| 8202         |       | 5771    | SATA SLIMLINE DVD RAM DRIVE    | 253            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 5772    | 10 GIGABIT ETHERNET LR PCI     | 4,013          | N              |                | 36                |
| 8202         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115          | N              |                | 36                |
| 8202         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 591            | N              |                | 36                |
| 8202         |       | 5802    | 12X I/O DRAWER PCIE SFF DISK   | 10,147         | N              |                | 36                |
| 8202         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB   | 1,861          | N              |                | 36                |
| 8202         |       | 5877    | 12X I/O DRAWER PCIE NO DISK    | 9,216          | N              |                | 36                |
| 8202         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 4,570          | N              |                | 36                |
| 8202         |       | 5888    | EXP30 ULTRA SSD I/O DRAWER     | 20,736         | N              |                | 36                |
| 8202         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 254            | N              |                | 36                |
| 8202         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 634            | N              |                | 36                |
| 8202         |       | 5908    | PCI X DDR 1.5GB CACHE SAS      | 7,194          | N              |                | 36                |
| 8202         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTE   | 698            | N              |                | 36                |
| 8202         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 6,348          | N              |                | 36                |
| 8202         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT   | 190            | N              |                | 36                |
| 8202         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT   | 317            | N              |                | 36                |
| 8202         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA   | 148            | N              |                | 36                |
| 8202         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT   | 85             | N              |                | 36                |
| 8202         |       | 5926    | SAS EX CABLE 1.5M - DRW TO DRW | 129            | N              |                | 36                |
| 8202         |       | 5963    | FULL WIDTH KEYBOARD USB CANADI | 70             | N              |                | 36                |
| 8202         |       | 6006    | POWER CONTROL CABLE SPCN3 MET  | 33             | N              |                | 36                |
| 8202         |       | 6007    | POWER CONTROL CABLE SPCN15MET  | 67             | N              |                | 36                |
| 8202         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 287            | N              |                | 36                |
| 8202         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 352            | N              |                | 36                |
| 8202         |       | 6248    | 1.8M RACK ACOUSTIC DOORS       | 2,972          | N              |                | 36                |
| 8202         |       | 6249    | 2.0M RACK ACOUSTIC DOORS       | 2,972          | N              |                | 36                |
| 8202         |       | 6263    | 1.8M RACK TRIM KIT             | 338            | N              |                | 36                |
| 8202         |       | 6272    | 2.0M RACK TRIM KIT             | 338            | N              |                | 36                |
| 8202         |       | 6458    | POWER CABLE DRAWER TO IBM P    | 11             | N              |                | 36                |
| 8202         |       | 6460    | POWER CORD 4.3M (14 FT) DRAWE  | 11             | N              |                | 36                |
| 8202         |       | 6469    | POWER CORD 4.3M (14 FOOT) DRA  | 11             | N              |                | 36                |
| 8202         |       | 6470    | POWER CORD 1.8M(6 FOOT) TO WA  | 11             | N              |                | 36                |
| 8202         |       | 6471    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6472    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6473    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6474    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6475    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 6476    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6477    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6478    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6488    | POWER CORD 2.7M (9 FOOT)       | 33             | N              |                | 36                |
| 8202         |       | 6489    | 4.3M (14 FT) 3PH/24A POWER COR | 233            | N              |                | 36                |
| 8202         |       | 6491    | 4.3M (14 FT) 1PH/48A PWR CORD  | 255            | N              |                | 36                |
| 8202         |       | 6492    | 4.3M (14 FT) 1PH/48 60A PWR CO | 255            | N              |                | 36                |
| 8202         |       | 6493    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6494    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6496    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 11             | N              |                | 36                |
| 8202         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 115            | N              |                | 36                |
| 8202         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 159            | N              |                | 36                |
| 8202         |       | 6651    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6654    | 4.3M (14 FT) 1PH/24 30A PWR CO | 153            | N              |                | 36                |
| 8202         |       | 6655    | 4.3M (14 FT) 1PH/24 30A WR PWR | 339            | N              |                | 36                |
| 8202         |       | 6656    | 4.3M (14 FT)1PH/24A POWER CORD | 153            | N              |                | 36                |
| 8202         |       | 6659    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6660    | POWER CORD (14 FOOT) DRAWER T  | 11             | N              |                | 36                |
| 8202         |       | 6665    | POWER CORD 3 M (10 FT) DRAWER  | 11             | N              |                | 36                |
| 8202         |       | 6669    | POWER CORD 4.3M (14 FOOT)      | 11             | N              |                | 36                |
| 8202         |       | 6671    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6672    | POWER CORD 1.5M (5 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 6680    | POWER CORD 2.7M (9 FOOT)       | 11             | N              |                | 36                |
| 8202         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 930            | N              |                | 36                |
| 8202         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 237            | N              |                | 36                |
| 8202         |       | 7134    | IBM RACK MOUNT DRAWER BEZEL    | 85             | N              |                | 36                |
| 8202         |       | 7135    | OEM RACK MOUNT DRAWER BEZEL    | 85             | N              |                | 36                |
| 8202         |       | 7145    | IBM/OEM RACK MOUNT DRAWER RAIL | 168            | N              |                | 36                |
| 8202         |       | 7188    | POWER DISTRIBUTION UNIT        | 640            | N              |                | 36                |
| 8202         |       | 7567    | IBM TOWER COVER SET            | 253            | N              |                | 36                |
| 8202         |       | 7568    | OEM TOWER COVER SET            | 253            | N              |                | 36                |
| 8202         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 21             | N              |                | 36                |
| 8202         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 50             | N              |                | 36                |
| 8202         |       | 8144    | LINUX SOFTWARE PREINSTALL BP   | 50             | N              |                | 36                |
| 8202         |       | 8360    | ONE PROCESSOR ACTIVATION FOR P | 491            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | 8361    | ONE PROCESSOR ACTIVATION FOR P | 791            | N              |                | 36                |
| 8202         |       | 8362    | ONE PROCESSOR ACTIVATION FOR P | 1,735          | N              |                | 36                |
| 8202         |       | 8845    | USB MOUSE                      | 25             | N              |                | 36                |
| 8202         |       | 9055    | 2 PORT 10 100 1000 BASE TX ETH | 254            | N              |                | 36                |
| 8202         |       | EB34    | I 6.1.1 NATIVE I/O ENABLEM     | 846            | N              |                | 36                |
| 8202         |       | EC27    | PCIE2 LP 2 PORT 10GBE ROCE SFP | 846            | N              |                | 36                |
| 8202         |       | EC28    | PCIE2 2 PORT 10GBE ROCE SFP A  | 846            | N              |                | 36                |
| 8202         |       | EC29    | PCIE2 LP 2 PORT 10GBE ROCE SR  | 1,481          | N              |                | 36                |
| 8202         |       | EC30    | PCIE2 2 PORT 10GBE ROCE SR ADA | 1,481          | N              |                | 36                |
| 8202         |       | ECB0    | 0.6M BLUE CAT5 ETHERNET CABLE  | 10             | N              |                | 36                |
| 8202         |       | ECB2    | 1.5M BLUE CAT5 ETHERNET CABLE  | 14             | N              |                | 36                |
| 8202         |       | EDR1    | EXP30 ULTRA SSD I/O DRAWER     | 20,736         | N              |                | 36                |
| 8202         |       | EJ01    | STORAGE B P 8 SFF RAID IOA     | 1,523          | N              |                | 36                |
| 8202         |       | EJ02    | SPLIT DRIVE CAPABILITY 5618    | 676            | N              |                | 36                |
| 8202         |       | EJ03    | GX 2 PORT PCIE2 X8 ADAPTER     | 1,693          | N              |                | 36                |
| 8202         |       | EJ04    | GX DUAL-PORT 12X CHAN ATTACH   | 1,481          | N              |                | 36                |
| 8202         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8202         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8202         |       | EM01    | MEMORY RISER CARD              | 677            | N              |                | 36                |
| 8202         |       | EM04    | 4GB 2X2GB MEMORY DIMMS 1066    | 449            | N              |                | 36                |
| 8202         |       | EM08    | 8GB 2X4GB MEMORY DIMMS 1066    | 540            | N              |                | 36                |
| 8202         |       | EM16    | 16GB 2X8GB MEMORY DIMMS 1066   | 1,081          | N              |                | 36                |
| 8202         |       | EM32    | 32GB 2X16GB MEMORYDIMMS1066    | 3,244          | N              |                | 36                |
| 8202         |       | EM4B    | 16GB (2X8GB) MEMORY DIMMS 1066 | 719            | N              |                | 36                |
| 8202         |       | EM4C    | 32GB (2X16GB) MEM DIMMS 1066   | 1,439          | N              |                | 36                |
| 8202         |       | EM4D    | 64GB (2X32GB) MEM DIMMS 1066   | 5,417          | N              |                | 36                |
| 8202         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX  | 85             | N              |                | 36                |
| 8202         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX  | 101            | N              |                | 36                |
| 8202         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX  | 127            | N              |                | 36                |
| 8202         |       | EN05    | PCIE X8 CABLE 1.5M             | 254            | N              |                | 36                |
| 8202         |       | EN07    | PCIE X8 CABLE 3M               | 287            | N              |                | 36                |
| 8202         |       | EN0A    | PCIE2 16GB 2-PORT FIBRE CHANNE | 3,809          | N              |                | 36                |
| 8202         |       | EN0B    | PCIE2 LP 16GB 2-PORT FIBRE CHA | 3,809          | N              |                | 36                |
| 8202         |       | EN0H    | PICE2 4-PORT 10GB FCOE & 1GBE  | 2,962          | N              |                | 36                |
| 8202         |       | EN0J    | PCIE2 LP 4-PORT 10GB FCOE & 1G | 2,962          | N              |                | 36                |
| 8202         |       | EN0Y    | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078          | N              |                | 36                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | EPC5    | 4 CORE 3.0 GHZ PROC MODULE    | 635            | N              |                | 36                |
| 8202         |       | EPC6    | 6 CORE 3.0 GHZ PROC MODULE    | 1,016          | N              |                | 36                |
| 8202         |       | EPC7    | 8 CORE 3.0 GHZ PROC MODULE    | 2,374          | N              |                | 36                |
| 8202         |       | EPCL    | 6-CORE 3.6 GHZ PROC. MODULE   | 1,108          | N              |                | 36                |
| 8202         |       | EPCM    | 8-CORE 3.6 GHZ PROC. MODULE   | 2,454          | N              |                | 36                |
| 8202         |       | EPD5    | ONE PROCESSOR ACTIV FOR EPC5  | 491            | N              |                | 36                |
| 8202         |       | EPD6    | ONE PROCESSOR ACTIV FOR EPC6  | 791            | N              |                | 36                |
| 8202         |       | EPD7    | ONE PROCESSOR ACTIV FOR EPC7  | 1,735          | N              |                | 36                |
| 8202         |       | EPDK    | ONE PROCESSOR ACTIV FOR EPCK  | 550            | N              |                | 36                |
| 8202         |       | EPDL    | ONE PROCESSOR ACTIV FOR EPCL  | 884            | N              |                | 36                |
| 8202         |       | EPDM    | ONE PROCESSOR ACTIV FOR EPCM  | 1,811          | N              |                | 36                |
| 8202         |       | EQ02    | QUANTITY 150 OF 3452 SAS CABL | 57,128         | N              |                | 36                |
| 8202         |       | EQ03    | QUANTITY 150 OF 3453 SAS YO   | 85,693         | N              |                | 36                |
| 8202         |       | EQ0C    | QUANTITY OF 150 ES0C          | 455,504        | N              |                | 36                |
| 8202         |       | EQ0D    | QUANTITY OF 150 ES0D          | 455,504        | N              |                | 36                |
| 8202         |       | EQ38    | QUANTITY 150 OF 1738          | 190,428        | N              |                | 36                |
| 8202         |       | EQ52    | QUANTITY 150 OF 1752          | 190,428        | N              |                | 36                |
| 8202         |       | ERF1    | RFID TAGS FOR COMPUTE NODES   | 16             | N              |                | 36                |
| 8202         |       | ES02    | 387GB 1.8 SAS SSD AIX LINUX   | 3,724          | N              |                | 36                |
| 8202         |       | ES04    | 387 GB 1.8 SSD FOR W/EMLC     | 3,724          | N              |                | 36                |
| 8202         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX | 3,036          | N              |                | 36                |
| 8202         |       | ES0B    | 387GB SFF-1 SSD FOR IBMI      | 3,036          | N              |                | 36                |
| 8202         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX | 3,036          | N              |                | 36                |
| 8202         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I     | 3,036          | N              |                | 36                |
| 8202         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB    | 5,247          | N              |                | 36                |
| 8202         |       | ESA2    | PCIE2 LP RAID SAS ADAPTER 6GB | 5,247          | N              |                | 36                |
| 8202         |       | ESC6    | S H B                         | 286            | N              |                | 36                |
| 8202         |       | ESR2    | SIX ES02 387GB 1.8 SAS AIX/LI | 20,109         | N              |                | 36                |
| 8202         |       | ESR4    | SIX ES04 387 GB 1.8 SSD       | 20,109         | N              |                | 36                |
| 8202         |       | ESRA    | FOUR ES0A 387GB SFF-1 SSD AIX | 10,932         | N              |                | 36                |
| 8202         |       | ESRB    | FOUR ES0B 387GB SFF-1 SSD     | 10,932         | N              |                | 36                |
| 8202         |       | ESRC    | FOUR ES0C387GB SFF-2 SSD AIX  | 10,932         | N              |                | 36                |
| 8202         |       | ESRD    | FOUR ES0D 387GB SFF-2 SSD     | 10,932         | N              |                | 36                |
| 8202         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE  | 291            | N              |                | 36                |
| 8202         |       | EU03    | RDX USB INTERNAL DOCKING      | 190            | N              |                | 36                |
| 8202         |       | EU04    | RDX USB EXTERNAL DOCKING      | 233            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202         |       | EU07    | RDX SATA INTERNAL DOCKING      | 233            | N              |                | 36                |
| 8202         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 190            | N              |                | 36                |
| 8202         |       | EU11    | 2.5/6TB LTO-6 SAS TAPE DRIVE H | 3,555          | N              |                | 36                |
| 8202         |       | EU15    | 1.5TB REMOVABLE DISK CARTRIDGE | 418            | N              |                | 36                |
| 8202         |       | EU16    | 80 160GB DAT160 USB TAPE DRIVE | 1,546          | N              |                | 36                |
| 8202         |       | EU17    | 2.5 TB LTO-6 TAPE CARTRIDGE    | 164            | N              |                | 36                |
| 8202         |       | EU18    | 5-PACK OF EU17                 | 825            | N              |                | 36                |
| 8202         |       | EUC6    | CORE USE HW FEATURE            | 423            | N              |                | 36                |
| 8202         |       | EUC7    | CORE USE HW FEATURE 10         | 4,232          | N              |                | 36                |
| 8205         | E6C   |         | POWER 740                      | 731            | Y              | 2              | 36                |
| 8205         | E6D   |         | POWER 740                      | 731            | Y              | 2              | 36                |
| 8205         |       | 0010    | ONE CSC BILLING UNIT           | 143            | N              |                | 36                |
| 8205         |       | 0011    | TEN CSC BILLING UITS           | 1,439          | N              |                | 36                |
| 8205         |       | 0348    | V 24 EIA232 6 1M 20 FT PCI C   | 105            | N              |                | 36                |
| 8205         |       | 0353    | V 35 6 1M 20 FT PCI CABLE      | 105            | N              |                | 36                |
| 8205         |       | 0359    | X 21 6 1M 20 FT PCI CABLE      | 313            | N              |                | 36                |
| 8205         |       | 0456    | CUSTOMER SPECIFIED PLACEMENT   | 339            | N              |                | 36                |
| 8205         |       | 0551    | 19 INCH 1 8 METER HIGH RACK    | 2,237          | N              |                | 36                |
| 8205         |       | 0553    | 19 INCH 2 0 METER HIGH RACK    | 3,034          | N              |                | 36                |
| 8205         |       | 0599    | RACK FILLER PANEL KIT          | 62             | N              |                | 36                |
| 8205         |       | 1025    | MODEM CABLE US CANADA AND GE   | 10             | N              |                | 36                |
| 8205         |       | 1107    | USB 500 GB REMOVABLE DISK DRIV | 249            | N              |                | 36                |
| 8205         |       | 1109    | ENET SWITCH J48E               | 15,700         | N              |                | 36                |
| 8205         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 21             | N              |                | 36                |
| 8205         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 37             | N              |                | 36                |
| 8205         |       | 1113    | 25M BLUE CAT5E CABLE           | 67             | N              |                | 36                |
| 8205         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN  | 21             | N              |                | 36                |
| 8205         |       | 1116    | CAT5E ETHERNET CABLE 10M GREE  | 37             | N              |                | 36                |
| 8205         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLO  | 21             | N              |                | 36                |
| 8205         |       | 1119    | CAT5E ETHERNET CABLE 10M YELL  | 37             | N              |                | 36                |
| 8205         |       | 1121    | CAT5E ETHERNET CABLE 25M YELL  | 67             | N              |                | 36                |
| 8205         |       | 1135    | INTEGRATED STORAGE CONTROLLER  | 22,718         | N              |                | 36                |
| 8205         |       | 1141    | 1 METER CABLE FOR EXP4500 SWIT | 212            | N              |                | 36                |
| 8205         |       | 1143    | 3 METER CABLE FOR EXP4500 SWIT | 296            | N              |                | 36                |
| 8205         |       | 1148    | EX4500 10GB OPTICAL TRANSCEIVE | 1,154          | N              |                | 36                |
| 8205         |       | 1151    | JUNIPER EX4500 ENET SWITCH     | 37,686         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 1737    | 856GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |
| 8205         |       | 1738    | 856GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8205         |       | 1751    | 900GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |
| 8205         |       | 1752    | 900GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8205         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8205         |       | 1817    | QUANTITY 150 OF 1962           | 152,343        | N              |                | 36                |
| 8205         |       | 1818    | QUANTITY 150 OF 1964           | 152,343        | N              |                | 36                |
| 8205         |       | 1824    | QUAD PORT 1 GB HEA DAUGHTER CA | 254            | N              |                | 36                |
| 8205         |       | 1825    | DUAL PORT 10 GB HEA DAUGHTER F | 1,481          | N              |                | 36                |
| 8205         |       | 1826    | DUAL PORT 10 GB HEA DAUGHTER C | 296            | N              |                | 36                |
| 8205         |       | 1827    | SYSTEM PORT UPS CONVERSION CAB | 80             | N              |                | 36                |
| 8205         |       | 1828    | 1 5 METER 12X TO 4X CHANNEL CO | 254            | N              |                | 36                |
| 8205         |       | 1841    | 3 METER 12X TO 4X CHANNEL CONV | 317            | N              |                | 36                |
| 8205         |       | 1844    | QUANTITY 150 OF 1956           | 101,308        | N              |                | 36                |
| 8205         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 508            | N              |                | 36                |
| 8205         |       | 1861    | 0 6 METER 12X DDR CABLE        | 296            | N              |                | 36                |
| 8205         |       | 1862    | 1 5 METER 12X DDR CABLE        | 339            | N              |                | 36                |
| 8205         |       | 1864    | 8 0 METER 12X DDR CABLE        | 614            | N              |                | 36                |
| 8205         |       | 1865    | 3 0 METER 12X DDR CABLE        | 402            | N              |                | 36                |
| 8205         |       | 1866    | QUANTITY 150 OF 1917           | 63,222         | N              |                | 36                |
| 8205         |       | 1868    | QUANTITY 150 OF 1947           | 63,222         | N              |                | 36                |
| 8205         |       | 1869    | QUANTITY 150 OF 1925           | 101,308        | N              |                | 36                |
| 8205         |       | 1879    | 283GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8205         |       | 1880    | 300GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8205         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 675            | N              |                | 36                |
| 8205         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 421            | N              |                | 36                |
| 8205         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 421            | N              |                | 36                |
| 8205         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 675            | N              |                | 36                |
| 8205         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8205         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8205         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |
| 8205         |       | 1927    | QUANTITY 150 OF 1948           | 120,605        | N              |                | 36                |
| 8205         |       | 1929    | QUANTITY 150 OF 1953           | 120,605        | N              |                | 36                |
| 8205         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8205         |       | 1948    | 283GB 15K RPM SAS SFF 2 DISK   | 804            | N              |                | 36                |
| 8205         |       | 1953    | 300GB 15K RPM SAS SFF 2 DISK   | 804            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |
| 8205         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8205         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8205         |       | 1996    | 1 GIGABIT ISCSI TOE PCI XONC   | 3,724          | N              |                | 36                |
| 8205         |       | 2053    | PCIE LP RAID SSD SAS ADAPTER   | 2,584          | N              |                | 36                |
| 8205         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3G   | 2,584          | N              |                | 36                |
| 8205         |       | 2456    | 2M LC SC 50 MICRON FIBER CONVE | 70             | N              |                | 36                |
| 8205         |       | 2459    | 2M LC SC 62 5 MICRON FIBER CON | 70             | N              |                | 36                |
| 8205         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 127            | N              |                | 36                |
| 8205         |       | 2893    | PCIE 2 LINE WAN W MODEM        | 490            | N              |                | 36                |
| 8205         |       | 2934    | 3M ASYNCHRONOUS TERMINAL PRINT | 31             | N              |                | 36                |
| 8205         |       | 2936    | ASYNCHRONOUS CABLE EIA 232 V 2 | 51             | N              |                | 36                |
| 8205         |       | 3124    | SERIAL TO SERIAL PORT CABLE DR | 56             | N              |                | 36                |
| 8205         |       | 3125    | SERIAL TO SERIAL PORT CABLE RA | 56             | N              |                | 36                |
| 8205         |       | 3287    | 1M QDR IB ENET COPPER CABLE    | 438            | N              |                | 36                |
| 8205         |       | 3288    | 3M QDR IB ENET COPPER CABLE    | 549            | N              |                | 36                |
| 8205         |       | 3289    | 5M QDR IB ENET COPPER CABLE    | 592            | N              |                | 36                |
| 8205         |       | 3290    | 10M QDR IB OPTIC CABLE         | 635            | N              |                | 36                |
| 8205         |       | 3293    | 30M QDR IB OPTIC CABLE         | 762            | N              |                | 36                |
| 8205         |       | 3450    | SAS YO CABLE 1.5M HD 6GB ADA   | 203            | N              |                | 36                |
| 8205         |       | 3451    | SAS YO CABLE 3M HD 6GB ADAPT   | 254            | N              |                | 36                |
| 8205         |       | 3452    | SAS YO CABLE 6M HD 6GB ADAPT   | 381            | N              |                | 36                |
| 8205         |       | 3453    | SAS YO CABLE 10M HD 6GB ADAP   | 571            | N              |                | 36                |
| 8205         |       | 3454    | SAS X CABLE 3M HD 6GB 2 ADAP   | 381            | N              |                | 36                |
| 8205         |       | 3455    | SAS X CABLE 6M HD 6GB 2 ADAP   | 635            | N              |                | 36                |
| 8205         |       | 3456    | SAS X CABLE 10M HD 6GB 2 ADA   | 1,058          | N              |                | 36                |
| 8205         |       | 3457    | SAS YO CABLE 15M HD 3GB ADAP   | 1,058          | N              |                | 36                |
| 8205         |       | 3458    | SAS X CABLE 15M HD 3GB 2ADA    | 2,031          | N              |                | 36                |
| 8205         |       | 3632    | WIDESCREEN LCD MONITOR         | 845            | N              |                | 36                |
| 8205         |       | 3652    | SAS CABLE EE DRAWER TO DRA1M   | 42             | N              |                | 36                |
| 8205         |       | 3653    | SAS CABLE EE DRAWER TO DRA3M   | 58             | N              |                | 36                |
| 8205         |       | 3654    | SAS CABLE EE DRAWER TO DRA6M   | 101            | N              |                | 36                |
| 8205         |       | 3656    | SAS SFF CABLE                  | 33             | N              |                | 36                |
| 8205         |       | 3661    | SAS CABLE X ADAPTER TO SAS3M   | 127            | N              |                | 36                |
| 8205         |       | 3662    | SAS CABLE X ADAPTER TO SAS6M   | 254            | N              |                | 36                |
| 8205         |       | 3663    | SAS CABLE X ADAPTER TO SA15M   | 517            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 3675    | SAS EX CBL 3M DRWR TO DRWR     | 145            | N              |                | 36                |
| 8205         |       | 3680    | SAS EX CBL 6M DRWR TO DRWR     | 258            | N              |                | 36                |
| 8205         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR    | 63             | N              |                | 36                |
| 8205         |       | 3684    | SAS CABLE AE ADAPTER TO EN3M   | 127            | N              |                | 36                |
| 8205         |       | 3685    | SAS CABLE AE ADAPTER TO EN6M   | 254            | N              |                | 36                |
| 8205         |       | 3687    | SAS CABLE YI SYSTEM TO SAS3M   | 93             | N              |                | 36                |
| 8205         |       | 3688    | SAS CABLE AT 0.6 METER         | 76             | N              |                | 36                |
| 8205         |       | 3689    | SAS AT CABLE 0.6M HD 6GB ADA   | 101            | N              |                | 36                |
| 8205         |       | 3691    | SAS CABLE YO ADAPTER TO1.5M    | 76             | N              |                | 36                |
| 8205         |       | 3692    | SAS CABLE YO ADAPTER TO S3M    | 93             | N              |                | 36                |
| 8205         |       | 3693    | SAS CABLE YO ADAPTER TO S6M    | 127            | N              |                | 36                |
| 8205         |       | 3694    | SAS CABLE YO ADAPTER TO 15M    | 446            | N              |                | 36                |
| 8205         |       | 3925    | 0.3M SERIAL PORT CONVERTER CAB | 17             | N              |                | 36                |
| 8205         |       | 3927    | SERIAL PORT NULL MODEM C3.7M   | 56             | N              |                | 36                |
| 8205         |       | 3928    | SERIAL PORT NULL MODEM CA10M   | 56             | N              |                | 36                |
| 8205         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 11             | N              |                | 36                |
| 8205         |       | 4242    | 1.8 M 6 FT EXTENDER CABLE FO   | 70             | N              |                | 36                |
| 8205         |       | 4256    | EXTENDER CABLE USB KEYBOARDS   | 35             | N              |                | 36                |
| 8205         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 6              | N              |                | 36                |
| 8205         |       | 4526    | 8GB 2X4GB MEMORY DIMMS 1066    | 901            | N              |                | 36                |
| 8205         |       | 4529    | 16GB 2X8GB MEMORY DIMMS 1066   | 1,803          | N              |                | 36                |
| 8205         |       | 4794    | POWER ACTIVE MEMORY EXPANSION  | 1,777          | N              |                | 36                |
| 8205         |       | 4807    | PCIE CRYPTO COPROCESSOR NO BSC | 9,310          | N              |                | 36                |
| 8205         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 9,310          | N              |                | 36                |
| 8205         |       | 4970    | ONE PROCESSOR OF 5250 ENTERPRI | 12,695         | N              |                | 36                |
| 8205         |       | 4973    | ONE PROCESSOR OF 5250 ENTERPRI | 12,695         | N              |                | 36                |
| 8205         |       | 4974    | FULL 5250 ENTERPRISE ENABLEMEN | 50,781         | N              |                | 36                |
| 8205         |       | 5260    | PCIE2 LP 4-PORT 1GBE ADAPTR    | 254            | N              |                | 36                |
| 8205         |       | 5269    | PCIE LP POWER GXT145 GRAPHICS  | 489            | N              |                | 36                |
| 8205         |       | 5270    | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,962          | N              |                | 36                |
| 8205         |       | 5271    | PCIE LP 4 PORT 10 100 1000 BAS | 702            | N              |                | 36                |
| 8205         |       | 5273    | PCIE LP 8GB 2 PORT FIBRE CHANN | 2,961          | N              |                | 36                |
| 8205         |       | 5274    | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,118          | N              |                | 36                |
| 8205         |       | 5275    | PCIE LP 10GBE SR 1 PORT ADAPTE | 2,962          | N              |                | 36                |
| 8205         |       | 5276    | PCIE LP 4GB 2 PORT FIBRE CHANN | 2,115          | N              |                | 36                |
| 8205         |       | 5277    | PCIE LP 4 PORT ASYNC EIA 232 A | 591            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 5278    | PCIE LP 2 X4 PORT SAS ADAPTER  | 634            | N              |                | 36                |
| 8205         |       | 5279    | PCIE2 4PORT 10GBE 1GBE SFP LP  | 2,115          | N              |                | 36                |
| 8205         |       | 5280    | PCIE2 4 PORT 10GBE 1GBE SR LP  | 2,961          | N              |                | 36                |
| 8205         |       | 5283    | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846            | N              |                | 36                |
| 8205         |       | 5284    | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539          | N              |                | 36                |
| 8205         |       | 5285    | PCIE 2 PORT 4X IB QDR ADAPT    | 846            | N              |                | 36                |
| 8205         |       | 5286    | PCIE2 LP 2 PORT 10GBE SFP+     | 1,354          | N              |                | 36                |
| 8205         |       | 5287    | PCIE2 2 PORT 10GBE SR ADAPTER  | 2,539          | N              |                | 36                |
| 8205         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP    | 1,354          | N              |                | 36                |
| 8205         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 167            | N              |                | 36                |
| 8205         |       | 5290    | PCIE LP 2 PORT ASYNC EIA 232 A | 167            | N              |                | 36                |
| 8205         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 36                |
| 8205         |       | 5532    | SYS AC PWR SUPP 1925 W         | 339            | N              |                | 36                |
| 8205         |       | 5603    | SYSTEM AC POWER SUPPLY 1725 W  | 339            | N              |                | 36                |
| 8205         |       | 5604    | MEMORY RISER CARD              | 677            | N              |                | 36                |
| 8205         |       | 5615    | GX DUAL PORT 12X CHANNEL ATT   | 1,481          | N              |                | 36                |
| 8205         |       | 5618    | STORAGE BACKPLANE 6 SFF BAY    | 676            | N              |                | 36                |
| 8205         |       | 5619    | 80 160GB DAT160 SAS TAPE DRIVE | 1,546          | N              |                | 36                |
| 8205         |       | 5630    | STORAGE BACKPLANE 8 SFF BAY    | 1,523          | N              |                | 36                |
| 8205         |       | 5631    | SPLIT DRIVE BAY CAPABILITY FOR | 676            | N              |                | 36                |
| 8205         |       | 5638    | 1 5TB 3 0TB LTO 5 SAS TAPE DRI | 3,385          | N              |                | 36                |
| 8205         |       | 5685    | PCIE RISER CARD (GEN2)         | 1,693          | N              |                | 36                |
| 8205         |       | 5706    | 2 PORT 10 100 1000 BASE TX ETH | 639            | N              |                | 36                |
| 8205         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962          | N              |                | 36                |
| 8205         |       | 5713    | 1 GIGABIT ISCSI TOE PCI X ON C | 762            | N              |                | 36                |
| 8205         |       | 5717    | 4 PORT 10 100 1000 BASE TX PCI | 702            | N              |                | 36                |
| 8205         |       | 5729    | PCIE2 8GB 4PORT FIBRE CHANN    | 5,078          | N              |                | 36                |
| 8205         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961          | N              |                | 36                |
| 8205         |       | 5736    | PCI X DDR DUAL CHANNEL ULTRA32 | 497            | N              |                | 36                |
| 8205         |       | 5740    | 4 PORT 10 100 1000 BASE TX PCI | 702            | N              |                | 36                |
| 8205         |       | 5744    | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 2,961          | N              |                | 36                |
| 8205         |       | 5745    | PCIE2 4 PORT 10GBE GBE SFP COP | 2,115          | N              |                | 36                |
| 8205         |       | 5747    | LTO ULTRIUM 4 800 GB DATA CART | 508            | N              |                | 36                |
| 8205         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 319            | N              |                | 36                |
| 8205         |       | 5749    | 4GBPS FIBRE CHANNEL 2 PORT     | 2,115          | N              |                | 36                |
| 8205         |       | 5759    | 4 GB DUAL PORT FIBRE CHANNEL P | 2,115          | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 5767    | 2 PORT 10 100 1000 BASE TX ETH | 446            | N              |                | 36                |
| 8205         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,118          | N              |                | 36                |
| 8205         |       | 5769    | 10 GIGABIT ETHERNET SR PCI EXP | 2,962          | N              |                | 36                |
| 8205         |       | 5771    | SATA SLIMLINE DVD RAM DRIVE    | 253            | N              |                | 36                |
| 8205         |       | 5772    | 10 GIGABIT ETHERNET LR PCI EXP | 4,013          | N              |                | 36                |
| 8205         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115          | N              |                | 36                |
| 8205         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 591            | N              |                | 36                |
| 8205         |       | 5802    | 12X I O DRAWER PCIE SFF DISK   | 10,147         | N              |                | 36                |
| 8205         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB   | 1,861          | N              |                | 36                |
| 8205         |       | 5877    | 12X I O DRAWER PCIE NO DISK    | 9,216          | N              |                | 36                |
| 8205         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 4,570          | N              |                | 36                |
| 8205         |       | 5888    | EXP30 ULTRA SSD I O DRAWER     | 20,736         | N              |                | 36                |
| 8205         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 254            | N              |                | 36                |
| 8205         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 634            | N              |                | 36                |
| 8205         |       | 5908    | PCI X DDR 1 5GB CACHE SAS RAID | 7,194          | N              |                | 36                |
| 8205         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTE   | 698            | N              |                | 36                |
| 8205         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 6,348          | N              |                | 36                |
| 8205         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT   | 190            | N              |                | 36                |
| 8205         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT   | 317            | N              |                | 36                |
| 8205         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA   | 148            | N              |                | 36                |
| 8205         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT   | 85             | N              |                | 36                |
| 8205         |       | 5926    | SAS EX CBL 1.5M DRWRTO DRWR    | 129            | N              |                | 36                |
| 8205         |       | 6006    | POWER CONTROL CABLE SPCN 3     | 33             | N              |                | 36                |
| 8205         |       | 6007    | POWER CONTROL CABLE SPCN 1     | 67             | N              |                | 36                |
| 8205         |       | 6068    | OPT FRONT DOOR FOR 1 8M RACK   | 287            | N              |                | 36                |
| 8205         |       | 6069    | OPT FRONT DOOR FOR 2 0M RACK   | 352            | N              |                | 36                |
| 8205         |       | 6248    | 1 8M RACK ACOUSTIC DOORS       | 2,972          | N              |                | 36                |
| 8205         |       | 6249    | 2 0M RACK ACOUSTIC DOORS       | 2,972          | N              |                | 36                |
| 8205         |       | 6263    | 1 8M RACK TRIM KIT             | 338            | N              |                | 36                |
| 8205         |       | 6272    | 2 0M RACK TRIM KIT             | 338            | N              |                | 36                |
| 8205         |       | 6458    | POWER CABLE DRAWER TO P        | 11             | N              |                | 36                |
| 8205         |       | 6460    | POWER CORD 4 3M 14 FT DRAWE    | 11             | N              |                | 36                |
| 8205         |       | 6469    | POWER CORD 4 3M 14 FOOT DRA    | 11             | N              |                | 36                |
| 8205         |       | 6470    | POWER CORD 1 8M 6 FOOT TO WA   | 11             | N              |                | 36                |
| 8205         |       | 6471    | POWER CORD 2 7M 9 FOO125V 15A  | 11             | N              |                | 36                |
| 8205         |       | 6472    | POWER CORD 2 7M 9 FOO250V 16A  | 11             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 6473    | POWER CORD 2 7M 9 FOO250V 10A  | 11             | N              |                | 36                |
| 8205         |       | 6474    | POWER CORD 2 7M 9 FOO250V 13A  | 11             | N              |                | 36                |
| 8205         |       | 6475    | POWER CORD 2 7M 9 FOO250V 16A  | 11             | N              |                | 36                |
| 8205         |       | 6476    | POWER CORD 2 7M 9 FOO250V 10A  | 11             | N              |                | 36                |
| 8205         |       | 6477    | POWER CORD 2 7M 9 FOO250V 16A  | 11             | N              |                | 36                |
| 8205         |       | 6478    | POWER CORD 2 7 M 9 FOO250V 16A | 11             | N              |                | 36                |
| 8205         |       | 6488    | POWER CORD 2 7M 9 FOO125V 15A  | 33             | N              |                | 36                |
| 8205         |       | 6489    | 4 3M 14 FT 3PH 24A POWER COR   | 233            | N              |                | 36                |
| 8205         |       | 6491    | 4 3M 14 FT 1PH 48A PWR CORD    | 255            | N              |                | 36                |
| 8205         |       | 6492    | 4 3M 14 FT 1PH 48 60A PWR CO   | 255            | N              |                | 36                |
| 8205         |       | 6493    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6494    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6496    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6577    | POWER CABLE DRAWER TO PD       | 11             | N              |                | 36                |
| 8205         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 115            | N              |                | 36                |
| 8205         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 159            | N              |                | 36                |
| 8205         |       | 6651    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6654    | 4 3M 14 FT 1PH 24 30A PWR CO   | 153            | N              |                | 36                |
| 8205         |       | 6655    | 4 3M 14 FT 1PH 24 30A WR PWR   | 339            | N              |                | 36                |
| 8205         |       | 6656    | 4 3M 14 FT 1PH 24A POWER CORD  | 153            | N              |                | 36                |
| 8205         |       | 6659    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6660    | POWER CORD 14 FOOT DRAWER T    | 11             | N              |                | 36                |
| 8205         |       | 6665    | POWER CORD 3 M 10 FT DRAWER    | 11             | N              |                | 36                |
| 8205         |       | 6669    | POWER CORD 4 3M 14 FOOT DRA    | 11             | N              |                | 36                |
| 8205         |       | 6671    | POWER CORD 2 7M 9 FOOT DRAW    | 11             | N              |                | 36                |
| 8205         |       | 6672    | POWER CORD 1 5M 5 FOOT DRAW    | 11             | N              |                | 36                |
| 8205         |       | 6680    | POWER CORD 2 7M 9 FOOT TO W    | 11             | N              |                | 36                |
| 8205         |       | 6771    | TWO 1M INTRA RACK FIBRE CHANNE | 58             | N              |                | 36                |
| 8205         |       | 6773    | TWO 3M INTRA RACK FIBRE CHANNE | 85             | N              |                | 36                |
| 8205         |       | 7109    | INTELLIGENT PDU 1 EIA UNIT     | 930            | N              |                | 36                |
| 8205         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 237            | N              |                | 36                |
| 8205         |       | 7131    | RACK MOUNT DRAWER BEZEL AND HA | 85             | N              |                | 36                |
| 8205         |       | 7132    | OEM RACK MOUNT DRAWER BEZEL AN | 85             | N              |                | 36                |
| 8205         |       | 7145    | OEM RACK MOUNT DRAWER RAIL KIT | 168            | N              |                | 36                |
| 8205         |       | 7188    | POWER DISTRIBUTION UNIT        | 640            | N              |                | 36                |
| 8205         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 21             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 50             | N              |                | 36                |
| 8205         |       | 8144    | LINUX SOFTWARE PREINSTALL BUS  | 50             | N              |                | 36                |
| 8205         |       | 8347    | 4 CORE 3 7 GHZ POWER7 PROCESSO | 3,470          | N              |                | 36                |
| 8205         |       | 8353    | 4 CORE 3 3 GHZ POWER7 PROCESSO | 2,751          | N              |                | 36                |
| 8205         |       | 8354    | 6 CORE 3 7 GHZ POWER7 PROCESSO | 3,740          | N              |                | 36                |
| 8205         |       | 8355    | 8 CORE 3 55 GHZ POWER7 PROCESS | 2,825          | N              |                | 36                |
| 8205         |       | 8366    | ONE PROCESSOR ACTIVATION F8353 | 2,539          | N              |                | 36                |
| 8205         |       | 8367    | ONE PROCESSOR ACTIVATION F8354 | 2,661          | N              |                | 36                |
| 8205         |       | 8368    | ONE PROCESSOR ACTIVATION F8355 | 1,872          | N              |                | 36                |
| 8205         |       | 8373    | ONE PROCESSOR ACTIVATION FOR P | 2,793          | N              |                | 36                |
| 8205         |       | 8845    | USB MOUSE                      | 25             | N              |                | 36                |
| 8205         |       | 9055    | 2 PORT 10 100 1000 BASE TX ETH | 254            | N              |                | 36                |
| 8205         |       | EB34    | I 6.1.1 NATIVE IO ENBLMENT     | 846            | N              |                | 36                |
| 8205         |       | EC27    | PCIE2 LP 2 PORT 10GBE ROCE SFP | 846            | N              |                | 36                |
| 8205         |       | EC28    | PCIE2 2 PORT 10GBE ROCE SFP+ A | 846            | N              |                | 36                |
| 8205         |       | EC29    | PCIE2 LP 2 PORT 10GBE ROCE SR  | 1,481          | N              |                | 36                |
| 8205         |       | EC30    | PCIE2 2 PORT 10GBE ROCE SR ADA | 1,481          | N              |                | 36                |
| 8205         |       | ECB0    | 0.6M BLUE CAT5 ETHERNET CABLE  | 10             | N              |                | 36                |
| 8205         |       | ECB2    | 1.5M BLUE CAT5 ETHERNET CABLE  | 14             | N              |                | 36                |
| 8205         |       | EDR1    | EXP30 ULTRA SSD I O DRWR       | 20,736         | N              |                | 36                |
| 8205         |       | EJ01    | STORAGE B P 8 SFF RAID IOA     | 1,523          | N              |                | 36                |
| 8205         |       | EJ02    | SPLIT DRIVE CAPABILITY 5618    | 676            | N              |                | 36                |
| 8205         |       | EJ03    | GX2 PORT PCIE2 X8 ADAPTER      | 1,693          | N              |                | 36                |
| 8205         |       | EJ04    | GX DUAL-PORT 12X CHAN ATTACH   | 1,481          | N              |                | 36                |
| 8205         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8205         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8205         |       | EM01    | MEMORY RISER CARD              | 677            | N              |                | 36                |
| 8205         |       | EM04    | 4GB (2X2GB) MEMORY DIMMS 1066  | 449            | N              |                | 36                |
| 8205         |       | EM08    | 8GB (2X4GB) MEMORY DIMMS 1066  | 540            | N              |                | 36                |
| 8205         |       | EM16    | 16GB(2X8GB) MEMORY DIMMS 1066  | 1,081          | N              |                | 36                |
| 8205         |       | EM32    | 32GB (2X16GB) MEMORYDIMMS 1066 | 3,244          | N              |                | 36                |
| 8205         |       | EM4B    | 16GB 2X8GBMEMDIMMS4GBDDR3DR    | 719            | N              |                | 36                |
| 8205         |       | EM4C    | 32GB 2X16GBMEMDIMMS4GBDDR3DR   | 1,439          | N              |                | 36                |
| 8205         |       | EM4D    | 64GB 2X32GBMEMDIMMS4GBDDR3DR   | 5,417          | N              |                | 36                |
| 8205         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX  | 85             | N              |                | 36                |
| 8205         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX  | 101            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX  | 127            | N              |                | 36                |
| 8205         |       | EN05    | PCIE X8 CABLE 1.5M             | 254            | N              |                | 36                |
| 8205         |       | EN07    | PCIE X8 CABLE 3M               | 287            | N              |                | 36                |
| 8205         |       | EN0A    | PCIE2 16GB 2POFBRCHANNADPTR    | 3,809          | N              |                | 36                |
| 8205         |       | EN0B    | PCIE2LP16GB2PORTFBRCHANNADPTR  | 3,809          | N              |                | 36                |
| 8205         |       | EN0H    | PCIE2 4PO10GB FCOE 1GBESRRJ45  | 2,962          | N              |                | 36                |
| 8205         |       | EN0J    | PCIE2LP4PO10GB FCOE 1GBESRRJ45 | 2,962          | N              |                | 36                |
| 8205         |       | EN0Y    | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078          | N              |                | 36                |
| 8205         |       | EPC8    | 4 CORE 3.7 GHZ POWER7 PROC     | 3,470          | N              |                | 36                |
| 8205         |       | EPC9    | 4 CORE 3.3 GHZ POWER7 PROC     | 2,751          | N              |                | 36                |
| 8205         |       | EPCA    | 6 CORE 3.7 GHZ POWER7 PROC     | 3,740          | N              |                | 36                |
| 8205         |       | EPCB    | 8 CORE 3.55 GHZ POWER7 PROC    | 3,532          | N              |                | 36                |
| 8205         |       | EPCP    | 6COR4.2 GHZ POWER7+PROC MDL    | 2,962          | N              |                | 36                |
| 8205         |       | EPCQ    | 8COR3.6 GHZ POWER7+PROC MDL    | 3,343          | N              |                | 36                |
| 8205         |       | EPCR    | 8COR4.2 GHZ POWER7+PROC MDL    | 4,697          | N              |                | 36                |
| 8205         |       | EPD8    | ONE PROCESSOR ACTIV FOR EPC8   | 2,793          | N              |                | 36                |
| 8205         |       | EPD9    | ONE PROCESSOR ACTIV FOR EPC9   | 2,539          | N              |                | 36                |
| 8205         |       | EPDA    | ONE PROCESSOR ACTIV FOR EPCA   | 2,661          | N              |                | 36                |
| 8205         |       | EPDB    | ONE PROCESSOR ACTIV FOR EPC8   | 2,340          | N              |                | 36                |
| 8205         |       | EPDP    | ONE PROC ACT PROCFEAT EPCP     | 1,650          | N              |                | 36                |
| 8205         |       | EPDQ    | ONE PROC ACT PROCFEAT EPCQ     | 1,862          | N              |                | 36                |
| 8205         |       | EPDR    | ONE PROC ACT PROCFEAT EPCR     | 2,496          | N              |                | 36                |
| 8205         |       | EQ02    | QUANTITY 150 OF 3452 SAS CABL  | 57,128         | N              |                | 36                |
| 8205         |       | EQ03    | QUANTITY 150 OF 3453 SAS YO    | 85,693         | N              |                | 36                |
| 8205         |       | EQ0C    | QUANTITY OF 150 ES0C           | 455,504        | N              |                | 36                |
| 8205         |       | EQ0D    | QUANTITY OF 150 ES0D           | 455,504        | N              |                | 36                |
| 8205         |       | EQ38    | QUANTITY 150 OF 1738           | 190,428        | N              |                | 36                |
| 8205         |       | EQ52    | QUANTITY 150 OF 1752           | 190,428        | N              |                | 36                |
| 8205         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 8205         |       | ES02    | 387GB 1.8 SAS SSD AIX LINUX    | 3,724          | N              |                | 36                |
| 8205         |       | ES04    | 387GB 1.8SASSSD I WITEMLC      | 3,724          | N              |                | 36                |
| 8205         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 3,036          | N              |                | 36                |
| 8205         |       | ES0B    | 387GB SFF-1 SSD FOR IBMI       | 3,036          | N              |                | 36                |
| 8205         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 3,036          | N              |                | 36                |
| 8205         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,036          | N              |                | 36                |
| 8205         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 5,247          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205         |       | ESA2    | PCIE2 LP RAID SAS ADAPTER 6GB  | 5,247          | N              |                | 36                |
| 8205         |       | ESC6    | S H B                          | 286            | N              |                | 36                |
| 8205         |       | ESR2    | 6 ES02 387GB 1.8 SAS SSD       | 20,109         | N              |                | 36                |
| 8205         |       | ESR4    | SIXES04387GB1.8SASSSDIEMLC     | 20,109         | N              |                | 36                |
| 8205         |       | ESRA    | 4 ES0A 387GB SFF1 SSD          | 10,932         | N              |                | 36                |
| 8205         |       | ESRB    | 4 ES0B 387GB SFF1 SSD          | 10,932         | N              |                | 36                |
| 8205         |       | ESRC    | 4 ES0C 387GB SFF2 SSD          | 10,932         | N              |                | 36                |
| 8205         |       | ESRD    | 4 ES0D 387GB SFF2 SSD          | 10,932         | N              |                | 36                |
| 8205         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 291            | N              |                | 36                |
| 8205         |       | EU03    | RDX USB INTERNAL DOCKING       | 190            | N              |                | 36                |
| 8205         |       | EU04    | RDX USB EXTERNAL DOCKING       | 233            | N              |                | 36                |
| 8205         |       | EU07    | RDX SATA INTERNAL DOCKING      | 233            | N              |                | 36                |
| 8205         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 190            | N              |                | 36                |
| 8205         |       | EU11    | 2.5 6.25TB LTO 6 SAS TAPE DRIV | 3,555          | N              |                | 36                |
| 8205         |       | EU15    | 1.5TB REMOVABLE DISKDRIVECARTR | 418            | N              |                | 36                |
| 8205         |       | EU16    | 80 160GB DAT160 USB TAPE DRIV  | 1,546          | N              |                | 36                |
| 8205         |       | EU17    | 2.5 TB LTO-6 TAPE CARTRIDGE    | 164            | N              |                | 36                |
| 8205         |       | EU18    | 5-PACK OF EU17                 | 825            | N              |                | 36                |
| 8205         |       | EUC6    | CORE USE HW FEATURE            | 423            | N              |                | 36                |
| 8205         |       | EUC7    | CORE USE HW FEATURE 10         | 4,232          | N              |                | 36                |
| 8231         | E1C   |         | POWER 710                      | 158            | Y              | 2              | 36                |
| 8231         | E1D   |         | POWER 710                      | 846            | Y              | 2              | 36                |
| 8231         | E2C   |         | POWER 730                      | 3,323          | Y              | 2              | 36                |
| 8231         | E2D   |         | POWER 730                      | 783            | Y              | 2              | 36                |
| 8231         |       | 0010    | ONE CSC BILLING UNIT           | 143            | N              |                | 36                |
| 8231         |       | 0011    | TEN CSC BILLING UITS           | 1,439          | N              |                | 36                |
| 8231         |       | 0348    | V.24/EIA232 6.1M (20-FT) PCI C | 105            | N              |                | 36                |
| 8231         |       | 0353    | V.35 6.1M (20-FT) PCI CABLE    | 105            | N              |                | 36                |
| 8231         |       | 0359    | X.21 6.1M (20-FT) PCI CABLE    | 313            | N              |                | 36                |
| 8231         |       | 0456    | CUSTOMER SPECIFIED PLACEMENT   | 339            | N              |                | 36                |
| 8231         |       | 0551    | 19 INCH 1.8 METER HIGH RA      | 2,237          | N              |                | 36                |
| 8231         |       | 0553    | 19 INCH 2.0 METER HIGH RA      | 3,034          | N              |                | 36                |
| 8231         |       | 0599    | RACK FILLER PANEL KIT          | 62             | N              |                | 36                |
| 8231         |       | 1025    | MODEM CABLE - US/CANADA AND GE | 10             | N              |                | 36                |
| 8231         |       | 1107    | USB 500 GB REMOVABLE DISK DRIV | 249            | N              |                | 36                |
| 8231         |       | 1111    | 3M BLUE CAT5E CABLE            | 21             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 1112    | 10M BLUE CAT5E CABLE           | 37             | N              |                | 36                |
| 8231         |       | 1113    | 25M BLUE CAT5E CABLE           | 67             | N              |                | 36                |
| 8231         |       | 1124    | 80/160GB DAT160 SAS TAPE D     | 1,406          | N              |                | 36                |
| 8231         |       | 1455    | 200V (6 FT) 1.8M WATERTIGHT LI | 167            | N              |                | 36                |
| 8231         |       | 1456    | 200V (14 FT) 4.3M WATERTIGHT L | 167            | N              |                | 36                |
| 8231         |       | 1737    | 856GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |
| 8231         |       | 1738    | 856GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8231         |       | 1751    | 900GB 10K RPM SAS SFF DISK     | 1,270          | N              |                | 36                |
| 8231         |       | 1752    | 900GB 10K RPM SAS SFF 2 DISK   | 1,270          | N              |                | 36                |
| 8231         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8231         |       | 1817    | QUANTITY 150 OF 1962           | 152,343        | N              |                | 36                |
| 8231         |       | 1818    | QUANTITY 150 OF 1964           | 152,343        | N              |                | 36                |
| 8231         |       | 1827    | SYSTEM PORT/UPS CONVERSION CAB | 80             | N              |                | 36                |
| 8231         |       | 1828    | 1.5 METER 12X TO 4X CHANNEL CC | 254            | N              |                | 36                |
| 8231         |       | 1832    | QUAD-PORT 1 GB HEA DAUGHTER CA | 254            | N              |                | 36                |
| 8231         |       | 1833    | DUAL-PORT 10GB HEA DAUGHTER CA | 1,447          | N              |                | 36                |
| 8231         |       | 1837    | DUAL-PORT 10 GB HEA DAUGHTER C | 372            | N              |                | 36                |
| 8231         |       | 1841    | 3 METER 12X TO 4X CHANNEL CC   | 317            | N              |                | 36                |
| 8231         |       | 1844    | QUANTITY 150 OF 1956           | 101,308        | N              |                | 36                |
| 8231         |       | 1854    | 10 METER 12X TO 4X ENHANCE CCC | 508            | N              |                | 36                |
| 8231         |       | 1861    | 0.6 METER 12X DDR CABLE        | 296            | N              |                | 36                |
| 8231         |       | 1862    | 1.5 METER 12X DDR CABLE        | 339            | N              |                | 36                |
| 8231         |       | 1864    | 8 METER 12X DDR CABLE          | 614            | N              |                | 36                |
| 8231         |       | 1865    | 3.0 METER 12X DDR CABLE        | 402            | N              |                | 36                |
| 8231         |       | 1866    | QUANTITY 150 OF 1917           | 63,222         | N              |                | 36                |
| 8231         |       | 1868    | QUANTITY 150 OF 1947           | 63,222         | N              |                | 36                |
| 8231         |       | 1869    | QUANTITY 150 OF 1925           | 101,308        | N              |                | 36                |
| 8231         |       | 1879    | 283GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8231         |       | 1880    | 300GB 15K RPM SAS DISK         | 804            | N              |                | 36                |
| 8231         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 675            | N              |                | 36                |
| 8231         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 421            | N              |                | 36                |
| 8231         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 421            | N              |                | 36                |
| 8231         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 675            | N              |                | 36                |
| 8231         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8231         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8231         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 1927    | QUANTITY 150 OF 1948           | 120,605        | N              |                | 36                |
| 8231         |       | 1929    | QUANTITY 150 OF 1953           | 120,605        | N              |                | 36                |
| 8231         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 36                |
| 8231         |       | 1948    | 283GB 15K RPM SAS SFF-2        | 804            | N              |                | 36                |
| 8231         |       | 1953    | 300GB 15K RPM SAS SFF-2        | 804            | N              |                | 36                |
| 8231         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 36                |
| 8231         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8231         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 36                |
| 8231         |       | 1996    | 1 GIGABIT ISCSI TOE PCI XONC   | 3,724          | N              |                | 36                |
| 8231         |       | 2053    | PCIE LP RAID SSD SAS ADAPTER 3 | 2,584          | N              |                | 36                |
| 8231         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,584          | N              |                | 36                |
| 8231         |       | 2456    | 2M LC-SC 50 MICRON FIBER CONVE | 70             | N              |                | 36                |
| 8231         |       | 2459    | 2M LC-SC 62.5 MICRON FIBER CON | 70             | N              |                | 36                |
| 8231         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 127            | N              |                | 36                |
| 8231         |       | 2893    | PCIE 2 LINE WAN W MODEM        | 490            | N              |                | 36                |
| 8231         |       | 2934    | 3M ASYNCHRONOUS TERMINAL/PRINT | 31             | N              |                | 36                |
| 8231         |       | 2936    | ASYNCHRONOUS CABLE EIA-232/V.2 | 51             | N              |                | 36                |
| 8231         |       | 3124    | SERIAL-TO-SERIAL PORT CABLE FO | 56             | N              |                | 36                |
| 8231         |       | 3125    | SERIAL-TO-SERIAL PORT CABLE FO | 56             | N              |                | 36                |
| 8231         |       | 3287    | 1M QDR IB/ENET COPPER CABLE    | 438            | N              |                | 36                |
| 8231         |       | 3288    | 3M QDR IB/ENET COPPER CABLE    | 549            | N              |                | 36                |
| 8231         |       | 3289    | 5M QDR IB/ENET COPPER CABLE    | 592            | N              |                | 36                |
| 8231         |       | 3290    | 10M QDR IB OPTIC CABLE         | 635            | N              |                | 36                |
| 8231         |       | 3293    | 30M QDR IB OPTIC CABLE         | 762            | N              |                | 36                |
| 8231         |       | 3450    | SAS YO CABLE 1.5M HD 6GB ADA   | 203            | N              |                | 36                |
| 8231         |       | 3451    | SAS YO CABLE 3M HD 6GB ADAPT   | 254            | N              |                | 36                |
| 8231         |       | 3452    | SAS YO CABLE 6M HD 6GB ADAPT   | 381            | N              |                | 36                |
| 8231         |       | 3453    | SAS YO CABLE 10M HD 6GB ADAP   | 571            | N              |                | 36                |
| 8231         |       | 3454    | SAS X CABLE 3M HD 6GB 2 ADAP   | 381            | N              |                | 36                |
| 8231         |       | 3455    | SAS X CABLE 6M HD 6GB 2 ADAP   | 635            | N              |                | 36                |
| 8231         |       | 3456    | SAS X CABLE 10M HD 6GB 2 ADA   | 1,058          | N              |                | 36                |
| 8231         |       | 3457    | SAS YO CABLE 15M HD 3GB ADAP   | 1,058          | N              |                | 36                |
| 8231         |       | 3458    | SAS X CABLE 15M HD 3GB 2 ADA   | 2,031          | N              |                | 36                |
| 8231         |       | 3632    | WIDESCREEN LCD MONITOR         | 845            | N              |                | 36                |
| 8231         |       | 3652    | SAS CABLE (EE) DRAWER TO DRAW  | 42             | N              |                | 36                |
| 8231         |       | 3653    | SAS CABLE (EE) DRAWER TO DRAWE | 58             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 3654    | SAS CABLE (EE) DRAWER TO DRAW  | 101            | N              |                | 36                |
| 8231         |       | 3661    | SAS CABLE (X) ADAPTER TO SAS   | 127            | N              |                | 36                |
| 8231         |       | 3662    | SAS CABLE (X) ADAPTER TO SAS E | 254            | N              |                | 36                |
| 8231         |       | 3663    | SAS CABLE (X) ADAPTER TO SAS E | 517            | N              |                | 36                |
| 8231         |       | 3675    | SAS EX CABLE 3M DRW TO DRW     | 145            | N              |                | 36                |
| 8231         |       | 3680    | SAS EX CABLE 6M DRW TO DRW     | 258            | N              |                | 36                |
| 8231         |       | 3684    | SAS CABLE (AE) ADAPTER TO ENCL | 127            | N              |                | 36                |
| 8231         |       | 3685    | SAS CABLE (AE) ADAPTER TO ENCL | 254            | N              |                | 36                |
| 8231         |       | 3687    | SAS CABLE (YI) SYSTEM TO SAS E | 93             | N              |                | 36                |
| 8231         |       | 3688    | SAS CABLE AT 0.6 METER         | 76             | N              |                | 36                |
| 8231         |       | 3689    | SAS AT CABLE 0.6M HD 6GB ADA   | 101            | N              |                | 36                |
| 8231         |       | 3691    | SAS CABLE (YO) ADAPTER TO SAS  | 76             | N              |                | 36                |
| 8231         |       | 3692    | SAS CABLE (YO) ADAPTER TO SAS  | 93             | N              |                | 36                |
| 8231         |       | 3693    | SAS CABLE (YO) ADAPTER TO SAS  | 127            | N              |                | 36                |
| 8231         |       | 3694    | SAS CABLE (YO) ADAPTER TO SAS  | 446            | N              |                | 36                |
| 8231         |       | 3925    | 0.3M SERIAL PORT CONVERTER CAB | 17             | N              |                | 36                |
| 8231         |       | 3927    | SERIAL PORT NULL MODEM CABLE   | 56             | N              |                | 36                |
| 8231         |       | 3928    | SERIAL PORT NULL MODEM CABLE   | 56             | N              |                | 36                |
| 8231         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 11             | N              |                | 36                |
| 8231         |       | 4242    | 1.8 M (6-FT) EXTENDER CABLE FO | 70             | N              |                | 36                |
| 8231         |       | 4256    | EXTENDER CABLE USB KEYBOARDS   | 35             | N              |                | 36                |
| 8231         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 6              | N              |                | 36                |
| 8231         |       | 4525    | 4GB (2X2GB) MEMORY DIMMS 1066  | 449            | N              |                | 36                |
| 8231         |       | 4526    | 8GB (2X4GB) MEMORY DIMMS 1066  | 901            | N              |                | 36                |
| 8231         |       | 4527    | 16GB (2X8GB) MEMORY DIMMS 106  | 1,803          | N              |                | 36                |
| 8231         |       | 4795    | ACTIVE MEMORY EXPANSION ENABL  | 1,777          | N              |                | 36                |
| 8231         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3   | 9,310          | N              |                | 36                |
| 8231         |       | 4970    | ONE PROCESSOR OF 5250 ENTERPRI | 12,695         | N              |                | 36                |
| 8231         |       | 4974    | FULL 5250 ENTERPRISE ENABLEMEN | 50,781         | N              |                | 36                |
| 8231         |       | 5260    | PCIE2 LP 4-PORT 1GBE ADAPTR    | 254            | N              |                | 36                |
| 8231         |       | 5263    | DISK/DVD/TAPE BACKPLANE 3X SFF | 707            | N              |                | 36                |
| 8231         |       | 5265    | MEMORY RISER CARD              | 677            | N              |                | 36                |
| 8231         |       | 5266    | GX++ DUAL-PORT 4X CHANNEL ATT  | 1,185          | N              |                | 36                |
| 8231         |       | 5267    | STORAGE BACKPLANE -- 6 SFF DRI | 676            | N              |                | 36                |
| 8231         |       | 5268    | STORAGE BACKPLANE W EXT        | 1,523          | N              |                | 36                |
| 8231         |       | 5269    | PCIE LP POWER GXT145 GRAPHICS  | 489            | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 5270    | PCIE LP 10GB FCOE 2-PORT ADAPT | 2,962          | N              |                | 36                |
| 8231         |       | 5271    | PCIE LP 4-PORT 10/100/1000 BAS | 702            | N              |                | 36                |
| 8231         |       | 5273    | PCIE LP 8GB 2-PORT FIBRE CHANN | 2,961          | N              |                | 36                |
| 8231         |       | 5274    | PCIE LP 2-PORT 1GBE SX ADAPTER | 1,118          | N              |                | 36                |
| 8231         |       | 5275    | PCIE LP 10GBE SR 1-PORT ADAPTE | 2,962          | N              |                | 36                |
| 8231         |       | 5276    | PCIE LP 4GB 2-PORT FIBRE CHANN | 2,115          | N              |                | 36                |
| 8231         |       | 5277    | PCIE LP 4-PORT ASYNC EIA-232 A | 591            | N              |                | 36                |
| 8231         |       | 5278    | PCIE LP 2-X4-PORT SAS ADAPTER  | 634            | N              |                | 36                |
| 8231         |       | 5279    | PCIE2 4PORT 10GBE1GBE SFP LP   | 2,115          | N              |                | 36                |
| 8231         |       | 5280    | PCIE2 4 PORT 10GBE1GBE SR LP   | 2,961          | N              |                | 36                |
| 8231         |       | 5283    | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846            | N              |                | 36                |
| 8231         |       | 5284    | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539          | N              |                | 36                |
| 8231         |       | 5286    | PCIE2 LP 2 PORT 10GBE SFP+     | 1,354          | N              |                | 36                |
| 8231         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 167            | N              |                | 36                |
| 8231         |       | 5290    | 2-PRT ASYNCH EIA-232 PCIE-1 LP | 167            | N              |                | 36                |
| 8231         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 36                |
| 8231         |       | 5532    | SYSTEM PWR SUP1925W            | 339            | N              |                | 36                |
| 8231         |       | 5603    | SYSTEM AC POWER SUPPLY 1725 W  | 339            | N              |                | 36                |
| 8231         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962          | N              |                | 36                |
| 8231         |       | 5717    | 4 PORT 10/100/1000 BASE TX PCI | 702            | N              |                | 36                |
| 8231         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961          | N              |                | 36                |
| 8231         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 319            | N              |                | 36                |
| 8231         |       | 5767    | 2 PORT 10/100/1000 BASE TX ETH | 446            | N              |                | 36                |
| 8231         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,118          | N              |                | 36                |
| 8231         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP   | 2,962          | N              |                | 36                |
| 8231         |       | 5771    | SATA SLIMLINE DVD RAM DRIVE    | 253            | N              |                | 36                |
| 8231         |       | 5772    | 10 GIGABIT ETHERNET LR PCI     | 4,013          | N              |                | 36                |
| 8231         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115          | N              |                | 36                |
| 8231         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 591            | N              |                | 36                |
| 8231         |       | 5802    | 12X I/O DRAWER PCIE SFF DISK   | 10,147         | N              |                | 36                |
| 8231         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 1,861          | N              |                | 36                |
| 8231         |       | 5877    | 12X I/O DRAWER PCIE NO DISK    | 9,216          | N              |                | 36                |
| 8231         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 4,570          | N              |                | 36                |
| 8231         |       | 5888    | EXP30 ULTRA SSD I/O DRAWER     | 20,736         | N              |                | 36                |
| 8231         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 254            | N              |                | 36                |
| 8231         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 634            | N              |                | 36                |

| Machine Type | Model | Feature | Description                      | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA   | 6,348          | N              |                | 36                |
| 8231         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT     | 190            | N              |                | 36                |
| 8231         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT     | 317            | N              |                | 36                |
| 8231         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA     | 148            | N              |                | 36                |
| 8231         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT     | 85             | N              |                | 36                |
| 8231         |       | 5926    | SAS EX CABLE 1.5M DRW TO DRW     | 129            | N              |                | 36                |
| 8231         |       | 6006    | POWER CONTROL CBL SPCN 3 M       | 33             | N              |                | 36                |
| 8231         |       | 6007    | POWER CONTROL CBL SPCN 15 M      | 67             | N              |                | 36                |
| 8231         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK     | 287            | N              |                | 36                |
| 8231         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK     | 352            | N              |                | 36                |
| 8231         |       | 6248    | 1.8M RACK ACOUSTIC DOORS         | 2,972          | N              |                | 36                |
| 8231         |       | 6249    | 2.0M RACK ACOUSTIC DOORS         | 2,972          | N              |                | 36                |
| 8231         |       | 6263    | 1.8M RACK TRIM KIT               | 338            | N              |                | 36                |
| 8231         |       | 6272    | 2.0M RACK TRIM KIT               | 338            | N              |                | 36                |
| 8231         |       | 6458    | POWER CABLE -- DRAWER TO IBM P   | 11             | N              |                | 36                |
| 8231         |       | 6460    | POWER CORD 4.3M (14-FT) DRAWER   | 11             | N              |                | 36                |
| 8231         |       | 6469    | POWER CORD 4.3M (14-FOOT) DRAWER | 11             | N              |                | 36                |
| 8231         |       | 6470    | POWER CORD 1.8M(6-FOOT) TO WALL  | 11             | N              |                | 36                |
| 8231         |       | 6471    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6472    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6473    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6474    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6475    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6476    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6477    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6478    | POWER CORD 2.7 M(9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6488    | POWER CORD 2.7M (9-FOOT) TO WALL | 33             | N              |                | 36                |
| 8231         |       | 6489    | 4.3M (14-FT) 3PH/24A POWER CORD  | 233            | N              |                | 36                |
| 8231         |       | 6491    | 4.3M (14-FT) 1PH/48A PWR CORD    | 255            | N              |                | 36                |
| 8231         |       | 6492    | 4.3M (14-FT) 1PH/48-60A PWR CORD | 255            | N              |                | 36                |
| 8231         |       | 6493    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6494    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6496    | POWER CORD 2.7M (9-FOOT) TO WALL | 11             | N              |                | 36                |
| 8231         |       | 6577    | POWER CABLE - DRAWER TO IBM PD   | 11             | N              |                | 36                |
| 8231         |       | 6580    | OPTIONAL RACK SECURITY KIT       | 115            | N              |                | 36                |
| 8231         |       | 6586    | MODEM TRAY FOR 19 INCH RACK      | 159            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | 6651    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 36                |
| 8231         |       | 6654    | 4.3M (14-FT) 1PH/24-30A PWR CO | 153            | N              |                | 36                |
| 8231         |       | 6655    | 4.3M (14-FT) 1PH/24-30A WR PWR | 339            | N              |                | 36                |
| 8231         |       | 6656    | 4.3M (14-FT)1PH/24A POWER CORD | 153            | N              |                | 36                |
| 8231         |       | 6659    | POWER CORD 2.7M (9-FOOT) TO W  | 11             | N              |                | 36                |
| 8231         |       | 6660    | POWER CORD (14-FOOT) DRAWER T  | 11             | N              |                | 36                |
| 8231         |       | 6665    | POWER CORD 3 M (10 FT) DRAWER  | 11             | N              |                | 36                |
| 8231         |       | 6669    | POWER CORD 4.3M (14-FOOT) DR   | 11             | N              |                | 36                |
| 8231         |       | 6670    | POWER CORD (6-FOOT) TO WALL (  | 11             | N              |                | 36                |
| 8231         |       | 6671    | POWER CORD 2.7M (9-FOOT) DRAW  | 11             | N              |                | 36                |
| 8231         |       | 6672    | POWER CORD 1.5M (5-FOOT) DRA   | 11             | N              |                | 36                |
| 8231         |       | 6680    | POWER CORD 2.7M (9-FOOT) TO W  | 11             | N              |                | 36                |
| 8231         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 930            | N              |                | 36                |
| 8231         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 237            | N              |                | 36                |
| 8231         |       | 7188    | POWER DISTRIBUTION UNIT        | 640            | N              |                | 36                |
| 8231         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 21             | N              |                | 36                |
| 8231         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 50             | N              |                | 36                |
| 8231         |       | 8144    | LINUX SOFTWARE PREINSTALL (BUS | 50             | N              |                | 36                |
| 8231         |       | 8360    | ONE PROCESSOR ACTIVATION FOR P | 491            | N              |                | 36                |
| 8231         |       | 8372    | ONE PROCESSOR ACTIVATION FOR P | 974            | N              |                | 36                |
| 8231         |       | 8381    | ONE PROCESSOR ACTIVATION FOR P | 727            | N              |                | 36                |
| 8231         |       | 8382    | ONE PROCESSOR ACTIVATION FOR P | 450            | N              |                | 36                |
| 8231         |       | 8845    | USB MOUSE                      | 25             | N              |                | 36                |
| 8231         |       | 9056    | PCIE LP 2 PORT 1GBE TX ADAPTER | 254            | N              |                | 36                |
| 8231         |       | EB34    | I 6.1.1 NATIVE I O ENABLEM     | 846            | N              |                | 36                |
| 8231         |       | EC27    | PCIE2 LP 2-PORT 10GBE ROCE SFP | 846            | N              |                | 36                |
| 8231         |       | EC29    | PCIE2 LP 2 PORT 10GBE ROCE SR  | 1,481          | N              |                | 36                |
| 8231         |       | ECB0    | 0.6M BLUE CAT5 ETHERNET CABLE  | 10             | N              |                | 36                |
| 8231         |       | ECB2    | 1.5M BLUE CAT5 ETHERNET CABLE  | 14             | N              |                | 36                |
| 8231         |       | EDR1    | EXP30 ULTRA SSD I O DRAWER     | 20,736         | N              |                | 36                |
| 8231         |       | EHSS    | SPSS ON PWR SOL IND            | 0              | N              |                | 36                |
| 8231         |       | EJ0D    | STORAGE BACKPLANE 6 SFF DRI    | 676            | N              |                | 36                |
| 8231         |       | EJ0E    | STORAGE BACKPLANE 3 SFF DRI    | 707            | N              |                | 36                |
| 8231         |       | EJ0F    | STORAGE BACKPLANE W/EXT SAS    | 1,523          | N              |                | 36                |
| 8231         |       | EJ0G    | GX DUAL-PORT 12X ATTACH        | 1,481          | N              |                | 36                |
| 8231         |       | EJ0H    | GX LP 1 PORT PCIE2 X8 ADAPTE   | 1,227          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8231         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 50             | N              |                | 36                |
| 8231         |       | EM04    | 4GB 2X2GB MEMORY DIMMS 1066    | 449            | N              |                | 36                |
| 8231         |       | EM08    | 8GB 2X4GB MEMORY DIMMS 1066    | 540            | N              |                | 36                |
| 8231         |       | EM16    | 16GB 2X4GB MEMORY DIMMS 1066   | 1,081          | N              |                | 36                |
| 8231         |       | EM32    | 32GB 2X4GB MEMORY DIMMS 1066   | 3,244          | N              |                | 36                |
| 8231         |       | EM4B    | 16GB 2X8GB MEMORY DIMMS 1066   | 719            | N              |                | 36                |
| 8231         |       | EM4C    | 32GB 2X16GB MEM DIMMS 1066     | 1,439          | N              |                | 36                |
| 8231         |       | EM4D    | 64GB 2X32GB MEM DIMMS 1066     | 5,417          | N              |                | 36                |
| 8231         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX  | 85             | N              |                | 36                |
| 8231         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX  | 101            | N              |                | 36                |
| 8231         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX  | 127            | N              |                | 36                |
| 8231         |       | EN05    | PCIE X8 CABLE 1.5M             | 254            | N              |                | 36                |
| 8231         |       | EN07    | PCIE X8 CABLE 3M               | 287            | N              |                | 36                |
| 8231         |       | EN0B    | PCIE2 LP 16GB 2PORT FIBRE CHA  | 3,809          | N              |                | 36                |
| 8231         |       | EN0J    | PCIE2 LP 4PORT 10GB FCOE & 1G  | 2,962          | N              |                | 36                |
| 8231         |       | EN0Y    | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078          | N              |                | 36                |
| 8231         |       | EPC1    | 4 CORE 3.0 GHZ POWER7 PROCESSR | 635            | N              |                | 36                |
| 8231         |       | EPC2    | 6 CORE 3.7 GHZ POWER7 PROCESSR | 830            | N              |                | 36                |
| 8231         |       | EPC3    | 8 CORE 3.55 GHZ POWER7 PROCESR | 1,375          | N              |                | 36                |
| 8231         |       | EPC4    | 4 CORE 3.7 GHZ POWER7 PROCESSR | 1,121          | N              |                | 36                |
| 8231         |       | EPCE    | 4-CORE 3.6 GHZ POWER7 PROC     | 418            | N              |                | 36                |
| 8231         |       | EPCF    | 4 CORE 4.3 GHZ POWER7 PROC     | 550            | N              |                | 36                |
| 8231         |       | EPCG    | 6-CORE 4.2 GHZ POWER7 PROC     | 423            | N              |                | 36                |
| 8231         |       | EPCH    | 8 CORE 3.6 GHZ POWER7 PROC     | 458            | N              |                | 36                |
| 8231         |       | EPCJ    | 8-CORE 4.2 GHZ POWER7 PROC     | 783            | N              |                | 36                |
| 8231         |       | EPD1    | ONE PROCESSOR ACTIV FOR EPC1   | 491            | N              |                | 36                |
| 8231         |       | EPD2    | ONE PROCESSOR ACTIV FOR EPC2   | 450            | N              |                | 36                |
| 8231         |       | EPD3    | ONE PROCESSOR ACTIV FOR EPC3   | 904            | N              |                | 36                |
| 8231         |       | EPD4    | ONE PROCESSOR ACTIV FOR EPC4   | 727            | N              |                | 36                |
| 8231         |       | EPDE    | ONE PROCESSOR ACTIV FOR EPCE   | 249            | N              |                | 36                |
| 8231         |       | EPDF    | ONE PROCESSOR ACTIV FOR EPCF   | 435            | N              |                | 36                |
| 8231         |       | EPDG    | ONE PROCESSOR ACTIV FOR EPCG   | 249            | N              |                | 36                |
| 8231         |       | EPDH    | ONE PROCESSOR ACTIV FOR EPCH   | 254            | N              |                | 36                |
| 8231         |       | EPDJ    | ONE PROCESSOR ACTIV FOR EPCJ   | 465            | N              |                | 36                |
| 8231         |       | EQ02    | QUANTITY 150 OF 3452 SAS CABL  | 57,128         | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231         |       | EQ03    | QUANTITY 150 OF 3453 SAS YO    | 85,693         | N              |                | 36                |
| 8231         |       | EQ0C    | QUANTITY OF 150 ES0C           | 455,504        | N              |                | 36                |
| 8231         |       | EQ0D    | QUANTITY OF 150 ES0D           | 455,504        | N              |                | 36                |
| 8231         |       | EQ52    | QNT150 1752 900GB SFF2         | 190,428        | N              |                | 36                |
| 8231         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 8231         |       | ES02    | 387GB 1.8 SAS SSD AIX LINUX    | 3,724          | N              |                | 36                |
| 8231         |       | ES04    | 387 GB 1.8 SSD FOR IBMI W/EMLC | 3,724          | N              |                | 36                |
| 8231         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 3,036          | N              |                | 36                |
| 8231         |       | ES0B    | 387GB SFF-1 SSD FOR IBMI       | 3,036          | N              |                | 36                |
| 8231         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 3,036          | N              |                | 36                |
| 8231         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,036          | N              |                | 36                |
| 8231         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 5,247          | N              |                | 36                |
| 8231         |       | ESA2    | PCIE2 LP RAID SAS ADAPTER 6GB  | 5,247          | N              |                | 36                |
| 8231         |       | ESC5    | S H A                          | 260            | N              |                | 36                |
| 8231         |       | ESR2    | SIX ES02 387GB 1.8 SAS AIX LI  | 20,109         | N              |                | 36                |
| 8231         |       | ESR4    | SIX ES04 387 GB 1.8 SSD IBMI   | 20,109         | N              |                | 36                |
| 8231         |       | ESRA    | FOUR ES0A 387GB SFF 1 SSD AIX  | 10,932         | N              |                | 36                |
| 8231         |       | ESRB    | FOUR ES0B 387GB SFF 1 SSD IBMI | 10,932         | N              |                | 36                |
| 8231         |       | ESRC    | FOUR ES0C387GB SFF 2 SSD AIX   | 10,932         | N              |                | 36                |
| 8231         |       | ESRD    | FOUR ES0D 387GB SFF 2 SSD IBMI | 10,932         | N              |                | 36                |
| 8231         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 291            | N              |                | 36                |
| 8231         |       | EU04    | RDX USB EXTERNAL DOCKING       | 233            | N              |                | 36                |
| 8231         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 190            | N              |                | 36                |
| 8231         |       | EU15    | 1.5TB REMOVABLE DISK CARTRIDGE | 418            | N              |                | 36                |
| 8231         |       | EU23    | RDX USB INTERNAL DOCKING       | 190            | N              |                | 36                |
| 8233         | E8B   |         | POWER 750                      | 6,346          | Y              | 2              | 12                |
| 8233         |       | 0010    | ONE CSC BILLING UNIT           | 143            | N              |                | 12                |
| 8233         |       | 0011    | TEN CSC BILLING UITS           | 1,439          | N              |                | 12                |
| 8233         |       | 0348    | V.24/EIA232 6.1M (20 FT) PCI C | 105            | N              |                | 12                |
| 8233         |       | 0353    | V.35 6.1M (20 FT) PCI CABLE    | 105            | N              |                | 12                |
| 8233         |       | 0359    | X.21 6.1M (20 FT) PCI CABLE    | 313            | N              |                | 12                |
| 8233         |       | 0456    | CUSTOMER SPECIFIED PLACEMENT   | 339            | N              |                | 12                |
| 8233         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,237          | N              |                | 12                |
| 8233         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 3,034          | N              |                | 12                |
| 8233         |       | 0599    | RACK FILLER PANEL KIT          | 62             | N              |                | 12                |
| 8233         |       | 1025    | MODEM CABLE US/CANADA AND GU   | 10             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | 1107    | USB 500 GB REMOVABLE DISK DR   | 249            | N              |                | 12                |
| 8233         |       | 1109    | ENET SWITCH J48E               | 15,700         | N              |                | 12                |
| 8233         |       | 1111    | CAT5E ETHERNET CABLE3M BLUE    | 21             | N              |                | 12                |
| 8233         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 37             | N              |                | 12                |
| 8233         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE  | 67             | N              |                | 12                |
| 8233         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN  | 21             | N              |                | 12                |
| 8233         |       | 1116    | CAT5E ETHERNET CABLE 10M GREEN | 37             | N              |                | 12                |
| 8233         |       | 1117    | CAT5E ETHERNET CABLE 25M GREEN | 67             | N              |                | 12                |
| 8233         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLOW | 21             | N              |                | 12                |
| 8233         |       | 1119    | CAT5E ETHERNET CABLE 10M YELLO | 37             | N              |                | 12                |
| 8233         |       | 1121    | CAT5E ETHERNET CABLE 25M YELLO | 67             | N              |                | 12                |
| 8233         |       | 1421    | 4.3M 200V/16A POWER CORD CH/DK | 10             | N              |                | 12                |
| 8233         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 12                |
| 8233         |       | 1817    | QUANTITY 150 OF 1962           | 152,343        | N              |                | 12                |
| 8233         |       | 1818    | QUANTITY 150 OF 1964           | 152,343        | N              |                | 12                |
| 8233         |       | 1827    | SYSTEM PORT/UPS CONVERSION CAB | 80             | N              |                | 12                |
| 8233         |       | 1828    | 1.5 METER 12X TO 4X CHANNEL CC | 254            | N              |                | 12                |
| 8233         |       | 1841    | 3 METER 12X TO 4X CHANNEL CC   | 317            | N              |                | 12                |
| 8233         |       | 1844    | QUANTITY 150 OF 1956           | 101,308        | N              |                | 12                |
| 8233         |       | 1854    | 10 METER 12X TO 4X ENHANCE CCC | 508            | N              |                | 12                |
| 8233         |       | 1861    | 0.6 METER 12X DDR CABLE        | 296            | N              |                | 12                |
| 8233         |       | 1862    | 1.5 METER 12X DDR CABLE        | 339            | N              |                | 12                |
| 8233         |       | 1864    | 8.0 METER 12X DDR CABLE        | 614            | N              |                | 12                |
| 8233         |       | 1865    | 3.0 METER 12X DDR CABLE        | 402            | N              |                | 12                |
| 8233         |       | 1866    | QUANTITY 150 OF 1917           | 63,222         | N              |                | 12                |
| 8233         |       | 1868    | QUANTITY 150 OF 1947           | 63,222         | N              |                | 12                |
| 8233         |       | 1869    | QUANTITY 150 OF 1925           | 101,308        | N              |                | 12                |
| 8233         |       | 1878    | OP PANEL CABLE FOR RACK MOUNT  | 5              | N              |                | 12                |
| 8233         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 675            | N              |                | 12                |
| 8233         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 421            | N              |                | 12                |
| 8233         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 421            | N              |                | 12                |
| 8233         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 675            | N              |                | 12                |
| 8233         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 12                |
| 8233         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 12                |
| 8233         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 12                |
| 8233         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 421            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 675            | N              |                | 12                |
| 8233         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 12                |
| 8233         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,016          | N              |                | 12                |
| 8233         |       | 1996    | 1 GIGABIT ISCSI TOE PCI XONC   | 3,724          | N              |                | 12                |
| 8233         |       | 2054    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,584          | N              |                | 12                |
| 8233         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,584          | N              |                | 12                |
| 8233         |       | 2456    | 2M LC SC 50 MICRON FIBER CONVE | 70             | N              |                | 12                |
| 8233         |       | 2459    | 2M LC SC 62.5 MICRON FIBER CON | 70             | N              |                | 12                |
| 8233         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 127            | N              |                | 12                |
| 8233         |       | 2893    | PCIE 2 LINE WAN W/MODEM        | 490            | N              |                | 12                |
| 8233         |       | 2934    | 3M ASYNCHRONOUS TERMINAL/PRINT | 31             | N              |                | 12                |
| 8233         |       | 2936    | ASYNCHRONOUS CABLE EIA 232/V   | 51             | N              |                | 12                |
| 8233         |       | 3124    | SERIAL TO SERIAL PORT CABLE DD | 56             | N              |                | 12                |
| 8233         |       | 3125    | SERIAL TO SERIAL PORT CABLE RR | 56             | N              |                | 12                |
| 8233         |       | 3632    | WIDESCREEN LCD MONITOR         | 845            | N              |                | 12                |
| 8233         |       | 3652    | SAS CABLE (EE) DRAWER TO DR 1M | 42             | N              |                | 12                |
| 8233         |       | 3653    | SAS CABLE (EE) DRAWER TO DR 3M | 58             | N              |                | 12                |
| 8233         |       | 3654    | SAS CABLE (EE) DRAWER TO DR 6M | 101            | N              |                | 12                |
| 8233         |       | 3656    | SAS SFF CABLE                  | 33             | N              |                | 12                |
| 8233         |       | 3657    | RIGHT ANGLE SAS TAPE DRIVE CAB | 17             | N              |                | 12                |
| 8233         |       | 3661    | SAS CABLE (X) ADAPTER TO SAS E | 127            | N              |                | 12                |
| 8233         |       | 3662    | SAS CABLE (X) ADAPTER TO SAS E | 254            | N              |                | 12                |
| 8233         |       | 3663    | SAS CABLE (X) ADAPTER TO SAS E | 517            | N              |                | 12                |
| 8233         |       | 3668    | SAS CABLE DASD BACKPLANE TO R  | 67             | N              |                | 12                |
| 8233         |       | 3669    | SAS CABLE DASD BACKPLANE SPL   | 72             | N              |                | 12                |
| 8233         |       | 3679    | SAS CABLE (AI) ADAPTER TO INT  | 44             | N              |                | 12                |
| 8233         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR (  | 63             | N              |                | 12                |
| 8233         |       | 3684    | SAS CABLE (AE) ADAPTER TO ENCL | 127            | N              |                | 12                |
| 8233         |       | 3685    | SAS CABLE (AE) ADAPTER TO ENCL | 254            | N              |                | 12                |
| 8233         |       | 3687    | SAS CABLE (YI) SYSTEM TO SAS E | 93             | N              |                | 12                |
| 8233         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 76             | N              |                | 12                |
| 8233         |       | 3691    | SAS CABLE (YO) ADAPTER TO SAS  | 76             | N              |                | 12                |
| 8233         |       | 3692    | SAS CABLE (YO) ADAPTER TO SAS  | 93             | N              |                | 12                |
| 8233         |       | 3693    | SAS CABLE (YO) ADAPTER TO SAS  | 127            | N              |                | 12                |
| 8233         |       | 3694    | SAS CABLE (YO) ADAPTER TO SAS  | 446            | N              |                | 12                |
| 8233         |       | 3925    | 0.3M SERIAL PORT CONVERTER CAB | 17             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | 3927    | SERIAL PORT NULL MODEM CABLE   | 56             | N              |                | 12                |
| 8233         |       | 3928    | SERIAL PORT NULL MODEM CABLE   | 56             | N              |                | 12                |
| 8233         |       | 4242    | 1.8 M (6 FT) EXTENDER CABLE    | 70             | N              |                | 12                |
| 8233         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 35             | N              |                | 12                |
| 8233         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 6              | N              |                | 12                |
| 8233         |       | 4526    | 8GB (2X4GB) MEMORY DIMMS       | 901            | N              |                | 12                |
| 8233         |       | 4527    | 16GB (2X8GB) MEMORY DIMMS 1066 | 1,803          | N              |                | 12                |
| 8233         |       | 4528    | 32GB (2X16GB) MEMORYDIMMS 1066 | 5,408          | N              |                | 12                |
| 8233         |       | 4792    | ACTIVE MEMORY EXPANSION ENABLE | 2,200          | N              |                | 12                |
| 8233         |       | 4807    | PCIE CRYPTO COPROCESSOR NO BSC | 9,310          | N              |                | 12                |
| 8233         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 9,310          | N              |                | 12                |
| 8233         |       | 4988    | ONE PROCESSOR OF 5250 ENTERPRI | 12,695         | N              |                | 12                |
| 8233         |       | 4989    | FULL 5250 ENTERPRISE ENABLEMEN | 50,781         | N              |                | 12                |
| 8233         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 12                |
| 8233         |       | 5609    | GX DUAL PORT 12X CHANNEL ATTAC | 1,862          | N              |                | 12                |
| 8233         |       | 5613    | DUAL PORT (SR) INTEGRATED VIRT | 2,962          | N              |                | 12                |
| 8233         |       | 5616    | GX DUAL PORT 12X CHANNEL ATTAC | 931            | N              |                | 12                |
| 8233         |       | 5619    | 80/160GB DAT160 SAS TAPE DRIVE | 1,546          | N              |                | 12                |
| 8233         |       | 5624    | 4 PORT 1GB INTEGRATED VIRTUAL  | 446            | N              |                | 12                |
| 8233         |       | 5638    | 1.5TB 3.0TB LTO 5 SAS TAPE DR  | 3,385          | N              |                | 12                |
| 8233         |       | 5646    | BLIND SWAP TYPE III CASSETTE   | 31             | N              |                | 12                |
| 8233         |       | 5647    | BLIND SWAP TYPE III CASSETTE   | 31             | N              |                | 12                |
| 8233         |       | 5679    | SAS RAID ENABLEMENT            | 2,116          | N              |                | 12                |
| 8233         |       | 5706    | 2 PORT 10/100/1000 BASE TX ETH | 639            | N              |                | 12                |
| 8233         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962          | N              |                | 12                |
| 8233         |       | 5713    | 1 GIGABIT ISCSI TOE PCI X ON C | 762            | N              |                | 12                |
| 8233         |       | 5717    | 4 PORT 10/100/1000 BASE TX PCI | 702            | N              |                | 12                |
| 8233         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961          | N              |                | 12                |
| 8233         |       | 5736    | PCI X DDR DUAL CHANNEL ULTRA32 | 497            | N              |                | 12                |
| 8233         |       | 5740    | 4 PORT 10/100/1000 BASE TX PCI | 702            | N              |                | 12                |
| 8233         |       | 5747    | LTO ULTRIUM 4 800 GB DATA CART | 508            | N              |                | 12                |
| 8233         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 319            | N              |                | 12                |
| 8233         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)   | 2,115          | N              |                | 12                |
| 8233         |       | 5759    | 4 GB DUAL PORT FIBRE CHANNEL   | 2,115          | N              |                | 12                |
| 8233         |       | 5767    | 2 PORT 10/100/1000 BASE TX ETH | 446            | N              |                | 12                |
| 8233         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,118          | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | 5769    | 10 GIGABIT ETHERNET SR PCI     | 2,962          | N              |                | 12                |
| 8233         |       | 5772    | 10 GIGABIT ETHERNET LR PCI     | 4,013          | N              |                | 12                |
| 8233         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115          | N              |                | 12                |
| 8233         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 591            | N              |                | 12                |
| 8233         |       | 5802    | 12X I/O DRAWER PCIE SFF DISK   | 10,147         | N              |                | 12                |
| 8233         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 1,861          | N              |                | 12                |
| 8233         |       | 5877    | 12X I/O DRAWER PCIE NO DISK    | 9,216          | N              |                | 12                |
| 8233         |       | 5887    | EXP24S SFF GEN2-BAY DRAWER     | 4,570          | N              |                | 12                |
| 8233         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 254            | N              |                | 12                |
| 8233         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 634            | N              |                | 12                |
| 8233         |       | 5904    | PCI X DDR 1.5GB CACHE SAS RAID | 7,194          | N              |                | 12                |
| 8233         |       | 5908    | PCI X DDR 1.5GB CACHE SAS RAID | 7,194          | N              |                | 12                |
| 8233         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTE   | 698            | N              |                | 12                |
| 8233         |       | 6006    | POWER CONTROL CABLE (SPCN) 3   | 33             | N              |                | 12                |
| 8233         |       | 6007    | POWER CONTROL CABLE (SPCN) 15  | 67             | N              |                | 12                |
| 8233         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 287            | N              |                | 12                |
| 8233         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 352            | N              |                | 12                |
| 8233         |       | 6248    | 1.8M RACK ACOUSTIC DOOR        | 2,972          | N              |                | 12                |
| 8233         |       | 6249    | 2.0M RACK ACOUSTIC DOORS       | 2,972          | N              |                | 12                |
| 8233         |       | 6263    | 1.8M RACK TRIM KIT             | 338            | N              |                | 12                |
| 8233         |       | 6272    | 2.0M RACK TRIM KIT             | 338            | N              |                | 12                |
| 8233         |       | 6458    | POWER CABLE DRAWER TO PDU      | 11             | N              |                | 12                |
| 8233         |       | 6460    | POWER CORD 4.3M (14 FT) DRAWE  | 11             | N              |                | 12                |
| 8233         |       | 6469    | POWER CORD 4.3M (14 FOOT) DRA  | 11             | N              |                | 12                |
| 8233         |       | 6470    | POWER CORD 1.8M(6 FOOT) TO WA  | 11             | N              |                | 12                |
| 8233         |       | 6471    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6472    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6473    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6474    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6475    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6476    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6477    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6478    | POWER CORD 2.7 M(9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6488    | POWER CORD 2.7M (9 FOOT) TO W  | 33             | N              |                | 12                |
| 8233         |       | 6489    | 4.3M (14 FT) 3PH/24A POWER COR | 233            | N              |                | 12                |
| 8233         |       | 6491    | 4.3M (14 FT) 1PH/48A PWR CORD  | 255            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | 6492    | 4.3M (14 FT) 1PH/48 60A PWR CO | 255            | N              |                | 12                |
| 8233         |       | 6493    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6494    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6496    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 11             | N              |                | 12                |
| 8233         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 115            | N              |                | 12                |
| 8233         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 159            | N              |                | 12                |
| 8233         |       | 6651    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6654    | 4.3M (14 FT) 1PH/24 30A PWR CO | 153            | N              |                | 12                |
| 8233         |       | 6655    | 4.3M (14 FT) 1PH/24 30A WR PWR | 339            | N              |                | 12                |
| 8233         |       | 6656    | 4.3M (14 FT)1PH/24A POWER CORD | 153            | N              |                | 12                |
| 8233         |       | 6659    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 6660    | POWER CORD (14 FOOT) DRAWER T  | 11             | N              |                | 12                |
| 8233         |       | 6665    | POWER CORD 3 M (10 FT) DRAWER  | 11             | N              |                | 12                |
| 8233         |       | 6669    | POWER CORD 4.3M (14 FOOT) DRA  | 11             | N              |                | 12                |
| 8233         |       | 6671    | POWER CORD 2.7M (9 FOOT) DRAW  | 11             | N              |                | 12                |
| 8233         |       | 6672    | POWER CORD 1.5M (5 FOOT) DRAW  | 11             | N              |                | 12                |
| 8233         |       | 6680    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8233         |       | 7109    | INTELLIGENT PDU 1 EIA UNIT     | 930            | N              |                | 12                |
| 8233         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 237            | N              |                | 12                |
| 8233         |       | 7188    | POWER DISTRIBUTION UNIT        | 640            | N              |                | 12                |
| 8233         |       | 7714    | ONE PROCESSOR ACTIVATION 8334  | 2,624          | N              |                | 12                |
| 8233         |       | 7715    | ONE PROCESSOR ACTIVATION 8332  | 5,078          | N              |                | 12                |
| 8233         |       | 7716    | ONE PROCESSOR ACTIVATION 8336  | 7,617          | N              |                | 12                |
| 8233         |       | 7717    | ONE PROCESSOR ACTIVATION 8335  | 4,105          | N              |                | 12                |
| 8233         |       | 7740    | POWER SUPPLY 1725 WATT AC HO   | 591            | N              |                | 12                |
| 8233         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 21             | N              |                | 12                |
| 8233         |       | 7863    | PCI BLIND SWAP CASSETTE KIT    | 42             | N              |                | 12                |
| 8233         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 50             | N              |                | 12                |
| 8233         |       | 8144    | LINUX SOFTWARE PREINSTALL BP   | 50             | N              |                | 12                |
| 8233         |       | 8332    | 8 CORE 3.3 GHZ POWER7 PROCESSO | 10,495         | N              |                | 12                |
| 8233         |       | 8334    | 8 CORE 3.0 GHZ POWER7 PROCESSO | 5,027          | N              |                | 12                |
| 8233         |       | 8335    | 6 CORE 3.3 GHZ POWER7 PROCESSO | 5,924          | N              |                | 12                |
| 8233         |       | 8336    | 8 CORE 3.55 GHZ POWER7 PROCESS | 14,980         | N              |                | 12                |
| 8233         |       | 8340    | ENHANCED DASD/MEDIA BACKPLANE  | 676            | N              |                | 12                |
| 8233         |       | 8845    | USB MOUSE                      | 25             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233         |       | EM08    | 8GB 2X4GB MEMORY DIMMS 1066    | 540            | N              |                | 36                |
| 8233         |       | EM16    | 16GB 2X8GB MEMORY DIMMS 1066   | 1,081          | N              |                | 36                |
| 8233         |       | EM32    | 32GB 2X16GB MEMORYDIMMS1066    | 3,244          | N              |                | 36                |
| 8233         |       | EPA1    | 8 CORE 3.6 GHZ POWER7 PROC     | 10,486         | N              |                | 12                |
| 8233         |       | EPA2    | 6 CORE 3.7 GHZ POWER7 PROC     | 4,147          | N              |                | 12                |
| 8233         |       | EPA3    | 4 CORE 3.7 GHZ POWER7 PROC     | 2,553          | N              |                | 12                |
| 8233         |       | EPB1    | ONE PROCESSOR ACTIVATION EPA1  | 5,332          | N              |                | 12                |
| 8233         |       | EPB2    | ONE PROCESSOR ACTIVATION EPA2  | 2,873          | N              |                | 12                |
| 8233         |       | EPB3    | ONE PROCESSOR ACTIVATION EPA3  | 2,978          | N              |                | 12                |
| 8233         |       | EQ0C    | QUANTITY OF 150 ES0C           | 455,504        | N              |                | 12                |
| 8233         |       | EQ0D    | QUANTITY OF 150 ES0D           | 455,504        | N              |                | 12                |
| 8233         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 3,036          | N              |                | 12                |
| 8233         |       | ES0B    | 387GB SFF-1 SSD FOR IBMI       | 3,036          | N              |                | 12                |
| 8233         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 3,036          | N              |                | 12                |
| 8233         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,036          | N              |                | 12                |
| 8233         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 190            | N              |                | 12                |
| 8233         |       | EU16    | 80 160GB DAT160 USB TAPE DRIV  | 1,546          | N              |                | 12                |
| 8233         |       | EUC6    | CORE USE HW FEATURE            | 423            | N              |                | 36                |
| 8234         |       | 0348    | V.24/EIA 6.1M (20FT) PCI CABLE | 100            | N              |                | 12                |
| 8234         |       | 0353    | V.35 6.1M 20FT PCI CABLE       | 100            | N              |                | 12                |
| 8234         |       | 0359    | X.21 6.1M 20FT PCI CABLE       | 298            | N              |                | 12                |
| 8234         |       | 0367    | V.24/EIA232 24.4M 80FT PCI CBL | 100            | N              |                | 12                |
| 8234         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,131          | N              |                | 12                |
| 8234         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 2,890          | N              |                | 12                |
| 8234         |       | 0555    | 19 INCH 1.3 METER HIGH RACK    | 1,594          | N              |                | 12                |
| 8234         |       | 0599    | RACK FILLER PANEL KIT          | 59             | N              |                | 12                |
| 8234         |       | 1025    | MODEM CABLE US/CANADA GEN USE  | 10             | N              |                | 12                |
| 8234         |       | 1107    | USB 500 GB REMOVABLE DISKDRIVE | 238            | N              |                | 12                |
| 8234         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 20             | N              |                | 12                |
| 8234         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 36             | N              |                | 12                |
| 8234         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE  | 64             | N              |                | 12                |
| 8234         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN  | 20             | N              |                | 12                |
| 8234         |       | 1116    | CAT5E ETHERNET CABLE 10M GREEN | 36             | N              |                | 12                |
| 8234         |       | 1117    | CAT5E ETHERNET CABLE 25M GREEN | 64             | N              |                | 12                |
| 8234         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLO  | 20             | N              |                | 12                |
| 8234         |       | 1119    | CAT5E ETHERNET CABLE 10M YELLO | 36             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234         |       | 1120    | DECLINE ELECTR SERVICE AGENT   | 0              | N              |                | 12                |
| 8234         |       | 1121    | CAT5E ETHERNET CABLE 25M YELLO | 64             | N              |                | 12                |
| 8234         |       | 1793    | 177GB SFF2 SSD W/ EMLC AIX/LI  | 2,892          | N              |                | 36                |
| 8234         |       | 1794    | 177GB SFF 2 SSD W/ EMLC IBM I  | 2,892          | N              |                | 36                |
| 8234         |       | 1827    | SYSTEM PORT/UPS CONVERSION CBL | 77             | N              |                | 12                |
| 8234         |       | 1828    | 1.5M 12X TO 4X CHAN CONVERSION | 242            | N              |                | 12                |
| 8234         |       | 1841    | 3M 12X TO 4X CHAN CONVERSION   | 302            | N              |                | 12                |
| 8234         |       | 1844    | QUANTITY 150 OF 1956           | 96,484         | N              |                | 12                |
| 8234         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 484            | N              |                | 12                |
| 8234         |       | 1861    | 0.6 METER 12X DDR CABLE        | 282            | N              |                | 12                |
| 8234         |       | 1862    | 1.5 METER 12X DDR CABLE        | 322            | N              |                | 12                |
| 8234         |       | 1864    | 8.0 METER 12X DDR CABLE        | 584            | N              |                | 12                |
| 8234         |       | 1865    | 3.0 METER 12X DDR CABLE        | 383            | N              |                | 12                |
| 8234         |       | 1866    | QUANTITY 150 OF 1917           | 60,212         | N              |                | 12                |
| 8234         |       | 1868    | QUANTITY 150 OF 1947           | 60,212         | N              |                | 12                |
| 8234         |       | 1869    | QUANTITY 150 OF 1925           | 96,484         | N              |                | 12                |
| 8234         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 643            | N              |                | 12                |
| 8234         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 401            | N              |                | 12                |
| 8234         |       | 1887    | QUANTITY 150 OF 1793           | 433,814        | N              |                | 36                |
| 8234         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 401            | N              |                | 12                |
| 8234         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 401            | N              |                | 12                |
| 8234         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 643            | N              |                | 12                |
| 8234         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 401            | N              |                | 12                |
| 8234         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 643            | N              |                | 12                |
| 8234         |       | 1958    | QUANTITY 150 OF 1794           | 433,814        | N              |                | 36                |
| 8234         |       | 2456    | 2M LC SC 50 MICRON FIBER CONV  | 66             | N              |                | 12                |
| 8234         |       | 2459    | 2M LC SC 62.5 MICRON FIBER CBL | 66             | N              |                | 12                |
| 8234         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 121            | N              |                | 12                |
| 8234         |       | 2893    | PCIE 2 LINE WAN W/MODEM        | 466            | N              |                | 12                |
| 8234         |       | 2934    | 3M ASYNCH TERMINAL/PRINTER CBL | 29             | N              |                | 12                |
| 8234         |       | 2936    | ASYNCH CBL EIA 232/V.24 3M     | 48             | N              |                | 12                |
| 8234         |       | 3124    | SERIAL TO SERIAL PRT CBL DRWR  | 53             | N              |                | 12                |
| 8234         |       | 3125    | SERIAL TO SERIAL PRT CBL RACK  | 53             | N              |                | 12                |
| 8234         |       | 3632    | WIDESCREEN LCD MONITOR         | 805            | N              |                | 12                |
| 8234         |       | 3652    | SAS CBL EE DRWR TO DRWR 1M     | 40             | N              |                | 12                |
| 8234         |       | 3653    | SAS CBL EE DRWR TO DRWR 3M     | 56             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234         |       | 3654    | SAS CBL EE DRWR TO DRWR 6M     | 97             | N              |                | 12                |
| 8234         |       | 3661    | SAS CBL X ADP SAS ENCL DUAL 3M | 121            | N              |                | 12                |
| 8234         |       | 3662    | SAS CBL X ADP SAS ENCL DUAL 6M | 242            | N              |                | 12                |
| 8234         |       | 3663    | SAS CBL X ADP SAS ENCL DUAL    | 492            | N              |                | 12                |
| 8234         |       | 3679    | SAS CBL AI ADP TO INT DRIVE 1M | 42             | N              |                | 12                |
| 8234         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR    | 60             | N              |                | 12                |
| 8234         |       | 3684    | SAS CBL AE ADP ENCL SINGLE 3M  | 121            | N              |                | 12                |
| 8234         |       | 3685    | SAS CBL AE ADP ENCL SINGLE 6M  | 242            | N              |                | 12                |
| 8234         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 73             | N              |                | 12                |
| 8234         |       | 3691    | SAS CBL YO ADP ENCL SNGL 1.5M  | 73             | N              |                | 12                |
| 8234         |       | 3692    | SAS CBL YO ADP ENCL SINGLE 3M  | 89             | N              |                | 12                |
| 8234         |       | 3693    | SAS CBL YO ADP ENCL SINGLE 6M  | 121            | N              |                | 12                |
| 8234         |       | 3694    | SAS CBL YO ADP ENCL SINGLE 15M | 425            | N              |                | 12                |
| 8234         |       | 3925    | 0.3M SERIAL PRT CONVERTER CBL  | 16             | N              |                | 12                |
| 8234         |       | 3927    | SERIAL PRT NULL MODEM CBL 9PIN | 54             | N              |                | 12                |
| 8234         |       | 3928    | SERIAL PRT NULL MODEM CBL 9PIN | 54             | N              |                | 12                |
| 8234         |       | 4242    | 1.8M 6FT EXT CBL FOR DISPLAYS  | 66             | N              |                | 12                |
| 8234         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 33             | N              |                | 12                |
| 8234         |       | 4276    | VGA DVI CONNECTION CONVERTER   | 6              | N              |                | 12                |
| 8234         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 8,866          | N              |                | 12                |
| 8234         |       | 4990    | SINGLE 5250 ENTERPRISE ENABLE  | 40,302         | N              |                | 12                |
| 8234         |       | 4991    | FULL 5250 ENTERPRISE ENABLE    | 161,209        | N              |                | 12                |
| 8234         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 12                |
| 8234         |       | 5646    | BLIND SWAP TYPE III CASSETTE   | 30             | N              |                | 12                |
| 8234         |       | 5647    | BLIND SWAP TYPE III CASSETTE   | 30             | N              |                | 12                |
| 8234         |       | 5706    | 2PRT 10/100/1000 BASE TX ETH   | 608            | N              |                | 12                |
| 8234         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821          | N              |                | 12                |
| 8234         |       | 5713    | 1GB ISCSI TOE PCI X ON COPPER  | 725            | N              |                | 12                |
| 8234         |       | 5717    | 4 PRT 10/100/1000 BASE TX PCI  | 669            | N              |                | 12                |
| 8234         |       | 5735    | 8GB PCI EXPRESS DUAL PRT FIBRE | 2,820          | N              |                | 12                |
| 8234         |       | 5736    | PCI X DUAL CHANN ULTRA320 SCSI | 473            | N              |                | 12                |
| 8234         |       | 5748    | POWER GXT145 PCI EXPRESS       | 304            | N              |                | 12                |
| 8234         |       | 5749    | 4GBPS FIBRE CHANNEL 2 PORT     | 2,014          | N              |                | 12                |
| 8234         |       | 5759    | 4GB DUAL PRT FIBRE CHAN PCI X  | 2,014          | N              |                | 12                |
| 8234         |       | 5767    | 2 PRT 10/100/1000 BASE TX ETH  | 425            | N              |                | 12                |
| 8234         |       | 5768    | 2 PRT GB ETH SX PCI EXPRESS    | 1,065          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP   | 2,821          | N              |                | 12                |
| 8234         |       | 5772    | 10 GB ETH LR PCI EXPRESS ADP   | 3,822          | N              |                | 12                |
| 8234         |       | 5774    | 4 GB PCI EXPRESS DUAL PORT     | 2,014          | N              |                | 12                |
| 8234         |       | 5782    | PCI X EXP24 CTL 1.5GB NO IOP   | 6,816          | N              |                | 12                |
| 8234         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADP  | 563            | N              |                | 12                |
| 8234         |       | 5802    | 12X I/O DRAWER PCIE SFF DISK   | 9,664          | N              |                | 12                |
| 8234         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 1,772          | N              |                | 12                |
| 8234         |       | 5877    | 12X I O DRAWER PCIE NO DISK    | 8,778          | N              |                | 12                |
| 8234         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 4,353          | N              |                | 12                |
| 8234         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 604            | N              |                | 12                |
| 8234         |       | 5908    | PCI X DDR 1.5GB CACHE SAS RAID | 6,851          | N              |                | 12                |
| 8234         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTER  | 665            | N              |                | 12                |
| 8234         |       | 6006    | POWER CONTROL CBL SPCN 3 METER | 32             | N              |                | 12                |
| 8234         |       | 6007    | POWER CONTROL CBL SPCN 15 M    | 64             | N              |                | 12                |
| 8234         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 274            | N              |                | 12                |
| 8234         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 334            | N              |                | 12                |
| 8234         |       | 6248    | 1.8M RACK ACCOUSTIC DOORS      | 2,831          | N              |                | 12                |
| 8234         |       | 6249    | 2.0M RACK ACCOUSTIC DOORS      | 2,831          | N              |                | 12                |
| 8234         |       | 6458    | PWR CBL DRWR IBM PDU 14FT 250V | 11             | N              |                | 12                |
| 8234         |       | 6460    | PWR CRD 4.3M 14FT DRWR OEM PDU | 11             | N              |                | 12                |
| 8234         |       | 6469    | PWR CRD 4.3M 14FT DRWR OEM PDU | 11             | N              |                | 12                |
| 8234         |       | 6471    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6472    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6473    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6474    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6475    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6476    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6477    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6478    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6488    | PWR CRD 2.7M 9FT WALL OEM PDU  | 32             | N              |                | 12                |
| 8234         |       | 6489    | 4.3M 14FT 3PH/24A POWER CORD   | 202            | N              |                | 12                |
| 8234         |       | 6491    | 4.3M 14FT 1PH/48A PWR CORD     | 243            | N              |                | 12                |
| 8234         |       | 6492    | 4.3M 14FT 1PH/48 60A PWR CORD  | 243            | N              |                | 12                |
| 8234         |       | 6493    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 12                |
| 8234         |       | 6494    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 12                |
| 8234         |       | 6496    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 109            | N              |                | 12                |
| 8234         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 152            | N              |                | 12                |
| 8234         |       | 6651    | PWR CRD 2.7M 9FT WALL 125V 15A | 11             | N              |                | 12                |
| 8234         |       | 6654    | 4.3M 14FT 1PH/24 30A PWR CORD  | 145            | N              |                | 12                |
| 8234         |       | 6655    | 4.3M 14FT 1PH/24 30A WR PWR    | 322            | N              |                | 12                |
| 8234         |       | 6656    | 4.3M 14FT 1PH/24 POWER CORD    | 145            | N              |                | 12                |
| 8234         |       | 6659    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 11             | N              |                | 12                |
| 8234         |       | 6669    | PWR CRD 4.3M 14FT DRWR PDU     | 11             | N              |                | 12                |
| 8234         |       | 6671    | PWR CRD 2.7M 9FT DRWR PDU 250V | 11             | N              |                | 12                |
| 8234         |       | 6672    | PWR CRD 1.5M 5FT DRWR PDU 250V | 11             | N              |                | 12                |
| 8234         |       | 6680    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 12                |
| 8234         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 886            | N              |                | 12                |
| 8234         |       | 7164    | OEM RACK MOUNT DRWR RAIL KIT   | 135            | N              |                | 12                |
| 8234         |       | 7188    | POWER DISTRIBUTION UNIT        | 609            | N              |                | 12                |
| 8234         |       | 7723    | 1 PROC ACTIVATION PROC FC 7537 | 4,756          | N              |                | 12                |
| 8234         |       | 7802    | ETH CBL 15M HW MANAGEMENT      | 20             | N              |                | 12                |
| 8234         |       | 7863    | PCI BLIND SWAP CASSETTE KIT    | 40             | N              |                | 12                |
| 8234         |       | 7870    | POWER DISTRIBUTION BACKPLANE   | 161            | N              |                | 12                |
| 8234         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 48             | N              |                | 12                |
| 8234         |       | 8144    | LINUX SOFTWARE PREINSTALL SDIS | 48             | N              |                | 12                |
| 8234         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 181            | N              |                | 12                |
| 8236         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 12                |
| 8236         |       | 0011    | TEN CSC BILLING UITS           | 1,370          | N              |                | 12                |
| 8236         |       | 0348    | V.24 EIA232 6.1M (20 FT) PCI C | 100            | N              |                | 12                |
| 8236         |       | 0353    | V.35 6.1M (20 FT) PCI CABLE    | 100            | N              |                | 12                |
| 8236         |       | 0359    | X.21 6.1M (20 FT) PCI CABLE    | 298            | N              |                | 12                |
| 8236         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,131          | N              |                | 12                |
| 8236         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 2,890          | N              |                | 12                |
| 8236         |       | 0599    | RACK FILLER PANEL KIT          | 59             | N              |                | 12                |
| 8236         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 967            | N              |                | 12                |
| 8236         |       | 1818    | QUANTITY 150 OF 1964           | 145,088        | N              |                | 12                |
| 8236         |       | 1828    | 1.5 METER 12X TO 4X CHANNEL CO | 242            | N              |                | 12                |
| 8236         |       | 1841    | 3 METER 12X TO 4X CHANNEL CONV | 302            | N              |                | 12                |
| 8236         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 484            | N              |                | 12                |
| 8236         |       | 1861    | 0.6 METER 12X DDR CABLE        | 282            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236         |       | 1866    | QUANTITY 150 OF 1917           | 60,212         | N              |                | 12                |
| 8236         |       | 1869    | QUANTITY 150 OF 1925           | 96,484         | N              |                | 12                |
| 8236         |       | 1880    | 300GB 15K RPM SAS DISK         | 766            | N              |                | 12                |
| 8236         |       | 1885    | 300GB 10K RPM SFF SAS DISK DRI | 643            | N              |                | 12                |
| 8236         |       | 1886    | 146GB 15K RPM SFF SAS DISK DRI | 401            | N              |                | 12                |
| 8236         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 401            | N              |                | 12                |
| 8236         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 643            | N              |                | 12                |
| 8236         |       | 1929    | QUANTITY 150 OF 1953           | 114,861        | N              |                | 12                |
| 8236         |       | 1953    | 300GB 15K RPM SAS SFF 2 DISK   | 766            | N              |                | 12                |
| 8236         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 967            | N              |                | 12                |
| 8236         |       | 2054    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,461          | N              |                | 12                |
| 8236         |       | 2456    | 2M LC SC 50 MICRON FIBER CONVE | 66             | N              |                | 12                |
| 8236         |       | 2459    | 2M LC SC 62.5 MICRON FIBER CON | 66             | N              |                | 12                |
| 8236         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 121            | N              |                | 12                |
| 8236         |       | 2934    | 3M ASYNCHRONOUS TERMINAL PRINT | 29             | N              |                | 12                |
| 8236         |       | 2936    | ASYNCHRONOUS CABLE EIA 232 V.2 | 48             | N              |                | 12                |
| 8236         |       | 3124    | SERIAL TO SE.PORT CBL DRAW3.7M | 53             | N              |                | 12                |
| 8236         |       | 3125    | SERIAL TO SE.PORT CBL RACK 8M  | 53             | N              |                | 12                |
| 8236         |       | 3632    | WIDESCREEN LCD MONITOR         | 805            | N              |                | 12                |
| 8236         |       | 3652    | SAS CABLE (EE) DRAWER TO DRW1M | 40             | N              |                | 12                |
| 8236         |       | 3653    | SAS CABLE (EE) DRAWER TO DRW3M | 56             | N              |                | 12                |
| 8236         |       | 3654    | SAS CABLE (EE) DRAWER TO DRW6M | 97             | N              |                | 12                |
| 8236         |       | 3661    | SAS CABLE (X) ADAPTER TO SAS3M | 121            | N              |                | 12                |
| 8236         |       | 3662    | CONTROLLER DUAL PATH 6M        | 242            | N              |                | 12                |
| 8236         |       | 3663    | CONTROLLER DUAL PATH 15M       | 492            | N              |                | 12                |
| 8236         |       | 3668    | SAS CABLE DASD BACKPLANE TO R  | 64             | N              |                | 12                |
| 8236         |       | 3679    | SAS CAB (AI) ADAPTER TO INT 1M | 42             | N              |                | 12                |
| 8236         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR (  | 60             | N              |                | 12                |
| 8236         |       | 3684    | SAS CAB (AE) ADAPTER TO EN 3M  | 121            | N              |                | 12                |
| 8236         |       | 3685    | SAS CAB (AE) ADAPTER TO EN 6M  | 242            | N              |                | 12                |
| 8236         |       | 3687    | SAS CA(YI) SYSTEM TO SAS 3M    | 89             | N              |                | 12                |
| 8236         |       | 3691    | SAS CAB(YO) ADAPTER TO SAS1.5M | 73             | N              |                | 12                |
| 8236         |       | 3692    | SAS CAB(YO) ADAPTER TO SAS 3M  | 89             | N              |                | 12                |
| 8236         |       | 3693    | SAS CAB(YO) ADAPTER TO SAS 6M  | 121            | N              |                | 12                |
| 8236         |       | 3694    | SAS CAB(YO) ADAPTER TO SAS 15M | 425            | N              |                | 12                |
| 8236         |       | 3925    | 0.3M SERIAL PORT CONVERTER CAB | 16             | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236         |       | 3927    | SERIAL PORT NULL MOD CAB 3.7M  | 53             | N              |                | 12                |
| 8236         |       | 3928    | SERIAL PORT NULL MO CAB 10M    | 53             | N              |                | 12                |
| 8236         |       | 4242    | 1.8 M (6 FT) EXTENDER CABLE FO | 66             | N              |                | 12                |
| 8236         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 33             | N              |                | 12                |
| 8236         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 6              | N              |                | 12                |
| 8236         |       | 4526    | 8GB (2X4GB) MEMORY DIMMS 1067  | 858            | N              |                | 12                |
| 8236         |       | 4527    | 16GB (2X8GB) MEMORY DIMMS 106  | 1,717          | N              |                | 12                |
| 8236         |       | 4807    | PCIE CRYPTO COPROCESSOR NO BSC | 8,866          | N              |                | 12                |
| 8236         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 159            | N              |                | 12                |
| 8236         |       | 5609    | GX DUAL PORT 12X CHANNEL ATTAC | 1,773          | N              |                | 12                |
| 8236         |       | 5613    | DUAL PORT (SR) INTEGRATED VIRT | 2,821          | N              |                | 12                |
| 8236         |       | 5624    | 4 PORT 1GB INTEGRATED VIRTUAL  | 425            | N              |                | 12                |
| 8236         |       | 5706    | IBM 2 PORT 10/100/1000 BASETX  | 609            | N              |                | 12                |
| 8236         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821          | N              |                | 12                |
| 8236         |       | 5713    | 1 GIGABIT ISCSI TOE PCI X ON C | 725            | N              |                | 12                |
| 8236         |       | 5717    | 4 PORT 10/100/1000 BASE TX PCI | 669            | N              |                | 12                |
| 8236         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,820          | N              |                | 12                |
| 8236         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 304            | N              |                | 12                |
| 8236         |       | 5759    | 4 GB DUAL PORT FIBRE CHANNEL P | 2,014          | N              |                | 12                |
| 8236         |       | 5767    | 2 PORT 10/100/1000 BASE TX ETH | 425            | N              |                | 12                |
| 8236         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,065          | N              |                | 12                |
| 8236         |       | 5769    | 10 GIGABIT ETHERNET SR PCI EXP | 2,821          | N              |                | 12                |
| 8236         |       | 5772    | 10 GIGABIT ETHERNET LR PCI EXP | 3,822          | N              |                | 12                |
| 8236         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,014          | N              |                | 12                |
| 8236         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 563            | N              |                | 12                |
| 8236         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 4,353          | N              |                | 12                |
| 8236         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 242            | N              |                | 12                |
| 8236         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 604            | N              |                | 12                |
| 8236         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 274            | N              |                | 12                |
| 8236         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 334            | N              |                | 12                |
| 8236         |       | 6248    | 1.8M RACK ACOUSTIC DOORS       | 2,831          | N              |                | 12                |
| 8236         |       | 6249    | 2.0M RACK ACOUSTIC DOORS       | 2,831          | N              |                | 12                |
| 8236         |       | 6263    | 1.8M RACK TRIM KIT             | 321            | N              |                | 12                |
| 8236         |       | 6272    | 2.0M RACK TRIM KIT             | 321            | N              |                | 12                |
| 8236         |       | 6458    | POWER CABLE DRAWER TO PDU      | 11             | N              |                | 12                |
| 8236         |       | 6460    | POWER CORD 4.3M (14 FT) DRAW   | 11             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236         |       | 6469    | POWER CORD 4.3M (14 FOOT) DRA  | 11             | N              |                | 12                |
| 8236         |       | 6470    | POW C 1.8M(6 FOOT) T(125V 15A  | 11             | N              |                | 12                |
| 8236         |       | 6471    | POWC2.7M (9 FOOT) T(125V 15A   | 11             | N              |                | 12                |
| 8236         |       | 6472    | POWC2.7M (9 FOOT) T(250V 16A   | 11             | N              |                | 12                |
| 8236         |       | 6473    | POWC2.7M (9 FOOT) T(250V 10A   | 11             | N              |                | 12                |
| 8236         |       | 6474    | POWC2.7M (9 FOOT) T(250V 13A   | 11             | N              |                | 12                |
| 8236         |       | 6475    | POWC2.7M (9 FOOT) T(250V 16A   | 11             | N              |                | 12                |
| 8236         |       | 6476    | POWC2.7M (9 FOOT) T(250V 10A   | 11             | N              |                | 12                |
| 8236         |       | 6477    | POWC2.7M (9 FOOT) T(250V 16A   | 11             | N              |                | 12                |
| 8236         |       | 6478    | POWC2.7M (9 FOOT) T(250V 16A   | 11             | N              |                | 12                |
| 8236         |       | 6488    | POC 2.7M (9 FOOT) T(125V 15A   | 32             | N              |                | 12                |
| 8236         |       | 6489    | 4.3M (14 FT) 3PH 24A POWER COR | 222            | N              |                | 12                |
| 8236         |       | 6491    | 4.3M (14 FT) 1PH 48A PWR CORD  | 243            | N              |                | 12                |
| 8236         |       | 6492    | 4.3M (14 FT) 1PH 48 60A PWR CO | 243            | N              |                | 12                |
| 8236         |       | 6493    | POC 2.7M (9 FOOT) T(250V 10A   | 11             | N              |                | 12                |
| 8236         |       | 6494    | POC 2.7M (9 FOOT) T(250V 10A   | 11             | N              |                | 12                |
| 8236         |       | 6496    | POC 2.7M (9 FOOT) T(250V 10A   | 11             | N              |                | 12                |
| 8236         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 109            | N              |                | 12                |
| 8236         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 152            | N              |                | 12                |
| 8236         |       | 6651    | POC 2.7M (9 FOOT) T(125V 15A   | 11             | N              |                | 12                |
| 8236         |       | 6654    | 4.3M (14 FT) 1PH 24 30A PWR CO | 145            | N              |                | 12                |
| 8236         |       | 6655    | 4.3M (14 FT) 1PH 24 30A WR PWR | 322            | N              |                | 12                |
| 8236         |       | 6656    | 4.3M (14 FT)1PH 24A POWER CORD | 145            | N              |                | 12                |
| 8236         |       | 6659    | POC 2.7M (9 FOOT) T(250V 15A   | 11             | N              |                | 12                |
| 8236         |       | 6660    | POWER CORD (14 FOOT) DRAWER T  | 11             | N              |                | 12                |
| 8236         |       | 6665    | POWER CORD 3 M (10 FT) DRAWER  | 11             | N              |                | 12                |
| 8236         |       | 6669    | POWER CORD 4.3M (14 FOOT) DRA  | 11             | N              |                | 12                |
| 8236         |       | 6671    | POWER CORD 2.7M (9 FOOT) DRAW  | 11             | N              |                | 12                |
| 8236         |       | 6672    | POWER CORD 1.5M (5 FOOT) DRAW  | 11             | N              |                | 12                |
| 8236         |       | 6680    | POWER CORD 2.7M (9 FOOT) TO W  | 11             | N              |                | 12                |
| 8236         |       | 7109    | INTELLIGENT PDU 1 EIA UNIT UN  | 886            | N              |                | 12                |
| 8236         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 226            | N              |                | 12                |
| 8236         |       | 7188    | POWER DISTRIBUTION UNIT        | 609            | N              |                | 12                |
| 8236         |       | 7550    | QUANTITY 150 OF 1790           | 145,088        | N              |                | 12                |
| 8236         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 20             | N              |                | 12                |
| 8236         |       | 8332    | 8CORE 3.3 GHZ POWER7 PROCESSO  | 9,995          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236         |       | 8845    | USB MOUSE                      | 24             | N              |                | 12                |
| 8236         |       | EM08    | 8GB 2X4GB MEMORY DIMMS 1066    | 515            | N              |                | 36                |
| 8236         |       | EM16    | 16GB 2X8GB MEMORY DIMMS 1066   | 1,030          | N              |                | 36                |
| 8236         |       | EM32    | 32GB 2X16GB MEMORYDIMMS1066    | 3,090          | N              |                | 36                |
| 8236         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 2,892          | N              |                | 12                |
| 8236         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 2,892          | N              |                | 12                |
| 8236         |       | EU16    | 80 160GB DAT160 USB TAPE DRIV  | 1,472          | N              |                | 12                |
| 8246         | L1D   |         | POWERLINUX 7R1                 | 2,821          | Y              | 2              | 36                |
| 8246         | L1T   |         | POWERLINUX 7R1                 | 2,821          | Y              | 2              | 36                |
| 8246         | L2D   |         | POWERLINUX 7R2                 | 3,224          | Y              | 2              | 36                |
| 8246         | L2T   |         | POWERLINUX 7R2                 | 3,224          | Y              | 2              | 36                |
| 8246         |       | 0348    | V.24 EIA232 6.1M 20 FT PCI C   | 100            | N              |                | 36                |
| 8246         |       | 0353    | V.35 6.1M 20 FT PCI CABLE      | 100            | N              |                | 36                |
| 8246         |       | 0359    | X.21 6.1M 20 FT PCI CABLE      | 298            | N              |                | 36                |
| 8246         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,131          | N              |                | 36                |
| 8246         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 2,890          | N              |                | 36                |
| 8246         |       | 0599    | RACK FILLER PANEL KIT          | 59             | N              |                | 36                |
| 8246         |       | 1025    | MODEM CABLE US CANADA AND GU   | 10             | N              |                | 36                |
| 8246         |       | 1107    | USB 500 GB REMOVABLE DISK DR   | 238            | N              |                | 36                |
| 8246         |       | 1827    | SYSTEM PORT UPS CONVERSION CAB | 77             | N              |                | 36                |
| 8246         |       | 1828    | 1.5 METER 12X TO 4X CHANNEL CC | 242            | N              |                | 36                |
| 8246         |       | 1832    | QUAD PORT 1 GB HEA DAUGHTER CA | 242            | N              |                | 36                |
| 8246         |       | 1833    | DUAL PORT 10GB HEA DAUGHTER CA | 1,378          | N              |                | 36                |
| 8246         |       | 1837    | DUAL PORT 10 GB HEA DAUGHTER C | 355            | N              |                | 36                |
| 8246         |       | 1841    | 3 METER 12X TO 4X CHANNEL CC   | 302            | N              |                | 36                |
| 8246         |       | 1854    | 10 METER 12X TO 4X ENHANCE CCC | 484            | N              |                | 36                |
| 8246         |       | 1861    | 0.6 METER 12X DDR CABLE        | 282            | N              |                | 36                |
| 8246         |       | 1862    | 1.5 METER 12X DDR CABLE        | 322            | N              |                | 36                |
| 8246         |       | 1864    | 8.0 METER 12X DDR CABLE        | 584            | N              |                | 36                |
| 8246         |       | 1865    | 3.0 METER 12X DDR CABLE        | 383            | N              |                | 36                |
| 8246         |       | 1880    | 300GB 15K RPM SAS DISK         | 766            | N              |                | 36                |
| 8246         |       | 2053    | PCIE LP RAID SSD SAS ADAPTER 3 | 2,461          | N              |                | 36                |
| 8246         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,461          | N              |                | 36                |
| 8246         |       | 2456    | LC SC 50 MICRON FIBER CONV CAB | 66             | N              |                | 36                |
| 8246         |       | 2459    | LC SC 62.5 MIC.FIB.CONV.CABLE  | 66             | N              |                | 36                |
| 8246         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 121            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | 2893    | PCIE 2 LINE WAN W MODEM        | 466            | N              |                | 36                |
| 8246         |       | 2934    | ASYNCH.TERMIN PRINT.CBL EIA232 | 29             | N              |                | 36                |
| 8246         |       | 2936    | ASYNCHRONOUS CABLE EIA 232 V   | 48             | N              |                | 36                |
| 8246         |       | 3124    | SER TO SER PORT CAB DRAW DRAW  | 53             | N              |                | 36                |
| 8246         |       | 3125    | SERIAL TO SE.PORT CBL RACK 8M  | 53             | N              |                | 36                |
| 8246         |       | 3287    | 1M QDR IB COPPER CABLE         | 418            | N              |                | 36                |
| 8246         |       | 3288    | 3M QDR IB COPPER CABLE         | 523            | N              |                | 36                |
| 8246         |       | 3289    | 5M QDR IB ENET COPPER CABLE    | 564            | N              |                | 36                |
| 8246         |       | 3290    | 10M QDR IB OPTIC CABLE         | 605            | N              |                | 36                |
| 8246         |       | 3293    | 30M QDR IB OPTIC CABLE         | 725            | N              |                | 36                |
| 8246         |       | 3632    | WIDESCREEN LCD MONITOR         | 805            | N              |                | 36                |
| 8246         |       | 3675    | SAS EX CABLE 3M - DRW TO DRW   | 138            | N              |                | 36                |
| 8246         |       | 3680    | SAS EX CABLE 6M - DRW TO DRW   | 246            | N              |                | 36                |
| 8246         |       | 3688    | 1 SAS CABLE AT 0.6 METER       | 73             | N              |                | 36                |
| 8246         |       | 3689    | SAS AT CABLE 0.6M - HD 6GB ADA | 97             | N              |                | 36                |
| 8246         |       | 3925    | 0.3M SERIAL PRT CONVERTER CBL  | 16             | N              |                | 36                |
| 8246         |       | 3927    | SERIAL PORT NULL MOD CAB 3.7M  | 53             | N              |                | 36                |
| 8246         |       | 3928    | SER PORT NULL MODEM CABLE10M   | 53             | N              |                | 36                |
| 8246         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 11             | N              |                | 36                |
| 8246         |       | 4242    | 6FOOT EXTEND.CBL FOR DISPLAYS  | 66             | N              |                | 36                |
| 8246         |       | 4256    | EXTENDER CABLE USB KEYBO 1.8M  | 33             | N              |                | 36                |
| 8246         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 6              | N              |                | 36                |
| 8246         |       | 4648    | RACK INTEGRATION SERVICES BP   | 97             | N              |                | 36                |
| 8246         |       | 4649    | RACK INTEGRATION SERVICES      | 121            | N              |                | 36                |
| 8246         |       | 5260    | PCIE2 LP 4-PORT 1GBE ADAPTR    | 242            | N              |                | 36                |
| 8246         |       | 5266    | GX DUAL PORT 4X CHANNEL ATT    | 1,128          | N              |                | 36                |
| 8246         |       | 5269    | PCIE LP POWER GXT145 GRAPHICS  | 465            | N              |                | 36                |
| 8246         |       | 5270    | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,821          | N              |                | 36                |
| 8246         |       | 5271    | PCIE LP 4 PORT 10 100 1000 BAS | 669            | N              |                | 36                |
| 8246         |       | 5274    | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,065          | N              |                | 36                |
| 8246         |       | 5275    | PCIE LP 10GBE SR 1 PORT ADAPT  | 2,821          | N              |                | 36                |
| 8246         |       | 5277    | PCIE LP 4 PORT ASYNC EIA 232 A | 563            | N              |                | 36                |
| 8246         |       | 5279    | PCIE2 4PORT 10GBE 1GBE SFP LP  | 2,014          | N              |                | 36                |
| 8246         |       | 5280    | PCIE2 4-PORT 10GBE 1GBE SR LP  | 2,820          | N              |                | 36                |
| 8246         |       | 5283    | PCIE2 LP 2-PORT 4X IB QDR ADAP | 806            | N              |                | 36                |
| 8246         |       | 5286    | PCIE2 LP 2 PORT 10GBE SFP+     | 1,290          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 159            | N              |                | 36                |
| 8246         |       | 5290    | PCIE LP 2 PORT ASYNC EIA 23    | 159            | N              |                | 36                |
| 8246         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 16             | N              |                | 36                |
| 8246         |       | 5532    | SYSTEM PWR SUP -1925W          | 322            | N              |                | 36                |
| 8246         |       | 5603    | SYSTEM AC POWER SUPPLY 1725 W  | 322            | N              |                | 36                |
| 8246         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821          | N              |                | 36                |
| 8246         |       | 5717    | 4PORT 10 100 1000 BASETX PCI   | 669            | N              |                | 36                |
| 8246         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 2,820          | N              |                | 36                |
| 8246         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 304            | N              |                | 36                |
| 8246         |       | 5767    | 2 PORT 10 100 1000 BASE TX     | 425            | N              |                | 36                |
| 8246         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,065          | N              |                | 36                |
| 8246         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP   | 2,821          | N              |                | 36                |
| 8246         |       | 5771    | SATA SLIMLINE DVD RAM DRIVE    | 241            | N              |                | 36                |
| 8246         |       | 5772    | 10 GIGABIT ETHERNET LR PCI     | 3,822          | N              |                | 36                |
| 8246         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,014          | N              |                | 36                |
| 8246         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 563            | N              |                | 36                |
| 8246         |       | 5802    | 12X I O DRAWER PCIE SFF DI     | 9,664          | N              |                | 36                |
| 8246         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 1,772          | N              |                | 36                |
| 8246         |       | 5877    | 12X I O DRAWER PCIE NO DISK    | 8,778          | N              |                | 36                |
| 8246         |       | 5887    | EXP24S SFF GEN2-BAY DRAWER     | 4,353          | N              |                | 36                |
| 8246         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 242            | N              |                | 36                |
| 8246         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 604            | N              |                | 36                |
| 8246         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 6,045          | N              |                | 36                |
| 8246         |       | 5926    | SAS EX CABLE 1.5M - DRW TO DRW | 123            | N              |                | 36                |
| 8246         |       | 6006    | POWER CONTROL CBL SPCN3 M      | 32             | N              |                | 36                |
| 8246         |       | 6007    | POWER CONTROL CBL SPCN 15 M    | 64             | N              |                | 36                |
| 8246         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 274            | N              |                | 36                |
| 8246         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 334            | N              |                | 36                |
| 8246         |       | 6248    | 1.8M RACK ACOUSTIC DOORS       | 2,831          | N              |                | 36                |
| 8246         |       | 6249    | 2.0M RACK ACOUSTIC DOORS       | 2,831          | N              |                | 36                |
| 8246         |       | 6263    | 1.8M RACK TRIM KIT             | 321            | N              |                | 36                |
| 8246         |       | 6272    | 2.0M RACK TRIM KIT             | 321            | N              |                | 36                |
| 8246         |       | 6458    | PWR CBL 14FT DRWR IBM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6460    | PWR CRD 14FT DRWR OEM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6469    | PWR CRD 4.3M DRWR OEM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6470    | PWR CORD 6FOOTTO WALL          | 11             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | 6471    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6472    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6473    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6474    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6475    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6476    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6477    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6478    | PWR CRD 2.7M 9FT WALL OEM PDU  | 11             | N              |                | 36                |
| 8246         |       | 6488    | PWR CORD 9FOOT 125V 15A        | 32             | N              |                | 36                |
| 8246         |       | 6489    | 4.3M 14 FT 3PH 24A POWER COR   | 222            | N              |                | 36                |
| 8246         |       | 6491    | 4.3M 14 FT 1PH 48A PWR CORD    | 243            | N              |                | 36                |
| 8246         |       | 6492    | 4.3M 14 FT 1PH 48 60A PWR CO   | 243            | N              |                | 36                |
| 8246         |       | 6493    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 36                |
| 8246         |       | 6494    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 36                |
| 8246         |       | 6496    | PWR CRD 2.7M 9FT WALL 250V 10A | 11             | N              |                | 36                |
| 8246         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 11             | N              |                | 36                |
| 8246         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 109            | N              |                | 36                |
| 8246         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 152            | N              |                | 36                |
| 8246         |       | 6651    | PWR CRD 2.7M 9FT WALL 125V 15A | 11             | N              |                | 36                |
| 8246         |       | 6654    | 4.3M 1PH 24- 0A PWR CORD       | 145            | N              |                | 36                |
| 8246         |       | 6655    | 4.3M 14FT 1PH 24 30A WR PWR    | 322            | N              |                | 36                |
| 8246         |       | 6656    | 4.3M 14FT 1PH 4A POWER CORD    | 145            | N              |                | 36                |
| 8246         |       | 6659    | PWR.CORD 9FTTO WALL OEM PDU    | 11             | N              |                | 36                |
| 8246         |       | 6660    | PWR CORD14FT DR.TO OEM PDU     | 11             | N              |                | 36                |
| 8246         |       | 6665    | PWR CORD 3M DRWR TO IBM PDU    | 11             | N              |                | 36                |
| 8246         |       | 6669    | PWR CRD 4.3M DRWR OEM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6671    | PWR CRD 2.7M DRWR IBM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6672    | PWR CRD 1.5M DRWR IBM PDU      | 11             | N              |                | 36                |
| 8246         |       | 6680    | PWR CRD 2.7M WALL OEM PDU      | 11             | N              |                | 36                |
| 8246         |       | 7109    | IINTELLIGENT PDU 1 EIA UNIT    | 886            | N              |                | 36                |
| 8246         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 226            | N              |                | 36                |
| 8246         |       | 7188    | POWER DISTRIBUTION UNIT        | 609            | N              |                | 36                |
| 8246         |       | 7802    | ETH CBL 15M HW MANAGEMENT      | 20             | N              |                | 36                |
| 8246         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 48             | N              |                | 36                |
| 8246         |       | 8845    | USB MOUSE                      | 24             | N              |                | 36                |
| 8246         |       | 9056    | PCIE LP 2-PORT 1GBE TX ADAPTER | 242            | N              |                | 0                 |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | EC29    | PCIE2 LP 2 PORT 10GBE ROCE SR  | 1,411          | N              |                | 36                |
| 8246         |       | EDR1    | EXP30 ULTRA SSD I/O DRAWER     | 19,748         | N              |                | 36                |
| 8246         |       | EJ0G    | GX DUAL PORT 12X ATTACH        | 1,411          | N              |                | 36                |
| 8246         |       | EJ0H    | GX++LP 1-PORT PCIE2 X8 ADAPTER | 1,169          | N              |                | 36                |
| 8246         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 48             | N              |                | 36                |
| 8246         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 48             | N              |                | 36                |
| 8246         |       | EL01    | 80 160GB TAPE POWERLINUX       | 866            | N              |                | 36                |
| 8246         |       | EL02    | 300GB SFF DISK POWERLINUX      | 249            | N              |                | 36                |
| 8246         |       | EL03    | 146GB SFF DISK POWERLINUX      | 297            | N              |                | 36                |
| 8246         |       | EL09    | 4GB 2 PORT FCAL POWERLINUX     | 1,434          | N              |                | 36                |
| 8246         |       | EL0E    | 4GB 2X2GB MEMORY POWERLINUX    | 184            | N              |                | 36                |
| 8246         |       | EL0F    | 8GB 2X4GB MEMORY POWERLINUX    | 346            | N              |                | 36                |
| 8246         |       | EL0G    | 16GB 2X8GB MEMORYPOWERLINUX    | 886            | N              |                | 36                |
| 8246         |       | EL0K    | MEMORY RISER CARD POWERLINUX   | 322            | N              |                | 36                |
| 8246         |       | EL0L    | 6 DRIVES DVD RAID POWERLINUX   | 983            | N              |                | 36                |
| 8246         |       | EL0M    | 6 DRIVES DVD POWERLINUX        | 322            | N              |                | 36                |
| 8246         |       | EL0N    | 3 DRIVES DVD TAPE POWERLINUX   | 337            | N              |                | 36                |
| 8246         |       | EL0P    | 600GB 10K RPM SAS SFF DISK     | 475            | N              |                | 36                |
| 8246         |       | EL0W    | 6 SFF DRIVES SATA DVD          | 322            | N              |                | 36                |
| 8246         |       | EL0X    | 3 SFF DRIVES SATA DVD HH       | 337            | N              |                | 36                |
| 8246         |       | EL0Y    | EXTERNAL SAS PORT POWERLINUX   | 983            | N              |                | 36                |
| 8246         |       | EL0Z    | 300GB 15K RPM SAS SFF DISK DRI | 547            | N              |                | 36                |
| 8246         |       | EL10    | 2 PORT SAS ADAPTER POWERLINUX  | 322            | N              |                | 36                |
| 8246         |       | EL1F    | 8GB MEMORY DIMMS POWERLINUX    | 185            | N              |                | 36                |
| 8246         |       | EL1G    | 16GB MEMORY DIMMS POWERLINUX   | 370            | N              |                | 36                |
| 8246         |       | EL1H    | 32GB MEMORY DIMMS POWERLINUX   | 740            | N              |                | 36                |
| 8246         |       | EL1L    | 387GB SFF2 SSD FOR AIX/LINUX   | 2,892          | N              |                | 36                |
| 8246         |       | EL1M    | 146GB 15K RPM SAS SFF2 DISK    | 297            | N              |                | 36                |
| 8246         |       | EL1N    | 300GB 10K RPM SAS SFF2 DISK    | 249            | N              |                | 36                |
| 8246         |       | EL1P    | 300GB 15K RPM SAS SFF2 DISK    | 547            | N              |                | 36                |
| 8246         |       | EL1Q    | 600GB 10K RPM SAS SFF2 DISK    | 475            | N              |                | 36                |
| 8246         |       | EL1R    | 900GB 10K RPM SAS SFF 2 DISK   | 724            | N              |                | 36                |
| 8246         |       | EL1S    | EXP24S SFF GEN2-BAY DRAWER     | 3,224          | N              |                | 36                |
| 8246         |       | EL1T    | SAS CAB(YO) ADAPTER TO SAS1.5M | 73             | N              |                | 36                |
| 8246         |       | EL1U    | SAS CAB(YO) ADAPTER TO SAS 15M | 425            | N              |                | 36                |
| 8246         |       | EL1V    | SAS CAB(YO) ADAPTER TO SAS 3M  | 89             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | EL1W    | SAS CAB(YO) ADAPTER TO SAS 6M  | 121            | N              |                | 36                |
| 8246         |       | EL1X    | SAS X CABLE 15M HD 3GB 2-ADAP  | 1,934          | N              |                | 36                |
| 8246         |       | EL1Y    | SAS X CABLE 10M HD 6GB 2-ADAP  | 1,008          | N              |                | 36                |
| 8246         |       | EL1Z    | SAS X CABLE 3M HD 6GB 2-ADAP   | 363            | N              |                | 36                |
| 8246         |       | EL20    | SAS X CABLE 6M HD 6GB 2-ADAP   | 605            | N              |                | 36                |
| 8246         |       | EL21    | SAS CBL X ADP SAS ENCL 15M     | 492            | N              |                | 36                |
| 8246         |       | EL22    | SAS CABLE (X) ADAPTER TO SAS E | 121            | N              |                | 36                |
| 8246         |       | EL23    | SAS CBL X ADP SAS ENCLOSURE 6M | 242            | N              |                | 36                |
| 8246         |       | EL24    | SAS YO CABLE 15M HD 3GB ADAP   | 1,008          | N              |                | 36                |
| 8246         |       | EL25    | SAS YO CABLE 1.5M HD 6GB ADAP  | 193            | N              |                | 36                |
| 8246         |       | EL26    | SAS YO CABLE 10M HD 6GB ADAP   | 544            | N              |                | 36                |
| 8246         |       | EL27    | PCIE2 LP 2-PORT 10GBE ROCE SFP | 524            | N              |                | 36                |
| 8246         |       | EL28    | SAS YO CABLE 6M HD 6GB ADAPT   | 363            | N              |                | 36                |
| 8246         |       | EL29    | SAS YO CABLE 3M HD 6GB ADAPT   | 242            | N              |                | 36                |
| 8246         |       | EL2A    | SAS AA CBL 0.6M HD 6GB ADAPT   | 81             | N              |                | 36                |
| 8246         |       | EL2B    | SAS AA CABLE 1.5M HD 6GB ADAP  | 141            | N              |                | 36                |
| 8246         |       | EL2C    | SAS AA CABLE 3M HD 6GB ADAPT   | 181            | N              |                | 36                |
| 8246         |       | EL2D    | SAS AA CABLE 6M HD 6GB ADAPT   | 302            | N              |                | 36                |
| 8246         |       | EL2K    | PCIE2 LP RAID SAS ADAPTER 6GB  | 4,997          | N              |                | 36                |
| 8246         |       | EL2L    | SAS CA(YI) SYSTEM TO SAS 3M    | 89             | N              |                | 36                |
| 8246         |       | EL2N    | PCIE LP 8GB 2 PORT FIBRE CHANN | 1,411          | N              |                | 36                |
| 8246         |       | EL2P    | PCIE2 LP 2 PORT 10GBE SR ADAPT | 1,411          | N              |                | 36                |
| 8246         |       | EL2S    | 16GB (2X8GB) MEM DIMMS 1066    | 321            | N              |                | 36                |
| 8246         |       | EL2T    | 32GB (2X16GB) MEM DIMMS 1066   | 643            | N              |                | 36                |
| 8246         |       | EL2U    | 64GB (2X32GB) MEM DIMMS 1066   | 2,255          | N              |                | 36                |
| 8246         |       | EL2V    | 64GB (2X32GB) MEM DIMMS 1066   | 1,531          | N              |                | 36                |
| 8246         |       | EL2Z    | PCIE2 LP 2-PORT 10GBE ROCE SR  | 1,209          | N              |                | 36                |
| 8246         |       | EL30    | EXP30 ULTRA SSD I/O DRAWER     | 19,748         | N              |                | 36                |
| 8246         |       | EL31    | PCIE X8 CABLE 1.5M             | 242            | N              |                | 36                |
| 8246         |       | EL32    | PCIE X8 CABLE 3M               | 274            | N              |                | 36                |
| 8246         |       | EL34    | 387GB 1.8 SAS SSD AIX/LINUX    | 3,547          | N              |                | 36                |
| 8246         |       | EL35    | 900GB 10K RPM SAS SFF DISK     | 724            | N              |                | 36                |
| 8246         |       | EL36    | 12X I/O DRAWER PCIE SFF DISK   | 9,664          | N              |                | 36                |
| 8246         |       | EL37    | 12X I/O DRAWER PCIE NO DISK    | 8,778          | N              |                | 36                |
| 8246         |       | EL38    | PCIE2 LP 4-PORT 10GB FCOE 1G   | 2,015          | N              |                | 36                |
| 8246         |       | ELB4    | POWERLINUX BASE 16C 3.3GHZ     | 1,649          | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246         |       | ELB5    | POWERLINUX BASE 16C 3.55GHZ    | 2,778          | N              |                | 36                |
| 8246         |       | ELBA    | POWERLINUX BASE 8C 3.55GHZ     | 1,487          | N              |                | 36                |
| 8246         |       | ELBB    | POWERLINUX BASE 8C 4.2 GHZ     | 1,974          | N              |                | 36                |
| 8246         |       | ELBC    | POWERLINUX BASE - 16C 3.6 GHZ  | 3,237          | N              |                | 36                |
| 8246         |       | ELBD    | POWERLINUX BASE - 16C 4.2 GHZ  | 3,572          | N              |                | 36                |
| 8246         |       | ELBE    | POWERLINUX BASE 4C 3.6GHZ      | 1,172          | N              |                | 36                |
| 8246         |       | ELBF    | POWERLINUX BASE 6C 4.2 GHZ     | 1,534          | N              |                | 36                |
| 8246         |       | ELQL    | QUANTITY 150 OF EL1L           | 433,814        | N              |                | 36                |
| 8246         |       | ELQM    | QUANTITY 150 OF EL1M           | 44,615         | N              |                | 36                |
| 8246         |       | ELQN    | QUANTITY 150 OF EL1N           | 37,360         | N              |                | 36                |
| 8246         |       | ELQP    | QUANTITY 150 OF EL1P           | 82,096         | N              |                | 36                |
| 8246         |       | ELQQ    | QUANTITY 150 OF EL1Q           | 71,214         | N              |                | 36                |
| 8246         |       | ELQR    | QUANTITY 150 OF EL1R           | 108,695        | N              |                | 36                |
| 8246         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX  | 81             | N              |                | 36                |
| 8246         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX  | 97             | N              |                | 36                |
| 8246         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX  | 121            | N              |                | 36                |
| 8246         |       | EN0B    | PCIE2 LP 16GB 2-PORT FIBRE CHA | 3,627          | N              |                | 36                |
| 8246         |       | EN0Y    | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 4,836          | N              |                | 36                |
| 8246         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 16             | N              |                | 36                |
| 8246         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 2,892          | N              |                | 36                |
| 8246         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 4,997          | N              |                | 36                |
| 8246         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 278            | N              |                | 36                |
| 8246         |       | EU04    | RDX USB EXTERNAL DOCKING       | 222            | N              |                | 36                |
| 8246         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 181            | N              |                | 36                |
| 8246         |       | EU15    | 1.5TB REMOVABLE DISK CARTRIDGE | 399            | N              |                | 36                |
| 8246         |       | EU23    | RDX USB INTERNAL DOCKING       | 181            | N              |                | 36                |
| 8406         | 70Y   |         | BLADECENTER PS700              | 3,708          | Y              | 1              | 36                |
| 8406         | 71Y   |         | BLADECENTER PS701 PS702        | 4,435          | Y              | 1              | 36                |
| 8406         |       | 4645    | INTEGRATE BLADE SERVER IN CHAS | 16             | N              |                | 36                |
| 8406         |       | 4646    | INTEGRATE BLADE SERVER IN CHAS | 20             | N              |                | 36                |
| 8406         |       | 8141    | IBM I SOFTWARE PREINSTALL      | 48             | N              |                | 36                |
| 8406         |       | 8142    | IBM I SOFTWARE PREINSTALL (BUS | 40             | N              |                | 36                |
| 8406         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 48             | N              |                | 36                |
| 8406         |       | 8144    | LINUX SOFTWARE PREINSTALL (BUS | 48             | N              |                | 36                |
| 8406         |       | 8146    | AIX VIOS SOFTWARE PREINSTALL   | 48             | N              |                | 36                |
| 8406         |       | 8147    | AIX VIOS SOFTWARE PREINSTALL ( | 40             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8406         |       | 8208    | 8GB (2X4GB DIMMS) DDR3 1066 MH | 407            | N              |                | 36                |
| 8406         |       | 8209    | 16 GB (2X8 GB DIMM) DDR3 1066  | 800            | N              |                | 36                |
| 8406         |       | 8240    | EMULEX 8GB FIBRE CHANNEL EXPA  | 886            | N              |                | 36                |
| 8406         |       | 8241    | QLOGIC 4 GB FIBRE CHANNEL EXPA | 604            | N              |                | 36                |
| 8406         |       | 8242    | QLOGIC 8GB FIBRE CHANNEL EXPAN | 886            | N              |                | 36                |
| 8406         |       | 8246    | 3 GB SAS PASSTHROUGH EXPANSION | 200            | N              |                | 36                |
| 8406         |       | 8271    | QLOGIC ETHERNET AND 8 GB FCE C | 886            | N              |                | 36                |
| 8406         |       | 8274    | IBM 300GB SAS 10K RPM SFF HDD  | 555            | N              |                | 36                |
| 8406         |       | 8275    | QLOGIC 2 PORT 10GB CONVERGED   | 1,208          | N              |                | 36                |
| 8406         |       | 8276    | IBM 600GB SAS 10K RPM SFF HDD  | 724            | N              |                | 36                |
| 8406         |       | 8291    | BROADCOM 2/4 PORT ETH EXP      | 507            | N              |                | 36                |
| 8406         |       | 8358    | 1 WIDE ADD ON SMP CHASSIS      | 4,436          | N              |                | 36                |
| 8406         |       | 8405    | ONE PROC ENTIT IBM BLADEC 70Y  | 81             | N              |                | 36                |
| 8406         |       | 8411    | ONE PROCESSOR ENTITLEMENT FOR  | 81             | N              |                | 36                |
| 8408         | E8D   |         | POWER 750                      | 5,377          | Y              | 2              | 36                |
| 8408         |       | 0010    | ONE CSC BILLING UNIT           | 137            | N              |                | 36                |
| 8408         |       | 0011    | TEN CSC BILLING UNITS          | 1,370          | N              |                | 36                |
| 8408         |       | 0348    | V.24/EIA232 6.1M 20 FT PCI CBL | 100            | N              |                | 36                |
| 8408         |       | 0353    | V.35 6.1M 20 FT PCI CBL        | 100            | N              |                | 36                |
| 8408         |       | 0359    | X.21 6.1M 20 FT PCI CBL        | 298            | N              |                | 36                |
| 8408         |       | 0456    | CUSTER SPECIFIED PLAC          | 322            | N              |                | 36                |
| 8408         |       | 0551    | 19 INCH 1.8 METER HIGH RACK    | 2,450          | N              |                | 36                |
| 8408         |       | 0553    | 19 INCH 2.0 METER HIGH RACK    | 3,323          | N              |                | 36                |
| 8408         |       | 0599    | RCK FILL PAN KIT               | 59             | N              |                | 36                |
| 8408         |       | 1025    | MODEM CBL US/CANADA AND GEN US | 10             | N              |                | 36                |
| 8408         |       | 1107    | USB 500 GB RMVBL DSK DR        | 238            | N              |                | 36                |
| 8408         |       | 1111    | 3M BLUE CAT5E CBL              | 20             | N              |                | 36                |
| 8408         |       | 1112    | 10M BLUE CAT5E CBL             | 36             | N              |                | 36                |
| 8408         |       | 1113    | 25M BLUE CAT5E CBL             | 64             | N              |                | 36                |
| 8408         |       | 1737    | 856GB 10K RPM SAS SFF DSK DR I | 1,209          | N              |                | 36                |
| 8408         |       | 1738    | 856GB 10K RPM SAS SFF 2 DSKDRI | 1,209          | N              |                | 36                |
| 8408         |       | 1751    | 900GB10K RPM SAS SFF DRAIX/LNX | 1,209          | N              |                | 36                |
| 8408         |       | 1752    | 900GB10KRPM SAS SFF2DR AIX/LNX | 1,209          | N              |                | 36                |
| 8408         |       | 1768    | INTEG MULTIF CRD WITHCOPP SFP  | 1,098          | N              |                | 36                |
| 8408         |       | 1769    | INTEG MULTIF CARD WITH SR OPT  | 2,066          | N              |                | 36                |
| 8408         |       | 1790    | 600GB10K RPM SAS SFF DRAIX/LNX | 967            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 1808    | GX 12X DDR ADPTR DUPO          | 922            | N              |                | 36                |
| 8408         |       | 1815    | SAS CBL 3 SPLIT DASD BACKPLANE | 153            | N              |                | 36                |
| 8408         |       | 1817    | QTITY 150 OF 1962              | 145,088        | N              |                | 36                |
| 8408         |       | 1818    | QTITY 150 OF 1964              | 145,088        | N              |                | 36                |
| 8408         |       | 1819    | SAS CBL ASSMBL SAS PORT        | 153            | N              |                | 36                |
| 8408         |       | 1827    | SYS PORT/UPS CONV CBL          | 77             | N              |                | 36                |
| 8408         |       | 1828    | 1.5 METER12XTO4XCHANN CONV CBL | 242            | N              |                | 36                |
| 8408         |       | 1841    | 3 METER 12XTO 4XCHANN CONV CBL | 302            | N              |                | 36                |
| 8408         |       | 1844    | QTITY 150 OF 1956              | 96,484         | N              |                | 36                |
| 8408         |       | 1854    | 10 M 12XTO4XENH CHANN CONV CBL | 484            | N              |                | 36                |
| 8408         |       | 1861    | 0.6 METER 12X DDR CBL          | 282            | N              |                | 36                |
| 8408         |       | 1862    | 1.5 METER 12X DDR CBL          | 322            | N              |                | 36                |
| 8408         |       | 1864    | 8.0 METER 12X DDR CBL          | 584            | N              |                | 36                |
| 8408         |       | 1865    | 3.0 METER 12X DDR CBL          | 383            | N              |                | 36                |
| 8408         |       | 1866    | QTITY 150 OF 1917              | 60,212         | N              |                | 36                |
| 8408         |       | 1868    | QTITY 150 OF 1947              | 60,212         | N              |                | 36                |
| 8408         |       | 1869    | QTITY 150 OF 1925              | 96,484         | N              |                | 36                |
| 8408         |       | 1879    | 283GB 15K RPM SAS SFF DSK DR I | 766            | N              |                | 36                |
| 8408         |       | 1880    | 300GB15KRPM SAS SFF DR AIX/LNX | 766            | N              |                | 36                |
| 8408         |       | 1882    | 146.8GB 10K RPM SAS SFF DR     | 524            | N              |                | 36                |
| 8408         |       | 1885    | 300GB 10K RPM SFF SAS DR       | 643            | N              |                | 36                |
| 8408         |       | 1886    | 146GB15K RPM SFF SAS DRAIX/LNX | 401            | N              |                | 36                |
| 8408         |       | 1888    | 139GB 15K RPM SFF SAS DR I     | 401            | N              |                | 36                |
| 8408         |       | 1911    | 283GB 10K RPM SFF SAS DR I     | 643            | N              |                | 36                |
| 8408         |       | 1914    | GX 2 PORT PCIE2 X8 ADPTR       | 2,030          | N              |                | 36                |
| 8408         |       | 1916    | 571GB 10K RPM SAS SFF DR I     | 967            | N              |                | 36                |
| 8408         |       | 1917    | 146GB15KRPM SAS SFF2DR AIX/LNX | 401            | N              |                | 36                |
| 8408         |       | 1925    | 300GB10KRPM SAS SFF2DR AIX/LNX | 643            | N              |                | 36                |
| 8408         |       | 1926    | QTITY 150 OF 1879              | 114,861        | N              |                | 36                |
| 8408         |       | 1927    | QTITY 150 OF 1948              | 114,861        | N              |                | 36                |
| 8408         |       | 1928    | QTITY 150 OF 1880              | 114,861        | N              |                | 36                |
| 8408         |       | 1929    | QTITY 150 OF 1953              | 114,861        | N              |                | 36                |
| 8408         |       | 1947    | 139GB 15K RPM SAS SFF 2DR I    | 401            | N              |                | 36                |
| 8408         |       | 1948    | 283GB 15K RPM SAS SFF 2DR I    | 766            | N              |                | 36                |
| 8408         |       | 1953    | 300GB15KRPM SAS SFF2DR AIX/LNX | 766            | N              |                | 36                |
| 8408         |       | 1956    | 283GB 10K RPM SAS SFF 2DR I    | 643            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 1962    | 571GB 10K RPM SAS SFF 2 DR I   | 967            | N              |                | 36                |
| 8408         |       | 1964    | 600GB10KRPM SAS SFF2DR AIX/LNX | 967            | N              |                | 36                |
| 8408         |       | 1996    | 177GB SSD MDL WITH EMLC I      | 4,079          | N              |                | 36                |
| 8408         |       | 2055    | PCIE RAID & SSD SAS ADPTR 3GB  | 2,461          | N              |                | 36                |
| 8408         |       | 2456    | 2M LC SC50MICRON FIB CONV CBL  | 66             | N              |                | 36                |
| 8408         |       | 2459    | 2M LC SC 62.5MICRON FIB CONV   | 66             | N              |                | 36                |
| 8408         |       | 2728    | 4 PORT USB PCIE ADPTR          | 121            | N              |                | 36                |
| 8408         |       | 2893    | PCIE 2 LINE WAN W/MODEM        | 466            | N              |                | 36                |
| 8408         |       | 2934    | 3M ASYNC TRMN/PRNTR CBL EIA232 | 29             | N              |                | 36                |
| 8408         |       | 2936    | ASYNC CBL EIA 232/V.24 3M      | 48             | N              |                | 36                |
| 8408         |       | 3124    | SRL TOSRL PORTCBL DRWR/DRWR3.7 | 53             | N              |                | 36                |
| 8408         |       | 3125    | SRL TO SRL PORT CBL RCK/RCK    | 53             | N              |                | 36                |
| 8408         |       | 3287    | 1M 3.3FT IB 40G COPP CBL QSFP  | 418            | N              |                | 36                |
| 8408         |       | 3288    | 3M 9.8 FT. IB40G COPP CBL QSF  | 523            | N              |                | 36                |
| 8408         |       | 3289    | 5M QDR IB/ENET COPP CBL QSFP   | 564            | N              |                | 36                |
| 8408         |       | 3290    | 10M QUAD DATARATE INBND OPTCBL | 605            | N              |                | 36                |
| 8408         |       | 3293    | 30MQUAD DATA RATEINBND OPT CBL | 725            | N              |                | 36                |
| 8408         |       | 3450    | SAS YO CBL1.5M HD6GB ADPTR TOE | 193            | N              |                | 36                |
| 8408         |       | 3451    | SAS YO CBL3M HD6GB ADPTR TO EN | 242            | N              |                | 36                |
| 8408         |       | 3452    | SAS YO CBL6M HD6GB ADPTR TO EN | 363            | N              |                | 36                |
| 8408         |       | 3453    | SAS YO CBL10M HD6GBADPTR TO EN | 544            | N              |                | 36                |
| 8408         |       | 3454    | SAS X CBL 3M HD6GB 2ADPTR TOEN | 363            | N              |                | 36                |
| 8408         |       | 3455    | SAS X CBL 6M HD6GB 2ADPTR TOEN | 605            | N              |                | 36                |
| 8408         |       | 3456    | SAS X CBL 10MHD6GB 2ADPTR TOEN | 1,008          | N              |                | 36                |
| 8408         |       | 3457    | SAS YO CBL 15M HD3GBADPTR TOEN | 1,008          | N              |                | 36                |
| 8408         |       | 3458    | SAS X CBL15M HD3GB2ADPTR TO EN | 1,934          | N              |                | 36                |
| 8408         |       | 3632    | WIDESCREEN LCD MON             | 805            | N              |                | 36                |
| 8408         |       | 3652    | SAS CBL EE DRWR TO DRWR 1M     | 40             | N              |                | 36                |
| 8408         |       | 3653    | SAS CBL EE DRWR TO DRWR 3M     | 56             | N              |                | 36                |
| 8408         |       | 3654    | SAS CBL EE DRWR TO DRWR 6M     | 97             | N              |                | 36                |
| 8408         |       | 3661    | SAS CBLXADPTR TOSAS ENCLDUALC3 | 121            | N              |                | 36                |
| 8408         |       | 3662    | SAS CBLXADPTR TOSAS ENCLDUALC6 | 242            | N              |                | 36                |
| 8408         |       | 3663    | SAS CBLX ADPTRSAS ENCLDUAL15M  | 492            | N              |                | 36                |
| 8408         |       | 3675    | SAS EX CBL 3M DRWR TO DRWR     | 138            | N              |                | 36                |
| 8408         |       | 3679    | SAS CBL AI ADPTR TO INTDR 1 M  | 42             | N              |                | 36                |
| 8408         |       | 3680    | SAS EX CBL 6M DRWR TO DRWR     | 246            | N              |                | 36                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 3681    | 3M SAS CBL ADPTR TO ADPTR AA    | 60             | N              |                | 36                |
| 8408         |       | 3684    | SAS CBLAE ADPTRENCL SNGLCONT/3  | 121            | N              |                | 36                |
| 8408         |       | 3685    | SAS CBLAE ADPTRENCL SNGLCONT/6  | 242            | N              |                | 36                |
| 8408         |       | 3687    | SAS CBL YI SYS SAS ENCLSNGLCO/3 | 89             | N              |                | 36                |
| 8408         |       | 3688    | SAS CBL AT 0.6 METER            | 73             | N              |                | 36                |
| 8408         |       | 3689    | SAS AT CBL0.6M HD 6GB ADP12XEN  | 97             | N              |                | 36                |
| 8408         |       | 3691    | SAS CBL YO ADPTRSAS ENCLSNGL C  | 73             | N              |                | 36                |
| 8408         |       | 3692    | SAS CBL YO AD SAS ENCL SNGL/3M  | 89             | N              |                | 36                |
| 8408         |       | 3693    | SAS CBL YO AD SAS ENCL SNGL/6M  | 121            | N              |                | 36                |
| 8408         |       | 3694    | SAS CBL YO AD SAS ENCLSNGL/15M  | 425            | N              |                | 36                |
| 8408         |       | 3925    | 0.3M SRL PORT CONV CBL9PIN 25P  | 16             | N              |                | 36                |
| 8408         |       | 3927    | SRL PORT NULL MODEMCBL 9PIN3.7  | 53             | N              |                | 36                |
| 8408         |       | 3928    | SRL PORT NULL MODEM CBL9 PIN10  | 53             | N              |                | 36                |
| 8408         |       | 3930    | SYS SRL PORT CONVERTER CBL      | 11             | N              |                | 36                |
| 8408         |       | 4242    | 1.8M6FT EXTENDERCBL DISPL15PIN  | 66             | N              |                | 36                |
| 8408         |       | 4256    | EXTENDER CBL USB KYBRDS1.8M     | 33             | N              |                | 36                |
| 8408         |       | 4276    | VGA TO DVI CONNECTION CONVERT   | 6              | N              |                | 36                |
| 8408         |       | 4792    | ACTIVE MEM EXPNS ENBLMENT       | 2,096          | N              |                | 36                |
| 8408         |       | 4808    | PCIE CRYPTOCOPROC GEN3BSC4765   | 8,866          | N              |                | 36                |
| 8408         |       | 4809    | PCIE CRYPTOCOPROC GEN4BSC4765   | 8,866          | N              |                | 36                |
| 8408         |       | 4988    | ONE PROC OF 5250 ENT ENBLMENT   | 12,091         | N              |                | 36                |
| 8408         |       | 4989    | FULL 5250 ENT ENBLMENT          | 48,363         | N              |                | 36                |
| 8408         |       | 5285    | PCIE2 2PORT 4XIB QDR ADPTR40GB  | 806            | N              |                | 36                |
| 8408         |       | 5287    | PCIE2 2 PORT 10GBESR ADPTR      | 2,418          | N              |                | 36                |
| 8408         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP     | 1,290          | N              |                | 36                |
| 8408         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADPT  | 159            | N              |                | 36                |
| 8408         |       | 5532    | SYS AC PWR SUPP 1925 W          | 924            | N              |                | 36                |
| 8408         |       | 5646    | BLIND SWP III CASSETTE PCIESRT  | 30             | N              |                | 36                |
| 8408         |       | 5647    | BLIND SWP III CASSETTE PCI XOR  | 30             | N              |                | 36                |
| 8408         |       | 5662    | 175MB CCH RAID DUAL IOA ENBLCR  | 1,539          | N              |                | 36                |
| 8408         |       | 5708    | 10GB FCOE PCIE DUPO ADPTR       | 2,821          | N              |                | 36                |
| 8408         |       | 5717    | 4 PORT 10/100/1000 BSTX PCI EX  | 669            | N              |                | 36                |
| 8408         |       | 5729    | PCIE2 8GB 4PORT FIBRE CHANN AD  | 4,836          | N              |                | 36                |
| 8408         |       | 5735    | 8GIGABITPCI EXP DUPO FIBRECHAN  | 2,820          | N              |                | 36                |
| 8408         |       | 5744    | PCIE2 4PORT 10GBE 1GBE SR RJ45  | 2,820          | N              |                | 36                |
| 8408         |       | 5745    | PCIE2 4PORT10GBE 1GBE SFP COPP  | 2,014          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 5748    | POWER GXT145 PCI EXP GRAPH AC  | 304            | N              |                | 36                |
| 8408         |       | 5767    | 2 PORT 10/100/1000 BASE TX ETH | 425            | N              |                | 36                |
| 8408         |       | 5768    | 2 PORT GIGABIT ETH SX PCI EXP  | 1,065          | N              |                | 36                |
| 8408         |       | 5769    | 10 GIGABIT ETH SR PCI EXP ADPT | 2,821          | N              |                | 36                |
| 8408         |       | 5771    | SATA SLIMLINE DVD RAM DR       | 241            | N              |                | 36                |
| 8408         |       | 5772    | 10 GIGABIT ETH LR PCI EXP ADPT | 3,822          | N              |                | 36                |
| 8408         |       | 5774    | 4 GIGABIT PCI EXP DUPO FIBRECH | 2,014          | N              |                | 36                |
| 8408         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADPT | 563            | N              |                | 36                |
| 8408         |       | 5802    | 12X I/O DRWR PCIE SFF DISK     | 11,114         | N              |                | 36                |
| 8408         |       | 5805    | PCIE 380MB CCH DUAL X4 3GB SAS | 1,772          | N              |                | 36                |
| 8408         |       | 5877    | 12X I/O DRWR PCIE NO DSK       | 10,095         | N              |                | 36                |
| 8408         |       | 5887    | EXP24S SFF GEN2 BAY DRWR       | 5,006          | N              |                | 36                |
| 8408         |       | 5899    | PCIE2 4 PORT 1GBE ADPTR        | 242            | N              |                | 36                |
| 8408         |       | 5901    | PCIE DUAL X4 SAS ADPTR         | 604            | N              |                | 36                |
| 8408         |       | 5913    | PCIE2 1.8GB CCH RAID SASADPTR  | 6,045          | N              |                | 36                |
| 8408         |       | 5915    | SAS AA CBL 3M HD 6GB ADPTR     | 181            | N              |                | 36                |
| 8408         |       | 5916    | SAS AA CBL 6M HD 6GB ADPTR     | 302            | N              |                | 36                |
| 8408         |       | 5917    | SAS AA CBL 1.5M HD 6GB ADPTR   | 141            | N              |                | 36                |
| 8408         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADPTR   | 81             | N              |                | 36                |
| 8408         |       | 5926    | SAS EX CBL 1.5M DRWR TO DRWR   | 123            | N              |                | 36                |
| 8408         |       | 6006    | PWR CONTROL CBL SPCN 3 METER   | 32             | N              |                | 36                |
| 8408         |       | 6007    | PWR CONTROL CBL SPCN 15 METER  | 64             | N              |                | 36                |
| 8408         |       | 6068    | OPT FRONT DOOR 1.8M RCK        | 274            | N              |                | 36                |
| 8408         |       | 6069    | OPT FRONT DOOR 2.0M RCK        | 334            | N              |                | 36                |
| 8408         |       | 6248    | 1.8M RCK ACOUSTIC DOORS        | 2,831          | N              |                | 36                |
| 8408         |       | 6249    | 2.0M RCK ACOUSTIC DOORS        | 2,831          | N              |                | 36                |
| 8408         |       | 6263    | 1.8M RCK TRIM KIT              | 321            | N              |                | 36                |
| 8408         |       | 6272    | 2.0M RCK TRIM KIT              | 321            | N              |                | 36                |
| 8408         |       | 6458    | PWR CORD 4.3M 14 FTDRWR WALL   | 11             | N              |                | 36                |
| 8408         |       | 6460    | PWR CORD 4.3M 14 FT DRWR WALL  | 11             | N              |                | 36                |
| 8408         |       | 6469    | PWR CORD 4.3M 14 FT DRWR WALL  | 11             | N              |                | 36                |
| 8408         |       | 6471    | PWR CORD 2.7M9FT DRWR WALL/OEM | 11             | N              |                | 36                |
| 8408         |       | 6472    | PWR CORD 2.7M9FT DRWR WALL/OEM | 11             | N              |                | 36                |
| 8408         |       | 6473    | PWR CORD 2.7M9FT DRWR WALL/OEM | 11             | N              |                | 36                |
| 8408         |       | 6474    | PWR CORD 2.7M9FT DRWR 250V/13A | 11             | N              |                | 36                |
| 8408         |       | 6475    | PWR CORD 2.7M9FT DRWR 250V/16A | 11             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 6476    | PWR CORD 2.7M9FT DRWR 250V/10A | 11             | N              |                | 36                |
| 8408         |       | 6477    | PWR CORD 2.7M9FT DRWR 250V/16A | 11             | N              |                | 36                |
| 8408         |       | 6478    | PWR CORD 2.7M9FT DRWR 250V 16A | 11             | N              |                | 36                |
| 8408         |       | 6488    | PWR CORD 2.7M9FT DRWR 125V/15A | 32             | N              |                | 36                |
| 8408         |       | 6489    | 4.3M 14FT 3PH/24A 380 415V PWR | 222            | N              |                | 36                |
| 8408         |       | 6491    | 4.3M 14FT 1PH/48A 200 240V PWR | 243            | N              |                | 36                |
| 8408         |       | 6492    | 4.3M14FT1PH/48 60A 200 240V PW | 243            | N              |                | 36                |
| 8408         |       | 6493    | PWRCORD 2.7M9FTDRWR TOWALL/OEM | 11             | N              |                | 36                |
| 8408         |       | 6494    | PWRCORD 2.7M9FTDRWR TOWALL/OEM | 11             | N              |                | 36                |
| 8408         |       | 6496    | PWRCORD 2.7M 9FTTO WALL/OEM250 | 11             | N              |                | 36                |
| 8408         |       | 6497    | PWR CORD 6 FTWALL/OEM PDU250V  | 20             | N              |                | 36                |
| 8408         |       | 6577    | PWRCBL DRWRTO PDU200 240V/10A  | 11             | N              |                | 36                |
| 8408         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 109            | N              |                | 36                |
| 8408         |       | 6586    | MODEM TRAY 19 INCH RCK         | 152            | N              |                | 36                |
| 8408         |       | 6651    | PWR CORD2.7M 9FTTO WALL/OEM    | 11             | N              |                | 36                |
| 8408         |       | 6654    | 4.3M 14 FT 1PH/24 30A PWR CORD | 145            | N              |                | 36                |
| 8408         |       | 6655    | 4.3M 14 FT 1PH/24 30A WR PWRCR | 322            | N              |                | 36                |
| 8408         |       | 6656    | 4.3M 14 FT1PH/24A PWR CORD     | 145            | N              |                | 36                |
| 8408         |       | 6659    | PWR CORD2.7M 9FT WALL/OEM 250V | 11             | N              |                | 36                |
| 8408         |       | 6660    | PWR CORD 4.3M 14FTDRWRWALL125V | 11             | N              |                | 36                |
| 8408         |       | 6665    | PWR CORD 2.8M 9.2 FT DRWR WALL | 11             | N              |                | 36                |
| 8408         |       | 6669    | PWR CORD 4.3M 14FT DRWROEM PDU | 11             | N              |                | 36                |
| 8408         |       | 6671    | PWR CORD 2.7M 9FT DRWR PDU250V | 11             | N              |                | 36                |
| 8408         |       | 6672    | PWR CORD 1.5M 5FT DRWR PDU 250 | 11             | N              |                | 36                |
| 8408         |       | 6680    | PWR CORD 2.7M 9 FT DAWER WALL  | 11             | N              |                | 36                |
| 8408         |       | 7109    | UNIV UTG0247 CONNECTOR         | 886            | N              |                | 36                |
| 8408         |       | 7118    | ENVIRONMENTAL MONING PROBE     | 226            | N              |                | 36                |
| 8408         |       | 7188    | PWR DISTRIBUTION UNIT          | 609            | N              |                | 36                |
| 8408         |       | 7544    | QTITY 150 OF 1888              | 60,212         | N              |                | 36                |
| 8408         |       | 7547    | QTITY 150 OF 1885              | 96,484         | N              |                | 36                |
| 8408         |       | 7548    | QTITY 150 OF 1886              | 60,212         | N              |                | 36                |
| 8408         |       | 7550    | QTITY 150 OF 1790              | 145,088        | N              |                | 36                |
| 8408         |       | 7557    | QTITY 150 OF 1911              | 96,484         | N              |                | 36                |
| 8408         |       | 7566    | QTITY 150 OF 1916              | 145,088        | N              |                | 36                |
| 8408         |       | 7802    | ETH CBL 15M HW MNGMNT CONSOLE  | 20             | N              |                | 36                |
| 8408         |       | 7863    | PCI BLD SWP CASSETTE KIT2 WDAD | 40             | N              |                | 36                |

| Machine Type | Model | Feature | Description                      | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | 8143    | LNX SW PREINSTALL                | 48             | N              |                | 36                |
| 8408         |       | 8144    | LNXS SW PREINSTALL BUSINESS PART | 48             | N              |                | 36                |
| 8408         |       | 8845    | USB MOUSE                        | 24             | N              |                | 36                |
| 8408         |       | EC28    | PCIE2 2PORT 10GBE ROCE SFP+ AD   | 806            | N              |                | 36                |
| 8408         |       | EC30    | PCIE2 2 PORT 10GBE ROCE SR ADP   | 1,411          | N              |                | 36                |
| 8408         |       | ECB0    | 0.6M 2.0 FT BLUE CAT5 ETH CBL    | 10             | N              |                | 36                |
| 8408         |       | ECB2    | 1.5M 4.9 FT BLUE CAT5 ETH CBL    | 13             | N              |                | 36                |
| 8408         |       | EDR1    | EXP30 ULTRA SSD I/O DRWR         | 22,710         | N              |                | 36                |
| 8408         |       | EK51    | FULL WDT KYBRD US ENG 103P       | 48             | N              |                | 36                |
| 8408         |       | EK83    | FULL WDT KYBRD US ENG EURO 103   | 48             | N              |                | 36                |
| 8408         |       | EM01    | MEM RSR CRD                      | 645            | N              |                | 36                |
| 8408         |       | EM08    | 8GB2X4GB MEM DIMMS1066 MHZ2GB    | 515            | N              |                | 36                |
| 8408         |       | EM4B    | 16GB2X8GB MEM DIMMS1066 MHZ4GB   | 685            | N              |                | 36                |
| 8408         |       | EM4C    | 32GB 2X16GB MEM DIMMS1066MHZ4G   | 1,370          | N              |                | 36                |
| 8408         |       | EN01    | 1M 3.3FT 10GBENET CBL SFP ACT    | 81             | N              |                | 36                |
| 8408         |       | EN02    | 3M 9.8FT10GB ENET CBL SFP ACT    | 97             | N              |                | 36                |
| 8408         |       | EN03    | 5M 16.4FT10GB ENET CBL SFP ACT   | 121            | N              |                | 36                |
| 8408         |       | EN05    | PCIEX8 CBL 1.5M                  | 242            | N              |                | 36                |
| 8408         |       | EN07    | PCIEX8 CBL 3M                    | 274            | N              |                | 36                |
| 8408         |       | EN08    | PCIEX8 CBL 8M                    | 306            | N              |                | 36                |
| 8408         |       | EN0A    | PCIE2 16GB 2 PORT FIBRE CHANNA   | 3,627          | N              |                | 36                |
| 8408         |       | EN0H    | PCIE2 4 PORT 10GB FCOE&1GBE SR   | 2,821          | N              |                | 36                |
| 8408         |       | EN10    | INTEG MUTIFUNCRD W/10GBE RJ45    | 1,854          | N              |                | 36                |
| 8408         |       | EN11    | INTEGMULTIF CRDW/10GBE RJ45 SR   | 2,499          | N              |                | 36                |
| 8408         |       | EPT1    | PROC MEM BCKPLN                  | 2,821          | N              |                | 36                |
| 8408         |       | EPT7    | 4.0 GHZ 8 CORE POWER7 PROCDCM    | 9,199          | N              |                | 36                |
| 8408         |       | EPT8    | 3.5 GHZ 8 CORE POWER7 PROCDCM    | 4,303          | N              |                | 36                |
| 8408         |       | EPTE    | 1 CORE ACTIVATION EPT7           | 3,048          | N              |                | 36                |
| 8408         |       | EPTF    | 1 CORE ACTIVATION EPT8           | 1,398          | N              |                | 36                |
| 8408         |       | EPTR    | SRVC PROC                        | 806            | N              |                | 36                |
| 8408         |       | EPTS    | STOR BCKPLN                      | 2,461          | N              |                | 36                |
| 8408         |       | EQ02    | QUANTITY 150 3452 SAS YO CBL 6M  | 54,408         | N              |                | 36                |
| 8408         |       | EQ03    | QTITY 150 3453 SAS YO CBL 10M    | 81,612         | N              |                | 36                |
| 8408         |       | EQ0A    | QUANTITY 150 OF ES0A             | 546,257        | N              |                | 36                |
| 8408         |       | EQ0B    | QUANTITY OF 150 ES0B             | 546,257        | N              |                | 36                |
| 8408         |       | EQ0C    | QTITY OF 150 ES0C                | 546,257        | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408         |       | EQ0D    | QTITY OF 150 ES0D              | 546,257        | N              |                | 36                |
| 8408         |       | EQ37    | QTITY 150OF 1737 856GB SFF 1DC | 181,360        | N              |                | 36                |
| 8408         |       | EQ38    | QTITY 150OF 1738 856GB SFF 2D  | 181,360        | N              |                | 36                |
| 8408         |       | EQ51    | QTITY 150OF 1751 900GB SFF 1D  | 181,360        | N              |                | 36                |
| 8408         |       | EQ52    | QTITY 150OF 1752 900GB SFF 2D  | 181,360        | N              |                | 36                |
| 8408         |       | EQ77    | PWR CBL DRWR PDU 200 240V/10A  | 2,217          | N              |                | 36                |
| 8408         |       | ERF1    | RCKS HMCS                      | 16             | N              |                | 36                |
| 8408         |       | ERG7    | OPTAL FRONT DOOR PWR 770 780 2 | 1,846          | N              |                | 36                |
| 8408         |       | ES02    | 387GB 1.8 SAS SSD AIX/LNX EMLC | 4,284          | N              |                | 36                |
| 8408         |       | ES04    | 387GB 1.8 SAS SSD I EMLC       | 4,284          | N              |                | 36                |
| 8408         |       | ES0A    | 387GB SFF 1SSD AIX/LNX EMLC    | 3,641          | N              |                | 36                |
| 8408         |       | ES0B    | 387GB SFF 1SSD I EMLC          | 3,641          | N              |                | 36                |
| 8408         |       | ES0C    | 387GB SFF 2SSD AIX/LNX EMLC    | 3,641          | N              |                | 36                |
| 8408         |       | ES0D    | 387GB SFF 2SSD I WITH EMLC     | 3,641          | N              |                | 36                |
| 8408         |       | ESA1    | PCIE2 RAID SAS ADPTR DUPO6GB   | 4,997          | N              |                | 36                |
| 8408         |       | ESC7    | S H                            | 273            | N              |                | 36                |
| 8408         |       | ESR2    | SIXES02 387GB 1.8SAS SSD AIX/L | 22,691         | N              |                | 36                |
| 8408         |       | ESR4    | SIXES04 387GB 1.8SAS SSD I EML | 22,691         | N              |                | 36                |
| 8408         |       | ESRA    | FOUR ES0A387GB SFF 1SSD AIX/LN | 12,810         | N              |                | 36                |
| 8408         |       | ESRB    | FOUR ES0B387GB SFF 1SSD I EMLC | 12,810         | N              |                | 36                |
| 8408         |       | ESRC    | FOUR ES0C387GB SFF 2SSD AIX/LN | 12,810         | N              |                | 36                |
| 8408         |       | ESRD    | FOUR ES0D387GB SFF 2SSD I EMLC | 12,810         | N              |                | 36                |
| 8408         |       | EU01    | 1TB RMVBL DSK DR CRTRDG        | 278            | N              |                | 36                |
| 8408         |       | EU04    | RDX USB EXT DCK STTN RMVBL     | 222            | N              |                | 36                |
| 8408         |       | EU08    | RDX 320 GB RMVBL DSK DR        | 181            | N              |                | 36                |
| 8408         |       | EU15    | 1.5TB RMVBL DSK DR CRTRDG      | 399            | N              |                | 36                |
| 8493         | SV3   |         | POWER7 SERVER MODEL SV3        | 6,441          | N              | 2              | 36                |
| 8493         | T42   |         | POWER7 MODEL 19 RACK           | 7,862          | N              | 2              | 36                |
| 8493         |       | 0010    | ONE CSC BILLING UNIT           | 143            | N              |                | 36                |
| 8493         |       | 0011    | TEN CSC BILLING UITS           | 1,439          | N              |                | 36                |
| 8493         |       | 1109    | ENET SWITCH J48E               | 15,700         | N              |                | 36                |
| 8493         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 21             | N              |                | 36                |
| 8493         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 37             | N              |                | 36                |
| 8493         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE  | 67             | N              |                | 36                |
| 8493         |       | 1114    | SMART ANALYT SOLUT EXPRESS IND | 0              | N              |                | 36                |
| 8493         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN  | 21             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8493         |       | 1116    | CAT5E ETHERNET CABLE 10M GREE  | 37             | N              |                | 36                |
| 8493         |       | 1117    | CAT5E ETHERNET CABLE 25M GREE  | 67             | N              |                | 36                |
| 8493         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLO  | 21             | N              |                | 36                |
| 8493         |       | 1119    | CAT5E ETHERNET CABLE 10M YELL  | 37             | N              |                | 36                |
| 8493         |       | 1121    | CAT5E ETHERNET CABLE 25M YELL  | 67             | N              |                | 36                |
| 8493         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,016          | N              |                | 36                |
| 8493         |       | 1865    | 3.0M 12X DDR CABLE             | 402            | N              |                | 36                |
| 8493         |       | 1885    | 300GB 10K RPM SFF SAS DISK D   | 675            | N              |                | 36                |
| 8493         |       | 2701    | TWO1M INTRARACK FIBRE CH CABLE | 58             | N              |                | 36                |
| 8493         |       | 2703    | TWO3M INTRARACK FIBRE CH CABLE | 85             | N              |                | 36                |
| 8493         |       | 5273    | PCIE LP 8GB 2PORT FIBRE CHANNA | 2,961          | N              |                | 36                |
| 8493         |       | 5717    | PCIE 1GB 4PORT BASET X EXPRES  | 702            | N              |                | 36                |
| 8493         |       | 5735    | PCIE 8GB 2PORT FIBRE CHANNEL   | 2,961          | N              |                | 36                |
| 8493         |       | 5802    | 12X PCIE/DISK I/O EXP DRAWER   | 10,147         | N              |                | 36                |
| 8493         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 634            | N              |                | 36                |
| 8493         |       | 6006    | POWER CONTROL CABLE SPCN 3 MET | 33             | N              |                | 36                |
| 8493         |       | 6069    | STANDARD RACK FRONT DOOR       | 465            | N              |                | 36                |
| 8493         |       | 6249    | ACOUSTIC RACK DOORS            | 3,936          | N              |                | 36                |
| 8493         |       | 6458    | POWER CORD DRAWER PDU 4.3M 14  | 11             | N              |                | 36                |
| 8493         |       | 6577    | POWER CORD DRAWER PDU 200 250  | 11             | N              |                | 36                |
| 8493         |       | 6671    | 2.7M 9FT 200250V10A DRAW PDU   | 11             | N              |                | 36                |
| 8493         |       | 6672    | 1.5M 5FT 200250V10A DRAWER PD  | 11             | N              |                | 36                |
| 8493         |       | 8956    | SV3 HA 16 CORE 3.55 GHZ 128GB  | 42,916         | N              |                | 36                |
| 8493         |       | 8957    | SV3 HA 16 C 3.55 GHZ 256GB     | 56,661         | N              |                | 36                |
| 9109         | RMD   |         | POWER 760                      | 5,770          | N              | 2              | 36                |
| 9109         |       | 0010    | ONE CSC BILLING UNIT           | 166            | N              |                | 36                |
| 9109         |       | 0011    | TEN CSC BILLING UNITS          | 1,662          | N              |                | 36                |
| 9109         |       | 0348    | V.24/EIA232 6.1M20 FT PCI CBL  | 120            | N              |                | 36                |
| 9109         |       | 0353    | V.35 6.1M20FT CI CBL           | 120            | N              |                | 36                |
| 9109         |       | 0359    | X.21 6.1M 20 FT PCI CABLE      | 362            | N              |                | 36                |
| 9109         |       | 0456    | CUSTER SPIFIED PLACE           | 390            | N              |                | 36                |
| 9109         |       | 0551    | 19 INCH 1.8 MET HIGRACK        | 3,098          | N              |                | 36                |
| 9109         |       | 0553    | 19 INCH 2.0 MET HIGRACK        | 4,200          | N              |                | 36                |
| 9109         |       | 0599    | RCK FILL PANEL KIT             | 72             | N              |                | 36                |
| 9109         |       | 1025    | MDM CBL US/CAN ANDGENUSE       | 12             | N              |                | 36                |
| 9109         |       | 1107    | USB 500 GB RMVBL DSK DRIVE     | 287            | N              |                | 36                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 1111    | 3M BLUE CAT5E CABLE             | 24             | N              |                | 36                |
| 9109         |       | 1112    | 10M BLUE CAT5E CABLE            | 43             | N              |                | 36                |
| 9109         |       | 1113    | 25M BLUE CAT5E CABLE            | 77             | N              |                | 36                |
| 9109         |       | 1737    | 856GB 10KRPM SAS SFFDSKDR I     | 1,465          | N              |                | 36                |
| 9109         |       | 1738    | 856GB 10KRPM SAS SFF2DSKDR I    | 1,465          | N              |                | 36                |
| 9109         |       | 1751    | 900GB 10K RPM SAS SFF DISK DRI  | 1,465          | N              |                | 36                |
| 9109         |       | 1752    | 900GB10KRPM SAS SFF 2DSKDRAIX   | 1,465          | N              |                | 36                |
| 9109         |       | 1768    | INTEG MULTF CA WICOPP SFP+      | 1,330          | N              |                | 36                |
| 9109         |       | 1769    | INTEG MULTF CA WISR OPT         | 2,503          | N              |                | 36                |
| 9109         |       | 1790    | 600GB10K RPM SAS SFFDSKDR AIX/  | 1,172          | N              |                | 36                |
| 9109         |       | 1808    | GX++ 12X DDR ADPTR DUPO         | 1,117          | N              |                | 36                |
| 9109         |       | 1815    | SAS CBL TRIPLE SPLITDASDBACKP   | 186            | N              |                | 36                |
| 9109         |       | 1817    | QTITY 150 OF 1962               | 175,811        | N              |                | 36                |
| 9109         |       | 1818    | QTITY 150 OF 1964               | 175,811        | N              |                | 36                |
| 9109         |       | 1819    | SAS CBL ASSMBL SAS PORT         | 186            | N              |                | 36                |
| 9109         |       | 1827    | SYS PORT/UPS CONV CBL           | 92             | N              |                | 36                |
| 9109         |       | 1828    | 1.5MET12XTO4X CHANCONVCBL       | 292            | N              |                | 36                |
| 9109         |       | 1841    | 3 MET12XTO4X CHANCONVCBL        | 367            | N              |                | 36                |
| 9109         |       | 1844    | QTITY 150 OF 1956               | 116,872        | N              |                | 36                |
| 9109         |       | 1854    | 10 MET12XTO4XENHCHANNCONCBL     | 585            | N              |                | 36                |
| 9109         |       | 1861    | 0.6 METER 12X DDR CBL           | 342            | N              |                | 36                |
| 9109         |       | 1862    | 1.5 METER 12X DDR CBL           | 390            | N              |                | 36                |
| 9109         |       | 1864    | 8.0 METER 12X DDR CBL           | 707            | N              |                | 36                |
| 9109         |       | 1865    | 3.0 METER 12X DDR CBL           | 464            | N              |                | 36                |
| 9109         |       | 1866    | QTITY 150 OF 1917               | 72,919         | N              |                | 36                |
| 9109         |       | 1868    | QTITY 150 OF 1947               | 72,919         | N              |                | 36                |
| 9109         |       | 1869    | QUANTITY 150 OF 1925            | 116,872        | N              |                | 36                |
| 9109         |       | 1879    | 283GB 15K RPM SAS SFF DSK DR (  | 927            | N              |                | 36                |
| 9109         |       | 1880    | 300GB15KRPMSSASSFFDSKDRAIX/LINU | 927            | N              |                | 36                |
| 9109         |       | 1885    | 300GB 10K RPM SFF SAS DSK DR    | 779            | N              |                | 36                |
| 9109         |       | 1886    | 146GB15KRPMSSFFSASDSKDRAIX/LINU | 486            | N              |                | 36                |
| 9109         |       | 1888    | 139GB 15K RPM SFF SAS DSK DR    | 486            | N              |                | 36                |
| 9109         |       | 1911    | 283GB 10K RPM SFF SAS DSK DR    | 779            | N              |                | 36                |
| 9109         |       | 1914    | GX++ 2 PORT PCIE2 X8 ADPTR      | 2,460          | N              |                | 36                |
| 9109         |       | 1916    | 571GB 10K RPM SAS SFF DSK DR    | 1,172          | N              |                | 36                |
| 9109         |       | 1917    | 146GB15KRPMSSASSFF2DSKDRAIX/LIN | 486            | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 1925    | 300GB10KRPMSASSFF2DSKDRAIX/LIN | 779            | N              |                | 36                |
| 9109         |       | 1926    | QTITY 150 OF 1879              | 139,127        | N              |                | 36                |
| 9109         |       | 1927    | QTITY 150 OF 1948              | 139,127        | N              |                | 36                |
| 9109         |       | 1928    | QTITY 150 OF 1880              | 139,127        | N              |                | 36                |
| 9109         |       | 1929    | QTITY 150 OF 1953              | 139,127        | N              |                | 36                |
| 9109         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK D | 486            | N              |                | 36                |
| 9109         |       | 1948    | 283GB15KRPMSASSFF2DSKDRI       | 927            | N              |                | 36                |
| 9109         |       | 1953    | 300GB15KRPMSASSFF2DSKDRAIX/LIN | 927            | N              |                | 36                |
| 9109         |       | 1956    | 283GB10KRPMSASSFF2DSKDRI       | 779            | N              |                | 36                |
| 9109         |       | 1962    | 571GB10KRPMSASSFF2DSKDRI       | 1,172          | N              |                | 36                |
| 9109         |       | 1964    | 600GB10KRPMSASSFF2DSKDRAIX/LIN | 1,172          | N              |                | 36                |
| 9109         |       | 1996    | 177GBSSDMDL WITH EMLC I        | 5,156          | N              |                | 36                |
| 9109         |       | 2055    | PCIERAIDSSDSASADPTR3GB WBLINDS | 2,982          | N              |                | 36                |
| 9109         |       | 2456    | 2MLC SC50MICRONFIBCONVCBL      | 80             | N              |                | 36                |
| 9109         |       | 2459    | 2MLC SC62.5MICRONFIBCONVCBL    | 80             | N              |                | 36                |
| 9109         |       | 2728    | 4 PORT USB PCIE ADPTR          | 146            | N              |                | 36                |
| 9109         |       | 2893    | PCIE 2 LINE WAN W/MDM          | 564            | N              |                | 36                |
| 9109         |       | 2934    | 3MASYNCHTERM/PRINTCBL EIA232   | 35             | N              |                | 36                |
| 9109         |       | 2936    | ASYNCH CBL EIA 232/V.24 3M     | 59             | N              |                | 36                |
| 9109         |       | 3124    | SRLTOSRLPORTCBLDRWR/DRWR3.7M   | 64             | N              |                | 36                |
| 9109         |       | 3125    | SRLTOSRLPORTCBLRCK/RCK8M       | 64             | N              |                | 36                |
| 9109         |       | 3287    | 1M3.3FTIB40GCOPPCBLQSFP/QSFP   | 507            | N              |                | 36                |
| 9109         |       | 3288    | 3M9.8FTIB40GCOPPCBLQSFP/QSFP   | 634            | N              |                | 36                |
| 9109         |       | 3289    | 5MQDRIB/ENETCOPPCBLQSFP/QSFP   | 683            | N              |                | 36                |
| 9109         |       | 3290    | 0METQUADDATARATEINBNDOPTCBLQ   | 731            | N              |                | 36                |
| 9109         |       | 3293    | 0METQUADDATARATINBNDOPTCBLQS   | 879            | N              |                | 36                |
| 9109         |       | 3450    | SAS YO CBL 1.5M HD 6GBADPTRTO  | 234            | N              |                | 36                |
| 9109         |       | 3451    | SAS YO CBL 3M HD 6GBADPTRTOENC | 292            | N              |                | 36                |
| 9109         |       | 3452    | SAS YO CBL 6M HD 6GBADPTRTOEN  | 438            | N              |                | 36                |
| 9109         |       | 3453    | SAS YO CBL 10M HD 6GBADPTRTOEN | 659            | N              |                | 36                |
| 9109         |       | 3454    | SAS X CBL 3M HD 6GB 2ADPTRTOEN | 438            | N              |                | 36                |
| 9109         |       | 3455    | SAS X CBL 6M HD 6GB 2ADPTRTOEN | 731            | N              |                | 36                |
| 9109         |       | 3456    | SAS X CBL 10M HD 6GB 2ADPTRTOE | 1,220          | N              |                | 36                |
| 9109         |       | 3457    | SAS YO CBL 15M HD 3GBADPTRTOEN | 1,220          | N              |                | 36                |
| 9109         |       | 3458    | SAS X CBL 15M HD 3GB 2ADPTRTOE | 2,344          | N              |                | 36                |
| 9109         |       | 3632    | WIDESCREEEN LCD MNTR           | 974            | N              |                | 36                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 3652    | SAS CBL EE DRWR TO DRWR 1M      | 48             | N              |                | 36                |
| 9109         |       | 3653    | SAS CBL EE DRWR TO DRWR 3M      | 69             | N              |                | 36                |
| 9109         |       | 3654    | SAS CBL EE DRWR TO DRWR 6M      | 117            | N              |                | 36                |
| 9109         |       | 3661    | SASCBLXADPTOSASENCLDUCONT/DU3I  | 146            | N              |                | 36                |
| 9109         |       | 3662    | SASCBLXADPTOSASENCLDUCONT/DU6I  | 293            | N              |                | 36                |
| 9109         |       | 3663    | SASCBLXADPTOSASENCLDUCONT/DU1   | 596            | N              |                | 36                |
| 9109         |       | 3675    | SAS EX CBL 3M DRWR TO DRWR      | 167            | N              |                | 36                |
| 9109         |       | 3679    | SAS CBLAI ADPTTOINTDR1M         | 51             | N              |                | 36                |
| 9109         |       | 3680    | SASEXCBL6MDRWRTODRWR            | 298            | N              |                | 36                |
| 9109         |       | 3681    | 3MSASCBLADPTRTOADPTR AA         | 74             | N              |                | 36                |
| 9109         |       | 3684    | SASCBLAE ADPTRTOENCL SNGL CON3  | 146            | N              |                | 36                |
| 9109         |       | 3685    | SASCBLAEADPTOENCLSNGLCON/SNGP   | 293            | N              |                | 36                |
| 9109         |       | 3687    | SASCBLYISYSTOSASENCLSNGLCONT/3  | 107            | N              |                | 36                |
| 9109         |       | 3688    | SAS CBL AT 0.6 METER            | 88             | N              |                | 36                |
| 9109         |       | 3689    | SASATCBL0.6MHD6GBADPTO12XENCL   | 117            | N              |                | 36                |
| 9109         |       | 3691    | SASCBLYOADPTRRTOSASENCLSNGLC1.! | 88             | N              |                | 36                |
| 9109         |       | 3692    | SASCBLYOADPTRRTOSASENCLSNGLCO3  | 107            | N              |                | 36                |
| 9109         |       | 3693    | SASCBLYOADPTRRTOSASENCLSNGLCOM  | 146            | N              |                | 36                |
| 9109         |       | 3694    | SASCBLYOADPSASENCLSNGLCONDUP1   | 516            | N              |                | 36                |
| 9109         |       | 3925    | 0.3MSRPORCONCBL9TO25 9109RMD    | 20             | N              |                | 36                |
| 9109         |       | 3927    | SRLPONUMDMCBL9TO9PIN3.7M        | 64             | N              |                | 36                |
| 9109         |       | 3928    | SRLPONUMDMCBL9TO9PIN10M         | 64             | N              |                | 36                |
| 9109         |       | 3930    | SYS SRL PORT CONVERTER CBL      | 13             | N              |                | 36                |
| 9109         |       | 4242    | 1.8M6FTEXTCBLDISP15PDSHE15PDS   | 80             | N              |                | 36                |
| 9109         |       | 4256    | EXTENDER CBL USB KYBRDS 1.8M    | 40             | N              |                | 36                |
| 9109         |       | 4276    | VGA TO DVI CONNCONV             | 7              | N              |                | 36                |
| 9109         |       | 4792    | ACTIVE MEM EXPNS ENBLM          | 2,539          | N              |                | 36                |
| 9109         |       | 4808    | PCIECRYCOPRCGEN3BSC4765 001     | 10,742         | N              |                | 36                |
| 9109         |       | 4809    | PCIECRYCOPRCGEN4BSC4765 001     | 10,742         | N              |                | 36                |
| 9109         |       | 4988    | ONE PRCS OF 5250 ENT ENBLM      | 14,649         | N              |                | 36                |
| 9109         |       | 4989    | FULL 5250 ENT ENBL              | 58,597         | N              |                | 36                |
| 9109         |       | 5285    | PCIE2 2POR4X IB QDRADP40GB      | 976            | N              |                | 36                |
| 9109         |       | 5287    | PCIE2 2POR10GBESRADP            | 2,930          | N              |                | 36                |
| 9109         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP     | 1,563          | N              |                | 36                |
| 9109         |       | 5289    | 2PORTASYNCEIA232PCIEADPTR       | 193            | N              |                | 36                |
| 9109         |       | 5532    | SYSACPWRSUPP1925W               | 1,119          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 5646    | BLSWPTYPIIIICASTPCIESHSL       | 36             | N              |                | 36                |
| 9109         |       | 5647    | BLSWPTYPIIIICASTPCIXPCIESTNSL  | 36             | N              |                | 36                |
| 9109         |       | 5662    | 175MBCCHRAIDDUAIOAENBLCRD      | 1,864          | N              |                | 36                |
| 9109         |       | 5708    | 10GBFCOEPCIEDUPOADP            | 3,418          | N              |                | 36                |
| 9109         |       | 5717    | 4PO10 100 1000BASTXPCIEXPADP   | 810            | N              |                | 36                |
| 9109         |       | 5729    | PCIE2 8GB4POFIBCHAADP          | 5,859          | N              |                | 36                |
| 9109         |       | 5735    | 8GIPCIEXDUPOFICHAADP           | 3,417          | N              |                | 36                |
| 9109         |       | 5744    | PCIE2 4PO10GBE1GBESR RJ45ADP   | 3,417          | N              |                | 36                |
| 9109         |       | 5745    | PCIE2 4PO10GBE1GBESFP+COPPRJ45 | 2,440          | N              |                | 36                |
| 9109         |       | 5748    | POWEGXT145PCIEXPGRACC          | 370            | N              |                | 36                |
| 9109         |       | 5767    | 2PO10 100 1000BASTXETHPCIEXPAD | 516            | N              |                | 36                |
| 9109         |       | 5768    | 2POGIGAETHSXPCIEXPADP          | 1,290          | N              |                | 36                |
| 9109         |       | 5769    | 10GIGABETHSRPCIEXPADP          | 3,418          | N              |                | 36                |
| 9109         |       | 5771    | SATSLIMLIDVDRAMDR              | 292            | N              |                | 36                |
| 9109         |       | 5772    | 10GIGAETHLRPCIEXPADP           | 4,631          | N              |                | 36                |
| 9109         |       | 5774    | 4GIGAPCIEXPDUPOFIBCHAADP       | 2,440          | N              |                | 36                |
| 9109         |       | 5785    | 4POASYEIA232PCIEADPT           | 682            | N              |                | 36                |
| 9109         |       | 5802    | 12X I ODRWRPCIESFFDISK         | 14,051         | N              |                | 36                |
| 9109         |       | 5805    | PCIE380MBCCHDUX4 3GBSASRAIDADP | 2,147          | N              |                | 36                |
| 9109         |       | 5877    | 12X I O DRWPCIEENODSK          | 12,763         | N              |                | 36                |
| 9109         |       | 5887    | EXP24S SFF GEN2BADRW           | 6,328          | N              |                | 36                |
| 9109         |       | 5899    | PCIE2 4PO1GBEADP               | 293            | N              |                | 36                |
| 9109         |       | 5901    | PCIEDUAX4SASADP                | 731            | N              |                | 36                |
| 9109         |       | 5913    | PCIE2 1.8GBCCHRAIDSASADP TRI P | 7,324          | N              |                | 36                |
| 9109         |       | 5915    | SAS AA CBL 3M HD 6GB ADPTR TO  | 220            | N              |                | 36                |
| 9109         |       | 5916    | SAS AA CBL 6M HD 6GB ADPTR TO  | 366            | N              |                | 36                |
| 9109         |       | 5917    | SAS AA CBL 1.5M HD 6GB ADPTR T | 170            | N              |                | 36                |
| 9109         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADPTR T | 97             | N              |                | 36                |
| 9109         |       | 5926    | SAS EX CBL 1.5M DRWR TO DRWR   | 149            | N              |                | 36                |
| 9109         |       | 6006    | PWRCONTROL CBLSPCN3METER       | 38             | N              |                | 36                |
| 9109         |       | 6007    | PWRCONTROL CBLSPCN15METER      | 77             | N              |                | 36                |
| 9109         |       | 6068    | OPTFRONT DOOR 1.8M RCK         | 331            | N              |                | 36                |
| 9109         |       | 6069    | OPT FRONT DOOR 2.0M RCK        | 406            | N              |                | 36                |
| 9109         |       | 6248    | 1.8M RCK ACOUSTIC DOORS        | 3,430          | N              |                | 36                |
| 9109         |       | 6249    | 2.0M RCK ACOUSTIC DOORS        | 3,430          | N              |                | 36                |
| 9109         |       | 6263    | 1.8M RCK TRIM KIT              | 390            | N              |                | 36                |

| Machine Type | Model | Feature | Description                         | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 6272    | 2.0M RCK TRIM KIT                   | 390            | N              |                | 36                |
| 9109         |       | 6458    | PWCO4.3M14FTDRWR WALLPDU250V 1      | 14             | N              |                | 36                |
| 9109         |       | 6460    | PWCO4.3M14FTDRWR OEM PDU125V 1      | 14             | N              |                | 36                |
| 9109         |       | 6469    | ^WCO4.3M14FTDRWR WALLOEM PDU250V10A | 13             | N              |                | 36                |
| 9109         |       | 6471    | ^WCO2.7M9FTDRWR WALLOEM PDU125V10A  | 13             | N              |                | 36                |
| 9109         |       | 6472    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6473    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6474    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6475    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6476    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6477    | ^WCO2.7M9FTDRWR WALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 6478    | ^WCO2.7M9FOOTWALLOEM PDU250V10A     | 13             | N              |                | 36                |
| 9109         |       | 6488    | ^WCO2.7M9FTDRWRWALLOEM PDU125V10A   | 38             | N              |                | 36                |
| 9109         |       | 6489    | 4.3M14FT3PH24A380 415V PWRCO        | 268            | N              |                | 36                |
| 9109         |       | 6491    | 4.3M14FT1PH48A200 240V PWRCO        | 295            | N              |                | 36                |
| 9109         |       | 6492    | 4.3M14FT1PH4860A 200 240V PWRC      | 295            | N              |                | 36                |
| 9109         |       | 6493    | ^WCO2.7M9FTDRWRWALLOEM PDU250V10A   | 13             | N              |                | 36                |
| 9109         |       | 6494    | ^WCO2.7M9FTDRWRWALLOEM PDU250V10A   | 13             | N              |                | 36                |
| 9109         |       | 6496    | ^WCO2.7M9FOOWALLOEMPDU 250V10A      | 13             | N              |                | 36                |
| 9109         |       | 6497    | PWCO6FOOTWALLOEM PDU250V10A         | 24             | N              |                | 36                |
| 9109         |       | 6577    | PWCBLDRWRPDU200 240V10A             | 14             | N              |                | 36                |
| 9109         |       | 6580    | OPTIONAL RACK SECURITY KIT          | 131            | N              |                | 36                |
| 9109         |       | 6586    | MDM TRAY 19 INCH RCK                | 184            | N              |                | 36                |
| 9109         |       | 6651    | ^WCO2.7M9 FOOWALLOEMPDU125V15A      | 13             | N              |                | 36                |
| 9109         |       | 6654    | 4.3M14FT1PH24 30A PWR CORD          | 176            | N              |                | 36                |
| 9109         |       | 6655    | 4.3M14FT1PH24 30A WR PWR CORD       | 390            | N              |                | 36                |
| 9109         |       | 6656    | 4.3M14FT1PH24A PWR CORD             | 176            | N              |                | 36                |
| 9109         |       | 6659    | PWCO2.7M9FOWAOEMPDU250V15A          | 13             | N              |                | 36                |
| 9109         |       | 6660    | WCO4.3M14FTDRWRWALLOEMPDU125V10A    | 14             | N              |                | 36                |
| 9109         |       | 6665    | ^WCO2.8M9.2FTDRWRWALLPDU250V10A     | 13             | N              |                | 36                |
| 9109         |       | 6669    | ^WCO4.3M14FOOTDRWROEM PDU 250V10A   | 13             | N              |                | 36                |
| 9109         |       | 6671    | PWRC2.7M9FOODRWRPDU250V10A          | 13             | N              |                | 36                |
| 9109         |       | 6672    | PWCO1.5M5FOODRWRPDU250V10A          | 13             | N              |                | 36                |
| 9109         |       | 6680    | ^WCO2.7M9FTDAWTOWALLOEM PDU250V10A  | 13             | N              |                | 36                |
| 9109         |       | 7109    | INTL PDU+1EIAUNITUNIVUTG0247CO      | 1,072          | N              |                | 36                |
| 9109         |       | 7118    | ENVIRO MNTRI PROBE                  | 272            | N              |                | 36                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | 7188    | PWR DISTRI UNIT                 | 738            | N              |                | 36                |
| 9109         |       | 7544    | QTITY 150 OF 1888               | 72,919         | N              |                | 36                |
| 9109         |       | 7547    | QTITY 150 OF 1885               | 116,872        | N              |                | 36                |
| 9109         |       | 7548    | QTITY 150 OF 1886               | 72,919         | N              |                | 36                |
| 9109         |       | 7550    | QTITY 150 OF 1790               | 175,811        | N              |                | 36                |
| 9109         |       | 7557    | QTITY 150 OF 1911               | 116,872        | N              |                | 36                |
| 9109         |       | 7566    | QTITY 150 OF 1916               | 175,811        | N              |                | 36                |
| 9109         |       | 7802    | ETH CB15MHW MNGM CONS TO SYSUN  | 25             | N              |                | 36                |
| 9109         |       | 7863    | PCIBLSWPCASTKITDOUBWIDADPTRIII  | 48             | N              |                | 36                |
| 9109         |       | 8143    | LINUX SW PREINST                | 44             | N              |                | 36                |
| 9109         |       | 8144    | LINUX SW PREINST BUSIN PART     | 44             | N              |                | 36                |
| 9109         |       | EC28    | PCIE2 2PORT10GBEROCESFP+ADP     | 976            | N              |                | 36                |
| 9109         |       | EC30    | PCIE2 2PORT10GBEROCESRADPT      | 1,709          | N              |                | 36                |
| 9109         |       | ECB0    | 0.6M2.0FTBLUE CAT5ETHCBL        | 12             | N              |                | 36                |
| 9109         |       | ECB2    | 1.5M 4.9FTBLUE CAT5ETHCBL       | 16             | N              |                | 36                |
| 9109         |       | EDR1    | EXP30 ULTRA SSD I/O DRWR        | 28,712         | N              |                | 36                |
| 9109         |       | EK51    | FUWDTKYBUSBUS ENG103P           | 58             | N              |                | 36                |
| 9109         |       | EK83    | FUWDTKYBRUSBUS ENG EURO 103P    | 58             | N              |                | 36                |
| 9109         |       | EM01    | MEM RSR CRD                     | 781            | N              |                | 36                |
| 9109         |       | EM08    | 3GB2X4GBMEMDIMMS1066MHZ2GB DDF  | 624            | N              |                | 36                |
| 9109         |       | EM4B    | 16GB2X8GBMEMDIMMS1066MHZ4GB DC  | 829            | N              |                | 36                |
| 9109         |       | EM4C    | 32GB2X16GBMEMDIMMS1066MHZ4GB DC | 1,659          | N              |                | 36                |
| 9109         |       | EN01    | 1M3.3FT10GBENET CBL SFP+ ACT T  | 97             | N              |                | 36                |
| 9109         |       | EN02    | 3M9.8FT10GB ENETCBL SFP+ ACT T  | 117            | N              |                | 36                |
| 9109         |       | EN03    | 5M16.4FT10GB ENETCBL SFP+ ACT   | 146            | N              |                | 36                |
| 9109         |       | EN05    | PCIE X8 CBL 1.5M                | 292            | N              |                | 36                |
| 9109         |       | EN07    | PCIE X8 CBL 3M                  | 331            | N              |                | 36                |
| 9109         |       | EN08    | PCIE X8 CBL 8M                  | 371            | N              |                | 36                |
| 9109         |       | EN0A    | PCIE2 16GB2POFIBCHANADP         | 4,394          | N              |                | 36                |
| 9109         |       | EN0H    | PCIE2 4 PORT10GBFCOE 1GBE SR R  | 3,418          | N              |                | 36                |
| 9109         |       | EN10    | INMUTNCRD W 10GBE RJ45 COPP T   | 2,246          | N              |                | 36                |
| 9109         |       | EN11    | INMULCRD W 10GBE RJ45 SR OPT    | 3,028          | N              |                | 36                |
| 9109         |       | EPT1    | PRCS MEM BCKPLN                 | 3,418          | N              |                | 36                |
| 9109         |       | EPT5    | 3.1 GHZPRODCM0 12COPOWER7+2X6C  | 5,263          | N              |                | 36                |
| 9109         |       | EPT6    | 3.4 GHZPRODCM0 12COPOWER7+2X6C  | 10,968         | N              |                | 36                |
| 9109         |       | EPTA    | 1 CORE ACT OFEPT5               | 958            | N              |                | 36                |



| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9109         |       | EPTB    | 1 CORE ACT OFEPT6               | 2,243          | N              |                | 36                |
| 9109         |       | EPTR    | SRVC PRCS                       | 976            | N              |                | 36                |
| 9109         |       | EPTS    | STOR BCKPLN                     | 2,982          | N              |                | 36                |
| 9109         |       | EQ02    | QUA150OF3452SAS YO CBL 6M HD 6  | 65,873         | N              |                | 36                |
| 9109         |       | EQ03    | QTIT150 OF3453 SAS YOCBL10MHD6  | 98,865         | N              |                | 36                |
| 9109         |       | EQ0A    | QUANTITY 150 OF ES0A            | 707,269        | N              |                | 36                |
| 9109         |       | EQ0B    | QUANTITY OF 150 ES0B            | 707,269        | N              |                | 36                |
| 9109         |       | EQ0C    | QTITOF 150ES0C                  | 707,269        | N              |                | 36                |
| 9109         |       | EQ0D    | QTITOF 150ES0D                  | 707,269        | N              |                | 36                |
| 9109         |       | EQ37    | QTIT150OF1737 856GB SFF1DISK    | 219,763        | N              |                | 36                |
| 9109         |       | EQ38    | QTIT150OF1738 856GB SFF2DISK    | 219,763        | N              |                | 36                |
| 9109         |       | EQ51    | QTIT150OF1751 900GB SFF1DISK    | 219,763        | N              |                | 36                |
| 9109         |       | EQ52    | QTIT150OF1752 900GB SFF2DISK    | 219,763        | N              |                | 36                |
| 9109         |       | EQ77    | PWR CBL DRWR PDU200 240V 10A    | 2,685          | N              |                | 36                |
| 9109         |       | ERF1    | RFID TAGS SERVMPPTENODECHASSRCF | 19             | N              |                | 36                |
| 9109         |       | ERG7    | OPTFRONDOOPWR 770 780 2.0M RC   | 2,237          | N              |                | 36                |
| 9109         |       | ES02    | 387GB1.8 SASSSDAIXLINUX WITH E  | 5,488          | N              |                | 36                |
| 9109         |       | ES04    | 387GB1.8 SASSSDI WITH EMLC      | 5,488          | N              |                | 36                |
| 9109         |       | ES0A    | 387GB SFF1SSD AIXLINUX WITH EM  | 4,714          | N              |                | 36                |
| 9109         |       | ES0B    | 387GB SFF1SSD I WITH EMLC       | 4,714          | N              |                | 36                |
| 9109         |       | ES0C    | 387GB SFF2SSD AIXLINUX WITH EM  | 4,714          | N              |                | 36                |
| 9109         |       | ES0D    | 387GB SFF2SSD I WITH EMLC       | 4,714          | N              |                | 36                |
| 9109         |       | ESA1    | PCIE2 RAIDSAS ADPTR DUPO 6GB    | 6,054          | N              |                | 36                |
| 9109         |       | ESC7    | S H                             | 330            | N              |                | 36                |
| 9109         |       | ESR2    | SIXES02 387GB1.8 SAS SSD AIXLI  | 28,922         | N              |                | 36                |
| 9109         |       | ESR4    | SIX ES04 387GB 1.8 SAS SSD I W  | 28,922         | N              |                | 36                |
| 9109         |       | ESRA    | FOUR ES0A 387GB SFF 1 SSD AIXL  | 16,491         | N              |                | 36                |
| 9109         |       | ESRB    | FOUR ES0B 387GB SFF1 SSD EMLC   | 16,491         | N              |                | 36                |
| 9109         |       | ESRC    | FOUR ES0C 387GB SFF 2 SSD AIXL  | 16,491         | N              |                | 36                |
| 9109         |       | ESRD    | FOUR ES0D 387GB SFF 2 SSD I WI  | 16,491         | N              |                | 36                |
| 9109         |       | EU01    | 1TB RMVBL DSK DR CRTRDG         | 337            | N              |                | 36                |
| 9109         |       | EU04    | DXUSBEXTDCKSTTNRMVBLDSKCRTRD    | 268            | N              |                | 36                |
| 9109         |       | EU08    | RDX 320 GB RMVBL DSK DR         | 220            | N              |                | 36                |
| 9109         |       | EU15    | 1.5TB RMVBL DSK DR CRTRDG       | 483            | N              |                | 36                |
| 9110         |       | 0983    | US TAA COMPLIANCE INDICATOR     | 0              | N              |                | 36                |
| 9110         |       | 2456    | LC-SC 50 MICRON FIBER CONV CAB  | 77             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9110         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 36                |
| 9110         |       | 2934    | ASYNCH.TERMIN/PRINT.CBL EIA232 | 34             | N              |                | 36                |
| 9110         |       | 2936    | ASYNCHRONOUS CAB.EIA-232/V.24  | 56             | N              |                | 36                |
| 9110         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 61             | N              |                | 36                |
| 9110         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 61             | N              |                | 36                |
| 9110         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 19             | N              |                | 36                |
| 9110         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 61             | N              |                | 36                |
| 9110         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 61             | N              |                | 36                |
| 9110         |       | 4242    | 6FOOT EXT.CBL FOR DISPLAYS     | 77             | N              |                | 36                |
| 9110         |       | 4256    | EXTENDER CABLE-USB KEYB 2M     | 38             | N              |                | 36                |
| 9110         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP  | 1,853          | N              |                | 36                |
| 9110         |       | 5706    | 2-PORT BASETX ETH.T.PCI-X ADP  | 699            | N              |                | 36                |
| 9110         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT  | 834            | N              |                | 36                |
| 9110         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320   | 544            | N              |                | 36                |
| 9110         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL    | 2,316          | N              |                | 36                |
| 9110         |       | 6458    | PWR CAB-DRAWER TO IBM PDU      | 12             | N              |                | 36                |
| 9110         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9110         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9110         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 12             | N              |                | 36                |
| 9110         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 12             | N              |                | 36                |
| 9110         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9110         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9110         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 12             | N              |                | 36                |
| 9110         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9110         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9110         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9110         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9110         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 36             | N              |                | 36                |
| 9110         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9110         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9110         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9110         |       | 6598    | DISK SLOT FILLERS (QUANTITY 4) | 41             | N              |                | 36                |
| 9110         |       | 6651    | PWR.CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9110         |       | 6659    | PWR.CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9110         |       | 6660    | PWR CORD(14FT) DR.TO OEM PDU   | 12             | N              |                | 36                |
| 9110         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 12             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9110         |       | 6669    | PWR CORD(14FT) DR.TO OEM PDU   | 12             | N              |                | 36                |
| 9110         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU   | 12             | N              |                | 36                |
| 9110         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 12             | N              |                | 36                |
| 9110         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9110         |       | 7282    | 1 PROC.ENT.FOR PROC.FC #8282   | 300            | N              |                | 36                |
| 9110         |       | 7283    | 1 PROC.ENT.FOR PROC.FC #8283   | 531            | N              |                | 36                |
| 9110         |       | 7284    | 1 PROC.ENT.FOR PROC.FC #8284   | 789            | N              |                | 36                |
| 9110         |       | 7361    | 1PROC.ENTITL.FOR PRC.FC#7654   | 462            | N              |                | 36                |
| 9110         |       | 7362    | 1PROC.ENTITL.FOR PRC.FC#7655   | 783            | N              |                | 36                |
| 9110         |       | 7376    | 1PROC.ENTITL.FOR PRC.FC#7656   | 482            | N              |                | 36                |
| 9110         |       | 7432    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 36                |
| 9110         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 36                |
| 9110         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M    | 46             | N              |                | 36                |
| 9110         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM    | 30             | N              |                | 36                |
| 9111         |       | 1974    | PCI-X DUAL CHAN.U320 SCSI ADPT | 544            | N              |                | 12                |
| 9111         |       | 1975    | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853          | N              |                | 12                |
| 9111         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 77             | N              |                | 12                |
| 9111         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 12                |
| 9111         |       | 2934    | ASYNCH.TERM./PRINT.CAB EIA-232 | 34             | N              |                | 12                |
| 9111         |       | 2936    | ASYNCHRON.CAB. EIA-232/V.24    | 56             | N              |                | 12                |
| 9111         |       | 3124    | SER.2SER.PORT CAB.-DRAW/DRAW.  | 61             | N              |                | 12                |
| 9111         |       | 3125    | SER.2SER.PORT CAB.-RACK/RACK   | 61             | N              |                | 12                |
| 9111         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 19             | N              |                | 12                |
| 9111         |       | 4242    | 6FOOT EXTEND.CAB.FOR DISPLAYS  | 77             | N              |                | 12                |
| 9111         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 38             | N              |                | 12                |
| 9111         |       | 4267    | SCSI CAB PCI ADP 2 HOT-SW.DISK | 46             | N              |                | 12                |
| 9111         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP  | 1,853          | N              |                | 12                |
| 9111         |       | 5706    | 2-PORT BASET X ETHT.PCI-X ADP  | 699            | N              |                | 12                |
| 9111         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT  | 834            | N              |                | 12                |
| 9111         |       | 5736    | PCIX DDR2 2CHAN U320 SCSI      | 544            | N              |                | 12                |
| 9111         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL    | 2,316          | N              |                | 12                |
| 9111         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 36             | N              |                | 12                |
| 9111         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 74             | N              |                | 12                |
| 9111         |       | 6458    | PWR CAB-DRAWER TO IBM PDU      | 12             | N              |                | 12                |
| 9111         |       | 6460    | POWER CORD(14FT) TO WALL       | 12             | N              |                | 12                |
| 9111         |       | 6469    | PWR CORD(14FOOT) (250V 15A)    | 12             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9111         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 12             | N              |                | 12                |
| 9111         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 12             | N              |                | 12                |
| 9111         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9111         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9111         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 12             | N              |                | 12                |
| 9111         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9111         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9111         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9111         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9111         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 36             | N              |                | 12                |
| 9111         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9111         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9111         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9111         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 41             | N              |                | 12                |
| 9111         |       | 6651    | PWR.CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 12                |
| 9111         |       | 6659    | PWR.CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 12                |
| 9111         |       | 6660    | PWR CORD(14FT) DR.TO OEM PDU   | 12             | N              |                | 12                |
| 9111         |       | 6669    | PWR CORD(14FT) DR.TO OEM PDU   | 12             | N              |                | 12                |
| 9111         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU   | 12             | N              |                | 12                |
| 9111         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 12             | N              |                | 12                |
| 9111         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 12                |
| 9111         |       | 7319    | ONE PROC.ENT.FOR PROC.FC#8327  | 880            | N              |                | 12                |
| 9111         |       | 7320    | ONE PROC.ENT.FOR PROC.FC#8330  | 1,669          | N              |                | 12                |
| 9111         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 12                |
| 9111         |       | 7940    | ADVANCED POWER VIRTUALIZATION  | 0              | N              |                | 12                |
| 9111         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M    | 46             | N              |                | 12                |
| 9111         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM    | 30             | N              |                | 12                |
| 9113         |       | 0983    | US TAA COMPLIANCE INDICATOR    | 0              | N              |                | 12                |
| 9113         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 77             | N              |                | 12                |
| 9113         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 12                |
| 9113         |       | 2934    | ASYNCH.TERM./PRINT.CAB EIA-232 | 34             | N              |                | 12                |
| 9113         |       | 2936    | ASYNCHRON.CAB. EIA-232/V.24    | 56             | N              |                | 12                |
| 9113         |       | 3124    | SER.2SER.PORT CAB.-DRAW/DRAW.  | 61             | N              |                | 12                |
| 9113         |       | 3125    | SER.2SER.PORT CAB.-RACK/RACK   | 61             | N              |                | 12                |
| 9113         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 19             | N              |                | 12                |
| 9113         |       | 4242    | 6FOOT EXTEND.CAB.FOR DISPLAYS  | 77             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9113         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 38             | N              |                | 12                |
| 9113         |       | 4267    | SCSI CAB PCI ADP 2 HOT-SW.DISK | 46             | N              |                | 12                |
| 9113         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP  | 1,853          | N              |                | 12                |
| 9113         |       | 5706    | 2-PORT BASETX ETHT.PCI-X ADP   | 699            | N              |                | 12                |
| 9113         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320   | 544            | N              |                | 12                |
| 9113         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 36             | N              |                | 12                |
| 9113         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 64             | N              |                | 12                |
| 9113         |       | 6458    | PWR CAB-DRAWER TO IBM PDU      | 12             | N              |                | 12                |
| 9113         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 12                |
| 9113         |       | 6469    | PWR CORD(14FOOT) (250V 15A)    | 12             | N              |                | 12                |
| 9113         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 12             | N              |                | 12                |
| 9113         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 12             | N              |                | 12                |
| 9113         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9113         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9113         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 12             | N              |                | 12                |
| 9113         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9113         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9113         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9113         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 12                |
| 9113         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 36             | N              |                | 12                |
| 9113         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9113         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9113         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 12                |
| 9113         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 41             | N              |                | 12                |
| 9113         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU   | 12             | N              |                | 12                |
| 9113         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 12             | N              |                | 12                |
| 9113         |       | 7601    | 1PROC.ENTITL.FOR PROC FC#5239  | 545            | N              |                | 12                |
| 9113         |       | 7603    | PROCESSOR ACTIVATION #5264     | 2,063          | N              |                | 12                |
| 9113         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 12                |
| 9113         |       | 7871    | 1PROC.ACT.FOR CUOD PRC.FC5237  | 2,342          | N              |                | 12                |
| 9113         |       | 7931    | ON/OFF PROC.BILLING FOR COD    | 41             | N              |                | 12                |
| 9113         |       | 7934    | 30DAYS PREPAID RESERVE F.COD   | 1,256          | N              |                | 12                |
| 9113         |       | 7941    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 12                |
| 9113         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M    | 46             | N              |                | 12                |
| 9113         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM    | 30             | N              |                | 12                |
| 9114         |       | 2456    | LC-SC 50 MIC.FIBER CONV.CABLE  | 77             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9114         |       | 2459    | LC-SC 62.5 MIC.FIBER CONV.CAB  | 77             | N              |                | 12                |
| 9114         |       | 2842    | PWR GXT4500P GRAPH.ACCELERATOF | 1,390          | N              |                | 12                |
| 9114         |       | 2843    | PWR GXT6500P GRAPH.ACCELERATOF | 1,854          | N              |                | 12                |
| 9114         |       | 2934    | ASYNCH.TERMIN/PRINT.CAB.EIA232 | 34             | N              |                | 12                |
| 9114         |       | 2936    | ASYNCHRONOUS CAB.EIA-232/V.24  | 56             | N              |                | 12                |
| 9114         |       | 3124    | SER.TO SER.PORT CAB FOR DRAWER | 61             | N              |                | 12                |
| 9114         |       | 3125    | SER.TO SER.PORT CAB FOR RACK   | 61             | N              |                | 12                |
| 9114         |       | 3925    | SERIAL PORT CONVERTER CABLE    | 19             | N              |                | 12                |
| 9114         |       | 4242    | 6 FOOT EXTENDER CAB.FOR DISPL. | 77             | N              |                | 12                |
| 9114         |       | 4963    | 2GB FIBRE CHANNEL ADAPTER      | 5,385          | N              |                | 12                |
| 9114         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP  | 1,853          | N              |                | 12                |
| 9114         |       | 5706    | 2PORT BASETX ETHER.PCI-X ADPT  | 699            | N              |                | 12                |
| 9114         |       | 8131    | 128PORT ASYNCH.CONTR.CAB 4.5M  | 46             | N              |                | 12                |
| 9114         |       | 8132    | 128PORT ASYNCH.CONT.CAB 23CM   | 30             | N              |                | 12                |
| 9115         |       | 1974    | PCI-X DUAL CHAN.U320 SCSI ADPT | 544            | N              |                | 36                |
| 9115         |       | 1975    | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853          | N              |                | 36                |
| 9115         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 77             | N              |                | 36                |
| 9115         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 36                |
| 9115         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 34             | N              |                | 36                |
| 9115         |       | 2936    | ASYNCHRONOUS CBL EIA-232/V.24  | 56             | N              |                | 36                |
| 9115         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 61             | N              |                | 36                |
| 9115         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 61             | N              |                | 36                |
| 9115         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 19             | N              |                | 36                |
| 9115         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 61             | N              |                | 36                |
| 9115         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 61             | N              |                | 36                |
| 9115         |       | 4242    | 6FOOT EXT.CBL FOR DISPLAYS     | 77             | N              |                | 36                |
| 9115         |       | 4256    | EXTENDER CBL-USB KEYBOARDS 2M  | 38             | N              |                | 36                |
| 9115         |       | 6458    | PWR CABLE-DRAWER TO IBM PDU    | 12             | N              |                | 36                |
| 9115         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9115         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9115         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 12             | N              |                | 36                |
| 9115         |       | 6471    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6472    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6473    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6474    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6475    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9115         |       | 6476    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6477    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6478    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6488    | PWR CORD(9FT) TOWALL/OEM PDU   | 36             | N              |                | 36                |
| 9115         |       | 6493    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6494    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6496    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6651    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6659    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6660    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9115         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 12             | N              |                | 36                |
| 9115         |       | 6669    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9115         |       | 6671    | PWR CORD(9FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6672    | PWR CORD(5FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9115         |       | 6680    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9115         |       | 7287    | 1 PROC.ENT.FOR PROC.FC #8290   | 808            | N              |                | 36                |
| 9115         |       | 7288    | 1 PROC.ENT.FOR PROC.FC #8288   | 284            | N              |                | 36                |
| 9115         |       | 7289    | 1 PROC.ENT.FOR PROC.FC #8289   | 302            | N              |                | 36                |
| 9115         |       | 7370    | 1PROC.ENTITL. FOR PROC.FC#7650 | 258            | N              |                | 36                |
| 9115         |       | 7372    | 1PROC.ENTITL. FOR PROC.FC#7652 | 757            | N              |                | 36                |
| 9115         |       | 7432    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 36                |
| 9115         |       | 7574    | 1PROC.ENTITL. FOR PROC.FC#7674 | 543            | N              |                | 36                |
| 9115         |       | 7689    | 1 PROC.ENT.FOR PROC.FC #7679   | 678            | N              |                | 36                |
| 9115         |       | 7802    | ETH T CBL 15M HMC TO SYST.UNIT | 23             | N              |                | 36                |
| 9115         |       | 8131    | 128PORT ASYNCH.CONTR.CBL 4.5M  | 46             | N              |                | 36                |
| 9115         |       | 8132    | 128PORT ASYNCH.CONTR.CBL 23CM  | 30             | N              |                | 36                |
| 9116         |       | 2456    | LC-SC 50 MIC.FIBER CONV.CABLE  | 77             | N              |                | 36                |
| 9116         |       | 2459    | LC-SC 62.5 MIC.FIBER CONV.CBL  | 77             | N              |                | 36                |
| 9116         |       | 2934    | ASYN.TERM/PRINT.CABLE EIA-232  | 34             | N              |                | 36                |
| 9116         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 56             | N              |                | 36                |
| 9116         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 61             | N              |                | 36                |
| 9116         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 61             | N              |                | 36                |
| 9116         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 19             | N              |                | 36                |
| 9116         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 61             | N              |                | 36                |
| 9116         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 61             | N              |                | 36                |
| 9116         |       | 4242    | 6FOOT EXTEND.CBL FOR DISPLAYS  | 77             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9116         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 38             | N              |                | 36                |
| 9116         |       | 5647    | BLIND SWAP TYPE III CAS PCI X  | 34             | N              |                | 36                |
| 9116         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 36             | N              |                | 36                |
| 9116         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 74             | N              |                | 36                |
| 9116         |       | 6458    | PWR CAB.-DRAWER TO IBM PDU     | 12             | N              |                | 36                |
| 9116         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 12             | N              |                | 36                |
| 9116         |       | 6471    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6472    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6473    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6474    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6475    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6476    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6477    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6478    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6488    | PWR CORD(9FT) TO WALL/OEM PDU  | 36             | N              |                | 36                |
| 9116         |       | 6493    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6494    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6496    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4 ) | 41             | N              |                | 36                |
| 9116         |       | 6651    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6659    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 12             | N              |                | 36                |
| 9116         |       | 6669    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 6671    | PWR CORD(9FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9116         |       | 6672    | PWR CORD(5FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9116         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9116         |       | 7164    | IBM/OEM RACK-M.DRW RAIL KIT    | 155            | N              |                | 36                |
| 9116         |       | 7235    | ONE PROCESSOR ACT FOR PROC7295 | 5,186          | N              |                | 36                |
| 9116         |       | 7304    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 36                |
| 9116         |       | 7662    | ACTIV. FOR #7781 PROC.-PERMAN. | 1,070          | N              |                | 36                |
| 9116         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 36                |
| 9116         |       | 7863    | PCI BLIND SWAP CASSETTE KIT    | 46             | N              |                | 36                |
| 9116         |       | 7870    | POWER DISTRIBUTION BACKPLANE   | 185            | N              |                | 36                |
| 9116         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M    | 46             | N              |                | 36                |
| 9116         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM    | 30             | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         | MMC   |         | POWER 770                      | 7,601          | N              | 2              | 12                |
| 9117         | MMD   |         | POWER 770                      | 7,601          | N              | 2              | 12                |
| 9117         |       | 0010    | ONE CSC BILLING UNITS          | 166            | N              |                | 12                |
| 9117         |       | 0011    | TEN CSC BILLING UITS           | 1,662          | N              |                | 12                |
| 9117         |       | 0348    | V.24/EIA232 6.1M 20 FT PCI CBL | 120            | N              |                | 12                |
| 9117         |       | 0353    | V.35 6.1M 20 FT PCI CABLE      | 120            | N              |                | 12                |
| 9117         |       | 0359    | X.21 6.1M 20 FT PCI CABLE      | 362            | N              |                | 12                |
| 9117         |       | 0367    | V.24/EIA232 6.1M PCI CABLE     | 120            | N              |                | 12                |
| 9117         |       | 0368    | V.24/EIA232 PCI CABLE M3       | 120            | N              |                | 0                 |
| 9117         |       | 0551    | 9 INCH 1.8 METER HIGH RAC      | 2,581          | N              |                | 12                |
| 9117         |       | 0553    | 19 INCH 2.0 METER HIGH RA      | 3,501          | N              |                | 12                |
| 9117         |       | 0555    | 19 INCH 1.3 METER HIGH RA      | 1,932          | N              |                | 12                |
| 9117         |       | 0595    | PCI/SCSI DISK EXPANSION DRAWER | 6,951          | N              |                | 12                |
| 9117         |       | 0599    | RACK FILLER PANEL KIT          | 72             | N              |                | 12                |
| 9117         |       | 1025    | MODEM CABLE US/CCN GENERAL USE | 12             | N              |                | 12                |
| 9117         |       | 1107    | USB 500 GB REMOVABLE DISKDRIVE | 287            | N              |                | 12                |
| 9117         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 24             | N              |                | 12                |
| 9117         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 43             | N              |                | 12                |
| 9117         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE  | 77             | N              |                | 12                |
| 9117         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN  | 24             | N              |                | 12                |
| 9117         |       | 1116    | CAT5E ETHERNET CABLE 10M GREEN | 43             | N              |                | 12                |
| 9117         |       | 1117    | CAT5E ETHERNET CABLE 25M GREEN | 77             | N              |                | 12                |
| 9117         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLO  | 24             | N              |                | 12                |
| 9117         |       | 1119    | CAT5E ETHERNET CABLE 10M YELLO | 43             | N              |                | 12                |
| 9117         |       | 1121    | CAT5E ETHERNET CABLE 25M YELLO | 77             | N              |                | 12                |
| 9117         |       | 1460    | 3M COPPER RIO CABLE            | 434            | N              |                | 12                |
| 9117         |       | 1461    | 6M COPPER RIO CABLE            | 531            | N              |                | 12                |
| 9117         |       | 1462    | 15M RIO CABLE                  | 1,062          | N              |                | 12                |
| 9117         |       | 1474    | 6M RIO TO RIO 2 CABLE          | 628            | N              |                | 12                |
| 9117         |       | 1475    | 10M RIO TO RIO 2 CABLE         | 1,160          | N              |                | 12                |
| 9117         |       | 1487    | 3M RIO TO RIO 2 CABLE          | 398            | N              |                | 12                |
| 9117         |       | 1737    | 856GB 10K RPM SAS SFF DISK     | 1,465          | N              |                | 12                |
| 9117         |       | 1738    | 856GB 10K RPM SAS SFF 2 DISK   | 1,465          | N              |                | 12                |
| 9117         |       | 1751    | 900GB 10K RPM SAS SFF DISK     | 1,465          | N              |                | 12                |
| 9117         |       | 1752    | 900GB 10K RPM SAS SFF 2 DISK   | 1,465          | N              |                | 12                |
| 9117         |       | 1768    | QUAD ENET CARD W COPPER SFP    | 1,330          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 1769    | QUAD ENET CARD W SR OPTICAL    | 2,503          | N              |                | 12                |
| 9117         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,172          | N              |                | 12                |
| 9117         |       | 1793    | 177GB SFF2 SSD W/ EMLC AIX     | 3,504          | N              |                | 36                |
| 9117         |       | 1794    | 177GB SFF 2 SSD W/ EMLC IB     | 3,504          | N              |                | 36                |
| 9117         |       | 1802    | GX DUAL PORT- 12X HCA          | 1,105          | N              |                | 12                |
| 9117         |       | 1803    | INTEGR 4 PORT 1GB VIRT ETH I/O | 521            | N              |                | 12                |
| 9117         |       | 1804    | INTEGRATED 4 PORT 2X1GB 2X10GB | 2,945          | N              |                | 12                |
| 9117         |       | 1808    | GX 12X DDR ADAPTER DUAL PORT   | 1,117          | N              |                | 12                |
| 9117         |       | 1813    | INTEG 4 PORT 2X1GB 2X10GB SFP  | 1,566          | N              |                | 12                |
| 9117         |       | 1815    | SAS CABLE FOR TRIPLE SPLIT DAS | 186            | N              |                | 12                |
| 9117         |       | 1817    | QUANTITY 150 OF 1962           | 175,811        | N              |                | 12                |
| 9117         |       | 1818    | QUANTITY 150 OF 1964           | 175,811        | N              |                | 12                |
| 9117         |       | 1819    | SAS CBL ASSEMBLY FOR SAS PORT  | 186            | N              |                | 12                |
| 9117         |       | 1827    | SYSTEM PORT UPS CONVERSION CBL | 92             | N              |                | 12                |
| 9117         |       | 1828    | 1.5M 12X TO 4X CHAN. CONV. CBL | 292            | N              |                | 12                |
| 9117         |       | 1829    | 0.6 METER 12X CABLE            | 342            | N              |                | 12                |
| 9117         |       | 1830    | 1.5 METER 12X CABLE            | 390            | N              |                | 12                |
| 9117         |       | 1834    | 8.0 METER 12X CABLE            | 707            | N              |                | 12                |
| 9117         |       | 1840    | 3.0 METER 12X CABLE            | 464            | N              |                | 12                |
| 9117         |       | 1841    | 3 M 12X TO 4X CHAN. CONV. CBL  | 367            | N              |                | 12                |
| 9117         |       | 1842    | 10 M 12X TO 4X CHAN. CONV. CBL | 591            | N              |                | 12                |
| 9117         |       | 1844    | QUANTITY 150 OF 1956           | 116,872        | N              |                | 12                |
| 9117         |       | 1845    | OPERATOR PANEL                 | 146            | N              |                | 12                |
| 9117         |       | 1853    | OPERATOR PANEL                 | 746            | N              |                | 12                |
| 9117         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 585            | N              |                | 12                |
| 9117         |       | 1861    | 0.6 METER 12X DDR CABLE        | 342            | N              |                | 12                |
| 9117         |       | 1862    | 1.5 METER 12X DDR CABLE        | 390            | N              |                | 12                |
| 9117         |       | 1864    | 8.0 METER 12X DDR CABLE        | 707            | N              |                | 12                |
| 9117         |       | 1865    | 3.0 METER 12X DDR CABLE        | 464            | N              |                | 12                |
| 9117         |       | 1866    | QUANTITY 150 OF 1917           | 72,919         | N              |                | 12                |
| 9117         |       | 1868    | QUANTITY 150 OF 1947           | 72,919         | N              |                | 12                |
| 9117         |       | 1869    | QUANTITY 150 OF 1925           | 116,872        | N              |                | 12                |
| 9117         |       | 1879    | 283GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9117         |       | 1880    | 300GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9117         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 779            | N              |                | 12                |
| 9117         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 486            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 1887    | QUANTITY 150 OF 1793           | 525,642        | N              |                | 36                |
| 9117         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 486            | N              |                | 12                |
| 9117         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 779            | N              |                | 12                |
| 9117         |       | 1914    | GX 2 PORT PCIE2 X8 ADAPTER     | 2,460          | N              |                | 12                |
| 9117         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,172          | N              |                | 12                |
| 9117         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9117         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9117         |       | 1926    | QUANTITY 150 OF 1879           | 139,127        | N              |                | 12                |
| 9117         |       | 1927    | QUANTITY 150 OF 1948           | 139,127        | N              |                | 12                |
| 9117         |       | 1928    | QUANTITY 150 OF 1880           | 139,127        | N              |                | 12                |
| 9117         |       | 1929    | QUANTITY 150 OF 1953           | 139,127        | N              |                | 12                |
| 9117         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9117         |       | 1948    | 283GB 15K RPM SAS SFF 2 DISK   | 927            | N              |                | 12                |
| 9117         |       | 1953    | 300GB 15K RPM SAS SFF 2 DISK   | 927            | N              |                | 12                |
| 9117         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9117         |       | 1958    | QUANTITY 150 OF 1794           | 525,642        | N              |                | 36                |
| 9117         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9117         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9117         |       | 1996    | 1 GIGABIT ISCSI TOE PCI XONC   | 4,296          | N              |                | 12                |
| 9117         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,982          | N              |                | 12                |
| 9117         |       | 2124    | ULTRA 320 SCSI CABLE 1 METER   | 121            | N              |                | 12                |
| 9117         |       | 2125    | ULTRA 320 SCSI CABLE 3 METER   | 136            | N              |                | 12                |
| 9117         |       | 2126    | ULTRA 320 SCSI CABLE 5 METER   | 151            | N              |                | 12                |
| 9117         |       | 2127    | ULTRA 320 SCSI CABLE 10 METER  | 205            | N              |                | 12                |
| 9117         |       | 2128    | ULTRA 320 SCSI CABLE 20 METER  | 321            | N              |                | 12                |
| 9117         |       | 2138    | 0.55 METER ULTRA 320 SCSI CBL  | 75             | N              |                | 12                |
| 9117         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 80             | N              |                | 12                |
| 9117         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 80             | N              |                | 12                |
| 9117         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 146            | N              |                | 12                |
| 9117         |       | 2738    | 2 PORT USB PCI ADAPTER         | 43             | N              |                | 12                |
| 9117         |       | 2849    | PWR GXT135P GRAP.ACC.W/DIG.SUP | 334            | N              |                | 12                |
| 9117         |       | 2877    | ARTIC960RXD QUAD DTA 4DROP CAB | 149            | N              |                | 12                |
| 9117         |       | 2893    | PCIE 2 LINE WAN W/MODEM        | 564            | N              |                | 12                |
| 9117         |       | 2894    | PCIE 2 LINE WAN W/MODEM CIM    | 570            | N              |                | 12                |
| 9117         |       | 2934    | ASYNCH.TERM./PRINT.CAB EIA-232 | 35             | N              |                | 12                |
| 9117         |       | 2936    | ASYNCHRON.CAB. EIA-232/V.24    | 59             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 2943    | 8PORT ASYN.ADP.EIA232/RS422    | 1,147          | N              |                | 12                |
| 9117         |       | 3124    | SER.2SER.PORT CAB.-DRAW/DRAW.  | 64             | N              |                | 12                |
| 9117         |       | 3125    | SER.2SER.PORT CAB.-RACK/RACK   | 64             | N              |                | 12                |
| 9117         |       | 3278    | 73.4GB15 000RPM DISK DRIVE ASS | 491            | N              |                | 12                |
| 9117         |       | 3279    | 146.8GB SCSI DD 15K RPM U320   | 957            | N              |                | 12                |
| 9117         |       | 3287    | 1M 3 3 FT IB ENET 40G COPPER   | 507            | N              |                | 12                |
| 9117         |       | 3288    | 3M 9 8 FT IB ENET 40G COPPE    | 634            | N              |                | 12                |
| 9117         |       | 3289    | 5M QDR IB ENET COPPER CABLE QS | 683            | N              |                | 12                |
| 9117         |       | 3290    | 10 METER QUAD DATA RATE INFINI | 731            | N              |                | 12                |
| 9117         |       | 3293    | 30 METER QUAD DATA RATE INFINI | 879            | N              |                | 12                |
| 9117         |       | 3450    | SAS YO CABLE 1.5M-HD 6GB ADAP  | 234            | N              |                | 12                |
| 9117         |       | 3451    | SAS YO CABLE 3M-HD 6GB ADAP    | 292            | N              |                | 12                |
| 9117         |       | 3452    | SAS YO CABLE 6M-HD 6GB ADAP    | 438            | N              |                | 12                |
| 9117         |       | 3453    | SAS YO CABLE 10M-HD 6GB ADAP   | 659            | N              |                | 12                |
| 9117         |       | 3454    | SAS X CABLE 3M-HD 6GB 2-ADAP   | 438            | N              |                | 12                |
| 9117         |       | 3455    | SAS X CABLE 6M-HD 6GB 2-ADAP   | 731            | N              |                | 12                |
| 9117         |       | 3456    | SAS X CABLE 10M-HD 6GB 2-ADAP  | 1,220          | N              |                | 12                |
| 9117         |       | 3457    | SAS YO CABLE 15M HD 3GB ADAP   | 1,220          | N              |                | 12                |
| 9117         |       | 3458    | SAS X CABLE 15M HD 3GB 2 ADA   | 2,344          | N              |                | 12                |
| 9117         |       | 3585    | 300 GB 15K RPM SCSI DD AIX LNX | 1,490          | N              |                | 12                |
| 9117         |       | 3632    | WIDESCREEN LCD MONITOR         | 974            | N              |                | 12                |
| 9117         |       | 3636    | L200P FLAT PANEL MONITOR       | 1,055          | N              |                | 12                |
| 9117         |       | 3637    | T541H/L150P 15INCHTFT COL.M    | 401            | N              |                | 12                |
| 9117         |       | 3640    | THINKVISION L171P FLAT PAN.MON | 572            | N              |                | 12                |
| 9117         |       | 3642    | THINKVISION L191P FLAT PAN.MON | 671            | N              |                | 12                |
| 9117         |       | 3644    | IBM T119 FLAT PANEL MONITOR    | 834            | N              |                | 12                |
| 9117         |       | 3645    | IBM T117 FLAT PANEL MONITOR    | 690            | N              |                | 12                |
| 9117         |       | 3647    | 146GB 15K RPM SAS DD AIX LNX   | 486            | N              |                | 12                |
| 9117         |       | 3648    | 300GB 15K RPM SAS DD AIX LNX   | 927            | N              |                | 12                |
| 9117         |       | 3649    | 450GB 15K RPM SAS DD AIX LNX   | 1,270          | N              |                | 12                |
| 9117         |       | 3650    | EXT CONN 3 OF 6 INTERNAL SAS   | 89             | N              |                | 12                |
| 9117         |       | 3651    | EXT CONN 6 INTERNAL SAS DISK   | 89             | N              |                | 12                |
| 9117         |       | 3652    | SAS CBL (EE) DRAWER TO DRW 1M  | 48             | N              |                | 12                |
| 9117         |       | 3653    | SAS CBL (EE) DRAWER TO DRW 3M  | 69             | N              |                | 12                |
| 9117         |       | 3654    | SAS CBL (EE) DRAWER TO DRW 6M  | 117            | N              |                | 12                |
| 9117         |       | 3658    | 428GB 15K RPM SAS DD IBM I     | 1,270          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 3660    | PROC. FABRIC CABLE 2 ENCLOSURE | 1,475          | N              |                | 12                |
| 9117         |       | 3661    | SAS CBL (X) ADP SAS ENCL. 3M   | 146            | N              |                | 12                |
| 9117         |       | 3662    | SAS CBL (X) ADP SAS ENCL. 6M   | 293            | N              |                | 12                |
| 9117         |       | 3663    | SAS CBL (X) ADP SAS ENCL. 15M  | 596            | N              |                | 12                |
| 9117         |       | 3664    | PROC. FABRIC CABLE 3 ENCLOSURE | 2,982          | N              |                | 12                |
| 9117         |       | 3665    | PROC. FABRIC CABLE 4 ENCLOSURE | 5,965          | N              |                | 12                |
| 9117         |       | 3667    | SAS CABLE (YR) 1M              | 92             | N              |                | 12                |
| 9117         |       | 3671    | SERV INTERFACE CABLE 2 3 AND 4 | 1,491          | N              |                | 12                |
| 9117         |       | 3672    | SERV INTERFACE CABLE 3 AND 4 E | 2,237          | N              |                | 12                |
| 9117         |       | 3673    | SERV INTERFACE CABLE 4 ENCL    | 2,982          | N              |                | 12                |
| 9117         |       | 3675    | SAS EX CABLE 3M DRW TO DRW     | 167            | N              |                | 12                |
| 9117         |       | 3677    | 139.5GB 15K RPM SAS DD IBM I   | 486            | N              |                | 12                |
| 9117         |       | 3678    | 283.7GB 15K RPM SAS DD IBM I   | 927            | N              |                | 12                |
| 9117         |       | 3679    | SAS CABLE (AI) 1 M             | 51             | N              |                | 12                |
| 9117         |       | 3680    | SAS EX CABLE 6M DRW TO DRW     | 298            | N              |                | 12                |
| 9117         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR    | 74             | N              |                | 12                |
| 9117         |       | 3684    | SAS CBL (AE) ADP TO ENCL. 3M   | 146            | N              |                | 12                |
| 9117         |       | 3685    | SAS CBL (AE) ADP TO ENCL. 6M   | 293            | N              |                | 12                |
| 9117         |       | 3687    | CONTROLLER/DUAL PATH 3M        | 107            | N              |                | 12                |
| 9117         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 88             | N              |                | 12                |
| 9117         |       | 3689    | SAS AT CABLE 0.6M-HD 6GB ADAP  | 117            | N              |                | 12                |
| 9117         |       | 3691    | SAS CBL (YO) ADP TO SAS 1.5M   | 88             | N              |                | 12                |
| 9117         |       | 3692    | SAS CBL (YO) ADP TO SAS 3M     | 107            | N              |                | 12                |
| 9117         |       | 3693    | SAS CBL (YO) ADP TO SAS 6M     | 146            | N              |                | 12                |
| 9117         |       | 3694    | SAS CBL (AE) ADP TO ENCL. 15M  | 516            | N              |                | 12                |
| 9117         |       | 3711    | PROCESS CABLE TWO DRAWER SYS   | 2,982          | N              |                | 12                |
| 9117         |       | 3712    | PROCESSOR CABLE TWOTHREEFOUR I | 3,728          | N              |                | 12                |
| 9117         |       | 3713    | PROCESS CBL TWOTHREEFOUR DRAW  | 7,456          | N              |                | 12                |
| 9117         |       | 3714    | PROCESS CBL FOUR DRAWER SYSTEM | 8,947          | N              |                | 12                |
| 9117         |       | 3715    | PROCESS CBL TWOTHREE DRAWER    | 2,982          | N              |                | 12                |
| 9117         |       | 3716    | PROCESS CBL TWOTHREEFOUR DRWR  | 3,728          | N              |                | 12                |
| 9117         |       | 3717    | PROCESS CBL THREEFOUR DRAWER   | 7,456          | N              |                | 12                |
| 9117         |       | 3718    | PROCESS CBL FOUR DRAWER        | 8,947          | N              |                | 12                |
| 9117         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 20             | N              |                | 12                |
| 9117         |       | 3926    | ASYNCH PRINTER/TERM.CAB 4M     | 90             | N              |                | 12                |
| 9117         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 64             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 64             | N              |                | 12                |
| 9117         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 13             | N              |                | 12                |
| 9117         |       | 4242    | 6FOOT EXTEND.CAB.FOR DISPLAYS  | 80             | N              |                | 12                |
| 9117         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 40             | N              |                | 12                |
| 9117         |       | 4276    | VGA TO DVI CONNECTIONCONVERTER | 7              | N              |                | 12                |
| 9117         |       | 4328    | 141.12GB 15K RPM DISK UNIT     | 957            | N              |                | 12                |
| 9117         |       | 4496    | 8/16GB(4X4GB) DIMMS 276 PIN    | 14,918         | N              |                | 12                |
| 9117         |       | 4633    | DVD RAM                        | 1,546          | N              |                | 12                |
| 9117         |       | 4710    | ON/OFF 999 GB DAYS BILLING     | 745            | N              |                | 12                |
| 9117         |       | 4746    | PCI TWINAXIAL WORKSTN IOA      | 805            | N              |                | 12                |
| 9117         |       | 4764    | PCI-X CRYPT.COPROC.(FIPS 4)    | 8,789          | N              |                | 12                |
| 9117         |       | 4791    | ACTIVE MEMORY EXP ENABLEMENT   | 5,145          | N              |                | 12                |
| 9117         |       | 4797    | ACTIVE MEMORY MIRRORING        | 14,539         | N              |                | 12                |
| 9117         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 10,742         | N              |                | 12                |
| 9117         |       | 4809    | PCIE CRYPTO COPROCESSOR GEN4 B | 10,742         | N              |                | 12                |
| 9117         |       | 4980    | 3.5 GHZ PROC CARD 0/12 CORE P  | 12,920         | N              |                | 12                |
| 9117         |       | 4981    | 3.1 GHZ PROC CARD 0/16 CORE P  | 7,223          | N              |                | 12                |
| 9117         |       | 4983    | 3.72 GHZ PROC 0/12 CORE P7     | 12,920         | N              |                | 12                |
| 9117         |       | 4984    | 3.30 GHZ PROC 0/16 CORE P7     | 7,223          | N              |                | 12                |
| 9117         |       | 4990    | SINGLE 5250 ENTERPR ENABLEMENT | 37,280         | N              |                | 12                |
| 9117         |       | 4991    | FULL 5250 ENTERPRS ENABLEMENT  | 149,118        | N              |                | 12                |
| 9117         |       | 4992    | SINGLE 5250 ENTERPRISE ENABLEM | 37,280         | N              |                | 12                |
| 9117         |       | 4997    | FULL 5250 ENTERPRISE ENABLEM   | 149,118        | N              |                | 12                |
| 9117         |       | 5108    | 30 DISK EXPANSION FEATURE      | 9,669          | N              |                | 12                |
| 9117         |       | 5115    | DUAL LINE CORDS TOWER          | 3,223          | N              |                | 12                |
| 9117         |       | 5116    | DUAL LINE CORDS 5294 TOWER     | 3,223          | N              |                | 12                |
| 9117         |       | 5138    | REDUNDANT POWER AND COOLING    | 1,304          | N              |                | 12                |
| 9117         |       | 5285    | PCIE 2 PORT 4X IB QDR ADAPT    | 976            | N              |                | 12                |
| 9117         |       | 5287    | PCIE2 2 PORT 10GBE SR ADAPTER  | 2,930          | N              |                | 12                |
| 9117         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP    | 1,563          | N              |                | 12                |
| 9117         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 193            | N              |                | 12                |
| 9117         |       | 5329    | 1 CORE PROC. ACT FOR 4983      | 4,255          | N              |                | 12                |
| 9117         |       | 5330    | 100 COD UTL MINS 4983 AIXL     | 1              | N              |                | 12                |
| 9117         |       | 5331    | 100 COD UTL MINS 4983 IBMI     | 18             | N              |                | 12                |
| 9117         |       | 5332    | 1 PROC DAY ON/OFF 4983 AIXL    | 12             | N              |                | 12                |
| 9117         |       | 5333    | 1 PROC DAY ON/OFF 4983 IBMI    | 134            | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 5334    | 1 CORE PROC. ACT FOR 4984       | 1,856          | N              |                | 12                |
| 9117         |       | 5335    | 100 COD UTL MINS 4984 AIXL      | 0              | N              |                | 12                |
| 9117         |       | 5336    | 100 COD UTL MINS 4984 IBMI      | 17             | N              |                | 12                |
| 9117         |       | 5337    | 1 PROC DAY ON/OFF 4984 AIXL     | 5              | N              |                | 12                |
| 9117         |       | 5338    | 1 PROC DAY ON/OFF 4984 IBMI     | 127            | N              |                | 12                |
| 9117         |       | 5403    | ONEPROC.ACTIV.FOR PROC.FC#7380  | 17,149         | N              |                | 12                |
| 9117         |       | 5404    | UTILITY BILLING FOR FC #7380    | 261            | N              |                | 12                |
| 9117         |       | 5459    | ONE PROCESS ACTIV FOR FC 4980   | 4,255          | N              |                | 12                |
| 9117         |       | 5468    | ONE PROCESS ACTIV FOR FC 4981   | 1,856          | N              |                | 12                |
| 9117         |       | 5480    | UTILITY BILLING FOR FC 7380 I   | 842            | N              |                | 12                |
| 9117         |       | 5481    | UTILITY BILLING FOR FC 5620 I   | 708            | N              |                | 12                |
| 9117         |       | 5482    | UTILITY BILLING FC 5621/5622    | 768            | N              |                | 12                |
| 9117         |       | 5483    | ON/OFF PROCESSOR BILLING 5620   | 424            | N              |                | 12                |
| 9117         |       | 5484    | ON/OFF PROCESSOR BILLING 5621   | 461            | N              |                | 12                |
| 9117         |       | 5485    | ON/OFF PROCESSOR BILLING 7380   | 507            | N              |                | 12                |
| 9117         |       | 5524    | RFID TAGS FOR SERVERS BLADES    | 19             | N              |                | 12                |
| 9117         |       | 5532    | SYSTEM PWR SUP 1925W            | 1,119          | N              |                | 12                |
| 9117         |       | 5564    | 0/256GB DDR3 1066MHZ 4 DIMMS    | 32,891         | N              |                | 12                |
| 9117         |       | 5583    | 5777 CTLR W/AUX WRITE CACHE     | 6,757          | N              |                | 12                |
| 9117         |       | 5585    | CHASIS AND IBM BEZEL FOR MMC    | 8,947          | N              |                | 12                |
| 9117         |       | 5586    | CHASIS AND OEM BEZEL FOR MMC    | 8,947          | N              |                | 12                |
| 9117         |       | 5600    | 0/32GB DDR3 MEMORY (4X8GB) DIM  | 1,461          | N              |                | 12                |
| 9117         |       | 5601    | 0/64GB DDR3 MEMORY (4X16GB) DI  | 5,755          | N              |                | 12                |
| 9117         |       | 5602    | 0 128GB DDR3 MEMORY 4X32GB      | 11,511         | N              |                | 12                |
| 9117         |       | 5617    | PROCESSOR POWER REGULATOR       | 1,563          | N              |                | 12                |
| 9117         |       | 5620    | 3.5GHZ POW6-2/0CORE 12 DDR2     | 3,392          | N              |                | 12                |
| 9117         |       | 5621    | 4.2GHZ POW6-2/0CORE 8 DDR2      | 4,783          | N              |                | 12                |
| 9117         |       | 5622    | 4.2GHZ POW6-2/0CORE 12 DDR2     | 5,704          | N              |                | 12                |
| 9117         |       | 5625    | PROC. POWER REGULATOR           | 1,118          | N              |                | 12                |
| 9117         |       | 5627    | OEM SYST.CEC ENCL. WITH BEZEL   | 370            | N              |                | 12                |
| 9117         |       | 5628    | AC POWER SUPPLY 1600 W          | 1,107          | N              |                | 12                |
| 9117         |       | 5629    | MEDIA ENCLOSURE AND BACKPLANE   | 137            | N              |                | 12                |
| 9117         |       | 5632    | SYSTEM AC POWER SUPPLY 1725 W   | 1,119          | N              |                | 12                |
| 9117         |       | 5636    | 2X-1GB VIRTETH-INTEGR I/OPORTS  | 293            | N              |                | 12                |
| 9117         |       | 5637    | 2X-10GB (SR) VIRTETH-INTEGR I/O | 4,132          | N              |                | 12                |
| 9117         |       | 5639    | 4X-1GB VIRTETH-INTEGR I/OPORTS  | 516            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 5640    | UTILITY BILLING FOR FC #5620   | 103            | N              |                | 12                |
| 9117         |       | 5641    | UTILITY BILLING FOR FC #5621   | 174            | N              |                | 12                |
| 9117         |       | 5646    | BL.SWAP CASS-PCI-XL OR PCIESH  | 36             | N              |                | 12                |
| 9117         |       | 5647    | BL.SWAPCASS-PCI-XL OR PCIEST   | 36             | N              |                | 12                |
| 9117         |       | 5648    | SERVICE INTERFACE CARD         | 738            | N              |                | 12                |
| 9117         |       | 5650    | ON/OFF PROCBILLING FT #5620    | 62             | N              |                | 12                |
| 9117         |       | 5652    | DISK/MEDIA BACKPLANE           | 2,982          | N              |                | 12                |
| 9117         |       | 5653    | ON/OFF PROCDBILLING#5621 #5622 | 105            | N              |                | 12                |
| 9117         |       | 5656    | ON/OFF PROC DAY BILLINGFT#7380 | 157            | N              |                | 12                |
| 9117         |       | 5657    | SERVICE INTERFACE CABLE -2ENCL | 1,475          | N              |                | 12                |
| 9117         |       | 5658    | SERVICE INTERFACE CABLE -3ENCL | 2,982          | N              |                | 12                |
| 9117         |       | 5659    | BACKPLANE AND SYSTEM MIDPLANE  | 8,947          | N              |                | 12                |
| 9117         |       | 5660    | SERVICE INTERFACE CABLE -4ENCL | 5,965          | N              |                | 12                |
| 9117         |       | 5662    | 175MB CACHE RAID DUAL IOA      | 1,864          | N              |                | 12                |
| 9117         |       | 5663    | PROC ENCLOSURE AND BACKPLANE   | 1,491          | N              |                | 12                |
| 9117         |       | 5664    | SERVICE PROCESSOR              | 2,982          | N              |                | 12                |
| 9117         |       | 5665    | FSP/CLOCK PASS THROUGH CARD    | 671            | N              |                | 12                |
| 9117         |       | 5666    | I/O BACKPLANE                  | 3,320          | N              |                | 12                |
| 9117         |       | 5667    | SYSTEM MIDPLANE                | 738            | N              |                | 12                |
| 9117         |       | 5668    | SAS DISK BACKPLANE-6SLOT       | 783            | N              |                | 12                |
| 9117         |       | 5669    | BACKPLANE AND SYSTEM MIDPLANE  | 8,947          | N              |                | 12                |
| 9117         |       | 5670    | 1 PROC ACTIV FOR PROC FT #5620 | 6,785          | N              |                | 12                |
| 9117         |       | 5671    | 1 PROC ACTIV FOR PROC FT #5621 | 9,566          | N              |                | 12                |
| 9117         |       | 5672    | 1 PROC ACTIV FOR PROC FT #5622 | 11,408         | N              |                | 12                |
| 9117         |       | 5675    | 0/4 CORE PROCESSOR ENCLOSURE   | 1,563          | N              |                | 12                |
| 9117         |       | 5680    | ACTIV OF 1GB DDR2 POWER 6 MEM  | 242            | N              |                | 12                |
| 9117         |       | 5681    | ACTIV OF 256GB DDR2 POWER6MEM  | 62,033         | N              |                | 12                |
| 9117         |       | 5682    | POWER 570 SYSTEM BEZEL         | 75             | N              |                | 12                |
| 9117         |       | 5683    | SYSTEM CHASSIS 4 EIA           | 295            | N              |                | 12                |
| 9117         |       | 5684    | ACTIVATION OF 100 GB DDR2 MEMO | 24,232         | N              |                | 12                |
| 9117         |       | 5691    | ON/OFFMEM BIL 1GB-DAY-POW6     | 2              | N              |                | 12                |
| 9117         |       | 5693    | 0/4GB(4X1GB) 667MHZ DDR2 POW6  | 242            | N              |                | 12                |
| 9117         |       | 5694    | 0/8GB(4X2GB) 667MHZ DDR2 POW6  | 485            | N              |                | 12                |
| 9117         |       | 5695    | 0/16GB(4X4GB) 533MHZ DDR2 POW6 | 969            | N              |                | 12                |
| 9117         |       | 5696    | 0/32GB(4X8GB) 400MHZ DDR2 POW6 | 1,939          | N              |                | 12                |
| 9117         |       | 5699    | SYSTEM SHIP GROUP              | 14             | N              |                | 12                |



| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 5703    | PCI-X DUAL CHAN.U320 RAID ADP   | 1,952          | N              |                | 12                |
| 9117         |       | 5706    | 2-PORT BASETX ETH.T.PCI-X ADP   | 737            | N              |                | 12                |
| 9117         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT  | 3,418          | N              |                | 12                |
| 9117         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT   | 879            | N              |                | 12                |
| 9117         |       | 5717    | 4PT 10/100/1000 BASE TX PCI AD  | 810            | N              |                | 12                |
| 9117         |       | 5721    | 10GB ETH-T-SR PCI-X 2.0 DDR ADP | 4,679          | N              |                | 12                |
| 9117         |       | 5723    | 2 PORT ASYN.EIA-232 PCI ADPT    | 127            | N              |                | 12                |
| 9117         |       | 5729    | PCIE2 8GB 4PORT FIBRE CHANN     | 5,859          | N              |                | 12                |
| 9117         |       | 5735    | 8GB PCI EXPRESS DUAL PRT FIBRE  | 3,417          | N              |                | 12                |
| 9117         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320    | 573            | N              |                | 12                |
| 9117         |       | 5737    | PCI-X DDR DUAL CHAN.U320 SCSI   | 1,973          | N              |                | 12                |
| 9117         |       | 5740    | 4-PORT BASETX PCI-X ADPT        | 819            | N              |                | 12                |
| 9117         |       | 5741    | SINGLE BUS ULTRA 320 SCSI       | 487            | N              |                | 12                |
| 9117         |       | 5742    | DUAL BUS ULTRA 320 SCSI CA      | 974            | N              |                | 12                |
| 9117         |       | 5744    | PCIE2 4 PORT 10GBE 1GBE SR RJ4  | 3,417          | N              |                | 12                |
| 9117         |       | 5745    | PCIE2 4 PORT 10GBE GBE SFP COP  | 2,440          | N              |                | 12                |
| 9117         |       | 5748    | POW GXT145 PCI-EXP.GRAPH.ACCEL  | 370            | N              |                | 12                |
| 9117         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)    | 2,440          | N              |                | 12                |
| 9117         |       | 5756    | IDE SLIMLINE DVD-ROM DRIVE      | 205            | N              |                | 12                |
| 9117         |       | 5757    | IBM 4.7 GB IDE SLIMLINEDVD-RAM  | 492            | N              |                | 12                |
| 9117         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL     | 2,440          | N              |                | 12                |
| 9117         |       | 5762    | SATA SLIMLINE DVD RAM DRIVE     | 292            | N              |                | 12                |
| 9117         |       | 5767    | 2-P10/100/1000-TXETHPCI EXPAD.  | 516            | N              |                | 12                |
| 9117         |       | 5768    | 2-PORT GBIT ETH-SX PCI EXP ADP  | 1,290          | N              |                | 12                |
| 9117         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP    | 3,418          | N              |                | 12                |
| 9117         |       | 5771    | SATA SLIMLINE DVD RAM DRIVE     | 292            | N              |                | 12                |
| 9117         |       | 5772    | 10 GB ETHERNET LR PCI EXPRESS   | 4,631          | N              |                | 12                |
| 9117         |       | 5774    | 4GIGABITPCI-E DUAL PORT FIBR    | 2,440          | N              |                | 12                |
| 9117         |       | 5776    | PCIX DSK CONTROL. 90MB NO IOP   | 1,932          | N              |                | 12                |
| 9117         |       | 5777    | PCIX DSK CONTROL. 1.5MB NO IOP  | 5,988          | N              |                | 12                |
| 9117         |       | 5778    | PCI X EXP24 CTL 1.5MB NO IOP    | 8,211          | N              |                | 12                |
| 9117         |       | 5782    | PCI X EXP24 CTL 1.5MB NO IOP    | 8,258          | N              |                | 12                |
| 9117         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADP   | 682            | N              |                | 12                |
| 9117         |       | 5796    | PCI DDR 12X EXPANSION DRAW      | 5,312          | N              |                | 12                |
| 9117         |       | 5802    | 12X I/O DRAWER PCIE SFF D       | 11,709         | N              |                | 12                |
| 9117         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S  | 2,147          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 5877    | 12X I O DRAWER PCIE NO DIS     | 10,636         | N              |                | 12                |
| 9117         |       | 5878    | SAS DISK BACKPLANE 6 SLOT      | 774            | N              |                | 12                |
| 9117         |       | 5886    | EXP 12S                        | 4,834          | N              |                | 12                |
| 9117         |       | 5887    | EXP24S SFF GEN2-BAY DRAWER     | 5,274          | N              |                | 12                |
| 9117         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 293            | N              |                | 12                |
| 9117         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 731            | N              |                | 12                |
| 9117         |       | 5904    | PCI X DDR 1.5GB CACHE SAS RAID | 8,301          | N              |                | 12                |
| 9117         |       | 5908    | PCI X DDR 1.5GB CACHE SAS RAID | 8,301          | N              |                | 12                |
| 9117         |       | 5909    | ALTERNATE SAS CONTROLLER SLOTS | 1,044          | N              |                | 12                |
| 9117         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTER  | 805            | N              |                | 12                |
| 9117         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324          | N              |                | 12                |
| 9117         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT   | 220            | N              |                | 12                |
| 9117         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT   | 366            | N              |                | 12                |
| 9117         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA   | 170            | N              |                | 12                |
| 9117         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT   | 97             | N              |                | 12                |
| 9117         |       | 5926    | SAS EX CABLE 1.5M DRW TO DRW   | 149            | N              |                | 12                |
| 9117         |       | 5951    | FULL WIDTH KEYB-USB US ENG     | 80             | N              |                | 12                |
| 9117         |       | 5983    | FULL WIDTH KEYB-USB US ENG INT | 80             | N              |                | 12                |
| 9117         |       | 6001    | POWER CONTROL CABLE(SPCN)-2M   | 23             | N              |                | 12                |
| 9117         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 38             | N              |                | 12                |
| 9117         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 77             | N              |                | 12                |
| 9117         |       | 6008    | POWER CONTROL CABLE(SPCN)-6M   | 48             | N              |                | 12                |
| 9117         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 331            | N              |                | 12                |
| 9117         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 406            | N              |                | 12                |
| 9117         |       | 6246    | 1.8M RACK TRIM KIT             | 221            | N              |                | 12                |
| 9117         |       | 6247    | 2.0M RACK TRIM KIT             | 221            | N              |                | 12                |
| 9117         |       | 6248    | 1.8M RACK ACCOUSTIC DOORS      | 3,430          | N              |                | 12                |
| 9117         |       | 6249    | 2.0M RACK ACCOUSTIC DOORS      | 3,430          | N              |                | 12                |
| 9117         |       | 6263    | 1.8M RACK TRIM KIT             | 390            | N              |                | 12                |
| 9117         |       | 6272    | 2.0M RACK TRIM KIT             | 390            | N              |                | 12                |
| 9117         |       | 6446    | DUAL PORT 12X CHANNEL ATTACH   | 562            | N              |                | 12                |
| 9117         |       | 6457    | DUAL PT 12X CHANNEL ATTACH     | 2,441          | N              |                | 12                |
| 9117         |       | 6458    | PWR CAB-DRAWER TO IBM PDU      | 14             | N              |                | 12                |
| 9117         |       | 6469    | PWR CORD(14FOOT) (250V 15A)    | 13             | N              |                | 12                |
| 9117         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 13             | N              |                | 12                |
| 9117         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 13             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 13             | N              |                | 12                |
| 9117         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 13             | N              |                | 12                |
| 9117         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 13             | N              |                | 12                |
| 9117         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 13             | N              |                | 12                |
| 9117         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 13             | N              |                | 12                |
| 9117         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 13             | N              |                | 12                |
| 9117         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 13             | N              |                | 12                |
| 9117         |       | 6487    | PWR CORD(6FOOT) (250V 15A)     | 13             | N              |                | 12                |
| 9117         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 38             | N              |                | 12                |
| 9117         |       | 6489    | 4.3M 14 FT 3PH/24A POWER CORD  | 249            | N              |                | 12                |
| 9117         |       | 6491    | 4.3M 14 FT 1PH/48A PWR CORD    | 295            | N              |                | 12                |
| 9117         |       | 6492    | 4.3M 14 FT 1PH/48 60A PWR CORD | 295            | N              |                | 12                |
| 9117         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 13             | N              |                | 12                |
| 9117         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 13             | N              |                | 12                |
| 9117         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 13             | N              |                | 12                |
| 9117         |       | 6497    | 6 FT 250V/15A POWER CORD       | 24             | N              |                | 12                |
| 9117         |       | 6577    | POWER CABLE DRW TO IBM PDU     | 14             | N              |                | 12                |
| 9117         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 131            | N              |                | 12                |
| 9117         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 184            | N              |                | 12                |
| 9117         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 43             | N              |                | 12                |
| 9117         |       | 6651    | PWR.CORD(9FT) TO WALL/OEM PDU  | 13             | N              |                | 12                |
| 9117         |       | 6654    | 4.3M 14 FT 1PH/24 30A PWR CORD | 176            | N              |                | 12                |
| 9117         |       | 6655    | 4.3M 14FT 1PH/24 30A WR PWR CD | 390            | N              |                | 12                |
| 9117         |       | 6656    | 4.3M 14 FT 1PH/24A POWER CORD  | 176            | N              |                | 12                |
| 9117         |       | 6657    | 4.3M 14 FT 1PH/24A POWER CORD  | 186            | N              |                | 12                |
| 9117         |       | 6659    | PWR.CORD(9FT) TO WALL/OEM PDU  | 13             | N              |                | 12                |
| 9117         |       | 6660    | POWER CORD 14 FOOT DRAW TO EOM | 14             | N              |                | 12                |
| 9117         |       | 6664    | 2.1M 7 FT 200V PDU POWER CBL   | 14             | N              |                | 12                |
| 9117         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 13             | N              |                | 12                |
| 9117         |       | 6669    | PWR CORD(14FT) DR.TO OEM PDU   | 13             | N              |                | 12                |
| 9117         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU   | 13             | N              |                | 12                |
| 9117         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 13             | N              |                | 12                |
| 9117         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 13             | N              |                | 12                |
| 9117         |       | 6699    | RIO 2 BUS ADAPTER              | 773            | N              |                | 12                |
| 9117         |       | 6805    | PCI 2 LINE WAN IOA NO IOP      | 410            | N              |                | 12                |
| 9117         |       | 6808    | PCI 4 MODEM WAN IOA NO IOP     | 1,546          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 7099    | CBL RESTRAINT HW EXCESS SRVC   | 44             | N              |                | 12                |
| 9117         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 1,072          | N              |                | 12                |
| 9117         |       | 7118    | ENVIROMENTAL MONITOR PROBE     | 272            | N              |                | 12                |
| 9117         |       | 7164    | IBM/OEM RACK-MOUNT DRW R KIT   | 163            | N              |                | 12                |
| 9117         |       | 7188    | POWER DISTRIBUTION UNIT        | 738            | N              |                | 12                |
| 9117         |       | 7204    | QUANTITY 150 OF 2124           | 18,230         | N              |                | 12                |
| 9117         |       | 7205    | QUANTITY 150 OF 2125           | 20,466         | N              |                | 12                |
| 9117         |       | 7206    | QUANTITY 150 OF 2126           | 22,815         | N              |                | 12                |
| 9117         |       | 7207    | QUANTITY 150 OF 2127           | 30,756         | N              |                | 12                |
| 9117         |       | 7208    | QUANTITY 150 OF 2128           | 48,314         | N              |                | 12                |
| 9117         |       | 7213    | QUANTITY 150 OF 2138           | 11,184         | N              |                | 12                |
| 9117         |       | 7272    | 2GB CUOD MEMORY ACTIVATION     | 485            | N              |                | 12                |
| 9117         |       | 7273    | 4GB CUOD MEMORY ACTIVATION     | 969            | N              |                | 12                |
| 9117         |       | 7274    | 8GB CUOD MEMORY ACTIVATION     | 1,939          | N              |                | 12                |
| 9117         |       | 7275    | 16GB CUOD MEMORY ACTIVATION    | 3,877          | N              |                | 12                |
| 9117         |       | 7276    | 32GB CUOD MEMORY ACTIVATION    | 7,754          | N              |                | 12                |
| 9117         |       | 7306    | 1 PROC ACTIVATION PROC FC 7388 | 19,835         | N              |                | 12                |
| 9117         |       | 7314    | I/O DRAWER MOUNTING ENCLOSURE  | 512            | N              |                | 12                |
| 9117         |       | 7332    | UTILITY BILLING PROC 7388 100  | 302            | N              |                | 12                |
| 9117         |       | 7333    | ON/OFF PROC DAY BILLING 7388   | 181            | N              |                | 12                |
| 9117         |       | 7334    | UTILITY BILLING FOR PROC 7388  | 880            | N              |                | 12                |
| 9117         |       | 7346    | ON/OFF PROC BILLING 7388 IBM I | 529            | N              |                | 12                |
| 9117         |       | 7380    | 4.7GHZ POW6-2/0CORE 12 DDR2    | 8,574          | N              |                | 12                |
| 9117         |       | 7387    | 4.4GHZ PROC CARD 0/2 CORE PWR6 | 6,540          | N              |                | 12                |
| 9117         |       | 7388    | 5.0GHZ PROC CARD 0/2 CORE PWR6 | 9,917          | N              |                | 12                |
| 9117         |       | 7510    | QUANTITY 150 OF 4328           | 143,713        | N              |                | 12                |
| 9117         |       | 7514    | QUANTITY 150 OF 5741           | 73,143         | N              |                | 12                |
| 9117         |       | 7518    | QUANTITY 150 OF 3677           | 72,919         | N              |                | 12                |
| 9117         |       | 7519    | QUANTITY 150 OF 3678           | 139,127        | N              |                | 12                |
| 9117         |       | 7540    | 4.2GHZ PROC CARD 0/4 CORE PWR6 | 18,183         | N              |                | 12                |
| 9117         |       | 7544    | QUANTITY 150 OF #1888          | 72,919         | N              |                | 12                |
| 9117         |       | 7547    | QUANTITY 150 OF #1885          | 116,872        | N              |                | 12                |
| 9117         |       | 7548    | QUANTITY 150 OF #1886          | 72,919         | N              |                | 12                |
| 9117         |       | 7550    | QUANTITY 150 OF 1790           | 175,811        | N              |                | 12                |
| 9117         |       | 7557    | QUANTITY 150 OF 1911           | 116,872        | N              |                | 12                |
| 9117         |       | 7566    | QUANTITY 150 OF 1916           | 175,811        | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 7618    | 1WAY PROC.ACT..FOR PROC.FC8338  | 11,235         | N              |                | 12                |
| 9117         |       | 7624    | ON/OFF PROC.DAY BILL.-FC8338    | 93             | N              |                | 12                |
| 9117         |       | 7642    | PROC COD UTILITY BILL FOR 4980  | 1              | N              |                | 12                |
| 9117         |       | 7643    | PROC MINS FOR IBM I             | 18             | N              |                | 12                |
| 9117         |       | 7644    | 1 PROC DAY ON/OFF BILL 4980     | 12             | N              |                | 12                |
| 9117         |       | 7645    | 1 PROC DAY ON/OFF BILL 4980     | 134            | N              |                | 12                |
| 9117         |       | 7647    | PROC MINS FOR IBM I             | 17             | N              |                | 12                |
| 9117         |       | 7648    | 1 PROC DAY ON/OFF BILL 4981     | 5              | N              |                | 12                |
| 9117         |       | 7649    | 1 PROC DAY ON/OFF BILL 4981     | 127            | N              |                | 12                |
| 9117         |       | 7663    | 1GB DDR2 MEMORY ACTIVATION      | 1,242          | N              |                | 12                |
| 9117         |       | 7665    | 1WAY PROC.ACT..FOR PROC.FC7782  | 4,592          | N              |                | 12                |
| 9117         |       | 7666    | 30DAYS PREPAID RESERVE CAP.     | 1,156          | N              |                | 12                |
| 9117         |       | 7700    | 1 PROC ACTIVATION PROC FC7540   | 16,360         | N              |                | 12                |
| 9117         |       | 7701    | UTILITY BILLING PROC 7540 100   | 249            | N              |                | 12                |
| 9117         |       | 7702    | ON/OFF PROC DAY BILLING 7540    | 149            | N              |                | 12                |
| 9117         |       | 7706    | UTILITY BILLING PROC 7540 IBM I | 834            | N              |                | 12                |
| 9117         |       | 7709    | ON/OFF PROC BILLING 7540 IBM I  | 503            | N              |                | 12                |
| 9117         |       | 7718    | ON/OFF PROC.DAY BILL.-FC7782    | 38             | N              |                | 12                |
| 9117         |       | 7719    | 1 PROC ACTIVATION PROC FC 7387  | 13,080         | N              |                | 12                |
| 9117         |       | 7726    | UTILITY BILLING PROC 7387 100   | 199            | N              |                | 12                |
| 9117         |       | 7728    | 30DAYS PREPAID RESERVE CAP.     | 2,804          | N              |                | 12                |
| 9117         |       | 7743    | UTILITY BILLING PROC 7387 IBM   | 794            | N              |                | 12                |
| 9117         |       | 7744    | ON/OFF PROC BILLING 7387 IBM I  | 477            | N              |                | 12                |
| 9117         |       | 7745    | ON/OFF PROC DAY BILLING 7387    | 120            | N              |                | 12                |
| 9117         |       | 7801    | ETHERN.CAB 6M HMC TO SYS.UNIT   | 11             | N              |                | 12                |
| 9117         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT  | 25             | N              |                | 12                |
| 9117         |       | 7863    | PCI BLIND SWAP CASSETTE KIT     | 48             | N              |                | 12                |
| 9117         |       | 7870    | POWER DISTRIBUTION BACKPLANE    | 194            | N              |                | 12                |
| 9117         |       | 7875    | PROCESSOR POWER REGULATOR       | 503            | N              |                | 12                |
| 9117         |       | 7879    | SYSTEM DRAWER ENCLOSURE         | 345            | N              |                | 12                |
| 9117         |       | 7888    | AC POWER SUPPLY 1400 W          | 789            | N              |                | 12                |
| 9117         |       | 7897    | 1PROC.ACT.FOR CUOD PRC.FC7830   | 8,891          | N              |                | 12                |
| 9117         |       | 7898    | 1PROC.ACT.FOR CUOD PRC.FC7832   | 23,993         | N              |                | 12                |
| 9117         |       | 7899    | 1PROC.ACT.FOR CUOD PRC.FC7833   | 26,392         | N              |                | 12                |
| 9117         |       | 7929    | 1PROC.ENTITL.FOR PRC.FC7834     | 3,299          | N              |                | 12                |
| 9117         |       | 7942    | ADVANCED PWR VIRTUALIZATION     | 0              | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | 7950    | 1024MB ACTIVATION FOR DDR1MEM  | 1,455          | N              |                | 12                |
| 9117         |       | 7952    | ON/OFFPROC.DAY BILL.FOR FC7830 | 81             | N              |                | 12                |
| 9117         |       | 7953    | ON/OFFPROC.DAY BILL.FOR FC7832 | 220            | N              |                | 12                |
| 9117         |       | 7955    | ON/OFFPROC.DAY BILL.FOR FC7833 | 242            | N              |                | 12                |
| 9117         |       | 7956    | 30D PREP.RES.CAP.4 1.65GHZPROC | 2,435          | N              |                | 12                |
| 9117         |       | 7957    | ON/OFF MEM.1GBDAY BIL.FOR DDR1 | 10             | N              |                | 12                |
| 9117         |       | 7959    | 30D PREP.RES.CAP.4 1.9GHZPROC  | 7,257          | N              |                | 12                |
| 9117         |       | 7967    | IBM DRAWER IND AAP             | 0              | N              |                | 12                |
| 9117         |       | 7968    | NON-IBM DRAWER IND OEM         | 0              | N              |                | 12                |
| 9117         |       | 7969    | SYSTEM DRAWER ENCLOSURE OEM    | 345            | N              |                | 12                |
| 9117         |       | 7995    | POWERVM ENTERPRISE EDITION     | 0              | N              |                | 12                |
| 9117         |       | 8129    | 0/256GB DDR2 (32X8GB) 400 MHZ  | 15,508         | N              |                | 12                |
| 9117         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M    | 48             | N              |                | 12                |
| 9117         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM    | 32             | N              |                | 12                |
| 9117         |       | 8133    | RJ-45 TO DB-25 CONVERTER CABLE | 97             | N              |                | 12                |
| 9117         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 44             | N              |                | 12                |
| 9117         |       | 8144    | LINUX SOFTWARE PREINSTALL SDIS | 44             | N              |                | 12                |
| 9117         |       | 8212    | ACTIVATION OF 1 GB DDR3 POWER7 | 182            | N              |                | 12                |
| 9117         |       | 8213    | ACT OF 100 GB DDR3 POWER7      | 18,267         | N              |                | 12                |
| 9117         |       | 8841    | MOUSE-BUS.BLACK W/KEYB.ATT.CAB | 60             | N              |                | 12                |
| 9117         |       | 8845    | USB MOUSE                      | 28             | N              |                | 12                |
| 9117         |       | EB34    | I 6.1.1 NATIVE I O ENABLEMENT  | 976            | N              |                | 12                |
| 9117         |       | EB85    | CHASIS IBM BEZEL FOR MMD       | 8,947          | N              |                | 12                |
| 9117         |       | EB86    | CHASIS OEM BEZEL FOR MMD       | 8,947          | N              |                | 12                |
| 9117         |       | EC28    | PCIE2 2 PORT 10GBE ROCE SFP A  | 976            | N              |                | 12                |
| 9117         |       | EC30    | PCIE2 2-PORT 10GBE ROCE SR ADA | 1,709          | N              |                | 12                |
| 9117         |       | EC53    | OPERATOR PANEL                 | 746            | N              |                | 12                |
| 9117         |       | ECB0    | 0.6M BLUE CAT5 ETHERNET CABLE  | 12             | N              |                | 12                |
| 9117         |       | ECB2    | 1.5M BLUE CAT5 ETHERNET CABLE  | 16             | N              |                | 12                |
| 9117         |       | EDR1    | EXP30 ULTRA SSD I/O DRAWER     | 23,927         | N              |                | 12                |
| 9117         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 58             | N              |                | 12                |
| 9117         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 58             | N              |                | 12                |
| 9117         |       | EM40    | 0 32GB DDR3 1066MHZ 4 DIMMS    | 410            | N              |                | 12                |
| 9117         |       | EM41    | 0 64GB DDR3 1066MHZ 4 DIMMS    | 820            | N              |                | 12                |
| 9117         |       | EM42    | 0 128GB DDR3 1066MHZ 4 DIMMS   | 1,640          | N              |                | 12                |
| 9117         |       | EM44    | 0 256GB DDR3 1066MHZ 4 DIMMS   | 12,675         | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | EMA2    | ACTIVATION OF 1 GB DDR3 P7    | 137            | N              |                | 12                |
| 9117         |       | EMA3    | QTY 100 OF FC EMA2 1GB ACT    | 13,793         | N              |                | 12                |
| 9117         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX | 97             | N              |                | 12                |
| 9117         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX | 117            | N              |                | 12                |
| 9117         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX | 146            | N              |                | 12                |
| 9117         |       | EN05    | PCIE X8 CABLE 1.5M            | 292            | N              |                | 12                |
| 9117         |       | EN07    | PCIE X8 CABLE 3M              | 331            | N              |                | 12                |
| 9117         |       | EN08    | PCIE X8 CABLE 8M              | 371            | N              |                | 12                |
| 9117         |       | EP2A    | 100 ON/OFF PRC DAYS 4980 AIXL | 1,267          | N              |                | 12                |
| 9117         |       | EP2B    | 100 ON/OFF PRC DAYS 4980 IBMI | 13,421         | N              |                | 12                |
| 9117         |       | EP2C    | 100 ON/OFF PRC DAYS 4981 AIXL | 596            | N              |                | 12                |
| 9117         |       | EP2D    | 100 ON/OFF PRC DAYS 4981 IBMI | 12,750         | N              |                | 12                |
| 9117         |       | EP2G    | 100 ON/OFF PRC DAYS 4983 AIXL | 1,267          | N              |                | 12                |
| 9117         |       | EP2H    | 100 ON/OFF PRC DAYS 4983 IBMI | 13,421         | N              |                | 12                |
| 9117         |       | EP2J    | 100 ON OFF PRC DY 4984 AIXL   | 596            | N              |                | 12                |
| 9117         |       | EP2K    | 100 ON OFF PRC DY 4984 IBMI   | 12,750         | N              |                | 12                |
| 9117         |       | EPM0    | X4.22 GHZ PROC 0 12 CORE P7   | 13,206         | N              |                | 12                |
| 9117         |       | EPM1    | 3.80 GHZ PROC 0 16 CORE P7    | 12,473         | N              |                | 12                |
| 9117         |       | EPMA    | 1CORE ACTIVATION FOR EPM0     | 4,403          | N              |                | 12                |
| 9117         |       | EPMB    | 1CORE ACTIVATION FOR EPM1     | 3,116          | N              |                | 12                |
| 9117         |       | EPME    | 1 ON/OFF PROC-DAY EPM0 AIXL   | 12             | N              |                | 12                |
| 9117         |       | EPMF    | 1 ON/OFF PROC-DAY EPM0        | 134            | N              |                | 12                |
| 9117         |       | EPMG    | 1 ON/OFF PROC-DAY EPM1 AIXL   | 5              | N              |                | 12                |
| 9117         |       | EPMH    | 1 ON/OFF PROC-DAY EPM1        | 127            | N              |                | 12                |
| 9117         |       | EPMN    | 100 ON/OFF PRC-DAYS EPM0 AIXL | 1,267          | N              |                | 12                |
| 9117         |       | EPMP    | 100 ON/OFF PRC-DAYS EPM0      | 13,421         | N              |                | 12                |
| 9117         |       | EPMQ    | 100 ON/OFF PRC-DAYS EPM1 AIXL | 596            | N              |                | 12                |
| 9117         |       | EPMR    | 100 ON/OFF PRC-DAYS EPM1      | 12,750         | N              |                | 12                |
| 9117         |       | EPMW    | 100 COD UTL MINS EPM0 AIXL    | 1              | N              |                | 12                |
| 9117         |       | EPMX    | 100 COD UTL MINS EPM0         | 18             | N              |                | 12                |
| 9117         |       | EPMZ    | 100 COD UTL MINS EPM1         | 17             | N              |                | 12                |
| 9117         |       | EQ02    | QUANTITY 150 OF 3452 SAS CABL | 65,873         | N              |                | 12                |
| 9117         |       | EQ03    | QUANTITY 150 OF 3453 SAS YO   | 98,865         | N              |                | 12                |
| 9117         |       | EQ0A    | QUANTITY 150 OF ES0A          | 525,642        | N              |                | 12                |
| 9117         |       | EQ0B    | QUANTITY OF 150 ES0B          | 525,642        | N              |                | 12                |
| 9117         |       | EQ0C    | QUANTITY OF 150 ES0C          | 525,642        | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117         |       | EQ0D    | QUANTITY OF 150 ES0D           | 525,642        | N              |                | 12                |
| 9117         |       | EQ37    | QUANTITY 150 OF 1737           | 219,763        | N              |                | 12                |
| 9117         |       | EQ38    | QUANTITY 150 OF 1738           | 219,763        | N              |                | 12                |
| 9117         |       | EQ51    | QUANTITY 150 OF 1751           | 219,763        | N              |                | 12                |
| 9117         |       | EQ52    | QUANTITY 150 OF 1752           | 219,763        | N              |                | 12                |
| 9117         |       | EQ77    | POWER CABLE DRAWER TO IBM PD   | 2,685          | N              |                | 12                |
| 9117         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 19             | N              |                | 12                |
| 9117         |       | ERG7    | FRONT DOOR FOR P770/780 2MRACK | 2,237          | N              |                | 12                |
| 9117         |       | ES02    | 387GB 1.8 SAS SSD AIX/LINUX    | 4,296          | N              |                | 12                |
| 9117         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 3,504          | N              |                | 12                |
| 9117         |       | ES0B    | 387GB SFF-1 SSD FOR IBMI       | 3,504          | N              |                | 12                |
| 9117         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 3,504          | N              |                | 12                |
| 9117         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,504          | N              |                | 12                |
| 9117         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 6,054          | N              |                | 12                |
| 9117         |       | ESC8    | S H                            | 521            | N              |                | 12                |
| 9117         |       | ESR2    | 6 ES02 387GB 1.8 SAS SSD       | 23,202         | N              |                | 12                |
| 9117         |       | ESRA    | 4 ES0A 387GB SFF1 SSD          | 12,615         | N              |                | 12                |
| 9117         |       | ESRB    | 4 ES0B 387GB SFF1 SSD          | 12,615         | N              |                | 12                |
| 9117         |       | ESRC    | 4 ES0C 387GB SFF2 SSD          | 12,615         | N              |                | 12                |
| 9117         |       | ESRD    | 4 ES0D 387GB SFF2 SSD          | 12,615         | N              |                | 12                |
| 9117         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 337            | N              |                | 12                |
| 9117         |       | EU04    | RDX USB EXTERNAL DOCKING       | 268            | N              |                | 12                |
| 9117         |       | EU05    | SERVICE PROCESSOR 2            | 2,982          | N              |                | 12                |
| 9117         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 220            | N              |                | 12                |
| 9117         |       | EU09    | SERVICE PROCESSOR 3            | 2,982          | N              |                | 12                |
| 9117         |       | EU15    | 1.5TB REMOVABLE DISKDRIVECARTR | 483            | N              |                | 12                |
| 9117         |       | EUC6    | CORE USE HW FEATURE            | 373            | N              |                | 12                |
| 9117         |       | EUC7    | CORE USE HW FEATURE 10         | 3,728          | N              |                | 12                |
| 9118         |       | 2456    | LC-SC 50 MICRON FIBER CONV.CBL | 82             | N              |                | 12                |
| 9118         |       | 2459    | LC-SC 62.5 MIC.FIBER CONV.CBL  | 82             | N              |                | 12                |
| 9118         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 33             | N              |                | 12                |
| 9118         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 54             | N              |                | 12                |
| 9118         |       | 3125    | SER.TO SER.PORT CBL FOR RACK   | 65             | N              |                | 12                |
| 9118         |       | 3636    | L200P FLAT PANEL MONITOR       | 1,055          | N              |                | 12                |
| 9118         |       | 3637    | T541H/L150P 15INCHTFT COL.M    | 401            | N              |                | 12                |
| 9118         |       | 3640    | THINKVISION L171P FLAT PAN.MON | 572            | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9118         |       | 3642    | THINKVISION L191P FLAT PAN.MON | 671            | N              |                | 12                |
| 9118         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 20             | N              |                | 12                |
| 9118         |       | 4242    | 6FT EXTEND.CBL FOR DISPLAYS    | 82             | N              |                | 12                |
| 9118         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 41             | N              |                | 12                |
| 9118         |       | 4599    | PCI BLIND SWAP CASS.KIT UNIV.  | 48             | N              |                | 12                |
| 9118         |       | 5706    | 2-PORT BASETX ETH.T.PCI-X ADP  | 745            | N              |                | 12                |
| 9118         |       | 5711    | PCI-X D.CH.U320 RAID BL.SW.ADP | 1,973          | N              |                | 12                |
| 9118         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT  | 888            | N              |                | 12                |
| 9118         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320   | 578            | N              |                | 12                |
| 9118         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL    | 2,465          | N              |                | 12                |
| 9118         |       | 6186    | BULK POWER REGULATOR           | 2,982          | N              |                | 12                |
| 9118         |       | 6251    | SLIM LINE DOORS                | 4,474          | N              |                | 12                |
| 9118         |       | 6252    | ACOUSTIC DOORS                 | 5,965          | N              |                | 12                |
| 9118         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 14             | N              |                | 12                |
| 9118         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 14             | N              |                | 12                |
| 9118         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9118         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9118         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 14             | N              |                | 12                |
| 9118         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9118         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9118         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9118         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9118         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 39             | N              |                | 12                |
| 9118         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9118         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9118         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9118         |       | 6651    | PWR.CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |
| 9118         |       | 6659    | PWR.CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |
| 9118         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |
| 9118         |       | 6855    | WEIGHT DISTRIBUTION PLATE      | 559            | N              |                | 12                |
| 9118         |       | 6861    | SLIM LINE DOORS                | 2,672          | N              |                | 12                |
| 9118         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 25             | N              |                | 12                |
| 9118         |       | 7837    | BULK PWR DISTRIBUTION ASSEMBLY | 1,864          | N              |                | 12                |
| 9118         |       | 7937    | BOLT-DOWN KIT LOW-RAISED FLOOR | 5,219          | N              |                | 12                |
| 9118         |       | 7938    | BOLT-DOWN KIT HIGH-RAIS.FLOOR  | 5,219          | N              |                | 12                |
| 9118         |       | 7944    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9118         |       | 7960    | COMPACT HANDLING OPTION         | 494            | N              |                | 12                |
| 9118         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M     | 48             | N              |                | 12                |
| 9118         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM     | 32             | N              |                | 12                |
| 9118         |       | 8686    | L.CRD 6AWG 14FTIEC309 100A PLG  | 746            | N              |                | 12                |
| 9118         |       | 8688    | L.CRD 6AWG/TYP E W 14FT 60A PLG | 1,118          | N              |                | 12                |
| 9118         |       | 8697    | LINE CORD 8AWG 14FT 30A PLUG    | 1,491          | N              |                | 12                |
| 9119         | FHB   |         | POWER 795 SERVER                | 67,849         | N              | 2              | 12                |
| 9119         |       | 0010    | ONE CSC BILLING UNITS           | 166            | N              |                | 12                |
| 9119         |       | 0011    | TEN CSC BILLING UITS            | 1,662          | N              |                | 12                |
| 9119         |       | 0348    | V.24/EIA232 20 FT PCI CABLE     | 122            | N              |                | 12                |
| 9119         |       | 0353    | V.35 20 FT PCI CABLE            | 122            | N              |                | 12                |
| 9119         |       | 0359    | X.21 20 FT PCI CABLE            | 366            | N              |                | 12                |
| 9119         |       | 0367    | V.24/EIA232 6.1M PCI CABLE      | 122            | N              |                | 12                |
| 9119         |       | 0368    | V.24/EIA232 PCI CABLE M3        | 122            | N              |                | 0                 |
| 9119         |       | 0551    | 19 INCH 1.8 METER HIGH RACK     | 2,610          | N              |                | 12                |
| 9119         |       | 0553    | 19 INCH 2.0 METER HIGH RACK     | 3,538          | N              |                | 12                |
| 9119         |       | 0555    | 19 INCH 1.3 METER HIGH RACK     | 1,951          | N              |                | 12                |
| 9119         |       | 0599    | RACK FILLER PANEL KIT           | 73             | N              |                | 12                |
| 9119         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE    | 24             | N              |                | 12                |
| 9119         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE   | 43             | N              |                | 12                |
| 9119         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE   | 77             | N              |                | 12                |
| 9119         |       | 1115    | CAT5E ETHERNET CABLE 3M GREEN   | 24             | N              |                | 12                |
| 9119         |       | 1116    | CAT5E ETHERNET CABLE 10M GREEN  | 43             | N              |                | 12                |
| 9119         |       | 1117    | CAT5E ETHERNET CABLE 25M GREEN  | 77             | N              |                | 12                |
| 9119         |       | 1118    | CAT5E ETHERNET CABLE 3M YELLO   | 24             | N              |                | 12                |
| 9119         |       | 1119    | CAT5E ETHERNET CABLE 10M YELLO  | 43             | N              |                | 12                |
| 9119         |       | 1419    | 4.3M 200V/16A PWR CD ISRAEL     | 13             | N              |                | 12                |
| 9119         |       | 1790    | 600GB 10K RPM SAS SFF DISK      | 1,172          | N              |                | 12                |
| 9119         |       | 1793    | 177GB SFF2 SSD W/ EMLC AIX/LI   | 3,504          | N              |                | 36                |
| 9119         |       | 1794    | 177GB SFF 2 SSD W/ EMLC IBM I   | 3,504          | N              |                | 36                |
| 9119         |       | 1816    | GX DUAL PORT 12X HCA            | 2,982          | N              |                | 12                |
| 9119         |       | 1817    | QUANTITY 150 OF 1962            | 175,811        | N              |                | 12                |
| 9119         |       | 1818    | QUANTITY 150 OF 1964            | 175,811        | N              |                | 12                |
| 9119         |       | 1844    | QUANTITY 150 OF 1956            | 116,872        | N              |                | 12                |
| 9119         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH  | 591            | N              |                | 12                |
| 9119         |       | 1861    | 0.6 METER 12X DDR CABLE         | 345            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 1863    | 2.5 METER 12X DDR CABLE        | 485            | N              |                | 12                |
| 9119         |       | 1864    | 8.0 METER 12X DDR CABLE        | 715            | N              |                | 12                |
| 9119         |       | 1865    | 3.0 METER 12X DDR CABLE        | 464            | N              |                | 12                |
| 9119         |       | 1866    | QUANTITY 150 OF 1917           | 72,919         | N              |                | 12                |
| 9119         |       | 1868    | QUANTITY 150 OF 1947           | 72,919         | N              |                | 12                |
| 9119         |       | 1869    | QUANTITY 150 OF 1925           | 116,872        | N              |                | 12                |
| 9119         |       | 1879    | 283GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9119         |       | 1880    | 300GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9119         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 779            | N              |                | 12                |
| 9119         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 486            | N              |                | 12                |
| 9119         |       | 1887    | QUANTITY 150 OF 1793           | 525,642        | N              |                | 36                |
| 9119         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 486            | N              |                | 12                |
| 9119         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 779            | N              |                | 12                |
| 9119         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,172          | N              |                | 12                |
| 9119         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9119         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9119         |       | 1926    | QUANTITY 150 OF 1879           | 139,127        | N              |                | 12                |
| 9119         |       | 1927    | QUANTITY 150 OF 1948           | 139,127        | N              |                | 12                |
| 9119         |       | 1928    | QUANTITY 150 OF 1880           | 139,127        | N              |                | 12                |
| 9119         |       | 1929    | QUANTITY 150 OF 1953           | 139,127        | N              |                | 12                |
| 9119         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9119         |       | 1948    | 283GB 15K RPM SAS SFF 2 DISK   | 927            | N              |                | 12                |
| 9119         |       | 1953    | 300GB 15K RPM SAS SFF 2 DISK   | 927            | N              |                | 12                |
| 9119         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9119         |       | 1958    | QUANTITY 150 OF 1794           | 525,642        | N              |                | 36                |
| 9119         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9119         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9119         |       | 2124    | ULTRA 320 SCSI CABLE 1 METER   | 123            | N              |                | 12                |
| 9119         |       | 2456    | LC-SC 50 MIC.FIBER CONV.CBL    | 82             | N              |                | 12                |
| 9119         |       | 2459    | LC-SC 62.5 MIC.FIBER CONV.CBL  | 82             | N              |                | 12                |
| 9119         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 148            | N              |                | 12                |
| 9119         |       | 2893    | PCIE 2 LINE WAN W/MODEM        | 570            | N              |                | 12                |
| 9119         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 36             | N              |                | 12                |
| 9119         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 59             | N              |                | 12                |
| 9119         |       | 3125    | SER.TO.SER.PORT CBL FOR RACK   | 65             | N              |                | 12                |
| 9119         |       | 3450    | SAS YO CABLE 1.5M HD 6GB ADA   | 234            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 3451    | SAS YO CABLE 3M HD 6GB ADAPT   | 292            | N              |                | 12                |
| 9119         |       | 3452    | SAS YO CABLE 6M HD 6GB ADAPT   | 438            | N              |                | 12                |
| 9119         |       | 3453    | SAS YO CABLE 10M HD 6GB ADAP   | 659            | N              |                | 12                |
| 9119         |       | 3454    | SAS X CABLE 3M HD 6GB 2 ADAP   | 438            | N              |                | 12                |
| 9119         |       | 3455    | SAS X CABLE 6M HD 6GB 2 ADAP   | 731            | N              |                | 12                |
| 9119         |       | 3456    | SAS X CABLE 10M HD 6GB 2 ADA   | 1,220          | N              |                | 12                |
| 9119         |       | 3632    | WIDESCREEN LCD MONITOR         | 985            | N              |                | 12                |
| 9119         |       | 3636    | L200P FLAT PANEL MONITOR       | 1,055          | N              |                | 12                |
| 9119         |       | 3637    | T541H/L150P 15INCHTFT COL.M    | 401            | N              |                | 12                |
| 9119         |       | 3640    | THINKVISION L171P FLAT PAN.MON | 572            | N              |                | 12                |
| 9119         |       | 3642    | THINKVISION L191P FLAT PAN.MON | 671            | N              |                | 12                |
| 9119         |       | 3652    | SAS CBL EE DRAWER TO DRAWER 1M | 48             | N              |                | 12                |
| 9119         |       | 3653    | SAS CBL EE DRAWER TO DRAWER 3M | 69             | N              |                | 12                |
| 9119         |       | 3654    | SAS CBL EE DRAWER TO DRAWER 6M | 118            | N              |                | 12                |
| 9119         |       | 3661    | SAS CBL X ADP SAS TO ENCL 3M   | 148            | N              |                | 12                |
| 9119         |       | 3662    | SAS CBL X ADP SAS TO ENCL 6M   | 297            | N              |                | 12                |
| 9119         |       | 3663    | SAS CBL X ADP SAS TO ENCL 15M  | 596            | N              |                | 12                |
| 9119         |       | 3679    | SAS CABLE (AI) 1M              | 51             | N              |                | 12                |
| 9119         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR    | 75             | N              |                | 12                |
| 9119         |       | 3684    | SAS CBL AE ADP ENCL SINGLE 3M  | 148            | N              |                | 12                |
| 9119         |       | 3685    | SAS CBL AE ADP ENCL SINGLE 6M  | 297            | N              |                | 12                |
| 9119         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 89             | N              |                | 12                |
| 9119         |       | 3689    | SAS AT CABLE 0.6M HD 6GB ADA   | 117            | N              |                | 12                |
| 9119         |       | 3691    | SAS CBL YO ADP TO ENCL 1.5M    | 89             | N              |                | 12                |
| 9119         |       | 3692    | SAS CBL YO ADP TO ENCL 3 M     | 109            | N              |                | 12                |
| 9119         |       | 3693    | SAS CBL YO ADP TO ENCL 6 M     | 148            | N              |                | 12                |
| 9119         |       | 3694    | SAS CBL YO ADP TO ENCL 15M     | 521            | N              |                | 12                |
| 9119         |       | 3759    | UNI LIFT TOOL AND SERV LADDER  | 3,728          | N              |                | 12                |
| 9119         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 20             | N              |                | 12                |
| 9119         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 65             | N              |                | 12                |
| 9119         |       | 4242    | 6FOOT EXT.CBL FOR DISPLAYS     | 82             | N              |                | 12                |
| 9119         |       | 4253    | SCSI-TO-IDE INTERFACE BRIDGE   | 75             | N              |                | 12                |
| 9119         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 41             | N              |                | 12                |
| 9119         |       | 4276    | VGA TO DVI CONNECTION CONV     | 7              | N              |                | 12                |
| 9119         |       | 4327    | 70.56GB 15K RPM DISK UNIT      | 745            | N              |                | 12                |
| 9119         |       | 4599    | PCI BLIND SWAP CASS.KIT UNIV.  | 48             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 4700    | 0/32 CORE POWER7 COD PROCESSOR | 74,485         | N              |                | 12                |
| 9119         |       | 4702    | 0/24 CORE POWER7 COD PROCESSOR | 37,951         | N              |                | 12                |
| 9119         |       | 4704    | ON/OFF AIX/LINUX PROC COD BILL | 1,491          | N              |                | 12                |
| 9119         |       | 4706    | BILLING FOR 100 PROCESSOR MINU | 3              | N              |                | 12                |
| 9119         |       | 4707    | BILLING FOR 100 PROCESSOR MINU | 2              | N              |                | 12                |
| 9119         |       | 4709    | ON/OFF PROC COD BILLING        | 14             | N              |                | 12                |
| 9119         |       | 4710    | ON/OFF 999 GB DAYS MEMORY      | 745            | N              |                | 12                |
| 9119         |       | 4711    | ON/OFF PROC COD BILLING        | 14             | N              |                | 12                |
| 9119         |       | 4712    | ON/OFF IBMI PROC COD BILLING   | 13,943         | N              |                | 12                |
| 9119         |       | 4713    | SINGLE CORE ACTIVATION FOR POW | 6,039          | N              |                | 12                |
| 9119         |       | 4714    | SINGLE CORE ACTIVATION FOR POW | 5,629          | N              |                | 12                |
| 9119         |       | 4717    | SIXTY FOUR CORE ACTIVATIONS PW | 386,515        | N              |                | 12                |
| 9119         |       | 4718    | SIXTY FOUR CORE ACTIVATIONS PW | 360,270        | N              |                | 12                |
| 9119         |       | 4719    | BILLING FOR 100 PROCESSOR MINU | 19             | N              |                | 12                |
| 9119         |       | 4721    | ON/OFF PROCESSOR COD BILLING   | 139            | N              |                | 12                |
| 9119         |       | 4722    | BILLING FOR 100 PROCESSOR MINU | 19             | N              |                | 12                |
| 9119         |       | 4724    | ON/OFF PROCESSOR COD BILLING   | 137            | N              |                | 12                |
| 9119         |       | 4754    | PROCESSOR ACTIVATION 4754      | 12,523         | N              |                | 12                |
| 9119         |       | 4755    | PROCESSOR ACTIVATION 4755      | 17,693         | N              |                | 12                |
| 9119         |       | 4790    | ACTIVE MEMORY EXPANSION ENABLE | 10,289         | N              |                | 12                |
| 9119         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 10,742         | N              |                | 12                |
| 9119         |       | 4896    | IBM I CBU SPECIFY              | 0              | N              |                | 12                |
| 9119         |       | 4995    | SINGLE 5250 ENTERPR ENABLEMENT | 37,280         | N              |                | 12                |
| 9119         |       | 4996    | FULL 5250 ENTERPRI ENABLEMENT  | 298,237        | N              |                | 12                |
| 9119         |       | 5108    | 30 DISK EXPANSION FEATURE      | 9,769          | N              |                | 12                |
| 9119         |       | 5164    | DUAL PWR CORDS 8294/9194       | 3,318          | N              |                | 12                |
| 9119         |       | 5168    | 30 DISK EXP FOR 9194 TOWER     | 9,956          | N              |                | 12                |
| 9119         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 19             | N              |                | 12                |
| 9119         |       | 5600    | 0/32GB DDR3 MEMORY (4X8GB)     | 1,461          | N              |                | 12                |
| 9119         |       | 5601    | 0/64GB DDR3 MEMORY (4X16GB)    | 5,755          | N              |                | 12                |
| 9119         |       | 5602    | 0/128GB DDR3 MEM 1066MHZ 4DIMM | 11,511         | N              |                | 12                |
| 9119         |       | 5619    | 80/160GB DAT160 SAS TAPE DRIV  | 1,783          | N              |                | 12                |
| 9119         |       | 5638    | 1.5TB 3.0TB LTO 5 SAS TAPE DR  | 3,905          | N              |                | 12                |
| 9119         |       | 5646    | BLIND SWAP TYPE III CASSETTE   | 36             | N              |                | 12                |
| 9119         |       | 5647    | BLIND SWAP TYPE III CAS PCI X  | 37             | N              |                | 12                |
| 9119         |       | 5680    | ACTIVATION OF 1GB DDR2 POWER6  | 242            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 5681    | ACTIVATION 256 GB DDR2 POWER6  | 62,033         | N              |                | 12                |
| 9119         |       | 5684    | ACTIVATION OF 100 GB DDR2 MEMO | 24,232         | N              |                | 12                |
| 9119         |       | 5689    | DAT160 DATA CARTRIDGE          | 446            | N              |                | 12                |
| 9119         |       | 5691    | ON/OFF 1GB 1DAY MEMORY BILLING | 0              | N              |                | 12                |
| 9119         |       | 5706    | 2-PORT BASETX ETH.T.PCI-X ADP  | 745            | N              |                | 12                |
| 9119         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418          | N              |                | 12                |
| 9119         |       | 5711    | PCI-X D.CH.U320 RAID BL.SW.ADP | 1,973          | N              |                | 12                |
| 9119         |       | 5713    | 1GB ISCSI TOE PCI-X-COPP.ADPT  | 888            | N              |                | 12                |
| 9119         |       | 5717    | 4 PORT 10/100/1000 BASE TX PCI | 819            | N              |                | 12                |
| 9119         |       | 5720    | DVD TAPE SAS EXT STORAGE UNIT  | 2,683          | N              |                | 12                |
| 9119         |       | 5724    | DVD TAPE SATA SAS EXT STORAGE  | 3,131          | N              |                | 12                |
| 9119         |       | 5735    | 8 GB PCI EXPRESS DUAL PRT ADP  | 3,452          | N              |                | 12                |
| 9119         |       | 5736    | PCI-X DDR 2.0 DUAL CHAN.U320   | 578            | N              |                | 12                |
| 9119         |       | 5746    | HALF HIGH 800GB/1.6TB LTO4 SA  | 3,905          | N              |                | 12                |
| 9119         |       | 5747    | IBM LTO ULTRIUM 4 800 GB DATA  | 591            | N              |                | 12                |
| 9119         |       | 5748    | PWR GXT145 PCI EXP GRAPHICS    | 373            | N              |                | 12                |
| 9119         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)   | 2,465          | N              |                | 12                |
| 9119         |       | 5757    | 4.7 GB IDE SLIMLINE DVD RAM    | 492            | N              |                | 12                |
| 9119         |       | 5759    | 4GB DUAL-PORT FIBRE CHANNEL    | 2,465          | N              |                | 12                |
| 9119         |       | 5767    | 2 PRT 10/100/1000 BASETX ADP   | 521            | N              |                | 12                |
| 9119         |       | 5768    | 2PRT GB ETH SX PCI EXPRESS ADP | 1,305          | N              |                | 12                |
| 9119         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP   | 3,418          | N              |                | 12                |
| 9119         |       | 5772    | 10 GB ETH LR PCI EXPRESS ADP   | 4,679          | N              |                | 12                |
| 9119         |       | 5774    | 4 GB PCI EXPRESS DUAL PORT ADP | 2,465          | N              |                | 12                |
| 9119         |       | 5778    | PCI X EXP24 CTL 1.5GB NO IOP   | 8,295          | N              |                | 12                |
| 9119         |       | 5782    | PCI X EXP24 CTL 1.5GB NO IOP   | 8,345          | N              |                | 12                |
| 9119         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADP  | 689            | N              |                | 12                |
| 9119         |       | 5803    | 12X I/O DRAWER PCIE SFF DISK   | 23,859         | N              |                | 12                |
| 9119         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 2,147          | N              |                | 12                |
| 9119         |       | 5809    | MOD UPG CARRY OVER INDICATOR   | 9,432          | N              |                | 12                |
| 9119         |       | 5873    | 12X I/O DRAWER PCIE NO DISK    | 21,249         | N              |                | 12                |
| 9119         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 5,274          | N              |                | 12                |
| 9119         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 739            | N              |                | 12                |
| 9119         |       | 5904    | PCI X DDR 1.5GB CACHE SAS RAID | 8,388          | N              |                | 12                |
| 9119         |       | 5906    | PCI X DDR 1.5GB CACHE SAS RAID | 8,388          | N              |                | 12                |
| 9119         |       | 5908    | PCI X DDR 1.5GB CACHE SAS RAID | 8,388          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 5912    | PCI X DDR DUAL X4 SAS ADAPTER  | 814            | N              |                | 12                |
| 9119         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324          | N              |                | 12                |
| 9119         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT   | 220            | N              |                | 12                |
| 9119         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT   | 366            | N              |                | 12                |
| 9119         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA   | 170            | N              |                | 12                |
| 9119         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT   | 97             | N              |                | 12                |
| 9119         |       | 5941    | 100 PROCESSOR MINUTES FOR 4694 | 7              | N              |                | 12                |
| 9119         |       | 5942    | 100 PROCESSOR MINUTES FOR 4695 | 10             | N              |                | 12                |
| 9119         |       | 5943    | 100 PROCESSOR MINUTES FOR 4694 | 23             | N              |                | 12                |
| 9119         |       | 5944    | 100 PROCESSOR MINUTES FOR 4695 | 26             | N              |                | 12                |
| 9119         |       | 5945    | ON/OFF PROCESSOR COD BILLING   | 173            | N              |                | 12                |
| 9119         |       | 5946    | ON/OFF PROCESSOR COD BILLING   | 191            | N              |                | 12                |
| 9119         |       | 6006    | POWER CONTROL CABLE 3M SPCN    | 39             | N              |                | 12                |
| 9119         |       | 6007    | POWER CONTROL CABLE 15M SPCN   | 79             | N              |                | 12                |
| 9119         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK   | 336            | N              |                | 12                |
| 9119         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK   | 410            | N              |                | 12                |
| 9119         |       | 6121    | I/O DRW.CBL.GRP PRIM.RCK/9U    | 298            | N              |                | 12                |
| 9119         |       | 6122    | I/O DRW.CBL.GRP PRIM.RCK/5U    | 298            | N              |                | 12                |
| 9119         |       | 6123    | I/O DRW.CBL.GRP PRIM.RCK/1U    | 298            | N              |                | 12                |
| 9119         |       | 6124    | I/O DRW.CBL.GRP PRIM.RCK/13U   | 298            | N              |                | 12                |
| 9119         |       | 6125    | I/O DRW.CBL.GRP 8691.RCK/1U    | 298            | N              |                | 12                |
| 9119         |       | 6126    | I/O DRW.CBL.GRP 8691.RCK/5U    | 298            | N              |                | 12                |
| 9119         |       | 6127    | I/O DRW.CBL.GRP 8691 RCK/9U    | 298            | N              |                | 12                |
| 9119         |       | 6186    | BULK POWER REGULATOR           | 2,982          | N              |                | 12                |
| 9119         |       | 6243    | EMC SKIRTS/TAILGATE            | 336            | N              |                | 12                |
| 9119         |       | 6248    | 1.8M RACK ACCOUSTIC DOORS      | 3,467          | N              |                | 12                |
| 9119         |       | 6249    | 2.0M RACK ACCOUSTIC DOORS      | 3,467          | N              |                | 12                |
| 9119         |       | 6254    | ACOUSTIC DOORS #8691 EXP.RACK  | 5,965          | N              |                | 12                |
| 9119         |       | 6259    | INTEGRATED BATTERY BACKUP W/CA | 7,456          | N              |                | 12                |
| 9119         |       | 6272    | 2.0M RACK TRIM KIT             | 390            | N              |                | 12                |
| 9119         |       | 6331    | INTEGRATED BATT BACKUP W/CBLS  | 298            | N              |                | 12                |
| 9119         |       | 6332    | BULK POWER AC/DC REGULATOR P7  | 3,131          | N              |                | 12                |
| 9119         |       | 6333    | BULK POWER REGULATOR           | 3,131          | N              |                | 12                |
| 9119         |       | 6334    | BULK PWR DISTRIBUTION ASSEMBLY | 1,864          | N              |                | 12                |
| 9119         |       | 6352    | BULK POWER DISTRIBUTION ASSEMB | 1,864          | N              |                | 12                |
| 9119         |       | 6458    | PWR CBL DRWR PDU 14FT 250V/10A | 14             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 6460    | PWR CD 14FT DRWR OEM PDU 125V  | 14             | N              |                | 12                |
| 9119         |       | 6469    | PWR CD 14FT DRWR OEM PDU 250V  | 14             | N              |                | 12                |
| 9119         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 14             | N              |                | 12                |
| 9119         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 14             | N              |                | 12                |
| 9119         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9119         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9119         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 14             | N              |                | 12                |
| 9119         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9119         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9119         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9119         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 14             | N              |                | 12                |
| 9119         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 39             | N              |                | 12                |
| 9119         |       | 6489    | 4.3M 14 FT 3PH/24A POWER CORD  | 268            | N              |                | 12                |
| 9119         |       | 6491    | 4.3M 14 FT 1PH/48A PWR CORD    | 295            | N              |                | 12                |
| 9119         |       | 6492    | 14 FT 1PH/48 60A PWR CORD      | 298            | N              |                | 12                |
| 9119         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9119         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9119         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 14             | N              |                | 12                |
| 9119         |       | 6497    | PWR CD 6FT WALL OEM PDU 250V   | 24             | N              |                | 12                |
| 9119         |       | 6498    | PWR CD 6FT WALL OEM PDU 250V   | 177            | N              |                | 12                |
| 9119         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 14             | N              |                | 12                |
| 9119         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 134            | N              |                | 12                |
| 9119         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 186            | N              |                | 12                |
| 9119         |       | 6598    | DISK SLOT FILLER (QUANTITY 4)  | 44             | N              |                | 12                |
| 9119         |       | 6651    | PWR.CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |
| 9119         |       | 6654    | 14 FT 1PH/24 30A POWER CORD    | 178            | N              |                | 12                |
| 9119         |       | 6655    | 14 FT 1PH/24 30A WR POWER CORD | 394            | N              |                | 12                |
| 9119         |       | 6656    | 4.3M 14 FT 1PH/24A POWER CORD  | 176            | N              |                | 12                |
| 9119         |       | 6658    | 14 FT 1PH/24A PWR CD KOREA     | 178            | N              |                | 12                |
| 9119         |       | 6659    | PWR.CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |
| 9119         |       | 6660    | PWR CD 14FT DRWR OEM PDU 125V  | 14             | N              |                | 12                |
| 9119         |       | 6664    | 7 FT 200V PDU POWER CORD       | 14             | N              |                | 12                |
| 9119         |       | 6669    | PWR CD 14FT DRWR OEM PDU 250V  | 14             | N              |                | 12                |
| 9119         |       | 6671    | PWR CD 9FT DRWR PDU 250V/10A   | 14             | N              |                | 12                |
| 9119         |       | 6672    | PWR CD 5FT DRWR PDU 250V/10A   | 14             | N              |                | 12                |
| 9119         |       | 6680    | PWR CORD(9FT) TO WALL/OEM PDU  | 14             | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 6821    | EXP RK UPIC CABLE GROUP BPD1 T | 373            | N              |                | 12                |
| 9119         |       | 6822    | EXP RK UPIC CABLE GROUP BPD1 T | 373            | N              |                | 12                |
| 9119         |       | 6823    | EXP RK UPIC CABLE GROUP BPD1 T | 373            | N              |                | 12                |
| 9119         |       | 6855    | WEIGHT DISTRIBUTION PLATE      | 559            | N              |                | 12                |
| 9119         |       | 6861    | SLIM LINE DOORS FOR SYS.RACK   | 2,672          | N              |                | 12                |
| 9119         |       | 6867    | CEC ACOUSTIC DOORS FRONT REAR  | 8,947          | N              |                | 12                |
| 9119         |       | 6868    | SLIMLINE DOORS (FFHB CEC RACK  | 5,965          | N              |                | 12                |
| 9119         |       | 6878    | ACOUSTIC DOORS (F R) EXP RCK   | 8,947          | N              |                | 12                |
| 9119         |       | 6880    | NON ACOUSTIC DOORS (F R) RCK   | 5,965          | N              |                | 12                |
| 9119         |       | 6887    | CEC ACOUSTIC FRONT COVER W/HEA | 12,302         | N              |                | 12                |
| 9119         |       | 6888    | EXPANSION RACK ACOUSTIC DOORS  | 10,811         | N              |                | 12                |
| 9119         |       | 6941    | UPIC CBL GRP BPD1 I/O DRWR A01 | 373            | N              |                | 12                |
| 9119         |       | 6942    | UPIC CBL GRP BPD1 I/O DRWR A05 | 373            | N              |                | 12                |
| 9119         |       | 6943    | UPIC CBL GRP BPD1 I/O DRWR A09 | 373            | N              |                | 12                |
| 9119         |       | 6944    | UPIC CBL GRP BPD2 I/O DRWR Z01 | 373            | N              |                | 12                |
| 9119         |       | 6945    | UPIC CBL GRP BPD2 I/O DRWR Z05 | 373            | N              |                | 12                |
| 9119         |       | 6946    | UPIC CBL GRP BPD2 I/O DRWR Z09 | 373            | N              |                | 12                |
| 9119         |       | 6947    | UPIC Y CBL GRP BPD2 DRWR Z13   | 298            | N              |                | 12                |
| 9119         |       | 6948    | UPIC Y CBL GRP BPD2 DRWR Z17   | 298            | N              |                | 12                |
| 9119         |       | 6949    | UPIC Y CBL GRP BPD2 DRWR Z21   | 298            | N              |                | 12                |
| 9119         |       | 6950    | UPIC Y CBL GRP BPD2 DRWR Z25   | 298            | N              |                | 12                |
| 9119         |       | 6952    | 3RD 4TH AMDS + UPIC Y CBL GRP  | 3,728          | N              |                | 12                |
| 9119         |       | 6953    | NONPOWERED BOLT ON EXPANSION   | 22,368         | N              |                | 12                |
| 9119         |       | 6954    | POWERED EXPANSION RACK 24 INCH | 44,736         | N              |                | 12                |
| 9119         |       | 6961    | UPIC Y CBL GRP BPD1 1ST PROC   | 485            | N              |                | 12                |
| 9119         |       | 6962    | UPIC Y CBL GRP BPD1 2ND PROC   | 485            | N              |                | 12                |
| 9119         |       | 6963    | UPIC Y CBL GRP BPD1 3RD PROC   | 485            | N              |                | 12                |
| 9119         |       | 6964    | UPIC Y CBL GRP BPD1 4TH PROC   | 485            | N              |                | 12                |
| 9119         |       | 6965    | UPIC Y CBL GRP BPD2 5TH PROC   | 485            | N              |                | 12                |
| 9119         |       | 6966    | UPIC Y CBL GRP BPD2 6TH PROC   | 485            | N              |                | 12                |
| 9119         |       | 6967    | UPIC Y CBL GRP BPD2 7TH PROC   | 485            | N              |                | 12                |
| 9119         |       | 6968    | UPIC Y CBL GRP BPD2 8TH PROC   | 485            | N              |                | 12                |
| 9119         |       | 6969    | UPIC Y CBL GRP BPD1 DRWR A13   | 671            | N              |                | 12                |
| 9119         |       | 6970    | UPIC Y CBL GRP BPD1 DRWR A17   | 671            | N              |                | 12                |
| 9119         |       | 6971    | UPIC Y CBL GRP BPD1 DRWR A21   | 671            | N              |                | 12                |
| 9119         |       | 6972    | UPIC Y CBL GRP BPD1 DRWR A25   | 671            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 6973    | UPIC Y CABLE GROUP BPC I/O A29 | 485            | N              |                | 12                |
| 9119         |       | 6974    | UPIC Y CABLE GROUP BPC I/O Z29 | 298            | N              |                | 12                |
| 9119         |       | 6991    | UPIC Y CABLE GROUP BPD1 TO 1S  | 485            | N              |                | 12                |
| 9119         |       | 6992    | UPIC Y CABLE GROUP BPD1 TO 2N  | 485            | N              |                | 12                |
| 9119         |       | 6993    | UPIC Y CABLE GROUP BPD1 TO 3R  | 485            | N              |                | 12                |
| 9119         |       | 6994    | UPIC Y CABLE GROUP BPD1 TO 4T  | 485            | N              |                | 12                |
| 9119         |       | 6995    | UPIC Y CABLE GROUP BPD1 TO 5T  | 485            | N              |                | 12                |
| 9119         |       | 6996    | UPIC Y CABLE GROUP BPD1 TO 6T  | 485            | N              |                | 12                |
| 9119         |       | 6997    | UPIC Y CABLE GROUP BPD1 TO 7T  | 485            | N              |                | 12                |
| 9119         |       | 6998    | UPIC Y CABLE GROUP BPD1 TO 8T  | 485            | N              |                | 12                |
| 9119         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 1,084          | N              |                | 12                |
| 9119         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 272            | N              |                | 12                |
| 9119         |       | 7188    | POWER DISTRIBUTION UNIT        | 746            | N              |                | 12                |
| 9119         |       | 7234    | ON/OFF PROC COD BILLING 1 PROC | 55             | N              |                | 12                |
| 9119         |       | 7244    | ON/OFF PROC COD BILLING 1 PROC | 77             | N              |                | 12                |
| 9119         |       | 7280    | 256GB MEM.ACT.FOR#4501 & #4502 | 318,087        | N              |                | 12                |
| 9119         |       | 7509    | QUANTITY 150 OF 4327           | 111,727        | N              |                | 12                |
| 9119         |       | 7544    | QUANTITY 150 OF #1888          | 72,919         | N              |                | 12                |
| 9119         |       | 7547    | QUANTITY 150 OF #1885          | 116,872        | N              |                | 12                |
| 9119         |       | 7548    | QUANTITY 150 OF #1886          | 72,919         | N              |                | 12                |
| 9119         |       | 7550    | QUANTITY 150 OF 1790           | 175,811        | N              |                | 12                |
| 9119         |       | 7556    | CAP BACKUP PWR 595 5.0GHZ PROC | 50,477         | N              |                | 12                |
| 9119         |       | 7557    | QUANTITY 150 OF 1911           | 116,872        | N              |                | 12                |
| 9119         |       | 7560    | CAP. BACKUP POWER 795 0/32W    | 74,485         | N              |                | 12                |
| 9119         |       | 7562    | CAP. BACKUP POWER 795 0/24W    | 37,951         | N              |                | 12                |
| 9119         |       | 7566    | QUANTITY 150 OF 1916           | 175,811        | N              |                | 12                |
| 9119         |       | 7569    | CAP. BACKUP POWER 595 4.2 GHZ  | 36,683         | N              |                | 12                |
| 9119         |       | 7571    | CAP. BACKUP POWER 595 5.0 GHZ  | 50,477         | N              |                | 12                |
| 9119         |       | 7588    | ON/OFF PRC.BILL.-FCS 8970/7587 | 149            | N              |                | 12                |
| 9119         |       | 7592    | ON/OFF PRC.BILL.-FCS 8967/7704 | 97             | N              |                | 12                |
| 9119         |       | 7593    | ON/OFF PRC.BILL.-FCS 8968/7705 | 218            | N              |                | 12                |
| 9119         |       | 7667    | ACTIV. #8967 #7704 CUOD PRC.BO | 11,564         | N              |                | 12                |
| 9119         |       | 7668    | ACTIV. #8968 #7705 CUOD PRC.BO | 26,081         | N              |                | 12                |
| 9119         |       | 7669    | 1GB M.ACT.FOR#4500 #4501 #4502 | 1,242          | N              |                | 12                |
| 9119         |       | 7693    | SINGLE PROCESSO                | 18,043         | N              |                | 12                |
| 9119         |       | 7694    | RESERVE CAP.PREPAID FOR #8970  | 4,502          | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 7799    | 256MEM.ACT.FOR#7835 MEM.DIMMS   | 453,510        | N              |                | 12                |
| 9119         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT  | 25             | N              |                | 12                |
| 9119         |       | 7803    | BULK POWER CONTROLL.ASSEMBLY    | 2,982          | N              |                | 12                |
| 9119         |       | 7810    | PROC.CLOCK CARD PROGRAMMABLE    | 428            | N              |                | 12                |
| 9119         |       | 7815    | ACTIVATE 7813/7731/8969 CUOD    | 24,232         | N              |                | 12                |
| 9119         |       | 7837    | BULK PWR DISTRIBUTION ASSEMBLY  | 1,864          | N              |                | 12                |
| 9119         |       | 7925    | ACTIVATE 7981/7730 1 PROC       | 10,811         | N              |                | 12                |
| 9119         |       | 7926    | 30D PREP.RES.CAP.FOR #798       | 2,976          | N              |                | 12                |
| 9119         |       | 7937    | BOLT-DOWN KIT LOW-RAISED FLOOR  | 5,219          | N              |                | 12                |
| 9119         |       | 7938    | BOLT-DOWN KIT HIGH-RAIS.FLOOR   | 5,219          | N              |                | 12                |
| 9119         |       | 7960    | COMPACT HANDLING OPTION         | 932            | N              |                | 12                |
| 9119         |       | 7970    | 1GB ACTIV.#7816&#7835 MEM.FCS   | 1,771          | N              |                | 12                |
| 9119         |       | 7972    | ON/OFF PROC.BILLING FOR FC      | 222            | N              |                | 12                |
| 9119         |       | 7974    | ON/OFF MEMORY BILLING           | 10             | N              |                | 12                |
| 9119         |       | 7975    | 30D PREPAID RES.CAP.FOR #7      | 6,667          | N              |                | 12                |
| 9119         |       | 7990    | ACTIVATE 7988/7732 1 PROC       | 16,776         | N              |                | 12                |
| 9119         |       | 7991    | 30D PREPAID RES.CAP.FOR #7      | 4,625          | N              |                | 12                |
| 9119         |       | 7993    | ON/OFF PROC.BILL.FOR FC #7      | 99             | N              |                | 12                |
| 9119         |       | 7996    | ON/OFF PRC.BILL.-COD FOR #      | 154            | N              |                | 12                |
| 9119         |       | 8131    | 128PORT ASYNCH.CONTR.C 4.5M     | 48             | N              |                | 12                |
| 9119         |       | 8132    | 128PORT ASYNCH.CONTR.C 23CM     | 32             | N              |                | 12                |
| 9119         |       | 8211    | 0/256GB DDR3 MEMORY (8X5600)    | 11,691         | N              |                | 12                |
| 9119         |       | 8212    | ACTIVATION OF 1 GB DDR3 POWER7  | 137            | N              |                | 12                |
| 9119         |       | 8213    | ACTIVATION OF 100 GB DDR3 POWE  | 13,793         | N              |                | 12                |
| 9119         |       | 8214    | 0/512GB DDR3 MEMORY (16X5600)   | 23,381         | N              |                | 12                |
| 9119         |       | 8218    | 0/256GB DDR3 MEMORY (4X5601) D  | 23,024         | N              |                | 12                |
| 9119         |       | 8219    | 0/512GB DDR3 MEMORY (8X5601) D  | 46,047         | N              |                | 12                |
| 9119         |       | 8221    | 0/1024GB DDR3 M 1066MHZ 32DIMM  | 92,095         | N              |                | 12                |
| 9119         |       | 8467    | RESERVE CAP.PREPAID FOR #8967   | 2,891          | N              |                | 12                |
| 9119         |       | 8468    | RESERVE CAP.PREPAID FOR #8968   | 6,520          | N              |                | 12                |
| 9119         |       | 8471    | 1GB BASE MEMORY ACTIVATIONS     | 492            | N              |                | 12                |
| 9119         |       | 8472    | 256GB BASE MEMORY ACTIVATIONS   | 114,523        | N              |                | 12                |
| 9119         |       | 8493    | 256 GB MEM ACTV FOR MEM PACK    | 357,884        | N              |                | 12                |
| 9119         |       | 8686    | L.CRD 6AWG 14FTIEC309 100A PLG  | 1,864          | N              |                | 12                |
| 9119         |       | 8688    | L.CRD 6AWG/TYP E W 14FT 60A PLG | 1,491          | N              |                | 12                |
| 9119         |       | 8695    | LINE CORD 4AWG 14FT NO PLUG     | 746            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119         |       | 8696    | LINE CORD 4AWG 14FT 100A PLUG  | 1,864          | N              |                | 12                |
| 9119         |       | 8697    | LINE CORD 8AWG 14FT 30A PLUG   | 1,491          | N              |                | 12                |
| 9119         |       | 8699    | LINE CORD 6AWG 14FT 60A PLUG   | 1,864          | N              |                | 12                |
| 9119         |       | 8789    | LINE CORD 4AWG/TYPEW 14FT 38   | 1,491          | N              |                | 12                |
| 9119         |       | 8792    | LINE CORD 4AWG 14FT 380 520V   | 2,237          | N              |                | 12                |
| 9119         |       | 8845    | USB MOUSE                      | 29             | N              |                | 12                |
| 9119         |       | EQ0A    | QUANTITY 150 OF ES0A           | 525,642        | N              |                | 12                |
| 9119         |       | EQ0B    | QUANTITY OF 150 ES0B           | 525,642        | N              |                | 12                |
| 9119         |       | EQ0C    | QUANTITY OF 150 ES0C           | 525,642        | N              |                | 12                |
| 9119         |       | EQ0D    | QUANTITY OF 150 ES0D           | 525,642        | N              |                | 12                |
| 9119         |       | EQ77    | POWER CABLE DRAWER TO IBM PD   | 2,685          | N              |                | 12                |
| 9119         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LINUX  | 3,504          | N              |                | 12                |
| 9119         |       | ES0B    | 387GB SFF-1 SSD FOR IBM I      | 3,504          | N              |                | 12                |
| 9119         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LINUX  | 3,504          | N              |                | 12                |
| 9119         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,504          | N              |                | 12                |
| 9119         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 6,054          | N              |                | 12                |
| 9123         |       | 0983    | ASSEMBLED IN USA               | 0              | N              |                | 36                |
| 9123         |       | 1965    | POWER HYPERVISOR               | 0              | N              |                | 36                |
| 9123         |       | 1975    | PCI-X DUAL CH.U320SCSI RAID AD | 1,813          | N              |                | 36                |
| 9123         |       | 2456    | LC-SC 50 MIC.FIBER CONV.CABLE  | 75             | N              |                | 36                |
| 9123         |       | 2459    | LC-SC 62.5 MIC.FIBER CONV.CBL  | 75             | N              |                | 36                |
| 9123         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 33             | N              |                | 36                |
| 9123         |       | 2936    | ASYNCHRONOUS CBL EIA-232/V.24  | 54             | N              |                | 36                |
| 9123         |       | 3636    | L200P FLAT PANEL MONITOR       | 970            | N              |                | 36                |
| 9123         |       | 3637    | T541H/L150P 15INCHTFT COL.M    | 369            | N              |                | 36                |
| 9123         |       | 3640    | THINKVISION L171P FLAT PAN.MON | 526            | N              |                | 36                |
| 9123         |       | 3642    | THINKVISION L191P FLAT PAN.MON | 617            | N              |                | 36                |
| 9123         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 18             | N              |                | 36                |
| 9123         |       | 4242    | 6FOOT EXTEND.CAB.FOR DISPLAYS  | 75             | N              |                | 36                |
| 9123         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 37             | N              |                | 36                |
| 9123         |       | 6458    | PWR CAB.-DRAWER TO IBM PDU     | 12             | N              |                | 36                |
| 9123         |       | 6469    | PWR CORD(14FOOT) (250V 15A)    | 12             | N              |                | 36                |
| 9123         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 12             | N              |                | 36                |
| 9123         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 12             | N              |                | 36                |
| 9123         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9123         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9123         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 12             | N              |                | 36                |
| 9123         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9123         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9123         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9123         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9123         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 36             | N              |                | 36                |
| 9123         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9123         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9123         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9123         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 40             | N              |                | 36                |
| 9123         |       | 6671    | PWR CORD(9FT) DRW.TO IBM PDU   | 12             | N              |                | 36                |
| 9123         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 12             | N              |                | 36                |
| 9123         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 36                |
| 9124         |       | 0983    | ASSEMBLED IN USA               | 0              | N              |                | 36                |
| 9124         |       | 1965    | POWER HYPERVISOR               | 0              | N              |                | 36                |
| 9124         |       | 1975    | PCI-X DUAL CH.U320SCSI RAID AD | 1,813          | N              |                | 36                |
| 9124         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 75             | N              |                | 36                |
| 9124         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 75             | N              |                | 36                |
| 9124         |       | 2934    | ASYNCH.TERM./PRINT.CAB EIA-232 | 33             | N              |                | 36                |
| 9124         |       | 2936    | ASYNCHRON.CAB. EIA-232/V.24    | 54             | N              |                | 36                |
| 9124         |       | 3636    | L200P FLAT PANEL MONITOR       | 970            | N              |                | 36                |
| 9124         |       | 3637    | T541H/L150P 15INCHTFT COL.M    | 369            | N              |                | 36                |
| 9124         |       | 3640    | THINKVISION L171P FLAT PAN.MON | 526            | N              |                | 36                |
| 9124         |       | 3642    | THINKVISION L191P FLAT PAN.MON | 617            | N              |                | 36                |
| 9124         |       | 3925    | SER.PORT CON.CAB 9PIN TO 25PIN | 18             | N              |                | 36                |
| 9124         |       | 4242    | 6FOOT EXTEND.CAB.FOR DISPLAYS  | 75             | N              |                | 36                |
| 9124         |       | 4256    | EXTENDER CABLE-USB KEYB. 2M    | 37             | N              |                | 36                |
| 9124         |       | 6458    | PWR CAB.-DRAWER TO IBM PDU     | 12             | N              |                | 36                |
| 9124         |       | 6469    | PWR CORD(14FOOT) (250V 15A)    | 12             | N              |                | 36                |
| 9124         |       | 6470    | PWR CORD(6FOOT) (125V 15A)     | 12             | N              |                | 36                |
| 9124         |       | 6471    | PWR CORD(9FOOT) (125V 15A)     | 12             | N              |                | 36                |
| 9124         |       | 6472    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9124         |       | 6473    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9124         |       | 6474    | PWR CORD(9FOOT) (250V 13A)     | 12             | N              |                | 36                |
| 9124         |       | 6475    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9124         |       | 6476    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9124         |       | 6477    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9124         |       | 6478    | PWR CORD(9FOOT) (250V 16A)     | 12             | N              |                | 36                |
| 9124         |       | 6488    | PWR CORD(9FOOT) (125V 15A)     | 36             | N              |                | 36                |
| 9124         |       | 6493    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9124         |       | 6494    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9124         |       | 6496    | PWR CORD(9FOOT) (250V 10A)     | 12             | N              |                | 36                |
| 9124         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 40             | N              |                | 36                |
| 9124         |       | 6672    | PWR CORD(5FT) DRW.TO IBM PDU   | 12             | N              |                | 36                |
| 9124         |       | 7802    | ETHERN.CAB 15M HMC TO SYS.UNIT | 23             | N              |                | 36                |
| 9125         |       | 1861    | 0.6 METER 12X DDR CABLE        | 345            | N              |                | 12                |
| 9125         |       | 1862    | 1.5 METER 12X DDR CABLE        | 394            | N              |                | 12                |
| 9125         |       | 1863    | 2.5 METER 12X DDR CABLE        | 485            | N              |                | 12                |
| 9125         |       | 1882    | 146.8 GB 10K RPM SAS SFF DISK  | 641            | N              |                | 12                |
| 9125         |       | 1885    | 300GB 10K RPM SFF SAS DISKDRIV | 779            | N              |                | 12                |
| 9125         |       | 2456    | 2M LC SC 50 MICRON FIBER CBL   | 82             | N              |                | 12                |
| 9125         |       | 2459    | 2M LC SC 62.5 MICRON FIBER CBL | 82             | N              |                | 12                |
| 9125         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 148            | N              |                | 12                |
| 9125         |       | 2934    | 3M ASYNCHRONOUS TERMINAL CBL   | 36             | N              |                | 12                |
| 9125         |       | 2936    | ASYNCHRONOUS CBL EIA 232/V.24  | 59             | N              |                | 12                |
| 9125         |       | 3125    | SERIAL TO SERIAL PRT CBL RACK  | 65             | N              |                | 12                |
| 9125         |       | 3688    | SAS CABLE (AT) 0.6 METER       | 89             | N              |                | 12                |
| 9125         |       | 3759    | UNIVERSAL LIFT TOOL AND SERV   | 3,728          | N              |                | 12                |
| 9125         |       | 3760    | UNIVERSAL LIFT TOOL ADAPTERS   | 1,491          | N              |                | 12                |
| 9125         |       | 3925    | 0.3M SERIAL PRT CONVERTER CBL  | 20             | N              |                | 12                |
| 9125         |       | 3928    | SERIAL PORT NULL MODEM CABLE   | 65             | N              |                | 12                |
| 9125         |       | 4599    | PCI BLIND SWAP CASSETTE KIT    | 48             | N              |                | 12                |
| 9125         |       | 5680    | ACTIVATION OF 1GB DDR2 POWER6  | 242            | N              |                | 12                |
| 9125         |       | 5681    | ACTIVATION 256 GB DDR2 POWER6  | 62,033         | N              |                | 12                |
| 9125         |       | 5684    | ACTIVATION OF 100 GB DDR2 MEMO | 24,232         | N              |                | 12                |
| 9125         |       | 5706    | 2 PORT 10/100/1000 BASE TX     | 745            | N              |                | 12                |
| 9125         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418          | N              |                | 12                |
| 9125         |       | 5713    | 1 GB ISCSI TOE PCI X COPPER    | 888            | N              |                | 12                |
| 9125         |       | 5717    | 4 PRT 10/100/1000 BASE TX PCI  | 819            | N              |                | 12                |
| 9125         |       | 5735    | 8GB PCI EXPRESS DUAL PRT FIBRE | 3,452          | N              |                | 12                |
| 9125         |       | 5736    | PCI X DDR DUAL CHAN. ULTRA320  | 578            | N              |                | 12                |
| 9125         |       | 5748    | POWER GXT145 PCI EXPRESS       | 373            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9125         |       | 5759    | 4 GB DUAL PRT FIBRE CHANNEL    | 2,465          | N              |                | 12                |
| 9125         |       | 5767    | 2 PRT 10/100/1000 BASE TX      | 521            | N              |                | 12                |
| 9125         |       | 5768    | 2 PRT GIGABIT ETHERNET SX PCI  | 1,305          | N              |                | 12                |
| 9125         |       | 5769    | 10 GB ETH SR PCI EXPRESS ADP   | 3,418          | N              |                | 12                |
| 9125         |       | 5772    | 10 GIGABIT ETHERNET LR PCI     | 4,679          | N              |                | 12                |
| 9125         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL PRT | 2,465          | N              |                | 12                |
| 9125         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADP  | 689            | N              |                | 12                |
| 9125         |       | 5803    | PCIE DUAL X4 3GB SAS RAID ADP  | 23,859         | N              |                | 12                |
| 9125         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 2,147          | N              |                | 12                |
| 9125         |       | 5873    | 12X I/O DRAWER PCIE NO DISK    | 21,249         | N              |                | 12                |
| 9125         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 739            | N              |                | 12                |
| 9125         |       | 5902    | PCI X DDR DUAL X4 3GB SAS      | 1,864          | N              |                | 12                |
| 9125         |       | 5912    | PCI X DDR DUAL X4 SAS ADP      | 814            | N              |                | 12                |
| 9125         |       | 6239    | 2G FC PCIX ADAP                | 2,311          | N              |                | 0                 |
| 9125         |       | 6318    | ONE CPU ACTIVATION FOR 6316    | 745,591        | N              |                | 12                |
| 9125         |       | 6329    | I/O RISER PCI X PCI E 16X LEFT | 671            | N              |                | 12                |
| 9125         |       | 6333    | BULK POWER REGULATOR           | 2,662          | N              |                | 12                |
| 9125         |       | 6336    | POWER AND ETHERNET CBLs EIA 01 | 156            | N              |                | 12                |
| 9125         |       | 6337    | POWER AND ETHERNET CBLs EIA 03 | 154            | N              |                | 12                |
| 9125         |       | 6338    | POWER AND ETHERNET CBLs EIA 05 | 98             | N              |                | 12                |
| 9125         |       | 6339    | POWER AND ETHERNET CBLs EIA 07 | 156            | N              |                | 12                |
| 9125         |       | 6370    | POWER AND ETHERNET CBLs EIA 09 | 154            | N              |                | 12                |
| 9125         |       | 6371    | POWER AND ETHERNET CBLs EIA 11 | 151            | N              |                | 12                |
| 9125         |       | 6372    | POWER AND ETHERNET CBLs EIA 13 | 149            | N              |                | 12                |
| 9125         |       | 6373    | POWER AND ETHERNET CBLs EIA 15 | 136            | N              |                | 12                |
| 9125         |       | 6374    | POWER AND ETHERNET CBLs EIA 17 | 140            | N              |                | 12                |
| 9125         |       | 6375    | POWER AND ETHERNET CBLs EIA 19 | 147            | N              |                | 12                |
| 9125         |       | 6376    | POWER AND ETHERNET CBLs EIA 21 | 145            | N              |                | 12                |
| 9125         |       | 6377    | POWER AND ETHERNET CBLs EIA 23 | 140            | N              |                | 12                |
| 9125         |       | 6378    | POWER AND ETHERNET CBLs EIA 25 | 138            | N              |                | 12                |
| 9125         |       | 6379    | POWER AND ETHERNET CBLs EIA 27 | 136            | N              |                | 12                |
| 9125         |       | 6387    | POWER AND ETHERNET CBLs EIA 29 | 136            | N              |                | 12                |
| 9125         |       | 6388    | POWER AND ETHERNET CBLs EIA 31 | 134            | N              |                | 12                |
| 9125         |       | 6392    | POWER CABLES EIA 05            | 263            | N              |                | 12                |
| 9125         |       | 6393    | POWER CABLES EIA 09            | 250            | N              |                | 12                |
| 9125         |       | 6394    | POWER CABLES EIA 13            | 239            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9125         |       | 6395    | POWER CABLES EIA 17            | 237            | N              |                | 12                |
| 9125         |       | 6396    | POWER CABLES EIA 21            | 230            | N              |                | 12                |
| 9125         |       | 6397    | POWER CABLES EIA 25            | 219            | N              |                | 12                |
| 9125         |       | 6398    | POWER CABLES EIA 29            | 210            | N              |                | 12                |
| 9125         |       | 6881    | SLIM LINE REAR DOOR            | 2,496          | N              |                | 12                |
| 9125         |       | 6882    | REAR DOOR WITH HEAT EXCHANGER  | 5,079          | N              |                | 12                |
| 9125         |       | 6883    | REAR DOOR WITH INTEG. HEAT     | 8,220          | N              |                | 12                |
| 9125         |       | 7299    | ONE CPU ACTIVATION FOR 7298    | 746            | N              |                | 12                |
| 9125         |       | 7802    | ETHERNET CBL 15M HW MANAGEMENT | 25             | N              |                | 12                |
| 9125         |       | 7937    | BOLT DOWN KIT LOW RAISED FLOOR | 5,219          | N              |                | 12                |
| 9125         |       | 7938    | BOLT DOWN KIT HIGH RAISED      | 5,219          | N              |                | 12                |
| 9125         |       | 7960    | COMPACT HANDLING OPTION        | 932            | N              |                | 12                |
| 9125         |       | 8695    | LINE CORD 4AWG 14FT NO PLUG    | 746            | N              |                | 12                |
| 9125         |       | 8696    | LINE CORD 4AWG 14FT 100A PLUG  | 1,594          | N              |                | 12                |
| 9125         |       | 8699    | LINE CORD 6AWG 14FT 60A PLUG   | 1,864          | N              |                | 12                |
| 9131         |       | 0456    | CUSTOMER SPECIFIED PLACEMENT   | 371            | N              |                | 36                |
| 9131         |       | 1974    | PCI-X DUAL CHAN.U320 SCSI ADPT | 544            | N              |                | 36                |
| 9131         |       | 1975    | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853          | N              |                | 36                |
| 9131         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 77             | N              |                | 36                |
| 9131         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 36                |
| 9131         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 34             | N              |                | 36                |
| 9131         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 56             | N              |                | 36                |
| 9131         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 61             | N              |                | 36                |
| 9131         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 61             | N              |                | 36                |
| 9131         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 19             | N              |                | 36                |
| 9131         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 61             | N              |                | 36                |
| 9131         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 61             | N              |                | 36                |
| 9131         |       | 4242    | 6FOOT EXT.CBL FOR DISPLAYS     | 77             | N              |                | 36                |
| 9131         |       | 4256    | EXTENDER CBL-USB KEYBOARDS 2M  | 38             | N              |                | 36                |
| 9131         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 36             | N              |                | 36                |
| 9131         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 74             | N              |                | 36                |
| 9131         |       | 6458    | PWR CAB.-DRAWER TO IBM PDU     | 12             | N              |                | 36                |
| 9131         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 12             | N              |                | 36                |
| 9131         |       | 6471    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9131         |       | 6472    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6473    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6474    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6475    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6476    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6477    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6478    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6488    | PWR CORD(9FT) TOWALL/OEM PDU   | 36             | N              |                | 36                |
| 9131         |       | 6493    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6494    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6496    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 41             | N              |                | 36                |
| 9131         |       | 6651    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6659    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6660    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 12             | N              |                | 36                |
| 9131         |       | 6669    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9131         |       | 6671    | PWR CORD(9FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6672    | PWR CORD(5FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9131         |       | 6680    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9131         |       | 7320    | ONE PROC.ENT.FOR PROC.FC#8330  | 1,669          | N              |                | 36                |
| 9131         |       | 7337    | 1PROC.ENTITL.FOR PRC.FC#8333   | 1,203          | N              |                | 36                |
| 9131         |       | 7802    | ETH T CBL 15M HMC TO SYST.UNIT | 23             | N              |                | 36                |
| 9131         |       | 7940    | ADVANCED POWER VIRTUALIZATION  | 0              | N              |                | 36                |
| 9131         |       | 8131    | 128PORT ASYNCH.CONTR.CBL 4.5M  | 46             | N              |                | 36                |
| 9131         |       | 8132    | 128PORT ASYNCH.CONTR.CBL 23CM  | 30             | N              |                | 36                |
| 9133         |       | 0983    | US TAA COMPLIANCE INDICATOR    | 0              | N              |                | 36                |
| 9133         |       | 1974    | PCI-X DUAL CHAN.U320 SCSI ADPT | 544            | N              |                | 36                |
| 9133         |       | 1975    | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853          | N              |                | 36                |
| 9133         |       | 2424    | 0.6M 16BIT SCSI2 SYS.2SYS CAB  | 83             | N              |                | 36                |
| 9133         |       | 2456    | LC-SC 50 MIC.FIB.CONV.CABLE    | 77             | N              |                | 36                |
| 9133         |       | 2459    | LC-SC 62.5 MIC.FIB.CONV.CABLE  | 77             | N              |                | 36                |
| 9133         |       | 2934    | ASYN.TERM/PRINT.CBL EIA-232    | 34             | N              |                | 36                |
| 9133         |       | 2936    | ASYNCH. CABLE EIA-232/V.24     | 56             | N              |                | 36                |
| 9133         |       | 3124    | SER TO SER PORT CAB DRAW/DRAW  | 61             | N              |                | 36                |
| 9133         |       | 3125    | SER TO SER PORT CAB RACK/RACK  | 61             | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9133         |       | 3925    | SER.PORT CONV.CBL 9PIN-25PIN   | 19             | N              |                | 36                |
| 9133         |       | 3927    | SER.PORT NULL MODEM CABLE 3.7M | 61             | N              |                | 36                |
| 9133         |       | 3928    | SER.PORT NULL MODEM CABLE 10M  | 61             | N              |                | 36                |
| 9133         |       | 4242    | 6FOOT EXT.CBL FOR DISPLAYS     | 77             | N              |                | 36                |
| 9133         |       | 4256    | EXTENDER CBL-USB KEYBOARDS 2M  | 38             | N              |                | 36                |
| 9133         |       | 6006    | POWER CONTROL CABLE(SPCN)-3M   | 36             | N              |                | 36                |
| 9133         |       | 6007    | POWER CONTROL CABLE(SPCN)-15M  | 74             | N              |                | 36                |
| 9133         |       | 6458    | PWR CAB.-DRAWER TO IBM PDU     | 12             | N              |                | 36                |
| 9133         |       | 6460    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6469    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6470    | PWR CORD(6FOOT) TO WALL        | 12             | N              |                | 36                |
| 9133         |       | 6471    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6472    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6473    | PWR CORD(9FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6474    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6475    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6476    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6477    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6478    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6488    | PWR CORD(9FT) TOWALL/OEM PDU   | 36             | N              |                | 36                |
| 9133         |       | 6493    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6494    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6496    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6497    | PWR CORD(6FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6498    | PWR CORD(6FT) TO WALL/OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6598    | DISK SLOT FILLERS(QUANTITY 4)  | 41             | N              |                | 36                |
| 9133         |       | 6651    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6659    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6660    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6665    | PWR CRD 3M 10FT DRWR PDU 250V  | 12             | N              |                | 36                |
| 9133         |       | 6669    | PWR CORD(14FT) DRW TO OEM PDU  | 12             | N              |                | 36                |
| 9133         |       | 6671    | PWR CORD(9FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6672    | PWR CORD(5FT) DRW TO IBM PDU   | 12             | N              |                | 36                |
| 9133         |       | 6680    | PWR CORD(9FT) TOWALL/OEM PDU   | 12             | N              |                | 36                |
| 9133         |       | 7313    | ONE PROC.ACT.FOR PROC.FC#8309  | 1,671          | N              |                | 36                |
| 9133         |       | 7323    | 1PROC.ACTIV.FOR PROC.FC#8312   | 1,947          | N              |                | 36                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9133         |       | 7324    | 1PROC.ACTIV.FOR PROC.FC#8313   | 347            | N              |                | 36                |
| 9133         |       | 7326    | 1PROC.ACT.ON 2ND PROC.FC#8313  | 387            | N              |                | 36                |
| 9133         |       | 7802    | ETHT CBL 15M HMC TO SYST.UNIT  | 23             | N              |                | 36                |
| 9133         |       | 7941    | ADVANCED PWR VIRTUALIZATION    | 0              | N              |                | 36                |
| 9133         |       | 8131    | 128PORT ASYNCH.CONTR.CBL 4.5M  | 46             | N              |                | 36                |
| 9133         |       | 8132    | 128PORT ASYNCH.CONTR.CBL 23CM  | 30             | N              |                | 36                |
| 9179         | MHC   |         | POWER 780                      | 7,601          | N              | 2              | 12                |
| 9179         | MHD   |         | POWER 780 SERVER               | 7,601          | N              | 2              | 12                |
| 9179         |       | 0010    | ONE CSC BILLING UNIT           | 166            | N              |                | 12                |
| 9179         |       | 0011    | TEN CSC BILLING UITS           | 1,662          | N              |                | 12                |
| 9179         |       | 0348    | V 24 EIA232 6 1M (20 FT) PCI C | 120            | N              |                | 12                |
| 9179         |       | 0353    | V 35 6 1M (20 FT) PCI CABLE    | 120            | N              |                | 12                |
| 9179         |       | 0359    | X 21 6 1M (20 FT) PCI CABLE    | 362            | N              |                | 12                |
| 9179         |       | 0551    | 19 INCH 1 8 METER HIGH RA      | 2,581          | N              |                | 12                |
| 9179         |       | 0553    | 19 INCH 2 0 METER HIGH RA      | 3,501          | N              |                | 12                |
| 9179         |       | 0599    | RACK FILLER PANEL KIT          | 72             | N              |                | 12                |
| 9179         |       | 1107    | USB 500 GB REMOVABLE DISK DRIV | 287            | N              |                | 12                |
| 9179         |       | 1111    | CAT5E ETHERNET CABLE 3M BLUE   | 24             | N              |                | 12                |
| 9179         |       | 1112    | CAT5E ETHERNET CABLE 10M BLUE  | 43             | N              |                | 12                |
| 9179         |       | 1113    | CAT5E ETHERNET CABLE 25M BLUE  | 77             | N              |                | 12                |
| 9179         |       | 1121    | CAT5E ETHERNET CABLE 25M YELLO | 77             | N              |                | 12                |
| 9179         |       | 1737    | 856GB 10K RPM SAS SFF DISK     | 1,465          | N              |                | 12                |
| 9179         |       | 1738    | 856GB 10K RPM SAS SFF-2 DISK   | 1,465          | N              |                | 12                |
| 9179         |       | 1751    | 900GB 10K RPM SAS SFF DISK     | 1,465          | N              |                | 12                |
| 9179         |       | 1752    | 900GB 10K RPM SAS SFF-2 DISK   | 1,465          | N              |                | 12                |
| 9179         |       | 1768    | QUAD ENET CARD W COPPER SFP    | 1,330          | N              |                | 12                |
| 9179         |       | 1769    | QUAD ENET CARD W SR OPTICAL    | 2,503          | N              |                | 12                |
| 9179         |       | 1790    | 600GB 10K RPM SAS SFF DISK     | 1,172          | N              |                | 12                |
| 9179         |       | 1800    | GX DUAL PORT RIO 2 ATTACH      | 2,930          | N              |                | 12                |
| 9179         |       | 1802    | GX DUAL PORT 12X CHANNEL ATTA  | 1,105          | N              |                | 12                |
| 9179         |       | 1803    | INTEGRATED 4 PORT 1GB VIRTUA   | 521            | N              |                | 12                |
| 9179         |       | 1804    | INTEGRATED 4 PORT (2X1GB AND   | 2,945          | N              |                | 12                |
| 9179         |       | 1808    | GX 12X DDR ADAPTER DUAL PORT   | 1,117          | N              |                | 12                |
| 9179         |       | 1813    | INTEGRATED 4 PORT (2X1GB AND   | 1,566          | N              |                | 12                |
| 9179         |       | 1815    | SAS CABLE FOR TRIPLE SPLIT DAS | 186            | N              |                | 12                |
| 9179         |       | 1817    | QUANTITY 150 OF 1962           | 175,811        | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 1818    | QUANTITY 150 OF 1964           | 175,811        | N              |                | 12                |
| 9179         |       | 1819    | SAS CABLE ASSEMBLY FOR SAS POR | 186            | N              |                | 12                |
| 9179         |       | 1828    | 1 5 METER 12X TO 4X CHANNEL CO | 292            | N              |                | 12                |
| 9179         |       | 1841    | 3 METER 12X TO 4X CHANNEL CONV | 367            | N              |                | 12                |
| 9179         |       | 1844    | QUANTITY 150 OF 1956           | 116,872        | N              |                | 12                |
| 9179         |       | 1853    | OPERATOR PANEL                 | 746            | N              |                | 12                |
| 9179         |       | 1854    | 10 METER 12X TO 4X ENHANCED CH | 585            | N              |                | 12                |
| 9179         |       | 1861    | 0 6 METER 12X DDR CABLE        | 342            | N              |                | 12                |
| 9179         |       | 1862    | 1 5 METER 12X DDR CABLE        | 390            | N              |                | 12                |
| 9179         |       | 1864    | 8 0 METER 12X DDR CABLE        | 707            | N              |                | 12                |
| 9179         |       | 1865    | 3 0 METER 12X DDR CABLE        | 464            | N              |                | 12                |
| 9179         |       | 1866    | QUANTITY 150 OF 1917           | 72,919         | N              |                | 12                |
| 9179         |       | 1868    | QUANTITY 150 OF 1947           | 72,919         | N              |                | 12                |
| 9179         |       | 1869    | QUANTITY 150 OF 1925           | 116,872        | N              |                | 12                |
| 9179         |       | 1879    | 283GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9179         |       | 1880    | 300GB 15K RPM SAS DISK         | 927            | N              |                | 12                |
| 9179         |       | 1885    | 300GB 10K SFF SAS DD AIX LNX   | 779            | N              |                | 12                |
| 9179         |       | 1886    | 146GB 15K SFF SAS DD AIX LNX   | 486            | N              |                | 12                |
| 9179         |       | 1888    | 139GB 15K SFF SAS DD IBM I     | 486            | N              |                | 12                |
| 9179         |       | 1911    | 283GB 10K RPM SFF SAS DISK DRI | 779            | N              |                | 12                |
| 9179         |       | 1914    | GX 2-PORT PCIE2 X8 ADAPTER     | 2,460          | N              |                | 12                |
| 9179         |       | 1916    | 571GB 10K RPM SAS SFF DISK     | 1,172          | N              |                | 12                |
| 9179         |       | 1917    | 146GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9179         |       | 1925    | 300GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9179         |       | 1926    | QTY 150 OF #1879               | 139,127        | N              |                | 12                |
| 9179         |       | 1927    | QTY 150 OF #1948               | 139,127        | N              |                | 12                |
| 9179         |       | 1928    | QTY 150 OF #1880               | 139,127        | N              |                | 12                |
| 9179         |       | 1929    | QTY 150 OF #1953               | 139,127        | N              |                | 12                |
| 9179         |       | 1947    | 139GB 15K RPM SAS SFF 2 DISK   | 486            | N              |                | 12                |
| 9179         |       | 1948    | 283GB 15K RPM SAS SFF-2        | 927            | N              |                | 12                |
| 9179         |       | 1953    | 300GB 15K RPM SAS SFF-2        | 927            | N              |                | 12                |
| 9179         |       | 1956    | 283GB 10K RPM SAS SFF 2 DISK   | 779            | N              |                | 12                |
| 9179         |       | 1962    | 571GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9179         |       | 1964    | 600GB 10K RPM SAS SFF 2 DISK   | 1,172          | N              |                | 12                |
| 9179         |       | 1996    | 1 GIGABIT ISCSI TOE PCI XO     | 4,296          | N              |                | 12                |
| 9179         |       | 2055    | PCIE RAID SSD SAS ADAPTER 3GB  | 2,982          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 2456    | 2M LC SC 50 MICRON FIBER CONVE | 80             | N              |                | 12                |
| 9179         |       | 2459    | 2M LC SC 62 5 MICRON FIBER CON | 80             | N              |                | 12                |
| 9179         |       | 2728    | 4 PORT USB PCIE ADAPTER        | 146            | N              |                | 12                |
| 9179         |       | 2893    | PCIE 2 LINE WAN W MODEM        | 564            | N              |                | 12                |
| 9179         |       | 2934    | 3M ASYNCHRONOUS TERMINAL PRINT | 35             | N              |                | 12                |
| 9179         |       | 2936    | ASYNCHRONOUS CABLE EIA 232 V 2 | 59             | N              |                | 12                |
| 9179         |       | 3124    | SERIAL TO SERIAL PORT CABLE FO | 64             | N              |                | 12                |
| 9179         |       | 3125    | SERIAL TO SERIAL PORT CABLE FO | 64             | N              |                | 12                |
| 9179         |       | 3287    | 1M 3 3 FT IB ENET 40G COPPER   | 507            | N              |                | 12                |
| 9179         |       | 3288    | 3M 9 8 FT IB ENET 40G COPPE    | 634            | N              |                | 12                |
| 9179         |       | 3289    | 5M QDR IB ENET COPPER CABLE QS | 683            | N              |                | 12                |
| 9179         |       | 3290    | 1M 3 3 FT IB ENET 40G COPPER   | 731            | N              |                | 12                |
| 9179         |       | 3293    | 30 METER QUAD DATA RATE INFINI | 879            | N              |                | 12                |
| 9179         |       | 3450    | SAS YO CABLE 1.5M HD 6GB ADA   | 234            | N              |                | 12                |
| 9179         |       | 3451    | SAS YO CABLE 3M HD 6GB ADAPT   | 292            | N              |                | 12                |
| 9179         |       | 3452    | SAS YO CABLE 6M HD 6GB ADAPT   | 438            | N              |                | 12                |
| 9179         |       | 3453    | SAS YO CABLE 10M HD 6GB ADAP   | 659            | N              |                | 12                |
| 9179         |       | 3454    | SAS X CABLE 3M HD 6GB 2 ADAP   | 438            | N              |                | 12                |
| 9179         |       | 3455    | SAS X CABLE 6M HD 6GB 2 ADAP   | 731            | N              |                | 12                |
| 9179         |       | 3456    | SAS X CABLE 10M HD 6GB 2 ADA   | 1,220          | N              |                | 12                |
| 9179         |       | 3458    | SAS X CABLE 15M HD 3GB 2 ADA   | 2,344          | N              |                | 12                |
| 9179         |       | 3632    | WIDESCREEN LCD MONITOR         | 974            | N              |                | 12                |
| 9179         |       | 3647    | 146GB 15K RPM SAS DD AIX LNX   | 486            | N              |                | 12                |
| 9179         |       | 3648    | 300GB 15K RPM SAS DD AIX LNX   | 927            | N              |                | 12                |
| 9179         |       | 3649    | 450GB 15K RPM SAS DD AIX LNX   | 1,270          | N              |                | 12                |
| 9179         |       | 3652    | SAS CABLE (EE) DRAWER TO DRAWE | 48             | N              |                | 12                |
| 9179         |       | 3653    | SAS CABLE (EE) DRAWER TO DRAWE | 69             | N              |                | 12                |
| 9179         |       | 3654    | SAS CABLE (EE) DRAWER TO DRAWE | 117            | N              |                | 12                |
| 9179         |       | 3661    | SAS CABLE (X) ADAPTER TO SAS E | 146            | N              |                | 12                |
| 9179         |       | 3662    | SAS CABLE (X) ADAPTER TO SAS E | 293            | N              |                | 12                |
| 9179         |       | 3663    | SAS CABLE (X) ADAPTER TO SAS E | 596            | N              |                | 12                |
| 9179         |       | 3671    | SERV INTERFACE CABLE 2 3 AN    | 1,491          | N              |                | 12                |
| 9179         |       | 3672    | SERV INTERFACE CABLE 3 AND 4   | 2,237          | N              |                | 12                |
| 9179         |       | 3673    | SERV INTERFACE CABLE 4 ENCLOS  | 2,982          | N              |                | 12                |
| 9179         |       | 3675    | SAS EX CABLE 3M - DRW TO DRW   | 167            | N              |                | 12                |
| 9179         |       | 3679    | SAS CABLE (AI) ADAPTER TO INT  | 51             | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 3680    | SAS EX CABLE 6M - DRW TO DRW   | 298            | N              |                | 12                |
| 9179         |       | 3681    | 3M SAS CABLE ADPTR TO ADPTR (  | 74             | N              |                | 12                |
| 9179         |       | 3684    | SAS CABLE (AE) ADAPTER TO ENCL | 146            | N              |                | 12                |
| 9179         |       | 3685    | SAS CABLE (AE) ADAPTER TO ENCL | 293            | N              |                | 12                |
| 9179         |       | 3687    | SAS CABLE (YI) SYSTEM TO SAS E | 107            | N              |                | 12                |
| 9179         |       | 3688    | SAS CABLE (AT) 0 6 METER       | 88             | N              |                | 12                |
| 9179         |       | 3689    | SAS AT CABLE 0.6M HD 6GB ADA   | 117            | N              |                | 12                |
| 9179         |       | 3691    | SAS CABLE (YO) ADAPTER TO SAS  | 88             | N              |                | 12                |
| 9179         |       | 3692    | SAS CABLE (YO) ADAPTER TO SAS  | 107            | N              |                | 12                |
| 9179         |       | 3693    | SAS CABLE (YO) ADAPTER TO SAS  | 146            | N              |                | 12                |
| 9179         |       | 3694    | SAS CABLE (YO) ADAPTER TO SAS  | 516            | N              |                | 12                |
| 9179         |       | 3711    | PROCESSOR CABLE TWO DRAWER SY  | 2,982          | N              |                | 12                |
| 9179         |       | 3712    | PROCESSOR CABLE TWO THREE OR   | 3,728          | N              |                | 12                |
| 9179         |       | 3713    | PROCESSOR CABLE THREE OR FOUR  | 7,456          | N              |                | 12                |
| 9179         |       | 3714    | PROCESSOR CABLE FOUR DRAWER S  | 8,947          | N              |                | 12                |
| 9179         |       | 3715    | PROCESS CBL TWOTHREE DRAWER    | 2,982          | N              |                | 12                |
| 9179         |       | 3716    | PROCESS CBL TWOTHREEFOUR DRWR  | 3,728          | N              |                | 12                |
| 9179         |       | 3717    | PROCESS CBL THREEFOUR DRAWER   | 7,456          | N              |                | 12                |
| 9179         |       | 3718    | PROCESS CBL FOUR DRAWER        | 8,947          | N              |                | 12                |
| 9179         |       | 3925    | 0 3M SERIAL PORT CONVERTER CAB | 20             | N              |                | 12                |
| 9179         |       | 3927    | SERIAL PORT NULL MODEM CABLE   | 64             | N              |                | 12                |
| 9179         |       | 3928    | SERIAL PORT NULL MODEM CABLE   | 64             | N              |                | 12                |
| 9179         |       | 3930    | SYSTEM SERIAL PORT CONVERTER C | 13             | N              |                | 12                |
| 9179         |       | 4242    | 1 8 M (6 FT) EXTENDER CABLE FO | 80             | N              |                | 12                |
| 9179         |       | 4256    | EXTENDER CABLE USB KEYB1.8     | 40             | N              |                | 12                |
| 9179         |       | 4276    | VGA TO DVI CONNECTION CONVERTE | 7              | N              |                | 12                |
| 9179         |       | 4710    | ON/OFF 999 GB DAYS BILLING     | 745            | N              |                | 12                |
| 9179         |       | 4791    | ACTIVE MEMORY EXPANSION ENABLE | 5,145          | N              |                | 12                |
| 9179         |       | 4808    | PCIE CRYPTO COPROCESSOR GEN3 B | 10,742         | N              |                | 12                |
| 9179         |       | 4809    | PCIE CRYPTO COPROCESSOR GEN4 B | 10,742         | N              |                | 12                |
| 9179         |       | 4982    | 3 86 GHZ 4 14 GHZ TURBOCORE    | 42,818         | N              |                | 12                |
| 9179         |       | 4992    | SINGLE 5250 ENTERPRISE ENABLEM | 37,280         | N              |                | 12                |
| 9179         |       | 4997    | FULL 5250 ENTERPRISE ENABLEMEN | 149,118        | N              |                | 12                |
| 9179         |       | 5003    | 4.1 3.9 GHZ.0/8 16 TURBOCORE   | 42,818         | N              |                | 12                |
| 9179         |       | 5285    | PCIE 2 PORT 4X IB QDR ADAPT    | 976            | N              |                | 12                |
| 9179         |       | 5287    | PCIE2 2 PORT 10GBE SR ADAPTER  | 2,930          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 5288    | PCIE2 2 PORT 10GBE SFP+COPP    | 1,563          | N              |                | 12                |
| 9179         |       | 5289    | 2 PORT ASYNC EIA 232 PCIE ADAP | 193            | N              |                | 12                |
| 9179         |       | 5294    | 1 8M I O TOWER                 | 51,632         | N              |                | 12                |
| 9179         |       | 5296    | 1 8M I O TOWER (NO DISK)       | 31,331         | N              |                | 12                |
| 9179         |       | 5339    | 1 CORE PROC. ACT FOR 5003      | 6,244          | N              |                | 12                |
| 9179         |       | 5340    | 100 COD UTL MINS 5003. AIX     | 2              | N              |                | 12                |
| 9179         |       | 5341    | 100 COD UTL MINS 5003 IBMI     | 19             | N              |                | 12                |
| 9179         |       | 5342    | 1 PROC-DAY ON OFF 5003 AIX     | 19             | N              |                | 12                |
| 9179         |       | 5343    | 1 PROC DAY ON/OFF 5003 IBMI    | 139            | N              |                | 12                |
| 9179         |       | 5469    | ONE PROCESSOR ACTIVATION FOR P | 6,244          | N              |                | 12                |
| 9179         |       | 5524    | RFID TAGS FOR SERVERS BLADES   | 19             | N              |                | 12                |
| 9179         |       | 5532    | SYSTEM PWR SUP 1925W           | 1,119          | N              |                | 12                |
| 9179         |       | 5564    | 0/256GB DDR3 1066MHZ 4 DIMMS   | 32,891         | N              |                | 12                |
| 9179         |       | 5595    | CHASIS IBM BEZEL FOR MHC       | 8,947          | N              |                | 12                |
| 9179         |       | 5596    | CHASIS OEM BEZEL FOR MHC       | 8,947          | N              |                | 12                |
| 9179         |       | 5597    | SYSTEM CEC ENCLOSURE WITH IBM  | 8,947          | N              |                | 12                |
| 9179         |       | 5598    | SYSTEM CEC ENCLOSURE WITH OEM  | 8,947          | N              |                | 12                |
| 9179         |       | 5600    | 0 32GB DDR3 MEMORY (4X8GB) DIM | 1,461          | N              |                | 12                |
| 9179         |       | 5601    | 0 64GB DDR3 MEMORY (4X16GB) DI | 5,755          | N              |                | 12                |
| 9179         |       | 5602    | 0 128GB DDR3 MEMORY (4X32GB) D | 11,511         | N              |                | 12                |
| 9179         |       | 5632    | SYSTEM AC POWER SUPPLY 1725 W  | 1,119          | N              |                | 12                |
| 9179         |       | 5646    | BLIND SWAP TYPE III CASSETTE   | 36             | N              |                | 12                |
| 9179         |       | 5647    | BLIND SWAP TYPE III CASSETTE   | 36             | N              |                | 12                |
| 9179         |       | 5652    | DISK MEDIA BACKPLANE           | 2,982          | N              |                | 12                |
| 9179         |       | 5662    | 175MB CACHE RAID BATTERY CARD  | 1,864          | N              |                | 12                |
| 9179         |       | 5664    | SERVICE PROCESSOR              | 2,982          | N              |                | 12                |
| 9179         |       | 5665    | FSP CLOCK PASS THROUGH CARD    | 671            | N              |                | 12                |
| 9179         |       | 5706    | 2 PORT 10 100 1000 BASE TX     | 737            | N              |                | 12                |
| 9179         |       | 5708    | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418          | N              |                | 12                |
| 9179         |       | 5713    | 1 GIGABIT ISCSI TOE PCI X ON C | 879            | N              |                | 12                |
| 9179         |       | 5717    | 4 PORT 10 100 1000 BASE TX PCI | 810            | N              |                | 12                |
| 9179         |       | 5729    | PCIE2 8GB 4PORT FIBRE CHANN    | 5,859          | N              |                | 12                |
| 9179         |       | 5735    | 8 GIGABIT PCI EXPRESS DUAL POR | 3,417          | N              |                | 12                |
| 9179         |       | 5736    | PCI X DDR DUAL CHANNEL ULTRA32 | 573            | N              |                | 12                |
| 9179         |       | 5740    | 4 PORT 10 100 1000 BASE TX PCI | 819            | N              |                | 12                |
| 9179         |       | 5744    | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 3,417          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 5745    | PCIE2 4 PORT 10GBE GBE SFP COP | 2,440          | N              |                | 12                |
| 9179         |       | 5748    | POWER GXT145 PCI EXPRESS GRAPH | 370            | N              |                | 12                |
| 9179         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)   | 2,440          | N              |                | 12                |
| 9179         |       | 5759    | 4 GB DUAL PORT FIBRE CHANNEL P | 2,440          | N              |                | 12                |
| 9179         |       | 5767    | 2 PORT 10 100 1000 BASE TX ETH | 516            | N              |                | 12                |
| 9179         |       | 5768    | 2 PORT GIGABIT ETHERNET SX PCI | 1,290          | N              |                | 12                |
| 9179         |       | 5769    | 10 GIGABIT ETHERNET SR PCI EXP | 3,418          | N              |                | 12                |
| 9179         |       | 5771    | SATA SLIMLINE DVD-RAM DRIVE    | 292            | N              |                | 12                |
| 9179         |       | 5772    | 10 GIGABIT ETHERNET LR PCI EXP | 4,631          | N              |                | 12                |
| 9179         |       | 5774    | 4 GIGABIT PCI EXPRESS DUAL POR | 2,440          | N              |                | 12                |
| 9179         |       | 5785    | 4 PORT ASYNC EIA 232 PCIE ADAP | 682            | N              |                | 12                |
| 9179         |       | 5802    | 12X I O DRAWER PCIE SFF D      | 11,709         | N              |                | 12                |
| 9179         |       | 5805    | PCIE 380MB CACHE DUAL X4 3GB S | 2,147          | N              |                | 12                |
| 9179         |       | 5877    | 12X I O DRAWER PCIE NO DI      | 10,636         | N              |                | 12                |
| 9179         |       | 5887    | EXP24S SFF GEN2 BAY DRAWER     | 5,274          | N              |                | 12                |
| 9179         |       | 5899    | PCIE2 4-PORT 1GBE ADAPTER      | 293            | N              |                | 12                |
| 9179         |       | 5901    | PCIE DUAL X4 SAS ADAPTER       | 731            | N              |                | 12                |
| 9179         |       | 5908    | PCI X DDR 1 5GB CACHE SAS RAID | 8,301          | N              |                | 12                |
| 9179         |       | 5913    | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324          | N              |                | 12                |
| 9179         |       | 5915    | SAS AA CABLE 3M HD 6GB ADAPT   | 220            | N              |                | 12                |
| 9179         |       | 5916    | SAS AA CABLE 6M HD 6GB ADAPT   | 366            | N              |                | 12                |
| 9179         |       | 5917    | SAS AA CABLE 1.5M HD 6GB ADA   | 170            | N              |                | 12                |
| 9179         |       | 5918    | SAS AA CBL 0.6M HD 6GB ADAPT   | 97             | N              |                | 12                |
| 9179         |       | 5926    | SAS EX CABLE 1.5M - DRW TO DRW | 149            | N              |                | 12                |
| 9179         |       | 6006    | POWER CONTROL CABLE (SPCN) 3   | 38             | N              |                | 12                |
| 9179         |       | 6007    | POWER CONTROL CABLE (SPCN) 1   | 77             | N              |                | 12                |
| 9179         |       | 6068    | OPT FRONT DOOR FOR 1 8M RACK   | 331            | N              |                | 12                |
| 9179         |       | 6069    | OPT FRONT DOOR FOR 2 0M RACK   | 406            | N              |                | 12                |
| 9179         |       | 6238    | HIGH END APPEARANCE SIDE COVER | 485            | N              |                | 12                |
| 9179         |       | 6248    | 1 8M RACK ACOUSTIC DOORS       | 3,430          | N              |                | 12                |
| 9179         |       | 6249    | 2 0M RACK ACOUSTIC DOORS       | 3,430          | N              |                | 12                |
| 9179         |       | 6250    | HIGH END APPEARANCE FRONT DOOR | 2,237          | N              |                | 12                |
| 9179         |       | 6263    | 1 8M RACK TRIM KIT             | 390            | N              |                | 12                |
| 9179         |       | 6272    | 2 0M RACK TRIM KIT             | 390            | N              |                | 12                |
| 9179         |       | 6458    | POWER CABLE DRAWER TO IBM P    | 14             | N              |                | 12                |
| 9179         |       | 6460    | POWER CORD 4 3M (14 FT) DRAWE  | 14             | N              |                | 12                |



| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 6469    | POWER CORD 4 3M (14 FOOT) DRA  | 13             | N              |                | 12                |
| 9179         |       | 6471    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6472    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6473    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6474    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6475    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6476    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6477    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6478    | POWER CORD 2 7 M(9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6488    | POWER CORD 2 7M (9 FOOT) TO W  | 38             | N              |                | 12                |
| 9179         |       | 6489    | 4 3M (14 FT) 3PH 24A POWER COR | 268            | N              |                | 12                |
| 9179         |       | 6491    | 4 3M (14 FT) 1PH 48A PWR CORD  | 295            | N              |                | 12                |
| 9179         |       | 6492    | 4 3M (14 FT) 1PH 48 60A PWR CO | 295            | N              |                | 12                |
| 9179         |       | 6493    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6494    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6496    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6497    | POWER CORD (6 FOOT) TO WALL O  | 24             | N              |                | 12                |
| 9179         |       | 6577    | POWER CABLE DRAWER TO IBM PD   | 14             | N              |                | 12                |
| 9179         |       | 6580    | OPTIONAL RACK SECURITY KIT     | 131            | N              |                | 12                |
| 9179         |       | 6586    | MODEM TRAY FOR 19 INCH RACK    | 184            | N              |                | 12                |
| 9179         |       | 6651    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6654    | 4 3M (14 FT) 1PH 24 30A PWR CO | 176            | N              |                | 12                |
| 9179         |       | 6655    | 4 3M (14 FT) 1PH 24 30A WR PWR | 390            | N              |                | 12                |
| 9179         |       | 6656    | 4 3M (14 FT)1PH 24A POWER CORD | 176            | N              |                | 12                |
| 9179         |       | 6659    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6660    | POWER CORD (14 FOOT) DRAWER T  | 14             | N              |                | 12                |
| 9179         |       | 6665    | POWER CORD 3 M (10 FT) DRAWER  | 13             | N              |                | 12                |
| 9179         |       | 6669    | POWER CORD 4 3M (14 FOOT) DRA  | 13             | N              |                | 12                |
| 9179         |       | 6671    | POWER CORD 2 7M (9 FOOT) DRAW  | 13             | N              |                | 12                |
| 9179         |       | 6672    | POWER CORD 1 5M (5 FOOT) DRAW  | 13             | N              |                | 12                |
| 9179         |       | 6680    | POWER CORD 2 7M (9 FOOT) TO W  | 13             | N              |                | 12                |
| 9179         |       | 6800    | PCI 1GBPS ETHERNET IOA         | 643            | N              |                | 12                |
| 9179         |       | 7109    | INTELLIGENT PDU+ 1 EIA UNIT    | 1,072          | N              |                | 12                |
| 9179         |       | 7118    | ENVIRONMENTAL MONITORING PROBE | 272            | N              |                | 12                |
| 9179         |       | 7188    | POWER DISTRIBUTION UNIT        | 738            | N              |                | 12                |
| 9179         |       | 7544    | QUANTITY 150 OF 1888           | 72,919         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | 7547    | QUANTITY 150 OF 1885           | 116,872        | N              |                | 12                |
| 9179         |       | 7548    | QUANTITY 150 OF 1886           | 116,872        | N              |                | 12                |
| 9179         |       | 7549    | QUANTITY 150 OF 3647           | 72,919         | N              |                | 12                |
| 9179         |       | 7550    | QUANTITY 150 OF 1790           | 175,811        | N              |                | 12                |
| 9179         |       | 7557    | QUANTITY 150 OF 1911           | 116,872        | N              |                | 12                |
| 9179         |       | 7564    | QUANTITY 150 OF 3648           | 139,127        | N              |                | 12                |
| 9179         |       | 7565    | QUANTITY 150 OF 3649           | 190,461        | N              |                | 12                |
| 9179         |       | 7566    | QUANTITY 150 OF 1916           | 175,811        | N              |                | 12                |
| 9179         |       | 7633    | PROC COD UTILITY BILLING FOR F | 2              | N              |                | 12                |
| 9179         |       | 7634    | PROC COD UTILITY BILLING FOR F | 19             | N              |                | 12                |
| 9179         |       | 7635    | 1 PROC DAY ON OFF BILLING FOR  | 19             | N              |                | 12                |
| 9179         |       | 7636    | 1 PROC DAY ON OFF BILLING FOR  | 139            | N              |                | 12                |
| 9179         |       | 7802    | ETHERNET CABLE 15M HARDWARE    | 25             | N              |                | 12                |
| 9179         |       | 7863    | PCI BLIND SWAP CASSETTE KIT D  | 48             | N              |                | 12                |
| 9179         |       | 8143    | LINUX SOFTWARE PREINSTALL      | 44             | N              |                | 12                |
| 9179         |       | 8144    | LINUX SOFTWARE PREINSTALL (BUS | 44             | N              |                | 12                |
| 9179         |       | 8212    | ACTIVATION OF 1 GB DDR3 POWER7 | 182            | N              |                | 12                |
| 9179         |       | 8213    | ACTIVATION OF 100 GB DDR3 POWE | 18,267         | N              |                | 12                |
| 9179         |       | 8845    | USB MOUSE                      | 28             | N              |                | 12                |
| 9179         |       | EB34    | I 6.1.1 NATIVE I O ENABLEMENT  | 976            | N              |                | 12                |
| 9179         |       | EB95    | CHASIS & IBM BEZEL FOR MHD     | 8,947          | N              |                | 12                |
| 9179         |       | EB96    | CHASIS & OEM BEZEL FOR MHD     | 8,947          | N              |                | 12                |
| 9179         |       | EC28    | PCIE2 2-PORT 10GBE ROCE SFP+ A | 976            | N              |                | 12                |
| 9179         |       | EC30    | PCIE2 2-PORT 10GBE ROCE SR ADA | 1,709          | N              |                | 12                |
| 9179         |       | EC53    | OPERATOR PANEL                 | 746            | N              |                | 12                |
| 9179         |       | ECB0    | 0.6M BLUE CAT5 ETHERNET CABLE  | 12             | N              |                | 12                |
| 9179         |       | ECB2    | 1.5M BLUE CAT5 ETHERNET CABLE  | 16             | N              |                | 12                |
| 9179         |       | EDR1    | EXP30 ULTRA SSD I/O DRAWER     | 23,927         | N              |                | 12                |
| 9179         |       | EK51    | FULL WIDTH KEY USB US ENGLISH  | 58             | N              |                | 12                |
| 9179         |       | EK83    | FULL WIDTH KEY USB US ENGLISH  | 58             | N              |                | 12                |
| 9179         |       | EM40    | 0 32GB DDR3 1066MHZ 4 DIMMS    | 410            | N              |                | 12                |
| 9179         |       | EM41    | 0 64GB DDR3 1066MHZ 4 DIMMS    | 820            | N              |                | 12                |
| 9179         |       | EM42    | 0 128GB DDR3 1066MHZ 4 DIMMS   | 1,640          | N              |                | 12                |
| 9179         |       | EM44    | 0 256GB DDR3 1066MHZ 4 DIMMS   | 12,675         | N              |                | 12                |
| 9179         |       | EMA2    | ACTIVATION OF 1 GB DDR3 P7     | 137            | N              |                | 12                |
| 9179         |       | EMA3    | TY 100 OF FC EMA2 1GB ACT      | 13,793         | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | EN01    | 1M 10GBE CABLE SFP ACT TWINAX | 97             | N              |                | 12                |
| 9179         |       | EN02    | 3M 10GBE CABLE SFP ACT TWINAX | 117            | N              |                | 12                |
| 9179         |       | EN03    | 5M 10GBE CABLE SFP ACT TWINAX | 146            | N              |                | 12                |
| 9179         |       | EN05    | PCIE X8 CABLE 1.5M            | 292            | N              |                | 12                |
| 9179         |       | EN07    | PCIE X8 CABLE 3M              | 331            | N              |                | 12                |
| 9179         |       | EN08    | PCIE X8 CABLE 8M              | 371            | N              |                | 12                |
| 9179         |       | EP24    | 3.44 GHZ PROC 0/24 CORE P7    | 41,584         | N              |                | 12                |
| 9179         |       | EP25    | 1 CORE PROC.ACT FOR EP24      | 4,042          | N              |                | 12                |
| 9179         |       | EP26    | 100 COD UTL MINS EP24 AIXL    | 1              | N              |                | 12                |
| 9179         |       | EP27    | 100 COD UTL MINS EP24 IBMI    | 18             | N              |                | 12                |
| 9179         |       | EP28    | 1 ON/OFF PROC DAY EP24 AIXL   | 12             | N              |                | 12                |
| 9179         |       | EP29    | 1 ON/OFF PROC DAY EP24 IBMI   | 133            | N              |                | 12                |
| 9179         |       | EP2E    | 100 ON/OFF PRC DAYS 4982 AIXL | 1,939          | N              |                | 12                |
| 9179         |       | EP2F    | 100 ON/OFF PRC DAYS 4982 IBMI | 13,943         | N              |                | 12                |
| 9179         |       | EP2L    | 100 ON/OFF PRC DAYS 5003 AIXL | 1,939          | N              |                | 12                |
| 9179         |       | EP2M    | 100 ON/OFF PRC DAYS 5003 IBMI | 13,943         | N              |                | 12                |
| 9179         |       | EP2N    | 100 ON/OFF PRC DAYS EP24 AIXL | 1,267          | N              |                | 12                |
| 9179         |       | EP2P    | 100 ON/OFF PRC DAYS EP24 IBMI | 13,346         | N              |                | 12                |
| 9179         |       | EPH0    | 4.42 GHZ PROC 0 16 CORE P7    | 41,467         | N              |                | 12                |
| 9179         |       | EPH2    | 3.72 GHZ PROC 0 32 CORE P7    | 58,063         | N              |                | 12                |
| 9179         |       | EPHA    | 1-CORE ACTIVATION FOR EPH0    | 6,047          | N              |                | 12                |
| 9179         |       | EPHC    | 1-CORE ACTIVATION FOR EPH2    | 4,233          | N              |                | 12                |
| 9179         |       | EPHE    | 1 ON OFF PROC-DAY EPH0 AIXL   | 14             | N              |                | 12                |
| 9179         |       | EPHF    | 1 ON OFF PROC-DAY EPH0 IBM I  | 139            | N              |                | 12                |
| 9179         |       | EPHJ    | 1 ON OFF PROC-DAY EPH2 AIXL   | 14             | N              |                | 12                |
| 9179         |       | EPHK    | 1 ON/OFF PROC-DAY EPH2 IBM I  | 139            | N              |                | 12                |
| 9179         |       | EPHN    | 100 ON/OFF PRC-DAYS EPH0 AIXL | 1,491          | N              |                | 12                |
| 9179         |       | EPHP    | 100 ON/OFF PROC-D FOR #EPH2   | 13,943         | N              |                | 12                |
| 9179         |       | EPHS    | 100 ON/OFF PRC-DAYS EPH2 AIXL | 1,491          | N              |                | 12                |
| 9179         |       | EPHT    | 100 ON/OFF PRC-DAYS EPH2 IBMI | 13,943         | N              |                | 12                |
| 9179         |       | EPHU    | 100 COD UTL MINS EPH0 AIXL    | 2              | N              |                | 12                |
| 9179         |       | EPHV    | 100 COD UTL MINS EPH0 IBMI    | 19             | N              |                | 12                |
| 9179         |       | EPHY    | 100 COD UTL MINS EPH2 AIXL    | 1              | N              |                | 12                |
| 9179         |       | EPHZ    | 100 COD UTL MINS EPH2 IBMI    | 18             | N              |                | 12                |
| 9179         |       | EQ02    | QUANTITY 150 OF 3453 SAS YO   | 65,873         | N              |                | 12                |
| 9179         |       | EQ03    | QUANTITY 150 OF 3453 SAS YO   | 98,865         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179         |       | EQ0A    | QUANTITY 150 OF ES0A           | 525,642        | N              |                | 12                |
| 9179         |       | EQ0B    | QUANTITY OF 150 ES0B           | 525,642        | N              |                | 12                |
| 9179         |       | EQ0C    | QUANTITY OF 150 ES0C           | 525,642        | N              |                | 12                |
| 9179         |       | EQ0D    | QUANTITY OF 150 ES0D           | 525,642        | N              |                | 12                |
| 9179         |       | EQ37    | QUANTITY 150 OF 1737           | 219,763        | N              |                | 12                |
| 9179         |       | EQ38    | QUANTITY 150 OF 1738           | 219,763        | N              |                | 12                |
| 9179         |       | EQ51    | QUANTITY 150 OF 1751           | 219,763        | N              |                | 12                |
| 9179         |       | EQ52    | QUANTITY 150 OF 1752           | 219,763        | N              |                | 12                |
| 9179         |       | EQ77    | POWER CABLE DRAWER TO IBM PD   | 2,685          | N              |                | 12                |
| 9179         |       | ERF1    | RFID TAGS FOR COMPUTE NODES    | 19             | N              |                | 12                |
| 9179         |       | ERG7    | FRONT DOOR FOR P770/780 2MRACK | 2,237          | N              |                | 12                |
| 9179         |       | ES02    | 387GB 1.8 SAS SSD AIX/LINUX    | 4,296          | N              |                | 12                |
| 9179         |       | ES0A    | 387GB SFF-1 SSD FOR AIX LI     | 3,504          | N              |                | 12                |
| 9179         |       | ES0B    | 387GB SFF-1 SSD FOR IBM I      | 3,504          | N              |                | 12                |
| 9179         |       | ES0C    | 387GB SFF-2 SSD FOR AIX LI     | 3,504          | N              |                | 12                |
| 9179         |       | ES0D    | 387GB SFF-2 SSD FOR IBM I      | 3,504          | N              |                | 12                |
| 9179         |       | ESA1    | PCIE2 RAID SAS ADAPTER 6GB     | 6,054          | N              |                | 12                |
| 9179         |       | ESC8    | S H                            | 521            | N              |                | 12                |
| 9179         |       | ESR2    | 6 ES02 387GB 1.8 SAS SSD       | 23,202         | N              |                | 12                |
| 9179         |       | ESRA    | 4 ES0A 387GB SFF1 SSD          | 12,615         | N              |                | 12                |
| 9179         |       | ESRB    | 4 ES0B 387GB SFF1 SSD          | 12,615         | N              |                | 12                |
| 9179         |       | ESRC    | 4 ES0C 387GB SFF2 SSD          | 12,615         | N              |                | 12                |
| 9179         |       | ESRD    | 4 ES0D 387GB SFF2 SSD          | 12,615         | N              |                | 12                |
| 9179         |       | EU01    | 1TB REMOVABLE DISK CARTRIDGE   | 337            | N              |                | 12                |
| 9179         |       | EU04    | RDX USB EXTERNAL DOCKING       | 268            | N              |                | 12                |
| 9179         |       | EU05    | SERVICE PROCESSOR 2            | 2,982          | N              |                | 12                |
| 9179         |       | EU08    | RDX 320 GB REMOVABLE DISK DRIV | 220            | N              |                | 12                |
| 9179         |       | EU09    | SERVICE PROCESSOR-3            | 2,982          | N              |                | 12                |
| 9179         |       | EU15    | 1.5TB REMOVABLE DISKDRIVECARTR | 483            | N              |                | 12                |
| 9393         | SNP   |         | 8S0421 'LIC' 9393 MODEL SNP    | 66,196         | N              | 3              | 0                 |
| 9393         |       | 0700    | CACHE SIZE 1024 MB             | 84,197         | N              |                | 12                |
| 9393         |       | 0701    | CACHE SIZE 1792 MB             | 109,097        | N              |                | 12                |
| 9393         |       | 0702    | CACHE SIZE 2048 MB             | 117,625        | N              |                | 12                |
| 9393         |       | 0710    | 1024MB EFFECTIVE CACHE         | 32,006         | N              |                | 12                |
| 9393         |       | 2001    | 160GB EFFECTIVE CAPACITY       | 101,707        | N              |                | 12                |
| 9393         |       | 4001    | 16 PARALLEL CHANNELS           | 11,485         | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9393         |       | 5002    | 80GB EFFECT.CAPACITY INCREMENT | 52,232         | N              |                | 12                |
| 9393         |       | 5003    | 210GB EFFECT.CAPACITY INCREM   | 134,309        | N              |                | 12                |
| 9406         | 810   |         | ISERIES                        | 0              | Y              | 2              | 12                |
| 9406         |       | 0348    | V.24/EIA232 20-FT PCI CABLE    | 101            | N              |                | 12                |
| 9406         |       | 0353    | V.35 20-FT PCI CABLE           | 101            | N              |                | 12                |
| 9406         |       | 0359    | X.21 20-FT PCI CABLE           | 134            | N              |                | 12                |
| 9406         |       | 0367    | OPERATIONS CONSOLE PCI CABLE   | 101            | N              |                | 12                |
| 9406         |       | 0371    | LC-SC ADAPTER KIT (50UM)       | 66             | N              |                | 12                |
| 9406         |       | 0372    | LC-SC ADAPTER KIT (62.5UM)     | 66             | N              |                | 12                |
| 9406         |       | 0456    | CUSTOMER PLACEMENT             | 322            | N              |                | 12                |
| 9406         |       | 0469    | CUSTOM RACK PLACEMENT          | 403            | N              |                | 12                |
| 9406         |       | 0551    | ISERIES RACK                   | 2,150          | N              |                | 12                |
| 9406         |       | 0553    | ISERIES 2.0M RACK              | 2,922          | N              |                | 12                |
| 9406         |       | 0555    | ISERIES 25U RACK               | 1,611          | N              |                | 12                |
| 9406         |       | 0599    | RACK FILLER PANEL KIT          | 60             | N              |                | 12                |
| 9406         |       | 0601    | LINUX DIR ATTACH-2743          | 1,467          | N              |                | 12                |
| 9406         |       | 0602    | LINUX DIR ATTACH-2760          | 1,467          | N              |                | 12                |
| 9406         |       | 0607    | LINUX DIR ATTACH-4838          | 484            | N              |                | 12                |
| 9406         |       | 0611    | DIRECT ATTACH - 2765           | 3,063          | N              |                | 12                |
| 9406         |       | 0612    | LINUX DIR ATTACH-2766          | 4,836          | N              |                | 12                |
| 9406         |       | 0613    | LINUX DIR ATTACH-2742          | 343            | N              |                | 12                |
| 9406         |       | 0625    | DIRECT ATTACH - 5704           | 2,132          | N              |                | 12                |
| 9406         |       | 0626    | LINUX DIR ATTACH-2787          | 4,997          | N              |                | 12                |
| 9406         |       | 0628    | LINUX DIR ATTACH-5703          | 2,418          | N              |                | 12                |
| 9406         |       | 0630    | PCI-X 1GBPS ISCSI TOE-COPPER   | 959            | N              |                | 12                |
| 9406         |       | 0645    | DIRECT ATTACH-5712             | 473            | N              |                | 12                |
| 9406         |       | 0647    | PCI-X DISK/TAPE CTRLR NO IOP   | 473            | N              |                | 12                |
| 9406         |       | 1266    | 35.16GB 15K RPM DISK UNIT      | 966            | N              |                | 12                |
| 9406         |       | 1268    | 141.12GB 15K RPM DISK UNIT     | 1,047          | N              |                | 12                |
| 9406         |       | 1293    | 36.4GB 10K RPM DISK UNIT       | 483            | N              |                | 12                |
| 9406         |       | 1294    | 73.4GB 10K RPM DISK UNIT       | 483            | N              |                | 12                |
| 9406         |       | 1295    | 146.8GB 10K RPM DISK UNIT      | 563            | N              |                | 12                |
| 9406         |       | 1296    | 36.4GB 15K RPM DISK UNIT       | 483            | N              |                | 12                |
| 9406         |       | 1462    | 15M COPPER HSL CABLE           | 887            | N              |                | 12                |
| 9406         |       | 1470    | 6M OPTICAL HSL CABLE           | 443            | N              |                | 0                 |
| 9406         |       | 1782    | TCOD BILLING FOR MOD 825       | 443            | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9406         |       | 1783    | TCOD BILLING FOR MOD 825       | 443            | N              |                | 12                |
| 9406         |       | 1785    | TCOD BILLING FOR MOD 870       | 484            | N              |                | 12                |
| 9406         |       | 1786    | TCOD BILLING FOR MOD 870       | 484            | N              |                | 12                |
| 9406         |       | 1788    | TCOD BILLING FOR MOD 890       | 524            | N              |                | 12                |
| 9406         |       | 1789    | TCOD BILLING FOR MOD 890       | 524            | N              |                | 12                |
| 9406         |       | 1791    | TCOD BILLING FOR MOD 890       | 524            | N              |                | 12                |
| 9406         |       | 1792    | TCOD BILLING FOR MOD 890       | 524            | N              |                | 12                |
| 9406         |       | 1827    | SERIAL-UPS CONVERSION CABLE    | 77             | N              |                | 12                |
| 9406         |       | 1873    | DWR TO DWR SERIAL CABLE        | 53             | N              |                | 12                |
| 9406         |       | 1874    | RACK TO RACK SERIAL CABLE      | 53             | N              |                | 12                |
| 9406         |       | 1875    | SERIAL PORT CONVERTER CABLE    | 16             | N              |                | 12                |
| 9406         |       | 1894    | 73.4GB 10K RPM DISK UNIT       | 483            | N              |                | 12                |
| 9406         |       | 1895    | 146.8GB 10K RPM DISK UNIT      | 563            | N              |                | 12                |
| 9406         |       | 1896    | 36.4GB 15K RPM DISK UNIT       | 483            | N              |                | 12                |
| 9406         |       | 2670    | OPTICAL BUS RECEIVER (220MBPS) | 4,030          | N              |                | 0                 |
| 9406         |       | 2742    | PCI 2-LINE WAN IOA             | 343            | N              |                | 12                |
| 9406         |       | 2743    | PCI 1GBPS ETHERNET IOA         | 1,467          | N              |                | 12                |
| 9406         |       | 2760    | PCI 1GBPS ETHERNET UTP IOA     | 1,467          | N              |                | 12                |
| 9406         |       | 2766    | PCI FIBRE CHANNEL DISK CTRLR   | 4,836          | N              |                | 12                |
| 9406         |       | 2787    | PCI-X FIBRE CHAN DISK CTRLR    | 4,997          | N              |                | 12                |
| 9406         |       | 2893    | PCIE 2-LINE WAN W/MODEM        | 472            | N              |                | 12                |
| 9406         |       | 2934    | ASYNC TERMINAL/PRT CABLE       | 29             | N              |                | 12                |
| 9406         |       | 2936    | ASYNC MODEM CABLE              | 48             | N              |                | 12                |
| 9406         |       | 3578    | 300GB 10K RPM DISK UNIT        | 1,289          | N              |                | 12                |
| 9406         |       | 4242    | 6-FT EXT CABLE FOR DISPLAY     | 66             | N              |                | 12                |
| 9406         |       | 4256    | EXTENDER CABLE FOR KEYBD       | 33             | N              |                | 12                |
| 9406         |       | 4326    | 35.16GB 15K RPM DISK UNIT      | 966            | N              |                | 12                |
| 9406         |       | 4400    | 1GB DDR2 MAIN STORAGE          | 488            | N              |                | 12                |
| 9406         |       | 4684    | 30GB 1/4-INCH CARTRIDGE TAPE   | 3,224          | N              |                | 12                |
| 9406         |       | 4688    | 160GB VXA-320 TAPE DRIVE       | 1,209          | N              |                | 12                |
| 9406         |       | 4813    | PCI INTEG XSERIES SERVER       | 2,241          | N              |                | 12                |
| 9406         |       | 4838    | PCI 100/10MBPS ETHERNET IOA    | 484            | N              |                | 12                |
| 9406         |       | 5403    | ONE PROCESSOR ACTIVATION       | 14,267         | N              |                | 12                |
| 9406         |       | 5404    | UTILITY BILLING 100 PROC MIN   | 790            | N              |                | 12                |
| 9406         |       | 5490    | ENTERPRISE ENABLEMENT          | 40,302         | N              |                | 12                |
| 9406         |       | 5491    | FULL ENTERPRISE ENABLE         | 161,209        | N              |                | 12                |

| Machine Type | Model | Feature | Description                     | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9406         |       | 5646    | PCIE BLIND SWAP CASSET SHORT    | 40             | N              |                | 12                |
| 9406         |       | 5647    | PCIE BLIND SWAP CASSET STD      | 40             | N              |                | 12                |
| 9406         |       | 5656    | ON/OFF 1PROC-1DAY BILLING       | 476            | N              |                | 12                |
| 9406         |       | 5680    | 1GB CUOD MEMORY ACTIVATION      | 262            | N              |                | 12                |
| 9406         |       | 5691    | ON/OFF 1GB-1DAY MEMORY BILL     | 2              | N              |                | 12                |
| 9406         |       | 5703    | PCI-X RAID DISK UNIT CTRLR      | 1,611          | N              |                | 12                |
| 9406         |       | 5704    | PCI-X FIBRE CHAN TAPE CTRLR     | 2,132          | N              |                | 12                |
| 9406         |       | 5706    | PCI-X 1GBPS ETHERNET-TX IOA     | 805            | N              |                | 12                |
| 9406         |       | 5712    | PCI-X TAPE/DASD CONTROLLER      | 473            | N              |                | 12                |
| 9406         |       | 5736    | PCI-X DISK/TAPE CTRLR W/IOP     | 473            | N              |                | 12                |
| 9406         |       | 5739    | PCI-X EXP24 CTRLR - 1.5GB W/IOP | 6,851          | N              |                | 12                |
| 9406         |       | 5759    | 4GBPS FIBRE CHANNEL (2-PORT)    | 2,666          | N              |                | 12                |
| 9406         |       | 5766    | PCI-X TAPE CTRLR (5736 EQUIV)   | 473            | N              |                | 12                |
| 9406         |       | 5767    | PCIE 1GB ETHERNET UTP 2PORT     | 563            | N              |                | 12                |
| 9406         |       | 5768    | PCIE 1GB ETHERNET FIBER 2PRT    | 1,065          | N              |                | 12                |
| 9406         |       | 5774    | PCIE 4GB FIBRE CHANNEL 2PORT    | 2,666          | N              |                | 12                |
| 9406         |       | 5775    | PCI-X DISK/TAPE CTRLR-NO IOP    | 473            | N              |                | 12                |
| 9406         |       | 5778    | PCI-X EXP24 CTL-1.5GB NO IOP    | 6,851          | N              |                | 12                |
| 9406         |       | 5781    | PCI-X EXP24 CTRLR-1.5GB W/IOP   | 6,892          | N              |                | 12                |
| 9406         |       | 5782    | PCI-X EXP24 CTL-1.5GB NO IOP    | 6,892          | N              |                | 12                |
| 9406         |       | 5783    | PCI-X ISCSI HBA COPPER          | 805            | N              |                | 12                |
| 9406         |       | 5871    | STANDARD EDITION FOR #0954      | 802,015        | N              |                | 12                |
| 9406         |       | 5872    | STANDARD EDITION FOR #0955      | 1,269,521      | N              |                | 12                |
| 9406         |       | 5876    | CBU STD EDITION FOR #0959       | 540,050        | N              |                | 12                |
| 9406         |       | 5890    | ENTERPRISE EDITION FOR #0953    | 1,027,708      | N              |                | 12                |
| 9406         |       | 5891    | ENTERPRISE EDITION FOR #0954    | 1,285,642      | N              |                | 12                |
| 9406         |       | 5892    | ENTERPRISE EDITION FOR #0955    | 1,813,602      | N              |                | 12                |
| 9406         |       | 5896    | CBU EDITION FOR #0959           | 701,259        | N              |                | 12                |
| 9406         |       | 6006    | SPCN POWER CABLE - 3M           | 32             | N              |                | 12                |
| 9406         |       | 6007    | SPCN POWER CABLE - 15M          | 64             | N              |                | 12                |
| 9406         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK    | 363            | N              |                | 12                |
| 9406         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK    | 443            | N              |                | 12                |
| 9406         |       | 6186    | BULK POWER REGULATOR            | 3,224          | N              |                | 12                |
| 9406         |       | 6248    | 1.8M RACK ACOUSTIC DOORS        | 2,831          | N              |                | 12                |
| 9406         |       | 6249    | 2.0M RACK ACOUSTIC DOORS        | 2,831          | N              |                | 12                |
| 9406         |       | 6258    | 36GB 4MM TAPE UNIT              | 764            | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9406         |       | 6279    | 160GB VXA-320 TAPE DRIVE     | 1,209          | N              |                | 12                |
| 9406         |       | 6417    | HSL-2/RIO-2 BUS ADAPTER      | 709            | N              |                | 12                |
| 9406         |       | 6492    | 14-FT 1PH/48-60A PWR CORD    | 213            | N              |                | 12                |
| 9406         |       | 6497    | 6-FT 250V/15A POWER CORD     | 32             | N              |                | 12                |
| 9406         |       | 6580    | OPTIONAL RACK SECURITY KIT   | 145            | N              |                | 12                |
| 9406         |       | 6586    | MODEM TRAY FOR 19-INCH RACK  | 202            | N              |                | 12                |
| 9406         |       | 6598    | DISK SLOT FILLER (QTY 4)     | 32             | N              |                | 12                |
| 9406         |       | 6654    | 14-FT 1PH/24-30A PWR CORD    | 161            | N              |                | 12                |
| 9406         |       | 6671    | 9FT IEC 320 C13/14 PDU CORD  | 13             | N              |                | 12                |
| 9406         |       | 6672    | 5FT IEC 320 C13/14 PDU CORD  | 13             | N              |                | 12                |
| 9406         |       | 6805    | PCI 2-LINE WAN IOA NO IOP    | 343            | N              |                | 12                |
| 9406         |       | 7188    | POWER DIST UNIT-SIDE MOUNT   | 806            | N              |                | 12                |
| 9406         |       | 7256    | 520 ENTERPRISE ENABLEMENT    | 40,302         | N              |                | 12                |
| 9406         |       | 7257    | 550 ENTERPRISE ENABLEMENT    | 40,302         | N              |                | 12                |
| 9406         |       | 7258    | 570 FULL ENTERPRISE ENABLE   | 120,907        | N              |                | 12                |
| 9406         |       | 7259    | 595 FULL ENTERPRISE ENABLE   | 201,511        | N              |                | 12                |
| 9406         |       | 7260    | 570 ENTERPRISE ENABLEMENT    | 40,302         | N              |                | 12                |
| 9406         |       | 7261    | 595 ENTERPRISE ENABLEMENT    | 40,302         | N              |                | 12                |
| 9406         |       | 7272    | 2GB CUOD MEMORY ACTIVATION   | 524            | N              |                | 12                |
| 9406         |       | 7273    | 4GB CUOD MEMORY ACTIVATION   | 1,048          | N              |                | 12                |
| 9406         |       | 7274    | 8GB CUOD MEMORY ACTIVATION   | 2,096          | N              |                | 12                |
| 9406         |       | 7275    | 16GB CUOD MEMORY ACTIVATION  | 4,191          | N              |                | 12                |
| 9406         |       | 7276    | 32GB CUOD MEMORY ACTIVATION  | 8,383          | N              |                | 12                |
| 9406         |       | 7320    | 520 ONE PROCESSOR ACTIVATION | 1,451          | N              |                | 12                |
| 9406         |       | 7323    | 550 ONE PROCESSOR ACTIVATI   | 1,693          | N              |                | 12                |
| 9406         |       | 7341    | 550 ON/OFF PROC DAY BILLING  | 411            | N              |                | 12                |
| 9406         |       | 7463    | ENTERPRISE EDITION FOR #0915 | 214,408        | N              |                | 12                |
| 9406         |       | 7522    | QUANTITY 150 OF 1268         | 157,058        | N              |                | 12                |
| 9406         |       | 7576    | 550 ENTERPRISE ENABLEMENT    | 80,605         | N              |                | 12                |
| 9406         |       | 7577    | 570 ENTERPRISE ENABLEMENT    | 120,907        | N              |                | 12                |
| 9406         |       | 7579    | 595 ENTERPRISE ENABLEMENT    | 120,907        | N              |                | 12                |
| 9406         |       | 7593    | 595 ON/OFF PROC DAY BILLING  | 588            | N              |                | 12                |
| 9406         |       | 7597    | 570 FULL ENTERPRISE ENABLE   | 201,511        | N              |                | 12                |
| 9406         |       | 7598    | 595 FULL ENTERPRISE ENABLE   | 282,116        | N              |                | 12                |
| 9406         |       | 7618    | 570 ONE PROCESSOR ACTIVATI   | 9,310          | N              |                | 12                |
| 9406         |       | 7621    | ON/OFF PROC DAY BILLING      | 240            | N              |                | 12                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9406         |       | 7622    | 520 RESERVE CAPACITY PREPAID | 7,206          | N              |                | 12                |
| 9406         |       | 7624    | 570 ON/OFF PROC DAY BILLING  | 476            | N              |                | 12                |
| 9406         |       | 7663    | 570 1GB MEM ACTIVATION       | 1,308          | N              |                | 12                |
| 9406         |       | 7668    | 595 ONE PROCESSOR ACTIVATI   | 28,195         | N              |                | 12                |
| 9406         |       | 7669    | 1GB DDR2 MEMORY ACTIVATION   | 1,343          | N              |                | 12                |
| 9406         |       | 7711    | CBU EDITION FOR 0906         | 51,587         | N              |                | 12                |
| 9406         |       | 7728    | 570 RESERVE CAPACITY PREPAID | 14,267         | N              |                | 12                |
| 9406         |       | 7734    | ENTERPRISE EDITION FOR 0906  | 40,705         | N              |                | 12                |
| 9406         |       | 7735    | ENTERPRISE EDITION FOR 0906  | 74,882         | N              |                | 12                |
| 9406         |       | 7736    | ENTERPRISE EDITION FOR 0906  | 104,705        | N              |                | 12                |
| 9406         |       | 7741    | 550 RESERVE CAPACITY PREPAID | 12,332         | N              |                | 12                |
| 9406         |       | 7747    | ENTERPRISE EDITION FOR 0934  | 233,753        | N              |                | 12                |
| 9406         |       | 7748    | ENTERPRISE EDITION FOR 0935  | 314,358        | N              |                | 12                |
| 9406         |       | 7749    | ENTERPRISE EDITION FOR 0936  | 475,567        | N              |                | 12                |
| 9406         |       | 7760    | CBU EDITION FOR 0937         | 221,662        | N              |                | 12                |
| 9406         |       | 7784    | STANDARD EDITION FOR 0906    | 28,292         | N              |                | 12                |
| 9406         |       | 7799    | 595 256GB MEMORY ACTIVATION  | 490,281        | N              |                | 12                |
| 9406         |       | 7802    | 15M HMC ATTACHMENT CABLE     | 20             | N              |                | 12                |
| 9406         |       | 7815    | 595 ONE PROCESSOR ACTIVATI   | 26,196         | N              |                | 12                |
| 9406         |       | 7837    | BULK POWER DISTRIBUTION      | 2,015          | N              |                | 12                |
| 9406         |       | 7840    | SIDE-BY-SIDE FOR 1.8M RACKS  | 403            | N              |                | 12                |
| 9406         |       | 7841    | RUGGEDIZE RACK KIT           | 1,209          | N              |                | 12                |
| 9406         |       | 7863    | BLIND SWAP CASSETTE (DOUBLE) | 40             | N              |                | 12                |
| 9406         |       | 7871    | 550 CUOD PROC ACTIVATION     | 2,982          | N              |                | 12                |
| 9406         |       | 7897    | 570 CUOD PROC ACTIVATION     | 6,207          | N              |                | 12                |
| 9406         |       | 7925    | 595 ONE PROCESSOR ACTIVATI   | 16,927         | N              |                | 12                |
| 9406         |       | 7926    | 595 RESERVE CAPACITY PREPAID | 17,652         | N              |                | 12                |
| 9406         |       | 7931    | 550 ON/OFF PROC DAY BILLING  | 435            | N              |                | 12                |
| 9406         |       | 7934    | 550 RESERVE CAPACITY PREPAID | 13,058         | N              |                | 12                |
| 9406         |       | 7940    | ADV POWER VIRTUALIZATION     | 0              | N              |                | 12                |
| 9406         |       | 7942    | ADW POWER VIRTUALIZATION     | 0              | N              |                | 12                |
| 9406         |       | 7952    | 570 ON/OFF PROC DAY BILLING  | 476            | N              |                | 12                |
| 9406         |       | 7970    | 595 1GB MEMORY ACTIVATION    | 1,914          | N              |                | 12                |
| 9406         |       | 7972    | 595 ON/OFF PROC DAY BILLING  | 588            | N              |                | 12                |
| 9406         |       | 7974    | 595 1GB MEMORY DAY BILLING   | 24             | N              |                | 12                |
| 9406         |       | 7975    | 595 RESERVE CAPACITY REPAID  | 17,652         | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9406         |       | 7985    | ENTERPRISE EDITION FOR #0952  | 1,868,413      | N              |                | 12                |
| 9406         |       | 7993    | 595 ON/OFF PROC DAY BILLING   | 588            | N              |                | 12                |
| 9406         |       | 8468    | 595 RESERVE CAPACITY PREPAID  | 17,652         | N              |                | 12                |
| 9406         |       | 8686    | 14-FT 250V/70A POWER CORD     | 2,015          | N              |                | 12                |
| 9406         |       | 8697    | 14-FT 480V/30A POWER CORD     | 1,612          | N              |                | 12                |
| 9407         |       | 0348    | V.24/EIA232 20-FT PCI CBL     | 101            | N              |                | 12                |
| 9407         |       | 0353    | V.35 20-FT PCI CBL            | 101            | N              |                | 12                |
| 9407         |       | 0359    | X.21 20-FT PCI CBL            | 134            | N              |                | 12                |
| 9407         |       | 0367    | OPERATIONS CONSOLE PCI CBL    | 101            | N              |                | 12                |
| 9407         |       | 0371    | LC SC ADAPTER KIT (50UM)      | 66             | N              |                | 12                |
| 9407         |       | 0372    | LC SC ADAPTER KIT (62.5UM)    | 66             | N              |                | 12                |
| 9407         |       | 0551    | ISERIES RACK                  | 2,150          | N              |                | 12                |
| 9407         |       | 0553    | 19 INCH 2.0 METER RACK        | 2,922          | N              |                | 12                |
| 9407         |       | 0555    | ISERIES 25U RACK              | 1,611          | N              |                | 12                |
| 9407         |       | 0599    | RACK FILLER PANEL KIT         | 60             | N              |                | 12                |
| 9407         |       | 0620    | DIRECT ATTACH-5700            | 695            | N              |                | 12                |
| 9407         |       | 0621    | DIRECT ATTACH-5701            | 563            | N              |                | 12                |
| 9407         |       | 0630    | PCI X 1GBPS ISCSI TOE COPPER  | 959            | N              |                | 12                |
| 9407         |       | 0647    | PCI-X DISK/TAPE CTRLR NO IOP  | 473            | N              |                | 12                |
| 9407         |       | 1827    | SERIAL-UPS CONVERSION CABLE   | 77             | N              |                | 12                |
| 9407         |       | 1843    | OP PANEL CABLE FOR DESKSIDE   | 4              | N              |                | 12                |
| 9407         |       | 1875    | SERIAL PORT CONVERTER CABLE   | 16             | N              |                | 12                |
| 9407         |       | 1877    | OP PANEL CABLE FOR RACK MOUNT | 4              | N              |                | 12                |
| 9407         |       | 1897    | 73.4GB 15K RPM DISK UNIT      | 531            | N              |                | 12                |
| 9407         |       | 2742    | PCI TWO-LINE WAN IOA          | 343            | N              |                | 12                |
| 9407         |       | 2793    | PCI 2-LINE WAN W/MODEM        | 472            | N              |                | 12                |
| 9407         |       | 2893    | PCIE 2 LINE WAN W/MODEM       | 472            | N              |                | 12                |
| 9407         |       | 2934    | ASYNCR TERMINAL/PRT CABLE     | 29             | N              |                | 12                |
| 9407         |       | 2936    | ASYNCR MODEM CABLE            | 48             | N              |                | 12                |
| 9407         |       | 3684    | SAS CABLE (AE) ADPT ENCL 3M   | 121            | N              |                | 12                |
| 9407         |       | 3685    | SAS CABLE (AE) ADPT ENCL 6M   | 242            | N              |                | 12                |
| 9407         |       | 4327    | 70.56GB 15K RPM DISK UNIT     | 608            | N              |                | 12                |
| 9407         |       | 4328    | 141.12GB 15K RPM DISK UNIT    | 790            | N              |                | 12                |
| 9407         |       | 4400    | 1GB DDR2 MAIN STORAGE         | 488            | N              |                | 12                |
| 9407         |       | 4521    | 2GB RDIMM MEMORY              | 410            | N              |                | 12                |
| 9407         |       | 4523    | 8GB RDIMM MEMORY              | 1,673          | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9407         |       | 5572    | FOUR 70GB DISK PACKAGE       | 1,612          | N              |                | 12                |
| 9407         |       | 5619    | SAS TAPE DRIVE               | 1,472          | N              |                | 12                |
| 9407         |       | 5624    | 4 PORT 1GB IVE DAUGHTER CARD | 425            | N              |                | 12                |
| 9407         |       | 5679    | 175MB SAS RAID ENABLEMENT    | 2,015          | N              |                | 12                |
| 9407         |       | 5700    | PCI 1GBPS ETHERNET IOA       | 695            | N              |                | 12                |
| 9407         |       | 5701    | PCI 1GBPS ETHERNET UTP IOA   | 563            | N              |                | 12                |
| 9407         |       | 5706    | PCI-X 1GBPS ETHERNET-TX IOA  | 805            | N              |                | 12                |
| 9407         |       | 5717    | 1GB ETHRNET UTP 4 PORT ADPTR | 886            | N              |                | 12                |
| 9407         |       | 5736    | PCI-X DISK/TAPE CTRLR W/IOP  | 473            | N              |                | 12                |
| 9407         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666          | N              |                | 12                |
| 9407         |       | 5759    | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666          | N              |                | 12                |
| 9407         |       | 5767    | PCIE 1GB ETHERNET UTP 2PORT  | 563            | N              |                | 12                |
| 9407         |       | 5768    | PCIE 1GB ETHERNET FIBER 2PRT | 1,065          | N              |                | 12                |
| 9407         |       | 5774    | PCIE 4GB FIBER CHANNEL 2PORT | 2,666          | N              |                | 12                |
| 9407         |       | 5775    | PCI-X DISK/TAPE CTRLR-NO IOP | 473            | N              |                | 12                |
| 9407         |       | 5783    | PCI-X ISCSI HBA COPPER       | 805            | N              |                | 12                |
| 9407         |       | 5912    | PCI X SAS ADAPTER            | 665            | N              |                | 12                |
| 9407         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK | 363            | N              |                | 12                |
| 9407         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK | 443            | N              |                | 12                |
| 9407         |       | 6248    | 1.8M RACK ACOUSTIC DOORS     | 2,831          | N              |                | 12                |
| 9407         |       | 6249    | 2.0M RACK ACOUSTIC DOORS     | 2,831          | N              |                | 12                |
| 9407         |       | 6458    | 14-FT INT 250V/10A PWR CD    | 11             | N              |                | 12                |
| 9407         |       | 6460    | 14-FT 125V/15A POWER CORD    | 11             | N              |                | 12                |
| 9407         |       | 6469    | 14-FT 250V/15A PWR CRD       | 11             | N              |                | 12                |
| 9407         |       | 6470    | 6-FT 125V/15A PWR CRD        | 11             | N              |                | 12                |
| 9407         |       | 6492    | 14-FT 1PH/48-60A PWR CRD     | 213            | N              |                | 12                |
| 9407         |       | 6497    | 6-FT 250V/15A PWR CRD        | 32             | N              |                | 12                |
| 9407         |       | 6580    | OPTIONAL RACK SECURITY KIT   | 145            | N              |                | 12                |
| 9407         |       | 6586    | MODEM TRAY FOR 19-INCH RACK  | 202            | N              |                | 12                |
| 9407         |       | 6598    | DISK SLOT FILLER (QTY 4)     | 32             | N              |                | 12                |
| 9407         |       | 6654    | 14-FT 1PH/24-30A PWR CORD    | 161            | N              |                | 12                |
| 9407         |       | 6671    | 9FT IEC 320 C13/14 PDU CORD  | 11             | N              |                | 12                |
| 9407         |       | 6672    | 5FT IEC 320 C13/14 PDU CORD  | 11             | N              |                | 12                |
| 9407         |       | 6800    | PCI 1GBPS ETHERNET IOA       | 695            | N              |                | 12                |
| 9407         |       | 6801    | PCI 1GBPS ETHERNET UTP IOA   | 563            | N              |                | 12                |
| 9407         |       | 6803    | PCI WAN FOR ECS              | 645            | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9407         |       | 6805    | PCI 2-LINE WAN IOA NO IOP    | 343            | N              |                | 12                |
| 9407         |       | 6833    | PCI 2-LINE WAN W/MODEM NOIOP | 472            | N              |                | 12                |
| 9407         |       | 7109    | INTELLIGENT PDU PLUS         | 1,173          | N              |                | 12                |
| 9407         |       | 7114    | RACK MOUNT DRWR RAIL KIT     | 145            | N              |                | 12                |
| 9407         |       | 7188    | POWER DISTRIBUTION UNIT      | 806            | N              |                | 12                |
| 9407         |       | 7200    | RACK MOUNT DRWR BEZEL        | 241            | N              |                | 12                |
| 9407         |       | 7703    | 950W POWER SUPPLY            | 217            | N              |                | 12                |
| 9407         |       | 7802    | 15M HMC ATTACHMENT CABLE     | 20             | N              |                | 12                |
| 9407         |       | 7840    | SIDE BY SIDE FOR 1.8M RACKS  | 403            | N              |                | 12                |
| 9407         |       | 7841    | RUGGEDIZE RACK KIT           | 1,209          | N              |                | 12                |
| 9407         |       | 7966    | ADV POWER VIRUTALIZATION     | 0              | N              |                | 12                |
| 9408         |       | 0348    | V.24/EIA232 20 FT PCI CABLE  | 101            | N              |                | 12                |
| 9408         |       | 0353    | V.35 20 FT PCI CABLE         | 101            | N              |                | 12                |
| 9408         |       | 0359    | X.21 20 FT PCI CABLE         | 302            | N              |                | 12                |
| 9408         |       | 0367    | OPERATIONS CONSOLE PCI CABLE | 101            | N              |                | 12                |
| 9408         |       | 0371    | LC SC ADAPTER KIT (50UM)     | 66             | N              |                | 12                |
| 9408         |       | 0372    | LC SC ADAPTER KIT (62.5UM)   | 66             | N              |                | 12                |
| 9408         |       | 0446    | 512MB DDR SERVER MEMORY      | 355            | N              |                | 12                |
| 9408         |       | 0456    | CUSTOMER PLACEMENT           | 322            | N              |                | 12                |
| 9408         |       | 0469    | CUSTOM RACK PLACEMENT        | 403            | N              |                | 12                |
| 9408         |       | 0551    | 19 INCH 1.8 METER RACK       | 2,150          | N              |                | 12                |
| 9408         |       | 0553    | 19 INCH 2.0 METER RACK       | 2,922          | N              |                | 12                |
| 9408         |       | 0555    | 19 INCH 1.3 METER RACK       | 1,611          | N              |                | 12                |
| 9408         |       | 0595    | PCI X TOWER UNIT IN RACK     | 5,799          | N              |                | 12                |
| 9408         |       | 0599    | RACK FILLER PANEL KIT        | 60             | N              |                | 12                |
| 9408         |       | 0603    | DIRECT ATTACH 2744           | 677            | N              |                | 12                |
| 9408         |       | 0613    | DIRECT ATTACH 2742           | 343            | N              |                | 12                |
| 9408         |       | 0614    | DIRECT ATTACH 2793           | 472            | N              |                | 12                |
| 9408         |       | 0620    | DIRECT ATTACH 5700           | 695            | N              |                | 12                |
| 9408         |       | 0621    | DIRECT ATTACH 5701           | 563            | N              |                | 12                |
| 9408         |       | 0624    | DIRECT ATTACH 5702           | 530            | N              |                | 12                |
| 9408         |       | 0625    | DIRECT ATTACH 5704           | 2,132          | N              |                | 12                |
| 9408         |       | 0626    | DIRECT ATTACH 2787           | 4,997          | N              |                | 12                |
| 9408         |       | 0629    | 4GBPS FIBRE CHANNEL (1PORT)  | 2,132          | N              |                | 12                |
| 9408         |       | 0630    | PCI X 1GBPS ISCSI TOE COPPER | 959            | N              |                | 12                |
| 9408         |       | 0645    | DIRECT ATTACH 5712           | 473            | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9408         |       | 0647    | PCI X DISK/TAPE CTRLR NO IOP  | 473            | N              |                | 12                |
| 9408         |       | 1266    | 35.16GB 15K RPM DISK UNIT     | 966            | N              |                | 12                |
| 9408         |       | 1267    | 70.56GB 15K RPM DISK UNIT     | 608            | N              |                | 12                |
| 9408         |       | 1268    | 141.12GB 15K RPM DISK UNIT    | 790            | N              |                | 12                |
| 9408         |       | 1269    | 282.25GB 15K RPM DISK UNIT    | 1,704          | N              |                | 12                |
| 9408         |       | 1293    | 36.4GB 10K RPM DISK UNIT      | 483            | N              |                | 12                |
| 9408         |       | 1294    | 73.4GB 10K RPM DISK UNIT      | 483            | N              |                | 12                |
| 9408         |       | 1295    | 146.8GB 10K RPM DISK UNIT     | 563            | N              |                | 12                |
| 9408         |       | 1296    | 36.4GB 15K RPM DISK UNIT      | 483            | N              |                | 12                |
| 9408         |       | 1297    | 73.4GB 15K RPM DISK UNIT      | 531            | N              |                | 12                |
| 9408         |       | 1298    | 146.8GB 15K RPM DISK UNIT     | 790            | N              |                | 12                |
| 9408         |       | 1299    | 300GB 10K RPM DISK UNIT       | 1,289          | N              |                | 12                |
| 9408         |       | 1827    | SERIAL UPS CONVERSION CABLE   | 77             | N              |                | 12                |
| 9408         |       | 1843    | OP PANEL CABLE FOR DESKSIDE   | 4              | N              |                | 12                |
| 9408         |       | 1873    | DWR TO DWR SERIAL CABLE       | 53             | N              |                | 12                |
| 9408         |       | 1874    | RACK TO RACK SERIAL CABLE     | 53             | N              |                | 12                |
| 9408         |       | 1875    | SERIAL PORT CONVERTER CABLE   | 16             | N              |                | 12                |
| 9408         |       | 1877    | OP PANEL CABLE FOR RACK MOUNT | 4              | N              |                | 12                |
| 9408         |       | 1893    | 36.4GB 10K RPM DISK UNIT      | 605            | N              |                | 12                |
| 9408         |       | 1894    | 73.4GB 10K RPM DISK UNIT      | 483            | N              |                | 12                |
| 9408         |       | 1895    | 146.8GB 10K RPM DISK UNIT     | 563            | N              |                | 12                |
| 9408         |       | 1896    | 36.4GB 15K RPM DISK UNIT      | 483            | N              |                | 12                |
| 9408         |       | 1897    | 73.4GB 15K RPM DISK UNIT      | 531            | N              |                | 12                |
| 9408         |       | 1898    | 146.8GB DISK UNIT             | 790            | N              |                | 12                |
| 9408         |       | 2742    | PCI TWO LINE WAN IOA          | 343            | N              |                | 12                |
| 9408         |       | 2744    | PCI 100 MBPS TOKEN RING IOA   | 677            | N              |                | 12                |
| 9408         |       | 2780    | PCI X ULTRA4 RAID DISK CTRLR  | 4,997          | N              |                | 12                |
| 9408         |       | 2787    | PCI X FIBRE CHAN DISK CTRLR   | 4,997          | N              |                | 12                |
| 9408         |       | 2793    | PCI 2 LINE WAN W/MODEM        | 472            | N              |                | 12                |
| 9408         |       | 2893    | PCIE 2 LINE WAN W/MODEM       | 472            | N              |                | 12                |
| 9408         |       | 2934    | ASYNC TERMINAL/PRT CABLE      | 29             | N              |                | 12                |
| 9408         |       | 2936    | ASYNC MODEM CABLE             | 48             | N              |                | 12                |
| 9408         |       | 3652    | SAS CABLE (EE) DRWR DRWR 1M   | 40             | N              |                | 12                |
| 9408         |       | 3653    | SAS CABLE (EE) DRWR DRWR 3M   | 56             | N              |                | 12                |
| 9408         |       | 3654    | SAS CABLE (EE) DRWR DRWR 6M   | 97             | N              |                | 12                |
| 9408         |       | 3674    | SAS CABLE DASD BP TO BULKHD   | 64             | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9408         |       | 3684    | SAS CABLE (AE) ADPT ENCL 3M   | 121            | N              |                | 12                |
| 9408         |       | 3685    | SAS CABLE (AE) ADPT ENCL 6M   | 242            | N              |                | 12                |
| 9408         |       | 3687    | SAS CABLE SYS TO ENCL 3M      | 89             | N              |                | 12                |
| 9408         |       | 3691    | SAS CBL (YO) 1X ADP ENC 1.5M  | 73             | N              |                | 12                |
| 9408         |       | 3692    | SAS CABLE (YO) 1X ADP ENC 3M  | 89             | N              |                | 12                |
| 9408         |       | 3693    | SAS CABLE (YO) 1X ADP ENC 6M  | 121            | N              |                | 12                |
| 9408         |       | 4326    | 35.16GB 15K RPM DISK UNIT     | 966            | N              |                | 12                |
| 9408         |       | 4327    | 70.56GB 15K RPM DISK UNIT     | 608            | N              |                | 12                |
| 9408         |       | 4328    | 141.12GB 15K RPM DISK UNIT    | 790            | N              |                | 12                |
| 9408         |       | 4329    | 282.25GB 15K RPM DISK UNIT    | 1,704          | N              |                | 12                |
| 9408         |       | 4521    | 2GB RDIMM MEMORY              | 410            | N              |                | 12                |
| 9408         |       | 4523    | 8GB RDIMM MEMORY              | 1,673          | N              |                | 12                |
| 9408         |       | 4524    | 16GB RDIMM MEMORY             | 3,345          | N              |                | 12                |
| 9408         |       | 4812    | PCI INTEG XSERIES SERVER      | 2,241          | N              |                | 12                |
| 9408         |       | 5094    | PCI X EXPANSION TOWER         | 12,816         | N              |                | 12                |
| 9408         |       | 5294    | 1.8M I/O TOWER                | 42,640         | N              |                | 12                |
| 9408         |       | 5582    | 5738 CTRLR W/AUX WRITE CACHE  | 5,638          | N              |                | 12                |
| 9408         |       | 5583    | 5777 CTRLR W/AUX WRITE CACHE  | 5,638          | N              |                | 12                |
| 9408         |       | 5590    | 2780 CTRLR W/AUX WRITE CACHE  | 5,638          | N              |                | 12                |
| 9408         |       | 5616    | GX DUAL PORT 12X CHAN ATTCH   | 887            | N              |                | 12                |
| 9408         |       | 5624    | 4 PORT 1GB IVE DAUGHTER CARD  | 425            | N              |                | 12                |
| 9408         |       | 5647    | PCIE BLIND SWAP CASSETTE STD  | 40             | N              |                | 12                |
| 9408         |       | 5654    | 1W PERM PROC ACTIV FOR 5634   | 1,302          | N              |                | 12                |
| 9408         |       | 5679    | 175MB SAS RAID ENABLEMENT     | 2,015          | N              |                | 12                |
| 9408         |       | 5700    | PCI 1 GBPS ETHERNET IOA       | 695            | N              |                | 12                |
| 9408         |       | 5701    | PCI 1 GBPS ETHERNET UTP IOA   | 563            | N              |                | 12                |
| 9408         |       | 5702    | PCI X ULTRA TAPE CONTROLLER   | 530            | N              |                | 12                |
| 9408         |       | 5704    | PCI X FIBRE CHAN TAPE CTRLR   | 2,132          | N              |                | 12                |
| 9408         |       | 5706    | PCI X 1GBPS ETHERNET TX IOA   | 805            | N              |                | 12                |
| 9408         |       | 5712    | PCI X TAPE CONTROLLER         | 473            | N              |                | 12                |
| 9408         |       | 5715    | PCI X TAPE/DASD CONTROLLER    | 530            | N              |                | 12                |
| 9408         |       | 5717    | 1GB ETHRNET UTP 4 PORT ADPTR  | 886            | N              |                | 12                |
| 9408         |       | 5736    | PCI X DISK/TAPE CTRLR W/IOP   | 473            | N              |                | 12                |
| 9408         |       | 5737    | PCI X DISK CTRLR 90MB W/IOP   | 1,611          | N              |                | 12                |
| 9408         |       | 5738    | PCI X DISK CTRLR 1.5GB W/IOP  | 4,997          | N              |                | 12                |
| 9408         |       | 5739    | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,851          | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9408         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)  | 2,666          | N              |                | 12                |
| 9408         |       | 5759    | 4GBPS FIBRE CHANNEL (2 PORT)  | 2,666          | N              |                | 12                |
| 9408         |       | 5767    | PCIE 1GB ETHERNET UTP 2PORT   | 563            | N              |                | 12                |
| 9408         |       | 5768    | PCIE 1GB ETHERNET FIBER 2PRT  | 1,065          | N              |                | 12                |
| 9408         |       | 5774    | PCIE 4GB FIBER CHANNEL 2PORT  | 2,666          | N              |                | 12                |
| 9408         |       | 5775    | PCI X DISK/TAPE CTRLR NO IOP  | 473            | N              |                | 12                |
| 9408         |       | 5776    | PCI X DISK CTRLR 90MB NO IOP  | 1,611          | N              |                | 12                |
| 9408         |       | 5777    | PCI X DISK CTRLR 1.5GB NO IOP | 4,997          | N              |                | 12                |
| 9408         |       | 5778    | PCI X EXP24 CTL 1.5GB NO IOP  | 6,851          | N              |                | 12                |
| 9408         |       | 5781    | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,892          | N              |                | 12                |
| 9408         |       | 5782    | PCI X EXP24 CTL 1.5GB NO IOP  | 6,892          | N              |                | 12                |
| 9408         |       | 5783    | PCI X ISCSI HBA COPPER        | 805            | N              |                | 12                |
| 9408         |       | 5912    | PCI X SAS ADAPTER             | 665            | N              |                | 12                |
| 9408         |       | 6006    | SPCN POWER CABLE 3M           | 32             | N              |                | 12                |
| 9408         |       | 6007    | SPCN POWER CABLE 15M          | 56             | N              |                | 12                |
| 9408         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK  | 363            | N              |                | 12                |
| 9408         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK  | 443            | N              |                | 12                |
| 9408         |       | 6248    | 1.8M RACK ACOUSTIC DOORS      | 2,176          | N              |                | 12                |
| 9408         |       | 6249    | 2.0M RACK ACOUSTIC DOORS      | 2,176          | N              |                | 12                |
| 9408         |       | 6417    | HSL 2/RIO G BUS ADAPTER       | 645            | N              |                | 12                |
| 9408         |       | 6458    | 14 FT INT 250V/10A PWR CD     | 11             | N              |                | 12                |
| 9408         |       | 6470    | 6 FT 125V/15A POWER CORD      | 11             | N              |                | 12                |
| 9408         |       | 6492    | 14 FT 1PH/48 60A PWR CORD     | 161            | N              |                | 12                |
| 9408         |       | 6497    | 6 FT 250V/15A POWER CORD      | 32             | N              |                | 12                |
| 9408         |       | 6580    | OPTIONAL RACK SECURITY KIT    | 145            | N              |                | 12                |
| 9408         |       | 6586    | MODEM TRAY FOR 19 INCH RACK   | 202            | N              |                | 12                |
| 9408         |       | 6598    | DISK SLOT FILLER (QTY 4)      | 32             | N              |                | 12                |
| 9408         |       | 6654    | 14 FT 1HP/24 30A PWR CORD     | 161            | N              |                | 12                |
| 9408         |       | 6655    | 14 FT 1HP/24 30A WR PWR CORD  | 161            | N              |                | 12                |
| 9408         |       | 6671    | 9FT IEC 320 C13/14 PDU CORD   | 11             | N              |                | 12                |
| 9408         |       | 6672    | 5FT IEC 320 C13/14 PDU CORD   | 11             | N              |                | 12                |
| 9408         |       | 6699    | RIO 2 BUS ADAPTER             | 645            | N              |                | 12                |
| 9408         |       | 6800    | PCI 1GBPS ETHERNET IOA        | 695            | N              |                | 12                |
| 9408         |       | 6801    | PCI 1GBPS ETHERNET UTP IOA    | 563            | N              |                | 12                |
| 9408         |       | 6805    | PCI 2 LINE WAN IOA NO IOP     | 343            | N              |                | 12                |
| 9408         |       | 6833    | PCI 2 LINE WAN W/MODEM NOIOP  | 472            | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9408         |       | 7109    | INTELLIGENT PDU PLUS         | 1,173          | N              |                | 12                |
| 9408         |       | 7114    | RACK MOUNT DRWR RAIL KIT     | 121            | N              |                | 12                |
| 9408         |       | 7188    | POWER DISTRIBUTION UNIT      | 806            | N              |                | 12                |
| 9408         |       | 7200    | RACK MOUNT DRWR BEZEL        | 121            | N              |                | 12                |
| 9408         |       | 7703    | 950W POWER SUPPLY            | 217            | N              |                | 12                |
| 9408         |       | 7802    | 15M HMC ATTACHMENT CABLE     | 20             | N              |                | 12                |
| 9408         |       | 7840    | SIDE BY SIDE FOR 1.8M RACKS  | 403            | N              |                | 12                |
| 9408         |       | 7841    | RUGGEDIZE RACK KIT           | 1,209          | N              |                | 12                |
| 9408         |       | 7863    | BLIND SWAP CASSETTE (DOUBLE) | 40             | N              |                | 12                |
| 9409         |       | 0348    | V.24/EIA232 20 FT PCI CABLE  | 101            | N              |                | 12                |
| 9409         |       | 0353    | V.35 20 FT PCI CABLE         | 101            | N              |                | 12                |
| 9409         |       | 0359    | X.21 20 FT PCI CABLE         | 302            | N              |                | 12                |
| 9409         |       | 0367    | OPERATIONS CONSOLE PCI CABLE | 101            | N              |                | 12                |
| 9409         |       | 0371    | LC SC ADAPTER KIT (50UM)     | 66             | N              |                | 12                |
| 9409         |       | 0372    | LC SC ADAPTER KIT (62.5UM)   | 66             | N              |                | 12                |
| 9409         |       | 0446    | 512MB DDR SERVER MEMORY      | 355            | N              |                | 12                |
| 9409         |       | 0456    | CUSTOMER PLACEMENT           | 322            | N              |                | 12                |
| 9409         |       | 0469    | CUSTOM RACK PLACEMENT        | 403            | N              |                | 12                |
| 9409         |       | 0551    | 19 INCH 1.8 METER RACK       | 2,150          | N              |                | 12                |
| 9409         |       | 0553    | 19 INCH 2.0 METER RACK       | 2,922          | N              |                | 12                |
| 9409         |       | 0555    | 19 INCH 1.3 METER RACK       | 1,611          | N              |                | 12                |
| 9409         |       | 0595    | PCI X TOWER UNIT IN RACK     | 5,799          | N              |                | 12                |
| 9409         |       | 0599    | RACK FILLER PANEL KIT        | 60             | N              |                | 12                |
| 9409         |       | 0603    | DIRECT ATTACH 2744           | 677            | N              |                | 12                |
| 9409         |       | 0613    | DIRECT ATTACH 2742           | 343            | N              |                | 12                |
| 9409         |       | 0614    | DIRECT ATTACH 2793           | 472            | N              |                | 12                |
| 9409         |       | 0620    | DIRECT ATTACH 5700           | 695            | N              |                | 12                |
| 9409         |       | 0621    | DIRECT ATTACH 5701           | 563            | N              |                | 12                |
| 9409         |       | 0624    | DIRECT ATTACH 5702           | 530            | N              |                | 12                |
| 9409         |       | 0625    | DIRECT ATTACH 5704           | 2,132          | N              |                | 12                |
| 9409         |       | 0626    | DIRECT ATTACH 2787           | 4,997          | N              |                | 12                |
| 9409         |       | 0629    | 4GBPS FIBRE CHANNEL (1PORT)  | 2,132          | N              |                | 12                |
| 9409         |       | 0630    | PCI X 1GBPS ISCSI TOE COPPER | 959            | N              |                | 12                |
| 9409         |       | 0645    | DIRECT ATTACH 5712           | 473            | N              |                | 12                |
| 9409         |       | 0647    | PCI X DISK/TAPE CTRLR NO IOP | 473            | N              |                | 12                |
| 9409         |       | 1266    | 35.16GB 15K RPM DISK UNIT    | 966            | N              |                | 12                |



| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409         |       | 1267    | 70.56GB 15K RPM DISK UNIT    | 608            | N              |                | 12                |
| 9409         |       | 1268    | 141.12GB 15K RPM DISK UNIT   | 790            | N              |                | 12                |
| 9409         |       | 1269    | 282.25GB 15K RPM DISK UNIT   | 1,704          | N              |                | 12                |
| 9409         |       | 1293    | 36.4GB 10K RPM DISK UNIT     | 483            | N              |                | 12                |
| 9409         |       | 1294    | 73.4GB 10K RPM DISK UNIT     | 483            | N              |                | 12                |
| 9409         |       | 1295    | 146.8GB 10K RPM DISK UNIT    | 563            | N              |                | 12                |
| 9409         |       | 1296    | 36.4GB 15K RPM DISK UNIT     | 483            | N              |                | 12                |
| 9409         |       | 1297    | 73.4GB 15K RPM DISK UNIT     | 531            | N              |                | 12                |
| 9409         |       | 1298    | 146.8GB 15K RPM DISK UNIT    | 790            | N              |                | 12                |
| 9409         |       | 1299    | 300GB 10K RPM DISK UNIT      | 1,289          | N              |                | 12                |
| 9409         |       | 1827    | SERIAL UPS CONVERSION CABLE  | 77             | N              |                | 12                |
| 9409         |       | 1843    | OP PANEL CABLE FOR DESKSIDE  | 4              | N              |                | 12                |
| 9409         |       | 1873    | DWR TO DWR SERIAL CABLE      | 53             | N              |                | 12                |
| 9409         |       | 1874    | RACK TO RACK SERIAL CABLE    | 53             | N              |                | 12                |
| 9409         |       | 1875    | SERIAL PORT CONVERTER CABLE  | 16             | N              |                | 12                |
| 9409         |       | 1877    | OP PANEL CABLE FOR RACKMOUNT | 4              | N              |                | 12                |
| 9409         |       | 1893    | 36.4GB 10K RPM DISK UNIT     | 605            | N              |                | 12                |
| 9409         |       | 1894    | 73.4GB 10K RPM DISK UNIT     | 483            | N              |                | 12                |
| 9409         |       | 1895    | 146.8GB 10K RPM DISK UNIT    | 563            | N              |                | 12                |
| 9409         |       | 1896    | 36.4GB 15K RPM DISK UNIT     | 483            | N              |                | 12                |
| 9409         |       | 1897    | 73.4GB 15K RPM DISK UNIT     | 531            | N              |                | 12                |
| 9409         |       | 1898    | 146.8GB DISK UNIT            | 790            | N              |                | 12                |
| 9409         |       | 2742    | PCI TWO LINE WAN IOA         | 343            | N              |                | 12                |
| 9409         |       | 2744    | PCI 100 MBPS TOKEN RING IOA  | 677            | N              |                | 12                |
| 9409         |       | 2780    | PCI X ULTRA4 RAID DISK CTRLR | 5,481          | N              |                | 12                |
| 9409         |       | 2787    | PCI X FIBRE CHAN DISK CTRLR  | 4,997          | N              |                | 12                |
| 9409         |       | 2793    | PCI 2 LINE WAN W/MODEM       | 472            | N              |                | 12                |
| 9409         |       | 2893    | PCIE 2 LINE WAN W/MODEM      | 472            | N              |                | 12                |
| 9409         |       | 2934    | ASYNC TERMINAL/PRT CABLE     | 29             | N              |                | 12                |
| 9409         |       | 2936    | ASYNC MODEM CABLE            | 48             | N              |                | 12                |
| 9409         |       | 2943    | 8 PORT ASYNC ADAPTER         | 936            | N              |                | 12                |
| 9409         |       | 3578    | 300GB 10K RPM DISK UNIT      | 1,289          | N              |                | 12                |
| 9409         |       | 3652    | SAS CABLE (EE) DRWR DRWR 1M  | 40             | N              |                | 12                |
| 9409         |       | 3653    | SAS CABLE (EE) DRWR DRWR 3M  | 56             | N              |                | 12                |
| 9409         |       | 3654    | SAS CABLE (EE) DRWR DRWR 6M  | 97             | N              |                | 12                |
| 9409         |       | 3668    | SAS CABLE DASD BP TO BULKHD  | 64             | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409         |       | 3684    | SAS CABLE (AE) ADPT ENCL 3M  | 121            | N              |                | 12                |
| 9409         |       | 3685    | SAS CABLE (AE) ADPT ENCL 6M  | 242            | N              |                | 12                |
| 9409         |       | 3687    | SAS CABLE SYS TO ENCL 3M     | 89             | N              |                | 12                |
| 9409         |       | 3691    | SAS CBL (YO) 1X ADP ENC 1.5M | 73             | N              |                | 12                |
| 9409         |       | 3692    | SAS CABLE (YO) 1X ADP ENC 3M | 89             | N              |                | 12                |
| 9409         |       | 3693    | SAS CABLE (YO) 1X ADP ENC 6M | 121            | N              |                | 12                |
| 9409         |       | 4326    | 35.16GB 15K RPM DISK UNIT    | 966            | N              |                | 12                |
| 9409         |       | 4327    | 70.56GB 15K RPM DISK UNIT    | 608            | N              |                | 12                |
| 9409         |       | 4328    | 141.12GB 15K RPM DISK UNIT   | 790            | N              |                | 12                |
| 9409         |       | 4329    | 282.25GB 15K RPM DISK UNIT   | 1,704          | N              |                | 12                |
| 9409         |       | 4521    | 2GB RDIMM MEMORY             | 410            | N              |                | 12                |
| 9409         |       | 4523    | 8GB RDIMM MEMORY             | 1,673          | N              |                | 12                |
| 9409         |       | 4524    | 16GB RDIMM MEMORY            | 3,345          | N              |                | 12                |
| 9409         |       | 4812    | PCI INTEG XSERIES SERVER     | 2,241          | N              |                | 12                |
| 9409         |       | 4986    | 1 PROCESSOR ACTIV FOR 4966   | 6,104          | N              |                | 12                |
| 9409         |       | 4998    | SINGLE 5250 ENTERPRISE ENABL | 40,302         | N              |                | 12                |
| 9409         |       | 4999    | FULL 5250 ENTERPRISE ENABL   | 120,907        | N              |                | 12                |
| 9409         |       | 5094    | PCI X EXPANSION TOWER        | 14,106         | N              |                | 12                |
| 9409         |       | 5294    | 1.8M I/O TOWER               | 46,670         | N              |                | 12                |
| 9409         |       | 5582    | 5738 CTLR W/AUX WRITE CACHE  | 5,638          | N              |                | 12                |
| 9409         |       | 5583    | 5777 CTLR W/AUX WRITE CACHE  | 5,638          | N              |                | 12                |
| 9409         |       | 5590    | 2780 CTLR W/AUX WRITE CACHE  | 6,203          | N              |                | 12                |
| 9409         |       | 5616    | GX DUAL PORT 12X CHAN ATTCH  | 887            | N              |                | 12                |
| 9409         |       | 5624    | 4 PORT 1GB IVE DAUGHTER CARD | 425            | N              |                | 12                |
| 9409         |       | 5647    | PCIE BLIND SWAP CASSETTE STD | 40             | N              |                | 12                |
| 9409         |       | 5679    | 175MB SAS RAID ENABLEMENT    | 2,015          | N              |                | 12                |
| 9409         |       | 5700    | PCI 1 GBPS ETHERNET IOA      | 695            | N              |                | 12                |
| 9409         |       | 5701    | PCI 1 GBPS ETHERNET UTP IOA  | 563            | N              |                | 12                |
| 9409         |       | 5702    | PCI X ULTRA TAPE CONTROLLER  | 530            | N              |                | 12                |
| 9409         |       | 5703    | PCI X RAID DISK UNIT CTLR    | 1,611          | N              |                | 12                |
| 9409         |       | 5704    | PCI X FIBRE CHAN TAPE CTLR   | 2,132          | N              |                | 12                |
| 9409         |       | 5706    | PCI X 1GBPS ETHERNET TX IOA  | 805            | N              |                | 12                |
| 9409         |       | 5712    | PCI X TAPE CONTROLLER        | 473            | N              |                | 12                |
| 9409         |       | 5717    | 1GB ETHRNET UTP 4 PORT ADPTR | 886            | N              |                | 12                |
| 9409         |       | 5736    | PCI X DISK/TAPE CTLR W/IOP   | 473            | N              |                | 12                |
| 9409         |       | 5737    | PCI X DISK CTLR 90MB W/IOP   | 1,611          | N              |                | 12                |

| Machine Type | Model | Feature | Description                   | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9409         |       | 5738    | PCI X DISK CTRLR 1.5GB W/IOP  | 4,997          | N              |                | 12                |
| 9409         |       | 5739    | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,851          | N              |                | 12                |
| 9409         |       | 5749    | 4GBPS FIBRE CHANNEL (2 PORT)  | 2,666          | N              |                | 12                |
| 9409         |       | 5759    | 4GBPS FIBRE CHANNEL (2 PORT)  | 2,666          | N              |                | 12                |
| 9409         |       | 5767    | PCIE 1GB ETHERNET UTP 2PORT   | 563            | N              |                | 12                |
| 9409         |       | 5768    | PCIE 1GB ETHERNET FIBER 2PRT  | 1,065          | N              |                | 12                |
| 9409         |       | 5774    | PCIE 4GB FIBRE CHANNEL 2PORT  | 2,666          | N              |                | 12                |
| 9409         |       | 5775    | PCI X DISK/TAPE CTRLR NO IOP  | 473            | N              |                | 12                |
| 9409         |       | 5776    | PCI X DISK CTRLR 90MB NO IOP  | 1,611          | N              |                | 12                |
| 9409         |       | 5777    | PCI X DISK CTRLR 1.5GB NO IOP | 4,997          | N              |                | 12                |
| 9409         |       | 5778    | PCI X EXP24 CTL 1.5GB NO IOP  | 6,851          | N              |                | 12                |
| 9409         |       | 5781    | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,892          | N              |                | 12                |
| 9409         |       | 5782    | PCI X EXP24 CTL 1.5GB NO IOP  | 6,892          | N              |                | 12                |
| 9409         |       | 5783    | PCI X ISCSI HBA COPPER        | 805            | N              |                | 12                |
| 9409         |       | 5912    | PCI X SAS ADAPTER             | 665            | N              |                | 12                |
| 9409         |       | 6006    | SPCN POWER CABLE 3M           | 32             | N              |                | 12                |
| 9409         |       | 6007    | SPCN POWER CABLE 15M          | 64             | N              |                | 12                |
| 9409         |       | 6068    | OPT FRONT DOOR FOR 1.8M RACK  | 363            | N              |                | 12                |
| 9409         |       | 6069    | OPT FRONT DOOR FOR 2.0M RACK  | 443            | N              |                | 12                |
| 9409         |       | 6248    | 1.8M RACK ACOUSTIC DOORS      | 2,831          | N              |                | 12                |
| 9409         |       | 6249    | 2.0M RACK ACOUSTIC DOORS      | 2,831          | N              |                | 12                |
| 9409         |       | 6417    | HSL 2/RIO G BUS ADAPTER       | 709            | N              |                | 12                |
| 9409         |       | 6458    | 14 FT INT 250V/10A PWR CD     | 11             | N              |                | 12                |
| 9409         |       | 6460    | 14 FT 125V/15A POWER CORD     | 11             | N              |                | 12                |
| 9409         |       | 6469    | 14 FT 250V/15A POWER CORD     | 11             | N              |                | 12                |
| 9409         |       | 6470    | 6 FT 125V/15A POWER CORD      | 11             | N              |                | 12                |
| 9409         |       | 6492    | 14 FT 1PH/48 60A PWR CORD     | 213            | N              |                | 12                |
| 9409         |       | 6497    | 6 FT 250V/15A POWER CORD      | 32             | N              |                | 12                |
| 9409         |       | 6580    | OPTIONAL RACK SECURITY KIT    | 145            | N              |                | 12                |
| 9409         |       | 6586    | MODEM TRAY FOR 19 INCH RACK   | 202            | N              |                | 12                |
| 9409         |       | 6598    | DISK SLOT FILLER (QTY 4)      | 32             | N              |                | 12                |
| 9409         |       | 6654    | 14 FT 1HP/24 30A PWR CORD     | 161            | N              |                | 12                |
| 9409         |       | 6671    | 9FT IEC 320 C13/14 PDU CORD   | 11             | N              |                | 12                |
| 9409         |       | 6672    | 5FT IEC 320 C13/14 PDU CORD   | 11             | N              |                | 12                |
| 9409         |       | 6699    | RIO2 BUS ADAPTER              | 645            | N              |                | 12                |
| 9409         |       | 6800    | PCI 1GBPS ETHERNET IOA        | 695            | N              |                | 12                |

| Machine Type | Model | Feature | Description                  | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409         |       | 6801    | PCI 1GBPS ETHERNET UTP IOA   | 563            | N              |                | 12                |
| 9409         |       | 6805    | PCI 2 LINE WAN IOA NO IOP    | 343            | N              |                | 12                |
| 9409         |       | 6833    | PCI 2 LINE WAN W/MODEM NOIOP | 472            | N              |                | 12                |
| 9409         |       | 7109    | INTELLIGENT PDU PLUS         | 1,173          | N              |                | 12                |
| 9409         |       | 7146    | RACK MOUNT DRWR RAIL KIT     | 242            | N              |                | 12                |
| 9409         |       | 7188    | POWER DISTRIBUTION UNIT      | 806            | N              |                | 12                |
| 9409         |       | 7802    | 15M HMC ATTACHMENT CABLE     | 20             | N              |                | 12                |
| 9409         |       | 7840    | SIDE BY SIDE FOR 1.8M RACKS  | 403            | N              |                | 12                |
| 9409         |       | 7841    | RUGGEDIZE RACK KIT           | 1,209          | N              |                | 12                |
| 9409         |       | 7863    | BLIND SWAP CASSETTE (DOUBLE) | 40             | N              |                | 12                |
| 9830         | AE1   |         | FLASHSYSTEM                  | 15,315         | Y              | 2              | 12                |
| 9830         | AS1   |         | FLASHSYSTEM                  | 15,315         | Y              | 2              | 12                |
| 9830         |       | 3700    | 1 M FIBER CABLE LC LC        | 57             | N              |                | 12                |
| 9830         |       | 3701    | 5 M FIBER CABLE LC LC        | 72             | N              |                | 12                |
| 9830         |       | 5989    | 3 M IBM QSFP OPT QDR IB      | 837            | N              |                | 12                |
| 9830         |       | 5990    | 10 M IBM QSFP OPT QDR IB     | 909            | N              |                | 12                |
| 9830         |       | 6313    | LINE CORD - 2.8M 120V US     | 18             | N              |                | 12                |
| 9830         |       | A0RD    | 1 M IBM QSFP COP IB          | 239            | N              |                | 12                |
| 9830         |       | A0RE    | 3 M IBM QSFP COP IB          | 430            | N              |                | 12                |
| 9830         |       | A2YG    | 1 M MLNX QSFP COP FDR14 IB   | 239            | N              |                | 12                |
| 9830         |       | A2YH    | 3 M MLNX QSFP COP FDR14 IB   | 287            | N              |                | 12                |
| 9830         |       | A2YL    | 3 M MLNX QSFP OPT FDR14 IB   | 1,292          | N              |                | 12                |
| 9830         |       | AF00    | 1TB SLC 4PACK                | 27,280         | N              |                | 12                |
| 9830         |       | AF01    | ACTIVE SPARE SLC PROTECTION  | 3,829          | N              |                | 12                |
| 9830         |       | AF04    | 8 GB FC 4 PORT EXT INT       | 7,657          | N              |                | 12                |
| 9830         |       | AF05    | IB QDR 4 PORT EXT INT        | 7,657          | N              |                | 12                |
| 9830         |       | AF06    | 3TB SLC 12PACK               | 81,839         | N              |                | 12                |
| 9830         |       | AF07    | 5TB SLC 20PACK               | 135,919        | N              |                | 12                |
| 9830         |       | AF08    | UPGRADE 1TB SLC 4PACK        | 27,280         | N              |                | 12                |
| 9830         |       | AF09    | 6TB EMLC 12PACK              | 81,839         | N              |                | 12                |
| 9830         |       | AF0A    | 10TB EMLC 20PACK             | 135,919        | N              |                | 12                |
| 9830         |       | AF0B    | UPGRADE 2TB EMLC 4PACK       | 27,280         | N              |                | 12                |
| 9830         |       | AF0G    | 2TB SLC 8PACK                | 54,559         | N              |                | 12                |
| 9830         |       | AF0H    | 4TB SLC 16PACK               | 109,118        | N              |                | 12                |
| 9830         |       | AF0I    | 2TB EMLC 4PACK               | 27,280         | N              |                | 12                |
| 9830         |       | AF0J    | ACTIVE SPARE EMLC PROTECTION | 3,829          | N              |                | 12                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9830         |       | AF0L    | 4TB EMLC 8PACK                 | 54,559         | N              |                | 12                |
| 9830         |       | AF0P    | 8TB EMLC 16PACK                | 109,118        | N              |                | 12                |
| 9831         | AE2   |         | FLASHSYSTEM 820                | 15,315         | Y              | 2              | 12                |
| 9831         | AS2   |         | FLASHSYSTEM 720                | 15,315         | Y              | 2              | 12                |
| 9831         |       | 3700    | 1 M FIBER CABLE (LC LC)        | 57             | N              |                | 12                |
| 9831         |       | 3701    | 5 M FIBER CABLE (LC LC)        | 72             | N              |                | 12                |
| 9831         |       | 5989    | 3 M IBM QSFP OPT QDR IB        | 837            | N              |                | 12                |
| 9831         |       | 5990    | 10 M IBM QSFP OPT QDR IB       | 909            | N              |                | 12                |
| 9831         |       | 6313    | LINE CORD - 2.8M 120V (US)     | 18             | N              |                | 12                |
| 9831         |       | A0RD    | 1 M IBM QSFP COP IB            | 239            | N              |                | 12                |
| 9831         |       | A0RE    | 3 M IBM QSFP COP IB            | 430            | N              |                | 12                |
| 9831         |       | A2YG    | 1 M MLNX QSFP COP FDR14 IB     | 239            | N              |                | 12                |
| 9831         |       | A2YH    | 3 M MLNX QSFP COP FDR14 IB     | 287            | N              |                | 12                |
| 9831         |       | A2YL    | 3 M MLNX QSFP OPT FDR14 IB     | 1,292          | N              |                | 12                |
| 9831         |       | A2YN    | 10 M MLNX QSFP OPT FDR14 IB    | 1,363          | N              |                | 12                |
| 9831         |       | AF02    | 6TB SLC RAID 0 (12 PACK)       | 158,892        | N              |                | 12                |
| 9831         |       | AF03    | 12TB SLC RAID 0 (12 PACK)      | 316,826        | N              |                | 12                |
| 9831         |       | AF04    | 8 GB FC 4 PORT EXT INT         | 7,657          | N              |                | 12                |
| 9831         |       | AF05    | IB QDR 4 PORT EXT INT          | 7,657          | N              |                | 12                |
| 9831         |       | AF0E    | 12TB EMLC RAID 0 (12 PACK)     | 158,892        | N              |                | 12                |
| 9831         |       | AF0F    | 24TB EMLC RAID 0 (12 PACK)     | 316,826        | N              |                | 12                |
| 9910         | E15   |         | POWERWARE 9130 1.5 KVA TOWER   | 1,411          | Y              | 2              | 60                |
| 9910         | E35   |         | POWERWARE PW 9910G3KVA 208VXL3 | 1,842          | Y              | 2              | 60                |
| 9910         | E66   |         | POWERWARE PW 9910G6KVA 208VXL4 | 2,136          | Y              | 2              | 60                |
| 9910         |       | 1420    | PWR CORD L6-30 TO L6-30 14 FT. | 65             | N              |                | 60                |
| 9910         |       | 1421    | PWR CORD L6-30 TO L6-30 6 FT.  | 53             | N              |                | 60                |
| 9910         |       | 1422    | PW CORD L6-30 TO RUSSELLS.6FT  | 113            | N              |                | 60                |
| 9910         |       | 1423    | PW CORD L6-30 TO RUSSELL.14FT  | 124            | N              |                | 60                |
| 9910         |       | 1426    | PWR CORD L6-30 TO AUSTR.30A    | 162            | N              |                | 60                |
| 9910         |       | 1427    | PWR CORD L6-30 TO NZ 30A(PDL)  | 162            | N              |                | 60                |
| 9910         |       | 2103    | CONNECT UPS (TWIST IEC320)     | 321            | N              |                | 0                 |
| 9910         |       | 2203    | CONNECT UPS THINWIRE IEC320    | 321            | N              |                | 0                 |
| 9910         |       | 2911    | POWERPASS (110-127V)           | 120            | N              |                | 0                 |
| 9910         |       | 2921    | POWER CORDJ01/ J30(110-127V)   | 12             | N              |                | 0                 |
| 9910         |       | 2934    | PWRWARE XSLOT WEB/SNMP/XHUB C. | 298            | N              |                | 0                 |
| 9910         |       | 2936    | POWER. X-SLOT RELAY CARD/CAB   | 123            | N              |                | 60                |

| Machine Type | Model | Feature | Description                    | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9910         |       | 2938    | PWR ENV.MON.PROBE-2934/2935    | 132            | N              |                | 60                |
| 9910         |       | 2939    | POWERWARE X-SLOT RELAY-SER.KIT | 210            | N              |                | 60                |
| 9910         |       | 2941    | OP ETHERNET CARD               | 343            | N              |                | 60                |
| 9910         |       | 2944    | POWERWARE RELAY SERIAL CARD    | 133            | N              |                | 60                |
| 9910         |       | 2945    | POWERWARE NETWORK MANAGEMENT   | 197            | N              |                | 60                |
| 9910         |       | 2970    | PW CORD L6-30 TO L6-30 6FT     | 53             | N              |                | 60                |
| 9910         |       | 2972    | 14 FT 1PH/24-30A PWR CORD      | 109            | N              |                | 60                |
| 9910         |       | 2973    | POWERWARE PDU TO UPS PWR.CORD  | 226            | N              |                | 60                |
| 9910         |       | 2974    | POWERWARE PDU TO UPS PWR.CORD  | 202            | N              |                | 60                |
| 9910         |       | 2975    | UPS INPUT PWR.CORD 30A(2.4M)   | 113            | N              |                | 60                |
| 9910         |       | 2976    | POWER CORD 8 FT SINGLE PHASE I | 1,814          | N              |                | 60                |
| 9910         |       | 6570    | POWER.9125 3 KVA TOWER PPDM    | 750            | N              |                | 60                |
| 9910         |       | 6571    | POWER.9125 6 KVA TOWER PPDM    | 677            | N              |                | 60                |
| 9910         |       | 6572    | POWER.9125 6KVA(IEC DIST.MOD)  | 623            | N              |                | 60                |
| 9910         |       | 6608    | PWRWARE 1500VA RACKMT BATT MOD | 540            | N              |                | 0                 |
| 9910         |       | 6645    | EXTENDED BATTERY MOD. E64/65   | 1,096          | N              |                | 60                |
| 9910         |       | 6646    | EXTENDED BATTERY MOD. E82/83   | 1,773          | N              |                | 60                |
| 9910         |       | 6647    | POWERWARE 9130 1.5 KVA EXT. BA | 625            | N              |                | 60                |
| 9910         |       | 6651    | POWERWARE PW 9910 3KVA EXT. B  | 1,064          | N              |                | 60                |
| 9910         |       | 6652    | POWERWARE PW 9910 6KVA EXT.BAT | 1,028          | N              |                | 60                |
| 9910         |       | 7015    | AS/400 INTERFACE CABL 15FT     | 64             | N              |                | 0                 |
| 9910         |       | 7117    | SPLITTER CABLE                 | 137            | N              |                | 0                 |
| 9910         |       | 9851    | POWER CORD PRESTIGE 3000 L6-30 | 189            | N              |                | 0                 |
| 9910         |       | 9860    | PW CORD/RED.PW SOURCE - 14FT.  | 35             | N              |                | 60                |
| 9910         |       | 9874    | PW C/RED.PW SOURCE 14FT        | 31             | N              |                | 60                |
| 9910         |       | 9875    | PW C/RED.PW SOURCE 14FT        | 37             | N              |                | 60                |