

Hardware withdrawal: Select IBM FlashSystem models and features - Some replacements available

Table of contents

1 Overview	15 Replacement product information
1 Withdrawn products	

Overview

Effective July 16, 2022, IBM[®] will withdraw from marketing IBM FlashSystem[®] 5000 models 12G, 24G, and 92G for machine types 2077 and 2078, and associated plant-install features.

Effective January 14, 2023, IBM will withdraw from marketing:

- IBM FlashSystem 5100 models 4H4, UHB, 12G, 24G, and 92G for machine types 2077 and 2078, and related field-install features
- Select FlashSystem 5200 machine type 4662 feature codes
- Select FlashSystem 5015 and 5035 machine type 2072 feature codes

On or after the effective dates of withdrawal, you can no longer order these products directly from IBM.

For new orders, the client-requested arrival date (CRAD) can be no later than July 29, 2022, for products withdrawn effective July 16, 2022, and January 27, 2023, for products withdrawn effective January 14, 2023.

You can obtain the products on an as-available basis through IBM Business Partners.

If you have a continuing need for this machine/model type, go to the [IBM Certified Pre-owned Equipment](#) website to check on availability or utilize the request a quote to communicate your specific requirements. IBM Certified Pre-owned Equipment has the largest inventory of used IBM systems that are refurbished, tested, and warranted for a minimum of 90 days.

Withdrawn products

Effective July 16, 2022, the following models and features will be withdrawn:

Description	Machine type	Model number	Feature number
IBM FlashSystem 5100 LFF Expansion Enclosure	2077	12G	
IBM FlashSystem 5100 SFF Expansion Enclosure	2077	24G	
IBM FlashSystem 5100 High Density Expansion	2077	92G	
IBM FlashSystem 5100 LFF	2078	12G	

Description	Machine type	Model number	Feature number
Expansion Enclosure			
IBM FlashSystem 5100 SFF Expansion Enclosure	2078	24G	
IBM FlashSystem 5100 High Density Expansion Enclosure	2078	92G	
JEMT Indicator	2077	12G, 24G, 92G	0021
TAA Compliance	2077	12G, 24G, 92G	0983
Rack Indicator None	2077	12G, 24G, 92G	4650
Rack Indicator Rack 1	2077	12G, 24G, 92G	4651
Rack Indicator Rack 2	2077	12G, 24G, 92G	4652
Rack Indicator Rack 3	2077	12G, 24G, 92G	4653
Rack Indicator Rack 4	2077	12G, 24G, 92G	4654
Rack Indicator Rack 5	2077	12G, 24G, 92G	4655
Rack Indicator Rack 6	2077	12G, 24G, 92G	4656
Rack Indicator Rack 7	2077	12G, 24G, 92G	4657
Rack Indicator Rack 8	2077	12G, 24G, 92G	4658
Rack Indicator Rack 9	2077	12G, 24G, 92G	4659
Rack Indicator Rack 10	2077	12G, 24G, 92G	4660
Rack Indicator Rack 11	2077	12G, 24G, 92G	4661
Rack Indicator Rack 12	2077	12G, 24G, 92G	4662
Rack Indicator Rack 13	2077	12G, 24G, 92G	4663
Rack Indicator Rack 14	2077	12G, 24G, 92G	4664
Rack Indicator Rack 15	2077	12G, 24G, 92G	4665
Rack Indicator Rack 16	2077	12G, 24G, 92G	4666
Storage Subsystem ID 1	2077	12G, 24G, 92G	9170
Storage Subsystem ID 2	2077	12G, 24G, 92G	9171
Storage Subsystem ID 3	2077	12G, 24G, 92G	9172
Storage Subsystem ID 4	2077	12G, 24G, 92G	9173
Storage Subsystem ID 5	2077	12G, 24G, 92G	9174
Storage Subsystem ID 6	2077	12G, 24G, 92G	9175
Storage Subsystem ID 7	2077	12G, 24G, 92G	9176
Storage Subsystem ID 8	2077	12G, 24G, 92G	9177

Description	Machine type	Model number	Feature number
Storage Subsystem ID 9	2077	12G, 24G, 92G	9178
Storage Subsystem ID 10	2077	12G, 24G, 92G	9179
Storage Subsystem ID 11	2077	12G, 24G, 92G	9180
Storage Subsystem ID 12	2077	12G, 24G, 92G	9181
Storage Subsystem ID 13	2077	12G, 24G, 92G	9182
Storage Subsystem ID 14	2077	12G, 24G, 92G	9183
Storage Subsystem ID 15	2077	12G, 24G, 92G	9184
Storage Subsystem ID 16	2077	12G, 24G, 92G	9185
Storage Subsystem ID 17	2077	12G, 24G, 92G	9186
Storage Subsystem ID 18	2077	12G, 24G, 92G	9187
Storage Subsystem ID 19	2077	12G, 24G, 92G	9188
Storage Subsystem ID 20	2077	12G, 24G, 92G	9189
Month Indicator	2077	12G, 24G, 92G	9461
Day Indicator	2077	12G, 24G, 92G	9462
Hour Indicator	2077	12G, 24G, 92G	9463
Minute Indicator	2077	12G, 24G, 92G	9464
Quantity Indicator	2077	12G, 24G, 92G	9465
Countable Member Indicator	2077	12G, 24G, 92G	9466
RFID AG/AP: 902-928 MHz	2077	12G, 24G, 92G	A2EV
RFID EMEA: 865.6-867.8 MHz	2077	12G, 24G, 92G	A2EW
OEM 1 MTM Order Indicator	2077	12G, 24G, 92G	ACY1
OEM 2 MTM Order Indicator	2077	12G, 24G, 92G	ACY2
OEM 3 MTM Order Indicator	2077	12G, 24G, 92G	ACY3
OEM 4 MTM Order Indicator	2077	12G, 24G, 92G	ACY4
OEM 5 MTM Order Indicator	2077	12G, 24G, 92G	ACY5
OEM 6 MTM Order Indicator	2077	12G, 24G, 92G	ACY6
OEM 7 MTM Order Indicator	2077	12G, 24G, 92G	ACY7
OEM 8 MTM Order Indicator	2077	12G, 24G, 92G	ACY8
OEM 9 MTM Order Indicator	2077	12G, 24G, 92G	ACY9
OEM 10 MTM Order Indicator	2077	12G, 24G, 92G	ACYA
OEM 11 MTM Order Indicator	2077	12G, 24G, 92G	ACYB
OEM 12 MTM Order Indicator	2077	12G, 24G, 92G	ACYC
OEM 13 MTM Order Indicator	2077	12G, 24G, 92G	ACYD

Description	Machine type	Model number	Feature number
OEM 14 MTM Order Indicator	2077	12G, 24G, 92G	ACYE
OEM 15 MTM Order Indicator	2077	12G, 24G, 92G	ACYF
Generic Bezel	2077	12G, 24G, 92G	ACZA
Generic Packaging	2077	12G, 24G, 92G	ACZF
Order Type 1 Indicator - CTO	2077	12G, 24G, 92G	ADN1
Order Type 2 Indicator - MTM Only	2077	12G, 24G, 92G	ADN2
TAA Designated Country	2077	12G, 24G, 92G	ADZ1
Shipping and Handling - No Charge	2077	12G, 24G, 92G	AG00
Shipping and Handling	2077	12G, 24G, 92G	AGC8
AC Power Supply High Efficiency (Pair)	2077	12G, 24G	AHPA
DC Power Supply -48V	2077	12G, 24G	AHPB
Future use - reserved 1	2077	12G, 24G, 92G	AHY1
Future use - reserved 2	2077	12G, 24G, 92G	AHY2
Future use - reserved 3	2077	12G, 24G, 92G	AHY3
Future use - reserved 4	2077	12G, 24G, 92G	AHY4
Future use - reserved 5	2077	12G, 24G, 92G	AHY5
Future use - reserved 6	2077	12G, 24G, 92G	AHY6
Future use - reserved 7	2077	12G, 24G, 92G	AHY7
Future use - reserved 8	2077	12G, 24G, 92G	AHY8
Future use - reserved 9	2077	12G, 24G, 92G	AHY9
Hybrid Flash Indicator	2077	12G, 24G, 92G	AHZE
Route to Power Manufacturing Indicator	2077	12G, 24G, 92G	EFD0
VersaStack Solution Indicator	2077	24G, 92G	AHZC
All Flash Solution Indicator	2077	24G, 92G	AHZD
JEMT Indicator	2078	12G, 24G, 92G	0021
TAA Compliance	2078	12G, 24G, 92G	0983
Rack Indicator None	2078	12G, 24G, 92G	4650
Rack Indicator Rack 1	2078	12G, 24G, 92G	4651
Rack Indicator Rack 2	2078	12G, 24G, 92G	4652
Rack Indicator Rack 3	2078	12G, 24G, 92G	4653
Rack Indicator Rack 4	2078	12G, 24G, 92G	4654

Description	Machine type	Model number	Feature number
Rack Indicator Rack 5	2078	12G, 24G, 92G	4655
Rack Indicator Rack 6	2078	12G, 24G, 92G	4656
Rack Indicator Rack 7	2078	12G, 24G, 92G	4657
Rack Indicator Rack 8	2078	12G, 24G, 92G	4658
Rack Indicator Rack 9	2078	12G, 24G, 92G	4659
Rack Indicator Rack 10	2078	12G, 24G, 92G	4660
Rack Indicator Rack 11	2078	12G, 24G, 92G	4661
Rack Indicator Rack 12	2078	12G, 24G, 92G	4662
Rack Indicator Rack 13	2078	12G, 24G, 92G	4663
Rack Indicator Rack 14	2078	12G, 24G, 92G	4664
Rack Indicator Rack 15	2078	12G, 24G, 92G	4665
Rack Indicator Rack 16	2078	12G, 24G, 92G	4666
Storage Subsystem ID 1	2078	12G, 24G, 92G	9170
Storage Subsystem ID 2	2078	12G, 24G, 92G	9171
Storage Subsystem ID 3	2078	12G, 24G, 92G	9172
Storage Subsystem ID 4	2078	12G, 24G, 92G	9173
Storage Subsystem ID 5	2078	12G, 24G, 92G	9174
Storage Subsystem ID 6	2078	12G, 24G, 92G	9175
Storage Subsystem ID 7	2078	12G, 24G, 92G	9176
Storage Subsystem ID 8	2078	12G, 24G, 92G	9177
Storage Subsystem ID 9	2078	12G, 24G, 92G	9178
Storage Subsystem ID 10	2078	12G, 24G, 92G	9179
Storage Subsystem ID 11	2078	12G, 24G, 92G	9180
Storage Subsystem ID 12	2078	12G, 24G, 92G	9181
Storage Subsystem ID 13	2078	12G, 24G, 92G	9182
Storage Subsystem ID 14	2078	12G, 24G, 92G	9183
Storage Subsystem ID 15	2078	12G, 24G, 92G	9184
Storage Subsystem ID 16	2078	12G, 24G, 92G	9185
Storage Subsystem ID 17	2078	12G, 24G, 92G	9186
Storage Subsystem ID 18	2078	12G, 24G, 92G	9187
Storage Subsystem ID 19	2078	12G, 24G, 92G	9188

Description	Machine type	Model number	Feature number
Storage Subsystem ID 20	2078	12G, 24G, 92G	9189
Month Indicator	2078	12G, 24G, 92G	9461
Day Indicator	2078	12G, 24G, 92G	9462
Hour Indicator	2078	12G, 24G, 92G	9463
Minute Indicator	2078	12G, 24G, 92G	9464
Quantity Indicator	2078	12G, 24G, 92G	9465
Countable Member Indicator	2078	12G, 24G, 92G	9466
RFID AG/AP: 902-928 MHz	2078	12G, 24G, 92G	A2EV
RFID EMEA: 865.6-867.8 MHz	2078	12G, 24G, 92G	A2EW
OEM 1 MTM Order Indicator	2078	12G, 24G, 92G	ACY1
OEM 2 MTM Order Indicator	2078	12G, 24G, 92G	ACY2
OEM 3 MTM Order Indicator	2078	12G, 24G, 92G	ACY3
OEM 4 MTM Order Indicator	2078	12G, 24G, 92G	ACY4
OEM 5 MTM Order Indicator	2078	12G, 24G, 92G	ACY5
OEM 6 MTM Order Indicator	2078	12G, 24G, 92G	ACY6
OEM 7 MTM Order Indicator	2078	12G, 24G, 92G	ACY7
OEM 8 MTM Order Indicator	2078	12G, 24G, 92G	ACY8
OEM 9 MTM Order Indicator	2078	12G, 24G, 92G	ACY9
OEM 10 MTM Order Indicator	2078	12G, 24G, 92G	ACYA
OEM 11 MTM Order Indicator	2078	12G, 24G, 92G	ACYB
OEM 12 MTM Order Indicator	2078	12G, 24G, 92G	ACYC
OEM 13 MTM Order Indicator	2078	12G, 24G, 92G	ACYD
OEM 14 MTM Order Indicator	2078	12G, 24G, 92G	ACYE
OEM 15 MTM Order Indicator	2078	12G, 24G, 92G	ACYF
Generic Bezel	2078	12G, 24G, 92G	ACZA
Generic Packaging	2078	12G, 24G, 92G	ACZF
Order Type 1 Indicator - CTO	2078	12G, 24G, 92G	ADN1
Order Type 2 Indicator - MTM Only	2078	12G, 24G, 92G	ADN2
TAA Designated Country	2078	12G, 24G, 92G	ADZ1
Shipping and Handling - No Charge	2078	12G, 24G, 92G	AG00
Shipping and Handling	2078	12G, 24G, 92G	AGC8
AC Power Supply High Efficiency (Pair)	2078	12G, 24G	AHPA
DC Power Supply -48V	2078	12G, 24G	AHPB

Description	Machine type	Model number	Feature number
Future use - reserved 1	2078	12G, 24G, 92G	AHY1
Future use - reserved 2	2078	12G, 24G, 92G	AHY2
Future use - reserved 3	2078	12G, 24G, 92G	AHY3
Future use - reserved 4	2078	12G, 24G, 92G	AHY4
Future use - reserved 5	2078	12G, 24G, 92G	AHY5
Future use - reserved 6	2078	12G, 24G, 92G	AHY6
Future use - reserved 7	2078	12G, 24G, 92G	AHY7
Future use - reserved 8	2078	12G, 24G, 92G	AHY8
Future use - reserved 9	2078	12G, 24G, 92G	AHY9
Hybrid Flash Indicator	2078	12G, 24G, 92G	AHZE
Route to Power Manufacturing Indicator	2078	12G, 24G, 92G	EFD0
VersaStack Solution Indicator	2078	24G, 92G	AHZC
All Flash Solution Indicator	2078	24G, 92G	AHZD

Effective January 14, 2023, the following features will be withdrawn:

Description	Machine type	Model number	Feature number
Bulk Order Indicator	2077	12G, 24G, 4H4, 92G	5555
Storwize ^(R) Expansion Bezel	2077	12G, 24G, 92G	ACZK
Order Type 3 Indicator - FC Only	2077	12G, 24G, 4H4, 92G	ADN3
Power Cord - EMEA	2077	12G, 24G, 4H4	9716
Power Cord - Australia / New Zealand	2077	12G, 24G, 4H4	9717
Power Cord - Europe / Africa	2077	12G, 24G, 4H4	9718
Power Cord - Denmark	2077	12G, 24G, 4H4	9719
Power Cord - South Africa	2077	12G, 24G, 4H4	9720
Power Cord - Switzerland	2077	12G, 24G, 4H4	9721
Power Cord - Chile / Italy	2077	12G, 24G, 4H4	9722
Power Cord - Israel	2077	12G, 24G, 4H4	9723
Power Cord - Argentina	2077	12G, 24G, 4H4	9725
Power Cord - China	2077	12G, 24G, 4H4	9726
Power Cord - PDU Connection	2077	12G, 24G, 4H4	9730
Power Cord - US/ Group 1	2077	12G, 24G	9731

Description	Machine type	Model number	Feature number
Power Cord - Taiwan	2077	12G, 24G	9732
Power Cord - Brazil	2077	12G, 24G, 4H4	9733
Power Cord - India	2077	12G, 24G, 4H4	9734
Power Cord - Japan	2077	12G, 24G	9735
Power Cord - Korea	2077	12G, 24G, 4H4	9736
Power Cord - Chicago	2077	12G, 24G	9737
1.2TB 10K 3.5 Inch HDD	2077	12G	AC28
1.8TB 10K 3.5 Inch HDD	2077	12G	AC29
2.4TB 10K 3.5 Inch HDD	2077	12G	AC2A
6TB 7.2K 3.5 Inch NL HDD	2077	12G	AC3A
8TB 7.2K 3.5 Inch NL HDD	2077	12G	AC3B
10TB 7.2K 3.5 Inch NL HDD	2077	12G	AC3C
12TB 7.2K 3.5 Inch NL HDD	2077	12G	AC3D
0.6m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2077	12G, 24G	ACUA
1.5m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2077	12G, 24G	ACUB
3m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2077	12G, 24G, 92G	ACUC
6m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2077	12G, 24G, 92G	ACUE
Power Cord - DC	2077	12G, 24G	AHP4
Power Cord - PDU Connection (C20)	2077	12G, 24G, 4H4	AHP6
Power Cord - PDU Connection - India	2077	12G, 24G, 4H4	AHP7
Power Cord - PDU Connection (C20) - India	2077	12G, 24G, 4H4	AHP9
ServicePac ^(R) Warranty and Maintenance Option 5 YR 24x7 Same Day ORT 6hrCL/4hrPD	2077	12G, 24G, 4H4, 92G	B0MT
ServicePac Basic Selection Services for Storage 3 years	2077	12G, 24G, 4H4, 92G	B0N1
ServicePac for Hard Drive or Media Retention for Storage 3 years	2077	12G, 24G, 4H4, 92G	B0NQ
ServicePac Warranty and Maintenance Option 3 YR 24x7	2077	12G, 24G, 4H4, 92G	B0NU

Description	Machine type	Model number	Feature number
Same Day ORT 6hrCL/4hrPD			
ServicePac for Hard Drive or Media Retention for Storage 5 years	2077	12G, 24G, 4H4, 92G	B0PF
ServicePac Basic Selection Services for Storage 5 years	2077	12G, 24G, 4H4, 92G	B0PK
ServicePac Warranty and Maintenance Option 5 YR 24x7 Committed Fix 24h	2077	12G, 24G, 4H4, 92G	B17H
ServicePac Warranty and Maintenance Option 3 YR 24x7 Committed Fix 24h	2077	12G, 24G, 4H4, 92G	B1K3
CSC ORDER ROUTING INDICATOR - GUADALAJARA	2077	12G	ECSM
1.2TB 10K 2.5 Inch HDD	2077	24G	AC69
1.8TB 10K 2.5 Inch HDD	2077	24G	AC6A
2.4TB 10K 2.5 Inch HDD	2077	24G	AC6B
800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive	2077	24G	AC8J
1.92TB 2.5" Flash Drive	2077	24G	ACM0
3.84TB 2.5" Flash Drive	2077	24G	ACM1
7.68TB 2.5Inch Flash Drive	2077	24G	ACM2
15.36TB 2.5Inch Flash Drive	2077	24G	ACM3
30.72 TB 12 Gb SAS 2.5 Inch Flash Drive	2077	24G	ACM4
32Gb FC Adapter Pair	2077	4H4	ACB9
SAS Enclosure Attach Card Pair	2077	4H4	ACBA
16Gb FC Adapter Pair	2077	4H4	ACBB
25GbE (RoCE) Adapter Pair	2077	4H4	ACBE
25GbE (iWARP) Adapter Pair	2077	4H4	ACBF
Encryption Enablement	2077	4H4	ACE3
Encryption USB Drive Pack	2077	4H4	ACEC
V5100 64 GB Cache upgrade	2077	4H4	ACGE
V5100 384 GB Cache upgrade	2077	4H4	ACGF
16 Gb FC LW SFP Transceivers(Pair)	2077	4H4	ACHU

Description	Machine type	Model number	Feature number
32 Gb FC LW SFP Transceivers (Pair)	2077	4H4	ACHV
1m OM3 Fiber Cable (LC)	2077	4H4	ACSQ
5m OM3 Fiber Cable (LC)	2077	4H4	ACSR
10m OM3 Fiber Cable (LC)	2077	4H4	ACSS
25m OM3 Fiber Cable (LC)	2077	4H4	ACST
4.8 TB NVMe FlashCore Module	2077	4H4	AES5
9.6 TB NVMe FlashCore Module	2077	4H4	AES6
19.2 TB NVMe FlashCore Module	2077	4H4	AES7
38.4 TB NVMe FlashCore Module	2077	4H4	AES8
800 GB 2.5 Inch NVMe Flash Drive	2077	4H4	AET1
1.92 TB 2.5 Inch NVMe Flash Drive	2077	4H4	AET2
3.84 TB 2.5 Inch NVMe Flash Drive	2077	4H4	AET3
7.68 TB 2.5 Inch NVMe Flash Drive	2077	4H4	AET4
15.36 TB 2.5 Inch NVMe Flash Drive	2077	4H4	AET5
1.6 TB NVMe Storage Class Memory Drive	2077	4H4	AETF
1.2TB 10K 3.5 Inch HDD	2077	92G	ACP3
1.8TB 10K 3.5 Inch HDD	2077	92G	ACP4
2.4TB 10K 3.5 Inch HDD	2077	92G	ACP5
6TB 7.2K 3.5 Inch NL HDD	2077	92G	ACP7
8TB 7.2K 3.5 Inch NL HDD	2077	92G	ACP8
10TB 7.2K 3.5 Inch NL HDD	2077	92G	ACP9
12TB 7.2K 3.5 Inch NL HDD	2077	92G	ACPA
1.92TB 3.5 Inch Flash Drive	2077	92G	ACPJ
3.84TB 3.5 Inch Flash Drive	2077	92G	ACPK
7.68TB 3.5 Inch Flash Drive	2077	92G	ACPL
15.36TB 3.5 Inch Flash Drive	2077	92G	ACPM
30.72 TB 12 Gb SAS 3.5 Inch Flash Drive	2077	92G	ACPN
Power Cord - PDU High Density Expansion	2077	92G	AHP5
Power Cord - PDU High Density Expansion - India	2077	92G	AHP8

Description	Machine type	Model number	Feature number
Bulk Order Indicator	2078	12G, 24G, 4H4, 92G, UHB	5555
Storwize Expansion Bezel	2078	12G, 24G, 92G	ACZK
Order Type 3 Indicator - FC Only	2078	12G, 24G, 4H4, 92G, UHB	ADN3
OEM Bulk Option AHL2	2078	12G	AHL2
OEM Bulk option AHLD	2078	12G	AHLD
OEM Bulk Option AHM2	2078	12G	AHM2
OEM Bulk Option AHMD	2078	12G	AHMD
OEM Bulk Option 608	2078	24G	ACV2
OEM Bulk Option 609	2078	24G	ACV3
OEM Bulk Option 602	2078	24G	ACXG
OEM Bulk Option 603	2078	24G	ACXH
OEM Bulk Option 604	2078	24G	ACXJ
OEM Bulk Option AHLE	2078	24G	AHLE
OEM Bulk Option AHLF	2078	24G	AHLF
OEM Bulk Option AHLJ	2078	24G	AHLJ
OEM Bulk Option AHME	2078	24G	AHME
OEM Bulk Option AHMF	2078	24G	AHMF
OEM Bulk Option AHMJ	2078	24G	AHMJ
Variable Usage 1TB/month	2078	UHB	AE00
Variable Usage 10TB/month	2078	UHB	AE01
Variable Usage 100TB/month	2078	UHB	AE02
No Ship MES	2078	UHB	AQQQ
Power Cord - EMEA	2078	12G, 24G, 4H4, UHB	9716
Power Cord - Australia / New Zealand	2078	12G, 24G, 4H4, UHB	9717
Power Cord - Europe / Africa	2078	12G, 24G, 4H4, UHB	9718
Power Cord - Denmark	2078	12G, 24G, 4H4, UHB	9719
Power Cord - South Africa	2078	12G, 24G, 4H4, UHB	9720
Power Cord - Switzerland	2078	12G, 24G, 4H4, UHB	9721
Power Cord - Chile / Italy	2078	12G, 24G, 4H4, UHB	9722
Power Cord - Israel	2078	12G, 24G, 4H4, UHB	9723
Power Cord - Argentina	2078	12G, 24G, 4H4, UHB	9725

Description	Machine type	Model number	Feature number
Power Cord - China	2078	12G, 24G, 4H4, UHB	9726
Power Cord - PDU Connection	2078	12G, 24G, 4H4, UHB	9730
Power Cord - US/ Group 1	2078	12G, 24G	9731
Power Cord - Taiwan	2078	12G, 24G	9732
Power Cord - Brazil	2078	12G, 24G, 4H4, UHB	9733
Power Cord - India	2078	12G, 24G, 4H4, UHB	9734
Power Cord - Japan	2078	12G, 24G	9735
Power Cord - Korea	2078	12G, 24G, 4H4, UHB	9736
Power Cord - Chicago	2078	12G, 24G	9737
1.2TB 10K 3.5 Inch HDD	2078	12G	AC28
1.8TB 10K 3.5 Inch HDD	2078	12G	AC29
2.4TB 10K 3.5 Inch HDD	2078	12G	AC2A
6TB 7.2K 3.5 Inch NL HDD	2078	12G	AC3A
8TB 7.2K 3.5 Inch NL HDD	2078	12G	AC3B
10TB 7.2K 3.5 Inch NL HDD	2078	12G	AC3C
12TB 7.2K 3.5 Inch NL HDD	2078	12G	AC3D
0.6m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2078	12G	ACUA
1.5m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2078	12G	ACUB
3m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2078	12G, 92G	ACUC
6m 12 Gb SAS Cable (mSAS HD to mSAS HD)	2078	12G, 24G, 92G	ACUE
Power Cord - DC	2078	12G, 24G	AHP4
Power Cord - PDU Connection (C20)	2078	12G, 24G, 4H4, UHB	AHP6
Power Cord - PDU Connection - India	2078	12G, 24G, 4H4	AHP7
Power Cord - PDU Connection (C20) - India	2078	12G, 24G, 4H4	AHP9
ServicePac Warranty and Maintenance Option 5 YR 24x7 Same Day ORT 6hrCL/4hrPD	2078	12G, 24G, 4H4, 92G, UHB	B0MT
ServicePac Basic Selection Services for Storage 3 years	2078	12G, 24G, 4H4, 92G, UHB	B0N1
ServicePac for Hard Drive or	2078	12G, 24G, 4H4, 92G, UHB	B0NQ

Description	Machine type	Model number	Feature number
Media Retention for Storage 3 years			
ServicePac for Hard Drive or Media Retention for Storage 5 years	2078	12G, 24G, 4H4, 92G, UHB	B0PF
ServicePac Basic Selection Services for Storage 5 years	2078	12G, 24G, 4H4, 92G, UHB	B0PK
ServicePac Warranty and Maintenance Option 5 YR 24x7 Committed Fix 24h	2078	12G, 24G, 4H4, 92G, UHB	B17H
1.2TB 10K 2.5 Inch HDD	2078	24G	AC69
1.8TB 10K 2.5 Inch HDD	2078	24G	AC6A
32Gb FC Adapter Pair	2078	4H4, UHB	ACB9
SAS Enclosure Attach Card Pair	2078	4H4, UHB	ACBA
16Gb FC Adapter Pair	2078	4H4, UHB	ACBB
25GbE (RoCE) Adapter Pair	2078	4H4, UHB	ACBE
25GbE (iWARP) Adapter Pair	2078	4H4, UHB	ACBF
Encryption USB Drive Pack	2078	4H4, UHB	ACEC
V5100 64 GB Cache upgrade	2078	4H4, UHB	ACGE
V5100 384 GB Cache upgrade	2078	4H4, UHB	ACGF
16 Gb FC LW SFP Transceivers(Pair)	2078	4H4, UHB	ACHU
32 Gb FC LW SFP Transceivers (Pair)	2078	4H4, UHB	ACHV
1m OM3 Fiber Cable (LC)	2078	4H4, UHB	ACSQ
5m OM3 Fiber Cable (LC)	2078	4H4, UHB	ACSR
10m OM3 Fiber Cable (LC)	2078	4H4, UHB	ACSS
25m OM3 Fiber Cable (LC)	2078	4H4, UHB	ACST
4.8 TB NVMe FlashCore Module	2078	4H4, UHB	AES5
9.6 TB NVMe FlashCore Module	2078	4H4, UHB	AES6
19.2 TB NVMe FlashCore Module	2078	4H4, UHB	AES7
38.4 TB NVMe FlashCore Module	2078	4H4, UHB	AES8
800 GB 2.5 Inch NVMe Flash Drive	2078	4H4, UHB	AET1
1.92 TB 2.5 Inch NVMe Flash Drive	2078	4H4, UHB	AET2
3.84 TB 2.5 Inch NVMe Flash Drive	2078	4H4, UHB	AET3

Description	Machine type	Model number	Feature number
7.68 TB 2.5 Inch NVMe Flash Drive	2078	4H4, UHB	AET4
15.36 TB 2.5 Inch NVMe Flash Drive	2078	4H4, UHB	AET5
1.6 TB NVMe Storage Class Memory Drive	2078	4H4, UHB	AETF
1.2TB 10K 3.5 Inch HDD	2078	92G	ACP3
1.8TB 10K 3.5 Inch HDD	2078	92G	ACP4
2.4TB 10K 3.5 Inch HDD	2078	92G	ACP5
6TB 7.2K 3.5 Inch NL HDD	2078	92G	ACP7
8TB 7.2K 3.5 Inch NL HDD	2078	92G	ACP8
10TB 7.2K 3.5 Inch NL HDD	2078	92G	ACP9
12TB 7.2K 3.5 Inch NL HDD	2078	92G	ACPA
Power Cord - PDU High Density Expansion	2078	92G	AHP5
Power Cord - PDU High Density Expansion - India	2078	92G	AHP8
ServicePac Warranty Service Upgrade 3 YR 24x7 Same Day ORT 6hrCL/4 hrPD	2078	12G, 24G, 4H4, 92G, UHB	B0PC
ServicePac Warranty Service Upgrade 3 YR 24x7 Committed Fix 24h	2078	12G, 24G, 4H4, 92G, UHB	B0YH
800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive	2078	24G	AC9J
1.92TB 2.5" Flash Drive	2078	24G	ACN0
3.84TB 2.5" Flash Drive	2078	24G	ACN1
7.68TB 2.5Inch Flash Drive	2078	24G	ACN2
15.36TB 2.5Inch Flash Drive	2078	24G	ACN3
30.72 TB 12 Gb SAS 2.5 Inch Flash Drive	2078	24G	ACN4
Encryption Enablement	2078	4H4, UHB	ACE4
3.84TB 2.5 Inch Flash Drive	2078	92G	ACQK
7.68TB 2.5 Inch Flash Drive	2078	92G	ACQL
15.36TB 2.5 Inch Flash Drive	2078	92G	ACQM
30.72 TB 12 Gb SAS 3.5 Inch Flash Drive	2078	92G	ACQN
800 GB NVMe Flash Drive	4662	6H2, UH6	AGT1

Description	Machine type	Model number	Feature number
10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD	4662	12G	AL3C
800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive	4662	24G	AL8A
10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD	4662	92G	AL49
10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD	2072	3N2, 3N2, 12G	AL3C
800 GB 3DWPD 12 Gb SAS 2.5 Inch Flash Drive	2072	2N4, 3N4, 24G	AL8A
10 TB 7,200 rpm 12 Gb SAS NL 3.5 Inch HDD	2072	92G	AL49

Replacement product information

Withdrawn product	Machine type-model	Replacement product	Machine type-model
IBM FlashSystem 5100 LFF Expansion Enclosure	2077-12G	IBM FlashSystem 5200 LFF Expansion Enclosure	4662-12G
IBM FlashSystem 5100 SFF Expansion Enclosure	2077-24G	IBM FlashSystem 5200 SFF Expansion Enclosure	4662-24G
IBM FlashSystem 5100 High Density Expansion	2077-92G	IBM FlashSystem 5200 High Density Expansion Enclosure	4662-92G
IBM FlashSystem 5100 LFF Expansion Enclosure	2078-12G	IBM FlashSystem 5200 LFF Expansion Enclosure	4662-12G
IBM FlashSystem 5100 SFF Expansion Enclosure	2078-24G	IBM FlashSystem 5200 SFF Expansion Enclosure	4662-24G
IBM FlashSystem 5100 High Density Expansion Enclosure	2078-92G	IBM FlashSystem 5200 High Density Expansion Enclosure	4662-92G

For additional replacement product information, see Hardware Announcement [LG21-0005](#), dated February 9, 2021.

Trademarks

IBM FlashSystem, IBM, Storwize and ServicePac are registered trademarks of IBM Corporation in the United States, other countries, or both. Other company, product, and service names may be trademarks or service marks of others.

Terms of use

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for

your information only. Reference to other products in this announcement does not necessarily imply those products are announced, or intend to be announced, in your country. Additional terms of use are located at

[Terms of use](#)

For the most current information regarding IBM products, consult your IBM representative or reseller, or go to the [IBM worldwide contacts page](#)

[IBM Directory of worldwide contacts](#)