

United States hardware list prices

Pricing terms

Prices are suggested list prices on day of announcement for the US only. They are provided for your information only. Dealer prices may vary, and prices may also vary by country. IBM® list price does not include tax or shipping and is subject to change without notice.

Machine type	Feature	Description	List price
9786	22H	IBM Power® L1022	5,500
9786	3	Solution Delivery Integration (SDI) Bulk MES Order Indicator	-
9786	4	EMEA Bulk MES Indicator	-
9786	6	OEM Light Manufacturing Order Indicator - EMPTY	-
9786	10	One CSC Billing Unit	170
9786	11	Ten CSC Billing Units	1,700
9786	265	AIX® Partition Specify	-
9786	266	Linux® Partition Specify	-
9786	267	IBM i Operating System Partition Specify	-
9786	456	Customer Specified Placement	400
9786	719	Load Source Not in CEC	-
9786	837	SAN Load Source Specify	-
9786	983	US TAA Compliance Indicator	-
9786	984	Product assembled in USA manufacturing plant	-
9786	1107	USB 500 GB Removable Disk Drive	255
9786	1140	Custom Service Specify, Rochester Minn, USA	-
9786	1953	300GB 15k RPM SAS SFF-2 Disk Drive (AIX /Linux)	840
9786	1964	600GB 10k RPM SAS SFF-2 Disk Drive (AIX /Linux)	649
9786	2146	Primary OS -AIX	-
9786	2147	Primary OS -Linux	-
9786	2148	IBM i with VIOS Only System Indicator	-
9786	2319	Factory Deconfiguration of 1-core	-
9786	4242	1.8 M (6-ft) Extender Cable for Displays (15-pin D-shell to 15-pin D-shell)	83
9786	4648	Rack Integration Services: BP only	120
9786	4649	Rack Integration Services	150
9786	4650	Rack Indicator- Not Factory Integrated	-
9786	4651	Rack Indicator, Rack #1	-
9786	4652	Rack Indicator, Rack #2	-
9786	4653	Rack Indicator, Rack #3	-
9786	4654	Rack Indicator, Rack #4	-
9786	4655	Rack Indicator, Rack #5	-
9786	4656	Rack Indicator, Rack #6	-
9786	4657	Rack Indicator, Rack #7	-
9786	4658	Rack Indicator, Rack #8	-
9786	4659	Rack Indicator, Rack #9	-
9786	4660	Rack Indicator, Rack #10	-
9786	4661	Rack Indicator, Rack #11	-
9786	4662	Rack Indicator, Rack #12	-
9786	4663	Rack Indicator, Rack #13	-

Machine type	Feature	Description	List price
9786	4664	Rack Indicator, Rack #14	-
9786	4665	Rack Indicator, Rack #15	-
9786	4666	Rack Indicator, Rack #16	-
9786	5000	Software Preload Required	-
9786	5228	PowerVM® Enterprise Edition -	-
9786	5260	PCIe2 LP 4-port 1GbE Adapter	574
9786	5899	PCIe2 4-port 1GbE Adapter	574
9786	6458	Power Cord 4.3m (14-ft), Drawer to IBM PDU (250V/10A)	14
9786	6460	Power Cord 4.3m (14-ft), Drawer To OEM PDU (125V, 15A)	14
9786	6469	Power Cord 4.3m (14-ft), Drawer to Wall/OEM PDU (250V/15A) U. S.	14
9786	6470	Power Cord 1.8m (6-ft), Drawer to Wall (125V/15A)	14
9786	6471	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU (250V/10A)	14
9786	6472	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU (250V/16A)	14
9786	6473	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU (250V/10A)	14
9786	6474	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/13A)	14
9786	6475	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/16A)	14
9786	6476	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/10A)	14
9786	6477	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/16A)	14
9786	6478	Power Cord 2.7 M(9-foot), To Wall/OEM PDU, (250V, 16A)	14
9786	6488	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (125V/15A or 250V/10A)	40
9786	6489	4.3m (14-Ft) 3PH/32A 380-415V Power Cord	275
9786	6491	4.3m (14-Ft) 1PH/63A 200-240V Power Cord	302
9786	6492	4.3m (14-Ft) 1PH/48A 200-240V Power Cord	302
9786	6493	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/10A)	14
9786	6494	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/10A)	14
9786	6493	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/10A)	14
9786	6577	Power Cable - Drawer to IBM PDU, 200-240V/10A	14
9786	6651	Power Cord 2.7M (9-foot), To Wall/OEM PDU, (125V, 15A)	14
9786	6653	4.3m (14-Ft) 3PH/16A 380-415V Power Cord	183
9786	6654	4.3m (14-Ft) 1PH/24A Power Cord	181
9786	6655	4.3m (14-Ft) 1PH/24A WR Power Cord	400
9786	6656	4.3m (14-Ft) 1PH/32A Power Cord	181

Machine type	Feature	Description	List price
9786	6657	4.3m (14-Ft) 1PH/32A Power Cord	191
9786	6658	4.3m (14-Ft) 1PH/24A Power Cord-Korea	183
9786	6659	Power Cord 2.7M (9-foot), To Wall/OEM PDU, (250V, 15A)	14
9786	6660	Power Cord 4.3m (14-ft), Drawer to Wall/OEM PDU (125V/15A)	14
9786	6665	Power Cord 2.8m (9.2-ft), Drawer to IBM PDU, (250V/10A)	14
9786	6667	4.3m (14-Ft) 3PH/32A 380-415V Power Cord-Australia	550
9786	6669	Power Cord 4.3M (14-foot), Drawer to OEM PDU, (250V, 15A)	14
9786	6671	Power Cord 2.7M (9-foot), Drawer to IBM PDU, 250V/10A	14
9786	6672	Power Cord 2M (6.5-foot), Drawer to IBM PDU, 250V/10A	14
9786	6680	Power Cord 2.7m (9-ft), Drawer to Wall/OEM PDU, (250V/10A)	14
9786	7109	Intelligent PDU+, 1 EIA Unit, Universal UTG0247 Connector	1,099
9786	7188	Power Distribution Unit	756
9786	7196	Power Distribution Unit (US) - 1 EIA Unit, Universal, Fixed	1,145
9786	7770	Power Cord OEM (Generic) Indicator	-
9786	7773	Power Cord OEM (GROUPE BULL) Indicator	-
9786	7775	Power Cord OEM (Hitachi) Indicator	-
9786	777A	Indicator for Inspur Power servers	-
9786	9169	Order Routing Indicator-System Plant	-
9786	9300	Language Group Specify - US - English	-
9786	9440	New AIX License Core Counter	-
9786	9441	New IBM i License Core Counter	-
9786	9442	New Red Hat® License Core Counter	-
9786	9443	New SUSE License Core Counter	-
9786	9444	Other AIX License Core Counter	-
9786	9445	Other Linux License Core Counter	-
9786	9446	3rd Party Linux License Core Counter	-
9786	9447	VIOS Core Counter	-
9786	9448	Other IBM i License Core Counter	-
9786	9449	Other License Core Counter	-
9786	9461	Month Indicator	-
9786	9462	Day Indicator	-
9786	9463	Hour Indicator	-
9786	9464	Minute Indicator	-
9786	9465	Qty Indicator	-
9786	9466	Countable Member Indicator	-
9786	9700	Language Group Specify - Dutch	-
9786	9703	Language Group Specify - French	-

Machine type	Feature	Description	List price
9786	9704	Language Group Specify - German	-
9786	9705	Language Group Specify - Polish	-
9786	9706	Language Group Specify - Norwegian	-
9786	9707	Lang.Group Spcf-Portuguese	-
9786	9708	Language Group Specify - Spanish	-
9786	9711	Language Group Specify - Italian	-
9786	9712	Language Group Specify - Canadian French	-
9786	9714	Language Group Specify - Japanese	-
9786	9715	Language Group Specify - Traditional Chinese (Taiwan)	-
9786	9716	Language Group Specify - Korean	-
9786	9718	Language Group Specify - Turkish	-
9786	9719	Language Group Specify - Hungarian	-
9786	9720	Language Group Specify - Slovakian	-
9786	9721	Language Group Specify - Russian	-
9786	9722	Language Group Specify - Simplified Chinese (PRC)	-
9786	9724	Language Group Specify - Czech	-
9786	9725	Language Group Specify - Romanian	-
9786	9726	Language Group Specify - Croatian	-
9786	9727	Language Group Specify - Slovenian	-
9786	9728	Language Group Specify - Brazilian Portuguese	-
9786	9729	Language Group Specify - Thai	-
9786	9742	Customer Install MES	-
9786	9743	Notify CSO After Install	-
9786	9993	Product Renovated by IBM Indicator	-
9786	EB2J	10m (30.3-ft), IBM Passive QSFP+ MTP Optical Cable	169
9786	EB2K	30m (90.3-ft), IBM Passive QSFP+ MTP Optical Cable	299
9786	EB3N	AC POWER® SUPPLY 2U, 200-240V, 2000W	700
9786	EB3Z	Lift tool based on GenieLift GL-8 (standard)	6,108
9786	EB46	10GbE Optical Transceiver SFP55 + SR	
9786	EB47	25GbE Optical Transceiver SFP28	385
9786	EB48	1GbE Base-T Transceiver RJ45	199
9786	EB49	QSFP28 to SFP28 Connector	191
9786	EB4J	0.5m SFP28/25GbE copper Cable	110
9786	EB4K	1.0m SFP28/25GbE copper Cable	140
9786	EB4M	2.0m SFP28/25GbE copper Cable	200
9786	EB4P	2.0m QSFP28/100GbE copper split Cable to SFP28 4x25GbE	490
9786	EB4Z	Service wedge shelf tool kit for EB3Z	320
9786	EB57	QSFP+ 40GbE Base-SR4 Transceiver	1,095

Machine type	Feature	Description	List price
9786	EB59	100GbE Optical Transceiver QSFP28	1,390
9786	EB5K	1.0M 100GbE Copper Cable QSFP28	415
9786	EB5L	1.5M 100GbE Copper Cable QSFP28	465
9786	EB5M	2.0M 100GbE Copper Cable QSFP28	519
9786	EB5R	3M 100GbE Optical Cable QSFP28 (AOC)	1,280
9786	EB5S	5M 100GbE Optical Cable QSFP28 (AOC)	1,360
9786	EB5T	10M 100GbE Optical Cable QSFP28 (AOC)	1,420
9786	EB5U	15M 100GbE Optical Cable QSFP28 (AOC)	1,490
9786	EB5V	20M 100GbE Optical Cable QSFP28 (AOC)	1,560
9786	EB5W	30M 100GbE Optical Cable QSFP28 (AOC)	1,780
9786	EB5X	50M 100GbE Optical Cable QSFP28 (AOC)	2,490
9786	EB73	IBM i 7.3 Indicator	-
9786	EB74	IBM i 7.4 Indicator	-
9786	EB75	IBM i 7.5 Indicator	-
9786	EC2R	PCIe3 LP 2-Port 10Gb NIC&ROCE SR/Cu Adapter	699
9786	EC2S	PCIe3 2-Port 10Gb NIC&ROCE SR/Cu Adapter	699
9786	EC2T	PCIe3 LP 2-Port 25/10Gb NIC&ROCE SR/Cu Adapter	979
9786	EC2U	PCIe3 2-Port 25/10Gb NIC&ROCE SR/Cu Adapter	979
9786	EC5C	PCIe3 x8 LP 3.2 TB NVMe Flash adapter for AIX /Linux	4,599
9786	EC5E	PCIe3 x8 LP 6.4 TB NVMe Flash adapter for AIX /Linux	8,799
9786	EC5G	PCIe3 x8 LP 1.6 TB NVMe Flash Adapter for AIX /Linux	2,599
9786	EC5V	Enterprise 6.4 TB SSD PCIe4 NVMe U.2 module for AIX /Linux	9,599
9786	EC5X	Mainstream 800 GB SSD PCIe3 NVMe U.2 module for AIX /Linux	1,299
9786	EC67	PCIe4 LP 2-port 100Gb ROCE EN LP adapter	3,990
9786	EC6J	PCIe2 LP 2-Port USB 3.0 Adapter	450
9786	EC6K	PCIe2 2-Port USB 3.0 Adapter	450
9786	EC7A	PCIe4 LP 1.6TB NVMe Flash Adapter x8 for AIX /Linux	2,599
9786	EC7C	PCIe4 LP 3.2TB NVMe Flash Adapter x8 for AIX /Linux	4,599
9786	EC7E	PCIe4 LP 6.4TB NVMe Flash Adapter x8 for AIX /Linux	8,799
9786	EC7T	800GB Mainstream NVMe U.2 SSD 4k for AIX /Linux	1,299
9786	ECBJ	SAS X Cable 3m - HD Narrow 6Gb 2-Adapters to Enclosure	450
9786	ECBK	SAS X Cable 6m - HD Narrow 6Gb 2-Adapters to Enclosure	750
9786	ECBT	SAS YO Cable 1.5m - HD Narrow 6Gb Adapter to Enclosure	240
9786	ECBU	SAS YO Cable 3m - HD Narrow 6Gb Adapter to Enclosure	300
9786	ECBV	SAS YO Cable 6m - HD Narrow 6Gb Adapter to Enclosure	450

Machine type	Feature	Description	List price
9786	ECBW	SAS YO Cable 10m - HD Narrow 6Gb Adapter to Enclosure	675
9786	ECBY	SAS AE1 Cable 4m - HD Narrow 6Gb Adapter to Enclosure	185
9786	ECBZ	SAS YE1 Cable 3m - HD Narrow 6Gb Adapter to Enclosure	325
9786	ECCF	System Port Converter Cable for UPS	150
9786	ECCS	3M Copper CXP Cable Pair for PCIe3 Expansion Drawer	900
9786	ECDJ	3.0M SAS X12 Cable (Two Adapter to Enclosure)	350
9786	ECDK	4.5M SAS X12 Active Optical Cable (Two Adapter to Enclosure)	1,675
9786	ECDL	10M SAS X12 Active Optical Cable (Two Adapter to Enclosure)	1,775
9786	ECDT	1.5M SAS YO12 Cable (Adapter to Enclosure)	160
9786	ECDU	3.0M SAS YO12 Cable (Adapter to Enclosure)	200
9786	ECDV	4.5M SAS YO12 Active Optical Cable (Adapter to Enclosure)	1,225
9786	ECDW	10M SAS YO12 Active Optical Cable (Adapter to Enclosure)	1,325
9786	ECE0	0.6M SAS AA12 Cable (Adapter to Adapter)	100
9786	ECE3	3.0M SAS AA12 Cable	200
9786	ECE4	4.5M SAS AA12 Active Optical Cable (Adapter to Adapter)	825
9786	ECJ5	4.3m (14-Ft) PDU to Wall 3PH/24A 200-240V Delta-wired Power Cord	999
9786	ECJ6	4.3m (14-Ft) PDU to Wall 3PH/40A 200-240V Power Cord	999
9786	ECJ7	4.3m (14-Ft) PDU to Wall 3PH/48A 200-240V Delta-wired Power Cord	999
9786	ECJJ	High Function 9xC19 Single-Phase or Three-Phase Wye PDU plus	1,999
9786	ECJL	High Function 9xC19 PDU plus 3-Phase Delta	2,099
9786	ECJN	High Function 12xC13 Single-Phase or Three-Phase Wye PDU plus	1,999
9786	ECJQ	High Function 12xC13 PDU plus 3-Phase Delta	2,099
9786	ECSM	Custom Service Specify, Mexico	-
9786	ECSP	Custom Service Specify, Poughkeepsie, USA	-
9786	ECW0	Optical Wrap Plug	10
9786	EHKV	SAP HANA TRACKING FEATURE	-
9786	EHR2	Boot Drive / Load Source in EXP24SX Specify (in #ESLS or #ELLS)	-
9786	EHS2	SSD Placement Indicator - #ESLS/#ELLS	-
9786	EJ0J	PCIe3 RAID SAS Adapter Quad-port 6Gb x8	1,100
9786	EJ0L	PCIe3 12GB Cache RAID SAS Adapter Quad-port 6Gb x8	7,000
9786	EJ0M	PCIe3 LP RAID SAS Adapter Quad-Port 6Gb x8	1,100

Machine type	Feature	Description	List price
9786	EJ10	PCIe3 SAS Tape/DVD Adapter Quad-port 6Gb x8	1,100
9786	EJ11	PCIe3 LP SAS Tape/DVD Adapter Quad-port 6Gb x8	1,100
9786	EJ14	PCIe3 12GB Cache RAID PLUS SAS Adapter Quad-port 6Gb x8	7,000
9786	EJ1R	PCIe x16 to CXP Optical or CU converter Adapter for PCIe3 Expansion Drawer	599
9786	EJ1X	Backplane w/four NVMe U.2	1,599
9786	EJ24	PCIe X16 to CXP Adapter	1,750
9786	EJ33	PCIe3 Crypto Coprocessor BSC-Gen3 4767	12,000
9786	EJ37	PCIe3 Crypto Coprocessor BSC-Gen3 4769	14,995
9786	EJRL	Non-paired Indicator EJ14 PCIe SAS RAID+ Adapter	-
9786	EJRU	Non-paired Indicator EJ0L PCIe SAS RAID Adapter	-
9786	EJUS	Front IBM Bezel 8 NVMe-bays	150
9786	EJUT	Front OEM Bezel 8 NVMe-bays	150
9786	EJW1	Specify Mode-1 & (1)EJ0J/ EJ0M/EL3B/EL59 & (1)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJW2	Specify Mode-1 & (2)EJ0J/ EJ0M/EL3B/EL59 & (2)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJW3	Specify Mode-2 & (2)EJ0J/ EJ0M/EL3B/EL59 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJW4	Specify Mode-2 & (4)EJ0J/ EJ0M/EL3B/EL59 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJW5	Specify Mode-4 & (4)EJ0J/ EJ0M/EL3B/EL59 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJW6	Specify Mode-2 & (1)EJ0J/ EJ0M/EL3B/EL59 & (2)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJW7	Specify Mode-2 & (2)EJ0J/ EJ0M/EL3B/EL59 & (2)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJWA	Specify Mode-2 & (1)EJ0J/ EJ0M/EL3B/EL59 & (1)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJWB	Specify Mode-2 & (2)EJ0J/ EJ0M/EL3B/EL59 & (1)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWC	Specify Mode-4 & (1)EJ0J/ EJ0M/EL3B/EL59 & (1)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWD	Specify Mode-4 & (2)EJ0J/ EJ0M/EL3B/EL59 & (1)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWE	Specify Mode-4 & (3)EJ0J/ EJ0M/EL3B/EL59 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWF	Specify Mode-1 & (2)EJ14 & (2)YO12 for EXP24SX #ESLS/ELLS	-
9786	EJWG	Specify Mode-2 & (2)EJ14 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWH	Specify Mode-2 & (2)EJ14 & (1)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWJ	Specify Mode-2 & (4)EJ14 & (2)X12 for EXP24SX #ESLS/ELLS	-
9786	EJWU	Specify Mode-1 & CEC SAS port Controller EJ1G/EL67 &	-

Machine type	Feature	Description	List price
		(1)YO12 for EXP24SX #ESLS/ ELLS	
9786	EL1P	300GB 15k RPM SAS SFF-2 Disk Drive (Linux)	729
9786	EL1Q	600GB 10k RPM SAS SFF-2 Disk Drive (Linux)	619
9786	ELC0	PDU Access Cord 0.38m	275
9786	ELC1	4.3m (14-Ft) PDU to Wall 24A 200-240V Power Cord North America	550
9786	ELC2	4.3m (14-Ft) PDU to Wall 3PH/24A 415V Power Cord North America	999
9786	ELC5	Power Cable - Drawer to IBM PDU (250V/10A)	28
9786	ELEV	600GB 10k RPM SAS SFF2DISK Drive 4K	579
9786	ELF3	1.2TB 10k RPM SAS SFF2DISK905 Drive 4K	
9786	ELFT	1.8TB 10k RPM SAS SFF2DISK1,350 Drive 4K	
9786	EM7N	32GB DDR4 Memory (2x16GB)	3,199
9786	EM7W	64GB DDR4 Memory (2x32GB)	4,999
9786	EM7X	128GB DDR4 Memory (2x64GB)	9,999
9786	EM7Y	256GB DDR4 Memory (2x128GB)	19,999
9786	EM8G	Active Memory Mirroring (AMM)	7,500
9786	EMX0	PCIe Gen3 I/O Expansion Drawer	4,198
9786	EMXA	AC Power Supply Conduit for PCIe3 Expansion Drawer	210
9786	EMXF	PCIe3 6-Slot Fanout Module for PCIe3 Expansion Drawer	3,561
9786	EMXG	PCIe3 6-Slot Fanout Module for PCIe3 Expansion Drawer	3,561
9786	EMXH	PCIe3 6-Slot Fanout Module for PCIe3 Expansion Drawer	3,561
9786	EN01	1m (3.3-ft), 10Gb E'Net Cable SFP+ Act Twinax Copper	100
9786	EN02	3m (9.8-ft), 10Gb E'Net Cable SFP+ Act Twinax Copper	120
9786	EN03	5m (16.4-ft), 10Gb E'Net Cable SFP+ Act Twinax Copper	150
9786	EN0S	PCIe2 4-Port (10Gb+1GbE) SR+RJ45 Adapter	1,600
9786	EN0T	PCIe2 LP 4-Port (10Gb+1GbE) SR+RJ45 Adapter	1,600
9786	EN0U	PCIe2 4-port (10Gb+1GbE) Copper SFP+RJ45 Adapter	1,200
9786	EN0V	PCIe2 LP 4-port (10Gb+1GbE) Copper SFP+RJ45 Adapter	1,200
9786	EN0W	PCIe2 2-port 10/1GbE BaseT RJ45 Adapter	950
9786	EN0X	PCIe2 LP 2-port 10/1GbE BaseT RJ45 Adapter	950
9786	EN1A	PCIe3 32Gb 2-port Fibre Channel Adapter	4,620
9786	EN1B	PCIe3 LP 32Gb 2-port Fibre Channel Adapter	4,620
9786	EN1C	PCIe3 16Gb 4-port Fibre Channel Adapter	6,765
9786	EN1D	PCIe3 LP 16Gb 4-port Fibre Channel Adapter	6,765
9786	EN1E	PCIe3 16Gb 4-port Fibre Channel Adapter	5,150
9786	EN1F	PCIe3 LP 16Gb 4-port Fibre Channel Adapter	5,150

Machine type	Feature	Description	List price
9786	EN1G	PCIe3 2-Port 16Gb Fibre Channel Adapter	2,775
9786	EN1H	PCIe3 LP 2-Port 16Gb Fibre Channel Adapter	2,775
9786	EN1J	PCIe4 32Gb 2-port Optical Fibre Channel Adapter	3,899
9786	EN1K	PCIe4 LP 32Gb 2-port Optical Fibre Channel Adapter	3,899
9786	EN2A	PCIe3 16Gb 2-port Fibre Channel Adapter	3,273
9786	EN2B	PCIe3 LP 16Gb 2-port Fibre Channel Adapter	3,273
9786	EPFF	One Proc Activation for EPGF	1,200
9786	EPFG	One Proc Activation for EPGG	1,200
9786	EPFH	One Proc Activation for EPGH	1,200
9786	EPGF	16-core 2.75/4.0 GHz Power10	8,799
9786	EPGG	12-core 2.90/4.0 GHz Power10	3,999
9786	EPGH	20-core 2.45/3.9 GHz Power10	11,999
9786	EPTH	Horizontal PDU Mounting Hardware	37
9786	EPTJ	High Function 9xC19 PDU: Switched, Monitoring	916
9786	EPTL	High Function 9xC19 PDU 3-Phase: Switched, Monitoring	1,145
9786	EPTN	High Function 12xC13 PDU: Switched, Monitoring	1,069
9786	EPTQ	High Function 12xC13 PDU 3-Phase: Switched, Monitoring	1,145
9786	ERP0	RPO order indicator	-
9786	ES1E	Enterprise 1.6 TB SSD PCIe4 NVMe U.2 module for AIX / Linux	2,799
9786	ES1G	Enterprise 3.2 TB SSD PCIe4 NVMe U.2 module for AIX / Linux	4,999
9786	ES3B	Enterprise 1.6TB NVMe U.2	2,799
9786	ES3D	Enterprise 3.2TB NVMe U.2	4,999
9786	ES3F	Enterprise 6.4TB NVMe U.2	9,599
9786	ES94	387GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	2,175
9786	ESB2	387GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	2,149
9786	ESB6	775GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	3,049
9786	ESBA	387GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	1,949
9786	ESBG	775GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	2,849
9786	ESBL	1.55TB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	5,349
9786	ESC0	S&H - No Charge	-
9786	ESC5	S&H-a	308
9786	ESCT	Virtual Capacity Expedited Shipment	-
9786	ESCZ	iSCSI SAN Load Source Specify for AIX	-
9786	ESEV	600GB 10K RPM SAS SFF-2 Disk Drive 4K Block - 4096	579
9786	ESF3	1.2TB 10K RPM SAS SFF-2 Disk Drive 4K Block - 4096	1,200
9786	ESFT	1.8TB 10K RPM SAS SFF-2 Disk Drive 4K Block - 4096	1,800
9786	ESGV	387GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	2,375
9786	ESGZ	775GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	3,375
9786	ESH6	L1022 Identifier	-
9786	ESJ0	931GB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	2,225

Machine type	Feature	Description	List price
9786	ESJ2	1.86TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	3,999
9786	ESJ4	3.72TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	6,799
9786	ESJ6	7.45TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	14,999
9786	ESJJ	931GB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	2,225
9786	ESJL	1.86TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	3,999
9786	ESJN	3.72TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	6,799
9786	ESJQ	7.44TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	14,999
9786	ESK1	387GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	2,149
9786	ESK3	775GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	3,049
9786	ESK8	387GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	1,949
9786	ESKC	775GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	2,849
9786	ESKG	1.55TB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	5,349
9786	ESKK	931GB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	1,599
9786	ESKP	1.86TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	2,499
9786	ESKT	3.72TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	4,499
9786	ESKX	7.44TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	7,999
9786	ESLA	Specify AC Power Supply for EXP12SX/EXP24SX Storage Enclosure	-
9786	ESLS	EXP24SX SAS Storage Enclosure	5,190
9786	ESMB	931GB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	1,599
9786	ESMF	1.86TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	2,499
9786	ESMK	3.72TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	4,499
9786	ESMV	7.44TB Mainstream SAS 4k SFF-2 SSD for AIX /Linux	7,999
9786	ESNA	775GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	3,175
9786	ESNE	1.55TB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	5,975
9786	ESNM	300GB 15K RPM SAS SFF-2 4k Block Cached Disk Drive (AIX /Linux)	625
9786	ESNR	600GB 15K RPM SAS SFF-2 4k Block Cached Disk Drive (AIX /Linux)	1,100
9786	ESRM	300GB 15K RPM SAS SFF2 4k Block	625
9786	ESRR	600GB 15K RPM SAS SFF2 4k Block	1,100
9786	ESWK	AIX Update Access Key (UAK)	-
9786	ETK1	387GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	2,149
9786	ETK3	775GB Enterprise SAS 5xx SFF-2 SSD for AIX /Linux	3,049
9786	ETK8	387GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	1,949
9786	ETKC	775GB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	2,849
9786	ETKG	1.55TB Enterprise SAS 4k SFF-2 SSD for AIX /Linux	5,349

Machine type	Feature	Description	List price
9786	EU01	1TB Removable Disk Drive Cartridge	299
9786	EU08	RDX 320 GB Removable Disk Drive	212
9786	EU0K	Operator Panel LCD Display	399
9786	EU15	1.5TB Removable Disk Drive Cartridge	450
9786	EU19	Cable Ties & Labels	25
9786	EU29	Order Placed Indicator	-
9786	EU2T	2TB Removable Disk Drive Cartridge (RDX)	600
9786	EUA4	RDX USB External Docking Station	370
9786	EUA5	Standalone USB DVD drive w/ 99 cable	
9786	SVBP	BP Post-Sale Services: 1 Day	-
9786	SVCS	IBM Systems Lab Services	-
		Post-Sale Services: 1 Day	
9786	SVNN	Other IBM Post-Sale Services: 1 Day	-

Machine type	Model	Part number	Description	Conversion price
9786	22H	9105EJ1REJ24	Feat Conv EJ1R to EJ24	1,151
9786	22H	9105EMXFEMXH	Feat Conv EMXF to EMXH	2,671
9786	22H	9105EMXGEMXH	Feat Conv EMXG to EMXH	2,671

Trademarks

IBM, Power, AIX, PowerVM and POWER are registered trademarks of IBM Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.