

Hardware withdrawal: Select IBM Power Systems model and features

Table of contents

[1 Overview](#)

[1 Withdrawn products](#)

Overview

Effective March 23, 2021, April 29, 2021, and June 30, 2021, IBM^(R) will withdraw from marketing the following select IBM Power^(R) Systems models and features listed in the [Withdrawn products](#) section.

On or after the effective dates of withdrawal, you can no longer order these products directly from IBM. Field-installed features associated with the machine types not listed in this announcement continue to be available.

You can obtain the products on an as-available basis through IBM Business Partners.

If you have a continuing need for the machine types/models/features, go to the [IBM Certified Pre-owned Equipment](#) website to check on availability or utilize the request a quote to communicate your specific requirements. IBM Certified Pre-owned Equipment has the largest inventory of used IBM systems that are refurbished, tested, and warranted for a minimum of 90 days.

Withdrawn products

The following IBM Power Systems machine type/models is being withdrawn:

Effective April 29, 2021

Model withdrawal

Description	MT	Model
IBM 7316-TF4	7316	TF4

The following features are being withdrawn on the specified models of the IBM Power Systems machine types:

Effective March 23, 2021

Feature withdrawal

Description	MT	Model	Feature
SOLUTION SPECIFY	7014	T42	EGSB
	7316	TF4	
Administrative Tracking	7014	T42	EHJ0
	7316	TF4	
IBM Power Systems for SAS Viya (Linux ^(R))	8335	GTH	EHLU
	8335	GTX	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	42A	

	9009	42G	
	9040	MR9	
	9080	M9S	
	9183	22X	
IBM Power Systems for SAS 9.4 Grid (AIX [®])	9009	22A	EHLV
	9009	22G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
#ES8K Load Source Specify (1.9TB SFF-3 SSD)	8286	41A	ELTK
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
#ESGA Load Source Specify (387GB SSD SFF-3)	8284	21A	ELZA
	8286	41A	
	8286	42A	
#ESGJ Load Source Specify (775GB SSD SFF-3)	8286	41A	ELZJ
	8286	42A	
Not available in US, EMEA, and Japan			
RDX USB External Docking Station for Removable Disk Cartridge	1457	7FL	EU04
Not available in US, EMEA, and Japan			
	7891	74X	
Not available in US, EMEA, and Japan			
	7895	22X	
Not available in US, EMEA, and Japan			
	7895	42X	
Not available in US, EMEA, and Japan			
	8202	E4B	
Not available in US, EMEA, and Japan			
	8202	E4C	
Not available in US, EMEA, and Japan			
	8202	E4D	
Not available in US, EMEA, and Japan			
	8205	E6B	
Not available in US, EMEA, and Japan			
	8205	E6C	
Not available in US, EMEA, and Japan			
	8205	E6D	
Not available in US, EMEA, and Japan			
	8231	E1D	
Not available in US, EMEA, and Japan			
	8231	E2B	
Not available in US, EMEA, and Japan			
	8231	E2D	
Not available in US, EMEA, and Japan			
	8233	E8B	
Not available in US, EMEA, and Japan			
	8236	E8C	
Not available in US, EMEA, and Japan			
	8246	L1C	
Not available in US, EMEA, and Japan			
	8246	L1D	
Not available in US, EMEA, and Japan			
	8246	L1S	
Not available in US, EMEA, and Japan			
	8246	L1T	
Not available in US, EMEA, and Japan			
	8246	L2D	
Not available in US, EMEA, and Japan			
	8246	L2T	
Not available in US, EMEA, and Japan			
	8247	21L	
Not available in US, EMEA, and Japan			
	8247	22L	
Not available in US, EMEA, and Japan			
	8247	42L	
Not available in US, EMEA, and Japan			
	8248	L4T	
Not available in US, EMEA, and Japan			

Not available in US, EMEA, and Japan	8268	E1D
Not available in US, EMEA, and Japan	8284	21A
Not available in US, EMEA, and Japan	8284	22A
Not available in US, EMEA, and Japan	8286	41A
Not available in US, EMEA, and Japan	8286	42A
Not available in US, EMEA, and Japan	8408	44E
Not available in US, EMEA, and Japan	8408	E8D
Not available in US, EMEA, and Japan	8408	E8E
Not available in US, EMEA, and Japan	8412	EAD
Not available in US, EMEA, and Japan	9008	22L
Not available in US, EMEA, and Japan	9009	22A
Not available in US, EMEA, and Japan	9009	22G
Not available in US, EMEA, and Japan	9009	41A
Not available in US, EMEA, and Japan	9009	41G
Not available in US, EMEA, and Japan	9009	42A
Not available in US, EMEA, and Japan	9009	42G
Not available in US, EMEA, and Japan	9040	MR9
Not available in US, EMEA, and Japan	9080	M9S
Not available in US, EMEA, and Japan	9080	MHE
Not available in US, EMEA, and Japan	9080	MME
Not available in US, EMEA, and Japan	9109	RMD
Not available in US, EMEA, and Japan	9117	MMB
Not available in US, EMEA, and Japan	9117	MMC
Not available in US, EMEA, and Japan	9117	MMD
Not available in US, EMEA, and Japan	9119	MHE
Not available in US, EMEA, and Japan	9119	MME
Not available in US, EMEA, and Japan	9179	MHB
Not available in US, EMEA, and Japan	9179	MHC
Not available in US, EMEA, and Japan	9179	MHD
Not available in US, EMEA, and Japan	9223	22H
Not available in US, EMEA, and Japan	9223	22S
Not available in US, EMEA, and Japan	9223	42H
Not available in US, EMEA, and Japan	9223	42S

The following features are being withdrawn on the specified models of the IBM Power Systems machine types:

Effective April 29, 2021

Feature withdrawal

Description	MT	Model	Feature
Balanced Warehouse Solution Indicator	7316	TF4	0710
Power Cloud Integrated Solution Indicator For Order Routing	7316	TF4	0712
Pure Application Consolidation Indicator	7316	TF4	0714

One and only one rack indicator feature is required on all orders (#4650 to #4666).

Rack Indicator- Not Factory Integrated	7316	TF4	4650
Rack Indicator, Rack #1	7316	TF4	4651
Rack Indicator, Rack #2	7316	TF4	4652
Rack Indicator, Rack #3	7316	TF4	4653
Rack Indicator, Rack #4	7316	TF4	4654
Rack Indicator, Rack #5	7316	TF4	4655
Rack Indicator, Rack #6	7316	TF4	4656
Rack Indicator, Rack #7	7316	TF4	4657
Rack Indicator, Rack #8	7316	TF4	4658
Rack Indicator, Rack #9	7316	TF4	4659
Rack Indicator, Rack #10	7316	TF4	4660
Rack Indicator, Rack #11	7316	TF4	4661
Rack Indicator, Rack #12	7316	TF4	4662
Rack Indicator, Rack #13	7316	TF4	4663
Rack Indicator, Rack #14	7316	TF4	4664
Rack Indicator, Rack #15	7316	TF4	4665
Rack Indicator, Rack #16	7316	TF4	4666
Order Routing Indicator- System Plant	7316	TF4	9169
Language Group Specify - US English	7316	TF4	9300
Month Indicator	7316	TF4	9461
Day Indicator	7316	TF4	9462
Hour Indicator	7316	TF4	9463
Minute Indicator	7316	TF4	9464
Qty Indicator	7316	TF4	9465
Countable Member Indicator	7316	TF4	9466
Language Group Specify - French	7316	TF4	9703
Language Group Specify - German	7316	TF4	9704
Language Group Specify - Polish	7316	TF4	9705
Language Group Specify - Portuguese	7316	TF4	9707
Language Group Specify - Spanish	7316	TF4	9708
Language Group Specify - Italian	7316	TF4	9711
Language Group Specify - Japanese	7316	TF4	9714
Language Group Specify - Traditional Chinese (Taiwan)	7316	TF4	9715
Language Group Specify - Korean	7316	TF4	9716
Language Group Specify - Turkish	7316	TF4	9718
Language Group Specify - Hungarian	7316	TF4	9719
Language Group Specify - Slovakian	7316	TF4	9720
Language Group Specify - Russian	7316	TF4	9721
Language Group Specify - Simplified Chinese (PRC)	7316	TF4	9722
Language Group Specify - Czech	7316	TF4	9724
Power Cord (4M) Specify -- United States/Canada	7316	TF4	9900
Power Cord (4M) Specify -- Belgium Finland, France (250V, 16A)	7316	TF4	9901
Power Cord (4M) Specify -- Denmark (250V, 10A)	7316	TF4	9902
Power Cord (4M) Specify -- UK and Others (250V, 13A)	7316	TF4	9903
Power Cord (4M) Specify -- Israel (250V, 6-16A)	7316	TF4	9904
Power Cord (4M) Specify -- Switzerland (250V, 10A)	7316	TF4	9905
Power Cord (4M) Specify -- India, Pakistan, S. Africa (250V, 16A)	7316	TF4	9906
Power Cord (4M) Specify -- Italy (250V, 10A and 16A)	7316	TF4	9907
Power Cord (4M) Specify -- Australia/New Zealand/ Argentina (250V, 10A)	7316	TF4	9908
Power Cord (4M) Specify -- Thailand (250V, 15A)	7316	TF4	9909
Power Cord (4M) Specify -- All (Standard rack power cord)	7316	TF4	9911
Power Cord 3 meter (10-foot), Drawer to PDU (200-240V 10 A) C19 connectors	7316	TF4	9912
Custom Service Specify, Mexico	7316	TF4	ECSM
Custom Service Specify, Poughkeepsie, USA	7316	TF4	ECSP
Integrated Solution Packing	7316	TF4	ECSS
ORNL/LLNL Config Specify - Infrastructure Racks	7316	TF4	EDCS

Build-To-Order Indicator	7316	TF4	EFD9
IBM PureFlex ^(R) System Express Expansion Indicator	7316	TF4	EFDF
IDEA Solution Specify	7316	TF4	EGSA
PureApp Gen3 Consolidation Feature	7316	TF4	EHJD
PurePower Base Indicator	7316	TF4	EHKX
S&H - No charge	7316	TF4	ESCO
S&H	7316	TF4	ESC3

The following features are being withdrawn on the specified models of the IBM Power Systems machine types:

Effective June 30, 2021

Feature withdrawal

Description	MT	Model	Feature
10M FDR IB / 40GbE Optical Cable QSFP	8247	42L	EB4C
	8284	22A	
	8286	41A	
	8286	42A	
	8335	GCA	
	8335	GTA	
	8335	GTB	
	8831	F36	
	8831	F37	
	8831	NF2	
	8831	S48	
	8867	FM1	
	8867	FM2	
	SAS X Cable 15m - HD Narrow 3Gb 2-Adapters to Enclosure	8202	
8205		E6D	
8231		E1D	
8231		E2D	
8246		L1T	
8246		L2T	
8247		21L	
8247		22L	
8247		42L	
8248		L4T	
8268		E1D	
8284		22A	
8286		41A	
8286		42A	
8408		44E	
8408		E8D	
8408		E8E	
8412		EAD	
9008		22L	
9009		22A	
9009		22G	
9009		41A	
9009		41G	
9009		42A	
9009		42G	
9040		MR9	
9080		M9S	
9080		MHE	
9080		MME	
9109		RMD	
9117		MMC	
9117	MMD		
9119	FHB		
9119	MHE		
9119	MME		
9179	MHC		
9179	MHD		
9223	22H		
9223	22S		
9223	42H		
9223	42S		

PCIe3 Crypto Coprocessor no BSC 4767	8247	42L	EJ32		
	8286	41A			
	8286	42A			
	8408	44E			
	8408	E8E			
	9009	41A			
	9009	41G			
	9009	42A			
	9009	42G			
	9040	MR9			
	9223	42H			
	9223	42S			
	Front OEM Bezel for 12-Bay BackPlane	9223		42H	EJU4
		9223		42S	
	Front OEM Bezel for 8-Bay BackPlane	9223		22H	EJU7
		9223		22S	
	Front OEM Door and Covers for 18-Bay BackPlane	9009		41A	EJUB
	9009	41G			
Front OEM Bezel for 18-Bay BackPlane	9009	41A	EJUH		
	9009	41G			
	9009	42A			
	9009	42G			
	9223	42H			
	9223	42S			
Front OEM Bezel for 6 SAS + 4 NVMe-Bays BackPlane	9223	42S	EJUL		
Front OEM Bezel for 4 NVMe-Bays BackPlane	9223	22S	EJUP		
Specify Mode-1 & (2)EJ0L & (2)Y012 for EXP12SX #ESLL/ELLL	8247	21L	EJVP		
	8247	22L			
	8247	42L			
	8284	22A			
	8286	41A			
	8286	42A			
	8408	44E			
	8408	E8E			
	9008	22L			
	9009	22A			
	9009	22G			
	9009	41A			
	9009	41G			
	9009	42A			
	9009	42G			
	9040	MR9			
	9080	M9S			
	9080	MHE			
	9080	MME			
	9119	MHE			
	9119	MME			
	9223	22H			
	9223	22S			
	9223	42H			
	9223	42S			
Specify Mode-1 & (2)EJ0L & (2)Y012 for EXP24SX #ESLS/ELLS	8247	21L		EJWP	
	8247	22L			
	8247	42L			
	8284	22A			
	8286	41A			
	8286	42A			
	8408	44E			
	8408	E8E			
	9008	22L			
	9009	22A			
	9009	22G			
	9009	41A			
	9009	41G			
	9009	42A			
	9009	42G			
	9040	MR9			
	9080	M9S			
	9080	MHE			
	9080	MME			
	9119	MHE			
	9119	MME			

	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
Specify Mode-2 & (2)EJ0L & (2)X12 for EXP24SX #ESLS/ELLS	8247	21L	EJWS
	8247	22L	
	8247	42L	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
Specify Mode-2 & (2)EJ0L& (1)X12 for EXP24SX #ESLS/ELLS	8247	21L	EJWT
	8247	22L	
	8247	42L	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
PCIe3 16Gb 2-port Fibre Channel Adapter	8284	22A	EN0A
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	

	9223	22S	
	9223	42H	
	9223	42S	
PCIe3 LP 16Gb 2-port Fibre Channel Adapter	8284	21A	EN0B
	8284	22A	
	9009	22A	
	9009	22G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	
	9223	22S	
931GB Mainstream SAS 4k SFF-2 SSD for AIX/Linux	8247	21L	ESJ0
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
931GB Mainstream SAS 4k SFF-2 SSD for IBM i	8286	41A	ESJ1
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	42H	
	9223	42S	
1.86TB Mainstream SAS 4k SFF-2 SSD for AIX/Linux	8247	21L	ESJ2
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	

	9119	MME	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
1.86TB Mainstream SAS 4k SFF-2 SSD for IBM i	8286	41A	ESJ3
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	42H	
	9223	42S	
3.72TB Mainstream SAS 4k SFF-2 SSD for AIX/Linux	8247	21L	ESJ4
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
3.72TB Mainstream SAS 4k SFF-2 SSD for IBM i	8286	41A	ESJ5
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
	9223	42H	
	9223	42S	
7.45TB Mainstream SAS 4k SFF-2 SSD for AIX/Linux	9008	22L	ESJ6
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9080	M9S	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
7.45TB Mainstream SAS 4k SFF-2 SSD for IBM i	9009	41A	ESJ7
	9009	41G	
	9009	42A	
	9009	42G	

	9080	M9S	
	9223	42H	
	9223	42S	
931GB Mainstream SAS 4k SFF-3 SSD for AIX/Linux	8247	21L	ESJ8
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
931GB Mainstream SAS 4k SFF-3 SSD for IBM i	8284	21A	ESJ9
	8286	41A	
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9223	42H	
	9223	42S	
1.86TB Mainstream SAS 4k SFF-3 SSD for AIX/Linux	8247	21L	ESJA
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
1.86TB Mainstream SAS 4k SFF-3 SSD for IBM i	8286	41A	ESJB
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9223	42H	
	9223	42S	
3.72TB Mainstream SAS 4k SFF-3 SSD for AIX/Linux	8247	21L	ESJC
	8247	22L	
	8247	42L	
	8284	21A	
	8284	22A	
	8286	41A	
	8286	42A	
	8408	44E	
	8408	E8E	
	9008	22L	
	9009	22A	
	9009	22G	

	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
3.72TB Mainstream SAS 4k SFF-3 SSD for IBM i	8286	41A	ESJD
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9223	42H	
	9223	42S	
7.45TB Mainstream SAS 4k SFF-3 SSD for AIX/Linux	9008	22L	ESJE
	9009	22A	
	9009	22G	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9040	MR9	
	9223	22H	
	9223	22S	
	9223	42H	
	9223	42S	
7.45TB Mainstream SAS 4k SFF-3 SSD for IBM i	9009	41A	ESJF
	9009	41G	
	9009	42A	
	9009	42G	
	9223	42H	
	9223	42S	
ESJ1 Load Source Specify (931GB SSD SFF-2)	8286	41A	EU41
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
ESJ3 Load Source Specify (1.86TB SSD SFF-2)	8286	41A	EU43
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
ESJ5 Load Source Specify (3.72TB SSD SFF-2)	8286	41A	EU45
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
	9080	MHE	
	9080	MME	
	9119	MHE	
	9119	MME	
ESJ7 Load Source Specify (7.45TB SSD SFF-2)	9009	41A	EU47
	9009	41G	
	9009	42A	
	9009	42G	
	9080	M9S	
ESJ9 Load Source Specify (931GB SSD SFF-3)	8284	21A	EU49

	8286	41A	
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
ESJB Load Source Specify (1.86TB SSD SFF-3)	8286	41A	EU4B
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
ESJD Load Source Specify (3.72TB SSD SFF-3)	8286	41A	EU4D
	8286	42A	
	9009	41A	
	9009	41G	
	9009	42A	
	9009	42G	
ESJF Load Source Specify (7.45TB SSD SFF-3)	9009	41A	EU4F
	9009	41G	
	9009	42A	
	9009	42G	

Business Partner information

If you are a Direct Reseller - System Reseller acquiring products from IBM, you may link directly to Business Partner information for this announcement. A PartnerWorld^(R) ID and password are required (use IBMid).

[BP Attachment for Announcement Letter 921-035](#)

Trademarks

IBM, Power, AIX, PureFlex and PartnerWorld are registered trademarks of IBM Corporation in the United States, other countries, or both.

The registered trademark Linux[®] is used pursuant to a sublicense from the Linux Foundation, the exclusive licensee of Linus Torvalds, owner of the mark on a world-wide basis.

Other company, product, and service names may be trademarks or service marks of others.

Terms of use

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for your information only. Additional terms of use are located at

[Terms of use](#)

For the most current information regarding IBM products, consult your IBM representative or reseller, or go to the IBM worldwide contacts page

[IBM United States](#)