

GSA HW REPORT
03/11/2014

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|--------------------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 1164 | 95X | | REAR DOOR HEAT EXCHANGER | 6,044 | Y | 2 | 36 |
| 1164 | | ESC2 | RACK S H B | 242 | N | | 36 |
| 1457 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 36 |
| 1457 | | 0011 | TEN CSC BILLING UITS | 1,370 | N | | 36 |
| 1457 | | 1107 | USB 500 GB REMOVABLE DISK DR | 238 | N | | 36 |
| 1457 | | 1761 | 2 PORT QDR INFINIBAND CARD | 1,519 | N | | 36 |
| 1457 | | 1762 | 4 PORT 10 GBE CARD | 684 | N | | 36 |
| 1457 | | 1763 | 4 PORT 1 GBE CARD | 560 | N | | 36 |
| 1457 | | 1764 | 2 PORT 8 GB FIBRE CHANNEL CARD | 754 | N | | 36 |
| 1457 | | 7067 | TOP COVER DISKLESS MODEL | 37 | N | | 36 |
| 1457 | | 7068 | TOP COVER SSDS INSTALLED | 1,038 | N | | 36 |
| 1457 | | 7069 | TOP COVER HDDS INSTALLED | 619 | N | | 36 |
| 1457 | | 8196 | 8GB 2X4GB RDIMMS MEMORY | 185 | N | | 36 |
| 1457 | | 8207 | 177 GB SOLID STATE DRIVE | 3,547 | N | | 36 |
| 1457 | | 8274 | 300 GB SAS 10K RPM SAS HDD | 249 | N | | 36 |
| 1457 | | 8276 | 600 GB SAS 10K RPM SFF | 499 | N | | 36 |
| 1457 | | 8311 | 900 GB SAS 10K RPM SFF | 987 | N | | 36 |
| 1457 | | EEMD | 16GB 2 X 8GB RDIMMS MEMORY | 321 | N | | 36 |
| 1457 | | EEME | 32GB 2 X 16GB RDIMMS MEMORY | 643 | N | | 36 |
| 1457 | | EM04 | 4GB 2X2GB MEMORY DIMMS 1066 | 428 | N | | 36 |
| 1457 | | EPED | ONE PROCESSOR ENTITLEMENT | 81 | N | | 36 |
| 1457 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 278 | N | | 36 |
| 1457 | | EU08 | RDX 320 GB REMOVABLE DISKDRIVE | 181 | N | | 36 |
| 1750 | | 1310 | SHORT WAVE SFP PAIR | 723 | N | | 48 |
| 1750 | | 1315 | LONG WAVE SFP PAIR | 1,594 | N | | 48 |
| 1750 | | 1320 | SHORT WAVE SFP PAIR | 723 | N | | 12 |
| 1750 | | 1325 | LONG WAVE SFP PAIR | 1,594 | N | | 12 |
| 1750 | | 1353 | 2M 50 MICRON LC - LC CABLE | 72 | N | | 12 |
| 1750 | | 1354 | 7M 50 MICRON LC - LC CABLE | 108 | N | | 12 |
| 1750 | | 1355 | 31M 50 MICRON LC - LC CABLE | 144 | N | | 12 |
| 1750 | | 1364 | 7M 9 MICRON LC - LC CABLE | 108 | N | | 12 |
| 1750 | | 1365 | 31M 9 MICRON LC - LC CABLE | 144 | N | | 12 |
| 1750 | | 1372 | 50 MICRON LC-SC FIBRE CHNL INT | 144 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 1750 | | 1373 | 9 MICRON LC-SC FIBRE CHNL INT | 144 | N | | 12 |
| 1750 | | 1382 | 31M 50 MICRON LC-LC CABLE SET | 577 | N | | 48 |
| 1750 | | 1384 | 7M 50 MICRON LC - LC CABLE | 432 | N | | 12 |
| 1750 | | 1385 | 31M 50 MICRON LC - LC CABLE | 577 | N | | 12 |
| 1750 | | 2056 | 2GB 300 GB 15K DRIVE SET | 10,882 | N | | 48 |
| 1750 | | 2062 | 2GB 300 GB 15K DRIVE SET | 10,882 | N | | 12 |
| 1750 | | 2072 | 450 GB 15 000 RPM DRIVE SET | 13,239 | N | | 12 |
| 1750 | | 2074 | 450 GB 15 000 RPM DRIVE SET | 13,239 | N | | 12 |
| 1750 | | 2990 | DISK DRIVE FILLER SET | 42 | N | | 48 |
| 1750 | | 2991 | DISK DRIVE FILLER SET | 42 | N | | 12 |
| 1750 | | 5000 | OEL - 1TB | 3,083 | N | | 48 |
| 1750 | | 5001 | OEL - 5TB | 14,327 | N | | 48 |
| 1750 | | 5002 | OEL - 10TB | 27,567 | N | | 48 |
| 1750 | | 5003 | OEL - 25TB | 63,476 | N | | 48 |
| 1750 | | 5004 | OEL - 50TB | 105,189 | N | | 48 |
| 1750 | | 5010 | OEL - 1 TB | 3,083 | N | | 12 |
| 1750 | | 5011 | OEL - 5 TB | 14,327 | N | | 12 |
| 1750 | | 5012 | OEL - 10 TB | 27,567 | N | | 12 |
| 1750 | | 5013 | OEL - 25 TB | 63,476 | N | | 12 |
| 1750 | | 5014 | OEL - 50 TB | 105,189 | N | | 12 |
| 1750 | | 5100 | PAV - 1TB | 4,715 | N | | 48 |
| 1750 | | 5101 | PAV - 5TB | 20,131 | N | | 48 |
| 1750 | | 5102 | PAV - 10TB | 39,537 | N | | 48 |
| 1750 | | 5103 | PAV - 25TB | 62,751 | N | | 48 |
| 1750 | | 5104 | PAV - 50TB | 104,826 | N | | 48 |
| 1750 | | 5110 | PAV - 1 TB | 4,715 | N | | 12 |
| 1750 | | 5111 | PAV - 5 TB | 20,131 | N | | 12 |
| 1750 | | 5112 | PAV - 10 TB | 39,537 | N | | 12 |
| 1750 | | 5113 | PAV - 25 TB | 62,751 | N | | 12 |
| 1750 | | 5114 | PAV - 50 TB | 104,826 | N | | 12 |
| 1750 | | 5200 | PTC - 1TB | 8,705 | N | | 48 |
| 1750 | | 5201 | PTC - 5TB | 13,965 | N | | 48 |
| 1750 | | 5202 | PTC - 10TB | 17,955 | N | | 48 |
| 1750 | | 5203 | PTC - 25TB | 27,567 | N | | 48 |
| 1750 | | 5204 | PTC - 50TB | 32,282 | N | | 48 |
| 1750 | | 5210 | PTC - 1 TB | 8,705 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1750 | | 5211 | PTC - 5 TB | 13,965 | N | | 12 |
| 1750 | | 5212 | PTC - 10 TB | 17,955 | N | | 12 |
| 1750 | | 5213 | PTC - 25 TB | 27,567 | N | | 12 |
| 1750 | | 5214 | PTC - 50 TB | 32,282 | N | | 12 |
| 1750 | | 5300 | RMC - 1TB | 12,332 | N | | 48 |
| 1750 | | 5301 | RMC - 5TB | 23,940 | N | | 48 |
| 1750 | | 5302 | RMC - 10TB | 27,422 | N | | 48 |
| 1750 | | 5303 | RMC - 25TB | 36,997 | N | | 48 |
| 1750 | | 5304 | RMC - 50TB | 41,713 | N | | 48 |
| 1750 | | 5310 | RMC - 1 TB | 12,332 | N | | 12 |
| 1750 | | 5311 | RMC - 5 TB | 23,940 | N | | 12 |
| 1750 | | 5312 | RMC - 10 TB | 27,422 | N | | 12 |
| 1750 | | 5313 | RMC - 25 TB | 36,997 | N | | 12 |
| 1750 | | 5314 | RMC - 50 TB | 41,713 | N | | 12 |
| 1750 | | 5915 | FICON ATTACHMENT | 7,254 | N | | 48 |
| 1750 | | 5920 | FICON ATTACHMENT | 7,254 | N | | 12 |
| 1812 | | 2411 | SHORT WAVE 4GB SFP PAIR | 723 | N | | 36 |
| 1812 | | 4620 | 2 TB 7.2K SATA E DDM | 2,139 | N | | 36 |
| 1812 | | 4628 | 1TB 7 200 RPM SATA E DDM2 | 1,336 | N | | 36 |
| 1812 | | 5417 | 4 GBPS FC 600 GB/15K E DDM | 3,048 | N | | 36 |
| 1812 | | 5418 | 300GB 15 000 RPM 4GB FC E DDM2 | 1,905 | N | | 36 |
| 1812 | | 5419 | 450GB 15 000 RPM 4GB FC E DDM2 | 2,286 | N | | 36 |
| 1812 | | 5435 | 16PK 4 GBPS 300 GB/15K E-DDM | 26,574 | N | | 36 |
| 1812 | | 5436 | 16PK 4GBPS 450 GB/15K E DDM | 32,675 | N | | 36 |
| 1812 | | 5437 | 16 PAK 600 GB/15K E DDM | 44,420 | N | | 36 |
| 1812 | | 5601 | 1M FIBER OPTIC CABLE LC-LC | 56 | N | | 36 |
| 1812 | | 5605 | 5M FIBER OPTIC CABLE LC-LC | 93 | N | | 36 |
| 1812 | | 5625 | 25M FIBER OPTIC CABLE LC-LC | 137 | N | | 36 |
| 1814 | 52A | | EXP520 EXPANSION UNIT | 4,353 | Y | 3 | 36 |
| 1814 | | 2011 | AIR FILTER BEZEL | 821 | N | | 36 |
| 1814 | | 2070 | ADD 2 GB TO CACHE MEMORY | 2,902 | N | | 36 |
| 1814 | | 2080 | 2 DUAL 8GBPS HOST PT CARDS | 5,804 | N | | 36 |
| 1814 | | 2081 | 2 DUAL 1GBPS ISCSI HOST PTS | 3,627 | N | | 36 |
| 1814 | | 2105 | DS4000 1-PT PCI-X 4 GBPS HBA | 1,077 | N | | 36 |
| 1814 | | 2106 | DS4000 2-PT PCI-X 4 GBPS HBA | 1,803 | N | | 36 |
| 1814 | | 3791 | 0.6 M YELLOW CAT5E CABLE | 11 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 1814 | | 3792 | 1.5 M YELLOW CAT5E CABLE | 12 | N | | 36 |
| 1814 | | 3793 | 3 M YELLOW CAT5E CABLE | 13 | N | | 36 |
| 1814 | | 3794 | 10M YELLOW CAT5E CABLE | 20 | N | | 36 |
| 1814 | | 3795 | 25 M YELLOW CAT5E CABLE | 33 | N | | 36 |
| 1814 | | 3796 | 0.6 M GREEN CAT5E CABLE | 11 | N | | 36 |
| 1814 | | 3797 | 1.5 M GREEN CAT5E CABLE | 12 | N | | 36 |
| 1814 | | 3798 | 3 M GREEN CAT5E CABLE | 13 | N | | 36 |
| 1814 | | 3799 | 10 M GREEN CAT5E CABLE | 20 | N | | 36 |
| 1814 | | 3800 | 25 M GREEN CAT5E CABLE | 33 | N | | 36 |
| 1814 | | 3801 | 0.6 M BLUE CAT5E CABLE | 11 | N | | 36 |
| 1814 | | 3802 | 1.5M BLUE CAT5E CABLE | 12 | N | | 36 |
| 1814 | | 3803 | 3M BLUE CAT5E CABLE | 13 | N | | 36 |
| 1814 | | 3804 | 10M BLUE CAT5E CABLE | 20 | N | | 36 |
| 1814 | | 3805 | 25M BLUE CAT5E CABLE | 33 | N | | 36 |
| 1814 | | 4203 | DS5020 600GB/15K 4GBPS FC DDM | 3,048 | N | | 36 |
| 1814 | | 4211 | 16PK 300GB 15K 4GBPS FC DDM | 26,574 | N | | 36 |
| 1814 | | 4212 | 16PK 450GB 15K 4GBPS FC DDM | 32,675 | N | | 36 |
| 1814 | | 4213 | 16PK 600GB/15K 4GBPS FC DDM | 44,420 | N | | 36 |
| 1814 | | 4401 | ENCRYPTIBLE DDM 4GBPS 300GB | 2,510 | N | | 36 |
| 1814 | | 4402 | ENCRYPTIBLE DDM 4GBPS 450GB | 3,039 | N | | 36 |
| 1814 | | 5417 | 4 GBPS FC 600 GB/15K E DDM | 3,048 | N | | 36 |
| 1814 | | 5555 | BULK ORDERING FEATURE IND. | 0 | N | | 36 |
| 1814 | | 5601 | 1M FIBER OPTIC CABLE LC-LC | 56 | N | | 36 |
| 1814 | | 5605 | 5M FIBER OPTIC CABLE LC-LC | 93 | N | | 36 |
| 1814 | | 5625 | 25M FIBER OPTIC CABLE LC-LC | 137 | N | | 36 |
| 1814 | | 5810 | OM3 FIBER OPT. CBL LC LC 10M | 87 | N | | 36 |
| 1814 | | 5818 | 4PK OM3 FIBER CBL LC LC 10M | 348 | N | | 36 |
| 1814 | | 7301 | DS4700 FLASHCOPY | 4,353 | N | | 36 |
| 1814 | | 7303 | DS4700 VOLUMECOPY | 0 | N | | 36 |
| 1814 | | 7304 | DS4700 FLASH/VOLUMECOPY | 4,353 | N | | 36 |
| 1814 | | 7305 | DS4700 ENH. REMOTE MIRROR | 7,254 | N | | 36 |
| 1814 | | 7306 | DS4700 FC/SATA ENCL. INTEMIX | 2,176 | N | | 36 |
| 1814 | | 7313 | DS4700 FLASHCPY 4 8 FC UPGR | 0 | N | | 36 |
| 1814 | | 7316 | DS4700 ENRMIR 32 64 MR UPGR | 0 | N | | 36 |
| 1814 | | 7382 | DS4700 MOD 70 EXPS ATT 1-3 | 0 | N | | 36 |
| 1814 | | 7383 | DS4700 MOD 70 EXPS ATT 4-6 | 0 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 1814 | | 7384 | DS4700 MOD 72 EXPS ATT 4-6 | 0 | N | | 36 |
| 1814 | | 7393 | DS5020 33 64 DISK DRIVE ATT | 1,451 | N | | 36 |
| 1814 | | 7394 | DS5020 65 112 DISK DRIVE ATT | 3,591 | N | | 36 |
| 1814 | | 7401 | DS5020 FLASHCOPY | 7,616 | N | | 36 |
| 1814 | | 7402 | DS5020 FLASHCPY 4 8 FC UPG | 8,633 | N | | 36 |
| 1814 | | 7403 | DS5020 VOLUMECOPY | 5,440 | N | | 36 |
| 1814 | | 7404 | DS5020 FLASH VOLUMECOPY | 5,441 | N | | 36 |
| 1814 | | 7405 | DS5020 ENH. REMOTE MIRROR | 5,440 | N | | 36 |
| 1814 | | 7406 | DS5020 E.RMR 32 64 MR UPG | 14,509 | N | | 36 |
| 1814 | | 7410 | DS5020 DISK ENCRYPTION ACT | 2,720 | N | | 36 |
| 1814 | | 7414 | EXP810 TO DS5020 ATTACH ACT | 4,353 | N | | 36 |
| 1814 | | 7700 | DS4700 WINDOWS HOST KIT | 907 | N | | 36 |
| 1814 | | 7701 | DS4700 LINUX/INTEL HOST KIT | 907 | N | | 36 |
| 1814 | | 7703 | DS4700 VMWARE ESX HOST KIT | 907 | N | | 36 |
| 1814 | | 7711 | DS4700 AIX/VIOS HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7712 | DS4700 SUN SOLARIS HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7713 | DS4700 HPUX HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7714 | DS4700 LINUX FOR POWER HOST | 907 | N | | 36 |
| 1814 | | 7801 | DS5020 WINDOWS HOST KIT | 907 | N | | 36 |
| 1814 | | 7802 | DS5020 LINUX/INTEL HOST KIT | 907 | N | | 36 |
| 1814 | | 7804 | DS5020 VMWARE ESX HOST KIT | 907 | N | | 36 |
| 1814 | | 7805 | DS5020 AIX VIOS HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7806 | DS5020 SUN SOLARIS HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7807 | DS5020 HPUX HOST KIT | 5,078 | N | | 36 |
| 1814 | | 7808 | DS5020 LINUX FOR POWER HOST | 907 | N | | 36 |
| 1814 | | 8700 | DS5020 2 STG PARTIT. IPO | 1,088 | N | | 36 |
| 1814 | | 8701 | DS5020 4 STG PARTIT. IPO | 2,176 | N | | 36 |
| 1814 | | 8702 | DS5020 8 STG PARTIT. IPO | 6,529 | N | | 36 |
| 1814 | | 8703 | DS5020 16 STG PARTIT. IPO | 11,752 | N | | 36 |
| 1814 | | 8704 | DS5020 32 STG PARTIT. IPO | 17,411 | N | | 36 |
| 1814 | | 8705 | DS5020 64 STG PARTIT. IPO | 22,851 | N | | 36 |
| 1814 | | 8706 | DS5020 128 STG PARTIT. IPO | 28,945 | N | | 36 |
| 1814 | | 8801 | DS5020 2 4 STG PART. MES | 1,088 | N | | 36 |
| 1814 | | 8802 | DS5020 2 8 STG PART. MES | 5,441 | N | | 36 |
| 1814 | | 8803 | DS5020 4 8 STG PART. MES | 4,353 | N | | 36 |
| 1814 | | 8804 | DS5020 4 16 STG PART. MES | 9,576 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 1814 | | 8805 | DS5020 8 16 STG PART. MES | 5,223 | N | | 36 |
| 1814 | | 8806 | DS5020 8 32 STG PART. MES | 10,882 | N | | 36 |
| 1814 | | 8807 | DS5020 8 64 STG PART. MES | 16,322 | N | | 36 |
| 1814 | | 8808 | DS5020 16 32 STG PART. MES | 5,658 | N | | 36 |
| 1814 | | 8809 | DS5020 16 64 STG PART. MES | 11,099 | N | | 36 |
| 1814 | | 8810 | DS5020 32 64 STG PART. MES | 5,441 | N | | 36 |
| 1814 | | 8811 | DS5020 32 128 STG PRT. MES | 11,534 | N | | 36 |
| 1814 | | 8812 | DS5020 64 128 STG PRT. MES | 6,094 | N | | 36 |
| 1814 | | 8841 | DS4700 32 128 STG PAR. MES | 11,534 | N | | 36 |
| 1814 | | 8842 | DS4700 64 128 STG PAR. MES | 6,094 | N | | 36 |
| 1814 | | 8856 | DS4700 MOD 72 8-STG. IPO | 3,627 | N | | 36 |
| 1814 | | 8857 | DS4700 MOD 72 16-STG. IPO | 5,078 | N | | 36 |
| 1814 | | 8858 | DS4700 MOD 72 64-STG. IPO | 13,638 | N | | 36 |
| 1814 | | 8860 | DS4700 2-4 STG. PART. MES | 725 | N | | 36 |
| 1814 | | 8861 | DS4700 2-8 STG. PART. MES | 2,902 | N | | 36 |
| 1814 | | 8862 | DS4700 4-8 STG. PART. MES | 2,176 | N | | 36 |
| 1814 | | 8863 | DS4700 4-16 STG. PART. MES | 3,627 | N | | 36 |
| 1814 | | 8864 | DS4700 8-16 STG. PART. MES | 1,451 | N | | 36 |
| 1814 | | 8865 | DS4700 8-64 STG. PART. MES | 10,011 | N | | 36 |
| 1814 | | 8866 | DS4700 16-64 STG. PART. MES | 8,560 | N | | 36 |
| 1814 | | 8867 | DS4700 8 32 STG PART. MES | 3,555 | N | | 36 |
| 1814 | | 8868 | DS4700 16 32 STG PART. MES | 2,176 | N | | 36 |
| 1814 | | 8869 | DS4700 32 64 STG PART. MES | 5,441 | N | | 36 |
| 1815 | | 2024 | MOD 82 CACHE UPGDE TO 8 GB | 36,272 | N | | 36 |
| 1815 | | 2025 | MOD 82 CACHE UPGDE TO 16 GB | 71,456 | N | | 36 |
| 1815 | | 2028 | MOD 84 CACHE UPGDE TO 16 GB | 71,456 | N | | 36 |
| 1815 | | 7306 | DS4800 FC/SATA ENCL. INTEMIX | 4,353 | N | | 36 |
| 1818 | 80C | | DCS3700 STORAGE SYSTEM | 30,460 | N | 1 | 12 |
| 1818 | 80E | | DCS3700 EXPANSION UNIT | 14,436 | N | 1 | 12 |
| 1818 | D1A | | EXP5000 EXPANSION UNIT | 4,353 | N | 1 | 12 |
| 1818 | | 3001 | 8GB CACHE | 11,607 | N | | 12 |
| 1818 | | 3002 | 4GB TO 8GB CACHE UPGRADE | 11,607 | N | | 12 |
| 1818 | | 3100 | PERFORMANCE MODULE CONTROLLEI | 24,665 | N | | 12 |
| 1818 | | 3111 | 24GB CACHE | 10,156 | N | | 12 |
| 1818 | | 3112 | 48GB CACHE | 20,312 | N | | 12 |
| 1818 | | 3116 | UPGRADE CACHE TO 24GB | 14,509 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1818 | | 3117 | UPGRADE CACHE TO 48GB | 29,018 | N | | 12 |
| 1818 | | 3130 | TWO 4-PORT 8GB FC HIC | 7,254 | N | | 12 |
| 1818 | | 3300 | TWO 6GB SAS 2 PORT CARDS | 2,174 | N | | 12 |
| 1818 | | 3310 | TWO 8GB FC 4 PORT CARDS | 2,899 | N | | 12 |
| 1818 | | 3400 | 300GB 15K SAS HDD 10 PACK | 5,629 | N | | 12 |
| 1818 | | 3401 | 300GB 15K 6GB SAS 2.5 INCH HDD | 562 | N | | 12 |
| 1818 | | 3460 | 3TB 7.2K SAS HDD 10 PACK | 7,537 | N | | 12 |
| 1818 | | 3461 | 3TB 7.2K 6GB SAS NL 3.5 INCH H | 754 | N | | 12 |
| 1818 | | 3490 | 200GB SAS 2.5 INCH SSD | 3,046 | N | | 12 |
| 1818 | | 3491 | 400GB SAS 2.5 INCH SSD | 6,673 | N | | 12 |
| 1818 | | 3510 | 8 TO 16 PARTITION UPGRADE | 1,741 | N | | 12 |
| 1818 | | 3511 | 8 TO 32 PARTITION UPGRADE | 4,498 | N | | 12 |
| 1818 | | 3512 | 8 TO 64 PARTITION UPGRADE | 9,793 | N | | 12 |
| 1818 | | 3513 | 8 TO 128 PARTITION UPGRADE | 19,224 | N | | 12 |
| 1818 | | 3514 | 8 TO 256 PARTITION UPGRADE | 35,909 | N | | 12 |
| 1818 | | 3515 | 8 TO 512 PARTITION UPGRADE | 65,290 | N | | 12 |
| 1818 | | 3520 | 16 TO 32 PARTITION UPGRADE | 2,757 | N | | 12 |
| 1818 | | 3521 | 16 TO 64 PARTITION UPGRADE | 8,052 | N | | 12 |
| 1818 | | 3522 | 16 TO 128 PARTITION UPGRDE | 17,483 | N | | 12 |
| 1818 | | 3530 | 32 TO 64 PARTITION UPGRADE | 5,296 | N | | 12 |
| 1818 | | 3531 | 32 TO 128 PARTITION UPGRDE | 14,726 | N | | 12 |
| 1818 | | 3540 | 64 TO 128 PARTITION UPGRDE | 9,431 | N | | 12 |
| 1818 | | 3541 | 64 TO 256 PARTITION UPGRADE | 26,116 | N | | 12 |
| 1818 | | 3551 | 128 TO 256 PARTITION UPGRADE | 16,685 | N | | 12 |
| 1818 | | 3552 | 128 TO 512 PARTITION UPGRADE | 46,065 | N | | 12 |
| 1818 | | 3561 | 256 TO 512 PARTITION UPGRADE | 29,380 | N | | 12 |
| 1818 | | 3600 | AIX VIOS HOST KIT | 3,809 | N | | 12 |
| 1818 | | 3610 | LINUX ON POWER HOST KIT | 725 | N | | 12 |
| 1818 | | 3620 | MAC OS HOST KIT | 1,814 | N | | 12 |
| 1818 | | 3630 | SOLARIS HOST KIT | 5,078 | N | | 12 |
| 1818 | | 3707 | 3M SAS CABLE | 98 | N | | 12 |
| 1818 | | 3708 | 1M SAS CABLE | 86 | N | | 12 |
| 1818 | | 3900 | FLASHCOPY VOLUME COPY | 2,974 | N | | 12 |
| 1818 | | 3901 | ENHANCED FLASHCOPY BASE | 3,845 | N | | 12 |
| 1818 | | 3902 | ENHANCED FLASHCOPY UPGRADE | 4,208 | N | | 12 |
| 1818 | | 3904 | ENHANCED FLASHCOPY PLUS | 5,731 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1818 | | 3905 | VOLUME COPY PLUS ENHANCED | 7,617 | N | | 12 |
| 1818 | | 3950 | REMOTE MIRRORING | 6,165 | N | | 12 |
| 1818 | | 4712 | 2 TB/7.2K SATA DDM | 2,139 | N | | 12 |
| 1818 | | 4741 | 10PK 2 TB/7.2K SATA DDM | 19,252 | N | | 12 |
| 1818 | | 4742 | 3TB 7.2K SATA DDM 10 PACK | 23,104 | N | | 12 |
| 1818 | | 5513 | 4 GBPS FC 600 GB/15K DDM | 3,048 | N | | 12 |
| 1818 | | 5521 | ENCRYPTIBLE DDM 4GBPS 300GB | 2,510 | N | | 12 |
| 1818 | | 5522 | ENCRYPTIBLE DDM 4GBPS 450GB | 3,039 | N | | 12 |
| 1818 | | 5533 | 16 PAK 600 GB/15K DDM | 44,420 | N | | 12 |
| 1818 | | 5541 | 16PK ENCR DDM 4GBPS 300GB | 35,808 | N | | 12 |
| 1818 | | 5542 | 16PK ENCR DDM 4GBPS 450GB | 44,280 | N | | 12 |
| 1818 | | 5601 | 1M FIBER OPTIC CABLE LC LC | 56 | N | | 12 |
| 1818 | | 5605 | 5M FIBER OPTIC CABLE LC LC | 93 | N | | 12 |
| 1818 | | 5625 | 25M FIBER OPTIC CABLE LC LC | 137 | N | | 12 |
| 1818 | | 5810 | OM3 FIBER OPT. CBL LC LC 10M | 87 | N | | 12 |
| 1818 | | 5818 | 4PK OM3 FIBER CBL LC LC 10M | 348 | N | | 12 |
| 1818 | | 6510 | 3 TB 7 2K FC SAS NL DDM | 2,823 | N | | 12 |
| 1818 | | 6530 | 3TB 7 2K FC SAS NL DDM 16 PACK | 40,665 | N | | 12 |
| 1818 | | 7350 | DS5000 FLESH/VOLUMECOPY | 17,409 | N | | 12 |
| 1818 | | 7353 | DS5000 ENH. REMOTE MIRROR | 20,312 | N | | 12 |
| 1818 | | 7356 | DS5000 E. RMR 64 128 MR UPG | 14,509 | N | | 12 |
| 1818 | | 7358 | DS5000 DISK ENCRYPTION ACT | 3,627 | N | | 12 |
| 1818 | | 7370 | DS5100 PERFORMANCE UPGRADE | 17,772 | N | | 12 |
| 1818 | | 7371 | ATTACH UP TO 448 DRIVES | 9,068 | N | | 12 |
| 1818 | | 7372 | ATTACH UP TO EIGHT EXP5060 | 2,902 | N | | 12 |
| 1818 | | 7373 | DS5300 ATT UP TO 8 EXP5060 | 2,902 | N | | 12 |
| 1818 | | 7720 | DS5000 WINDOWS HOST KIT | 907 | N | | 12 |
| 1818 | | 7721 | DS5000 LINUX/INTEL HOST KIT | 907 | N | | 12 |
| 1818 | | 7723 | DS5000 VMWARE ESX HOST KIT | 907 | N | | 12 |
| 1818 | | 7731 | DS5000 AIX/VIOS HOST KIT | 5,078 | N | | 12 |
| 1818 | | 7732 | DS5000 SUN HOST KIT | 5,078 | N | | 12 |
| 1818 | | 7733 | DS5000 HPUX HOST KIT | 5,078 | N | | 12 |
| 1818 | | 7734 | DS5000 LINUX FOR POWER HOST | 907 | N | | 12 |
| 1818 | | 7735 | DS5000 IBM I HOST KIT | 5,078 | N | | 12 |
| 1818 | | 8930 | DS5000 8 16 STG PART. MES | 6,094 | N | | 12 |
| 1818 | | 8931 | DS5000 8 32 STG PART. MES | 12,695 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 1818 | | 8932 | DS5000 16 32 STG PART. MES | 6,892 | N | | 12 |
| 1818 | | 8933 | DS5000 16 64 STG PART. MES | 15,416 | N | | 12 |
| 1818 | | 8934 | DS5000 32 64 STG PART. MES | 5,441 | N | | 12 |
| 1818 | | 8935 | DS5000 32 128 STG PRT. MES | 15,597 | N | | 12 |
| 1818 | | 8936 | DS5000 64 128 STG PRT. MES | 10,156 | N | | 12 |
| 1818 | | 8937 | DS5000 64 256 STG PRT. MES | 21,763 | N | | 12 |
| 1818 | | 8938 | DS5000 128 256 STG PT. MES | 11,607 | N | | 12 |
| 1818 | | 8939 | DS5000 128 512 STG PT. MES | 21,763 | N | | 12 |
| 1818 | | 8940 | DS5000 256 512 STG PT. MES | 10,156 | N | | 12 |
| 2005 | | 2410 | 4 GBPS SW SFP TRANSCEIVER | 109 | N | | 12 |
| 2005 | | 2420 | FC 4 GBPS 10KM LONG WAVE | 725 | N | | 12 |
| 2005 | | 2430 | FC 4 GBPS 4KM LONG WAVE | 463 | N | | 12 |
| 2005 | | 5605 | FIBER CABLE LC/LC 5M MULTIMODE | 76 | N | | 12 |
| 2005 | | 5625 | FIBER CBL LC/LC 25M MULTIMODE | 152 | N | | 12 |
| 2005 | | 5701 | LC/LC COUPLING CABLE 1M | 144 | N | | 12 |
| 2005 | | 5702 | LC/SC COUPLING CABLE 2M | 144 | N | | 12 |
| 2005 | | 5720 | 9 MIC FIBRE CAB 31M SM SC/LC | 73 | N | | 12 |
| 2005 | | 5721 | 9 MIC FIBRE CAB 31M SM LC/LC | 73 | N | | 12 |
| 2005 | | 7530 | B32 FICON W/CUP ACTIVATION | 1,966 | N | | 12 |
| 2005 | | 7576 | R18 PERFORM.MONITORING-FIELD | 1,719 | N | | 12 |
| 2005 | | 7577 | R18 ENHANCED TRUNKING-FIELD | 3,438 | N | | 12 |
| 2005 | | 7820 | H16 FULL FABRIC ACTIVATION | 218 | N | | 12 |
| 2026 | | 4503 | SAN24M1 SANTEGRITY BINDING | 1,472 | N | | 12 |
| 2026 | | 4508 | SAN24M-1 8PT FLEXPOR | 2,938 | N | | 12 |
| 2026 | | 4510 | SAN24M1 ELEMENT MANAGER | 1,929 | N | | 12 |
| 2026 | | 4520 | SAN24M-1 OPEN TRUNKING | 3,800 | N | | 12 |
| 2026 | | 4550 | SAN24M1 FULL VOLATILITY | 4,729 | N | | 12 |
| 2054 | E01 | | CISCO MDS 9222I FC SWITCH | 42,133 | N | | 12 |
| 2054 | E04 | | CISCO MDS 9506 DIRECTOR | 52,681 | N | | 12 |
| 2054 | E07 | | CISCO MDS 9509 DIRECTOR | 54,488 | N | | 12 |
| 2054 | E11 | | CISCO MDS 9513 DIRECTOR | 63,744 | N | | 12 |
| 2054 | | 2209 | 9200FCIP ACT/8-PORT IP SERV LC | 11,970 | N | | 12 |
| 2054 | | 2210 | FCIP ACT/8-PORT IP SERV LC | 11,970 | N | | 12 |
| 2054 | | 2215 | 9200 FCIP ACTIVATION FOR MSM | 15,017 | N | | 12 |
| 2054 | | 2216 | 9500 FCIP ACTIVATION FOR MSN | 15,017 | N | | 12 |
| 2054 | | 2404 | 4-PORT 10 GB FC SWITCH MOD | 39,399 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2054 | | 2450 | 18/4 MULTISERVICE MODULE | 45,812 | N | | 12 |
| 2054 | | 5030 | FC 10GB SR X2 TRANSCEIVER | 4,643 | N | | 12 |
| 2054 | | 5032 | ETHERNET 10GB SR X2 TRANS | 4,643 | N | | 12 |
| 2054 | | 5050 | FC 10GB 40KM ER X2 TRANS | 12,020 | N | | 12 |
| 2054 | | 5210 | TRI-RATE SW SFP | 706 | N | | 12 |
| 2054 | | 5220 | TRI-RATE LW SFP | 1,624 | N | | 12 |
| 2054 | | 5250 | GIGABIT ETHERNET COPPER SFP | 587 | N | | 12 |
| 2054 | | 5434 | FC 4 GB SW SFP 4 PACK | 653 | N | | 12 |
| 2054 | | 5454 | FC 4 GB 10 KM LW SFP 4 PK | 5,136 | N | | 12 |
| 2054 | | 5605 | 5 M LC/LC FIBER CABLE | 98 | N | | 12 |
| 2054 | | 5625 | 25 M LC/LC FIBER CABLE | 150 | N | | 12 |
| 2054 | | 5642 | 5 M LC/LC FIBER CABLE 4 PACK | 696 | N | | 12 |
| 2054 | | 5643 | 25 M LC/LC FIBER CABLE 4 PACK | 957 | N | | 12 |
| 2054 | | 5811 | CISCO FLASH MEMORY CARD | 2,829 | N | | 12 |
| 2054 | | 5834 | FC 8 GB SW SFP+ 4 PACK | 1,175 | N | | 12 |
| 2054 | | 5854 | FC 8 GB 10KM LW SFP+ 4 PACK | 10,460 | N | | 12 |
| 2054 | | 7011 | MDS 9200 ENTERPRISE PKG | 8,618 | N | | 12 |
| 2054 | | 7016 | MDS 9200 FAB MGR SERV PKG | 7,813 | N | | 12 |
| 2054 | | 7021 | MDS 9500 ENTERPRISE PKG | 28,429 | N | | 12 |
| 2054 | | 7026 | MDS 9500 FABRIC MGR SERV PKG | 23,432 | N | | 12 |
| 2054 | | 7031 | MDS 9200 MAINFRAME SERVER PKG | 13,108 | N | | 12 |
| 2054 | | 7036 | MDS 9500 MAINFRAME SERVER PKG | 26,217 | N | | 12 |
| 2054 | | 7052 | MDS 9200 FCIP ACT FOR 18/4 | 15,575 | N | | 12 |
| 2054 | | 7055 | MDS 9500 FCIP ACT FOR 18/4 | 15,575 | N | | 12 |
| 2062 | | 2209 | FCIP ACT/8-PORTIP SERV.L.CARD | 11,970 | N | | 0 |
| 2062 | | 2210 | FCIP ACT/8-PORTIP SERV.L.CARD | 11,970 | N | | 0 |
| 2062 | | 5210 | TRI-RATE SW SFP TRANSCEIVER | 812 | N | | 0 |
| 2062 | | 5220 | TRI-RATE LW SFP TRANSCEIVER | 1,624 | N | | 0 |
| 2062 | | 5605 | 5 M LC/LC FIBER CBL(MULTIMODE) | 98 | N | | 0 |
| 2062 | | 5625 | 25 M LC/LC FIBERCBL(MULTIMODE) | 150 | N | | 0 |
| 2062 | | 5811 | CISCO SPARE FLASH MEMORY CARD | 2,829 | N | | 0 |
| 2073 | 720 | | STORWIZE V7000 UNIFIED | 9,068 | Y | 1 | 36 |
| 2073 | | 5301 | 5 M FIBER OPTIC CABLE LC LC | 56 | N | | 36 |
| 2073 | | 5305 | 5 M FIBER OPTIC CABLE LC LC | 93 | N | | 36 |
| 2073 | | 5325 | 25 M FIBER OPTIC CABLE LC LC | 137 | N | | 36 |
| 2073 | | 5709 | ETHERNET CABLE 9FT GREEN CAT 5 | 42 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2076 | 112 | | STORWIZE V7000 CONTROLLER 12 | 16,322 | Y | 1 | 36 |
| 2076 | 124 | | STORWIZE V7000 CONTROLLER 24 | 18,136 | Y | 1 | 36 |
| 2076 | 212 | | STORWIZE V7000 EXPANSION 12 | 3,845 | Y | 1 | 36 |
| 2076 | 224 | | STORWIZE V7000 EXPANSION 24 | 4,353 | Y | 1 | 36 |
| 2076 | 312 | | STORWIZE V7000 10 GBE CONTRLEF | 23,577 | Y | 1 | 36 |
| 2076 | 324 | | STORWIZE V7000 10 GBE CONTRSFF | 25,390 | Y | 1 | 36 |
| 2076 | | 3251 | 146 GB 2.5 INCH 15K RPM SAS HD | 688 | N | | 36 |
| 2076 | | 3253 | 300 GB 2.5INCH 15K RPM SAS HDD | 963 | N | | 36 |
| 2076 | | 3271 | 1 TB 2.5INCH 7.2K RPM NL SAS H | 826 | N | | 36 |
| 2076 | | 3302 | 2TB 3.5 INCH 7.2K HDD | 870 | N | | 36 |
| 2076 | | 3303 | 3 TB 3.5INCH 7.2K RPM NL SAS H | 1,160 | N | | 36 |
| 2076 | | 3304 | 4TB 6GB NLSAS 3.5INCH LFF | 1,740 | N | | 36 |
| 2076 | | 3512 | 200GB 2.5 INCH SSD | 3,481 | N | | 36 |
| 2076 | | 3514 | 400GB 2.5 INCH SSD | 6,746 | N | | 36 |
| 2076 | | 3516 | 800GB 2.5 INCH SSD | 12,694 | N | | 36 |
| 2076 | | 3542 | 1.2 TB 6GB SAS 2.5INCH SFF | 1,595 | N | | 36 |
| 2076 | | 3543 | 300GB 6GB SAS 10K 2.5INCH SFF | 550 | N | | 36 |
| 2076 | | 3546 | 600GB 6GB SAS 10K 2.5INCH SFF | 833 | N | | 36 |
| 2076 | | 3549 | 900GB 6GB SAS 10K 2.5INCH SFF | 1,160 | N | | 36 |
| 2076 | | 5301 | 1 M FIBER OPTIC CABLE LC LC | 56 | N | | 36 |
| 2076 | | 5305 | 5 M FIBER OPTIC CABLE LC LC | 93 | N | | 36 |
| 2076 | | 5325 | 25 M FIBER OPTIC CABLE LC LC | 137 | N | | 36 |
| 2076 | | 5401 | 1 M 6 GB/S EXTERNAL MINI SAS | 129 | N | | 36 |
| 2076 | | 5403 | 3 M 6 GB/S EXTERNAL MINI SAS | 144 | N | | 36 |
| 2076 | | 5406 | 6 M 6 GB/S EXTERNAL MINI SAS | 267 | N | | 36 |
| 2076 | | 5600 | PUREFLEX FIBER CABLE | 56 | N | | 36 |
| 2076 | | 5608 | 8 GBPS LW SFP | 288 | N | | 36 |
| 2076 | | 5711 | 10GBE OPTICAL SW SFP PAIR | 674 | N | | 36 |
| 2076 | | 8002 | BATTERY | 1,669 | N | | 36 |
| 2076 | | ACSC | 3M SAS CABLE MSAS | 144 | N | | 36 |
| 2076 | | ACSD | 6M SAS CABLE MSAS | 253 | N | | 36 |
| 2084 | | 0081 | HMC W/ DUAL EN DVD - BLK | *Call | N | | 12 |
| 2084 | | 0082 | HMC W/ TR EN DVD - BLK | *Call | N | | 12 |
| 2084 | | 0219 | ISC-3 PORT ON F/C 218 | *Call | N | | 12 |
| 2084 | | 0322 | ESTI-M CARD | *Call | N | | 12 |
| 2084 | | 0839 | TKE WORKSTATION | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2084 | | 0993 | ICB-3 FUNCTION ENABLEMENT | *Call | N | | 12 |
| 2084 | | 3210 | IBF-360 | *Call | N | | 12 |
| 2084 | | 3393 | ICB-4 FUNCTION ENABLEMENT | *Call | N | | 12 |
| 2084 | | 3993 | STI-3 EXTENDER CARD | *Call | N | | 12 |
| 2084 | | 6154 | ETR 1 PORT | *Call | N | | 12 |
| 2084 | | 6501 | POWER SEQUENCE CONTROLLER | *Call | N | | 12 |
| 2084 | | 9888 | ON/OFF COD ACTIVE IFL | *Call | N | | 12 |
| 2084 | | 9889 | ON/OFF COD ACTIVE ICF-DAY | *Call | N | | 12 |
| 2084 | | 9893 | ON/OFF COD ACTIVE ZAAP DAY | *Call | N | | 12 |
| 2086 | | 0077 | HMC W/DUAL EN DVD - BLACK | *Call | N | | 12 |
| 2086 | | 0078 | HMC W/TR DVD - BLACK | *Call | N | | 12 |
| 2086 | | 0084 | HMC DUAL ETHERNET | *Call | N | | 12 |
| 2086 | | 0086 | SE - TOKEN RING / ETHERNET | *Call | N | | 12 |
| 2086 | | 0087 | SE - DUAL ETHERNET | *Call | N | | 12 |
| 2086 | | 0088 | MAU(MULTI-STATION ACCESS UNIT) | *Call | N | | 12 |
| 2086 | | 0089 | SE-EN SWITCH (FORMER HUB) | *Call | N | | 12 |
| 2086 | | 0219 | ISC-3 PORT ON FC 0218 | *Call | N | | 12 |
| 2086 | | 0856 | TKE 5.1 LIC | *Call | N | | 12 |
| 2086 | | 0993 | ICB-3 FUNCTION | *Call | N | | 12 |
| 2086 | | 2324 | ESCON CHANNEL PORTS | *Call | N | | 12 |
| 2086 | | 2367 | OSA-EXPRESS HIGH SPEED TR | *Call | N | | 12 |
| 2086 | | 7995 | BOLT-DOWN KIT HIGH RAISED FLR | *Call | N | | 12 |
| 2086 | | 7996 | BOLT-DOWN KIT LOW RAISED FLR | *Call | N | | 12 |
| 2086 | | 7997 | BOLT-DOWN KIT NON-RAISED FLR | *Call | N | | 12 |
| 2094 | S08 | | SYSTEM Z9 109 | *Call | N | 3 | 12 |
| 2094 | S18 | | SYSTEM Z9 ENTERPRISE CLASS | *Call | N | 3 | 12 |
| 2094 | S28 | | SYSTEM Z9 ENTERPRISE CLASS | *Call | N | 3 | 12 |
| 2094 | S38 | | SYSTEM Z9 ENTERPRISE CLASS | *Call | N | 3 | 12 |
| 2094 | S54 | | SYSTEM Z9 ENTERPRISE CLASS | *Call | N | 3 | 12 |
| 2094 | | 0079 | HMC | *Call | N | | 12 |
| 2094 | | 0080 | HMC W/TR DVD - BLACK | *Call | N | | 12 |
| 2094 | | 0081 | HMC W/ DUAL EN DVD - BLK | *Call | N | | 12 |
| 2094 | | 0082 | HMC W/ TR EN DVD - BLK | *Call | N | | 12 |
| 2094 | | 0088 | EXTERNAL MAU | *Call | N | | 12 |
| 2094 | | 0089 | SE-EN SWITCH (FORMER HUB) | *Call | N | | 12 |
| 2094 | | 0090 | HMC W/DUAL EN | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2094 | | 0113 | I/O CAGE ISC-D AIRFLOW | *Call | N | | 12 |
| 2094 | | 0114 | I/O CAGE FULL CARD AIRFLOW | *Call | N | | 12 |
| 2094 | | 0160 | MBA FANOUT CARD | *Call | N | | 12 |
| 2094 | | 0161 | MBA FANOUT AIRFLOW | *Call | N | | 12 |
| 2094 | | 0217 | ISC-MOTHER CARD | *Call | N | | 12 |
| 2094 | | 0218 | ISC-DAUGHTER CARD | *Call | N | | 12 |
| 2094 | | 0219 | ISC-3 LINK ON F/C 0218 | *Call | N | | 12 |
| 2094 | | 0227 | ICB-3 CABLE | *Call | N | | 12 |
| 2094 | | 0228 | ICB-4 CABLE | *Call | N | | 12 |
| 2094 | | 0323 | STI-A8 MOTHER CARD | *Call | N | | 12 |
| 2094 | | 0324 | STI-A4 MOTHER CARD | *Call | N | | 12 |
| 2094 | | 0325 | STI-MP DAUGHTER CARD | *Call | N | | 12 |
| 2094 | | 0839 | TKE WORKSTATION | *Call | N | | 12 |
| 2094 | | 0840 | TKE 6.0WORKSTATION | *Call | N | | 12 |
| 2094 | | 0856 | TKE 5.1 LIC | *Call | N | | 12 |
| 2094 | | 0859 | TKE 5.0 WORKSTATION | *Call | N | | 12 |
| 2094 | | 0863 | CRYPTO EXPRESS2 | *Call | N | | 12 |
| 2094 | | 0887 | TKE SMART CARD READER | *Call | N | | 12 |
| 2094 | | 0888 | TKE ADDL SMART CARDS | *Call | N | | 12 |
| 2094 | | 0993 | ICB-3 LINK | *Call | N | | 12 |
| 2094 | | 2319 | FICON EXPRESS LX | *Call | N | | 12 |
| 2094 | | 2323 | 16-PORT ESCON | *Call | N | | 12 |
| 2094 | | 2324 | ESCON CHANNEL PORT | *Call | N | | 12 |
| 2094 | | 2719 | 304 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2720 | 320 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2721 | 336 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2722 | 352 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2723 | 368 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2724 | 384 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2725 | 400 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2726 | 416 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2727 | 432 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2728 | 448 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2729 | 464 GB MEMORY | *Call | N | | 12 |
| 2094 | | 2730 | 480 GB MEMORY | *Call | N | | 12 |
| 2094 | | 3210 | INTERNAL BATTERY | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2094 | | 3321 | FICON EXPRESS4 10 KM LX | *Call | N | | 12 |
| 2094 | | 3322 | FICON EXPRESS4 SX | *Call | N | | 12 |
| 2094 | | 3324 | FICON EXPRESS4 4 KM LX | *Call | N | | 12 |
| 2094 | | 3364 | OSA-EXPRESS2 GBE LX | *Call | N | | 12 |
| 2094 | | 3365 | OSA-EXPRESS2 GBE SX | *Call | N | | 12 |
| 2094 | | 3366 | OSA-EXPRESS2 1000BASE-T | *Call | N | | 12 |
| 2094 | | 3368 | OSA-EXPRESS2 10 GBE LR | *Call | N | | 12 |
| 2094 | | 3393 | ICB-4 LINK | *Call | N | | 12 |
| 2094 | | 3993 | STI-3 DISTRIBUTION CARD | *Call | N | | 12 |
| 2094 | | 6094 | 17 INCH PANEL DISPLAY | *Call | N | | 12 |
| 2094 | | 6095 | 20 INCH PANEL DISPLAY | *Call | N | | 12 |
| 2094 | | 6155 | ETR | *Call | N | | 12 |
| 2094 | | 6501 | POWER SEQUENCE CONTROLLER | *Call | N | | 12 |
| 2094 | | 8992 | 6 FT 250V 60A LINE CORD CHI | *Call | N | | 12 |
| 2094 | | 8993 | 14 FT 250V CORD US CAN JAPAN | *Call | N | | 12 |
| 2094 | | 8994 | 6 FT 480V 30A LINE CORD CHI | *Call | N | | 12 |
| 2094 | | 8995 | 14 FT 480V CORD US CAN JAPAN | *Call | N | | 12 |
| 2094 | | 9888 | ON/OFF COD ACTIVE IFL-DAY | *Call | N | | 12 |
| 2094 | | 9889 | ON/OFF COD ACTIVE ICF-DAY | *Call | N | | 12 |
| 2094 | | 9893 | ON/OFF COD ACTIVE ZAAP-DAY | *Call | N | | 12 |
| 2094 | | 9897 | ON/OFF COD ACTIVE CP-DAY | *Call | N | | 12 |
| 2094 | | 9908 | ON/OFF COD ACT ZIIP - DAY | *Call | N | | 12 |
| 2094 | | 9975 | HEIGHT REDUCTION SHIP 2094 | *Call | N | | 12 |
| 2096 | R07 | | SYSTEM Z9 BUSINESS CLASS | *Call | N | 3 | 12 |
| 2096 | S07 | | SYSTEM Z9 BUSINESS CLASS | *Call | N | 3 | 12 |
| 2096 | | 0076 | HMC W/DUAL EN DVD | *Call | N | | 12 |
| 2096 | | 0077 | HMC W/DUAL EN DVD - BLACK | *Call | N | | 12 |
| 2096 | | 0079 | HMC W/ DUAL EN DVD - BLK | *Call | N | | 12 |
| 2096 | | 0080 | HMC W/TR DVD - BLACK | *Call | N | | 12 |
| 2096 | | 0088 | EXTERNAL MAU | *Call | N | | 12 |
| 2096 | | 0089 | SE-EN SWITCH (FORMER HUB) | *Call | N | | 12 |
| 2096 | | 0113 | I/O CAGE ISC-D AIRFLOW | *Call | N | | 12 |
| 2096 | | 0217 | ISC-MOTHER CARD | *Call | N | | 12 |
| 2096 | | 0218 | ISC-DAUGHTER CARD | *Call | N | | 12 |
| 2096 | | 0219 | ISC-3 LINK ON F/C 0216 | *Call | N | | 12 |
| 2096 | | 0227 | ICB-3 CABLE | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2096 | | 0228 | ICB-4 CABLE | *Call | N | | 12 |
| 2096 | | 0840 | TKE 6.0 WORKSTATION | *Call | N | | 12 |
| 2096 | | 0859 | TKE 5.0 WORKSTATION | *Call | N | | 12 |
| 2096 | | 0863 | CRYPTO EXPRESS2 | *Call | N | | 12 |
| 2096 | | 0887 | TKE SMART CARD READER | *Call | N | | 12 |
| 2096 | | 0888 | TKE ADD'1 SMART CARDS | *Call | N | | 12 |
| 2096 | | 0993 | ICB-3 LINK | *Call | N | | 12 |
| 2096 | | 2323 | 16 PORT ESCON CD | *Call | N | | 12 |
| 2096 | | 2324 | ESCON CHANNEL PORT | *Call | N | | 12 |
| 2096 | | 3210 | INTERNAL BATTERY | *Call | N | | 12 |
| 2096 | | 3364 | OSA EXPRESS2 GBEN LX | *Call | N | | 12 |
| 2096 | | 3365 | OSA EXPRESS2 GBEN SX | *Call | N | | 12 |
| 2096 | | 3368 | OSA EXPRESS2 10 GBEN LR | *Call | N | | 12 |
| 2096 | | 3393 | ICB-4 LINK | *Call | N | | 12 |
| 2096 | | 3993 | STI-3 DISTRIBUTION CARD | *Call | N | | 12 |
| 2096 | | 6094 | 17 INCH FLAT PANEL | *Call | N | | 12 |
| 2096 | | 6095 | 21 INCH FLAT PANEL | *Call | N | | 12 |
| 2096 | | 6501 | POWER SEQUENCE CONTROLLER | *Call | N | | 12 |
| 2096 | | 9888 | ON/OFF COD ACT IFL - DAY | *Call | N | | 12 |
| 2096 | | 9889 | ON/OFF COD ACT ICF - DAY | *Call | N | | 12 |
| 2096 | | 9893 | ON/OFF COD ACT ZAAP - DAY | *Call | N | | 12 |
| 2096 | | 9975 | HEIGHT REDUCE SHIP | *Call | N | | 12 |
| 2098 | | 0871 | CRYPTO EXPRESS3 1P | *Call | N | | 12 |
| 2101 | 200 | | STORAGE SOLUTIONS SYSTEM | 3,176 | N | 2 | 12 |
| 2101 | N42 | | STORAGE SOLUTIONS RACK | 4,315 | N | 2 | 12 |
| 2101 | | 0983 | GSA AND/OR TITLE WITH US GOVT | 0 | N | | 12 |
| 2101 | | 6080 | RUGGEDIZED RACK FEATURE | 982 | N | | 12 |
| 2101 | | 6086 | SUITE ATTACH KIT 2 M RACK | 229 | N | | 12 |
| 2101 | | 6098 | SIDE PANEL | 163 | N | | 12 |
| 2101 | | 6491 | PWR CD IEC309 P+N+G 63A/MES | 262 | N | | 12 |
| 2101 | | 6492 | PWR CD IEC309 2P+G 60A/MES | 262 | N | | 12 |
| 2101 | | 6858 | REAR DOOR HEAT EXCH | 4,748 | N | | 12 |
| 2101 | | 7188 | SIDE MOUNT 1-PHASE PDUS-OPT. | 1,310 | N | | 12 |
| 2101 | | 7190 | TWO IPDUS PLANT | 1,637 | N | | 36 |
| 2101 | | 7192 | TWO IPDUS PLANT/FIELD | 1,965 | N | | 36 |
| 2104 | | 5301 | ULTRA320 CABLE - 1 M | 101 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2104 | | 5303 | ULTRA320 CABLE - 3 M | 113 | N | | 12 |
| 2104 | | 5305 | ULTRA320 CABLE - 5 M | 125 | N | | 12 |
| 2104 | | 5310 | ULTRA320 CABLE - 10 M | 169 | N | | 12 |
| 2104 | | 5313 | ULTRA SCSI TO LVD CABLE - 3 M | 129 | N | | 12 |
| 2104 | | 5320 | ULTRA320 CABLE - 20 M | 266 | N | | 12 |
| 2104 | | 5323 | SCSI 2 F/W TO LVD CABLE - 3 M | 145 | N | | 12 |
| 2105 | | 1830 | FLASHCOPY UP TO 0.5 TB | 15,521 | N | | 36 |
| 2105 | | 1831 | FLASHCOPY UP TO 1 TB | 23,315 | N | | 36 |
| 2105 | | 1832 | FLASHCOPY UP TO 2 TB | 34,907 | N | | 36 |
| 2105 | | 1833 | FLASH COPY- UP TO 4TB | 52,393 | N | | 36 |
| 2105 | | 1834 | FLASHCOPY UP TO 8 TB | 78,589 | N | | 36 |
| 2105 | | 1835 | FLASHCOPY UP TO 12 TB | 96,665 | N | | 36 |
| 2105 | | 2101 | DISK EIGHT-PACK MOUNTING KIT | 9,169 | N | | 36 |
| 2105 | | 2602 | SINGLE PHASE 50/50HZ 50 AMP EM | 2,292 | N | | 0 |
| 2105 | | 2603 | SINGLE PHASE 50/60HZ 50 AMP AP | 2,292 | N | | 0 |
| 2105 | | 2652 | 3 PHASE 50/60HZ 50 AMP | 2,620 | N | | 0 |
| 2105 | | 2860 | 50 MICRON FIBRE CAB SC CON | 216 | N | | 36 |
| 2105 | | 2861 | 50MICRON FIBRE CABLE 31M SC/LC | 216 | N | | 36 |
| 2105 | | 2862 | 50 MICRON FIBRE CAB LC CON | 216 | N | | 36 |
| 2105 | | 4015 | 24 GB CACHE | 94,307 | N | | 36 |
| 2105 | | 9905 | ONE YEAR WARRANTY OPTION | 0 | N | | 36 |
| 2107 | | 1000 | REMOTE POWER CONTROL | 798 | N | | 48 |
| 2107 | | 1050 | BATTERY ASSEMBLY | 1,233 | N | | 48 |
| 2107 | | 1055 | EXTENDED PLD | 5,658 | N | | 48 |
| 2107 | | 1090 | LINE CORD (US/LA/AP/CANADA) | 1,378 | N | | 48 |
| 2107 | | 1091 | LINE CORD (EMEA) | 363 | N | | 48 |
| 2107 | | 1092 | LINE CORD(JAPAN/US/CANADA) | 798 | N | | 48 |
| 2107 | | 1170 | MC LINE CORD STANDARD RACK | 73 | N | | 48 |
| 2107 | | 1171 | MC LINE CORD GROUP 1 | 73 | N | | 48 |
| 2107 | | 1172 | MC LINE CORD GROUP 2 | 73 | N | | 48 |
| 2107 | | 1210 | DISK ENCLOSURE PAIR | 7,254 | N | | 48 |
| 2107 | | 1211 | DISK DRIVE CABLE GROUP 1 | 725 | N | | 48 |
| 2107 | | 1212 | DISK DRIVE CABLE GROUP 2 | 1,378 | N | | 48 |
| 2107 | | 1213 | DISK DRIVE CABLE GROUP 3 | 1,596 | N | | 48 |
| 2107 | | 1214 | DISK DRIVE CABLE GROUP 4 | 1,741 | N | | 48 |
| 2107 | | 1220 | DISK ENCLOSURE PAIR - A | 7,254 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2107 | | 1230 | DISK ENCLOSURE PAIR - B | 7,254 | N | | 48 |
| 2107 | | 1300 | I/O ENCLOSURE PAIR | 9,068 | N | | 48 |
| 2107 | | 1312 | RIO-G CABLE GROUP 2 | 871 | N | | 48 |
| 2107 | | 1313 | RIO-G CABLE GROUP 3 | 1,161 | N | | 48 |
| 2107 | | 1314 | RIO-G CABLE GROUP 4 | 1,669 | N | | 48 |
| 2107 | | 1315 | RIO-G CABLE GROUP 5 | 2,539 | N | | 48 |
| 2107 | | 1316 | RIO-G CABLE GROUP 6 | 1,161 | N | | 48 |
| 2107 | | 1410 | 50 UM FIBRE CABLE (LC) | 73 | N | | 48 |
| 2107 | | 1411 | 50 UM FIBRE CABLE (LC/SC) | 73 | N | | 48 |
| 2107 | | 1412 | 50 UM FIBRE CABLE (JUMPER) | 73 | N | | 48 |
| 2107 | | 1420 | 9 UM FIBRE CABLE (LC) | 73 | N | | 48 |
| 2107 | | 1421 | 9 UM FIBRE CABLE (LC/SC) | 73 | N | | 48 |
| 2107 | | 1422 | 9 UM FIBRE CABLE (JUMPER) | 73 | N | | 48 |
| 2107 | | 1501 | POWER5+ PROCESSOR UPGRADE | 72,544 | N | | 48 |
| 2107 | | 1502 | POWER5+ PROCESSOR UPGRADE | 145,088 | N | | 48 |
| 2107 | | 1503 | POWER5+ PROCESSOR UPGRADE | 145,088 | N | | 48 |
| 2107 | | 1801 | RM ETHERNET ADAPTER PAIR | 2,176 | N | | 48 |
| 2107 | | 1802 | RM ETHERNET ADAPTER PAIR A | 2,176 | N | | 48 |
| 2107 | | 1803 | RM ETHERNET ADAPTER PAIR B | 2,176 | N | | 48 |
| 2107 | | 1906 | EARTHQUAKE RESISTANCE KIT | 15,960 | N | | 48 |
| 2107 | | 1980 | PERFORMANCE ACCELERATOR | 3,627 | N | | 48 |
| 2107 | | 2999 | DISK ENCLOSURE FILLER SET | 73 | N | | 48 |
| 2107 | | 3113 | 4GB SW FCP /FICON ADAPTER | 25,390 | N | | 48 |
| 2107 | | 3123 | 4GB SW FCP /FICON ADAPTER - A | 25,390 | N | | 48 |
| 2107 | | 3133 | 4GB SW FCP /FICON ADAPTER - B | 25,390 | N | | 48 |
| 2107 | | 3213 | 4GB LW FCP/FICON ADAPTER | 25,390 | N | | 48 |
| 2107 | | 3215 | 4GB 10KM LW FCP/FICON ADAPTER | 32,645 | N | | 48 |
| 2107 | | 3223 | 4GB LW FCP/FICON ADAPTER - A | 25,390 | N | | 48 |
| 2107 | | 3225 | 4GB 10KM LW FCP/FICON ADP - A | 32,645 | N | | 48 |
| 2107 | | 3233 | 4GB LW FCP/FICON ADAPTER - B | 25,390 | N | | 48 |
| 2107 | | 3235 | 4GB 10KM LW FCP/FICON ADP - B | 32,645 | N | | 48 |
| 2107 | | 4012 | 32 GB PROCESSOR MEMORY | 36,272 | N | | 48 |
| 2107 | | 4013 | 64 GB PROCESSOR MEMORY | 145,088 | N | | 48 |
| 2107 | | 4014 | 128 GB PROCESSOR MEMORY | 290,176 | N | | 48 |
| 2107 | | 4113 | 64 GB PROCESSOR MEMORY | 145,088 | N | | 48 |
| 2107 | | 4114 | 128 GB PROCESSOR MEMORY | 290,176 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2107 | | 4115 | 256 GB PROCESSOR MEMORY | 580,353 | N | | 48 |
| 2109 | C36 | | TOTALSTORAGE SAN SWITCH | 4,425 | N | 2 | 12 |
| 2109 | | 2414 | 4 GBPS SW SFP TRAN 4-PACK | 580 | N | | 12 |
| 2109 | | 2424 | FC 4 GBPS 10KM LW SFP TRANS 4P | 4,722 | N | | 12 |
| 2109 | | 2434 | FC 4 GBPS 4 KM LW SFP TRANS 4P | 3,039 | N | | 12 |
| 2109 | | 2440 | 4 GBPS 30 KM ELW SFP TRANS | 4,353 | N | | 12 |
| 2109 | | 5305 | FIBER CABLE LC/LC 5M MULTIMODE | 98 | N | | 12 |
| 2109 | | 5325 | FIBER CABLE LC/LC25M MULTIMODE | 150 | N | | 12 |
| 2109 | | 5371 | M12 SC/LC COUPLING CABLE | 75 | N | | 12 |
| 2109 | | 5405 | 5M 50U LC/LC FIB CAB 4 PK | 394 | N | | 12 |
| 2109 | | 5425 | 25M 50U LC/LC FIB CAB 4 PK | 604 | N | | 12 |
| 2109 | | 5444 | 31M 9U LC/LC FIB CAB 4 PK | 290 | N | | 12 |
| 2109 | | 5605 | FIBRE CABLE LC/LC 5M MULTIMODE | 98 | N | | 12 |
| 2109 | | 5625 | FIBRE CABLE LC/LC 25M MULTIMO | 150 | N | | 12 |
| 2109 | | 5721 | 9 MIC FIBRE CABL 31M SM LC/LC | 73 | N | | 12 |
| 2109 | | 5731 | 9 MIC FIBRE CABL 31M SM LC/LC | 73 | N | | 12 |
| 2109 | | 6050 | PLANT IPDU UPG TO BASE C36 | 1,458 | N | | 12 |
| 2109 | | 6051 | FIELD IPDU UPG TO BASE C36 | 2,285 | N | | 12 |
| 2109 | | 6052 | 2ND IPDU PAIR C19/C20 | 2,285 | N | | 12 |
| 2109 | | 6080 | RUGGEDIZED RACK FEATURE | 1,088 | N | | 12 |
| 2109 | | 6081 | PDU PAIR FOR F-SERIES SWITCH | 725 | N | | 12 |
| 2109 | | 7802 | M48 REMOTE SWITCH ACTIVATION | 24,810 | N | | 12 |
| 2109 | | 7803 | M48 EXTENDED FABRIC ACTIVA | 24,810 | N | | 12 |
| 2109 | | 7823 | M48 ADVANCED SECURITY ACTIV | 31,013 | N | | 12 |
| 2109 | | 7827 | M48 FCIP ACTIVATION | 25,028 | N | | 12 |
| 2109 | | 7831 | M48 FICON W/CUP ACTIVATION | 7,631 | N | | 12 |
| 2109 | | 7833 | M48 FICON W/CUP ADV SECURITY | 24,607 | N | | 12 |
| 2145 | CG8 | | SVC STORAGE ENGINE | 11,970 | N | 4 | 12 |
| 2145 | | 1888 | STG LAB SERVICES | 1,814 | N | | 12 |
| 2145 | | 3905 | SVC ENGINE REMOVAL | 1,451 | N | | 12 |
| 2145 | | 4500 | SOLID STATE DEVICE ATTACHMENT | 813 | N | | 12 |
| 2145 | | 5301 | 1 M FIBER OPTIC CABLE LC-LC | 73 | N | | 12 |
| 2145 | | 5305 | 5 M FIBER OPTIC CABLE LC-LC | 123 | N | | 12 |
| 2145 | | 5325 | 25 M FIBER OPTIC CABLE LC-LC | 188 | N | | 12 |
| 2145 | | 5608 | 8GBPS LW SFP | 362 | N | | 12 |
| 2145 | | 5700 | 10 GIGABIT ETHERNET ATTACHMENT | 1,051 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2145 | | 5702 | LC-SC FC ADAPTER CABLE | 88 | N | | 12 |
| 2145 | | 5711 | 10GBE OPTICAL SW SFP PAIR | 674 | N | | 12 |
| 2145 | | 8115 | UPS - SINGLE ENGINE | 725 | N | | 12 |
| 2145 | | 8300 | REDUNDANT AC POWER | 624 | N | | 12 |
| 2233 | | 3411 | FILE SYST GTW FIBRE ETH ADATER | 419 | N | | 12 |
| 2233 | | 3550 | HOST FIBRE ETH DUAL P ADPT | 958 | N | | 12 |
| 2233 | | 3551 | HOST COP ETH DUAL P ADPT | 241 | N | | 12 |
| 2233 | | 3552 | HOST COP ETH DUAL P SEC ADPT | 241 | N | | 12 |
| 2233 | | 3560 | LVD SCSI ADPT TAPE OPT SSAM | 425 | N | | 12 |
| 2233 | | 4101 | FILE SYSTEM GATEWAY | 7,495 | N | | 12 |
| 2233 | | 4801 | KVM SWITCH | 1,469 | N | | 12 |
| 2240 | FLC | | ESS FUNCTION AUTHORIZATION | 0 | Y | | 36 |
| 2240 | PAV | | ESS FUNCTION AUTHORIZATION | 0 | Y | | 36 |
| 2240 | PRC | | ESS FUNCTION AUTHORIZATION | 0 | Y | | 36 |
| 2240 | XRC | | ESS FUNCTION AUTHORIZATION | 0 | Y | | 36 |
| 2240 | | 8000 | PAV - UP TO 1 TB | 13,421 | N | | 36 |
| 2240 | | 8001 | PAV - UP TO 2 TB | 20,167 | N | | 36 |
| 2240 | | 8002 | PAV - UP TO 3 TB | 26,479 | N | | 36 |
| 2240 | | 8003 | PAV - UP TO 4 TB | 32,790 | N | | 36 |
| 2240 | | 8004 | PAV - UP TO 5 TB | 39,029 | N | | 36 |
| 2240 | | 8005 | PAV - UP TO 6 TB | 45,340 | N | | 36 |
| 2240 | | 8006 | PAV - UP TO 8 TB | 52,885 | N | | 36 |
| 2240 | | 8007 | PAV - UP TO 10 TB | 60,502 | N | | 36 |
| 2240 | | 8008 | PAV - UP TO 12 TB | 68,046 | N | | 36 |
| 2240 | | 8009 | PAV - UP TO 16 TB | 78,493 | N | | 36 |
| 2240 | | 8010 | PAV - UP TO 20 TB | 83,716 | N | | 36 |
| 2240 | | 8011 | PAV - UP TO 25 TB | 101,997 | N | | 36 |
| 2240 | | 8012 | PAV - UP TO 30 TB | 116,796 | N | | 36 |
| 2240 | | 8013 | PAV - UP TO 40 TB | 140,155 | N | | 36 |
| 2240 | | 8014 | PAV - UP TO 50 TB | 161,193 | N | | 36 |
| 2240 | | 8015 | PAV - UP TO 60 TB | 180,635 | N | | 36 |
| 2240 | | 8100 | XRC - UP TO 1 TB | 25,826 | N | | 36 |
| 2240 | | 8101 | XRC - UP TO 2 TB | 38,666 | N | | 36 |
| 2240 | | 8102 | XRC - UP TO 3 TB | 50,781 | N | | 36 |
| 2240 | | 8103 | XRC - UP TO 4 TB | 62,896 | N | | 36 |
| 2240 | | 8104 | XRC - UP TO 5 TB | 74,938 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------|----------------|----------------|----------------|-------------------|
| 2240 | | 8105 | XRC - UP TO 6 TB | 87,053 | N | | 36 |
| 2240 | | 8106 | XRC - UP TO 8 TB | 101,562 | N | | 36 |
| 2240 | | 8107 | XRC - UP TO 10 TB | 116,071 | N | | 36 |
| 2240 | | 8108 | XRC - UP TO 12 TB | 130,579 | N | | 36 |
| 2240 | | 8109 | XRC - UP TO 16 TB | 150,674 | N | | 36 |
| 2240 | | 8110 | XRC - UP TO 20 TB | 160,613 | N | | 36 |
| 2240 | | 8111 | XRC - UP TO 25 TB | 195,869 | N | | 36 |
| 2240 | | 8112 | XRC - UP TO 30 TB | 224,306 | N | | 36 |
| 2240 | | 8113 | XRC - UP TO 40 TB | 269,139 | N | | 36 |
| 2240 | | 8114 | XRC - UP TO 50 TB | 309,618 | N | | 36 |
| 2240 | | 8115 | XRC - UP TO 60 TB | 346,761 | N | | 36 |
| 2240 | | 8200 | PPRC - UP TO 1 TB | 25,826 | N | | 36 |
| 2240 | | 8201 | PPRC - UP TO 2 TB | 38,666 | N | | 36 |
| 2240 | | 8202 | PPRC - UP TO 3 TB | 50,781 | N | | 36 |
| 2240 | | 8203 | PPRC - UP TO 4 TB | 62,896 | N | | 36 |
| 2240 | | 8204 | PPRC - UP TO 5 TB | 74,938 | N | | 36 |
| 2240 | | 8205 | PPRC - UP TO 6 TB | 87,053 | N | | 36 |
| 2240 | | 8206 | PPRC - UP TO 8 TB | 101,562 | N | | 36 |
| 2240 | | 8207 | PPRC - UP TO 10 TB | 116,071 | N | | 36 |
| 2240 | | 8208 | PPRC - UP TO 12 TB | 130,579 | N | | 36 |
| 2240 | | 8209 | PPRC - UP TO 16 TB | 150,674 | N | | 36 |
| 2240 | | 8210 | PPRC - UP TO 20 TB | 160,613 | N | | 36 |
| 2240 | | 8211 | PPRC - UP TO 25 TB | 195,869 | N | | 36 |
| 2240 | | 8212 | PPRC - UP TO 30 TB | 224,306 | N | | 36 |
| 2240 | | 8213 | PPRC - UP TO 40 TB | 269,139 | N | | 36 |
| 2240 | | 8214 | PPRC - UP TO 50 TB | 309,618 | N | | 36 |
| 2240 | | 8215 | PPRC - UP TO 60 TB | 346,761 | N | | 36 |
| 2240 | | 8300 | FLASHCOPY - UP TO 1 TB | 17,193 | N | | 36 |
| 2240 | | 8301 | FLASHCOPY - UP TO 2 TB | 25,826 | N | | 36 |
| 2240 | | 8302 | FLASHCOPY - UP TO 3 TB | 33,878 | N | | 36 |
| 2240 | | 8303 | FLASHCOPY - UP TO 4 TB | 41,930 | N | | 36 |
| 2240 | | 8304 | FLASHCOPY - UP TO 5 TB | 49,983 | N | | 36 |
| 2240 | | 8305 | FLASHCOPY - UP TO 6 TB | 58,035 | N | | 36 |
| 2240 | | 8306 | FLASHCOPY - UP TO 8 TB | 67,684 | N | | 36 |
| 2240 | | 8307 | FLASHCOPY - UP TO 10 TB | 77,405 | N | | 36 |
| 2240 | | 8308 | FLASHCOPY - UP TO 12 TB | 87,053 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2240 | | 8309 | FLASHCOPY - UP TO 16 TB | 100,474 | N | | 36 |
| 2240 | | 8310 | FLASHCOPY - UP TO 20 TB | 107,075 | N | | 36 |
| 2240 | | 8311 | FLASHCOPY - UP TO 25 TB | 130,579 | N | | 36 |
| 2240 | | 8312 | FLASHCOPY - UP TO 30 TB | 149,513 | N | | 36 |
| 2240 | | 8313 | FLASHCOPY - UP TO 40 TB | 179,547 | N | | 36 |
| 2240 | | 8314 | FLASHCOPY - UP TO 50 TB | 206,606 | N | | 36 |
| 2240 | | 8315 | FLASHCOPY - UP TO 60 TB | 231,416 | N | | 36 |
| 2240 | | 8500 | PPRC V2 - UP TO 1 TB | 32,282 | N | | 36 |
| 2240 | | 8501 | PPRC V2 - UP TO 2 TB | 48,314 | N | | 36 |
| 2240 | | 8502 | PPRC V2 - UP TO 3 TB | 63,476 | N | | 36 |
| 2240 | | 8503 | PPRC V2 - UP TO 4 TB | 78,638 | N | | 36 |
| 2240 | | 8504 | PPRC V2 - UP TO 5 TB | 93,654 | N | | 36 |
| 2240 | | 8505 | PPRC V2 - UP TO 6 TB | 108,816 | N | | 36 |
| 2240 | | 8506 | PPRC V2 - UP TO 8 TB | 126,952 | N | | 36 |
| 2240 | | 8507 | PPRC V2 - UP TO 10 TB | 145,088 | N | | 36 |
| 2240 | | 8508 | PPRC V2 - UP TO 12 TB | 163,224 | N | | 36 |
| 2240 | | 8509 | PPRC V2 - UP TO 16 TB | 188,324 | N | | 36 |
| 2240 | | 8510 | PPRC V2 - UP TO 20 TB | 200,802 | N | | 36 |
| 2240 | | 8511 | PPRC V2 - UP TO 25 TB | 244,836 | N | | 36 |
| 2240 | | 8512 | PPRC V2 - UP TO 30 TB | 280,383 | N | | 36 |
| 2240 | | 8513 | PPRC V2 - UP TO 40 TB | 336,459 | N | | 36 |
| 2240 | | 8514 | PPRC V2 - UP TO 50 TB | 387,023 | N | | 36 |
| 2240 | | 8515 | PPRC V2 - UP TO 60 TB | 433,451 | N | | 36 |
| 2240 | | 8600 | FLASHCOPY V2 - UP TO 1 TB | 20,603 | N | | 36 |
| 2240 | | 8601 | FLASHCOPY V2 - UP TO 2 TB | 30,976 | N | | 36 |
| 2240 | | 8602 | FLASHCOPY V2 - UP TO 3 TB | 40,625 | N | | 36 |
| 2240 | | 8603 | FLASHCOPY V2 - UP TO 4 TB | 50,346 | N | | 36 |
| 2240 | | 8604 | FLASHCOPY V2 - UP TO 5 TB | 59,994 | N | | 36 |
| 2240 | | 8605 | FLASHCOPY V2 - UP TO 6 TB | 69,642 | N | | 36 |
| 2240 | | 8606 | FLASHCOPY V2 - UP TO 8 TB | 81,249 | N | | 36 |
| 2240 | | 8607 | FLASHCOPY V2 - UP TO 10 TB | 92,856 | N | | 36 |
| 2240 | | 8608 | FLASHCOPY V2 - UP TO 12 TB | 104,463 | N | | 36 |
| 2240 | | 8609 | FLASHCOPY V2 - UP TO 16 TB | 120,568 | N | | 36 |
| 2240 | | 8610 | FLASHCOPY V2 - UP TO 20 TB | 128,476 | N | | 36 |
| 2240 | | 8611 | FLASHCOPY V2 - UP TO 25 TB | 156,695 | N | | 36 |
| 2240 | | 8612 | FLASHCOPY V2 - UP TO 30 TB | 179,402 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2240 | | 8613 | FLASHCOPY V2 - UP TO 40 TB | 215,456 | N | | 36 |
| 2240 | | 8614 | FLASHCOPY V2 - UP TO 50 TB | 247,956 | N | | 36 |
| 2240 | | 8615 | FLASHCOPY V2 - UP TO 60 TB | 277,699 | N | | 36 |
| 2244 | OEL | | DS8000 FUNCT. AUTHORIZATION | 0 | Y | 3 | 48 |
| 2244 | PAV | | DS8000 FUNCT. AUTHORIZATION | 0 | Y | 3 | 48 |
| 2244 | PTC | | DS8000 FUNCT. AUTHORIZATION | 0 | Y | 3 | 48 |
| 2244 | RMC | | DS8000 FUNCT. AUTHORIZATION | 0 | Y | 3 | 48 |
| 2244 | RMZ | | DS8000 FUNCT. AUTHORIZATION | 0 | Y | 3 | 48 |
| 2244 | | 7001 | OEL - 1 TB UNIT | 4,897 | N | | 48 |
| 2244 | | 7002 | OEL - 5 TB UNIT | 19,768 | N | | 48 |
| 2244 | | 7003 | OEL - 10 TB UNIT | 39,537 | N | | 48 |
| 2244 | | 7004 | OEL - 25 TB UNIT | 63,476 | N | | 48 |
| 2244 | | 7005 | OEL - 50 TB UNIT | 105,189 | N | | 48 |
| 2244 | | 7010 | OEL - 100 TB UNIT | 170,479 | N | | 48 |
| 2244 | | 7201 | PTC - 1 TB UNIT | 9,431 | N | | 48 |
| 2244 | | 7202 | PTC - 5 TB UNIT | 40,081 | N | | 48 |
| 2244 | | 7203 | PTC - 10 TB UNIT | 79,617 | N | | 48 |
| 2244 | | 7204 | PTC - 25 TB UNIT | 123,325 | N | | 48 |
| 2244 | | 7205 | PTC - 50 TB UNIT | 206,751 | N | | 48 |
| 2244 | | 7210 | PTC - 100 TB UNIT | 337,330 | N | | 48 |
| 2244 | | 7401 | RMC - 1 TB UNIT | 13,638 | N | | 48 |
| 2244 | | 7402 | RMC - 5 TB UNIT | 63,113 | N | | 48 |
| 2244 | | 7403 | RMC - 10 TB UNIT | 120,931 | N | | 48 |
| 2244 | | 7404 | RMC - 25 TB UNIT | 192,242 | N | | 48 |
| 2244 | | 7405 | RMC - 50 TB UNIT | 311,940 | N | | 48 |
| 2244 | | 7410 | RMC - 100 TB UNIT | 507,809 | N | | 48 |
| 2244 | | 7601 | RMZ - 1 TB UNIT | 11,571 | N | | 48 |
| 2244 | | 7602 | RMZ - 5 TB UNIT | 52,594 | N | | 48 |
| 2244 | | 7603 | RMZ - 10 TB UNIT | 99,893 | N | | 48 |
| 2244 | | 7604 | RMZ - 25 TB UNIT | 159,597 | N | | 48 |
| 2244 | | 7605 | RMZ - 50 TB UNIT | 264,786 | N | | 48 |
| 2244 | | 7610 | RMZ - 100 TB UNIT | 431,637 | N | | 48 |
| 2244 | | 7801 | PAV - 1 TB UNIT | 5,658 | N | | 48 |
| 2244 | | 7802 | PAV - 5 TB UNIT | 23,940 | N | | 48 |
| 2244 | | 7803 | PAV - 10 TB UNIT | 47,154 | N | | 48 |
| 2244 | | 7804 | PAV - 25 TB UNIT | 74,720 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2244 | | 7805 | PAV - 50 TB UNIT | 124,776 | N | | 48 |
| 2244 | | 7810 | PAV - 100 TB UNIT | 202,398 | N | | 48 |
| 2396 | LFA | | DS8000 FUNCTION AUTHORIZ. | 0 | Y | | 12 |
| 2396 | | 7001 | OEL - 1 TB UNIT | 4,713 | N | | 12 |
| 2396 | | 7002 | OEL - 5 TB UNIT | 18,852 | N | | 12 |
| 2396 | | 7003 | OEL - 10 TB UNIT | 37,706 | N | | 12 |
| 2396 | | 7004 | OEL - 25 TB UNIT | 58,899 | N | | 12 |
| 2396 | | 7005 | OEL - 50 TB UNIT | 96,035 | N | | 12 |
| 2396 | | 7010 | OEL - 100 TB UNIT | 152,172 | N | | 12 |
| 2396 | | 7015 | OEL - 200 TB UNIT | 287,297 | N | | 12 |
| 2396 | | 7051 | OEL 1 VALUE UNIT | 4,713 | N | | 12 |
| 2396 | | 7052 | OEL 5 VALUE UNIT | 18,852 | N | | 12 |
| 2396 | | 7053 | OEL 10 VALUE UNIT | 37,706 | N | | 12 |
| 2396 | | 7054 | OEL 25 VALUE UNIT | 58,899 | N | | 12 |
| 2396 | | 7055 | OEL 50 VALUE UNIT | 96,035 | N | | 12 |
| 2396 | | 7060 | OEL 100 VALUE UNIT | 152,171 | N | | 12 |
| 2396 | | 7065 | OEL 200 VALUE UNIT | 287,297 | N | | 12 |
| 2396 | | 7070 | THIN PROVISIONING | 50,491 | N | | 12 |
| 2396 | | 7071 | THIN PROVISIONING INDICATOR | 50,491 | N | | 12 |
| 2396 | | 7090 | FICON/ESCON ATTACHMENT | 13,646 | N | | 12 |
| 2396 | | 7091 | FICON ATTACHMENT | 13,646 | N | | 12 |
| 2396 | | 7092 | HIGH PERFORMANCE FICON | 6,823 | N | | 12 |
| 2396 | | 7201 | PTC - 1 TB UNIT | 9,078 | N | | 12 |
| 2396 | | 7202 | PTC - 5 TB UNIT | 38,317 | N | | 12 |
| 2396 | | 7203 | PTC - 10 TB UNIT | 76,091 | N | | 12 |
| 2396 | | 7204 | PTC - 25 TB UNIT | 114,511 | N | | 12 |
| 2396 | | 7205 | PTC - 50 TB UNIT | 189,122 | N | | 12 |
| 2396 | | 7210 | PTC - 100 TB UNIT | 302,074 | N | | 12 |
| 2396 | | 7215 | PTC - 200 TB UNIT | 570,414 | N | | 12 |
| 2396 | | 7231 | PTC ADD 1 TB UNIT | 4,539 | N | | 12 |
| 2396 | | 7232 | PTC ADD 5 TB UNIT | 19,159 | N | | 12 |
| 2396 | | 7233 | PTC ADD 10 TB UNIT | 38,045 | N | | 12 |
| 2396 | | 7234 | PTC ADD 25 TB UNIT | 57,255 | N | | 12 |
| 2396 | | 7235 | PTC ADD 50 TB UNIT | 94,561 | N | | 12 |
| 2396 | | 7240 | PTC ADD 100 TB UNIT | 151,037 | N | | 12 |
| 2396 | | 7245 | PTC ADD 200 TB UNIT | 285,207 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------|----------------|----------------|----------------|-------------------|
| 2396 | | 7251 | PTC 1 TB | 9,078 | N | | 12 |
| 2396 | | 7252 | PTC 5 TB | 38,317 | N | | 12 |
| 2396 | | 7253 | PTC 10 TB | 76,091 | N | | 12 |
| 2396 | | 7254 | PTC 25 TB | 114,511 | N | | 12 |
| 2396 | | 7255 | PTC 50 TB | 189,122 | N | | 12 |
| 2396 | | 7260 | PTC 100 TB | 302,074 | N | | 12 |
| 2396 | | 7301 | SE 1 TB UNIT | 9,078 | N | | 12 |
| 2396 | | 7302 | SE 5 TB UNIT | 38,317 | N | | 12 |
| 2396 | | 7303 | SE 10 TB UNIT | 76,091 | N | | 12 |
| 2396 | | 7304 | SE 25 TB UNIT | 114,511 | N | | 12 |
| 2396 | | 7305 | SE 50 TB UNIT | 189,122 | N | | 12 |
| 2396 | | 7310 | SE 100 TB UNIT | 302,074 | N | | 12 |
| 2396 | | 7315 | SE 200 TB UNIT | 570,414 | N | | 12 |
| 2396 | | 7331 | SE ADD 1 TB UNIT | 4,539 | N | | 12 |
| 2396 | | 7332 | SE ADD 5 TB UNIT | 19,159 | N | | 12 |
| 2396 | | 7333 | SE ADD 10 TB UNIT | 38,045 | N | | 12 |
| 2396 | | 7334 | SE ADD 25 TB UNIT | 57,255 | N | | 12 |
| 2396 | | 7335 | SE ADD 50 TB UNIT | 94,561 | N | | 12 |
| 2396 | | 7340 | SE ADD 100 TB UNIT | 151,037 | N | | 12 |
| 2396 | | 7345 | SE ADD 200 TB UNIT | 285,207 | N | | 12 |
| 2396 | | 7351 | SE 1 TB | 9,078 | N | | 12 |
| 2396 | | 7352 | SE 5 TB | 38,317 | N | | 12 |
| 2396 | | 7353 | SE 10 TB | 76,091 | N | | 12 |
| 2396 | | 7354 | SE 25 TB | 114,511 | N | | 12 |
| 2396 | | 7355 | SE 50 TB | 189,122 | N | | 12 |
| 2396 | | 7360 | SE 100 TB | 302,074 | N | | 12 |
| 2396 | | 7421 | MGM - 1TB UNIT | 1,769 | N | | 12 |
| 2396 | | 7422 | MGM - 5 TB UNIT | 8,161 | N | | 12 |
| 2396 | | 7423 | MGM - 10 TB UNIT | 15,607 | N | | 12 |
| 2396 | | 7424 | MGM - 25 TB UNIT | 24,157 | N | | 12 |
| 2396 | | 7425 | MGM - 50 TB UNIT | 38,521 | N | | 12 |
| 2396 | | 7430 | MGM - 100 TB UNIT | 61,372 | N | | 12 |
| 2396 | | 7435 | MGM - 200 TB UNIT | 115,889 | N | | 12 |
| 2396 | | 7441 | MM - 1 TB UNIT | 11,804 | N | | 12 |
| 2396 | | 7442 | MM - 5 TB UNIT | 54,451 | N | | 12 |
| 2396 | | 7443 | MM - 10 TB UNIT | 104,137 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2396 | | 7444 | MM - 25 TB UNIT | 161,265 | N | | 12 |
| 2396 | | 7445 | MM - 50 TB UNIT | 257,241 | N | | 12 |
| 2396 | | 7450 | MM - 100 TB UNIT | 410,019 | N | | 12 |
| 2396 | | 7455 | MM - 200 TB UNIT | 774,336 | N | | 12 |
| 2396 | | 7461 | GM - 1 TB UNIT | 11,804 | N | | 12 |
| 2396 | | 7462 | GM - 5 TB UNIT | 54,451 | N | | 12 |
| 2396 | | 7463 | GM - 10 TB UNIT | 104,137 | N | | 12 |
| 2396 | | 7464 | GM - 25 TB UNIT | 161,265 | N | | 12 |
| 2396 | | 7465 | GM - 50 TB UNIT | 257,241 | N | | 12 |
| 2396 | | 7470 | GM - 100 TB UNIT | 410,019 | N | | 12 |
| 2396 | | 7475 | GM - 200 TB UNIT | 774,336 | N | | 12 |
| 2396 | | 7481 | MGM 1 TB | 1,769 | N | | 12 |
| 2396 | | 7482 | MGM 5 TB | 8,161 | N | | 12 |
| 2396 | | 7483 | MGM 10 TB | 15,607 | N | | 12 |
| 2396 | | 7484 | MGM 25 TB | 24,157 | N | | 12 |
| 2396 | | 7485 | MGM 50 TB | 38,521 | N | | 12 |
| 2396 | | 7490 | MGM 100 TB | 61,372 | N | | 12 |
| 2396 | | 7501 | MM 1 TB | 11,804 | N | | 12 |
| 2396 | | 7502 | MM 5 TB | 54,451 | N | | 12 |
| 2396 | | 7503 | MM 10 TB | 104,137 | N | | 12 |
| 2396 | | 7504 | MM 25 TB | 161,265 | N | | 12 |
| 2396 | | 7505 | MM 50 TB | 257,241 | N | | 12 |
| 2396 | | 7510 | MM 100 TB | 410,019 | N | | 12 |
| 2396 | | 7521 | GM 1 TB | 11,804 | N | | 12 |
| 2396 | | 7522 | GM 5 TB | 54,451 | N | | 12 |
| 2396 | | 7523 | GM 10 TB | 104,137 | N | | 12 |
| 2396 | | 7524 | GM 25 TB | 161,265 | N | | 12 |
| 2396 | | 7525 | GM 50 TB | 257,241 | N | | 12 |
| 2396 | | 7530 | GM 100 TB | 410,019 | N | | 12 |
| 2396 | | 7541 | MM ADD - 1 TB UNIT | 5,901 | N | | 12 |
| 2396 | | 7542 | MM ADD - 5 TB UNIT | 27,225 | N | | 12 |
| 2396 | | 7543 | MM ADD - 10 TB UNIT | 52,069 | N | | 12 |
| 2396 | | 7544 | MM ADD - 25 TB UNIT | 80,633 | N | | 12 |
| 2396 | | 7545 | MM ADD - 50 TB UNIT | 128,621 | N | | 12 |
| 2396 | | 7550 | MM ADD - 100 TB UNIT | 205,010 | N | | 12 |
| 2396 | | 7555 | MM ADD - 200 TB UNIT | 387,168 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2396 | | 7561 | GM ADD - 1 TB UNIT | 5,901 | N | | 12 |
| 2396 | | 7562 | GM ADD - 5 TB UNIT | 27,225 | N | | 12 |
| 2396 | | 7563 | GM ADD - 10 TB UNIT | 52,069 | N | | 12 |
| 2396 | | 7564 | GM ADD - 25 TB UNIT | 80,633 | N | | 12 |
| 2396 | | 7565 | GM ADD - 50 TB UNIT | 128,621 | N | | 12 |
| 2396 | | 7570 | GM ADD - 100 TB UNIT | 205,010 | N | | 12 |
| 2396 | | 7575 | GM ADD - 200 TB UNIT | 387,168 | N | | 12 |
| 2396 | | 7601 | RMZ - 1 TB UNIT | 11,140 | N | | 12 |
| 2396 | | 7602 | RMZ - 5 TB UNIT | 50,439 | N | | 12 |
| 2396 | | 7603 | RMZ - 10 TB UNIT | 95,584 | N | | 12 |
| 2396 | | 7604 | RMZ - 25 TB UNIT | 148,824 | N | | 12 |
| 2396 | | 7605 | RMZ - 50 TB UNIT | 243,240 | N | | 12 |
| 2396 | | 7610 | RMZ - 100 TB UNIT | 388,546 | N | | 12 |
| 2396 | | 7615 | RMZ - 200 TB UNIT | 733,928 | N | | 12 |
| 2396 | | 7631 | RMZ RESYNC 1 TB UNIT | 2,360 | N | | 12 |
| 2396 | | 7632 | RMZ RESYNC 5 TB UNIT | 10,890 | N | | 12 |
| 2396 | | 7633 | RMZ RESYNC 10 TB UNIT | 20,827 | N | | 12 |
| 2396 | | 7634 | RMZ RESYNC 25 TB UNIT | 32,253 | N | | 12 |
| 2396 | | 7635 | RMZ RESYNC 50 TB UNIT | 51,448 | N | | 12 |
| 2396 | | 7640 | RMZ RESYNC 100 TB UNIT | 82,003 | N | | 12 |
| 2396 | | 7645 | RMZ RESYNC 200 TB UNIT | 154,866 | N | | 12 |
| 2396 | | 7651 | RMZ 1 TB | 11,140 | N | | 12 |
| 2396 | | 7652 | RMZ 5 TB | 50,439 | N | | 12 |
| 2396 | | 7653 | RMZ 10 TB | 95,584 | N | | 12 |
| 2396 | | 7654 | RMZ 25 TB | 148,824 | N | | 12 |
| 2396 | | 7655 | RMZ 50 TB | 243,240 | N | | 12 |
| 2396 | | 7660 | RMZ 100 TB | 388,546 | N | | 12 |
| 2396 | | 7681 | RMZ RESYNC 1 TB | 2,360 | N | | 12 |
| 2396 | | 7682 | RMZ RESYNC 5 TB | 10,890 | N | | 12 |
| 2396 | | 7683 | RMZ RESYNC 10 TB | 20,827 | N | | 12 |
| 2396 | | 7684 | RMZ RESYNC 25 TB | 32,253 | N | | 12 |
| 2396 | | 7685 | RMZ RESYNC 50 TB | 51,448 | N | | 12 |
| 2396 | | 7690 | RMZ RESYNC 100 TB | 82,003 | N | | 12 |
| 2396 | | 7801 | PAV - 1TB UNIT | 5,456 | N | | 12 |
| 2396 | | 7802 | PAV - 5 TB UNIT | 22,927 | N | | 12 |
| 2396 | | 7803 | PAV - 10 TB UNIT | 45,129 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2396 | | 7804 | PAV - 25 TB UNIT | 69,660 | N | | 12 |
| 2396 | | 7805 | PAV - 50 TB UNIT | 114,656 | N | | 12 |
| 2396 | | 7810 | PAV - 100 TB UNIT | 182,158 | N | | 12 |
| 2396 | | 7815 | PAV - 200 TB UNIT | 344,077 | N | | 12 |
| 2396 | | 7821 | PAV 1 TB | 5,456 | N | | 12 |
| 2396 | | 7822 | PAV 5 TB | 22,927 | N | | 12 |
| 2396 | | 7823 | PAV 10 TB | 45,129 | N | | 12 |
| 2396 | | 7824 | PAV 25 TB | 69,660 | N | | 12 |
| 2396 | | 7825 | PAV 50 TB | 114,656 | N | | 12 |
| 2396 | | 7830 | PAV 100 TB | 182,158 | N | | 12 |
| 2396 | | 7841 | IO PRIORITY MANAGER 1TB INDIC | 4,085 | N | | 12 |
| 2396 | | 7842 | IO PRIORITY MANAGER 5TB INDIC | 17,242 | N | | 12 |
| 2396 | | 7843 | IO PRIORITY MANAGER 10TB INDIC | 28,914 | N | | 12 |
| 2396 | | 7844 | IO PRIORITY MANAGER 25TB INDIC | 62,980 | N | | 12 |
| 2396 | | 7845 | IO PRIORITY MANAGER 50TB INDIC | 113,473 | N | | 12 |
| 2396 | | 7850 | IO PRIORITY MANAGER 100TB INDI | 211,451 | N | | 12 |
| 2396 | | 7899 | HYPERPAV | 29,694 | N | | 12 |
| 2397 | LFA | | DS8000 FUNCTION AUTHORIZ. | 0 | Y | | 24 |
| 2397 | | 7001 | OEL - 1 TB UNIT | 4,774 | N | | 24 |
| 2397 | | 7002 | OEL - 5 TB UNIT | 19,158 | N | | 24 |
| 2397 | | 7003 | OEL - 10 TB UNIT | 38,315 | N | | 24 |
| 2397 | | 7004 | OEL - 25 TB UNIT | 60,424 | N | | 24 |
| 2397 | | 7005 | OEL - 50 TB UNIT | 99,086 | N | | 24 |
| 2397 | | 7010 | OEL - 100 TB UNIT | 158,274 | N | | 24 |
| 2397 | | 7015 | OEL - 200 TB UNIT | 299,500 | N | | 24 |
| 2397 | | 7051 | OEL 1 VALUE UNIT | 4,775 | N | | 24 |
| 2397 | | 7052 | OEL 5 VALUE UNIT | 19,158 | N | | 24 |
| 2397 | | 7053 | OEL 10 VALUE UNIT | 38,315 | N | | 24 |
| 2397 | | 7054 | OEL 25 VALUE UNIT | 60,424 | N | | 24 |
| 2397 | | 7055 | OEL 50 VALUE UNIT | 99,086 | N | | 24 |
| 2397 | | 7060 | OEL 100 VALUE UNIT | 158,274 | N | | 24 |
| 2397 | | 7065 | OEL 200 VALUE UNIT | 299,500 | N | | 24 |
| 2397 | | 7070 | THIN PROVISIONING | 51,796 | N | | 24 |
| 2397 | | 7071 | THIN PROVISIONING INDICATOR | 51,796 | N | | 24 |
| 2397 | | 7090 | FICON/ESCON ATTACHMENT | 13,933 | N | | 24 |
| 2397 | | 7091 | FICON ATTACHMENT | 13,933 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2397 | | 7092 | HIGH PERFORMANCE FICON | 6,966 | N | | 24 |
| 2397 | | 7201 | PTC - 1 TB UNIT | 9,195 | N | | 24 |
| 2397 | | 7202 | PTC - 5 TB UNIT | 38,905 | N | | 24 |
| 2397 | | 7203 | PTC - 10 TB UNIT | 77,266 | N | | 24 |
| 2397 | | 7204 | PTC - 25 TB UNIT | 117,449 | N | | 24 |
| 2397 | | 7205 | PTC - 50 TB UNIT | 194,998 | N | | 24 |
| 2397 | | 7210 | PTC - 100 TB UNIT | 313,826 | N | | 24 |
| 2397 | | 7215 | PTC - 200 TB UNIT | 593,918 | N | | 24 |
| 2397 | | 7231 | PTC ADD 1 TB UNIT | 4,597 | N | | 24 |
| 2397 | | 7232 | PTC ADD 5 TB UNIT | 19,452 | N | | 24 |
| 2397 | | 7233 | PTC ADD 10 TB UNIT | 38,633 | N | | 24 |
| 2397 | | 7234 | PTC ADD 25 TB UNIT | 58,724 | N | | 24 |
| 2397 | | 7235 | PTC ADD 50 TB UNIT | 97,499 | N | | 24 |
| 2397 | | 7240 | PTC ADD 100 TB UNIT | 156,913 | N | | 24 |
| 2397 | | 7245 | PTC ADD 200 TB UNIT | 296,959 | N | | 24 |
| 2397 | | 7251 | PTC 1 TB | 9,195 | N | | 24 |
| 2397 | | 7252 | PTC 5 TB | 38,905 | N | | 24 |
| 2397 | | 7253 | PTC 10 TB | 77,266 | N | | 24 |
| 2397 | | 7254 | PTC 25 TB | 117,449 | N | | 24 |
| 2397 | | 7255 | PTC 50 TB | 194,998 | N | | 24 |
| 2397 | | 7260 | PTC 100 TB | 313,826 | N | | 24 |
| 2397 | | 7301 | SE 1 TB UNIT | 9,195 | N | | 24 |
| 2397 | | 7302 | SE 5 TB UNIT | 38,905 | N | | 24 |
| 2397 | | 7303 | SE 10 TB UNIT | 77,266 | N | | 24 |
| 2397 | | 7304 | SE 25 TB UNIT | 117,449 | N | | 24 |
| 2397 | | 7305 | SE 50 TB UNIT | 194,998 | N | | 24 |
| 2397 | | 7310 | SE 100 TB UNIT | 313,826 | N | | 24 |
| 2397 | | 7315 | SE 200 TB UNIT | 593,918 | N | | 24 |
| 2397 | | 7331 | SE ADD 1 TB UNIT | 4,597 | N | | 24 |
| 2397 | | 7332 | SE ADD 5 TB UNIT | 19,452 | N | | 24 |
| 2397 | | 7333 | SE ADD 10 TB UNIT | 38,633 | N | | 24 |
| 2397 | | 7334 | SE ADD 25 TB UNIT | 58,724 | N | | 24 |
| 2397 | | 7335 | SE ADD 50 TB UNIT | 97,499 | N | | 24 |
| 2397 | | 7340 | SE ADD 100 TB UNIT | 156,913 | N | | 24 |
| 2397 | | 7345 | SE ADD 200 TB UNIT | 296,959 | N | | 24 |
| 2397 | | 7351 | SE 1 TB | 9,195 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------|----------------|----------------|----------------|-------------------|
| 2397 | | 7352 | SE 5 TB | 38,905 | N | | 24 |
| 2397 | | 7353 | SE 10 TB | 77,266 | N | | 24 |
| 2397 | | 7354 | SE 25 TB | 117,449 | N | | 24 |
| 2397 | | 7355 | SE 50 TB | 194,998 | N | | 24 |
| 2397 | | 7360 | SE 100 TB | 313,826 | N | | 24 |
| 2397 | | 7421 | MGM - 1TB UNIT | 1,792 | N | | 24 |
| 2397 | | 7422 | MGM - 5 TB UNIT | 8,280 | N | | 24 |
| 2397 | | 7423 | MGM - 10 TB UNIT | 15,847 | N | | 24 |
| 2397 | | 7424 | MGM - 25 TB UNIT | 24,756 | N | | 24 |
| 2397 | | 7425 | MGM - 50 TB UNIT | 39,718 | N | | 24 |
| 2397 | | 7430 | MGM - 100 TB UNIT | 63,766 | N | | 24 |
| 2397 | | 7435 | MGM - 200 TB UNIT | 120,677 | N | | 24 |
| 2397 | | 7441 | MM - 1 TB UNIT | 11,961 | N | | 24 |
| 2397 | | 7442 | MM - 5 TB UNIT | 55,234 | N | | 24 |
| 2397 | | 7443 | MM - 10 TB UNIT | 105,704 | N | | 24 |
| 2397 | | 7444 | MM - 25 TB UNIT | 165,183 | N | | 24 |
| 2397 | | 7445 | MM - 50 TB UNIT | 265,076 | N | | 24 |
| 2397 | | 7450 | MM - 100 TB UNIT | 425,689 | N | | 24 |
| 2397 | | 7455 | MM - 200 TB UNIT | 805,675 | N | | 24 |
| 2397 | | 7461 | GM - 1 TB UNIT | 11,961 | N | | 24 |
| 2397 | | 7462 | GM - 5 TB UNIT | 55,234 | N | | 24 |
| 2397 | | 7463 | GM - 10 TB UNIT | 105,704 | N | | 24 |
| 2397 | | 7464 | GM - 25 TB UNIT | 165,183 | N | | 24 |
| 2397 | | 7465 | GM - 50 TB UNIT | 265,076 | N | | 24 |
| 2397 | | 7470 | GM - 100 TB UNIT | 425,689 | N | | 24 |
| 2397 | | 7475 | GM - 200 TB UNIT | 805,675 | N | | 24 |
| 2397 | | 7481 | MGM 1 TB | 1,792 | N | | 24 |
| 2397 | | 7482 | MGM 5 TB | 8,280 | N | | 24 |
| 2397 | | 7483 | MGM 10 TB | 15,847 | N | | 24 |
| 2397 | | 7484 | MGM 25 TB | 24,756 | N | | 24 |
| 2397 | | 7485 | MGM 50 TB | 39,718 | N | | 24 |
| 2397 | | 7490 | MGM 100 TB | 63,766 | N | | 24 |
| 2397 | | 7501 | MM 1 TB | 11,961 | N | | 24 |
| 2397 | | 7502 | MM 5 TB | 55,234 | N | | 24 |
| 2397 | | 7503 | MM 10 TB | 105,704 | N | | 24 |
| 2397 | | 7504 | MM 25 TB | 165,183 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2397 | | 7505 | MM 50 TB | 265,076 | N | | 24 |
| 2397 | | 7510 | MM 100 TB | 425,689 | N | | 24 |
| 2397 | | 7521 | GM 1 TB | 11,961 | N | | 24 |
| 2397 | | 7522 | GM 5 TB | 55,234 | N | | 24 |
| 2397 | | 7523 | GM 10 TB | 105,704 | N | | 24 |
| 2397 | | 7524 | GM 25 TB | 165,183 | N | | 24 |
| 2397 | | 7525 | GM 50 TB | 265,076 | N | | 24 |
| 2397 | | 7530 | GM 100 TB | 425,689 | N | | 24 |
| 2397 | | 7541 | MM ADD - 1 TB UNIT | 5,980 | N | | 24 |
| 2397 | | 7542 | MM ADD - 5 TB UNIT | 27,617 | N | | 24 |
| 2397 | | 7543 | MM ADD - 10 TB UNIT | 52,851 | N | | 24 |
| 2397 | | 7544 | MM ADD - 25 TB UNIT | 82,591 | N | | 24 |
| 2397 | | 7545 | MM ADD - 50 TB UNIT | 132,538 | N | | 24 |
| 2397 | | 7550 | MM ADD - 100 TB UNIT | 212,844 | N | | 24 |
| 2397 | | 7555 | MM ADD - 200 TB UNIT | 402,837 | N | | 24 |
| 2397 | | 7561 | GM ADD - 1 TB UNIT | 5,980 | N | | 24 |
| 2397 | | 7562 | GM ADD - 5 TB UNIT | 27,617 | N | | 24 |
| 2397 | | 7563 | GM ADD - 10 TB UNIT | 52,851 | N | | 24 |
| 2397 | | 7564 | GM ADD - 25 TB UNIT | 82,591 | N | | 24 |
| 2397 | | 7565 | GM ADD - 50 TB UNIT | 132,538 | N | | 24 |
| 2397 | | 7570 | GM ADD - 100 TB UNIT | 212,844 | N | | 24 |
| 2397 | | 7575 | GM ADD - 200 TB UNIT | 402,837 | N | | 24 |
| 2397 | | 7601 | RMZ - 1 TB UNIT | 11,283 | N | | 24 |
| 2397 | | 7602 | RMZ - 5 TB UNIT | 51,158 | N | | 24 |
| 2397 | | 7603 | RMZ - 10 TB UNIT | 97,020 | N | | 24 |
| 2397 | | 7604 | RMZ - 25 TB UNIT | 152,415 | N | | 24 |
| 2397 | | 7605 | RMZ - 50 TB UNIT | 250,422 | N | | 24 |
| 2397 | | 7610 | RMZ - 100 TB UNIT | 402,910 | N | | 24 |
| 2397 | | 7615 | RMZ - 200 TB UNIT | 762,656 | N | | 24 |
| 2397 | | 7631 | RMZ RESYNC 1 TB UNIT | 2,392 | N | | 24 |
| 2397 | | 7632 | RMZ RESYNC 5 TB UNIT | 11,047 | N | | 24 |
| 2397 | | 7633 | RMZ RESYNC 10 TB UNIT | 21,141 | N | | 24 |
| 2397 | | 7634 | RMZ RESYNC 25 TB UNIT | 33,036 | N | | 24 |
| 2397 | | 7635 | RMZ RESYNC 50 TB UNIT | 53,015 | N | | 24 |
| 2397 | | 7640 | RMZ RESYNC 100 TB UNIT | 85,138 | N | | 24 |
| 2397 | | 7645 | RMZ RESYNC 200 TB UNIT | 161,134 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2397 | | 7651 | RMZ 1 TB | 11,283 | N | | 24 |
| 2397 | | 7652 | RMZ 5 TB | 51,158 | N | | 24 |
| 2397 | | 7653 | RMZ 10 TB | 97,020 | N | | 24 |
| 2397 | | 7654 | RMZ 25 TB | 152,415 | N | | 24 |
| 2397 | | 7655 | RMZ 50 TB | 250,422 | N | | 24 |
| 2397 | | 7660 | RMZ 100 TB | 402,910 | N | | 24 |
| 2397 | | 7681 | RMZ RESYNC 1 TB | 2,392 | N | | 24 |
| 2397 | | 7682 | RMZ RESYNC 5 TB | 11,047 | N | | 24 |
| 2397 | | 7683 | RMZ RESYNC 10 TB | 21,141 | N | | 24 |
| 2397 | | 7684 | RMZ RESYNC 25 TB | 33,036 | N | | 24 |
| 2397 | | 7685 | RMZ RESYNC 50 TB | 53,015 | N | | 24 |
| 2397 | | 7690 | RMZ RESYNC 100 TB | 85,138 | N | | 24 |
| 2397 | | 7801 | PAV - 1TB UNIT | 5,523 | N | | 24 |
| 2397 | | 7802 | PAV - 5 TB UNIT | 23,264 | N | | 24 |
| 2397 | | 7803 | PAV - 10 TB UNIT | 45,804 | N | | 24 |
| 2397 | | 7804 | PAV - 25 TB UNIT | 71,347 | N | | 24 |
| 2397 | | 7805 | PAV - 50 TB UNIT | 118,029 | N | | 24 |
| 2397 | | 7810 | PAV - 100 TB UNIT | 188,905 | N | | 24 |
| 2397 | | 7815 | PAV - 200 TB UNIT | 357,570 | N | | 24 |
| 2397 | | 7821 | PAV 1 TB | 5,523 | N | | 24 |
| 2397 | | 7822 | PAV 5 TB | 23,264 | N | | 24 |
| 2397 | | 7823 | PAV 10 TB | 45,804 | N | | 24 |
| 2397 | | 7824 | PAV 25 TB | 71,347 | N | | 24 |
| 2397 | | 7825 | PAV 50 TB | 118,029 | N | | 24 |
| 2397 | | 7830 | PAV 100 TB | 188,905 | N | | 24 |
| 2397 | | 7841 | IO PRIORITY MANAGER 1TB INDIC | 4,137 | N | | 24 |
| 2397 | | 7842 | IO PRIORITY MANAGER 5TB INDIC | 17,507 | N | | 24 |
| 2397 | | 7843 | IO PRIORITY MANAGER 10TB INDIC | 29,361 | N | | 24 |
| 2397 | | 7844 | IO PRIORITY MANAGER 25TB INDIC | 64,596 | N | | 24 |
| 2397 | | 7845 | IO PRIORITY MANAGER 50TB INDIC | 116,998 | N | | 24 |
| 2397 | | 7850 | IO PRIORITY MANAGER 100TB INDI | 219,678 | N | | 24 |
| 2397 | | 7899 | HYPERPAV | 30,677 | N | | 24 |
| 2398 | LFA | | DS8000 FUNCTION AUTHORIZ. | 0 | Y | | 36 |
| 2398 | | 7001 | OEL - 1 TB UNIT | 4,835 | N | | 36 |
| 2398 | | 7002 | OEL - 5 TB UNIT | 19,463 | N | | 36 |
| 2398 | | 7003 | OEL - 10 TB UNIT | 38,926 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2398 | | 7004 | OEL - 25 TB UNIT | 61,950 | N | | 36 |
| 2398 | | 7005 | OEL - 50 TB UNIT | 102,137 | N | | 36 |
| 2398 | | 7010 | OEL - 100 TB UNIT | 164,376 | N | | 36 |
| 2398 | | 7015 | OEL - 200 TB UNIT | 311,705 | N | | 36 |
| 2398 | | 7051 | OEL 1 VALUE UNIT | 4,835 | N | | 36 |
| 2398 | | 7052 | OEL 5 VALUE UNIT | 19,462 | N | | 36 |
| 2398 | | 7053 | OEL 10 VALUE UNIT | 38,926 | N | | 36 |
| 2398 | | 7054 | OEL 25 VALUE UNIT | 61,950 | N | | 36 |
| 2398 | | 7055 | OEL 50 VALUE UNIT | 102,137 | N | | 36 |
| 2398 | | 7060 | OEL 100 VALUE UNIT | 164,376 | N | | 36 |
| 2398 | | 7065 | OEL 200 VALUE UNIT | 311,705 | N | | 36 |
| 2398 | | 7070 | THIN PROVISIONING | 53,102 | N | | 36 |
| 2398 | | 7071 | THIN PROVISIONING INDICATOR | 53,102 | N | | 36 |
| 2398 | | 7090 | FICON/ESCON ATTACHMENT | 14,221 | N | | 36 |
| 2398 | | 7091 | FICON ATTACHMENT | 14,221 | N | | 36 |
| 2398 | | 7092 | HIGH PERFORMANCE FICON | 7,110 | N | | 36 |
| 2398 | | 7201 | PTC - 1 TB UNIT | 9,313 | N | | 36 |
| 2398 | | 7202 | PTC - 5 TB UNIT | 39,492 | N | | 36 |
| 2398 | | 7203 | PTC - 10 TB UNIT | 78,441 | N | | 36 |
| 2398 | | 7204 | PTC - 25 TB UNIT | 120,387 | N | | 36 |
| 2398 | | 7205 | PTC - 50 TB UNIT | 200,875 | N | | 36 |
| 2398 | | 7210 | PTC - 100 TB UNIT | 325,578 | N | | 36 |
| 2398 | | 7215 | PTC - 200 TB UNIT | 617,423 | N | | 36 |
| 2398 | | 7231 | PTC ADD 1 TB UNIT | 4,656 | N | | 36 |
| 2398 | | 7232 | PTC ADD 5 TB UNIT | 19,746 | N | | 36 |
| 2398 | | 7233 | PTC ADD 10 TB UNIT | 39,220 | N | | 36 |
| 2398 | | 7234 | PTC ADD 25 TB UNIT | 60,193 | N | | 36 |
| 2398 | | 7235 | PTC ADD 50 TB UNIT | 100,437 | N | | 36 |
| 2398 | | 7240 | PTC ADD 100 TB UNIT | 162,789 | N | | 36 |
| 2398 | | 7245 | PTC ADD 200 TB UNIT | 308,711 | N | | 36 |
| 2398 | | 7251 | PTC 1 TB | 9,313 | N | | 36 |
| 2398 | | 7252 | PTC 5 TB | 39,492 | N | | 36 |
| 2398 | | 7253 | PTC 10 TB | 78,441 | N | | 36 |
| 2398 | | 7254 | PTC 25 TB | 120,387 | N | | 36 |
| 2398 | | 7255 | PTC 50 TB | 200,875 | N | | 36 |
| 2398 | | 7260 | PTC 100 TB | 325,578 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------|----------------|----------------|----------------|-------------------|
| 2398 | | 7301 | SE 1 TB UNIT | 9,313 | N | | 36 |
| 2398 | | 7302 | SE 5 TB UNIT | 39,492 | N | | 36 |
| 2398 | | 7303 | SE 10 TB UNIT | 78,441 | N | | 36 |
| 2398 | | 7304 | SE 25 TB UNIT | 120,387 | N | | 36 |
| 2398 | | 7305 | SE 50 TB UNIT | 200,875 | N | | 36 |
| 2398 | | 7310 | SE 100 TB UNIT | 325,578 | N | | 36 |
| 2398 | | 7315 | SE 200 TB UNIT | 617,423 | N | | 36 |
| 2398 | | 7331 | SE ADD 1 TB UNIT | 4,656 | N | | 36 |
| 2398 | | 7332 | SE ADD 5 TB UNIT | 19,746 | N | | 36 |
| 2398 | | 7333 | SE ADD 10 TB UNIT | 39,220 | N | | 36 |
| 2398 | | 7334 | SE ADD 25 TB UNIT | 60,193 | N | | 36 |
| 2398 | | 7335 | SE ADD 50 TB UNIT | 100,437 | N | | 36 |
| 2398 | | 7340 | SE ADD 100 TB UNIT | 162,789 | N | | 36 |
| 2398 | | 7345 | SE ADD 200 TB UNIT | 308,711 | N | | 36 |
| 2398 | | 7351 | SE 1 TB | 9,313 | N | | 36 |
| 2398 | | 7352 | SE 5 TB | 39,492 | N | | 36 |
| 2398 | | 7353 | SE 10 TB | 78,441 | N | | 36 |
| 2398 | | 7354 | SE 25 TB | 120,387 | N | | 36 |
| 2398 | | 7355 | SE 50 TB | 200,875 | N | | 36 |
| 2398 | | 7360 | SE 100 TB | 325,578 | N | | 36 |
| 2398 | | 7421 | MGM - 1TB UNIT | 1,817 | N | | 36 |
| 2398 | | 7422 | MGM - 5 TB UNIT | 8,400 | N | | 36 |
| 2398 | | 7423 | MGM - 10 TB UNIT | 16,087 | N | | 36 |
| 2398 | | 7424 | MGM - 25 TB UNIT | 25,354 | N | | 36 |
| 2398 | | 7425 | MGM - 50 TB UNIT | 40,915 | N | | 36 |
| 2398 | | 7430 | MGM - 100 TB UNIT | 66,160 | N | | 36 |
| 2398 | | 7435 | MGM - 200 TB UNIT | 125,465 | N | | 36 |
| 2398 | | 7441 | MM - 1 TB UNIT | 12,117 | N | | 36 |
| 2398 | | 7442 | MM - 5 TB UNIT | 56,018 | N | | 36 |
| 2398 | | 7443 | MM - 10 TB UNIT | 107,271 | N | | 36 |
| 2398 | | 7444 | MM - 25 TB UNIT | 169,100 | N | | 36 |
| 2398 | | 7445 | MM - 50 TB UNIT | 272,911 | N | | 36 |
| 2398 | | 7450 | MM - 100 TB UNIT | 441,358 | N | | 36 |
| 2398 | | 7455 | MM - 200 TB UNIT | 837,014 | N | | 36 |
| 2398 | | 7461 | GM - 1 TB UNIT | 12,117 | N | | 36 |
| 2398 | | 7462 | GM - 5 TB UNIT | 56,018 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2398 | | 7463 | GM - 10 TB UNIT | 107,271 | N | | 36 |
| 2398 | | 7464 | GM - 25 TB UNIT | 169,100 | N | | 36 |
| 2398 | | 7465 | GM - 50 TB UNIT | 272,911 | N | | 36 |
| 2398 | | 7470 | GM - 100 TB UNIT | 441,358 | N | | 36 |
| 2398 | | 7475 | GM - 200 TB UNIT | 837,014 | N | | 36 |
| 2398 | | 7481 | MGM 1 TB | 1,817 | N | | 36 |
| 2398 | | 7482 | MGM 5 TB | 8,400 | N | | 36 |
| 2398 | | 7483 | MGM 10 TB | 16,087 | N | | 36 |
| 2398 | | 7484 | MGM 25 TB | 25,354 | N | | 36 |
| 2398 | | 7485 | MGM 50 TB | 40,915 | N | | 36 |
| 2398 | | 7490 | MGM 100 TB | 66,160 | N | | 36 |
| 2398 | | 7501 | MM 1 TB | 12,117 | N | | 36 |
| 2398 | | 7502 | MM 5 TB | 56,018 | N | | 36 |
| 2398 | | 7503 | MM 10 TB | 107,271 | N | | 36 |
| 2398 | | 7504 | MM 25 TB | 169,100 | N | | 36 |
| 2398 | | 7505 | MM 50 TB | 272,911 | N | | 36 |
| 2398 | | 7510 | MM 100 TB | 441,358 | N | | 36 |
| 2398 | | 7521 | GM 1 TB | 12,117 | N | | 36 |
| 2398 | | 7522 | GM 5 TB | 56,018 | N | | 36 |
| 2398 | | 7523 | GM 10 TB | 107,271 | N | | 36 |
| 2398 | | 7524 | GM 25 TB | 169,100 | N | | 36 |
| 2398 | | 7525 | GM 50 TB | 272,911 | N | | 36 |
| 2398 | | 7530 | GM 100 TB | 441,358 | N | | 36 |
| 2398 | | 7541 | MM ADD - 1 TB UNIT | 6,058 | N | | 36 |
| 2398 | | 7542 | MM ADD - 5 TB UNIT | 28,009 | N | | 36 |
| 2398 | | 7543 | MM ADD - 10 TB UNIT | 53,635 | N | | 36 |
| 2398 | | 7544 | MM ADD - 25 TB UNIT | 84,550 | N | | 36 |
| 2398 | | 7545 | MM ADD - 50 TB UNIT | 136,455 | N | | 36 |
| 2398 | | 7550 | MM ADD - 100 TB UNIT | 220,679 | N | | 36 |
| 2398 | | 7555 | MM ADD - 200 TB UNIT | 418,507 | N | | 36 |
| 2398 | | 7561 | GM ADD - 1 TB UNIT | 6,058 | N | | 36 |
| 2398 | | 7562 | GM ADD - 5 TB UNIT | 28,009 | N | | 36 |
| 2398 | | 7563 | GM ADD - 10 TB UNIT | 53,635 | N | | 36 |
| 2398 | | 7564 | GM ADD - 25 TB UNIT | 84,550 | N | | 36 |
| 2398 | | 7565 | GM ADD - 50 TB UNIT | 136,455 | N | | 36 |
| 2398 | | 7570 | GM ADD - 100 TB UNIT | 220,679 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2398 | | 7575 | GM ADD - 200 TB UNIT | 418,507 | N | | 36 |
| 2398 | | 7601 | RMZ - 1 TB UNIT | 11,427 | N | | 36 |
| 2398 | | 7602 | RMZ - 5 TB UNIT | 51,876 | N | | 36 |
| 2398 | | 7603 | RMZ - 10 TB UNIT | 98,456 | N | | 36 |
| 2398 | | 7604 | RMZ - 25 TB UNIT | 156,006 | N | | 36 |
| 2398 | | 7605 | RMZ - 50 TB UNIT | 257,604 | N | | 36 |
| 2398 | | 7610 | RMZ - 100 TB UNIT | 417,274 | N | | 36 |
| 2398 | | 7615 | RMZ - 200 TB UNIT | 791,383 | N | | 36 |
| 2398 | | 7631 | RMZ RESYNC 1 TB UNIT | 2,423 | N | | 36 |
| 2398 | | 7632 | RMZ RESYNC 5 TB UNIT | 11,203 | N | | 36 |
| 2398 | | 7633 | RMZ RESYNC 10 TB UNIT | 21,454 | N | | 36 |
| 2398 | | 7634 | RMZ RESYNC 25 TB UNIT | 33,820 | N | | 36 |
| 2398 | | 7635 | RMZ RESYNC 50 TB UNIT | 54,581 | N | | 36 |
| 2398 | | 7640 | RMZ RESYNC 100 TB UNIT | 88,271 | N | | 36 |
| 2398 | | 7645 | RMZ RESYNC 200 TB UNIT | 167,403 | N | | 36 |
| 2398 | | 7651 | RMZ 1 TB | 11,427 | N | | 36 |
| 2398 | | 7652 | RMZ 5 TB | 51,876 | N | | 36 |
| 2398 | | 7653 | RMZ 10 TB | 98,456 | N | | 36 |
| 2398 | | 7654 | RMZ 25 TB | 156,006 | N | | 36 |
| 2398 | | 7655 | RMZ 50 TB | 257,604 | N | | 36 |
| 2398 | | 7660 | RMZ 100 TB | 417,274 | N | | 36 |
| 2398 | | 7681 | RMZ RESYNC 1 TB | 2,423 | N | | 36 |
| 2398 | | 7682 | RMZ RESYNC 5 TB | 11,203 | N | | 36 |
| 2398 | | 7683 | RMZ RESYNC 10 TB | 21,454 | N | | 36 |
| 2398 | | 7684 | RMZ RESYNC 25 TB | 33,820 | N | | 36 |
| 2398 | | 7685 | RMZ RESYNC 50 TB | 54,581 | N | | 36 |
| 2398 | | 7690 | RMZ RESYNC 100 TB | 88,271 | N | | 36 |
| 2398 | | 7801 | PAV - 1TB UNIT | 5,591 | N | | 36 |
| 2398 | | 7802 | PAV - 5 TB UNIT | 23,602 | N | | 36 |
| 2398 | | 7803 | PAV - 10 TB UNIT | 46,479 | N | | 36 |
| 2398 | | 7804 | PAV - 25 TB UNIT | 73,034 | N | | 36 |
| 2398 | | 7805 | PAV - 50 TB UNIT | 121,403 | N | | 36 |
| 2398 | | 7810 | PAV - 100 TB UNIT | 195,651 | N | | 36 |
| 2398 | | 7815 | PAV - 200 TB UNIT | 371,063 | N | | 36 |
| 2398 | | 7821 | PAV 1 TB | 5,591 | N | | 36 |
| 2398 | | 7822 | PAV 5 TB | 23,602 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2398 | | 7823 | PAV 10 TB | 46,479 | N | | 36 |
| 2398 | | 7824 | PAV 25 TB | 73,034 | N | | 36 |
| 2398 | | 7825 | PAV 50 TB | 121,403 | N | | 36 |
| 2398 | | 7830 | PAV 100 TB | 195,651 | N | | 36 |
| 2398 | | 7841 | IO PRIORITY MANAGER 1TB INDIC | 4,190 | N | | 36 |
| 2398 | | 7842 | IO PRIORITY MANAGER 5TB INDIC | 17,771 | N | | 36 |
| 2398 | | 7843 | IO PRIORITY MANAGER 10TB INDIC | 29,808 | N | | 36 |
| 2398 | | 7844 | IO PRIORITY MANAGER 25TB INDIC | 66,213 | N | | 36 |
| 2398 | | 7845 | IO PRIORITY MANAGER 50TB INDIC | 120,524 | N | | 36 |
| 2398 | | 7850 | IO PRIORITY MANAGER 100TB INDI | 227,904 | N | | 36 |
| 2398 | | 7899 | HYPERPAV | 31,660 | N | | 36 |
| 2399 | LFA | | DS8000 FUNCTION AUTHORIZ. | 0 | Y | | 48 |
| 2399 | | 7001 | OEL - 1 TB UNIT | 4,897 | N | | 48 |
| 2399 | | 7002 | OEL - 5 TB UNIT | 19,768 | N | | 48 |
| 2399 | | 7003 | OEL - 10 TB UNIT | 39,537 | N | | 48 |
| 2399 | | 7004 | OEL - 25 TB UNIT | 63,476 | N | | 48 |
| 2399 | | 7005 | OEL - 50 TB UNIT | 105,189 | N | | 48 |
| 2399 | | 7010 | OEL - 100 TB UNIT | 170,479 | N | | 48 |
| 2399 | | 7015 | OEL - 200 TB UNIT | 323,909 | N | | 48 |
| 2399 | | 7051 | OEL 1 VALUE UNIT | 4,897 | N | | 48 |
| 2399 | | 7052 | OEL 5 VALUE UNIT | 19,768 | N | | 48 |
| 2399 | | 7053 | OEL 10 VALUE UNIT | 39,537 | N | | 48 |
| 2399 | | 7054 | OEL 25 VALUE UNIT | 63,476 | N | | 48 |
| 2399 | | 7055 | OEL 50 VALUE UNIT | 105,189 | N | | 48 |
| 2399 | | 7060 | OEL 100 VALUE UNIT | 170,479 | N | | 48 |
| 2399 | | 7065 | OEL 200 VALUE UNIT | 323,909 | N | | 48 |
| 2399 | | 7070 | THIN PROVISIONING | 54,408 | N | | 48 |
| 2399 | | 7071 | THIN PROVISIONING INDICATOR | 54,408 | N | | 48 |
| 2399 | | 7090 | FICON/ESCON ATTACHMENT | 14,509 | N | | 48 |
| 2399 | | 7091 | FICON ATTACHMENT | 14,509 | N | | 48 |
| 2399 | | 7092 | HIGH PERFORMANCE FICON | 7,254 | N | | 48 |
| 2399 | | 7201 | PTC - 1 TB UNIT | 9,431 | N | | 48 |
| 2399 | | 7202 | PTC - 5 TB UNIT | 40,081 | N | | 48 |
| 2399 | | 7203 | PTC - 10 TB UNIT | 79,617 | N | | 48 |
| 2399 | | 7204 | PTC - 25 TB UNIT | 123,325 | N | | 48 |
| 2399 | | 7205 | PTC - 50 TB UNIT | 206,751 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2399 | | 7210 | PTC - 100 TB UNIT | 337,330 | N | | 48 |
| 2399 | | 7215 | PTC - 200 TB UNIT | 640,927 | N | | 48 |
| 2399 | | 7231 | PTC ADD 1 TB UNIT | 4,715 | N | | 48 |
| 2399 | | 7232 | PTC ADD 5 TB UNIT | 20,040 | N | | 48 |
| 2399 | | 7233 | PTC ADD 10 TB UNIT | 39,809 | N | | 48 |
| 2399 | | 7234 | PTC ADD 25 TB UNIT | 61,662 | N | | 48 |
| 2399 | | 7235 | PTC ADD 50 TB UNIT | 103,375 | N | | 48 |
| 2399 | | 7240 | PTC ADD 100 TB UNIT | 168,665 | N | | 48 |
| 2399 | | 7245 | PTC ADD 200 TB UNIT | 320,463 | N | | 48 |
| 2399 | | 7251 | PTC 1 TB | 9,431 | N | | 48 |
| 2399 | | 7252 | PTC 5 TB | 40,081 | N | | 48 |
| 2399 | | 7253 | PTC 10 TB | 79,617 | N | | 48 |
| 2399 | | 7254 | PTC 25 TB | 123,325 | N | | 48 |
| 2399 | | 7255 | PTC 50 TB | 206,751 | N | | 48 |
| 2399 | | 7260 | PTC 100 TB | 337,330 | N | | 48 |
| 2399 | | 7301 | SE 1 TB UNIT | 9,431 | N | | 48 |
| 2399 | | 7302 | SE 5 TB UNIT | 40,081 | N | | 48 |
| 2399 | | 7303 | SE 10 TB UNIT | 79,617 | N | | 48 |
| 2399 | | 7304 | SE 25 TB UNIT | 123,325 | N | | 48 |
| 2399 | | 7305 | SE 50 TB UNIT | 206,751 | N | | 48 |
| 2399 | | 7310 | SE 100 TB UNIT | 337,330 | N | | 48 |
| 2399 | | 7315 | SE 200 TB UNIT | 640,927 | N | | 48 |
| 2399 | | 7331 | SE ADD 1 TB UNIT | 4,715 | N | | 48 |
| 2399 | | 7332 | SE ADD 5 TB UNIT | 20,040 | N | | 48 |
| 2399 | | 7333 | SE ADD 10 TB UNIT | 39,809 | N | | 48 |
| 2399 | | 7334 | SE ADD 25 TB UNIT | 61,662 | N | | 48 |
| 2399 | | 7335 | SE ADD 50 TB UNIT | 103,375 | N | | 48 |
| 2399 | | 7340 | SE ADD 100 TB UNIT | 168,665 | N | | 48 |
| 2399 | | 7345 | SE ADD 200 TB UNIT | 320,463 | N | | 48 |
| 2399 | | 7351 | SE 1 TB | 9,431 | N | | 48 |
| 2399 | | 7352 | SE 5 TB | 40,081 | N | | 48 |
| 2399 | | 7353 | SE 10 TB | 79,617 | N | | 48 |
| 2399 | | 7354 | SE 25 TB | 123,325 | N | | 48 |
| 2399 | | 7355 | SE 50 TB | 206,751 | N | | 48 |
| 2399 | | 7360 | SE 100 TB | 337,330 | N | | 48 |
| 2399 | | 7421 | MGM - 1TB UNIT | 1,841 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------|----------------|----------------|----------------|-------------------|
| 2399 | | 7422 | MGM - 5 TB UNIT | 8,520 | N | | 48 |
| 2399 | | 7423 | MGM - 10 TB UNIT | 16,325 | N | | 48 |
| 2399 | | 7424 | MGM - 25 TB UNIT | 25,953 | N | | 48 |
| 2399 | | 7425 | MGM - 50 TB UNIT | 42,112 | N | | 48 |
| 2399 | | 7430 | MGM - 100 TB UNIT | 68,554 | N | | 48 |
| 2399 | | 7435 | MGM - 200 TB UNIT | 130,253 | N | | 48 |
| 2399 | | 7441 | MM - 1 TB UNIT | 12,274 | N | | 48 |
| 2399 | | 7442 | MM - 5 TB UNIT | 56,802 | N | | 48 |
| 2399 | | 7443 | MM - 10 TB UNIT | 108,837 | N | | 48 |
| 2399 | | 7444 | MM - 25 TB UNIT | 173,018 | N | | 48 |
| 2399 | | 7445 | MM - 50 TB UNIT | 280,746 | N | | 48 |
| 2399 | | 7450 | MM - 100 TB UNIT | 457,028 | N | | 48 |
| 2399 | | 7455 | MM - 200 TB UNIT | 868,353 | N | | 48 |
| 2399 | | 7461 | GM - 1 TB UNIT | 12,274 | N | | 48 |
| 2399 | | 7462 | GM - 5 TB UNIT | 56,802 | N | | 48 |
| 2399 | | 7463 | GM - 10 TB UNIT | 108,837 | N | | 48 |
| 2399 | | 7464 | GM - 25 TB UNIT | 173,018 | N | | 48 |
| 2399 | | 7465 | GM - 50 TB UNIT | 280,746 | N | | 48 |
| 2399 | | 7470 | GM - 100 TB UNIT | 457,028 | N | | 48 |
| 2399 | | 7475 | GM - 200 TB UNIT | 868,353 | N | | 48 |
| 2399 | | 7481 | MGM 1 TB | 1,841 | N | | 48 |
| 2399 | | 7482 | MGM 5 TB | 8,520 | N | | 48 |
| 2399 | | 7483 | MGM 10 TB | 16,325 | N | | 48 |
| 2399 | | 7484 | MGM 25 TB | 25,953 | N | | 48 |
| 2399 | | 7485 | MGM 50 TB | 42,112 | N | | 48 |
| 2399 | | 7490 | MGM 100 TB | 68,554 | N | | 48 |
| 2399 | | 7501 | MM 1 TB | 12,274 | N | | 48 |
| 2399 | | 7502 | MM 5 TB | 56,802 | N | | 48 |
| 2399 | | 7503 | MM 10 TB | 108,837 | N | | 48 |
| 2399 | | 7504 | MM 25 TB | 173,018 | N | | 48 |
| 2399 | | 7505 | MM 50 TB | 280,746 | N | | 48 |
| 2399 | | 7510 | MM 100 TB | 457,028 | N | | 48 |
| 2399 | | 7521 | GM 1 TB | 12,274 | N | | 48 |
| 2399 | | 7522 | GM 5 TB | 56,802 | N | | 48 |
| 2399 | | 7523 | GM 10 TB | 108,837 | N | | 48 |
| 2399 | | 7524 | GM 25 TB | 173,018 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2399 | | 7525 | GM 50 TB | 280,746 | N | | 48 |
| 2399 | | 7530 | GM 100 TB | 457,028 | N | | 48 |
| 2399 | | 7541 | MM ADD - 1 TB UNIT | 6,137 | N | | 48 |
| 2399 | | 7542 | MM ADD - 5 TB UNIT | 28,401 | N | | 48 |
| 2399 | | 7543 | MM ADD - 10 TB UNIT | 54,418 | N | | 48 |
| 2399 | | 7544 | MM ADD - 25 TB UNIT | 86,509 | N | | 48 |
| 2399 | | 7545 | MM ADD - 50 TB UNIT | 140,373 | N | | 48 |
| 2399 | | 7550 | MM ADD - 100 TB UNIT | 228,514 | N | | 48 |
| 2399 | | 7555 | MM ADD - 200 TB UNIT | 434,176 | N | | 48 |
| 2399 | | 7561 | GM ADD - 1 TB UNIT | 6,137 | N | | 48 |
| 2399 | | 7562 | GM ADD - 5 TB UNIT | 28,401 | N | | 48 |
| 2399 | | 7563 | GM ADD - 10 TB UNIT | 54,418 | N | | 48 |
| 2399 | | 7564 | GM ADD - 25 TB UNIT | 86,509 | N | | 48 |
| 2399 | | 7565 | GM ADD - 50 TB UNIT | 140,373 | N | | 48 |
| 2399 | | 7570 | GM ADD - 100 TB UNIT | 228,514 | N | | 48 |
| 2399 | | 7575 | GM ADD - 200 TB UNIT | 434,176 | N | | 48 |
| 2399 | | 7601 | RMZ - 1 TB UNIT | 11,571 | N | | 48 |
| 2399 | | 7602 | RMZ - 5 TB UNIT | 52,594 | N | | 48 |
| 2399 | | 7603 | RMZ - 10 TB UNIT | 99,893 | N | | 48 |
| 2399 | | 7604 | RMZ - 25 TB UNIT | 159,597 | N | | 48 |
| 2399 | | 7605 | RMZ - 50 TB UNIT | 264,786 | N | | 48 |
| 2399 | | 7610 | RMZ - 100 TB UNIT | 431,637 | N | | 48 |
| 2399 | | 7615 | RMZ - 200 TB UNIT | 820,111 | N | | 48 |
| 2399 | | 7631 | RMZ RESYNC 1 TB UNIT | 2,454 | N | | 48 |
| 2399 | | 7632 | RMZ RESYNC 5 TB UNIT | 11,360 | N | | 48 |
| 2399 | | 7633 | RMZ RESYNC 10 TB UNIT | 21,767 | N | | 48 |
| 2399 | | 7634 | RMZ RESYNC 25 TB UNIT | 34,604 | N | | 48 |
| 2399 | | 7635 | RMZ RESYNC 50 TB UNIT | 56,149 | N | | 48 |
| 2399 | | 7640 | RMZ RESYNC 100 TB UNIT | 91,406 | N | | 48 |
| 2399 | | 7645 | RMZ RESYNC 200 TB UNIT | 173,671 | N | | 48 |
| 2399 | | 7651 | RMZ 1 TB | 11,571 | N | | 48 |
| 2399 | | 7652 | RMZ 5 TB | 52,594 | N | | 48 |
| 2399 | | 7653 | RMZ 10 TB | 99,893 | N | | 48 |
| 2399 | | 7654 | RMZ 25 TB | 159,597 | N | | 48 |
| 2399 | | 7655 | RMZ 50 TB | 264,786 | N | | 48 |
| 2399 | | 7660 | RMZ 100 TB | 431,637 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2399 | | 7681 | RMZ RESYNC 1 TB | 2,454 | N | | 48 |
| 2399 | | 7682 | RMZ RESYNC 5 TB | 11,360 | N | | 48 |
| 2399 | | 7683 | RMZ RESYNC 10 TB | 21,767 | N | | 48 |
| 2399 | | 7684 | RMZ RESYNC 25 TB | 34,604 | N | | 48 |
| 2399 | | 7685 | RMZ RESYNC 50 TB | 56,149 | N | | 48 |
| 2399 | | 7690 | RMZ RESYNC 100 TB | 91,406 | N | | 48 |
| 2399 | | 7801 | PAV - 1TB UNIT | 5,658 | N | | 48 |
| 2399 | | 7802 | PAV - 5 TB UNIT | 23,940 | N | | 48 |
| 2399 | | 7803 | PAV - 10 TB UNIT | 47,154 | N | | 48 |
| 2399 | | 7804 | PAV - 25 TB UNIT | 74,720 | N | | 48 |
| 2399 | | 7805 | PAV - 50 TB UNIT | 124,776 | N | | 48 |
| 2399 | | 7810 | PAV - 100 TB UNIT | 202,398 | N | | 48 |
| 2399 | | 7815 | PAV - 200 TB UNIT | 384,556 | N | | 48 |
| 2399 | | 7821 | PAV 1 TB | 5,658 | N | | 48 |
| 2399 | | 7822 | PAV 5 TB | 23,940 | N | | 48 |
| 2399 | | 7823 | PAV 10 TB | 47,154 | N | | 48 |
| 2399 | | 7824 | PAV 25 TB | 74,720 | N | | 48 |
| 2399 | | 7825 | PAV 50 TB | 124,776 | N | | 48 |
| 2399 | | 7830 | PAV 100 TB | 202,398 | N | | 48 |
| 2399 | | 7841 | IO PRIORITY MANAGER 1TB INDIC | 4,244 | N | | 48 |
| 2399 | | 7842 | IO PRIORITY MANAGER 5TB INDIC | 18,036 | N | | 48 |
| 2399 | | 7843 | IO PRIORITY MANAGER 10TB INDIC | 30,254 | N | | 48 |
| 2399 | | 7844 | IO PRIORITY MANAGER 25TB INDIC | 67,829 | N | | 48 |
| 2399 | | 7845 | IO PRIORITY MANAGER 50TB INDIC | 124,050 | N | | 48 |
| 2399 | | 7850 | IO PRIORITY MANAGER 100TB INDI | 236,131 | N | | 48 |
| 2399 | | 7899 | HYPERPAV | 32,645 | N | | 48 |
| 2421 | 94E | | DS8700 EXPANSION UNIT | 51,144 | N | 3 | 12 |
| 2421 | 95E | | DS8800 EXPANSION UNIT | 51,144 | N | 3 | 12 |
| 2421 | 961 | | DS8870 | 38,725 | N | 3 | 12 |
| 2421 | 96E | | DS8870 EXPANSION UNIT | 51,144 | N | 3 | 12 |
| 2421 | | 1000 | REMOTE POWER CONTROL | 798 | N | | 12 |
| 2421 | | 1050 | BATTERY ASSEMBLY | 1,233 | N | | 12 |
| 2421 | | 1051 | PWR BATTERY ASSEMBLY | 10,882 | N | | 12 |
| 2421 | | 1055 | EXTENDED PLD | 5,658 | N | | 12 |
| 2421 | | 1060 | SPP CORD GROUP 1 | 1,378 | N | | 12 |
| 2421 | | 1061 | SPP CORD 200-240V 60A 3PIN | 7,254 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|--------------------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2421 | | 1065 | SPP CORD GROUP 2 | 1,378 | N | | 12 |
| 2421 | | 1067 | SPP CORD GROUP 3 | 1,378 | N | | 12 |
| 2421 | | 1068 | SPP CORD 200-240V 63A NO CNCTR | 5,078 | N | | 12 |
| 2421 | | 1070 | TOP EXIT SPP CORD GROUP 1 | 4,570 | N | | 12 |
| 2421 | | 1071 | TOP EXIT SPP CORD GROUP 3 | 2,031 | N | | 12 |
| 2421 | | 1072 | TOP EXIT SPP 200-240V 60A 3PIN | 7,109 | N | | 12 |
| 2421 | | 1073 | TOP EXT SPP 200-240V 63A NO CN | 5,078 | N | | 12 |
| 2421 | | 1081 | THREE PHS WYE 380-440V 32A | 2,539 | N | | 12 |
| 2421 | | 1082 | THREE PHS DLT 200-240V 60A 4PI | 5,078 | N | | 12 |
| 2421 | | 1083 | TOP EXT THREE PHS WYE 380-440 | 3,264 | N | | 12 |
| 2421 | | 1084 | TOP EXT THREE PHS DLT 200-240 | 7,254 | N | | 12 |
| 2421 | | 1090 | LINE CORD (US/LA/AP/CAN) | 1,378 | N | | 12 |
| 2421 | | 1095 | TOP EXIT LINE CORD (US/LA/AP/C | 1,378 | N | | 12 |
| 2421 | | 1096 | TOP EXIT LINE CORD (EMEA) | 4,135 | N | | 12 |
| 2421 | | 1097 | TOP EXIT LINE CORD (JAPAN/US/C | 3,627 | N | | 12 |
| 2421 | | 1101 | UNIVERSAL LADDER | 1,814 | N | | 12 |
| 2421 | | 1120 | MGMT CONSOLE - ENGLISH INT | 5,426 | N | | 12 |
| 2421 | | 1130 | MGMT CONSOLE - ENGLISH EXT | 5,426 | N | | 12 |
| 2421 | | 1170 | MC LINE CORD STANDRD RACK | 73 | N | | 12 |
| 2421 | | 1171 | MC LINE CORD GROUP 1 | 73 | N | | 12 |
| 2421 | | 1172 | MC LINE CORD GROUP 2 | 73 | N | | 12 |
| 2421 | | 1210 | DISK ENCLOSURE PAIR | 7,254 | N | | 12 |
| 2421 | | 1211 | DISK DRIVE CABLE GROUP 1 | 725 | N | | 12 |
| 2421 | | 1212 | DISK DRIVE CABLE GROUP 2 | 1,378 | N | | 12 |
| 2421 | | 1213 | DISK DRIVE CABLE GROUP 3 | 1,596 | N | | 12 |
| 2421 | | 1214 | DISK DRIVE CABLE GROUP 4 | 1,741 | N | | 12 |
| 2421 | | 1241 | DISK ENCLOSURE PAIR | 14,509 | N | | 12 |
| 2421 | | 1246 | HD DISK DRIVE CABLE GROUP 1 | 5,078 | N | | 12 |
| 2421 | | 1247 | HD DISK DRIVE CABLE GROUP 2 | 6,529 | N | | 12 |
| 2421 | | 1248 | HD DISK DRIVE CABLE GROUP 4 | 8,705 | N | | 12 |
| 2421 | | 1249 | HD DISK DRIVE CABLE GROUP 5 | 8,705 | N | | 12 |
| 2421 | | 1250 | HD BC DISK DRIVE CABLE GROUP | 2,176 | N | | 12 |
| 2421 | | 1301 | I/O ENCLOSURE PAIR PCIE | 7,500 | N | | 12 |
| 2421 | | 1320 | PCI E CABLE GROUP 1 | 2,176 | N | | 12 |
| 2421 | | 1321 | PCI E CABLE GROUP 2 | 2,974 | N | | 12 |
| 2421 | | 1322 | PCI E CABLE GROUP 3 | 3,627 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421 | | 1400 | TOP EXIT BRACKET FOR FIBRE CAB | 617 | N | | 12 |
| 2421 | | 1410 | 50 UM FIBRE CABLE (LC) | 73 | N | | 12 |
| 2421 | | 1411 | 50 UM FIBRE CABLE (LC/SC) | 73 | N | | 12 |
| 2421 | | 1412 | 50 UM FIBRE CBL (JUMPER) | 73 | N | | 12 |
| 2421 | | 1420 | 9 UM FIBRE CABLE (LC) | 73 | N | | 12 |
| 2421 | | 1421 | 9 UM FIBRE CABLE (LC/SC) | 73 | N | | 12 |
| 2421 | | 1422 | 9 UM FIBRE CABLE (JUMPER) | 73 | N | | 12 |
| 2421 | | 1721 | DS8000 LMC R6.0 | 29,018 | N | | 12 |
| 2421 | | 1722 | DS8000 LMC R6.1 | 29,018 | N | | 12 |
| 2421 | | 1724 | DS8000 LMC R6.3 | 29,018 | N | | 12 |
| 2421 | | 1760 | TKLM ISOLATED KEY SERVER | 14,509 | N | | 12 |
| 2421 | | 1906 | EARTHQUAKE RESISTANCE KIT | 13,683 | N | | 12 |
| 2421 | | 1980 | PERFORMANCE ACCELERATOR | 3,109 | N | | 12 |
| 2421 | | 1999 | HARDWARE INSTALLATION MES | 14,509 | N | | 12 |
| 2421 | | 2208 | 146 GB 15K DRIVE SET | 29,908 | N | | 12 |
| 2421 | | 2209 | 146 GB 15K COD DRIVE SET | 2,990 | N | | 12 |
| 2421 | | 2308 | 300 GB 15K SAS DRIVE SET | 56,657 | N | | 12 |
| 2421 | | 2309 | 300 GB 15K SAS COD DRIVE SET | 5,665 | N | | 12 |
| 2421 | | 2416 | 300 GB 15K DRIVE SET | 56,657 | N | | 12 |
| 2421 | | 2417 | 300 GB 15K COD DRIVE SET | 5,665 | N | | 12 |
| 2421 | | 2616 | 450 GB 15K DRIVE SET | 86,037 | N | | 12 |
| 2421 | | 2617 | 450 GB 15K COD DRIVE SET | 8,604 | N | | 12 |
| 2421 | | 2708 | 600 GB 10K DRIVE SET | 99,012 | N | | 12 |
| 2421 | | 2709 | 600 GB 10K COD DRIVE SET | 9,901 | N | | 12 |
| 2421 | | 2716 | 600 GB 15K FC DRIVE SET | 108,804 | N | | 12 |
| 2421 | | 2717 | 600 GB 15K FC COD DRIVE SET | 10,880 | N | | 12 |
| 2421 | | 2758 | 900 GB 10K SAS DRIVE SET | 141,446 | N | | 12 |
| 2421 | | 2759 | 900 GB 10K SAS COD DRIVE SET | 14,144 | N | | 12 |
| 2421 | | 2858 | 3 TB 7.2K SAS HALF DRIVE S | 61,445 | N | | 12 |
| 2421 | | 2859 | 3 TB 7.2K SAS COD HALF DRI | 6,144 | N | | 12 |
| 2421 | | 2997 | 3 5 DISK ENCLOSURE FILLER SET | 73 | N | | 12 |
| 2421 | | 2998 | DISK ENCLOSURE FILLER HALF SET | 36 | N | | 12 |
| 2421 | | 2999 | DISK ENCLOSURE FILLER SET | 73 | N | | 12 |
| 2421 | | 3043 | DEVICE ADAPTER PAIR III | 7,254 | N | | 12 |
| 2421 | | 3053 | DEVICE ADAPTER PAIR I | 10,882 | N | | 12 |
| 2421 | | 3143 | 4GB SW FCP/FICON ADAPTER PCIE | 23,040 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421 | | 3153 | 8 GB 4 PORT SW FCP/FICON ADAPT | 25,343 | N | | 12 |
| 2421 | | 3157 | 8 GB 8 PORT SW FCP FICON ADAPT | 40,319 | N | | 12 |
| 2421 | | 3215 | 4GB 10KM LW FCP/FICON | 30,294 | N | | 12 |
| 2421 | | 3243 | 4GB LW FCP/FICON ADAPTER PCIE | 23,040 | N | | 12 |
| 2421 | | 3245 | 4GB 10KM LW FCP/FICON AD PCIE | 30,294 | N | | 12 |
| 2421 | | 3253 | 8 GB 4 PORT LW FCP FICON ADAPT | 25,343 | N | | 12 |
| 2421 | | 3257 | 8 GB 8 PORT LW FCP FICON ADAPT | 40,319 | N | | 12 |
| 2421 | | 4211 | 16GB PROCESSOR MEMORY | 19,674 | N | | 12 |
| 2421 | | 4212 | 32 GB PROCESSOR MEMORY (2W) | 32,093 | N | | 12 |
| 2421 | | 4213 | 64 GB PROCESSOR MEMORY (2W) | 136,730 | N | | 12 |
| 2421 | | 4214 | 128 GB PROCESSOR MEMORY (2W) | 273,462 | N | | 12 |
| 2421 | | 4222 | 32 GB PROCESSOR MEMORY (4W) | 32,093 | N | | 12 |
| 2421 | | 4223 | 64 GB PROCESSOR MEMORY (4W) | 136,730 | N | | 12 |
| 2421 | | 4224 | 128 GB PROCESSOR MEMORY (4W) | 273,462 | N | | 12 |
| 2421 | | 4225 | 256 GB PROCESSOR MEMORY (4W) | 546,924 | N | | 12 |
| 2421 | | 4226 | 384 GB PROCESSOR MEMORY (4W) | 820,386 | N | | 12 |
| 2421 | | 4302 | 4 WAY PROCESSOR CARD | 57,167 | N | | 12 |
| 2421 | | 4311 | 16GB PROCESSOR MMR 2CR | 19,674 | N | | 12 |
| 2421 | | 4312 | 32GB PROCESSOR MMR 2CR | 32,093 | N | | 12 |
| 2421 | | 4313 | 64GB PROCESSOR MMR 4CR ONLY | 64,186 | N | | 12 |
| 2421 | | 4314 | 128GB PROCESSOR MMR 8CR ONLY | 118,043 | N | | 12 |
| 2421 | | 4315 | 256GB PROCESSOR MMR 8CR ONLY | 231,386 | N | | 12 |
| 2421 | | 4316 | 512GB PROCESSOR MMR 16CR ONLY | 400,879 | N | | 12 |
| 2421 | | 4317 | 1TB PROCESSOR MMR 16CORE ONLY | 649,762 | N | | 12 |
| 2421 | | 4402 | 4-CORE PROCESSOR INDICATOR | 57,168 | N | | 12 |
| 2421 | | 4403 | 8-CORE PROCESSOR INDICATOR | 114,337 | N | | 12 |
| 2421 | | 4404 | 16-CORE PROCESSOR INDICATOR | 228,673 | N | | 12 |
| 2421 | | 5108 | 146 GB 15K FDE DRIVE SET | 34,992 | N | | 12 |
| 2421 | | 5116 | 300 GB 15K FDE DRIVE SET | 67,422 | N | | 12 |
| 2421 | | 5117 | 300 GB 15K FDE COD DRIVE SET | 6,742 | N | | 12 |
| 2421 | | 5209 | 146 GB 15K FDE COD DRIVE SET | 3,499 | N | | 12 |
| 2421 | | 5216 | 450 GB 15K FDE DRIVE SET | 100,663 | N | | 12 |
| 2421 | | 5217 | 450 GB 15K FDE COD DRIVE SET | 10,065 | N | | 12 |
| 2421 | | 5308 | 300 GB 15K FDE DRIVE SET | 66,288 | N | | 12 |
| 2421 | | 5309 | 300 GB 15K FDE COD DRIVE SET | 6,629 | N | | 12 |
| 2421 | | 5708 | 600 GB 10K FDE DRIVE SET | 115,844 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2421 | | 5709 | 600 GB 10K FDE COD DRIVE SET | 11,584 | N | | 12 |
| 2421 | | 5758 | 900 GB 10K FDE DRIVE SET | 165,492 | N | | 12 |
| 2421 | | 5759 | 900 GB 10K FDE COD DRIVE SET | 16,549 | N | | 12 |
| 2421 | | 5858 | 3 TB 7.2K FDE HALF DRIVE SET | 70,948 | N | | 12 |
| 2421 | | 5859 | 3 TB 7.2K FDE COD HALF | 7,094 | N | | 12 |
| 2421 | | 6106 | 400 GB SSD HALF DRIVE SET | 254,630 | N | | 12 |
| 2421 | | 6108 | 400 GB SSD DRIVE SET | 509,259 | N | | 12 |
| 2421 | | 6156 | 400 GB SSD FDE HALF DRIVE SET | 155,780 | N | | 12 |
| 2421 | | 6158 | 400 GB SSD FDE DRIVE SET | 311,562 | N | | 12 |
| 2421 | | 6214 | 600 GB SSD HALF DRIVE SET | 386,297 | N | | 12 |
| 2421 | | 6216 | 600 GB SSD DRIVE SET | 772,594 | N | | 12 |
| 2422 | 94E | | DS8700 EXPANSION UNIT | 52,232 | N | 3 | 24 |
| 2422 | 95E | | DS8800 EXPANSION UNIT | 52,232 | N | 3 | 24 |
| 2422 | 961 | | DS8870 | 45,631 | N | 3 | 24 |
| 2422 | 96E | | DS8870 EXPANSION UNIT | 52,232 | N | 3 | 24 |
| 2422 | | 1000 | REMOTE POWER CONTROL | 798 | N | | 24 |
| 2422 | | 1050 | BATTERY ASSEMBLY | 1,233 | N | | 24 |
| 2422 | | 1051 | BATTERY ASSEMBLY | 11,317 | N | | 24 |
| 2422 | | 1055 | 9XE FACTORY MERGE | 5,658 | N | | 24 |
| 2422 | | 1060 | SPP CORD GROUP 1 | 1,378 | N | | 24 |
| 2422 | | 1061 | SPPCORD 200-240V 60A 3PIN CONN | 7,254 | N | | 24 |
| 2422 | | 1065 | SPP CORD GROUP 2 | 1,378 | N | | 24 |
| 2422 | | 1067 | SPP CORD GROUP 3 | 1,378 | N | | 24 |
| 2422 | | 1068 | SPP CORD 200-240V 63A NO CONN | 5,078 | N | | 24 |
| 2422 | | 1070 | TOP EXIT SPP CORD GROUP 1 | 4,570 | N | | 24 |
| 2422 | | 1071 | TOP EXIT SPP CORD GROUP 3 | 2,031 | N | | 24 |
| 2422 | | 1072 | TOPEXITSPP200-240V60A3PIN CONN | 7,109 | N | | 24 |
| 2422 | | 1073 | TOPEXITSPP200-240V63A NO CONN | 5,078 | N | | 24 |
| 2422 | | 1081 | 3PHS WYE380-440V32A NO CONN | 2,539 | N | | 24 |
| 2422 | | 1082 | 3PHS DELTA200-240V60A4PIN CONN | 5,078 | N | | 24 |
| 2422 | | 1083 | TEXIT3PHS WYE380-440V32A NO C | 3,264 | N | | 24 |
| 2422 | | 1084 | TEXIT3PHS DEL200-240V60A4PIN C | 7,254 | N | | 24 |
| 2422 | | 1090 | LINE CORD (US/LA/AP/CANADA) | 1,378 | N | | 24 |
| 2422 | | 1091 | LINE CORD (EMEA) | 363 | N | | 24 |
| 2422 | | 1092 | LINE CORD (JPN/US/CAN) | 798 | N | | 24 |
| 2422 | | 1095 | TOP EXIT LINE CORD (US/LA/AP/C | 1,378 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422 | | 1101 | UNIVERSAL LADDER | 1,814 | N | | 24 |
| 2422 | | 1120 | MGMT CONSOLE - ENGLISH INT | 6,035 | N | | 24 |
| 2422 | | 1130 | MGMT CONSOLE - ENGLISH EXT | 6,035 | N | | 24 |
| 2422 | | 1170 | MC LINE CORD STANDARD RACK | 73 | N | | 24 |
| 2422 | | 1171 | MC LINE CORD GROUP 1 | 73 | N | | 24 |
| 2422 | | 1172 | MC LINE CORD GROUP 2 | 73 | N | | 24 |
| 2422 | | 1210 | DISC ENCLOSURE PAIR | 7,254 | N | | 24 |
| 2422 | | 1211 | DISK DRIVE CABLE GROUP 1 | 725 | N | | 24 |
| 2422 | | 1212 | DISK DRIVE CABLE GROUP 2 | 1,378 | N | | 24 |
| 2422 | | 1213 | DISK DRIVE CABLE GROUP 3 | 1,596 | N | | 24 |
| 2422 | | 1214 | DISK DRIVE CABLE GROUP 4 | 1,741 | N | | 24 |
| 2422 | | 1241 | DISK ENCLOSURE PAIR | 14,509 | N | | 24 |
| 2422 | | 1246 | DISK CABLE HD DISK DRIVE C.GR1 | 5,078 | N | | 24 |
| 2422 | | 1247 | DISK CABLE HD DISK DRIVE C.GR2 | 6,529 | N | | 24 |
| 2422 | | 1248 | DISK CABLE HD DISK DRIVE C.GR4 | 8,705 | N | | 24 |
| 2422 | | 1249 | HD DISK DRIVE CABLE GROUP 5 | 8,705 | N | | 24 |
| 2422 | | 1250 | HD BC DISK DRIVE CABLE GROUP | 2,176 | N | | 24 |
| 2422 | | 1301 | I/O ENCLOSURE PAIR PCIE | 8,023 | N | | 24 |
| 2422 | | 1320 | PCI E CABLE GROUP 1 | 2,176 | N | | 24 |
| 2422 | | 1321 | PCI E CABLE GROUP 2 | 2,974 | N | | 24 |
| 2422 | | 1322 | PCI E CABLE GROUP 3 | 3,627 | N | | 24 |
| 2422 | | 1400 | TOP EXIT BRACKET FOR FIBRE CAB | 617 | N | | 24 |
| 2422 | | 1410 | 50 UM FIBRE CABLE (LC) | 73 | N | | 24 |
| 2422 | | 1411 | 50 UM FIBRE CABLE (LC/SC) | 73 | N | | 24 |
| 2422 | | 1412 | 50 UM FIBRE CABLE (JUMPER) | 73 | N | | 24 |
| 2422 | | 1420 | 9 UM FIBRE CABLE (LC) | 73 | N | | 24 |
| 2422 | | 1421 | 9 UM FIBRE CABLE (LC/SC) | 73 | N | | 24 |
| 2422 | | 1422 | 9 UM FIBRE CABLE (JUMPER) | 73 | N | | 24 |
| 2422 | | 1721 | DS8000 LMC R6.0 | 29,018 | N | | 24 |
| 2422 | | 1722 | DS8000 LMC R6.1 | 29,018 | N | | 24 |
| 2422 | | 1724 | DS8000 LMC R6.3 | 29,018 | N | | 24 |
| 2422 | | 1760 | TKLM ISOLATED KEY SERVER | 15,727 | N | | 24 |
| 2422 | | 1906 | EARTHQUAKE RESISTANCE KIT | 14,403 | N | | 24 |
| 2422 | | 1980 | PERFORMANCE ACCELERATOR | 3,274 | N | | 24 |
| 2422 | | 1999 | HARDWARE INSTALLATION MES | 14,509 | N | | 24 |
| 2422 | | 2208 | 146 GB 15K DRIVE SET | 31,666 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422 | | 2209 | 146 GB 15K COD DRIVE SET | 3,166 | N | | 24 |
| 2422 | | 2416 | 300 GB 15K DRIVE SET | 60,139 | N | | 24 |
| 2422 | | 2417 | 300 GB 15K COD DRIVE SET | 6,013 | N | | 24 |
| 2422 | | 2616 | 450 GB 15K DRIVE SET | 89,519 | N | | 24 |
| 2422 | | 2617 | 450 GB 15K COD DRIVE SET | 8,951 | N | | 24 |
| 2422 | | 2708 | 600 GB 10K DRIVE SET | 103,417 | N | | 24 |
| 2422 | | 2709 | 600 GB 10K COD DRIVE SET | 10,342 | N | | 24 |
| 2422 | | 2716 | 600 GB 15K FC DRIVE SET | 113,644 | N | | 24 |
| 2422 | | 2717 | 600 GB 15K FC COD DRIVE SET | 11,364 | N | | 24 |
| 2422 | | 2758 | 900 GB 10K SAS DRIVE SET | 158,189 | N | | 24 |
| 2422 | | 2759 | 900 GB 10K SAS COD DRIVE SET | 15,819 | N | | 24 |
| 2422 | | 2858 | 3 TB 7.2K SAS HALF DRIVE S | 71,658 | N | | 24 |
| 2422 | | 2859 | 3 TB 7.2K SAS COD HALF DRI | 7,166 | N | | 24 |
| 2422 | | 2997 | 3 5 DISK ENCLOSURE FILLER SET | 73 | N | | 24 |
| 2422 | | 2998 | DISK ENCLOSURE FILLER HALF SET | 36 | N | | 24 |
| 2422 | | 2999 | DISK ENCLOSURE FILLER SET | 73 | N | | 24 |
| 2422 | | 3043 | DEVICE ADAPTER PAIR III | 7,254 | N | | 24 |
| 2422 | | 3053 | DEVICE ADAPTER PAIR I | 10,882 | N | | 24 |
| 2422 | | 3143 | 4GB SW FCP/FICON ADAPTER PCIE | 23,823 | N | | 24 |
| 2422 | | 3153 | 8 GB 4 PORT SW FCP FICON ADAPT | 26,206 | N | | 24 |
| 2422 | | 3157 | 8 GB 8 PORT SW FCP FICON ADAPT | 41,691 | N | | 24 |
| 2422 | | 3215 | 4GB 10KM LW FCP/FICON ADAPTER | 31,077 | N | | 24 |
| 2422 | | 3243 | 4GB LW FCP/FICON ADAPTER PCIE | 23,823 | N | | 24 |
| 2422 | | 3245 | 4GB 10KM LW FCP/FICON ADAPTER | 31,077 | N | | 24 |
| 2422 | | 3253 | 8 GB 4 PORT LW FCP FICON ADAPT | 26,206 | N | | 24 |
| 2422 | | 3257 | 8 GB 8 PORT LW FCP FICON ADAPT | 41,691 | N | | 24 |
| 2422 | | 4211 | 16GB PROCESSOR MEMORY | 20,370 | N | | 24 |
| 2422 | | 4212 | 32 GB PROCESSOR MEMORY (2W) | 33,486 | N | | 24 |
| 2422 | | 4213 | 64 GB PROCESSOR MEMORY (2W) | 139,516 | N | | 24 |
| 2422 | | 4214 | 128 GB PROCESSOR MEMORY (2W) | 279,033 | N | | 24 |
| 2422 | | 4222 | 32 GB PROCESSOR MEMORY (4W) | 33,486 | N | | 24 |
| 2422 | | 4223 | 64 GB PROCESSOR MEMORY (4W) | 139,516 | N | | 24 |
| 2422 | | 4224 | 128 GB PROCESSOR MEMORY (4W) | 279,033 | N | | 24 |
| 2422 | | 4225 | 256 GB PROCESSOR MEMORY (4W) | 558,066 | N | | 24 |
| 2422 | | 4226 | 384 GB PROCESSOR MEMORY (4W) | 837,100 | N | | 24 |
| 2422 | | 4302 | 4 WAY PROCESSOR CARD | 57,924 | N | | 24 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2422 | | 4311 | 16GB PROCESSOR MMR 2CR | 20,370 | N | | 24 |
| 2422 | | 4312 | 32GB PROCESSOR MMR 2CR | 33,486 | N | | 24 |
| 2422 | | 4313 | 64 GB CPU MEMORY 4 CORE ONLY | 66,972 | N | | 24 |
| 2422 | | 4314 | 128 GB CPU MEMORY 8 CORE ONLY | 123,049 | N | | 24 |
| 2422 | | 4315 | 256 GB CPU MEMORY 8 CORE ONLY | 239,004 | N | | 24 |
| 2422 | | 4316 | 512 GB CPU MEMORY 16 CORE ONLY | 410,237 | N | | 24 |
| 2422 | | 4317 | 1 TB CPU MEMORY 16 CORE ONLY | 660,861 | N | | 24 |
| 2422 | | 4402 | 4 CORE PROCESSOR INDICATOR | 59,779 | N | | 24 |
| 2422 | | 4403 | 8 CORE PROCESSOR INDICATOR | 118,907 | N | | 24 |
| 2422 | | 4404 | 16 CORE PROCESSOR INDICATOR | 235,420 | N | | 24 |
| 2422 | | 5108 | 146 GB 15K FDE DRIVE SET | 37,050 | N | | 24 |
| 2422 | | 5116 | 300 GB 15K FDE DRIVE SET | 71,565 | N | | 24 |
| 2422 | | 5117 | 300 GB 15K FDE COD DRIVE SET | 7,156 | N | | 24 |
| 2422 | | 5209 | 146 GB 15K FDE COD DRIVE SET | 3,705 | N | | 24 |
| 2422 | | 5216 | 450 GB 15K FDE DRIVE SET | 104,738 | N | | 24 |
| 2422 | | 5217 | 450 GB 15K FDE COD DRIVE SET | 10,474 | N | | 24 |
| 2422 | | 5308 | 300 GB 15K FDE DRIVE SET | 70,362 | N | | 24 |
| 2422 | | 5309 | 300 GB 15K FDE COD DRIVE SET | 7,036 | N | | 24 |
| 2422 | | 5708 | 600 GB 10K FDE DRIVE SET | 120,997 | N | | 24 |
| 2422 | | 5709 | 600 GB 10K FDE COD DRIVE SET | 12,099 | N | | 24 |
| 2422 | | 5758 | 900 GB 10K FDE DRIVE SET | 172,570 | N | | 24 |
| 2422 | | 5759 | 900 GB 10K FDE COD DRIVE SET | 17,256 | N | | 24 |
| 2422 | | 5858 | 3 TB 7.2K FDE HALF DRIVE SET | 75,228 | N | | 24 |
| 2422 | | 5859 | 3 TB 7.2K FDE COD HALF | 7,522 | N | | 24 |
| 2422 | | 6106 | 400 GB SSD HALF DRIVE SET | 277,481 | N | | 24 |
| 2422 | | 6108 | 400 GB SSD DRIVE SET | 554,962 | N | | 24 |
| 2422 | | 6156 | 400 GB SSD FDE HALF DRIVE SET | 169,753 | N | | 24 |
| 2422 | | 6158 | 400 GB SSD FDE DRIVE SET | 339,506 | N | | 24 |
| 2422 | | 6214 | 600 GB SSD HALF DRIVE SET | 413,501 | N | | 24 |
| 2422 | | 6216 | 600 GB SSD DRIVE SET | 827,003 | N | | 24 |
| 2423 | 94E | | DS8700 EXPANSION UNIT | 53,320 | N | 3 | 36 |
| 2423 | 95E | | DS8800 EXPANSION UNIT | 53,320 | N | 3 | 36 |
| 2423 | 961 | | DS8870 | 52,535 | N | 3 | 36 |
| 2423 | 96E | | DS8870 EXPANSION UNIT | 53,320 | N | 3 | 36 |
| 2423 | | 1000 | REMOTE POWER CONTROL | 798 | N | | 36 |
| 2423 | | 1050 | BATTERY ASSEMBLY | 1,233 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2423 | | 1051 | BATTERY ASSEMBLY | 11,752 | N | | 36 |
| 2423 | | 1055 | EXTENDED PLD | 5,658 | N | | 36 |
| 2423 | | 1060 | SPP CORD GROUP 1 | 1,378 | N | | 36 |
| 2423 | | 1061 | SPPCORD 200 240V 60A 3PIN CONN | 7,254 | N | | 36 |
| 2423 | | 1065 | SPP CORD GROUP 2 | 1,378 | N | | 36 |
| 2423 | | 1067 | SPP CORD GROUP 3 | 1,378 | N | | 36 |
| 2423 | | 1068 | SPPCORD 200 240V 63A NO CONN | 5,078 | N | | 36 |
| 2423 | | 1070 | TOP EXIT SPP CORD GROUP 1 | 4,570 | N | | 36 |
| 2423 | | 1071 | TOP EXIT SPP CORD GROUP 3 | 2,031 | N | | 36 |
| 2423 | | 1072 | SPPCORD 200 240V 60A 3PIN CONN | 7,109 | N | | 36 |
| 2423 | | 1073 | SPPCORD 200 240V 63A NO CONN | 5,078 | N | | 36 |
| 2423 | | 1081 | 3PHASE WYE380 440V 32A NO CON | 2,539 | N | | 36 |
| 2423 | | 1082 | 3PHASE DELTA 200 240V60A 4PIN | 5,078 | N | | 36 |
| 2423 | | 1083 | 3PHASE WYE 380 440V 32A NO CON | 3,264 | N | | 36 |
| 2423 | | 1084 | 3PHASE DELTA 200 240V60A4PIN | 7,254 | N | | 36 |
| 2423 | | 1090 | LINE CORD (US/LA/AP/CANADA) | 1,378 | N | | 36 |
| 2423 | | 1091 | LINE CORD (EMEA) | 363 | N | | 36 |
| 2423 | | 1092 | LINE CORD (JPN/US/CAN) | 798 | N | | 36 |
| 2423 | | 1095 | TOP EXIT LINE CORD US/LA/AP/CA | 1,378 | N | | 36 |
| 2423 | | 1096 | TOP EXIT LINE CORD (EMEA) | 4,135 | N | | 36 |
| 2423 | | 1101 | UNIVERSAL LADDER | 1,814 | N | | 36 |
| 2423 | | 1120 | MGMT CONSOLE - ENGLISH INT | 6,645 | N | | 36 |
| 2423 | | 1130 | MGMT CONSOLE - ENGLISH EXT | 6,645 | N | | 36 |
| 2423 | | 1170 | MC LINE CORD STANDARD RACK | 73 | N | | 36 |
| 2423 | | 1171 | MC LINE CORD GROUP 1 | 73 | N | | 36 |
| 2423 | | 1172 | MC LINE CORD GROUP 2 | 73 | N | | 36 |
| 2423 | | 1210 | DISK ENCLOSURE PAIR | 7,254 | N | | 36 |
| 2423 | | 1211 | DISK DRIVE CABLE GROUP 1 | 725 | N | | 36 |
| 2423 | | 1212 | DISK DRIVE CABLE GROUP 2 | 1,378 | N | | 36 |
| 2423 | | 1213 | DISK DRIVE CABLE GROUP 3 | 1,596 | N | | 36 |
| 2423 | | 1214 | DISK DRIVE CABLE GROUP 4 | 1,741 | N | | 36 |
| 2423 | | 1241 | DISK ENCLOSURE PAIR | 14,509 | N | | 36 |
| 2423 | | 1246 | HD DISK DRIVE CABLE GROUP 1 | 5,078 | N | | 36 |
| 2423 | | 1247 | HD DISK DRIVE CABLE GROUP 2 | 6,529 | N | | 36 |
| 2423 | | 1248 | HD DISK DRIVE CABLE GROUP 4 | 8,705 | N | | 36 |
| 2423 | | 1249 | HD DISK DRIVE CABLE GROUP 5 | 8,705 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2423 | | 1250 | HD BC DISK DRIVE CABLE GROUP | 2,176 | N | | 36 |
| 2423 | | 1301 | I/O ENCLOSURE PAIR PCIE | 8,545 | N | | 36 |
| 2423 | | 1320 | PCI E CABLE GROUP 1 | 2,176 | N | | 36 |
| 2423 | | 1321 | PCI E CABLE GROUP 2 | 2,974 | N | | 36 |
| 2423 | | 1322 | PCI E CABLE GROUP 3 | 3,627 | N | | 36 |
| 2423 | | 1400 | TOP EXIT BRACKET FOR FIBRE CAB | 617 | N | | 36 |
| 2423 | | 1410 | 50 UM FIBRE CABLE (LC) | 73 | N | | 36 |
| 2423 | | 1411 | 50 UM FIBRE CABLE (LC/SC) | 73 | N | | 36 |
| 2423 | | 1412 | 50 UM FIBRE CABLE (JUMPER) | 73 | N | | 36 |
| 2423 | | 1420 | 9 UM FIBRE CABLE (LC) | 73 | N | | 36 |
| 2423 | | 1421 | 9 UM FIBRE CABLE (LC/SC) | 73 | N | | 36 |
| 2423 | | 1422 | 9 UM FIBRE CABLE (JUMPER) | 73 | N | | 36 |
| 2423 | | 1721 | DS8000 LMC R6.0 | 29,018 | N | | 36 |
| 2423 | | 1722 | DS8000 LMC R6.1 | 29,018 | N | | 36 |
| 2423 | | 1724 | DS8000 LMC R6.3 | 29,018 | N | | 36 |
| 2423 | | 1760 | TKLM ISOLATED KEY SERVER | 17,207 | N | | 36 |
| 2423 | | 1906 | EARTHQUAKE RESISTANCE KIT | 15,162 | N | | 36 |
| 2423 | | 1980 | PERFORMANCE ACCELERATOR | 3,446 | N | | 36 |
| 2423 | | 1999 | HARDWARE INSTALLATION MES | 14,509 | N | | 36 |
| 2423 | | 2208 | 146 GB 15K DRIVE SET | 33,425 | N | | 36 |
| 2423 | | 2209 | 146 GB 15K COD DRIVE SET | 3,342 | N | | 36 |
| 2423 | | 2308 | 300 GB 15K SAS DRIVE SET | 68,046 | N | | 36 |
| 2423 | | 2309 | 300 GB 15K SAS COD DRIVE SET | 6,804 | N | | 36 |
| 2423 | | 2416 | 300 GB 15K DRIVE SET | 63,621 | N | | 36 |
| 2423 | | 2417 | 300 GB 15K COD DRIVE SET | 6,362 | N | | 36 |
| 2423 | | 2616 | 450 GB 15K DRIVE SET | 93,002 | N | | 36 |
| 2423 | | 2617 | 450 GB 15K COD DRIVE SET | 9,300 | N | | 36 |
| 2423 | | 2708 | 600 GB 10K DRIVE SET | 107,821 | N | | 36 |
| 2423 | | 2709 | 600 GB 10K COD DRIVE SET | 10,782 | N | | 36 |
| 2423 | | 2716 | 600 GB 15K FC DRIVE SET | 118,485 | N | | 36 |
| 2423 | | 2717 | 600 GB 15K FC COD DRIVE SET | 11,848 | N | | 36 |
| 2423 | | 2758 | 900 GB 10K SAS DRIVE SET | 164,240 | N | | 36 |
| 2423 | | 2759 | 900 GB 10K SAS COD DRIVE SET | 16,423 | N | | 36 |
| 2423 | | 2858 | 3 TB 7.2K SAS HALF DRIVE S | 75,728 | N | | 36 |
| 2423 | | 2859 | 3 TB 7.2K SAS COD HALF DRIVE S | 7,573 | N | | 36 |
| 2423 | | 2997 | 3.5 DISK ENCLOSURE FILLER SET | 73 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2423 | | 2998 | DISK ENCLOSURE FILLER HALF SET | 36 | N | | 36 |
| 2423 | | 2999 | DISK ENCLOSURE FILLER SET | 73 | N | | 36 |
| 2423 | | 3043 | DEVICE ADAPTER PAIR III | 7,254 | N | | 36 |
| 2423 | | 3053 | DEVICE ADAPTER PAIR I | 10,882 | N | | 36 |
| 2423 | | 3143 | 4GB SW FCP/FICON ADAPTER PCIE | 24,607 | N | | 36 |
| 2423 | | 3153 | 8 GB 4 PORT SW FCP/FICON ADAPT | 27,067 | N | | 36 |
| 2423 | | 3157 | 8 GB 8 PORT SW FCP/FICON ADAPT | 43,062 | N | | 36 |
| 2423 | | 3215 | 4 GB 10KM LW FCP/FICON ADAPTER | 31,861 | N | | 36 |
| 2423 | | 3243 | 4GB LW FCP/FICON ADAPTER PCIE | 24,607 | N | | 36 |
| 2423 | | 3245 | 4GB 10KM SW FCP/FICON AD PCIE | 31,861 | N | | 36 |
| 2423 | | 3253 | 8 GB 4 PORT LW FCP/FICON ADAPT | 27,067 | N | | 36 |
| 2423 | | 3257 | 8 GB 8 PORT LW FCP/FICON ADAPT | 43,062 | N | | 36 |
| 2423 | | 4211 | 16GB PROCESSOR MEMORY | 21,066 | N | | 36 |
| 2423 | | 4212 | 32 GB PROCESSOR MEMORY (2W) | 34,879 | N | | 36 |
| 2423 | | 4213 | 64 GB PROCESSOR MEMORY (2W) | 142,302 | N | | 36 |
| 2423 | | 4214 | 128 GB PROCESSOR MEMORY (2W) | 284,605 | N | | 36 |
| 2423 | | 4222 | 32 GB PROCESSOR MEMORY (4W) | 34,879 | N | | 36 |
| 2423 | | 4223 | 64 GB PROCESSOR MEMORY (4W) | 142,302 | N | | 36 |
| 2423 | | 4224 | 128 GB PROCESSOR MEMORY (4W) | 284,605 | N | | 36 |
| 2423 | | 4225 | 256 GB PROCESSOR MEMORY (4W) | 569,209 | N | | 36 |
| 2423 | | 4226 | 384 GB PROCESSOR MEMORY (4W) | 853,815 | N | | 36 |
| 2423 | | 4302 | 4 WAY PROCESSOR CARD | 58,682 | N | | 36 |
| 2423 | | 4311 | 16GB PROCESSOR MMR 2CR | 21,066 | N | | 36 |
| 2423 | | 4312 | 32GB PROCESSOR MMR 2CR | 34,879 | N | | 36 |
| 2423 | | 4313 | 64 GB CPU MEMORY 4CORE ONLY | 69,758 | N | | 36 |
| 2423 | | 4314 | 128GB CPU MEMORY 8CORE ONLY | 128,054 | N | | 36 |
| 2423 | | 4315 | 256GB CPU MEMORY 8CORE ONLY | 246,621 | N | | 36 |
| 2423 | | 4316 | 512GB CPU MEMORY 16CORE ONLY | 419,595 | N | | 36 |
| 2423 | | 4317 | 1 TB CPU 16CORE ONLY | 671,961 | N | | 36 |
| 2423 | | 4402 | 4 CORE CPU INDICATOR | 62,391 | N | | 36 |
| 2423 | | 4403 | 8 CORE CPU INDICATOR | 123,477 | N | | 36 |
| 2423 | | 5108 | 146 GB 15K FDE DRIVE SET | 39,107 | N | | 36 |
| 2423 | | 5116 | 300 GB 15K FDE DRIVE SET | 75,709 | N | | 36 |
| 2423 | | 5117 | 300 GB 15K FDE COD DRIVE SET | 7,570 | N | | 36 |
| 2423 | | 5209 | 146 GB 15K FDE COD DRIVE SET | 3,910 | N | | 36 |
| 2423 | | 5216 | 450 GB 15K FDE DRIVE SET | 108,811 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2423 | | 5217 | 450 GB 15K FDE COD DRIVE SET | 10,881 | N | | 36 |
| 2423 | | 5308 | 300 GB 15K FDE DRIVE SET | 74,436 | N | | 36 |
| 2423 | | 5309 | 300 GB 15K FDE COD DRIVE SET | 7,443 | N | | 36 |
| 2423 | | 5708 | 600 GB 10K FDE DRIVE SET | 126,150 | N | | 36 |
| 2423 | | 5709 | 600 GB 10K FDE COD DRIVE SET | 12,615 | N | | 36 |
| 2423 | | 5758 | 900 GB 10K FDE DRIVE SET | 179,649 | N | | 36 |
| 2423 | | 5759 | 900 GB 10K FDE COD DRIVE SET | 17,965 | N | | 36 |
| 2423 | | 5858 | 3 TB 7.2K FDE HALF DRIVE SET | 79,508 | N | | 36 |
| 2423 | | 5859 | 3 TB 7.2K FDE COD HALF | 7,951 | N | | 36 |
| 2423 | | 6106 | 400 GB SSD HALF DRIVE SET | 300,332 | N | | 36 |
| 2423 | | 6108 | 400 GB SSD DRIVE SET | 600,665 | N | | 36 |
| 2423 | | 6156 | 400 GB SSD FDE HALF DRIVE SET | 183,768 | N | | 36 |
| 2423 | | 6158 | 400 GB SSD FDE DRIVE SET | 367,537 | N | | 36 |
| 2423 | | 6214 | 600 GB SSD HALF DRIVE SET | 440,705 | N | | 36 |
| 2423 | | 6216 | 600 GB SSD DRIVE SET | 881,411 | N | | 36 |
| 2424 | 94E | | DS8700 EXPANSION UNIT | 54,408 | N | 3 | 48 |
| 2424 | 95E | | DS8800 EXPANSION UNIT | 54,408 | N | 3 | 48 |
| 2424 | 961 | | DS8870 | 59,441 | N | 3 | 48 |
| 2424 | 96E | | DS8870 EXPANSION UNIT | 54,408 | N | 3 | 48 |
| 2424 | | 1000 | REMOTE POWER CONTROL | 798 | N | | 48 |
| 2424 | | 1050 | BATTERY ASSEMBLY | 1,233 | N | | 48 |
| 2424 | | 1051 | BATTERY ASSEMBLY | 12,187 | N | | 48 |
| 2424 | | 1055 | EXTENDED PLD | 5,658 | N | | 48 |
| 2424 | | 1060 | SPP CORD GROUP 1 | 1,378 | N | | 48 |
| 2424 | | 1061 | SPP CORD 200 240V60A 3PIN CONN | 7,254 | N | | 48 |
| 2424 | | 1065 | SPP CORD GROUP 2 | 1,378 | N | | 48 |
| 2424 | | 1067 | SPP CORD GROUP 3 | 1,378 | N | | 48 |
| 2424 | | 1068 | SPP CORD 200 240V 63A NO CONN | 5,078 | N | | 48 |
| 2424 | | 1070 | TOP EXIT SPP CORD GROUP 1 | 4,570 | N | | 48 |
| 2424 | | 1071 | TOP EXIT SPP CORD GROUP 3 | 2,031 | N | | 48 |
| 2424 | | 1072 | TOP EXIT SPP 200 240V | 7,109 | N | | 48 |
| 2424 | | 1073 | TOP EXIT SPP 200 240V | 5,078 | N | | 48 |
| 2424 | | 1081 | 3PHASE WYE 380 440V 32ANO CONN | 2,539 | N | | 48 |
| 2424 | | 1082 | 3PHASE DELTA 200 240V 60A 4PIN | 5,078 | N | | 48 |
| 2424 | | 1083 | TOP EXIT 3 PHS WYE NO CNNCTR | 3,264 | N | | 48 |
| 2424 | | 1084 | TOP EXIT 3 PHS DELTA NO CNNCTR | 7,254 | N | | 48 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2424 | | 1090 | LINE CORD (US/LA/AP/CANADA) | 1,378 | N | | 48 |
| 2424 | | 1091 | LINE CORD (EMEA) | 363 | N | | 48 |
| 2424 | | 1092 | LINE CORD (JPN/US/CAN) | 798 | N | | 48 |
| 2424 | | 1095 | TOP EXIT LINE CORD (US/LA/AP/C | 1,378 | N | | 48 |
| 2424 | | 1101 | UNIVERSAL LADDER | 1,814 | N | | 48 |
| 2424 | | 1120 | MGMT CONSOLE - ENGLISH INT | 7,254 | N | | 48 |
| 2424 | | 1130 | MGMT CONSOLE - ENGLISH EXT | 7,254 | N | | 48 |
| 2424 | | 1170 | MC LINE CORD STANDARD RACK | 73 | N | | 48 |
| 2424 | | 1171 | MC LINE CORD GROUP 1 | 73 | N | | 48 |
| 2424 | | 1172 | MC LINE CORD GROUP 2 | 73 | N | | 48 |
| 2424 | | 1210 | DISK ENCLOSURE PAIR | 7,254 | N | | 48 |
| 2424 | | 1211 | DISK DRIVE CABLE GROUP 1 | 725 | N | | 48 |
| 2424 | | 1212 | DISK DRIVE CABLE GROUP 2 | 1,378 | N | | 48 |
| 2424 | | 1213 | DISK DRIVE CABLE GROUP 3 | 1,596 | N | | 48 |
| 2424 | | 1214 | DISK DRIVE CABLE GROUP 4 | 1,741 | N | | 48 |
| 2424 | | 1241 | DISK ENCLOSURE PAIR | 14,509 | N | | 48 |
| 2424 | | 1246 | HD DISK DRIVE CABLE GROUP 1 | 5,078 | N | | 48 |
| 2424 | | 1247 | HD DISK DRIVE CABLE GROUP 2 | 6,529 | N | | 48 |
| 2424 | | 1248 | HD DISK DRIVE CABLE GROUP 4 | 8,705 | N | | 48 |
| 2424 | | 1249 | HD DISK DRIVE CABLE GROUP 5 | 8,705 | N | | 48 |
| 2424 | | 1250 | HD BC DISK DRIVE CABLE GROUP | 2,176 | N | | 48 |
| 2424 | | 1301 | I/O ENCLOSURE PAIR PCIE | 9,068 | N | | 48 |
| 2424 | | 1320 | PCI E CABLE GROUP 1 | 2,176 | N | | 48 |
| 2424 | | 1321 | PCI E CABLE GROUP 2 | 2,974 | N | | 48 |
| 2424 | | 1322 | PCI E CABLE GROUP 3 | 3,627 | N | | 48 |
| 2424 | | 1400 | TOP EXIT BRACKET FOR FIBRE CAB | 617 | N | | 48 |
| 2424 | | 1410 | 50 UM FIBRE CABLE (LC) | 73 | N | | 48 |
| 2424 | | 1411 | 50 UM FIBRE CABLE (LC/SC) | 73 | N | | 48 |
| 2424 | | 1412 | 50 UM FIBRE CABLE (JUMPER) | 73 | N | | 48 |
| 2424 | | 1420 | 9 UM FIBRE CABLE (LC) | 73 | N | | 48 |
| 2424 | | 1421 | 9 UM FIBRE CABLE (LC/SC) | 73 | N | | 48 |
| 2424 | | 1422 | 9 UM FIBRE CABLE (JUMPER) | 73 | N | | 48 |
| 2424 | | 1721 | DS8000 LMC R6.0 | 29,018 | N | | 48 |
| 2424 | | 1722 | DS8000 LMC R6.1 | 29,018 | N | | 48 |
| 2424 | | 1724 | DS8000 LMC R6.3 | 29,018 | N | | 48 |
| 2424 | | 1760 | TKLM ISOLATED KEY SERVER | 18,687 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2424 | | 1906 | EARTHQUAKE RESISTANCE KIT | 15,960 | N | | 48 |
| 2424 | | 1980 | PERFORMANCE ACCELERATOR | 3,627 | N | | 48 |
| 2424 | | 1999 | HARDWARE INSTALLATION MES | 14,509 | N | | 48 |
| 2424 | | 2208 | 146 GB 15K DRIVE SET | 35,184 | N | | 48 |
| 2424 | | 2209 | 146 GB 15K COD DRIVE SET | 3,518 | N | | 48 |
| 2424 | | 2308 | 300 GB 15K SAS DRIVE SET | 71,528 | N | | 48 |
| 2424 | | 2309 | 300 GB 15K SAS COD DRIVE SET | 7,153 | N | | 48 |
| 2424 | | 2416 | 300 GB 15K DRIVE SET | 67,103 | N | | 48 |
| 2424 | | 2417 | 300 GB 15K COD DRIVE SET | 6,710 | N | | 48 |
| 2424 | | 2616 | 450 GB 15K DRIVE SET | 96,484 | N | | 48 |
| 2424 | | 2617 | 450 GB 15K COD DRIVE SET | 9,648 | N | | 48 |
| 2424 | | 2708 | 600 GB 10K DRIVE SET | 112,226 | N | | 48 |
| 2424 | | 2709 | 600 GB 10K COD DRIVE SET | 11,222 | N | | 48 |
| 2424 | | 2716 | 600 GB 15K FC DRIVE SET | 123,325 | N | | 48 |
| 2424 | | 2717 | 600 GB 15K FC COD DRIVE SET | 12,332 | N | | 48 |
| 2424 | | 2758 | 900 GB 10K SAS DRIVE SET | 170,289 | N | | 48 |
| 2424 | | 2759 | 900 GB 10K SAS COD DRIVE SET | 17,029 | N | | 48 |
| 2424 | | 2858 | 3 TB 7.2K SAS HALF DRIVE SET | 79,798 | N | | 48 |
| 2424 | | 2859 | 3 TB 7.2K SAS COD HALF DRIVE S | 7,980 | N | | 48 |
| 2424 | | 2997 | 3.5 DISK ENCLOSURE FILLER SET | 73 | N | | 48 |
| 2424 | | 2998 | DISK ENCLOSURE FILLER HALF SET | 36 | N | | 48 |
| 2424 | | 2999 | DISK ENCLOSURE FILLER SET | 73 | N | | 48 |
| 2424 | | 3043 | DEVICE ADAPTER PAIR III | 7,254 | N | | 48 |
| 2424 | | 3053 | DEVICE ADAPTER PAIR I | 10,882 | N | | 48 |
| 2424 | | 3143 | 4GB SW FCP/FICON ADAPTER PCIE | 25,390 | N | | 48 |
| 2424 | | 3153 | 8 GB 4 PORT SW FCP FICON ADAPT | 27,929 | N | | 48 |
| 2424 | | 3157 | 8 GB 8 PORT SW FCP FICON ADAPT | 44,433 | N | | 48 |
| 2424 | | 3215 | 4 GB 10KM LW FCP/FICON ADAPTER | 32,645 | N | | 48 |
| 2424 | | 3243 | 4GB LW FCP/FICON ADAPTER PCIE | 25,390 | N | | 48 |
| 2424 | | 3245 | 4GB 10KM LW FCP/FICON ADAPTER | 32,645 | N | | 48 |
| 2424 | | 3253 | 8 GB 4 PORT LW FCP FICON ADAPT | 27,929 | N | | 48 |
| 2424 | | 3257 | 8 GB 8 PORT LW FCP FICON ADAPT | 44,433 | N | | 48 |
| 2424 | | 4211 | 16GB PROCESSOR MEMORY | 21,763 | N | | 48 |
| 2424 | | 4212 | 32 GB PROCESSOR MEMORY (2W) | 36,272 | N | | 48 |
| 2424 | | 4213 | 64 GB PROCESSOR MEMORY (2W) | 145,088 | N | | 48 |
| 2424 | | 4214 | 128 GB PROCESSOR MEMORY (2W) | 290,176 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2424 | | 4222 | 32 GB PROCESSOR MEMORY (4W) | 36,272 | N | | 48 |
| 2424 | | 4223 | 64 GB PROCESSOR MEMORY (4W) | 145,088 | N | | 48 |
| 2424 | | 4224 | 128 GB PROCESSOR MEMORY (4W) | 290,176 | N | | 48 |
| 2424 | | 4225 | 256 GB PROCESSOR MEMORY (4W) | 580,353 | N | | 48 |
| 2424 | | 4226 | 384 GB PROCESSOR MEMORY (4W) | 870,529 | N | | 48 |
| 2424 | | 4302 | 4 WAY PROCESSOR CARD | 59,441 | N | | 48 |
| 2424 | | 4311 | 16GB PROCESSOR MMR 2CR | 21,763 | N | | 48 |
| 2424 | | 4312 | 32GB PROCESSOR MMR 2CR | 36,272 | N | | 48 |
| 2424 | | 4313 | 64 GB CPU 4 CORE ONLY | 72,544 | N | | 48 |
| 2424 | | 4314 | 128 GB CPU 8 CORE ONLY | 133,060 | N | | 48 |
| 2424 | | 4315 | 256 GB CPU 8 CORE ONLY | 254,238 | N | | 48 |
| 2424 | | 4316 | 512 GB CPU 16 CORE ONLY | 428,953 | N | | 48 |
| 2424 | | 4317 | 1TB CPU 16 CORE ONLY | 683,060 | N | | 48 |
| 2424 | | 4402 | 4 CORE CPU INDICATOR | 65,003 | N | | 48 |
| 2424 | | 4403 | 8 CORE CPU INDICATOR | 128,047 | N | | 48 |
| 2424 | | 4404 | 16 CORE CPU INDICATOR | 248,913 | N | | 48 |
| 2424 | | 5108 | 146 GB 15K FDE DRIVE SET | 41,165 | N | | 48 |
| 2424 | | 5116 | 300 GB 15K FDE DRIVE SET | 79,853 | N | | 48 |
| 2424 | | 5117 | 300 GB 15K FDE COD DRIVE SET | 7,985 | N | | 48 |
| 2424 | | 5209 | 146 GB 15K FDE COD DRIVE SET | 4,117 | N | | 48 |
| 2424 | | 5216 | 450 GB 15K FDE DRIVE SET | 112,886 | N | | 48 |
| 2424 | | 5217 | 450 GB 15K FDE COD DRIVE SET | 11,288 | N | | 48 |
| 2424 | | 5308 | 300 GB 15K FDE DRIVE SET | 78,511 | N | | 48 |
| 2424 | | 5309 | 300 GB 15K FDE COD DRIVE SET | 7,851 | N | | 48 |
| 2424 | | 5708 | 600 GB 10K FDE DRIVE SET | 131,304 | N | | 48 |
| 2424 | | 5709 | 600 GB 10K FDE COD DRIVE SET | 13,130 | N | | 48 |
| 2424 | | 5758 | 900 GB 10K FDE DRIVE SET | 186,728 | N | | 48 |
| 2424 | | 5759 | 900 GB 10K FDE COD DRIVE SET | 18,672 | N | | 48 |
| 2424 | | 5858 | 3 TB 7.2K FDE HALF DRIVE SET | 83,788 | N | | 48 |
| 2424 | | 5859 | 3 TB 7.2K FDE COD HALF | 8,379 | N | | 48 |
| 2424 | | 6106 | 400 GB SSD HALF DRIVE SET | 323,184 | N | | 48 |
| 2424 | | 6108 | 400 GB SSD DRIVE SET | 646,368 | N | | 48 |
| 2424 | | 6156 | 400 GB SSD FDE HALF DRIVE SET | 197,783 | N | | 48 |
| 2424 | | 6158 | 400 GB SSD FDE DRIVE SET | 395,568 | N | | 48 |
| 2424 | | 6214 | 600 GB SSD HALF DRIVE SET | 467,909 | N | | 48 |
| 2424 | | 6216 | 600 GB SSD DRIVE SET | 935,819 | N | | 48 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2452 | | 3003 | 3M GREEN CAT5E CABLE | 28 | N | | 12 |
| 2452 | | 3705 | 5M LC LC OPTICAL CABLE | 93 | N | | 12 |
| 2458 | 002 | | ZENTERPRISE BC EXTENSION | *Call | N | 3 | 12 |
| 2458 | 003 | | ZENTERPRISE BLADECENTER EXT | *Call | N | 3 | 12 |
| 2458 | | 0091 | HMC WITH DUAL ETHERNET | *Call | N | | 12 |
| 2458 | | 0092 | HMC | *Call | N | | 12 |
| 2458 | | 0520 | POWER 3PH DELTA W/CORD | *Call | N | | 12 |
| 2458 | | 0521 | POWER W/O CORD | *Call | N | | 12 |
| 2458 | | 0531 | 60A/208V 1PH CORD | *Call | N | | 12 |
| 2458 | | 0532 | 63A/230V 1PH CORD | *Call | N | | 12 |
| 2458 | | 0533 | 32A/380 415V 3PH WYE CORD | *Call | N | | 12 |
| 2458 | | 0540 | REAR DOOR HEAT EXCHANGER | *Call | N | | 12 |
| 2458 | | 0541 | STD FRONT DOOR | *Call | N | | 12 |
| 2458 | | 0542 | STD REAR DOOR | *Call | N | | 12 |
| 2458 | | 0543 | ACOUSTIC REAR DOOR | *Call | N | | 12 |
| 2458 | | 0544 | CHASSIS COUNTER WEIGHT | *Call | N | | 12 |
| 2458 | | 0570 | RACK HEIGHT REDUCTION | *Call | N | | 12 |
| 2458 | | 0601 | PRIMARY ZBX RACK | *Call | N | | 12 |
| 2458 | | 0602 | EXPANSION ZBX RACK | *Call | N | | 12 |
| 2458 | | 0603 | ZBX CONFIGURED CHASSIS ASM | *Call | N | | 12 |
| 2458 | | 0605 | 10 GBE ESM SWITCH | *Call | N | | 12 |
| 2458 | | 0606 | FIBRE CHANNEL SWITCH | *Call | N | | 12 |
| 2458 | | 0607 | MGMT TOR SWITCH | *Call | N | | 12 |
| 2458 | | 0608 | IEDN TOR SWITCH | *Call | N | | 12 |
| 2458 | | 0610 | ISAOPT BLADE | *Call | N | | 12 |
| 2458 | | 0614 | 10 GB SR OPTICAL MODULE | *Call | N | | 12 |
| 2458 | | 0615 | 8 GB SW OPTICAL MODULE | *Call | N | | 12 |
| 2458 | | 0618 | PROCESSOR BLADE FILLER | *Call | N | | 12 |
| 2458 | | 0619 | RACK FILLER PLATE | *Call | N | | 12 |
| 2458 | | 0620 | 1000 MM CAT6 CABLE | *Call | N | | 12 |
| 2458 | | 0621 | 5M LC DUPLEX CABLE | *Call | N | | 12 |
| 2458 | | 0624 | 15 FT CAT6 CABLE | *Call | N | | 12 |
| 2458 | | 0625 | 3200 MM CAT6 CABLE | *Call | N | | 12 |
| 2458 | | 0626 | 10 GB ETHERNET 1M SFP CABLE | *Call | N | | 12 |
| 2458 | | 0627 | 10 GB ETHERNET 3M SFP CABLE | *Call | N | | 12 |
| 2458 | | 0628 | 10 GB ETHERNET 7M SFP CABLE | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2458 | | 0632 | 10 GB ETHERNET LR 10KM SFP | *Call | N | | 12 |
| 2458 | | 0633 | 10 GB ETHERNET SR SFP | *Call | N | | 12 |
| 2458 | | 0634 | 1000BASE LX 1310NM 10KM SFP | *Call | N | | 12 |
| 2458 | | 0635 | 1000BASE SX 850NM 550M SFP | *Call | N | | 12 |
| 2458 | | 6096 | FLAT PANEL DISPLAY | *Call | N | | 12 |
| 2498 | B24 | | SAN24B 4 EXPRESS | 3,917 | Y | 2 | 12 |
| 2498 | B80 | | SAN80B 4 | 54,255 | Y | 2 | 12 |
| 2498 | E32 | | SYSTEM STORAGE SAN32B E4 | 94,017 | Y | 2 | 12 |
| 2498 | F24 | | SYSTEM NETWORKING SAN24B 5 | 6,818 | Y | 2 | 12 |
| 2498 | F48 | | SYSTEM STORAGE SAN48B 5 | 15,550 | Y | 2 | 12 |
| 2498 | F96 | | SYSTEM NETWORKING SAN96B 5 | 51,543 | Y | 2 | 12 |
| 2498 | N96 | | SYSTEM NETWORKING SAN96B 5 | 51,543 | Y | 2 | 12 |
| 2498 | R06 | | SYSTEM STORAGE SAN06B R | 13,458 | Y | 2 | 12 |
| 2498 | X24 | | SYSTEM NETWORKING SAN24B 5 | 5,528 | Y | 2 | 12 |
| 2498 | | 2401 | SFP 4 GBPS SW | 104 | N | | 12 |
| 2498 | | 2408 | SFP 4 GBPS SW 8 PACK | 823 | N | | 12 |
| 2498 | | 2411 | SFP 4 GBPS 10 KM LW | 1,451 | N | | 12 |
| 2498 | | 2418 | SFP 4 GBPS 10 KM LW 8 PACK | 11,607 | N | | 12 |
| 2498 | | 2441 | SFP 4 GBPS 4 KM LW | 744 | N | | 12 |
| 2498 | | 2448 | SFP 4 GBPS 4 KM LW 8 PACK | 5,967 | N | | 12 |
| 2498 | | 2480 | SFP 4 GBPS 30 KM ELW | 3,438 | N | | 12 |
| 2498 | | 2551 | SFP 1 GBE COPPER | 544 | N | | 12 |
| 2498 | | 2601 | SFP 16 GBPS SW | 434 | N | | 12 |
| 2498 | | 2608 | SFP 16 GBPS SW 8 PACK | 3,477 | N | | 12 |
| 2498 | | 2609 | SFP 10 GBPS 10 KM SW | 709 | N | | 12 |
| 2498 | | 2610 | SFP 10 GBPS 10 KM LW | 2,205 | N | | 12 |
| 2498 | | 2611 | SFP+ 16 GBPS 10 KM LW | 2,371 | N | | 12 |
| 2498 | | 2618 | SFP+ 16 GBPS 10 KM LW 8 PACK | 18,971 | N | | 12 |
| 2498 | | 2801 | SFP 8 GBPS SW | 87 | N | | 12 |
| 2498 | | 2802 | SFP 8 GBPS SW | 87 | N | | 12 |
| 2498 | | 2808 | SFP 8 GBPS SW 8 PACK | 681 | N | | 12 |
| 2498 | | 2809 | SFP 8 GBPS SW 8 PACK | 681 | N | | 12 |
| 2498 | | 2821 | SFP 8 GBPS 10 KM LW | 1,542 | N | | 12 |
| 2498 | | 2828 | SFP 8 GBPS 10 KM LW 8 PACK | 12,332 | N | | 12 |
| 2498 | | 2881 | SFP 8 GBPS 25 KM ELW | 9,219 | N | | 12 |
| 2498 | | 2886 | SFP 16 GBPS 25 KM ELW | 12,522 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2498 | | 5600 | MFG SEL LEN INRCK FIB OP CB | 48 | N | | 12 |
| 2498 | | 5605 | LC LC 5 M 50U | 76 | N | | 12 |
| 2498 | | 5625 | LC LC 25 M 50U | 152 | N | | 12 |
| 2498 | | 5721 | LC LC 31 M 9U | 73 | N | | 12 |
| 2498 | | 5810 | OM3 CABLE LC LC 10M | 87 | N | | 12 |
| 2498 | | 5910 | MID-MOUNT TELCO RACK KIT | 168 | N | | 12 |
| 2498 | | 5911 | MID MOUNT TELCO RACK KIT | 289 | N | | 12 |
| 2498 | | 5998 | SAN24B 5 POWER SUPPLY FAN KIT | 1,741 | N | | 12 |
| 2498 | | 7200 | 8 PORT ACTIVATION | 2,517 | N | | 12 |
| 2498 | | 7201 | B24 ENTERPRISE PACKAGE | 13,457 | N | | 12 |
| 2498 | | 7202 | FABRIC WATCH | 1,741 | N | | 12 |
| 2498 | | 7203 | EXTENDED FABRIC | 3,917 | N | | 12 |
| 2498 | | 7204 | DVANCED PERFORMANCE MONITOF | 1,632 | N | | 12 |
| 2498 | | 7205 | TRUNKING ACTIVATION | 3,264 | N | | 12 |
| 2498 | | 7206 | ADAPTIVE NETWORKING | 2,263 | N | | 12 |
| 2498 | | 7210 | B24 SERVER APPL OPT | 640 | N | | 12 |
| 2498 | | 7212 | 12 PORT ACTIVATION | 5,101 | N | | 12 |
| 2498 | | 7230 | SYSTEM STORAGE SAN06BR FIPS | 1,519 | N | | 12 |
| 2498 | | 7400 | 8 PORT ACTIVATION | 6,180 | N | | 12 |
| 2498 | | 7401 | B40 ENTERPRISE PACKAGE | 20,333 | N | | 12 |
| 2498 | | 7403 | EXTENDED FABRIC | 4,643 | N | | 12 |
| 2498 | | 7404 | DVANCED PERFORMANCE MONITOF | 1,741 | N | | 12 |
| 2498 | | 7405 | TRUNKING ACTIVATION | 3,482 | N | | 12 |
| 2498 | | 7406 | ADAPTIVE NETWORKING | 3,424 | N | | 12 |
| 2498 | | 7407 | INTEGRATED ROUTING | 13,696 | N | | 12 |
| 2498 | | 7409 | FICON W CUP ACTIVATION | 2,205 | N | | 12 |
| 2498 | | 7410 | B40 SERVER APPL OPT | 1,298 | N | | 12 |
| 2498 | | 7411 | 12 PORT ACTIVATION | 8,290 | N | | 12 |
| 2498 | | 7413 | INTEGRATED 10 GBPS FC | 12,382 | N | | 12 |
| 2498 | | 7716 | 2498 R06 FIRMWARE UPGR 1 YR | 467 | N | | 12 |
| 2498 | | 7717 | 2498 R06 FIRMWARE UPGR 2 YR | 889 | N | | 12 |
| 2498 | | 7718 | 2498 E32 FIRMWARE UPGR 1 YR | 6,096 | N | | 12 |
| 2498 | | 7719 | 2498 E32 FIRMWARE UPGR 2 YR | 11,582 | N | | 12 |
| 2498 | | 7720 | 2498 F48 FW UPGR RENEWAL 1YR | 1,161 | N | | 12 |
| 2498 | | 7721 | 2498 F48 FW UPGR RENEWAL 2YR | 2,321 | N | | 12 |
| 2498 | | 7722 | 2498 F24 FW UPGR RENEWAL 1YR | 399 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2498 | | 7723 | 2498 F24 FW UPGR RENEWAL 2YR | 798 | N | | 12 |
| 2498 | | 7726 | SAN96B-5 FW UPGR RENEWAL 1YR | 4,173 | N | | 12 |
| 2498 | | 7727 | SAN96B-5 FW UPGR RENEWAL 2YR | 8,370 | N | | 12 |
| 2498 | | 7732 | PORT ACTIVATION 12 FC 4 IP | 43,748 | N | | 12 |
| 2498 | | 7733 | 8 GBPS ROUTER ADVANCED EXT | 9,477 | N | | 12 |
| 2498 | | 7734 | R06 PERFORMANCE MONITOR | 3,081 | N | | 12 |
| 2498 | | 7735 | R06 TRUNKING ACTIVATION | 4,622 | N | | 12 |
| 2498 | | 7736 | ADAPTIVE NETWORKING | 4,596 | N | | 12 |
| 2498 | | 7737 | FICON W CUP ACTIVATION | 5,587 | N | | 12 |
| 2498 | | 7738 | SYS STOR SAN06BR R06 FICON ACC | 31,469 | N | | 12 |
| 2498 | | 7739 | INTEGRATED ROUTING | 13,266 | N | | 12 |
| 2498 | | 7740 | FABRIC WATCH | 2,773 | N | | 12 |
| 2498 | | 7741 | R06 SERVER APPL OPT | 968 | N | | 12 |
| 2498 | | 7742 | EXTENDED FABRIC | 3,389 | N | | 12 |
| 2498 | | 7800 | 16 PORT ACTIVATION | 15,307 | N | | 12 |
| 2498 | | 7801 | B80 ENTERPRISE PACKAGE | 42,953 | N | | 12 |
| 2498 | | 7802 | FABRIC WATCH | 2,539 | N | | 12 |
| 2498 | | 7803 | EXTENDED FABRIC | 5,426 | N | | 12 |
| 2498 | | 7804 | DVANCED PERFORMANCE MONITOF | 3,068 | N | | 12 |
| 2498 | | 7805 | TRUNKING ACTIVATION | 5,426 | N | | 12 |
| 2498 | | 7806 | ADAPTIVE NETWORKING | 4,976 | N | | 12 |
| 2498 | | 7807 | INTEGRATED ROUTING | 20,043 | N | | 12 |
| 2498 | | 7809 | FICON W CUP ACTIVATION | 4,483 | N | | 12 |
| 2498 | | 7810 | B80 SERVER APPL OPT | 2,595 | N | | 12 |
| 2498 | | 7812 | 24-PORT ACTIVATION | 20,809 | N | | 12 |
| 2498 | | 7813 | INTEGRATED 10 GB FC | 12,518 | N | | 12 |
| 2498 | | 7815 | ENCRYPTION 96 GB DISK PERFORMA | 87,516 | N | | 12 |
| 2499 | 192 | | IBM SYSTEM STORAGE SAN384B | 72,713 | N | 2 | 12 |
| 2499 | 384 | | IBM SYSTEM STORAGE SAN768B | 116,447 | N | 2 | 12 |
| 2499 | 416 | | SAN384B 2 | 77,070 | N | 2 | 12 |
| 2499 | 816 | | SAN768B 2 | 99,217 | N | 2 | 12 |
| 2499 | | 2117 | SFP+ TRANSCEIVER 10 GBPS SR | 671 | N | | 12 |
| 2499 | | 2118 | SFP+ 10 GBPS SR 8 PACK | 4,948 | N | | 12 |
| 2499 | | 2151 | SFP+ TRANSCEIVER 10 GBPS LR | 2,896 | N | | 12 |
| 2499 | | 2158 | SFP+ 10 GBPS LR 8 PACK | 19,923 | N | | 12 |
| 2499 | | 2401 | SFP 4 GBPS SW | 130 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2499 | | 2408 | SFP 4 GBPS SW 8 PACK | 1,043 | N | | 12 |
| 2499 | | 2411 | SFP 4 GBPS 10 KM LW | 1,976 | N | | 12 |
| 2499 | | 2418 | SFP 4 GBPS 10 KM LW 8 PACK | 15,809 | N | | 12 |
| 2499 | | 2441 | SFP 4 GBPS 4 KM LW | 943 | N | | 12 |
| 2499 | | 2448 | SFP 4 GBPS 4 KM LW 8 PACK | 7,545 | N | | 12 |
| 2499 | | 2480 | SFP 4 GBPS 30 KM ELW | 4,353 | N | | 12 |
| 2499 | | 2550 | SFP TRANSCEIVER 1 GBE COPPER | 653 | N | | 12 |
| 2499 | | 2551 | SFP TRANSCEIVER 1 GBE COPPER | 544 | N | | 12 |
| 2499 | | 2601 | SFP 16 GBPS SW | 550 | N | | 12 |
| 2499 | | 2608 | SFP 16 GBPS SW 8 PACK | 4,402 | N | | 12 |
| 2499 | | 2609 | SFP 10 GBPS 10 KM SW | 889 | N | | 12 |
| 2499 | | 2610 | SFP 10 GBPS 10 KM LW | 3,256 | N | | 12 |
| 2499 | | 2611 | SFPPLUS 16 GBPS 10 KM LW | 3,502 | N | | 12 |
| 2499 | | 2618 | SFPPLUS 16 GBPS 10 KM LW 8PACK | 28,025 | N | | 12 |
| 2499 | | 2801 | SFP 8 GBPS SW | 109 | N | | 12 |
| 2499 | | 2802 | SFP 8 GBPS SW | 109 | N | | 12 |
| 2499 | | 2808 | SFP 8 GBPS SW 8 PACK | 862 | N | | 12 |
| 2499 | | 2809 | SFP 8 GBPS SW 8-PACK | 862 | N | | 12 |
| 2499 | | 2821 | SFP 8 GBPS10 KM LW | 2,274 | N | | 12 |
| 2499 | | 2828 | SFP 8 GBPS10 KM LW 8 PACK | 18,197 | N | | 12 |
| 2499 | | 2881 | SFP 8 GBPS 25 KM ELW | 9,219 | N | | 12 |
| 2499 | | 3016 | 16 GBPS CORE BLADE KIT | 50,581 | N | | 12 |
| 2499 | | 3017 | 16 GBPS CORE BLADE KIT | 70,661 | N | | 12 |
| 2499 | | 3632 | FC 16GBPS 32 PORT BLADE | 52,514 | N | | 12 |
| 2499 | | 3648 | FC 16GBPS 48 PORT BLADE | 72,163 | N | | 12 |
| 2499 | | 3816 | FC 8 GB 16 PORT BLADE | 27,087 | N | | 12 |
| 2499 | | 3832 | FC 8 GB 32 PORT BLADE | 44,361 | N | | 12 |
| 2499 | | 3848 | FC 8 GB 48 PORT BLADE | 61,524 | N | | 12 |
| 2499 | | 3864 | SAN768B FC 8 GBPS 64 PORT | 74,668 | N | | 12 |
| 2499 | | 3880 | CEE 10GBE 24 PORT BLADE | 86,252 | N | | 12 |
| 2499 | | 3895 | SYSTEM STORAGE SAN768B ENCRYP | 101,852 | N | | 12 |
| 2499 | | 5305 | LC/LC 5 M 50U | 98 | N | | 12 |
| 2499 | | 5325 | LC/LC 25 M 50U | 150 | N | | 12 |
| 2499 | | 5405 | LC/LC 5 M 50U 4 PACK | 394 | N | | 12 |
| 2499 | | 5425 | LC/LC 25 M 50U 4 PACK | 604 | N | | 12 |
| 2499 | | 5444 | LC/LC 31 M 9U 4 PACK | 290 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2499 | | 5731 | LC/LC 31 M 9U | 73 | N | | 12 |
| 2499 | | 5810 | OM3 CABLE LC LC 10M | 87 | N | | 12 |
| 2499 | | 5818 | OM3 CABLE LC LC 10M 4 PACK | 348 | N | | 12 |
| 2499 | | 7710 | 2499 816 FW UPGRADE 1 YEAR | 10,863 | N | | 12 |
| 2499 | | 7711 | 2499 816 FW UPGRADE 2 YEARS | 21,727 | N | | 12 |
| 2499 | | 7712 | 2499 192 FW UPGRADE 1 YEAR | 5,492 | N | | 12 |
| 2499 | | 7713 | 2499 192 FW UPGRADE 2 YEARS | 10,435 | N | | 12 |
| 2499 | | 7714 | 2499 416 FW UPGRADE 1 YEAR | 6,602 | N | | 12 |
| 2499 | | 7715 | 2499 416 FW UPGRADE 2 YEARS | 13,203 | N | | 12 |
| 2499 | | 7803 | EXTENDED FABRIC ACTIVATION | 27,137 | N | | 12 |
| 2499 | | 7870 | INTER CHASSIS CABLE KIT | 14,494 | N | | 12 |
| 2499 | | 7880 | 384 UPGRADE POWER SUPPLY | 11,984 | N | | 12 |
| 2499 | | 7882 | INTER CHASSIS LICENSE HALF | 31,725 | N | | 12 |
| 2499 | | 7883 | SAN384B INTER CHASSIS LICENSE | 28,861 | N | | 12 |
| 2499 | | 7884 | FICON W CUP ACTIVATION | 13,909 | N | | 12 |
| 2499 | | 7885 | INTER CHASSIS LICENCE | 53,958 | N | | 12 |
| 2499 | | 7886 | FICON W/CUP ACTIVATION | 17,722 | N | | 12 |
| 2499 | | 7887 | FCIP/FC EXTENSION | 23,859 | N | | 12 |
| 2499 | | 7888 | FICON ACCELERATOR | 67,385 | N | | 12 |
| 2499 | | 7889 | INTEGRATED ROUTING | 38,063 | N | | 12 |
| 2499 | | 7890 | INTEGRATED ROUTING | 37,723 | N | | 12 |
| 2499 | | 7891 | 8 GBPS ADV EXT ACTIVATION | 13,371 | N | | 12 |
| 2499 | | 7892 | 10 GBE ACTIVATION | 31,246 | N | | 12 |
| 2499 | | 7893 | 8 GBPS FICON ACCELERATOR | 39,276 | N | | 12 |
| 2499 | | 7895 | SYSTEM STORAGE SAN768B ENCRYP | 111,659 | N | | 12 |
| 2499 | | 7910 | SAN768B SERVER APPLICATION FI | 217 | N | | 12 |
| 2499 | | 7920 | SAN384B SERVER APPLICATION FI | 217 | N | | 12 |
| 2805 | | 1810 | DUAL POWER SUPPLY OPTION | 190 | N | | 12 |
| 2805 | | 9100 | CONSOLE KEYBOARD/DISPLAY/DRAW | 1,717 | N | | 12 |
| 2810 | | 0080 | RUGGEDIZED RACK | 13,783 | N | | 12 |
| 2810 | | 0082 | REAR WATER COOLED DOOR | 19,587 | N | | 12 |
| 2810 | | 1101 | DUAL CPU INTERFACE MODULE | 30,004 | N | | 12 |
| 2810 | | 1102 | 2 TB DCPU INTERFACE MODULE | 52,667 | N | | 12 |
| 2810 | | 1106 | LV DATA MODULE | 30,004 | N | | 12 |
| 2810 | | 1107 | 2 TB LV DATA MODULE | 52,667 | N | | 12 |
| 2810 | | 1111 | DUAL CPU COD INTERFACE MODULE | 2,999 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2810 | | 1116 | LV COD DATA MODULE | 2,999 | N | | 12 |
| 2810 | | 1119 | COD 5.5 TB ACTIVATION | 27,004 | N | | 12 |
| 2810 | | 1120 | 1TB HDD MODULE COD ACTIVATION | 27,004 | N | | 12 |
| 2810 | | 1121 | 2TB HDD MODULE COD ACTIVATION | 47,399 | N | | 12 |
| 2810 | | 1125 | 2TB INTERFACE MODULE | 65,834 | N | | 12 |
| 2810 | | 1126 | 2TB DATA MODULE | 65,834 | N | | 12 |
| 2810 | | 1135 | 3TB INTERFACE MODULE | 79,436 | N | | 12 |
| 2810 | | 1136 | 3TB DATA MODULE | 79,436 | N | | 12 |
| 2810 | | 1145 | 2TB COD INTERFACE MODULE | 6,583 | N | | 12 |
| 2810 | | 1146 | 2TB COD DATA MODULE | 6,583 | N | | 12 |
| 2810 | | 1147 | 3TB COD INTERFACE MODULE | 7,944 | N | | 12 |
| 2810 | | 1148 | 3TB COD DATA MODULE | 7,944 | N | | 12 |
| 2810 | | 1149 | 2TB HDD COD ACTIVATION | 59,250 | N | | 12 |
| 2810 | | 1150 | 3TB HDD COD ACTIVATION | 71,492 | N | | 12 |
| 2810 | | 3900 | ETHERNET CABLE | 544 | N | | 12 |
| 2810 | | 3910 | FIBRE CABLE (LC) | 544 | N | | 12 |
| 2810 | | 3920 | FIBRE CABLE (LC/SC) | 544 | N | | 12 |
| 2810 | | 9000 | MAINTENANCE MODULE | 5,745 | N | | 12 |
| 2810 | | 9101 | MODEM | 725 | N | | 12 |
| 2810 | | 9811 | US/CA/LA/AP 60A PIN CORD | 2,176 | N | | 12 |
| 2810 | | 9813 | EMEA/AUS/NZ 60A HARD WIRED | 2,176 | N | | 12 |
| 2810 | | 9820 | 3PH NON EMEA 60A PIN CORD | 3,627 | N | | 12 |
| 2810 | | 9822 | 3PH EMEA ANZ 30A HARD WIRED | 3,627 | N | | 12 |
| 2810 | | 9824 | 3PH 30A NON EMEA PIN CORD | 3,627 | N | | 12 |
| 2812 | 116 | | XIV STORAGE SYSTEM MODEL R3 | 137,108 | N | 3 | 36 |
| 2812 | 214 | | XIV STORAGE SYSTEM MODEL R3 | 132,897 | N | 3 | 36 |
| 2812 | 215 | | XIV STORAGE SYSTEM MODEL R3 | 199,786 | N | 3 | 36 |
| 2812 | 216 | | XIV STORAGE SYSTEM MODEL R3 | 270,005 | N | 3 | 36 |
| 2812 | | 0080 | RUGGEDIZED RACK | 18,608 | N | | 36 |
| 2812 | | 0082 | REAR WATER COOLED DOOR | 26,442 | N | | 36 |
| 2812 | | 1101 | DUAL CPU INTERFACE MODULE | 40,505 | N | | 36 |
| 2812 | | 1102 | 2 TB DCPU INTERFACE MODULE | 71,052 | N | | 36 |
| 2812 | | 1106 | LV DATA MODULE | 40,505 | N | | 36 |
| 2812 | | 1107 | 2 TB LV DATA MODULE | 71,052 | N | | 36 |
| 2812 | | 1111 | DUAL CPU COD INTERFACE MODULE | 4,050 | N | | 36 |
| 2812 | | 1116 | LV COD DATA MODULE | 4,050 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2812 | | 1120 | 1TB HDD MODULE COD ACTIVATION | 36,454 | N | | 36 |
| 2812 | | 1121 | 2TB HDD MODULE COD ACTIVATION | 63,948 | N | | 36 |
| 2812 | | 1122 | 1TB INTERFACE MODULE | 73,451 | N | | 36 |
| 2812 | | 1123 | 1TB DATA MODULE | 73,451 | N | | 36 |
| 2812 | | 1125 | 2TB INTERFACE MODULE | 88,815 | N | | 36 |
| 2812 | | 1126 | 2TB DATA MODULE | 88,815 | N | | 36 |
| 2812 | | 1135 | 3TB INTERFACE MODULE | 107,238 | N | | 36 |
| 2812 | | 1136 | 3TB DATA MODULE | 107,238 | N | | 36 |
| 2812 | | 1145 | 2TB COD INTERFACE MODULE | 8,881 | N | | 36 |
| 2812 | | 1146 | 2TB COD DATA MODULE | 8,881 | N | | 36 |
| 2812 | | 1147 | 3TB COD INTERFACE MODULE | 10,723 | N | | 36 |
| 2812 | | 1148 | 3TB COD DATA MODULE | 10,723 | N | | 36 |
| 2812 | | 1149 | 2TB HDD COD ACTIVATION | 79,933 | N | | 36 |
| 2812 | | 1150 | 3TB HDD COD ACTIVATION | 96,514 | N | | 12 |
| 2812 | | 1155 | IBM XIV SSD CACHING | 19,587 | N | | 36 |
| 2812 | | 2015 | 1TB INTERFACE MODULE 1GBE | 73,451 | N | | 36 |
| 2812 | | 2016 | 1TB DATA MODULE | 73,451 | N | | 36 |
| 2812 | | 2025 | 2TB INTERFACE MODULE 1GBE | 88,815 | N | | 36 |
| 2812 | | 2026 | 2TB DATA MODULE | 88,815 | N | | 36 |
| 2812 | | 2027 | 2TB COD INTERFACE MOD 1GBE | 8,881 | N | | 36 |
| 2812 | | 2028 | 2TB COD DATA MODULE | 8,881 | N | | 36 |
| 2812 | | 2029 | 2TB HDD COD ACTIVATION 1GBE | 79,933 | N | | 36 |
| 2812 | | 2035 | 3TB INTERFACE MODULE 1GBE | 107,238 | N | | 36 |
| 2812 | | 2036 | 3TB DATA MODULE | 107,238 | N | | 36 |
| 2812 | | 2037 | 3TB COD INTERFACE MOD 1GBE | 10,723 | N | | 36 |
| 2812 | | 2038 | 3TB COD DATA MODULE | 10,723 | N | | 36 |
| 2812 | | 2039 | 3TB HDD COD ACTIVATION 1GBE | 96,514 | N | | 36 |
| 2812 | | 2041 | 4TB INTERFACE MODULE 1GBE | 123,325 | N | | 12 |
| 2812 | | 2042 | 4TB DATA MODULE | 123,325 | N | | 12 |
| 2812 | | 2043 | 4TB COD INTERFACE MODULE 1GBE | 12,332 | N | | 12 |
| 2812 | | 2044 | 4TB COD DATA MODULE | 12,332 | N | | 12 |
| 2812 | | 2049 | 4TB HDD COD ACTIVATION 1GBE | 110,992 | N | | 12 |
| 2812 | | 2115 | 1TB INTERFACE MODULE 10GBE | 80,796 | N | | 36 |
| 2812 | | 2125 | 2TB INTERFACE MODULE 10GBE | 97,697 | N | | 36 |
| 2812 | | 2127 | 2TB COD INTERFACE MOD 10GBE | 9,769 | N | | 36 |
| 2812 | | 2129 | 2TB HDD COD ACTIVATION 10GBE | 87,927 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2812 | | 2135 | 3TB INTERFACE MODULE 10GBE | 117,962 | N | | 36 |
| 2812 | | 2137 | 3TB COD INTERFACE MOD 10GBE | 11,795 | N | | 36 |
| 2812 | | 2139 | 3TB HDD COD ACTIVATION 10GBE | 106,137 | N | | 12 |
| 2812 | | 2141 | 4TB SED INTERFACE MODUL 10GBE | 135,657 | N | | 12 |
| 2812 | | 2143 | 4TB SED COD INTRFC MOD 10GBE | 13,566 | N | | 12 |
| 2812 | | 2149 | 4TB SED HDD COD ACTIV 10GBE | 122,092 | N | | 12 |
| 2812 | | 2255 | XIV SSD CACHING | 19,587 | N | | 36 |
| 2812 | | 3900 | ETHERNET CABLE | 544 | N | | 36 |
| 2812 | | 3910 | FIBRE CABLE (LC) | 544 | N | | 36 |
| 2812 | | 3920 | FIBRE CABLE (LC SC) | 544 | N | | 36 |
| 2812 | | 8101 | ELECTRORACK MIGRATION KIT | 19,587 | N | | 36 |
| 2812 | | 8102 | APC RACK AR3350 MIGRATION KIT | 17,773 | N | | 12 |
| 2812 | | 9000 | MAINTENANCE MODULE | 7,756 | N | | 36 |
| 2812 | | 9101 | MODEM | 725 | N | | 36 |
| 2812 | | 9811 | US/CA/LA/AP 60A PIN CORD | 2,176 | N | | 36 |
| 2812 | | 9813 | EMEA/AUS/NZ 60A HARD WIRED | 2,176 | N | | 36 |
| 2812 | | 9820 | 3PH NON EMEA 60A PIN CORD | 3,627 | N | | 36 |
| 2812 | | 9822 | 3PH EMEA ANZ 30A HARD WIRED | 3,627 | N | | 36 |
| 2812 | | 9824 | 3PH 30A NON EMEA PIN CORD | 3,627 | N | | 12 |
| 2817 | M15 | | ZENTERPRISE 196 | *Call | N | 3 | 12 |
| 2817 | M32 | | ZENTERPRISE 196 | *Call | N | 3 | 12 |
| 2817 | M49 | | ZENTERPRISE 196 | *Call | N | 3 | 12 |
| 2817 | M66 | | ZENTERPRISE 196 | *Call | N | 3 | 12 |
| 2817 | M80 | | ZENTERPRISE 196 | *Call | N | 3 | 12 |
| 2817 | | 0001 | MTU 1 D | *Call | N | | 12 |
| 2817 | | 0002 | MTU 100 D | *Call | N | | 12 |
| 2817 | | 0003 | MTU 1 V | *Call | N | | 12 |
| 2817 | | 0004 | MTU 100 V | *Call | N | | 12 |
| 2817 | | 0005 | GTU 1 D | *Call | N | | 12 |
| 2817 | | 0006 | GTU 100 D | *Call | N | | 12 |
| 2817 | | 0007 | GTU 1 V | *Call | N | | 12 |
| 2817 | | 0008 | GTU 100 V | *Call | N | | 12 |
| 2817 | | 0009 | GTU 1000 D | *Call | N | | 12 |
| 2817 | | 0010 | GTU 1000 V | *Call | N | | 12 |
| 2817 | | 0039 | MANAGE FW ISAOPT | *Call | N | | 12 |
| 2817 | | 0041 | MANAGE FW PASB | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 0042 | MANAGE FW SYSTEM X BLADE | *Call | N | | 12 |
| 2817 | | 0045 | AUTOMATE FW PASB | *Call | N | | 12 |
| 2817 | | 0046 | ADV MGMT FW SYSTEM X BLADE | *Call | N | | 12 |
| 2817 | | 0052 | AUTOMATE FW IFL | *Call | N | | 12 |
| 2817 | | 0070 | ETHERNET SWITCH | *Call | N | | 12 |
| 2817 | | 0091 | HMC W DUAL EN | *Call | N | | 12 |
| 2817 | | 0113 | I O CAGE ISC D AIRFLOW | *Call | N | | 12 |
| 2817 | | 0114 | I O CAGE FULL CARD AIRFLOW | *Call | N | | 12 |
| 2817 | | 0116 | 1 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2817 | | 0117 | 100 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2817 | | 0118 | 10000 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2817 | | 0119 | 1 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2817 | | 0120 | 100 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2817 | | 0121 | 1 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2817 | | 0122 | 100 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2817 | | 0123 | 1 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2817 | | 0124 | 100 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2817 | | 0125 | 1 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2817 | | 0126 | 100 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2817 | | 0127 | 1 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2817 | | 0128 | 100 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2817 | | 0158 | CPC AIR | *Call | N | | 12 |
| 2817 | | 0159 | CPC WATER | *Call | N | | 12 |
| 2817 | | 0162 | HCA2 C FANOUT | *Call | N | | 12 |
| 2817 | | 0163 | HCA2 O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2817 | | 0165 | FANOUT AIRFLOW | *Call | N | | 12 |
| 2817 | | 0169 | PCIE FANOUT | *Call | N | | 12 |
| 2817 | | 0170 | HCA3 O LR FANOUT FOR 1X IFB | *Call | N | | 12 |
| 2817 | | 0171 | HCA3 O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2817 | | 0217 | ISC MOTHER CARD | *Call | N | | 12 |
| 2817 | | 0218 | ISC DAUGHTER CARD | *Call | N | | 12 |
| 2817 | | 0219 | ISC 3 LINK ON F C 0218 | *Call | N | | 12 |
| 2817 | | 0326 | IFB MP DAUGHTER CARD | *Call | N | | 12 |
| 2817 | | 0327 | STI A8 MOTHER CARD | *Call | N | | 12 |
| 2817 | | 0328 | STI A4 MOTHER CARD | *Call | N | | 12 |
| 2817 | | 0400 | PCIE INTERCONNECT | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 0404 | OSA EXPRESS4S GBE LX | *Call | N | | 12 |
| 2817 | | 0405 | OSA EXPRESS4S GBE SX | *Call | N | | 12 |
| 2817 | | 0406 | OSA EXPRESS4S 10 GBE LR | *Call | N | | 12 |
| 2817 | | 0407 | OSA EXPRESS4S 10 GBE SR | *Call | N | | 12 |
| 2817 | | 0409 | FICON EXPRESS8S 10KM LX | *Call | N | | 12 |
| 2817 | | 0410 | FICON EXPRESS8S SX | *Call | N | | 12 |
| 2817 | | 0841 | TKE WORKSTATION | *Call | N | | 12 |
| 2817 | | 0864 | CRYPTO EXPRESS3 | *Call | N | | 12 |
| 2817 | | 0884 | TKE ADDL SMART CARDS | *Call | N | | 12 |
| 2817 | | 0885 | TKE SMART CARD READER | *Call | N | | 12 |
| 2817 | | 0998 | UID LABEL FOR DOD | *Call | N | | 12 |
| 2817 | | 1021 | STP ENABLEMENT | *Call | N | | 12 |
| 2817 | | 1125 | MODEL M15 AIR COOLED | *Call | N | | 12 |
| 2817 | | 1126 | MODEL M32 AIR COOLED | *Call | N | | 12 |
| 2817 | | 1127 | MODEL M49 AIR COOLED | *Call | N | | 12 |
| 2817 | | 1128 | MODEL M66 AIR COOLED | *Call | N | | 12 |
| 2817 | | 1129 | MODEL M80 AIR COOLED | *Call | N | | 12 |
| 2817 | | 1130 | MODEL M15 WATER COOLED | *Call | N | | 12 |
| 2817 | | 1131 | MODEL M32 WATER COOLED | *Call | N | | 12 |
| 2817 | | 1132 | MODEL M49 WATER COOLED | *Call | N | | 12 |
| 2817 | | 1133 | MODEL M66 WATER COOLED | *Call | N | | 12 |
| 2817 | | 1134 | MODEL M80 WATER COOLED | *Call | N | | 12 |
| 2817 | | 1751 | 1 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1752 | 2 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1753 | 3 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1754 | 4 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1755 | 5 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1756 | 6 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1757 | 7 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1758 | 8 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1759 | 9 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1760 | 10 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1761 | 11 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1762 | 12 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1763 | 13 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1764 | 14 WAY PROCESSOR CP4 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 1765 | 15 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2817 | | 1766 | 1 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1767 | 2 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1768 | 3 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1769 | 4 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1770 | 5 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1771 | 6 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1772 | 7 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1773 | 8 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1774 | 9 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1775 | 10 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1776 | 11 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1777 | 12 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1778 | 13 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1779 | 14 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1780 | 15 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2817 | | 1781 | 1 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1782 | 2 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1783 | 3 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1784 | 4 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1785 | 5 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1786 | 6 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1787 | 7 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1788 | 8 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1789 | 9 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1790 | 10 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1791 | 11 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1792 | 12 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1793 | 13 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1794 | 14 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1795 | 15 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2817 | | 1797 | 1 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1798 | 2 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1799 | 3 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1800 | 4 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1801 | 5 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 1802 | 6 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1803 | 7 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1804 | 8 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1805 | 9 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1806 | 10 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1807 | 11 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1808 | 12 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1809 | 13 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1810 | 14 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1811 | 15 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1812 | 16 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1813 | 17 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1814 | 18 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1815 | 19 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1816 | 20 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1817 | 21 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1818 | 22 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1819 | 23 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1820 | 24 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1821 | 25 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1822 | 26 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1823 | 27 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1824 | 28 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1825 | 29 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1826 | 30 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1827 | 31 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1828 | 32 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1829 | 33 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1830 | 34 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1831 | 35 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1832 | 36 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1833 | 37 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1834 | 38 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1835 | 39 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1836 | 40 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1837 | 41 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 1838 | 42 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1839 | 43 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1840 | 44 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1841 | 45 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1842 | 46 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1843 | 47 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1844 | 48 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1845 | 49 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1846 | 50 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1847 | 51 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1848 | 52 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1849 | 53 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1850 | 54 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1851 | 55 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1852 | 56 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1853 | 57 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1854 | 58 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1855 | 59 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1856 | 60 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1857 | 61 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1858 | 62 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1859 | 63 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1860 | 64 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1861 | 65 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1862 | 66 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1863 | 67 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1864 | 68 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1865 | 69 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1866 | 70 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1867 | 71 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1868 | 72 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1869 | 73 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1870 | 74 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1871 | 75 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1872 | 76 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1873 | 77 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817 | | 1874 | 78 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1875 | 79 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1876 | 80 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2817 | | 1881 | IFL | *Call | N | | 12 |
| 2817 | | 1882 | ICF | *Call | N | | 12 |
| 2817 | | 1883 | SAP (OPTIONAL) | *Call | N | | 12 |
| 2817 | | 1884 | ZAAP | *Call | N | | 12 |
| 2817 | | 1885 | ZIIP | *Call | N | | 12 |
| 2817 | | 1886 | UNASSIGNED IFL | *Call | N | | 12 |
| 2817 | | 1901 | 16GB MEMORY CAPACITY INCR | *Call | N | | 12 |
| 2817 | | 1902 | 16GB FTR CONVERTED MEMORY | *Call | N | | 12 |
| 2817 | | 1996 | PREPLANNED MEMORY | *Call | N | | 12 |
| 2817 | | 2323 | 16 PORT ESCON CARD | *Call | N | | 12 |
| 2817 | | 2324 | ESCON CHANNEL PORT | *Call | N | | 12 |
| 2817 | | 3004 | BPR PAIR AIR MODEL | *Call | N | | 12 |
| 2817 | | 3005 | BPD PAIR AIR MODEL | *Call | N | | 12 |
| 2817 | | 3006 | BPR PAIR WATER MODEL | *Call | N | | 12 |
| 2817 | | 3007 | BPD PAIR WATER MODEL | *Call | N | | 12 |
| 2817 | | 3212 | INTERNAL BATTERY IBF ED | *Call | N | | 12 |
| 2817 | | 3325 | FICON EXPRESS8 10KM LX | *Call | N | | 12 |
| 2817 | | 3326 | FICON EXPRESS8 SX | *Call | N | | 12 |
| 2817 | | 3362 | OSA EXPRESS3 GBE LX | *Call | N | | 12 |
| 2817 | | 3363 | OSA EXPRESS3 GBE SX | *Call | N | | 12 |
| 2817 | | 3367 | OSA EXPRESS3 1000BASET EN | *Call | N | | 12 |
| 2817 | | 3370 | OSA EXPRESS3 10 GBE LR | *Call | N | | 12 |
| 2817 | | 3371 | OSA EXPRESS3 10 GBE SR | *Call | N | | 12 |
| 2817 | | 3377 | FILL AND DRAIN KIT | *Call | N | | 12 |
| 2817 | | 3759 | UNIVERSAL LIFT TOOL LADDER | *Call | N | | 12 |
| 2817 | | 4000 | I O DRAWER AIR | *Call | N | | 12 |
| 2817 | | 4002 | I O CAGE AIR | *Call | N | | 12 |
| 2817 | | 4003 | PCIE I/O DRAWER A | *Call | N | | 12 |
| 2817 | | 4004 | I O DRAWER WATER | *Call | N | | 12 |
| 2817 | | 4005 | I O CAGE WATER | *Call | N | | 12 |
| 2817 | | 4006 | PCIE I/O DRAWER W | *Call | N | | 12 |
| 2817 | | 4015 | A FRAME W O CARGO AIR | *Call | N | | 12 |
| 2817 | | 4016 | A FRAME W CARGO AIR | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2817 | | 4017 | A FRAME W O CARGO WATER | *Call | N | | 12 |
| 2817 | | 4018 | A FRAME W CARGO WATER | *Call | N | | 12 |
| 2817 | | 4019 | A FR MULTINODE W O CARGO A | *Call | N | | 12 |
| 2817 | | 4020 | A FR MULTINODE W CARGO A | *Call | N | | 12 |
| 2817 | | 6096 | FLAT PANEL DISPLAY | *Call | N | | 12 |
| 2817 | | 6501 | POWER SEQUENCE CONTROLLER | *Call | N | | 12 |
| 2817 | | 6805 | ADDITIONAL CBU TEST | *Call | N | | 12 |
| 2817 | | 6818 | CBU RECORDS ORDERED | *Call | N | | 12 |
| 2817 | | 6820 | SINGLE CBU CP YEAR | *Call | N | | 12 |
| 2817 | | 6821 | 25 CBU CP YEAR | *Call | N | | 12 |
| 2817 | | 6822 | SINGLE CBU IFL YEAR | *Call | N | | 12 |
| 2817 | | 6823 | 25 CBU IFL YEAR | *Call | N | | 12 |
| 2817 | | 6824 | SINGLE CBU ICF YEAR | *Call | N | | 12 |
| 2817 | | 6825 | 25 CBU ICF YEAR | *Call | N | | 12 |
| 2817 | | 6826 | SINGLE CBU ZAAP YEAR | *Call | N | | 12 |
| 2817 | | 6827 | 25 CBU ZAAP YEAR | *Call | N | | 12 |
| 2817 | | 6828 | SINGLE CBU ZIIP YEAR | *Call | N | | 12 |
| 2817 | | 6829 | 25 CBU ZIIP YEAR | *Call | N | | 12 |
| 2817 | | 6830 | SINGLE CBU SAP YEAR | *Call | N | | 12 |
| 2817 | | 6831 | 25 CBU SAP YEAR | *Call | N | | 12 |
| 2817 | | 7900 | FQC BRACKET MOUNT HW A | *Call | N | | 12 |
| 2817 | | 7902 | MT RJ 6 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7903 | MT RJ 8 5 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7904 | MT RJ 5 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7905 | MT RJ 3 5 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7906 | LC DUP 6 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7908 | LC DUP 8 5 FT HARNESS A | *Call | N | | 12 |
| 2817 | | 7910 | FQC BRACKET MOUNT HW W | *Call | N | | 12 |
| 2817 | | 7912 | MT RJ 6 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7913 | MT RJ 8 5 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7914 | MT RJ 5 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7915 | MT RJ 3 5 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7916 | LC DUP 6 6 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7918 | LC DUP 8 5 FT HARNESS W | *Call | N | | 12 |
| 2817 | | 7942 | TOP EXIT I O CABLING | *Call | N | | 12 |
| 2817 | | 7949 | SIDE COVERS | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2817 | | 8008 | 3 IN 1 BOLT DOWN KIT A | *Call | N | | 12 |
| 2817 | | 8009 | 3 IN 1 BOLT DOWN KIT W | *Call | N | | 12 |
| 2817 | | 8963 | 14FT 380 520V DC LINE CORD | *Call | N | | 12 |
| 2817 | | 8983 | 14FT 480V 3PH LINE CORD | *Call | N | | 12 |
| 2817 | | 8993 | 14FT 200V 3PH CORD | *Call | N | | 12 |
| 2817 | | 9888 | ON OFF COD ACT IFL DAY | *Call | N | | 12 |
| 2817 | | 9889 | ON OFF COD ACT ICF DAY | *Call | N | | 12 |
| 2817 | | 9893 | ON OFF COD ACT ZAAP DAY | *Call | N | | 12 |
| 2817 | | 9897 | ON OFF COD ACT CAP CP DAY | *Call | N | | 12 |
| 2817 | | 9908 | ON OFF COD ACT ZIIP DAY | *Call | N | | 12 |
| 2817 | | 9909 | ON OFF COD ACT SAP DAY | *Call | N | | 12 |
| 2817 | | 9917 | 1 MSU DAY | *Call | N | | 12 |
| 2817 | | 9918 | 100 MSU DAYS | *Call | N | | 12 |
| 2817 | | 9919 | 10000 MSU DAYS | *Call | N | | 12 |
| 2817 | | 9920 | 1 IFL DAY | *Call | N | | 12 |
| 2817 | | 9921 | 100 IFL DAYS | *Call | N | | 12 |
| 2817 | | 9922 | 1 ICF DAY | *Call | N | | 12 |
| 2817 | | 9923 | 100 ICF DAYS | *Call | N | | 12 |
| 2817 | | 9924 | 1 ZIIP DAY | *Call | N | | 12 |
| 2817 | | 9925 | 100 ZIIP DAYS | *Call | N | | 12 |
| 2817 | | 9926 | 1 ZAAP DAY | *Call | N | | 12 |
| 2817 | | 9927 | 100 ZAAP DAYS | *Call | N | | 12 |
| 2817 | | 9928 | 1 SAP DAY | *Call | N | | 12 |
| 2817 | | 9929 | 100 SAP DAYS | *Call | N | | 12 |
| 2817 | | 9968 | SITE TOOL KIT | *Call | N | | 12 |
| 2817 | | 9970 | WEIGHT DISTRIBUTION KIT | *Call | N | | 12 |
| 2817 | | 9975 | HEIGHT REDUCE SHIP | *Call | N | | 12 |
| 2818 | M05 | | ZENTERPRISE 114 | *Call | N | 3 | 12 |
| 2818 | M10 | | ZENTERPRISE 114 | *Call | N | 3 | 12 |
| 2818 | | 0001 | MTU 1 D | *Call | N | | 12 |
| 2818 | | 0002 | MTU 100 D | *Call | N | | 12 |
| 2818 | | 0003 | MTU 1 V | *Call | N | | 12 |
| 2818 | | 0004 | MTU 100 V | *Call | N | | 12 |
| 2818 | | 0005 | GTU 1 D | *Call | N | | 12 |
| 2818 | | 0006 | GTU 100 D | *Call | N | | 12 |
| 2818 | | 0007 | GTU 1 V | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 0008 | GTU 100 V | *Call | N | | 12 |
| 2818 | | 0009 | GTU 1000 D | *Call | N | | 12 |
| 2818 | | 0010 | GTU 1000 V | *Call | N | | 12 |
| 2818 | | 0039 | MANAGE FW ISAOPT | *Call | N | | 12 |
| 2818 | | 0040 | MANAGE FW DP | *Call | N | | 12 |
| 2818 | | 0041 | MANAGE FW PWR BLADE | *Call | N | | 12 |
| 2818 | | 0042 | MANAGE FW SYSTEM X BLADE | *Call | N | | 12 |
| 2818 | | 0045 | AUTOMATE FW PWR BLADE | *Call | N | | 12 |
| 2818 | | 0046 | ADV MGMT FW SYSTEM X BLADE | *Call | N | | 12 |
| 2818 | | 0052 | AUTOMATE FW IFL | *Call | N | | 12 |
| 2818 | | 0070 | ETHERNET SWITCH | *Call | N | | 12 |
| 2818 | | 0084 | HMC W/DUAL EN | *Call | N | | 12 |
| 2818 | | 0089 | SE EN SWITCH (FORMER HUB) | *Call | N | | 12 |
| 2818 | | 0091 | HMC W/DUAL EN | *Call | N | | 12 |
| 2818 | | 0113 | I/O CAGE ISC D AIRFLOW | *Call | N | | 12 |
| 2818 | | 0114 | I/O CAGE FULL CARD AIRFLOW | *Call | N | | 12 |
| 2818 | | 0116 | 1 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2818 | | 0117 | 100 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2818 | | 0118 | 10000 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2818 | | 0119 | 1 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2818 | | 0120 | 100 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2818 | | 0121 | 1 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2818 | | 0122 | 100 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2818 | | 0123 | 1 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2818 | | 0124 | 100 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2818 | | 0125 | 1 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2818 | | 0126 | 100 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2818 | | 0127 | 1 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2818 | | 0128 | 100 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2818 | | 0162 | HCA2 C FANOUT | *Call | N | | 12 |
| 2818 | | 0163 | HCA2 O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2818 | | 0165 | FANOUT AIRFLOW | *Call | N | | 12 |
| 2818 | | 0168 | HCA2 O LR FANOUT | *Call | N | | 12 |
| 2818 | | 0169 | PCIE FANOUT | *Call | N | | 12 |
| 2818 | | 0170 | HCA3 O LR FANOUT FOR 1X IFB | *Call | N | | 12 |
| 2818 | | 0171 | HCA3 O FANOUT FOR 12X IFB | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|---------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 0217 | ISC MOTHER CARD | *Call | N | | 12 |
| 2818 | | 0218 | ISC DAUGHTER CARD | *Call | N | | 12 |
| 2818 | | 0219 | ISC 3 LINK ON F/C 0218 | *Call | N | | 12 |
| 2818 | | 0326 | IFB MP DAUGHTER CARD | *Call | N | | 12 |
| 2818 | | 0327 | STI A8 MOTHER CARD | *Call | N | | 12 |
| 2818 | | 0400 | PCIE INTERCONNECT | *Call | N | | 12 |
| 2818 | | 0404 | OSA EXPRESS4S GBE LX | *Call | N | | 12 |
| 2818 | | 0405 | OSA EXPRESS4S GBE SX | *Call | N | | 12 |
| 2818 | | 0406 | OSA EXPRESS4S 10 GBE LR | *Call | N | | 12 |
| 2818 | | 0407 | OSA EXPRESS4S 10 GBE SR | *Call | N | | 12 |
| 2818 | | 0409 | FICON EXPRESS8S 10KM LX | *Call | N | | 12 |
| 2818 | | 0410 | FICON EXPRESS8S SX | *Call | N | | 12 |
| 2818 | | 0841 | TKE WORKSTATION | *Call | N | | 12 |
| 2818 | | 0864 | CRYPTO EXPRESS3 | *Call | N | | 12 |
| 2818 | | 0871 | CRYPTO EXPRESS3 1P | *Call | N | | 12 |
| 2818 | | 0884 | TKE ADDL SMART CARDS | *Call | N | | 12 |
| 2818 | | 0885 | TKE SMART CARD READER | *Call | N | | 12 |
| 2818 | | 0998 | UID LABEL FOR DOD | *Call | N | | 12 |
| 2818 | | 1021 | STP ENABLEMENT | *Call | N | | 12 |
| 2818 | | 1135 | MODEL M05 | *Call | N | | 12 |
| 2818 | | 1136 | MODEL M10 | *Call | N | | 12 |
| 2818 | | 1903 | 8 GB MEMORY CAPACITY INCR | *Call | N | | 12 |
| 2818 | | 1904 | 8 GB FTR CONVERTED MEMORY | *Call | N | | 12 |
| 2818 | | 1993 | PREPLANNED MEMORY | *Call | N | | 12 |
| 2818 | | 2323 | 16 PORT ESCON CARD | *Call | N | | 12 |
| 2818 | | 2324 | ESCON CHANNEL PORT | *Call | N | | 12 |
| 2818 | | 3004 | BPR PAIR AIR MODEL | *Call | N | | 12 |
| 2818 | | 3005 | BPD PAIR AIR MODEL | *Call | N | | 12 |
| 2818 | | 3074 | CP A | *Call | N | | 12 |
| 2818 | | 3075 | CP B | *Call | N | | 12 |
| 2818 | | 3076 | CP C | *Call | N | | 12 |
| 2818 | | 3077 | CP D | *Call | N | | 12 |
| 2818 | | 3078 | CP E | *Call | N | | 12 |
| 2818 | | 3079 | CP F | *Call | N | | 12 |
| 2818 | | 3080 | CP G | *Call | N | | 12 |
| 2818 | | 3081 | CP H | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2818 | | 3082 | CP I | *Call | N | | 12 |
| 2818 | | 3083 | CP J | *Call | N | | 12 |
| 2818 | | 3084 | CP K | *Call | N | | 12 |
| 2818 | | 3085 | CP L | *Call | N | | 12 |
| 2818 | | 3086 | CP M | *Call | N | | 12 |
| 2818 | | 3087 | CP N | *Call | N | | 12 |
| 2818 | | 3088 | CP O | *Call | N | | 12 |
| 2818 | | 3089 | CP P | *Call | N | | 12 |
| 2818 | | 3090 | CP Q | *Call | N | | 12 |
| 2818 | | 3091 | CP R | *Call | N | | 12 |
| 2818 | | 3092 | CP S | *Call | N | | 12 |
| 2818 | | 3093 | CP T | *Call | N | | 12 |
| 2818 | | 3094 | CP U | *Call | N | | 12 |
| 2818 | | 3095 | CP V | *Call | N | | 12 |
| 2818 | | 3096 | CP W | *Call | N | | 12 |
| 2818 | | 3097 | CP X | *Call | N | | 12 |
| 2818 | | 3098 | CP Y | *Call | N | | 12 |
| 2818 | | 3099 | CP Z | *Call | N | | 12 |
| 2818 | | 3212 | INTERNAL BATTERY IBF E | *Call | N | | 12 |
| 2818 | | 3318 | FICON EXPRESS4 2C SX | *Call | N | | 12 |
| 2818 | | 3321 | FICON EXPRESS4 10KM LX | *Call | N | | 12 |
| 2818 | | 3322 | FICON EXPRESS4 SX | *Call | N | | 12 |
| 2818 | | 3323 | FICON EXPRESS4 2C 4KM LX | *Call | N | | 12 |
| 2818 | | 3324 | FICON EXPRESS4 4KM LX | *Call | N | | 12 |
| 2818 | | 3325 | FICON EXPRESS8 10KM LX | *Call | N | | 12 |
| 2818 | | 3326 | FICON EXPRESS8 SX | *Call | N | | 12 |
| 2818 | | 3362 | OSA EXPRESS3 GBE LX | *Call | N | | 12 |
| 2818 | | 3363 | OSA EXPRESS3 GBE SX | *Call | N | | 12 |
| 2818 | | 3364 | OSA EXPRESS2 GBE LX | *Call | N | | 12 |
| 2818 | | 3365 | OSA EXPRESS2 GBE SX | *Call | N | | 12 |
| 2818 | | 3366 | OSA EXPRESS2 1000BASET EN | *Call | N | | 12 |
| 2818 | | 3367 | OSA EXPRESS3 1000BASET EN | *Call | N | | 12 |
| 2818 | | 3369 | OSA EXPRESS3 2P 1000BASET EN | *Call | N | | 12 |
| 2818 | | 3370 | OSA EXPRESS3 10 GBE LR | *Call | N | | 12 |
| 2818 | | 3371 | OSA EXPRESS3 10 GBE SR | *Call | N | | 12 |
| 2818 | | 3373 | OSA EXPRESS3 2P GBE SX | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2818 | | 3394 | IFL | *Call | N | | 12 |
| 2818 | | 3395 | ICF | *Call | N | | 12 |
| 2818 | | 3396 | SAP OPTIONAL | *Call | N | | 12 |
| 2818 | | 3397 | ZAAP | *Call | N | | 12 |
| 2818 | | 3398 | ZIIP | *Call | N | | 12 |
| 2818 | | 3399 | UNASSIGNED IFL | *Call | N | | 12 |
| 2818 | | 3400 | 0 WAY PROCESSOR A00 | *Call | N | | 12 |
| 2818 | | 3401 | 1 WAY PROCESSOR A01 | *Call | N | | 12 |
| 2818 | | 3402 | 1 WAY PROCESSOR B01 | *Call | N | | 12 |
| 2818 | | 3403 | 1 WAY PROCESSOR C01 | *Call | N | | 12 |
| 2818 | | 3404 | 1 WAY PROCESSOR D01 | *Call | N | | 12 |
| 2818 | | 3405 | 1 WAY PROCESSOR E01 | *Call | N | | 12 |
| 2818 | | 3406 | 1 WAY PROCESSOR F01 | *Call | N | | 12 |
| 2818 | | 3407 | 1 WAY PROCESSOR G01 | *Call | N | | 12 |
| 2818 | | 3408 | 1 WAY PROCESSOR H01 | *Call | N | | 12 |
| 2818 | | 3409 | 1 WAY PROCESSOR I01 | *Call | N | | 12 |
| 2818 | | 3410 | 1 WAY PROCESSOR J01 | *Call | N | | 12 |
| 2818 | | 3411 | 1 WAY PROCESSOR K01 | *Call | N | | 12 |
| 2818 | | 3412 | 1 WAY PROCESSOR L01 | *Call | N | | 12 |
| 2818 | | 3413 | 1 WAY PROCESSOR M01 | *Call | N | | 12 |
| 2818 | | 3414 | 1 WAY PROCESSOR N01 | *Call | N | | 12 |
| 2818 | | 3415 | 1 WAY PROCESSOR O01 | *Call | N | | 12 |
| 2818 | | 3416 | 1 WAY PROCESSOR P01 | *Call | N | | 12 |
| 2818 | | 3417 | 1 WAY PROCESSOR Q01 | *Call | N | | 12 |
| 2818 | | 3418 | 1 WAY PROCESSOR R01 | *Call | N | | 12 |
| 2818 | | 3419 | 1 WAY PROCESSOR S01 | *Call | N | | 12 |
| 2818 | | 3420 | 1 WAY PROCESSOR T01 | *Call | N | | 12 |
| 2818 | | 3421 | 1 WAY PROCESSOR U01 | *Call | N | | 12 |
| 2818 | | 3422 | 1 WAY PROCESSOR V01 | *Call | N | | 12 |
| 2818 | | 3423 | 1 WAY PROCESSOR W01 | *Call | N | | 12 |
| 2818 | | 3424 | 1 WAY PROCESSOR X01 | *Call | N | | 12 |
| 2818 | | 3425 | 1 WAY PROCESSOR Y01 | *Call | N | | 12 |
| 2818 | | 3426 | 1 WAY PROCESSOR Z01 | *Call | N | | 12 |
| 2818 | | 3429 | 2 WAY PROCESSOR A02 | *Call | N | | 12 |
| 2818 | | 3430 | 2 WAY PROCESSOR B02 | *Call | N | | 12 |
| 2818 | | 3431 | 2 WAY PROCESSOR C02 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|---------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 3432 | 2 WAY PROCESSOR D02 | *Call | N | | 12 |
| 2818 | | 3433 | 2 WAY PROCESSOR E02 | *Call | N | | 12 |
| 2818 | | 3434 | 2 WAY PROCESSOR F02 | *Call | N | | 12 |
| 2818 | | 3435 | 2 WAY PROCESSOR G02 | *Call | N | | 12 |
| 2818 | | 3436 | 2 WAY PROCESSOR H02 | *Call | N | | 12 |
| 2818 | | 3437 | 2 WAY PROCESSOR I02 | *Call | N | | 12 |
| 2818 | | 3438 | 2 WAY PROCESSOR J02 | *Call | N | | 12 |
| 2818 | | 3439 | 2 WAY PROCESSOR K02 | *Call | N | | 12 |
| 2818 | | 3440 | 2 WAY PROCESSOR L02 | *Call | N | | 12 |
| 2818 | | 3441 | 2 WAY PROCESSOR M02 | *Call | N | | 12 |
| 2818 | | 3442 | 2 WAY PROCESSOR N02 | *Call | N | | 12 |
| 2818 | | 3443 | 2 WAY PROCESSOR O02 | *Call | N | | 12 |
| 2818 | | 3444 | 2 WAY PROCESSOR P02 | *Call | N | | 12 |
| 2818 | | 3445 | 2 WAY PROCESSOR Q02 | *Call | N | | 12 |
| 2818 | | 3446 | 2 WAY PROCESSOR R02 | *Call | N | | 12 |
| 2818 | | 3447 | 2 WAY PROCESSOR S02 | *Call | N | | 12 |
| 2818 | | 3448 | 2 WAY PROCESSOR T02 | *Call | N | | 12 |
| 2818 | | 3449 | 2 WAY PROCESSOR U02 | *Call | N | | 12 |
| 2818 | | 3450 | 2 WAY PROCESSOR V02 | *Call | N | | 12 |
| 2818 | | 3451 | 2 WAY PROCESSOR W02 | *Call | N | | 12 |
| 2818 | | 3452 | 2 WAY PROCESSOR X02 | *Call | N | | 12 |
| 2818 | | 3453 | 2 WAY PROCESSOR Y02 | *Call | N | | 12 |
| 2818 | | 3454 | 2 WAY PROCESSOR Z02 | *Call | N | | 12 |
| 2818 | | 3457 | 3 WAY PROCESSOR A03 | *Call | N | | 12 |
| 2818 | | 3458 | 3 WAY PROCESSOR B03 | *Call | N | | 12 |
| 2818 | | 3459 | 3 WAY PROCESSOR C03 | *Call | N | | 12 |
| 2818 | | 3460 | 3 WAY PROCESSOR D03 | *Call | N | | 12 |
| 2818 | | 3461 | 3 WAY PROCESSOR E03 | *Call | N | | 12 |
| 2818 | | 3462 | 3 WAY PROCESSOR F03 | *Call | N | | 12 |
| 2818 | | 3463 | 3 WAY PROCESSOR G03 | *Call | N | | 12 |
| 2818 | | 3464 | 3 WAY PROCESSOR H03 | *Call | N | | 12 |
| 2818 | | 3465 | 3 WAY PROCESSOR I03 | *Call | N | | 12 |
| 2818 | | 3466 | 3 WAY PROCESSOR J03 | *Call | N | | 12 |
| 2818 | | 3467 | 3 WAY PROCESSOR K03 | *Call | N | | 12 |
| 2818 | | 3468 | 3 WAY PROCESSOR L03 | *Call | N | | 12 |
| 2818 | | 3469 | 3 WAY PROCESSOR M03 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|---------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 3470 | 3 WAY PROCESSOR N03 | *Call | N | | 12 |
| 2818 | | 3471 | 3 WAY PROCESSOR O03 | *Call | N | | 12 |
| 2818 | | 3472 | 3 WAY PROCESSOR P03 | *Call | N | | 12 |
| 2818 | | 3473 | 3 WAY PROCESSOR Q03 | *Call | N | | 12 |
| 2818 | | 3474 | 3 WAY PROCESSOR R03 | *Call | N | | 12 |
| 2818 | | 3475 | 3 WAY PROCESSOR S03 | *Call | N | | 12 |
| 2818 | | 3476 | 3 WAY PROCESSOR T03 | *Call | N | | 12 |
| 2818 | | 3477 | 3 WAY PROCESSOR U03 | *Call | N | | 12 |
| 2818 | | 3478 | 3 WAY PROCESSOR V03 | *Call | N | | 12 |
| 2818 | | 3479 | 3 WAY PROCESSOR W03 | *Call | N | | 12 |
| 2818 | | 3480 | 3 WAY PROCESSOR X03 | *Call | N | | 12 |
| 2818 | | 3481 | 3 WAY PROCESSOR Y03 | *Call | N | | 12 |
| 2818 | | 3482 | 3 WAY PROCESSOR Z03 | *Call | N | | 12 |
| 2818 | | 3485 | 4 WAY PROCESSOR A04 | *Call | N | | 12 |
| 2818 | | 3486 | 4 WAY PROCESSOR B04 | *Call | N | | 12 |
| 2818 | | 3487 | 4 WAY PROCESSOR C04 | *Call | N | | 12 |
| 2818 | | 3488 | 4 WAY PROCESSOR D04 | *Call | N | | 12 |
| 2818 | | 3489 | 4 WAY PROCESSOR E04 | *Call | N | | 12 |
| 2818 | | 3490 | 4 WAY PROCESSOR F04 | *Call | N | | 12 |
| 2818 | | 3491 | 4 WAY PROCESSOR G04 | *Call | N | | 12 |
| 2818 | | 3492 | 4 WAY PROCESSOR H04 | *Call | N | | 12 |
| 2818 | | 3493 | 4 WAY PROCESSOR I04 | *Call | N | | 12 |
| 2818 | | 3494 | 4 WAY PROCESSOR J04 | *Call | N | | 12 |
| 2818 | | 3495 | 4 WAY PROCESSOR K04 | *Call | N | | 12 |
| 2818 | | 3496 | 4 WAY PROCESSOR L04 | *Call | N | | 12 |
| 2818 | | 3497 | 4 WAY PROCESSOR M04 | *Call | N | | 12 |
| 2818 | | 3498 | 4 WAY PROCESSOR N04 | *Call | N | | 12 |
| 2818 | | 3499 | 4 WAY PROCESSOR O04 | *Call | N | | 12 |
| 2818 | | 3500 | 4 WAY PROCESSOR P04 | *Call | N | | 12 |
| 2818 | | 3501 | 4 WAY PROCESSOR Q04 | *Call | N | | 12 |
| 2818 | | 3502 | 4 WAY PROCESSOR R04 | *Call | N | | 12 |
| 2818 | | 3503 | 4 WAY PROCESSOR S04 | *Call | N | | 12 |
| 2818 | | 3504 | 4 WAY PROCESSOR T04 | *Call | N | | 12 |
| 2818 | | 3505 | 4 WAY PROCESSOR U04 | *Call | N | | 12 |
| 2818 | | 3506 | 4 WAY PROCESSOR V04 | *Call | N | | 12 |
| 2818 | | 3507 | 4 WAY PROCESSOR W04 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 3508 | 4 WAY PROCESSOR X04 | *Call | N | | 12 |
| 2818 | | 3509 | 4 WAY PROCESSOR Y04 | *Call | N | | 12 |
| 2818 | | 3510 | 4 WAY PROCESSOR Z04 | *Call | N | | 12 |
| 2818 | | 3513 | 5 WAY PROCESSOR A05 | *Call | N | | 12 |
| 2818 | | 3514 | 5 WAY PROCESSOR B05 | *Call | N | | 12 |
| 2818 | | 3515 | 5 WAY PROCESSOR C05 | *Call | N | | 12 |
| 2818 | | 3516 | 5 WAY PROCESSOR D05 | *Call | N | | 12 |
| 2818 | | 3517 | 5 WAY PROCESSOR E05 | *Call | N | | 12 |
| 2818 | | 3518 | 5 WAY PROCESSOR F05 | *Call | N | | 12 |
| 2818 | | 3519 | 5 WAY PROCESSOR G05 | *Call | N | | 12 |
| 2818 | | 3520 | 5 WAY PROCESSOR H05 | *Call | N | | 12 |
| 2818 | | 3521 | 5 WAY PROCESSOR I05 | *Call | N | | 12 |
| 2818 | | 3522 | 5 WAY PROCESSOR J05 | *Call | N | | 12 |
| 2818 | | 3523 | 5 WAY PROCESSOR K05 | *Call | N | | 12 |
| 2818 | | 3524 | 5 WAY PROCESSOR L05 | *Call | N | | 12 |
| 2818 | | 3525 | 5 WAY PROCESSOR M05 | *Call | N | | 12 |
| 2818 | | 3526 | 5 WAY PROCESSOR N05 | *Call | N | | 12 |
| 2818 | | 3527 | 5 WAY PROCESSOR O05 | *Call | N | | 12 |
| 2818 | | 3528 | 5 WAY PROCESSOR P05 | *Call | N | | 12 |
| 2818 | | 3529 | 5 WAY PROCESSOR Q05 | *Call | N | | 12 |
| 2818 | | 3530 | 5 WAY PROCESSOR R05 | *Call | N | | 12 |
| 2818 | | 3531 | 5 WAY PROCESSOR S05 | *Call | N | | 12 |
| 2818 | | 3532 | 5 WAY PROCESSOR T05 | *Call | N | | 12 |
| 2818 | | 3533 | 5 WAY PROCESSOR U05 | *Call | N | | 12 |
| 2818 | | 3534 | 5 WAY PROCESSOR V05 | *Call | N | | 12 |
| 2818 | | 3535 | 5 WAY PROCESSOR W05 | *Call | N | | 12 |
| 2818 | | 3536 | 5 WAY PROCESSOR X05 | *Call | N | | 12 |
| 2818 | | 3537 | 5 WAY PROCESSOR Y05 | *Call | N | | 12 |
| 2818 | | 3538 | 5 WAY PROCESSOR Z05 | *Call | N | | 12 |
| 2818 | | 3759 | UNIVERSAL LIFT TOOL/LADDER | *Call | N | | 12 |
| 2818 | | 4000 | I/O DRAWER | *Call | N | | 12 |
| 2818 | | 4003 | PCIE I/O DRAWER A | *Call | N | | 12 |
| 2818 | | 4049 | A00 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4050 | A01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4051 | B01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4052 | C01 CAPACITY MARKER | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 4053 | D01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4054 | E01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4055 | F01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4056 | G01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4057 | H01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4058 | I01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4059 | J01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4060 | K01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4061 | L01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4062 | M01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4063 | N01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4064 | O01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4065 | P01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4066 | Q01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4067 | R01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4068 | S01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4069 | T01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4070 | U01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4071 | V01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4072 | W01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4073 | X01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4074 | Y01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4075 | Z01 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4078 | A02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4079 | B02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4080 | C02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4081 | D02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4082 | E02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4083 | F02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4084 | G02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4085 | H02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4086 | I02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4087 | J02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4088 | K02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4089 | L02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4090 | M02 CAPACITY MARKER | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 4091 | N02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4092 | O02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4093 | P02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4094 | Q02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4095 | R02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4096 | S02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4097 | T02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4098 | U02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4099 | V02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4100 | W02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4101 | X02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4102 | Y02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4103 | Z02 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4106 | A03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4107 | B03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4108 | C03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4109 | D03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4110 | E03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4111 | F03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4112 | G03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4113 | H03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4114 | I03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4115 | J03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4116 | K03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4117 | L03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4118 | M03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4119 | N03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4120 | O03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4121 | P03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4122 | Q03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4123 | R03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4124 | S03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4125 | T03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4126 | U03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4127 | V03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4128 | W03 CAPACITY MARKER | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 4129 | X03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4130 | Y03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4131 | Z03 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4134 | A04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4135 | B04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4136 | C04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4137 | D04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4138 | E04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4139 | F04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4140 | G04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4141 | H04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4142 | I04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4143 | J04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4144 | K04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4145 | L04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4146 | M04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4147 | N04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4148 | O04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4149 | P04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4150 | Q04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4151 | R04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4152 | S04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4153 | T04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4154 | U04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4155 | V04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4156 | W04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4157 | X04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4158 | Y04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4159 | Z04 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4162 | A05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4163 | B05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4164 | C05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4165 | D05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4166 | E05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4167 | F05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4168 | G05 CAPACITY MARKER | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|---------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2818 | | 4169 | H05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4170 | I05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4171 | J05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4172 | K05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4173 | L05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4174 | M05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4175 | N05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4176 | O05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4177 | P05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4178 | Q05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4179 | R05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4180 | S05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4181 | T05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4182 | U05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4183 | V05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4184 | W05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4185 | X05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4186 | Y05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 4187 | Z05 CAPACITY MARKER | *Call | N | | 12 |
| 2818 | | 6094 | 17 INCH PANEL DISPLAY | *Call | N | | 12 |
| 2818 | | 6095 | 21 INCH PANEL DISPLAY | *Call | N | | 12 |
| 2818 | | 6096 | FLAT PANEL DISPLAY | *Call | N | | 12 |
| 2818 | | 6501 | POWER SEQUENCE CONTROLLER | *Call | N | | 12 |
| 2818 | | 6805 | ADDITIONAL CBU TEST | *Call | N | | 12 |
| 2818 | | 6818 | CBU RECORDS ORDERED | *Call | N | | 12 |
| 2818 | | 6820 | SINGLE CBU CP YEAR | *Call | N | | 12 |
| 2818 | | 6821 | 25 CBU CP YEAR | *Call | N | | 12 |
| 2818 | | 6822 | SINGLE CBU IFL YEAR | *Call | N | | 12 |
| 2818 | | 6823 | 25 CBU IFL YEAR | *Call | N | | 12 |
| 2818 | | 6824 | SINGLE CBU ICF YEAR | *Call | N | | 12 |
| 2818 | | 6825 | 25 CBU ICF YEAR | *Call | N | | 12 |
| 2818 | | 6826 | SINGLE CBU ZAAP YEAR | *Call | N | | 12 |
| 2818 | | 6827 | 25 CBU ZAAP YEAR | *Call | N | | 12 |
| 2818 | | 6828 | SINGLE CBU ZIIP YEAR | *Call | N | | 12 |
| 2818 | | 6829 | 25 CBU ZIIP YEAR | *Call | N | | 12 |
| 2818 | | 6830 | SINGLE CBU SAP YEAR | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2818 | | 6831 | 25 CBU SAP YEAR | *Call | N | | 12 |
| 2818 | | 7830 | MT RJ 8.5 FT HARNESS | *Call | N | | 12 |
| 2818 | | 7832 | EQC BRACKET AND MOUNTING HDW | *Call | N | | 12 |
| 2818 | | 7833 | MT RJ 3.5 FT HARNESS | *Call | N | | 12 |
| 2818 | | 7834 | MT RJ 5 FT HARNESS | *Call | N | | 12 |
| 2818 | | 7835 | MT RJ 6 FT HARNESS | *Call | N | | 12 |
| 2818 | | 7836 | LC DUP 6.6 FT HARNESS | *Call | N | | 12 |
| 2818 | | 7837 | LC DUP 8.5FT HARNESS | *Call | N | | 12 |
| 2818 | | 7920 | TOP EXIT CABLING | *Call | N | | 12 |
| 2818 | | 7921 | SIDE COVERS | *Call | N | | 12 |
| 2818 | | 7998 | NON RAISED FLOOR SUPPORT | *Call | N | | 12 |
| 2818 | | 8012 | 3N1 BOLT DOWN KIT | *Call | N | | 12 |
| 2818 | | 8013 | BOLT DOWN KIT NON RAISED F | *Call | N | | 12 |
| 2818 | | 8964 | 14FT 380 520V DC CUT CORD | *Call | N | | 12 |
| 2818 | | 8966 | 14FT 380 520V DC LINE CORD | *Call | N | | 12 |
| 2818 | | 8969 | 6FT 480V 3PH CORD TOP EXIT | *Call | N | | 12 |
| 2818 | | 8970 | 14FT HILOV 3PH CUT TOP EXIT | *Call | N | | 12 |
| 2818 | | 8971 | 6FT 200V 1PH CORD TOP EXIT | *Call | N | | 12 |
| 2818 | | 8972 | 14FT HILOV 1PH CUT TOP EXIT | *Call | N | | 12 |
| 2818 | | 8973 | 6FT 380 520VDC TOP EXIT | *Call | N | | 12 |
| 2818 | | 8974 | 14FT 380 520V DC CUT TOP EX | *Call | N | | 12 |
| 2818 | | 8975 | 6FT 200V 3PH CORD TOP EXIT | *Call | N | | 12 |
| 2818 | | 8983 | 14FT 480V 30A 3PH CORD | *Call | N | | 12 |
| 2818 | | 8984 | 6FT 480V 30A 3PH CORD | *Call | N | | 12 |
| 2818 | | 8986 | 6FT 200V 30A 3PH CORD | *Call | N | | 12 |
| 2818 | | 8987 | 14FT 200V 30A 3 PH CORD | *Call | N | | 12 |
| 2818 | | 8988 | 14FT HI/LOV 3 PH CUT CORD | *Call | N | | 12 |
| 2818 | | 8989 | 6FT 200V 30A 1PH CORD | *Call | N | | 12 |
| 2818 | | 8990 | 14FT 200V 30A 1 PH LINE CORD | *Call | N | | 12 |
| 2818 | | 8991 | 14FT HILLOV 1 PH CUT CORD | *Call | N | | 12 |
| 2818 | | 8998 | 14FT HIV 3PH CUT LINE LSZH | *Call | N | | 12 |
| 2818 | | 8999 | 14FT HIV 1 PH CUT LSZH | *Call | N | | 12 |
| 2818 | | 9888 | ON/OFF COD ACT IFL DAY | *Call | N | | 12 |
| 2818 | | 9889 | ON/OFF COD ACT ICF DAY | *Call | N | | 12 |
| 2818 | | 9893 | ON/OFF COD ACT ZAAP DAY | *Call | N | | 12 |
| 2818 | | 9897 | ON/OFF COD ACT CAP CP DAY | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------|----------------|----------------|----------------|-------------------|
| 2818 | | 9908 | ON/OFF COD ACT ZIIP DAY | *Call | N | | 12 |
| 2818 | | 9909 | ON/OFF COD ACT SAP DAY | *Call | N | | 12 |
| 2818 | | 9917 | 1 MSU DAY | *Call | N | | 12 |
| 2818 | | 9918 | 100 MSU DAYS | *Call | N | | 12 |
| 2818 | | 9919 | 10000 MSU DAYS | *Call | N | | 12 |
| 2818 | | 9920 | 1 IFL DAY | *Call | N | | 12 |
| 2818 | | 9921 | 100 IFL DAYS | *Call | N | | 12 |
| 2818 | | 9922 | 1 ICF DAY | *Call | N | | 12 |
| 2818 | | 9923 | 100 ICF DAYS | *Call | N | | 12 |
| 2818 | | 9924 | 1 ZIIP DAY | *Call | N | | 12 |
| 2818 | | 9925 | 100 ZIIP DAYS | *Call | N | | 12 |
| 2818 | | 9926 | 1 ZAAP DAY | *Call | N | | 12 |
| 2818 | | 9927 | 100 ZAAP DAYS | *Call | N | | 12 |
| 2818 | | 9928 | 1 SAP DAY | *Call | N | | 12 |
| 2818 | | 9929 | 100 SAP DAYS | *Call | N | | 12 |
| 2818 | | 9975 | HEIGHT REDUCE SHIP | *Call | N | | 12 |
| 2827 | H20 | | ZENTERPRISE EC12 | *Call | N | 3 | 12 |
| 2827 | H43 | | ZENTERPRISE EC12 | *Call | N | 3 | 12 |
| 2827 | H66 | | ZENTERPRISE EC12 | *Call | N | 3 | 12 |
| 2827 | H89 | | ZENTERPRISE EC12 | *Call | N | 3 | 12 |
| 2827 | HA1 | | ZENTERPRISE EC12 | *Call | N | 3 | 12 |
| 2827 | | 0001 | MTU 1 D | *Call | N | | 12 |
| 2827 | | 0002 | MTU 100 D | *Call | N | | 12 |
| 2827 | | 0003 | MTU 1 V | *Call | N | | 12 |
| 2827 | | 0004 | MTU 100 V | *Call | N | | 12 |
| 2827 | | 0005 | GTU 1 D | *Call | N | | 12 |
| 2827 | | 0006 | GTU 100 D | *Call | N | | 12 |
| 2827 | | 0007 | GTU 1 V | *Call | N | | 12 |
| 2827 | | 0008 | GTU 100 V | *Call | N | | 12 |
| 2827 | | 0009 | GTU 1000 D | *Call | N | | 12 |
| 2827 | | 0010 | GTU 1000 V | *Call | N | | 12 |
| 2827 | | 0025 | ENSEMBLE MEMBERSHIP | *Call | N | | 12 |
| 2827 | | 0047 | MANAGE FW DP | *Call | N | | 12 |
| 2827 | | 0048 | MANAGE FW PWR BLADE | *Call | N | | 12 |
| 2827 | | 0049 | MANAGE FW IBM SYSTEM X BL | *Call | N | | 12 |
| 2827 | | 0051 | AUTOMATE FW PWR BLADE | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2827 | | 0053 | ADV MGMT FW SYSTEM X BLADE | *Call | N | | 12 |
| 2827 | | 0054 | AUTOMATE FW IFL | *Call | N | | 12 |
| 2827 | | 0071 | AUTOMATE FW SYSTEM X BL | *Call | N | | 12 |
| 2827 | | 0091 | HMC | *Call | N | | 12 |
| 2827 | | 0092 | HMC | *Call | N | | 12 |
| 2827 | | 0101 | ZAWARE CP 10 PACK | *Call | N | | 12 |
| 2827 | | 0113 | I O CAGE ISC D AIRFLOW | *Call | N | | 12 |
| 2827 | | 0114 | I O CAGE FULL CARD AIRFLOW | *Call | N | | 12 |
| 2827 | | 0116 | 1 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2827 | | 0117 | 100 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2827 | | 0118 | 10000 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2827 | | 0119 | 1 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2827 | | 0120 | 100 CPE CAPACITY UNIT IFL | *Call | N | | 12 |
| 2827 | | 0121 | 1 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2827 | | 0122 | 100 CPE CAPACITY UNIT ICF | *Call | N | | 12 |
| 2827 | | 0123 | 1 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2827 | | 0124 | 100 CPE CAPACITY UNIT ZAAP | *Call | N | | 12 |
| 2827 | | 0125 | 1 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2827 | | 0126 | 100 CPE CAPACITY UNIT ZIIP | *Call | N | | 12 |
| 2827 | | 0127 | 1 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2827 | | 0128 | 100 CPE CAPACITY UNIT SAP | *Call | N | | 12 |
| 2827 | | 0147 | CPC RADIATOR | *Call | N | | 12 |
| 2827 | | 0149 | CPC WATER | *Call | N | | 12 |
| 2827 | | 0162 | HCA2 C FANOUT | *Call | N | | 12 |
| 2827 | | 0163 | HCA2 O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2827 | | 0165 | FANOUT AIRFLOW | *Call | N | | 12 |
| 2827 | | 0168 | HCA2 O LR FANOUT FOR 1X IFB | *Call | N | | 12 |
| 2827 | | 0169 | PCIE FANOUT | *Call | N | | 12 |
| 2827 | | 0170 | HCA3 O LR FANOUT FOR 1X IFB | *Call | N | | 12 |
| 2827 | | 0171 | HCA3 O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2827 | | 0217 | ISC MOTHER CARD | *Call | N | | 12 |
| 2827 | | 0218 | ISC DAUGHTER CARD | *Call | N | | 12 |
| 2827 | | 0219 | ISC 3 LINK ON F C 0218 | *Call | N | | 12 |
| 2827 | | 0326 | IFB MP DAUGHTER CARD | *Call | N | | 12 |
| 2827 | | 0327 | STI A8 MOTHER CARD | *Call | N | | 12 |
| 2827 | | 0328 | STI A4 MOTHER CARD | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2827 | | 0400 | PCIE INTERCONNECT CARD | *Call | N | | 12 |
| 2827 | | 0402 | FLASHEXP ZOS EST AVAIL 12 12 | *Call | N | | 12 |
| 2827 | | 0404 | OSA EXPRESS4S 1 GBE LX | *Call | N | | 12 |
| 2827 | | 0405 | OSA EXPRESS4S 1 GBE SX | *Call | N | | 12 |
| 2827 | | 0406 | OSA EXPRESS4S 10 GBE LR | *Call | N | | 12 |
| 2827 | | 0407 | OSA EXPRESS4S 10 GBE SR | *Call | N | | 12 |
| 2827 | | 0408 | OSA EXPRESS4S 1000BASE T | *Call | N | | 12 |
| 2827 | | 0409 | FICON EXPRESS8S 10KM LX | *Call | N | | 12 |
| 2827 | | 0410 | FICON EXPRESS8S SX | *Call | N | | 12 |
| 2827 | | 0411 | 10GBE ROCE EXPRESS | *Call | N | | 12 |
| 2827 | | 0413 | OSA EXPRESS5S GBE LX | *Call | N | | 12 |
| 2827 | | 0414 | OSA EXPRESS5S GBE SX | *Call | N | | 12 |
| 2827 | | 0415 | OSA EXPRESS5S 10 GBE LR | *Call | N | | 12 |
| 2827 | | 0416 | OSA EXPRESS5S 10 GBE SR | *Call | N | | 12 |
| 2827 | | 0417 | OSA EXPRESS5S 1000BASE T | *Call | N | | 12 |
| 2827 | | 0420 | ZEDC EXPRESS | *Call | N | | 12 |
| 2827 | | 0841 | TKE WORKSTATION | *Call | N | | 12 |
| 2827 | | 0842 | TKE WORKSTATION | *Call | N | | 12 |
| 2827 | | 0864 | CRYPTO EXPRESS3 | *Call | N | | 12 |
| 2827 | | 0865 | CRYPTO EXPRESS4S | *Call | N | | 12 |
| 2827 | | 0884 | ADDL SMART CARDS | *Call | N | | 12 |
| 2827 | | 0885 | TKE SMART CARD READER | *Call | N | | 12 |
| 2827 | | 0998 | UID LABEL FOR DOD | *Call | N | | 12 |
| 2827 | | 1021 | STP ENABLEMENT | *Call | N | | 12 |
| 2827 | | 1095 | MODEL H20 AIR COOLED | *Call | N | | 12 |
| 2827 | | 1096 | MODEL H43 AIR COOLED | *Call | N | | 12 |
| 2827 | | 1097 | MODEL H66 AIR COOLED | *Call | N | | 12 |
| 2827 | | 1098 | MODEL H89 AIR COOLED | *Call | N | | 12 |
| 2827 | | 1099 | MODEL H20 WATER COOLED | *Call | N | | 12 |
| 2827 | | 1100 | MODEL H43 WATER COOLED | *Call | N | | 12 |
| 2827 | | 1101 | MODEL H66 WATER COOLED | *Call | N | | 12 |
| 2827 | | 1102 | MODEL H89 WATER COOLED | *Call | N | | 12 |
| 2827 | | 1106 | MODEL HA1 AIR COOLED | *Call | N | | 12 |
| 2827 | | 1145 | MODEL HA1 WATER COOLED | *Call | N | | 12 |
| 2827 | | 1897 | 32GB FTR CONVERTED MEMORY | *Call | N | | 12 |
| 2827 | | 1898 | 32GB MEMORY CAPACITY INCR | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------|----------------|----------------|----------------|-------------------|
| 2827 | | 1899 | 16GB MEMORY CAPACITY INCR | *Call | N | | 12 |
| 2827 | | 1900 | 16GB FTR CONVERTED MEMORY | *Call | N | | 12 |
| 2827 | | 1909 | IFL | *Call | N | | 12 |
| 2827 | | 1910 | ICF | *Call | N | | 12 |
| 2827 | | 1911 | SAP OPTIONAL | *Call | N | | 12 |
| 2827 | | 1912 | ZAAP | *Call | N | | 12 |
| 2827 | | 1913 | ZIIP | *Call | N | | 12 |
| 2827 | | 1914 | UNASSIGNED IFL | *Call | N | | 12 |
| 2827 | | 1990 | 32GB PREPLANNED MEMORY | *Call | N | | 12 |
| 2827 | | 1996 | 16GB PREPLANNED MEMORY | *Call | N | | 12 |
| 2827 | | 3008 | BPD PAIR | *Call | N | | 12 |
| 2827 | | 3009 | BPR PAIR | *Call | N | | 12 |
| 2827 | | 3213 | INTERNAL BATTERY IBF ED | *Call | N | | 12 |
| 2827 | | 3321 | FICON EXPRESS4 10KM LX | *Call | N | | 12 |
| 2827 | | 3322 | FICON EXPRESS4 SX | *Call | N | | 12 |
| 2827 | | 3325 | FICON EXPRESS8 10KM LX | *Call | N | | 12 |
| 2827 | | 3326 | FICON EXPRESS8 SX | *Call | N | | 12 |
| 2827 | | 3362 | OSA EXPRESS3 GBE LX | *Call | N | | 12 |
| 2827 | | 3363 | OSA EXPRESS3 GBE SX | *Call | N | | 12 |
| 2827 | | 3367 | OSA EXPRESS3 1000BASET EN | *Call | N | | 12 |
| 2827 | | 3370 | OSA EXPRESS3 10 GBE LR | *Call | N | | 12 |
| 2827 | | 3371 | OSA EXPRESS3 10 GBE SR | *Call | N | | 12 |
| 2827 | | 3378 | FILL AND DRAIN KIT | *Call | N | | 12 |
| 2827 | | 3759 | UNIVERSAL LIFT TOOL LADDER | *Call | N | | 12 |
| 2827 | | 4007 | I O CAGE | *Call | N | | 12 |
| 2827 | | 4008 | I O DRAWER | *Call | N | | 12 |
| 2827 | | 4009 | PCIE I O DRAWER | *Call | N | | 12 |
| 2827 | | 4022 | A FR WATER MULTI NODE | *Call | N | | 12 |
| 2827 | | 4024 | A FR RADIATOR MULTI NODE | *Call | N | | 12 |
| 2827 | | 4025 | A FR WATER SINGLE NODE | *Call | N | | 12 |
| 2827 | | 4026 | A FR RADIATOR SINGLE NODE | *Call | N | | 12 |
| 2827 | | 6096 | FLAT PANEL DISPLAY | *Call | N | | 12 |
| 2827 | | 6805 | ADDITIONAL CBU TEST | *Call | N | | 12 |
| 2827 | | 6818 | CBU RECORDS ORDERED | *Call | N | | 12 |
| 2827 | | 6820 | SINGLE CBU CP YEAR | *Call | N | | 12 |
| 2827 | | 6821 | 25 CBU CP YEAR | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------|----------------|----------------|----------------|-------------------|
| 2827 | | 6822 | SINGLE CBU IFL YEAR | *Call | N | | 12 |
| 2827 | | 6823 | 25 CBU IFL YEAR | *Call | N | | 12 |
| 2827 | | 6824 | SINGLE CBU ICF YEAR | *Call | N | | 12 |
| 2827 | | 6825 | 25 CBU ICF YEAR | *Call | N | | 12 |
| 2827 | | 6826 | SINGLE CBU ZAAP YEAR | *Call | N | | 12 |
| 2827 | | 6827 | 25 CBU ZAAP YEAR | *Call | N | | 12 |
| 2827 | | 6828 | SINGLE CBU ZIIP YEAR | *Call | N | | 12 |
| 2827 | | 6829 | 25 CBU ZIIP YEAR | *Call | N | | 12 |
| 2827 | | 6830 | SINGLE CBU SAP YEAR | *Call | N | | 12 |
| 2827 | | 6831 | 25 CBU SAP YEAR | *Call | N | | 12 |
| 2827 | | 7325 | 1 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7326 | 2 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7327 | 3 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7328 | 4 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7329 | 5 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7330 | 6 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7331 | 7 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7332 | 8 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7333 | 9 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7334 | 10 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7335 | 11 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7336 | 12 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7337 | 13 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7338 | 14 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7339 | 15 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7340 | 16 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7341 | 17 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7342 | 18 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7343 | 19 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7344 | 20 WAY PROCESSOR CP4 | *Call | N | | 12 |
| 2827 | | 7350 | 1 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7351 | 2 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7352 | 3 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7353 | 4 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7354 | 5 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7355 | 6 WAY PROCESSOR CP5 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 7356 | 7 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7357 | 8 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7358 | 9 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7359 | 10 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7360 | 11 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7361 | 12 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7362 | 13 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7363 | 14 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7364 | 15 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7365 | 16 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7366 | 17 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7367 | 18 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7368 | 19 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7369 | 20 WAY PROCESSOR CP5 | *Call | N | | 12 |
| 2827 | | 7375 | 1 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7376 | 2 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7377 | 3 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7378 | 4 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7379 | 5 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7380 | 6 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7381 | 7 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7382 | 8 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7383 | 9 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7384 | 10 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7385 | 11 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7386 | 12 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7387 | 13 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7388 | 14 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7389 | 15 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7390 | 16 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7391 | 17 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7392 | 18 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7393 | 19 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7394 | 20 WAY PROCESSOR CP6 | *Call | N | | 12 |
| 2827 | | 7401 | 1 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7402 | 2 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 7403 | 3 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7404 | 4 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7405 | 5 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7406 | 6 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7407 | 7 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7408 | 8 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7409 | 9 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7410 | 10 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7411 | 11 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7412 | 12 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7413 | 13 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7414 | 14 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7415 | 15 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7416 | 16 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7417 | 17 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7418 | 18 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7419 | 19 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7420 | 20 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7421 | 21 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7422 | 22 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7423 | 23 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7424 | 24 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7425 | 25 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7426 | 26 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7427 | 27 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7428 | 28 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7429 | 29 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7430 | 30 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7431 | 31 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7432 | 32 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7433 | 33 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7434 | 34 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7435 | 35 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7436 | 36 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7437 | 37 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7438 | 38 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 7439 | 39 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7440 | 40 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7441 | 41 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7442 | 42 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7443 | 43 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7444 | 44 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7445 | 45 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7446 | 46 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7447 | 47 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7448 | 48 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7449 | 49 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7450 | 50 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7451 | 51 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7452 | 52 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7453 | 53 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7454 | 54 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7455 | 55 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7456 | 56 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7457 | 57 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7458 | 58 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7459 | 59 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7460 | 60 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7461 | 61 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7462 | 62 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7463 | 63 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7464 | 64 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7465 | 65 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7466 | 66 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7467 | 67 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7468 | 68 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7469 | 69 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7470 | 70 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7471 | 71 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7472 | 72 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7473 | 73 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7474 | 74 WAY PROCESSOR CP7 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|----------------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 7475 | 75 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7476 | 76 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7477 | 77 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7478 | 78 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7479 | 79 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7480 | 80 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7481 | 81 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7482 | 82 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7483 | 83 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7484 | 84 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7485 | 85 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7486 | 86 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7487 | 87 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7488 | 88 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7489 | 89 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7490 | 90 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7491 | 91 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7492 | 92 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7493 | 93 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7494 | 94 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7495 | 95 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7496 | 96 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7497 | 97 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7498 | 98 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7499 | 99 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7500 | 100 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7501 | 101 WAY PROCESSOR CP7 | *Call | N | | 12 |
| 2827 | | 7801 | 14FT WATER HOSE | *Call | N | | 12 |
| 2827 | | 7922 | FQC BRACKET & MOUNTING HDW | *Call | N | | 12 |
| 2827 | | 7927 | LC DUPLEX 6.6FT HARNESSSES | *Call | N | | 12 |
| 2827 | | 7942 | TOP EXIT I O CABLING | *Call | N | | 12 |
| 2827 | | 7949 | SIDE COVERS | *Call | N | | 12 |
| 2827 | | 7998 | NON RAISED FLOOR SUPPORT | *Call | N | | 12 |
| 2827 | | 8000 | 3 IN 1 BOLT DOWN KIT | *Call | N | | 12 |
| 2827 | | 8001 | 3 IN 1 BOLT DOWN KIT W | *Call | N | | 12 |
| 2827 | | 8002 | BOLT DOWN KIT NRF | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 8947 | 380-520V DC TE CORD BPE-1 | *Call | N | | 12 |
| 2827 | | 8948 | 14FT 380-520V DC CUT TE CD | *Call | N | | 0 |
| 2827 | | 8949 | 14FT LOV 3PH CUT TE CORD | *Call | N | | 0 |
| 2827 | | 8950 | 480V 3PH TE CORD | *Call | N | | 12 |
| 2827 | | 8951 | 14FT HIV 3PH CUT TE CORD | *Call | N | | 0 |
| 2827 | | 8952 | 200V 3PH TE CORD BPE 1 | *Call | N | | 12 |
| 2827 | | 8953 | 380-520V DC TE CORD BPE-2 | *Call | N | | 12 |
| 2827 | | 8955 | 200V 3PH TE CORD BPE 2 | *Call | N | | 12 |
| 2827 | | 8963 | 14FT 380-520V DC LINE CORD | *Call | N | | 12 |
| 2827 | | 8965 | 14FT 380-520V DC CUT CORD | *Call | N | | 0 |
| 2827 | | 8976 | 14 FT 380-415V 3PH | *Call | N | | 12 |
| 2827 | | 8977 | 380 415V 3PH TE CORD | *Call | N | | 12 |
| 2827 | | 8982 | 14FT LOV 3PH CUT LINE CORD | *Call | N | | 0 |
| 2827 | | 8983 | 14FT 480V 3PH LINE CORD | *Call | N | | 12 |
| 2827 | | 8988 | 14FT HIV 3PH CUT LINE CORD | *Call | N | | 12 |
| 2827 | | 8993 | 14 FT 200V 3PH CORD | *Call | N | | 12 |
| 2827 | | 8996 | 14FT 200-240V 3PH CUT-LSZH | *Call | N | | 0 |
| 2827 | | 8998 | 14FT HIV 3PH CUT LINE LSZH | *Call | N | | 12 |
| 2827 | | 9888 | ON OFF COD ACT IFL DAY | *Call | N | | 12 |
| 2827 | | 9889 | ON OFF COD ACT ICF DAY | *Call | N | | 12 |
| 2827 | | 9893 | ON OFF COD ACT ZAAP DAY | *Call | N | | 12 |
| 2827 | | 9897 | ON OFF COD ACT CAP CP DAY | *Call | N | | 12 |
| 2827 | | 9908 | ON OFF COD ACT ZIIP DAY | *Call | N | | 12 |
| 2827 | | 9909 | ON OFF COD ACT SAP DAY | *Call | N | | 12 |
| 2827 | | 9917 | 1 MSU DAY | *Call | N | | 12 |
| 2827 | | 9918 | 100 MSU DAYS | *Call | N | | 12 |
| 2827 | | 9919 | 10000 MSU DAYS | *Call | N | | 12 |
| 2827 | | 9920 | 1 IFL DAY | *Call | N | | 12 |
| 2827 | | 9921 | 100 IFL DAYS | *Call | N | | 12 |
| 2827 | | 9922 | 1 ICF DAY | *Call | N | | 12 |
| 2827 | | 9923 | 100 ICF DAYS | *Call | N | | 12 |
| 2827 | | 9924 | 1 ZIIP DAY | *Call | N | | 12 |
| 2827 | | 9925 | 100 ZIIP DAYS | *Call | N | | 12 |
| 2827 | | 9926 | 1 ZAAP DAY | *Call | N | | 12 |
| 2827 | | 9927 | 100 ZAAP DAYS | *Call | N | | 12 |
| 2827 | | 9928 | 1 SAP DAY | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2827 | | 9929 | 100 SAP DAYS | *Call | N | | 12 |
| 2827 | | 9968 | SITE TOOL KIT | *Call | N | | 12 |
| 2827 | | 9970 | WEIGHT DISTRIBUTION KIT | *Call | N | | 12 |
| 2827 | | 9975 | HEIGHT REDUCE SHIP | *Call | N | | 12 |
| 2828 | H06 | | ZENTERPRISE BC12 | *Call | N | 3 | 12 |
| 2828 | H13 | | ZENTERPRISE BC12 | *Call | N | 3 | 12 |
| 2828 | | 0001 | MTU 1 - D | *Call | N | | 12 |
| 2828 | | 0002 | MTU 100 - D | *Call | N | | 12 |
| 2828 | | 0003 | MTU 1 - V | *Call | N | | 12 |
| 2828 | | 0004 | MTU 100 - V | *Call | N | | 12 |
| 2828 | | 0005 | GTU 1 - D | *Call | N | | 12 |
| 2828 | | 0006 | GTU 100 - D | *Call | N | | 12 |
| 2828 | | 0007 | GTU 1 - V | *Call | N | | 12 |
| 2828 | | 0008 | GTU 100 - V | *Call | N | | 12 |
| 2828 | | 0009 | GTU 1000 - D | *Call | N | | 12 |
| 2828 | | 0010 | GTU 1000 - V | *Call | N | | 12 |
| 2828 | | 0060 | AUTOMATE FW IFL | *Call | N | | 12 |
| 2828 | | 0064 | MANAGE FW DP | *Call | N | | 12 |
| 2828 | | 0065 | MANAGE FW PWR BLADE | *Call | N | | 12 |
| 2828 | | 0066 | MANAGE FW IBM SYSTEM X BL | *Call | N | | 12 |
| 2828 | | 0068 | AUTOMATE FW PWR BLADE | *Call | N | | 12 |
| 2828 | | 0069 | AUTOMATE FW IBM SYSTEM X BL | *Call | N | | 12 |
| 2828 | | 0092 | HMC | *Call | N | | 12 |
| 2828 | | 0113 | I/O CAGE ISC-D AIRFLOW | *Call | N | | 12 |
| 2828 | | 0114 | I/O CAGE FULL CARD AIRFLOW | *Call | N | | 12 |
| 2828 | | 0116 | 1 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2828 | | 0117 | 100 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2828 | | 0118 | 10000 CPE CAPACITY UNIT | *Call | N | | 12 |
| 2828 | | 0119 | 1 CPE CAPACITY UNIT-IFL | *Call | N | | 12 |
| 2828 | | 0120 | 100 CPE CAPACITY UNIT-IFL | *Call | N | | 12 |
| 2828 | | 0121 | 1 CPE CAPACITY UNIT-ICF | *Call | N | | 12 |
| 2828 | | 0122 | 100 CPE CAPACITY UNIT-ICF | *Call | N | | 12 |
| 2828 | | 0123 | 1 CPE CAPACITY UNIT-ZAAP | *Call | N | | 12 |
| 2828 | | 0124 | 100 CPE CAPACITY UNIT-ZAAP | *Call | N | | 12 |
| 2828 | | 0125 | 1 CPE CAPACITY UNIT-ZIIP | *Call | N | | 12 |
| 2828 | | 0126 | 100 CPE CAPACITY UNIT-ZIIP | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 0127 | 1 CPE CAPACITY UNIT-SAP | *Call | N | | 12 |
| 2828 | | 0128 | 100 CPE CAPACITY UNIT-SAP | *Call | N | | 12 |
| 2828 | | 0138 | ZAWARE CP 2PACK | *Call | N | | 12 |
| 2828 | | 0140 | ZAWARE CP 4PACK | *Call | N | | 12 |
| 2828 | | 0142 | ZAWARE CP 6PACK | *Call | N | | 12 |
| 2828 | | 0150 | ZAWARE CP 10PACK | *Call | N | | 12 |
| 2828 | | 0165 | FANOUT AIRFLOW | *Call | N | | 12 |
| 2828 | | 0169 | PCIE FANOUT | *Call | N | | 12 |
| 2828 | | 0170 | HCA3-O LR FANOUT FOR 1X IFB | *Call | N | | 12 |
| 2828 | | 0171 | HCA3-O FANOUT FOR 12X IFB | *Call | N | | 12 |
| 2828 | | 0400 | PCIE INTERCONNECT CARD | *Call | N | | 12 |
| 2828 | | 0402 | FLASH EXPRESS | *Call | N | | 12 |
| 2828 | | 0409 | FICON EXPRESS8S 10KM LX | *Call | N | | 12 |
| 2828 | | 0410 | FICON EXPRESS8S SX | *Call | N | | 12 |
| 2828 | | 0411 | 10GBE ROCE EXPRESS | *Call | N | | 12 |
| 2828 | | 0413 | OSA-EXPRESS5S GBE LX | *Call | N | | 12 |
| 2828 | | 0414 | OSA-EXPRESS5S GBE SX | *Call | N | | 12 |
| 2828 | | 0415 | OSA-EXPRESS5S 10 GBE LR | *Call | N | | 12 |
| 2828 | | 0416 | OSA-EXPRESS5S 10 GBE SR | *Call | N | | 12 |
| 2828 | | 0417 | OSA-EXPRESS5S 1000BASE-T | *Call | N | | 12 |
| 2828 | | 0420 | ZEDC EXPRESS | *Call | N | | 12 |
| 2828 | | 0842 | TKE WORKSTATION | *Call | N | | 12 |
| 2828 | | 0865 | CRYPTO EXPRESS4S | *Call | N | | 12 |
| 2828 | | 0884 | ADDL SMART CARDS | *Call | N | | 12 |
| 2828 | | 0885 | TKE SMART CARD READER | *Call | N | | 12 |
| 2828 | | 0998 | UID LABEL FOR DOD | *Call | N | | 12 |
| 2828 | | 1021 | STP ENABLEMENT | *Call | N | | 12 |
| 2828 | | 1148 | MODEL H13 | *Call | N | | 12 |
| 2828 | | 1903 | 8GB MEMORY CAPACITY INCR | *Call | N | | 12 |
| 2828 | | 1904 | 8GB FTR CONVERTED MEMORY | *Call | N | | 12 |
| 2828 | | 1993 | PREPLANNED MEMORY | *Call | N | | 12 |
| 2828 | | 3004 | BPR PAIR AIR MODEL | *Call | N | | 12 |
| 2828 | | 3008 | BPD PAIR AIR MODEL | *Call | N | | 12 |
| 2828 | | 3213 | INTERNAL BATTERY IBF-E | *Call | N | | 12 |
| 2828 | | 3759 | UNIVERSAL LIFT TOOL/LADDER | *Call | N | | 12 |
| 2828 | | 4009 | PCIE I/O DRAWER | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------|----------------|----------------|----------------|-------------------|
| 2828 | | 5794 | IFL | *Call | N | | 12 |
| 2828 | | 5795 | ICF | *Call | N | | 12 |
| 2828 | | 5796 | SAP (OPTIONAL) | *Call | N | | 12 |
| 2828 | | 5797 | ZAAP | *Call | N | | 12 |
| 2828 | | 5798 | ZIIP | *Call | N | | 12 |
| 2828 | | 5799 | UNASSIGNED IFL | *Call | N | | 12 |
| 2828 | | 5905 | 0-WAY PROCESSOR A00 | *Call | N | | 12 |
| 2828 | | 5906 | 1-WAY PROCESSOR A01 | *Call | N | | 12 |
| 2828 | | 5907 | 1-WAY PROCESSOR B01 | *Call | N | | 12 |
| 2828 | | 5908 | 1-WAY PROCESSOR C01 | *Call | N | | 12 |
| 2828 | | 5909 | 1-WAY PROCESSOR D01 | *Call | N | | 12 |
| 2828 | | 5910 | 1-WAY PROCESSOR E01 | *Call | N | | 12 |
| 2828 | | 5911 | 1-WAY PROCESSOR F01 | *Call | N | | 12 |
| 2828 | | 5912 | 1-WAY PROCESSOR G01 | *Call | N | | 12 |
| 2828 | | 5913 | 1-WAY PROCESSOR H01 | *Call | N | | 12 |
| 2828 | | 5914 | 1-WAY PROCESSOR I01 | *Call | N | | 12 |
| 2828 | | 5915 | 1-WAY PROCESSOR J01 | *Call | N | | 12 |
| 2828 | | 5916 | 1-WAY PROCESSOR K01 | *Call | N | | 12 |
| 2828 | | 5917 | 1-WAY PROCESSOR L01 | *Call | N | | 12 |
| 2828 | | 5918 | 1-WAY PROCESSOR M01 | *Call | N | | 12 |
| 2828 | | 5920 | 1-WAY PROCESSOR N01 | *Call | N | | 12 |
| 2828 | | 5921 | 1-WAY PROCESSOR O01 | *Call | N | | 12 |
| 2828 | | 5922 | 1-WAY PROCESSOR P01 | *Call | N | | 12 |
| 2828 | | 5923 | 1-WAY PROCESSOR Q01 | *Call | N | | 12 |
| 2828 | | 5924 | 1-WAY PROCESSOR R01 | *Call | N | | 12 |
| 2828 | | 5925 | 1-WAY PROCESSOR S01 | *Call | N | | 12 |
| 2828 | | 5926 | 1-WAY PROCESSOR T01 | *Call | N | | 12 |
| 2828 | | 5927 | 1-WAY PROCESSOR U01 | *Call | N | | 12 |
| 2828 | | 5928 | 1-WAY PROCESSOR V01 | *Call | N | | 12 |
| 2828 | | 5929 | 1-WAY PROCESSOR W01 | *Call | N | | 12 |
| 2828 | | 5930 | 1-WAY PROCESSOR X01 | *Call | N | | 12 |
| 2828 | | 5931 | 1-WAY PROCESSOR Y01 | *Call | N | | 12 |
| 2828 | | 5932 | 1-WAY PROCESSOR Z01 | *Call | N | | 12 |
| 2828 | | 5933 | 2-WAY PROCESSOR A02 | *Call | N | | 12 |
| 2828 | | 5934 | 2-WAY PROCESSOR B02 | *Call | N | | 12 |
| 2828 | | 5935 | 2-WAY PROCESSOR C02 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 5936 | 2-WAY PROCESSOR D02 | *Call | N | | 12 |
| 2828 | | 5937 | 2-WAY PROCESSOR E02 | *Call | N | | 12 |
| 2828 | | 5938 | 2-WAY PROCESSOR F02 | *Call | N | | 12 |
| 2828 | | 5939 | 2-WAY PROCESSOR G02 | *Call | N | | 12 |
| 2828 | | 5940 | 2-WAY PROCESSOR H02 | *Call | N | | 12 |
| 2828 | | 5941 | 2-WAY PROCESSOR I02 | *Call | N | | 12 |
| 2828 | | 5942 | 2-WAY PROCESSOR J02 | *Call | N | | 12 |
| 2828 | | 5943 | 2-WAY PROCESSOR K02 | *Call | N | | 12 |
| 2828 | | 5944 | 2-WAY PROCESSOR L02 | *Call | N | | 12 |
| 2828 | | 5945 | 2-WAY PROCESSOR M02 | *Call | N | | 12 |
| 2828 | | 5946 | 2-WAY PROCESSOR N02 | *Call | N | | 12 |
| 2828 | | 5947 | 2-WAY PROCESSOR O02 | *Call | N | | 12 |
| 2828 | | 5948 | 2-WAY PROCESSOR P02 | *Call | N | | 12 |
| 2828 | | 5949 | 2-WAY PROCESSOR Q02 | *Call | N | | 12 |
| 2828 | | 5950 | 2-WAY PROCESSOR R02 | *Call | N | | 12 |
| 2828 | | 5951 | 2-WAY PROCESSOR S02 | *Call | N | | 12 |
| 2828 | | 5952 | 2-WAY PROCESSOR T02 | *Call | N | | 12 |
| 2828 | | 5953 | 2-WAY PROCESSOR U02 | *Call | N | | 12 |
| 2828 | | 5954 | 2-WAY PROCESSOR V02 | *Call | N | | 12 |
| 2828 | | 5955 | 2-WAY PROCESSOR W02 | *Call | N | | 12 |
| 2828 | | 5956 | 2-WAY PROCESSOR X02 | *Call | N | | 12 |
| 2828 | | 5957 | 2-WAY PROCESSOR Y02 | *Call | N | | 12 |
| 2828 | | 5958 | 2-WAY PROCESSOR Z02 | *Call | N | | 12 |
| 2828 | | 5959 | 3-WAY PROCESSOR A03 | *Call | N | | 12 |
| 2828 | | 5960 | 3-WAY PROCESSOR B03 | *Call | N | | 12 |
| 2828 | | 5961 | 3-WAY PROCESSOR C03 | *Call | N | | 12 |
| 2828 | | 5962 | 3-WAY PROCESSOR D03 | *Call | N | | 12 |
| 2828 | | 5963 | 3-WAY PROCESSOR E03 | *Call | N | | 12 |
| 2828 | | 5964 | 3-WAY PROCESSOR F03 | *Call | N | | 12 |
| 2828 | | 5965 | 3-WAY PROCESSOR G03 | *Call | N | | 12 |
| 2828 | | 5966 | 3-WAY PROCESSOR H03 | *Call | N | | 12 |
| 2828 | | 5967 | 3-WAY PROCESSOR I03 | *Call | N | | 12 |
| 2828 | | 5968 | 3-WAY PROCESSOR J03 | *Call | N | | 12 |
| 2828 | | 5969 | 3-WAY PROCESSOR K03 | *Call | N | | 12 |
| 2828 | | 5970 | 3-WAY PROCESSOR L03 | *Call | N | | 12 |
| 2828 | | 5971 | 3-WAY PROCESSOR M03 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 5972 | 3-WAY PROCESSOR N03 | *Call | N | | 12 |
| 2828 | | 5973 | 3-WAY PROCESSOR O03 | *Call | N | | 12 |
| 2828 | | 5974 | 3-WAY PROCESSOR P03 | *Call | N | | 12 |
| 2828 | | 5975 | 3-WAY PROCESSOR Q03 | *Call | N | | 12 |
| 2828 | | 5976 | 3-WAY PROCESSOR R03 | *Call | N | | 12 |
| 2828 | | 5977 | 3-WAY PROCESSOR S03 | *Call | N | | 12 |
| 2828 | | 5978 | 3-WAY PROCESSOR T03 | *Call | N | | 12 |
| 2828 | | 5979 | 3-WAY PROCESSOR U03 | *Call | N | | 12 |
| 2828 | | 5980 | 3-WAY PROCESSOR V03 | *Call | N | | 12 |
| 2828 | | 5981 | 3-WAY PROCESSOR W03 | *Call | N | | 12 |
| 2828 | | 5982 | 3-WAY PROCESSOR X03 | *Call | N | | 12 |
| 2828 | | 5983 | 3-WAY PROCESSOR Y03 | *Call | N | | 12 |
| 2828 | | 5984 | 3-WAY PROCESSOR Z03 | *Call | N | | 12 |
| 2828 | | 5985 | 4-WAY PROCESSOR A04 | *Call | N | | 12 |
| 2828 | | 5986 | 4-WAY PROCESSOR B04 | *Call | N | | 12 |
| 2828 | | 5987 | 4-WAY PROCESSOR C04 | *Call | N | | 12 |
| 2828 | | 5988 | 4-WAY PROCESSOR D04 | *Call | N | | 12 |
| 2828 | | 5989 | 4-WAY PROCESSOR E04 | *Call | N | | 12 |
| 2828 | | 5990 | 4-WAY PROCESSOR F04 | *Call | N | | 12 |
| 2828 | | 5991 | 4-WAY PROCESSOR G04 | *Call | N | | 12 |
| 2828 | | 5992 | 4-WAY PROCESSOR H04 | *Call | N | | 12 |
| 2828 | | 5993 | 4-WAY PROCESSOR I04 | *Call | N | | 12 |
| 2828 | | 5994 | 4-WAY PROCESSOR J04 | *Call | N | | 12 |
| 2828 | | 5995 | 4-WAY PROCESSOR K04 | *Call | N | | 12 |
| 2828 | | 5996 | 4-WAY PROCESSOR L04 | *Call | N | | 12 |
| 2828 | | 5997 | 4-WAY PROCESSOR M04 | *Call | N | | 12 |
| 2828 | | 5998 | 4-WAY PROCESSOR N04 | *Call | N | | 12 |
| 2828 | | 5999 | 4-WAY PROCESSOR O04 | *Call | N | | 12 |
| 2828 | | 6000 | 4-WAY PROCESSOR P04 | *Call | N | | 12 |
| 2828 | | 6001 | 4-WAY PROCESSOR Q04 | *Call | N | | 12 |
| 2828 | | 6002 | 4-WAY PROCESSOR R04 | *Call | N | | 12 |
| 2828 | | 6003 | 4-WAY PROCESSOR S04 | *Call | N | | 12 |
| 2828 | | 6004 | 4-WAY PROCESSOR T04 | *Call | N | | 12 |
| 2828 | | 6005 | 4-WAY PROCESSOR U04 | *Call | N | | 12 |
| 2828 | | 6006 | 4-WAY PROCESSOR V04 | *Call | N | | 12 |
| 2828 | | 6007 | 4-WAY PROCESSOR W04 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 6008 | 4-WAY PROCESSOR X04 | *Call | N | | 12 |
| 2828 | | 6009 | 4-WAY PROCESSOR Y04 | *Call | N | | 12 |
| 2828 | | 6010 | 4-WAY PROCESSOR Z04 | *Call | N | | 12 |
| 2828 | | 6011 | 5-WAY PROCESSOR A05 | *Call | N | | 12 |
| 2828 | | 6012 | 5-WAY PROCESSOR B05 | *Call | N | | 12 |
| 2828 | | 6013 | 5-WAY PROCESSOR C05 | *Call | N | | 12 |
| 2828 | | 6014 | 5-WAY PROCESSOR D05 | *Call | N | | 12 |
| 2828 | | 6015 | 5-WAY PROCESSOR E05 | *Call | N | | 12 |
| 2828 | | 6016 | 5-WAY PROCESSOR F05 | *Call | N | | 12 |
| 2828 | | 6017 | 5-WAY PROCESSOR G05 | *Call | N | | 12 |
| 2828 | | 6018 | 5-WAY PROCESSOR H05 | *Call | N | | 12 |
| 2828 | | 6019 | 5-WAY PROCESSOR I05 | *Call | N | | 12 |
| 2828 | | 6020 | 5-WAY PROCESSOR J05 | *Call | N | | 12 |
| 2828 | | 6021 | 5-WAY PROCESSOR K05 | *Call | N | | 12 |
| 2828 | | 6022 | 5-WAY PROCESSOR L05 | *Call | N | | 12 |
| 2828 | | 6023 | 5-WAY PROCESSOR M05 | *Call | N | | 12 |
| 2828 | | 6024 | 5-WAY PROCESSOR N05 | *Call | N | | 12 |
| 2828 | | 6025 | 5-WAY PROCESSOR O05 | *Call | N | | 12 |
| 2828 | | 6026 | 5-WAY PROCESSOR P05 | *Call | N | | 12 |
| 2828 | | 6027 | 5-WAY PROCESSOR Q05 | *Call | N | | 12 |
| 2828 | | 6028 | 5-WAY PROCESSOR R05 | *Call | N | | 12 |
| 2828 | | 6029 | 5-WAY PROCESSOR S05 | *Call | N | | 12 |
| 2828 | | 6030 | 5-WAY PROCESSOR T05 | *Call | N | | 12 |
| 2828 | | 6031 | 5-WAY PROCESSOR U05 | *Call | N | | 12 |
| 2828 | | 6032 | 5-WAY PROCESSOR V05 | *Call | N | | 12 |
| 2828 | | 6033 | 5-WAY PROCESSOR W05 | *Call | N | | 12 |
| 2828 | | 6034 | 5-WAY PROCESSOR X05 | *Call | N | | 12 |
| 2828 | | 6035 | 5-WAY PROCESSOR Y05 | *Call | N | | 12 |
| 2828 | | 6036 | 5-WAY PROCESSOR Z05 | *Call | N | | 12 |
| 2828 | | 6037 | 6-WAY PROCESSOR A06 | *Call | N | | 12 |
| 2828 | | 6038 | 6-WAY PROCESSOR B06 | *Call | N | | 12 |
| 2828 | | 6039 | 6-WAY PROCESSOR C06 | *Call | N | | 12 |
| 2828 | | 6040 | 6-WAY PROCESSOR D06 | *Call | N | | 12 |
| 2828 | | 6041 | 6-WAY PROCESSOR E06 | *Call | N | | 12 |
| 2828 | | 6042 | 6-WAY PROCESSOR F06 | *Call | N | | 12 |
| 2828 | | 6043 | 6-WAY PROCESSOR G06 | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 6044 | 6-WAY PROCESSOR H06 | *Call | N | | 12 |
| 2828 | | 6045 | 6-WAY PROCESSOR I06 | *Call | N | | 12 |
| 2828 | | 6046 | 6-WAY PROCESSOR J06 | *Call | N | | 12 |
| 2828 | | 6047 | 6-WAY PROCESSOR K06 | *Call | N | | 12 |
| 2828 | | 6048 | 6-WAY PROCESSOR L06 | *Call | N | | 12 |
| 2828 | | 6049 | 6-WAY PROCESSOR M06 | *Call | N | | 12 |
| 2828 | | 6050 | 6-WAY PROCESSOR N06 | *Call | N | | 12 |
| 2828 | | 6051 | 6-WAY PROCESSOR O06 | *Call | N | | 12 |
| 2828 | | 6052 | 6-WAY PROCESSOR P06 | *Call | N | | 12 |
| 2828 | | 6053 | 6-WAY PROCESSOR Q06 | *Call | N | | 12 |
| 2828 | | 6054 | 6-WAY PROCESSOR R06 | *Call | N | | 12 |
| 2828 | | 6055 | 6-WAY PROCESSOR S06 | *Call | N | | 12 |
| 2828 | | 6056 | 6-WAY PROCESSOR T06 | *Call | N | | 12 |
| 2828 | | 6057 | 6-WAY PROCESSOR U06 | *Call | N | | 12 |
| 2828 | | 6058 | 6-WAY PROCESSOR V06 | *Call | N | | 12 |
| 2828 | | 6059 | 6-WAY PROCESSOR W06 | *Call | N | | 12 |
| 2828 | | 6060 | 6-WAY PROCESSOR X06 | *Call | N | | 12 |
| 2828 | | 6061 | 6-WAY PROCESSOR Y06 | *Call | N | | 12 |
| 2828 | | 6062 | 6-WAY PROCESSOR Z06 | *Call | N | | 12 |
| 2828 | | 6096 | FLAT PANEL DISPLAY | *Call | N | | 12 |
| 2828 | | 6805 | ADDITIONAL CBU TEST | *Call | N | | 12 |
| 2828 | | 6818 | CBU RECORDS ORDERED | *Call | N | | 12 |
| 2828 | | 6820 | SINGLE CBU CP-YEAR | *Call | N | | 12 |
| 2828 | | 6821 | 25 CBU CP-YEAR | *Call | N | | 12 |
| 2828 | | 6822 | SINGLE CBU IFL-YEAR | *Call | N | | 12 |
| 2828 | | 6823 | 25 CBU IFL-YEAR | *Call | N | | 12 |
| 2828 | | 6824 | SINGLE CBU ICF-YEAR | *Call | N | | 12 |
| 2828 | | 6825 | 25 CBU ICF-YEAR | *Call | N | | 12 |
| 2828 | | 6826 | SINGLE CBU ZAAP-YEAR | *Call | N | | 12 |
| 2828 | | 6827 | 25 CBU ZAAP-YEAR | *Call | N | | 12 |
| 2828 | | 6828 | SINGLE CBU ZIIP-YEAR | *Call | N | | 12 |
| 2828 | | 6829 | 25 CBU ZIIP-YEAR | *Call | N | | 12 |
| 2828 | | 6830 | SINGLE CBU SAP-YEAR | *Call | N | | 12 |
| 2828 | | 6831 | 25 CBU SAP-YEAR | *Call | N | | 12 |
| 2828 | | 7907 | FQC BRACKET & MOUNTING HDW | *Call | N | | 12 |
| 2828 | | 7909 | LC DUPLEX 6.6FT HARNESSSES | *Call | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|----------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2828 | | 7911 | LC DUPLEX 8.5FT HARNESSSES | *Call | N | | 12 |
| 2828 | | 7920 | TOP EXIT CABLING | *Call | N | | 12 |
| 2828 | | 7921 | SIDE COVERS | *Call | N | | 12 |
| 2828 | | 7998 | NON RAISED FLOOR SUPPORT | *Call | N | | 12 |
| 2828 | | 8016 | 3-IN-1 BOLT DOWN KIT | *Call | N | | 12 |
| 2828 | | 8017 | BOLT DOWN KIT NRF | *Call | N | | 12 |
| 2828 | | 8957 | 400V 3PH TOP EXIT CORD | *Call | N | | 12 |
| 2828 | | 8964 | 14FT 380-520V DC CUT CORD | *Call | N | | 12 |
| 2828 | | 8966 | 14FT 380-520V DC LINE CORD | *Call | N | | 12 |
| 2828 | | 8969 | 6FT 480V 3PH CORD TOP EXIT | *Call | N | | 12 |
| 2828 | | 8970 | 14FT HILOV 3PH CUT TE | *Call | N | | 12 |
| 2828 | | 8971 | 6FT 200V 1PH CORD TOP EXIT | *Call | N | | 12 |
| 2828 | | 8972 | 14FT HILOV 1PH CUT TE | *Call | N | | 12 |
| 2828 | | 8973 | 6FT 380-520V DC TOP EXIT | *Call | N | | 12 |
| 2828 | | 8974 | 14FT 380-520V DC CUT TE | *Call | N | | 12 |
| 2828 | | 8975 | 6FT 200V 3PH CORD TOP EXIT | *Call | N | | 12 |
| 2828 | | 8976 | 400V 3PH LINE CORD | *Call | N | | 12 |
| 2828 | | 8983 | 14FT 480V 30A 3PH CORD | *Call | N | | 12 |
| 2828 | | 8987 | 14FT 200V 30A 3PH CORD | *Call | N | | 12 |
| 2828 | | 8988 | 14FT HILOV 3PH CUT CORD | *Call | N | | 12 |
| 2828 | | 8990 | 14FT 200V 30A 1PH LINE | *Call | N | | 12 |
| 2828 | | 8991 | 14FT HILOV 1PH CUT CORD | *Call | N | | 12 |
| 2828 | | 8998 | 14FT HIV 3PH CUT LINE LSZH | *Call | N | | 12 |
| 2828 | | 9888 | ON/OFF COD ACT IFL DAY | *Call | N | | 12 |
| 2828 | | 9889 | ON/OFF COD ACT ICF DAY | *Call | N | | 12 |
| 2828 | | 9893 | ON/OFF COD ACT ZAAP DAY | *Call | N | | 12 |
| 2828 | | 9897 | ON/OFF COD ACT CAP CP DAY | *Call | N | | 12 |
| 2828 | | 9908 | ON/OFF COD ACT ZIIP DAY | *Call | N | | 12 |
| 2828 | | 9909 | ON/OFF COD ACT SAP DAY | *Call | N | | 12 |
| 2828 | | 9917 | 1 MSU DAY | *Call | N | | 12 |
| 2828 | | 9918 | 100 MSU DAYS | *Call | N | | 12 |
| 2828 | | 9919 | 10000 MSU DAYS | *Call | N | | 12 |
| 2828 | | 9920 | 1 IFL DAY | *Call | N | | 12 |
| 2828 | | 9921 | 100 IFL DAYS | *Call | N | | 12 |
| 2828 | | 9922 | 1 ICF DAY | *Call | N | | 12 |
| 2828 | | 9923 | 100 ICF DAYS | *Call | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 2828 | | 9924 | 1 ZIIP DAY | *Call | N | | 12 |
| 2828 | | 9925 | 100 ZIIP DAYS | *Call | N | | 12 |
| 2828 | | 9926 | 1 ZAAP DAY | *Call | N | | 12 |
| 2828 | | 9927 | 100 ZAAP DAYS | *Call | N | | 12 |
| 2828 | | 9928 | 1 SAP DAY | *Call | N | | 12 |
| 2828 | | 9929 | 100 SAP DAYS | *Call | N | | 12 |
| 2828 | | 9975 | HEIGHT REDUCE SHIP | *Call | N | | 12 |
| 2851 | I36 | | SYSTEM STORAGE SONAS | 25,330 | N | 3 | 12 |
| 2851 | RXA | | SYSTEM STORAGE SONAS | 20,845 | N | 3 | 12 |
| 2851 | RXB | | SYSTEM STORAGE SONAS | 16,763 | N | 3 | 12 |
| 2851 | RXC | | SYSTEM STORAGE SONAS | 16,763 | N | 3 | 12 |
| 2851 | SI2 | | SYSTEM STORAGE SONAS INTERFAC | 6,199 | N | 3 | 12 |
| 2851 | SS2 | | SYSTEM STORAGE SONAS STORAGE | 9,355 | N | 3 | 12 |
| 2851 | | 0100 | TWO 50 PORT 10 100 1000 LEVEL | 4,960 | N | | 12 |
| 2851 | | 0102 | SECOND 2.66GHZ INTEL XEON X565 | 4,355 | N | | 12 |
| 2851 | | 0110 | NETWORK PATCH PANEL | 127 | N | | 12 |
| 2851 | | 0111 | PATCH PANEL INSERT: 6X1GB & 2X | 202 | N | | 12 |
| 2851 | | 0112 | PATCH PANEL INSERT: 4X1GB & 4X | 168 | N | | 12 |
| 2851 | | 1000 | ADDITIONAL 32GB MEMORY | 1,023 | N | | 12 |
| 2851 | | 1001 | 128 GB MEMORY OPTION | 19,224 | N | | 12 |
| 2851 | | 1002 | USB MODEM | 269 | N | | 12 |
| 2851 | | 1003 | ADDITIONAL 24 GB MEMORY | 3,060 | N | | 12 |
| 2851 | | 1004 | 300GB 2.5-INCH 10K SAS HDD | 1,004 | N | | 12 |
| 2851 | | 1100 | QUAD PORT 1GBE NIC | 383 | N | | 12 |
| 2851 | | 1101 | DUAL PORT 10GB CNA | 2,175 | N | | 12 |
| 2851 | | 1102 | DUAL PORT 10GB UNIVERSAL CNA | 1,303 | N | | 12 |
| 2851 | | 1220 | 10M INFINIBAND X4 TO QSFP OPTI | 1,256 | N | | 12 |
| 2851 | | 1221 | 20M INFINIBAND X4 TO QSFP OPTI | 1,356 | N | | 12 |
| 2851 | | 1222 | 30M INFINIBAND X4 TO QSFP OPTI | 1,456 | N | | 12 |
| 2851 | | 1223 | 50M INFINIBAND X4 TO QSFP OPTI | 1,655 | N | | 12 |
| 2851 | | 1230 | 10M INFINIBAND X4 TO X4 OPTICAL | 1,256 | N | | 12 |
| 2851 | | 1231 | 20M INFINIBAND X4 TO X4 OPTICA | 1,356 | N | | 12 |
| 2851 | | 1232 | 30M INFINIBAND X4 TO X4 OPTICA | 1,456 | N | | 12 |
| 2851 | | 1233 | 50M INFINIBAND X4 TO X4 OPTICA | 1,655 | N | | 12 |
| 2851 | | 6070 | STANDARD FRONT AND REAR DOORS | 1,529 | N | | 12 |
| 2851 | | 6086 | SUITE ATTACH KIT 2M RACK | 181 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2851 | | 6098 | SIDE PANEL | 109 | N | | 12 |
| 2851 | | 6249 | ACOUSTIC FRONT AND REAR DOORS | 5,279 | N | | 12 |
| 2851 | | 6580 | RACK SECURITY KIT | 444 | N | | 12 |
| 2851 | | 6858 | REAR DOOR HEAT EXCHANGER | 5,259 | N | | 12 |
| 2851 | | 7188 | SIDE MOUNT 1 PHASE PDUS | 1,451 | N | | 12 |
| 2851 | | 7192 | INTELLIGENT PDUS | 1,814 | N | | 12 |
| 2857 | 003 | | EXN3000 SAS/SATA EXP. UNIT | 13,675 | Y | 1 | 36 |
| 2857 | 006 | | EXN3500 SAS EXP. UNIT | 12,450 | Y | 1 | 36 |
| 2857 | 306 | | EXN3200 SATA EXPANSION UNIT | 17,048 | Y | 1 | 36 |
| 2857 | A12 | | N3220 MODEL A12 | 12,448 | Y | 1 | 36 |
| 2857 | A14 | | N3240 MODEL A14 | 16,080 | Y | 1 | 36 |
| 2857 | A15 | | N3150 MODEL A15 | 6,892 | Y | 1 | 36 |
| 2857 | A22 | | N3220 MODEL A22 | 19,411 | Y | | 36 |
| 2857 | A24 | | N3240 MODEL A24 | 23,090 | Y | 1 | 36 |
| 2857 | A25 | | N3150 MODEL A25 | 9,340 | Y | 1 | 36 |
| 2857 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2857 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2857 | | 1102 | SAS DISK POWER SUPPLY | 612 | N | | 36 |
| 2857 | | 2013 | 10 GBE SFP | 720 | N | | 36 |
| 2857 | | 2030 | 8 GB FC MEZZANINE | 3,157 | N | | 36 |
| 2857 | | 2031 | 10 GBE MEZZANINE | 1,917 | N | | 36 |
| 2857 | | 2050 | 2.0 M MINI SAS QSFP CABLE | 136 | N | | 36 |
| 2857 | | 2051 | 5.0 M MINI SAS QSFP CABLE | 181 | N | | 36 |
| 2857 | | 2052 | 0.5 M QSFP QSFP CABLE | 91 | N | | 36 |
| 2857 | | 2053 | 2.0 M QSFP QSFP CABLE | 136 | N | | 36 |
| 2857 | | 2054 | 5.0 M QSFP QSFP CABLE | 181 | N | | 36 |
| 2857 | | 2063 | 0.5 M SAS RJ 45 ACP CABLE | 5 | N | | 36 |
| 2857 | | 2064 | 2.0 M SAS RJ 45 ACP CABLE | 8 | N | | 36 |
| 2857 | | 2065 | 5.0 M SAS RJ 45 ACP CABLE | 11 | N | | 36 |
| 2857 | | 4020 | 1 TB SATA DRIVE | 737 | N | | 36 |
| 2857 | | 4021 | 2 TB SATA DRIVE | 1,148 | N | | 36 |
| 2857 | | 4022 | 3 TB SATA DRIVE | 1,855 | N | | 36 |
| 2857 | | 4023 | 4 TB NL SAS DRIVE | 3,486 | N | | 36 |
| 2857 | | 4051 | 200 GB SOLID STATE DISK | 4,860 | N | | 36 |
| 2857 | | 4099 | HDD BLANK PANEL | 22 | N | | 36 |
| 2857 | | 4100 | 450 GB SAS DRIVE | 1,400 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2857 | | 4101 | 600 GB SAS DRIVE | 1,678 | N | | 36 |
| 2857 | | 4102 | 900 GB SFF SAS DISK DRIVE | 2,476 | N | | 36 |
| 2857 | | 4103 | 1.2 TB SAS SFF DISK DRIVE | 3,406 | N | | 36 |
| 2857 | | 4122 | 3 TB SED SAS DRIVE | 3,649 | N | | 36 |
| 2857 | | 4151 | 200 GB SOLID STATE DISK | 4,860 | N | | 36 |
| 2857 | | 4152 | 800 GB SOLID STATE DISK NIC | 25,889 | N | | 36 |
| 2857 | | 4201 | 600 GB FDE-SAS DRIVE | 2,312 | N | | 36 |
| 2857 | | 4923 | 4 TB DISK DRIVE QUANTITY 2 | 7,554 | N | | 36 |
| 2857 | | 9201 | PLNT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2857 | | 9202 | FLD INSTALL RACK MNT KIT | 145 | N | | 36 |
| 2858 | | 1012 | 2-PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2858 | | 1013 | 2-PORT CU GBE NIC | 544 | N | | 36 |
| 2858 | | 1014 | 4 GBPS FC HBA DISK 2 PORT | 2,086 | N | | 36 |
| 2858 | | 1015 | 4 GBPS FC HBA TAPE 2 PORT | 2,131 | N | | 36 |
| 2858 | | 1017 | 2 PORT 4 GBPS FC HBA TARGET | 2,086 | N | | 36 |
| 2858 | | 1021 | 2 PORT ISCSI TARGET FI NIC | 2,539 | N | | 36 |
| 2858 | | 1026 | 2 PORT ISCSI TARGET CU NIC | 2,176 | N | | 36 |
| 2858 | | 1029 | 4 PORT 4 GBPS FC HBA DISK | 3,627 | N | | 36 |
| 2858 | | 1030 | 4 PORT 4 GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2858 | | 1031 | 2 PORT 10GBE TOE NIC | 10,882 | N | | 36 |
| 2858 | | 1033 | SNAPMIRROR OVER FC HBA PCIE | 2,675 | N | | 36 |
| 2858 | | 1035 | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627 | N | | 36 |
| 2858 | | 1036 | 2 PORT 8 GBPS PCIE TARGET | 2,720 | N | | 36 |
| 2858 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2858 | | 1047 | 10GBE FI CABLE 30M LC/SC | 272 | N | | 36 |
| 2858 | | 1050 | EXT. LONGWAVE SFP 4 GBPS | 1,224 | N | | 36 |
| 2858 | | 1051 | FC CABLE 50U 31M LC/LC | 58 | N | | 36 |
| 2858 | | 1052 | FC CABLE 50U 31M LC/SC | 58 | N | | 36 |
| 2858 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2858 | | 1061 | 4 PORT 6 GBPS SAS ADAPTER | 1,814 | N | | 36 |
| 2858 | | 1063 | 2 PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2858 | | 1064 | 2 PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |
| 2858 | | 1065 | 2 PORT 10 GBPS ENET NIC | 3,627 | N | | 36 |
| 2858 | | 1066 | 8 GB METROCLUSTER VI FC HBA | 3,718 | N | | 36 |
| 2858 | | 1067 | 8 GB SNAPMIRROR OVER FC HBA | 3,718 | N | | 36 |
| 2858 | | 1078 | 2 PORT 10 GBE NIC SFP | 2,720 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2858 | | 2012 | NIC SFP+ | 635 | N | | 36 |
| 2858 | | 2013 | 10GBE SFP | 720 | N | | 36 |
| 2858 | | 2014 | SFP OPTICAL MOD. FOR 1078 | 680 | N | | 36 |
| 2858 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2858 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2859 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2859 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2859 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2859 | | 2011 | 4-GBPS SFP GBIC | 163 | N | | 36 |
| 2859 | | 4016 | 450 GB 15K RPM SAS HDD | 1,735 | N | | 36 |
| 2859 | | 4017 | 600 GB 15K RPM SAS HDD | 2,308 | N | | 36 |
| 2859 | | 4020 | 1 TB SATA DRIVE | 1,066 | N | | 36 |
| 2859 | | 4021 | 2 TB SATA DRIVE | 2,115 | N | | 36 |
| 2859 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2859 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2861 | | 2010 | SFP GBIC | 91 | N | | 36 |
| 2861 | | 2021 | 0.5 M FC COPPER CABLE | 67 | N | | 36 |
| 2861 | | 2042 | 1.0 M FC OPTICAL CABLE | 91 | N | | 36 |
| 2861 | | 2043 | 2.0 M FC OPTICAL CABLE | 113 | N | | 36 |
| 2861 | | 2044 | 5.0 M FC OPTICAL CABLE | 136 | N | | 36 |
| 2861 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2861 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2862 | | 1012 | 2-PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2862 | | 1013 | 2-PORT CU GBE NIC | 544 | N | | 36 |
| 2862 | | 1014 | 2-PORT 4-GBPS FC HBA - DISK | 2,086 | N | | 36 |
| 2862 | | 1015 | 2-PORT 4-GBPS FC HBA - TAPE | 2,131 | N | | 36 |
| 2862 | | 1029 | 4 PORT 4 GBPS FC HBA | 3,627 | N | | 36 |
| 2862 | | 1030 | 4 PORT 4 GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2862 | | 1033 | SNAPMIRROR OVER FC HBA | 2,675 | N | | 36 |
| 2862 | | 1036 | 2 PORT 8 GBPS PCIE TARGET | 2,720 | N | | 36 |
| 2862 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2862 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2862 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2862 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2862 | | 1063 | 2 PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2862 | | 1064 | 2 PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2862 | | 2011 | 4-GBPS SFP GBIC | 163 | N | | 36 |
| 2862 | | 4016 | 450 GB 15K RPM SAS HDD | 1,735 | N | | 36 |
| 2862 | | 4020 | 1 TB SATA DRIVE | 1,066 | N | | 36 |
| 2862 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2862 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2863 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2863 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2863 | | 2010 | SFP GBIC | 91 | N | | 36 |
| 2863 | | 2021 | FC EXP TO EXP CBL 0.5M | 67 | N | | 36 |
| 2863 | | 2042 | 1.0 M FC OPTICAL CABLE | 91 | N | | 36 |
| 2863 | | 2043 | 2.0 M FC OPTICAL CABLE | 113 | N | | 36 |
| 2863 | | 2044 | 5.0 M FC OPTICAL CABLE | 136 | N | | 36 |
| 2863 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2863 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2864 | | 1007 | QUAD PORT COPPER GIGE NIC | 1,632 | N | | 36 |
| 2864 | | 1037 | 2M COPPER CLUSTER 4X IB CBL | 67 | N | | 36 |
| 2864 | | 1040 | 5M FIBER CLUSTER 4X IB CBL | 126 | N | | 36 |
| 2864 | | 1041 | 30M FIBER CLUSTER 4X IB CBL | 290 | N | | 36 |
| 2864 | | 1042 | COPPER-FIBER CONVERTER | 457 | N | | 36 |
| 2864 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2864 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2865 | | 1052 | FC CABLE 50U 31M LC SC | 46 | N | | 36 |
| 2866 | | 1012 | 2 PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2866 | | 1013 | 2 PORT CU GBE NIC | 544 | N | | 36 |
| 2866 | | 1014 | 4 GBPS FC HBA DISK 2 PORT | 2,086 | N | | 36 |
| 2866 | | 1015 | 4 GBPS FC HBA TAPE 2 PORT | 2,131 | N | | 36 |
| 2866 | | 1016 | SCSI LVD TAPE ADAPTER | 544 | N | | 36 |
| 2866 | | 1017 | 2 PORT 4 GBPS FC HBA TARGET | 2,086 | N | | 36 |
| 2866 | | 1029 | 4 PORT 4 GBPS FC HBA | 3,627 | N | | 36 |
| 2866 | | 1030 | 4 PORT 4 GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2866 | | 1031 | 2-PORT 10GBE TOE NIC | 10,882 | N | | 36 |
| 2866 | | 1032 | 2-PORT METROCLUSTER VI HBA | 2,947 | N | | 36 |
| 2866 | | 1033 | SNAPMIRROR OVER FC HBA PCIE | 2,675 | N | | 36 |
| 2866 | | 1035 | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627 | N | | 36 |
| 2866 | | 1036 | 2 PORT 8 GBPS PCIE TARGET | 2,720 | N | | 36 |
| 2866 | | 1037 | 2M COPPER CLUSTER 4X IB CBL | 67 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2866 | | 1040 | 5M FIBER CLUSTER 4X IB CBL | 126 | N | | 36 |
| 2866 | | 1041 | 30M FIBER CLUSTER 4X IB CBL | 290 | N | | 36 |
| 2866 | | 1042 | COPPER-FIBER CONVERTER | 457 | N | | 36 |
| 2866 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2866 | | 1047 | 10-GBE FI CABLE 30M LC/SC | 272 | N | | 36 |
| 2866 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2866 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2866 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2866 | | 1057 | 512 GB PERF ACCEL MODULE | 81,612 | N | | 36 |
| 2866 | | 1061 | 4 PORT 6 GBPS SAS ADAPTER | 1,814 | N | | 36 |
| 2866 | | 1063 | 2 PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2866 | | 1064 | 2 PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |
| 2866 | | 1065 | 2 PORT 10 GBPS ENET NIC | 3,627 | N | | 36 |
| 2866 | | 2012 | NIC SFP+ | 635 | N | | 36 |
| 2866 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2866 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2867 | | 1007 | QUAD PORT COPPER GIG E NIC | 1,632 | N | | 36 |
| 2867 | | 1012 | 2-PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2867 | | 1013 | 2 PORT CU GBE NIC | 544 | N | | 36 |
| 2867 | | 1014 | 4-GBPS FC HBA - DISK 2-PORT | 2,086 | N | | 36 |
| 2867 | | 1015 | 4-GBPS FC HBA - TAPE 2-PORT | 2,131 | N | | 36 |
| 2867 | | 1016 | SCSI LVD TAPE ADAPTER | 544 | N | | 36 |
| 2867 | | 1017 | 2 PORT 4 GBPS FC HBA TARGET | 2,086 | N | | 36 |
| 2867 | | 1029 | 4-PORT 4-GBPS FC HBA - DISK | 3,627 | N | | 36 |
| 2867 | | 1030 | 4-PORT 4-GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2867 | | 1031 | 2-PORT 10GBE TOE NIC | 10,882 | N | | 36 |
| 2867 | | 1032 | 2-PORT METROCLUSTER VI HBA | 2,947 | N | | 36 |
| 2867 | | 1033 | SNAPMIRROR OVER FC HBA PCIE | 2,675 | N | | 36 |
| 2867 | | 1035 | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627 | N | | 36 |
| 2867 | | 1036 | 2-PORT 8-GBPS PCIE TARGET | 1,995 | N | | 36 |
| 2867 | | 1037 | CLUSTER 4X IB CU CABLE 2M | 67 | N | | 36 |
| 2867 | | 1040 | CLUSTER 4X IB FI CABLE 5M | 126 | N | | 36 |
| 2867 | | 1041 | CLUSTER 4X IB FI CABLE 30M | 290 | N | | 36 |
| 2867 | | 1042 | COPPER-FIBER CONVERTER | 457 | N | | 36 |
| 2867 | | 1044 | FIBRE CHANNEL WRAP PLUG - LC | 45 | N | | 36 |
| 2867 | | 1047 | 10-GBE FI CABLE 30M LC/SC | 272 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2867 | | 1051 | FC CABLE 50U 31M LC-LC | 58 | N | | 36 |
| 2867 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2867 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2867 | | 1057 | 512 GB PERF ACCEL MODULE | 44,433 | N | | 36 |
| 2867 | | 1061 | 4 PORT 6 GBPS SAS ADAPTER | 1,270 | N | | 36 |
| 2867 | | 1063 | 2-PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2867 | | 1064 | 2-PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |
| 2867 | | 1065 | 2 PORT 10 GBPS ENET NIC | 3,627 | N | | 36 |
| 2867 | | 9201 | PLANT INSTALL IN 2101 RACK | 145 | N | | 36 |
| 2867 | | 9202 | FIELD INSTALL RACK MOUNT KIT | 145 | N | | 36 |
| 2868 | | 1012 | 2-PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2868 | | 1013 | 2-PORT CU GBE NIC | 544 | N | | 36 |
| 2868 | | 1014 | 4-GBPS FC HBA - DISK 2-PORT | 2,086 | N | | 36 |
| 2868 | | 1015 | 4-GBPS FC HBA - TAPE 2-PORT | 2,131 | N | | 36 |
| 2868 | | 1017 | 2-PORT 4-GBPS FC HBA-TARGET | 2,086 | N | | 36 |
| 2868 | | 1029 | 4 PORT 4 GBPS FC HBA | 3,627 | N | | 36 |
| 2868 | | 1030 | 4 PORT 4 GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2868 | | 1031 | 2-PORT 10GBE TOE NIC | 10,882 | N | | 36 |
| 2868 | | 1032 | 2-PORT METROCLUSTER VI HBA | 2,947 | N | | 36 |
| 2868 | | 1033 | SNAPMIRROR OVER FC HBA | 2,675 | N | | 36 |
| 2868 | | 1035 | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627 | N | | 36 |
| 2868 | | 1036 | 2 PORT 8 GBPS PCIE TARGET | 2,720 | N | | 36 |
| 2868 | | 1037 | 2M COPPER CLUSTER 4X IB CBL | 67 | N | | 36 |
| 2868 | | 1040 | 5M FIBER CLUSTER 4X IB CBL | 126 | N | | 36 |
| 2868 | | 1041 | 30M FIBER CLUSTER 4X IB CBL | 290 | N | | 36 |
| 2868 | | 1042 | COPPER-FIBER CONVERTER | 457 | N | | 36 |
| 2868 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2868 | | 1047 | 10-GBE FI CABLE 30M LC/SC | 272 | N | | 36 |
| 2868 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2868 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2868 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2868 | | 1058 | 256 GB PERF ACCEL MODULE | 40,806 | N | | 36 |
| 2868 | | 1061 | 4 PORT 6 GBPS SAS ADAPTER | 1,814 | N | | 36 |
| 2868 | | 1063 | 2 PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2868 | | 1064 | 2 PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |
| 2868 | | 1065 | 2 PORT 10 GBPS ENET NIC | 3,627 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2868 | | 2012 | NIC SFP+ | 635 | N | | 36 |
| 2869 | | 1012 | 2-PORT FIBER GBE NIC | 1,632 | N | | 36 |
| 2869 | | 1013 | 2-PORT CU GBE NIC | 544 | N | | 36 |
| 2869 | | 1014 | 4-GBPS FC HBA - DISK 2-PORT | 2,086 | N | | 36 |
| 2869 | | 1015 | 4-GBPS FC HBA - TAPE 2-PORT | 2,131 | N | | 36 |
| 2869 | | 1017 | 2-PORT 4-GBPS FC HBA-TARGET | 2,086 | N | | 36 |
| 2869 | | 1029 | 4 PORT 4 GBPS FC HBA | 3,627 | N | | 36 |
| 2869 | | 1030 | 4 PORT 4 GBPS PCIE TARGET | 3,627 | N | | 36 |
| 2869 | | 1031 | 2-PORT 10GBE TOE NIC | 10,882 | N | | 36 |
| 2869 | | 1032 | 2-PORT METROCLUSTER VI HBA | 2,947 | N | | 36 |
| 2869 | | 1033 | SNAPMIRROR OVER FC HBA PCIE | 2,675 | N | | 36 |
| 2869 | | 1035 | 4 PORT 4 GBPS FC HBA TAP/DSK | 3,627 | N | | 36 |
| 2869 | | 1036 | 2 PORT 8 GBPS PCIE TARGET | 2,720 | N | | 36 |
| 2869 | | 1037 | 2M COPPER CLUSTER 4X IB CBL | 67 | N | | 36 |
| 2869 | | 1040 | 5M FIBER CLUSTER 4X IB CBL | 126 | N | | 36 |
| 2869 | | 1041 | 30M FIBER CLUSTER 4X IB CBL | 290 | N | | 36 |
| 2869 | | 1042 | COPPER-FIBER CONVERTER | 457 | N | | 36 |
| 2869 | | 1044 | FIBRE CHANNEL WRAP PLUG LC | 45 | N | | 36 |
| 2869 | | 1047 | 10-GBE FI CABLE 30M LC/SC | 272 | N | | 36 |
| 2869 | | 1051 | FC CABLE 50U 31M LC LC | 58 | N | | 36 |
| 2869 | | 1052 | FC CABLE 50U 31M LC SC | 58 | N | | 36 |
| 2869 | | 1055 | FCOE SFP+ COPPER CABLE 5M | 126 | N | | 36 |
| 2869 | | 1061 | 4 PORT 6 GBPS SAS ADAPTER | 1,814 | N | | 36 |
| 2869 | | 1063 | 2 PORT FCOE FI TARGET ADAPT | 2,720 | N | | 36 |
| 2869 | | 1064 | 2 PORT FCOE CU TARGET ADAPT | 1,904 | N | | 36 |
| 2869 | | 1065 | 2 PORT 10 GBPS ENET NIC | 3,627 | N | | 36 |
| 2869 | | 2012 | NIC SFP+ | 635 | N | | 36 |
| 2870 | 571 | | N3220 571 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 572 | | N3220 572 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 573 | | N3220 573 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 574 | | N3220 574 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 575 | | N3150 575 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 576 | | N3150 576 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 581 | | N6040 MODEL 581 | 0 | Y | | 36 |
| 2870 | 582 | | N6040 MODEL 582 | 0 | Y | | 36 |
| 2870 | 583 | | N6070 MODEL 583 | 0 | Y | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | 584 | | N6070 MODEL 584 | 0 | Y | | 36 |
| 2870 | 585 | | N6060 585 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 586 | | N6060 586 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58I | | N6220 58I FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58J | | N6220 58J FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58K | | N6220 58K FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58L | | N6220 58L FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58N | | N6250 58N FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 58P | | N6250 58P FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 591 | | N3300 591 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 592 | | N3300 592 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 593 | | N3400 593 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 594 | | N3400 594 FUNC AUTHORIZATION | 0 | Y | 1 | 36 |
| 2870 | 621 | | N3600 621 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 622 | | N3600 622 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 641 | | N5200 641 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 642 | | N5200 642 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 645 | | N5200 645 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 646 | | N5200 646 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 651 | | N5500 651 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 652 | | N5500 652 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 655 | | N5500 655 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 656 | | N5500 656 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 661 | | N7600 661 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 662 | | N7600 662 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 663 | | N7700 663 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 664 | | N7700 664 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 665 | | N7600 665 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 666 | | N7600 666 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 667 | | N7700 667 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 668 | | N7700 668 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 671 | | N7800 671 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 672 | | N7800 672 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 673 | | N7900 673 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 674 | | N7900 674 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 675 | | N7800 675 FUNC AUTHORIZATION | 0 | Y | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | 676 | | N7800 676 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 677 | | N7900 677 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 678 | | N7900 678 FUNC. AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 67B | | N7550T C20 FUNCTION AUTHORIZ | 0 | Y | | 36 |
| 2870 | 67J | | N7950T 67J FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 681 | | N5600 681 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 682 | | N5600 682 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 685 | | N5600 685 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 686 | | N5600 686 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 691 | | N5300 691 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 692 | | N5300 692 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 695 | | N5300 695 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | 696 | | N5300 696 FUNC AUTHORIZATION | 0 | Y | | 36 |
| 2870 | | 5002 | FOUNDATION PACK | 2,404 | N | | 36 |
| 2870 | | 5003 | PROTECTION PACK | 5,050 | N | | 36 |
| 2870 | | 5004 | ADVANCED PACK | 7,695 | N | | 36 |
| 2870 | | 5020 | WINDOWS BUNDLE | 6,396 | N | | 36 |
| 2870 | | 5021 | VIRTUALIZATION BUNDLE | 6,042 | N | | 36 |
| 2870 | | 5022 | COMPLETE BUNDLE | 7,996 | N | | 36 |
| 2870 | | 5052 | FOUNDATION PACK | 3,347 | N | | 36 |
| 2870 | | 5053 | PROTECTION PACK | 5,596 | N | | 36 |
| 2870 | | 5054 | ADVANCED PACK | 12,077 | N | | 36 |
| 2870 | | 5070 | WINDOWS BUNDLE | 9,604 | N | | 36 |
| 2870 | | 5071 | VIRTUALIZATION BUNDLE | 9,565 | N | | 36 |
| 2870 | | 5072 | COMPLETE BUNDLE | 12,005 | N | | 36 |
| 2870 | | 5102 | FOUNDATION PACK | 7,091 | N | | 36 |
| 2870 | | 5103 | PROTECTION PACK | 23,785 | N | | 36 |
| 2870 | | 5104 | ADVANCED PACK | 19,978 | N | | 36 |
| 2870 | | 5152 | FOUNDATION PACK | 10,606 | N | | 36 |
| 2870 | | 5153 | PROTECTION PACK | 33,978 | N | | 36 |
| 2870 | | 5154 | ADVANCED PACK | 33,963 | N | | 36 |
| 2870 | | 5170 | WINDOWS BUNDLE | 76,616 | N | | 36 |
| 2870 | | 5171 | VIRTUALIZATION BUNDLE | 64,881 | N | | 36 |
| 2870 | | 5172 | COMPLETE BUNDLE | 95,769 | N | | 36 |
| 2870 | | 5202 | FOUNDATION PACK | 1,226 | N | | 36 |
| 2870 | | 5203 | PROTECTION PACK | 4,113 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5204 | ADVANCED PACK | 6,597 | N | | 36 |
| 2870 | | 5220 | WINDOWS BUNDLE | 5,179 | N | | 36 |
| 2870 | | 5221 | VIRTUALIZATION BUNDLE | 4,827 | N | | 36 |
| 2870 | | 5222 | COMPLETE BUNDLE | 7,461 | N | | 36 |
| 2870 | | 5223 | APPLICATION PACK | 6,961 | N | | 36 |
| 2870 | | 5224 | SERVER PACK | 3,299 | N | | 36 |
| 2870 | | 5252 | FOUNDATION PACK | 1,714 | N | | 36 |
| 2870 | | 5253 | PROTECTION PACK | 5,710 | N | | 36 |
| 2870 | | 5254 | ADVANCED PACK | 10,359 | N | | 36 |
| 2870 | | 5270 | WINDOWS BUNDLE | 8,200 | N | | 36 |
| 2870 | | 5271 | VIRTUALIZATION BUNDLE | 7,251 | N | | 36 |
| 2870 | | 5272 | COMPLETE BUNDLE | 11,297 | N | | 36 |
| 2870 | | 5273 | APPLICATION PACK | 9,643 | N | | 36 |
| 2870 | | 5274 | SERVER PACK | 5,487 | N | | 36 |
| 2870 | | 5302 | WINDOWS BUNDLE | 93,044 | N | | 36 |
| 2870 | | 5303 | VIRTUALIZATION BUNDLE | 82,918 | N | | 36 |
| 2870 | | 5304 | COMPLETE BUNDLE | 122,321 | N | | 36 |
| 2870 | | 5327 | WINDOWS BUNDLE GW | 93,044 | N | | 36 |
| 2870 | | 5328 | VIRTUALIZATION BUNDLE GW | 82,918 | N | | 36 |
| 2870 | | 5329 | COMPLETE BUNDLE GW | 122,321 | N | | 36 |
| 2870 | | 5352 | WINDOWS BUNDLE | 69,036 | N | | 36 |
| 2870 | | 5353 | VIRTUALIZATION BUNDLE | 113,163 | N | | 36 |
| 2870 | | 5354 | COMPLETE BUNDLE | 96,675 | N | | 36 |
| 2870 | | 5377 | WINDOWS BUNDLE GW | 114,110 | N | | 36 |
| 2870 | | 5378 | VIRTUALIZATION BUNDLE GW | 113,163 | N | | 36 |
| 2870 | | 5379 | COMPLETE BUNDLE GW | 159,794 | N | | 36 |
| 2870 | | 5402 | WINDOWS BUNDLE | 188,611 | N | | 36 |
| 2870 | | 5403 | VIRTUALIZATION BUNDLE | 176,880 | N | | 36 |
| 2870 | | 5404 | COMPLETE BUNDLE | 255,207 | N | | 36 |
| 2870 | | 5427 | WINDOWS BUNDLE GW | 188,611 | N | | 36 |
| 2870 | | 5428 | VIRTUALIZATION BUNDLE GW | 176,880 | N | | 36 |
| 2870 | | 5429 | COMPLETE BUNDLE GW | 255,207 | N | | 36 |
| 2870 | | 5452 | WINDOWS BUNDLE | 303,289 | N | | 36 |
| 2870 | | 5453 | VIRTUALIZATION BUNDLE | 285,142 | N | | 36 |
| 2870 | | 5454 | COMPLETE BUNDLE | 420,203 | N | | 36 |
| 2870 | | 5477 | WINDOWS BUNDLE GW | 303,289 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5478 | VIRTUALIZATION BUNDLE GW | 285,142 | N | | 36 |
| 2870 | | 5479 | COMPLETE BUNDLE GW | 420,203 | N | | 36 |
| 2870 | | 5502 | WINDOWS BUNDLE | 152,527 | N | | 36 |
| 2870 | | 5503 | VIRTUALIZATION BUNDLE | 124,699 | N | | 36 |
| 2870 | | 5504 | COMPLETE BUNDLE | 211,691 | N | | 36 |
| 2870 | | 5527 | WINDOWS BUNDLE GW | 152,527 | N | | 36 |
| 2870 | | 5528 | VIRTUALIZATION BUNDLE GW | 124,699 | N | | 36 |
| 2870 | | 5529 | COMPLETE BUNDLE GW | 211,691 | N | | 36 |
| 2870 | | 5552 | WINDOWS BUNDLE | 233,178 | N | | 36 |
| 2870 | | 5553 | VIRTUALIZATION BUNDLE | 187,747 | N | | 36 |
| 2870 | | 5554 | COMPLETE BUNDLE | 330,651 | N | | 36 |
| 2870 | | 5577 | WINDOWS BUNDLE GW | 233,178 | N | | 36 |
| 2870 | | 5578 | VIRTUALIZATION BUNDLE GW | 187,747 | N | | 36 |
| 2870 | | 5579 | COMPLETE BUNDLE GW | 330,651 | N | | 36 |
| 2870 | | 5602 | CIFS SECONDARY | 40,450 | N | | 36 |
| 2870 | | 5604 | FCP SECONDARY | 40,450 | N | | 36 |
| 2870 | | 5606 | ISCSI SECONDARY | 40,450 | N | | 36 |
| 2870 | | 5608 | NFS SECONDARY | 40,450 | N | | 36 |
| 2870 | | 5609 | SNAPLOCK COMPLIANCE | 51,796 | N | | 36 |
| 2870 | | 5611 | SNAPRESTORE | 19,115 | N | | 36 |
| 2870 | | 5612 | SNAPMIRROR | 82,011 | N | | 36 |
| 2870 | | 5613 | SNAPVAULT | 53,030 | N | | 36 |
| 2870 | | 5614 | FLEXCLONE | 35,517 | N | | 36 |
| 2870 | | 5615 | SNAPMANAGER SUITE | 106,059 | N | | 36 |
| 2870 | | 5616 | COMPLETE BUNDLE | 267,244 | N | | 36 |
| 2870 | | 5619 | SNAPLOCK ENTERPRISE | 51,796 | N | | 36 |
| 2870 | | 5627 | CIFS SECONDARY GW | 40,450 | N | | 36 |
| 2870 | | 5629 | FCP SECONDARY GW | 40,450 | N | | 36 |
| 2870 | | 5631 | ISCSI SECONDARY GW | 40,450 | N | | 36 |
| 2870 | | 5633 | NFS SECONDARY GW | 40,450 | N | | 36 |
| 2870 | | 5634 | SNAPLOCK COMPLIANCE GW | 51,796 | N | | 36 |
| 2870 | | 5636 | SNAPRESTORE GW | 19,115 | N | | 36 |
| 2870 | | 5637 | SNAPMIRROR GW | 82,011 | N | | 36 |
| 2870 | | 5638 | SNAPVAULT GW | 53,030 | N | | 36 |
| 2870 | | 5639 | FLEXCLONE GW | 35,517 | N | | 36 |
| 2870 | | 5640 | SNAPMANAGER SUITE GW | 106,059 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|------------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2870 | | 5641 | COMPLETE BUNDLE GW | 267,244 | N | | 36 |
| 2870 | | 5644 | SNAPLOCK ENTERPRISE GW | 51,796 | N | | 36 |
| 2870 | | 5652 | CIFS SECONDARY | 31,509 | N | | 36 |
| 2870 | | 5654 | FCP SECONDARY | 31,509 | N | | 36 |
| 2870 | | 5656 | ISCSI SECONDARY | 31,509 | N | | 36 |
| 2870 | | 5658 | NFS SECONDARY | 31,509 | N | | 36 |
| 2870 | | 5659 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 5661 | SNAPRESTORE | 13,380 | N | | 36 |
| 2870 | | 5662 | SNAPMIRROR | 57,408 | N | | 36 |
| 2870 | | 5663 | SNAPVAULT | 37,182 | N | | 36 |
| 2870 | | 5664 | FLEXCLONE | 24,849 | N | | 36 |
| 2870 | | 5665 | SNAPMANAGER SUITE | 74,241 | N | | 36 |
| 2870 | | 5666 | COMPLETE BUNDLE | 198,368 | N | | 36 |
| 2870 | | 5669 | SNAPLOCK ENTERPRISE | 25,898 | N | | 36 |
| 2870 | | 5677 | CIFS SECONDARY GW | 31,509 | N | | 36 |
| 2870 | | 5679 | FCP SECONDARY GW | 31,509 | N | | 36 |
| 2870 | | 5681 | ISCSI SECONDARY GW | 31,509 | N | | 36 |
| 2870 | | 5683 | NFS SECONDARY GW | 31,509 | N | | 36 |
| 2870 | | 5684 | SNAPLOCK COMPLIANCE GW | 25,898 | N | | 36 |
| 2870 | | 5686 | SNAPRESTORE GW | 13,380 | N | | 36 |
| 2870 | | 5687 | SNAPMIRROR GW | 57,408 | N | | 36 |
| 2870 | | 5688 | SNAPVAULT GW | 37,182 | N | | 36 |
| 2870 | | 5689 | FLEXCLONE GW | 24,849 | N | | 36 |
| 2870 | | 5690 | SNAPMANAGER SUITE GW | 74,241 | N | | 36 |
| 2870 | | 5691 | COMPLETE BUNDLE GW | 198,368 | N | | 36 |
| 2870 | | 5694 | SNAPLOCK ENTERPRISE GW | 25,898 | N | | 36 |
| 2870 | | 5702 | CIFS SECONDARY | 24,541 | N | | 36 |
| 2870 | | 5704 | FCP SECONDARY | 24,541 | N | | 36 |
| 2870 | | 5706 | ISCSI SECONDARY | 24,541 | N | | 36 |
| 2870 | | 5708 | NFS SECONDARY | 24,541 | N | | 36 |
| 2870 | | 5709 | SNAPLOCK COMPLIANCE | 51,796 | N | | 36 |
| 2870 | | 5711 | SNAPRESTORE | 10,483 | N | | 36 |
| 2870 | | 5712 | SNAPMIRROR | 44,767 | N | | 36 |
| 2870 | | 5713 | SNAPVAULT | 28,981 | N | | 36 |
| 2870 | | 5714 | FLEXCLONE | 19,361 | N | | 36 |
| 2870 | | 5715 | SNAPMANAGER SUITE | 69,062 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5716 | COMPLETE BUNDLE | 154,649 | N | | 36 |
| 2870 | | 5719 | SNAPLOCK COMPLIANCE | 51,796 | N | | 36 |
| 2870 | | 5727 | CIFS SECONDARY GW | 24,541 | N | | 36 |
| 2870 | | 5729 | FCP SECONDARY GW | 24,541 | N | | 36 |
| 2870 | | 5731 | ISCSI SECONDARY GW | 24,541 | N | | 36 |
| 2870 | | 5733 | NFS SECONDARY GW | 24,541 | N | | 36 |
| 2870 | | 5734 | SNAPLOCK COMPLIANCE GW | 51,796 | N | | 36 |
| 2870 | | 5736 | SNAPRESTORE GW | 10,483 | N | | 36 |
| 2870 | | 5737 | SNAPMIRROR GW | 44,767 | N | | 36 |
| 2870 | | 5738 | SNAPVAULT GW | 28,981 | N | | 36 |
| 2870 | | 5739 | FLEXCLONE GW | 19,361 | N | | 36 |
| 2870 | | 5740 | SNAPMANAGER SUITE GW | 69,062 | N | | 36 |
| 2870 | | 5741 | COMPLETE BUNDLE GW | 154,649 | N | | 36 |
| 2870 | | 5744 | SNAPLOCK ENTERPRISE GW | 51,796 | N | | 36 |
| 2870 | | 5752 | CIFS SECONDARY | 17,203 | N | | 36 |
| 2870 | | 5754 | FCP SECONDARY | 17,203 | N | | 36 |
| 2870 | | 5756 | ISCSI SECONDARY | 17,203 | N | | 36 |
| 2870 | | 5758 | NFS SECONDARY | 17,203 | N | | 36 |
| 2870 | | 5759 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 5761 | SNAPRESTORE | 7,337 | N | | 36 |
| 2870 | | 5762 | SNAPMIRROR | 31,324 | N | | 36 |
| 2870 | | 5763 | SNAPVAULT | 20,286 | N | | 36 |
| 2870 | | 5764 | FLEXCLONE | 13,566 | N | | 36 |
| 2870 | | 5765 | SNAPMANAGER SUITE | 48,343 | N | | 36 |
| 2870 | | 5766 | COMPLETE BUNDLE | 108,218 | N | | 36 |
| 2870 | | 5769 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 5777 | CIFS SECONDARY GW | 17,203 | N | | 36 |
| 2870 | | 5779 | FCP SECONDARY GW | 17,203 | N | | 36 |
| 2870 | | 5781 | ISCSI SECONDARY GW | 17,203 | N | | 36 |
| 2870 | | 5783 | NFS SECONDARY GW | 17,203 | N | | 36 |
| 2870 | | 5784 | SNAPLOCK COMPLIANCE GW | 25,898 | N | | 36 |
| 2870 | | 5786 | SNAPRESTORE GW | 7,337 | N | | 36 |
| 2870 | | 5787 | SNAPMIRROR GW | 31,324 | N | | 36 |
| 2870 | | 5788 | SNAPVAULT GW | 20,286 | N | | 36 |
| 2870 | | 5789 | FLEXCLONE GW | 13,566 | N | | 36 |
| 2870 | | 5790 | SNAPMANAGER SUITE GW | 48,343 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5791 | COMPLETE BUNDLE GW | 108,218 | N | | 36 |
| 2870 | | 5794 | SNAPLOCK ENTERPRISE GW | 25,898 | N | | 36 |
| 2870 | | 5802 | CIFS SECONDARY | 89,040 | N | | 36 |
| 2870 | | 5804 | FCP SECONDARY | 89,040 | N | | 36 |
| 2870 | | 5806 | ISCSI SECONDARY | 89,040 | N | | 36 |
| 2870 | | 5808 | NFS SECONDARY | 89,040 | N | | 36 |
| 2870 | | 5809 | SNAPLOCK COMPLIANCE | 51,796 | N | | 36 |
| 2870 | | 5811 | SNAPRESTORE | 29,968 | N | | 36 |
| 2870 | | 5812 | SNAPMIRROR | 134,300 | N | | 36 |
| 2870 | | 5813 | SNAPVAULT | 79,790 | N | | 36 |
| 2870 | | 5814 | FLEXCLONE | 46,000 | N | | 36 |
| 2870 | | 5815 | SNAPMANAGER SUITE | 140,590 | N | | 36 |
| 2870 | | 5816 | COMPLETE BUNDLE | 517,718 | N | | 36 |
| 2870 | | 5819 | SNAPLOCK ENTERPRISE | 51,796 | N | | 36 |
| 2870 | | 5827 | CIFS SECONDARY GW | 89,040 | N | | 36 |
| 2870 | | 5829 | FCP SECONDARY GW | 89,040 | N | | 36 |
| 2870 | | 5831 | ISCSI SECONDARY GW | 89,040 | N | | 36 |
| 2870 | | 5833 | NFS SECONDARY GW | 89,040 | N | | 36 |
| 2870 | | 5834 | SNAPLOCK COMPLIANCE GW | 51,796 | N | | 36 |
| 2870 | | 5836 | SNAPRESTORE GW | 29,968 | N | | 36 |
| 2870 | | 5837 | SNAPMIRROR GW | 134,300 | N | | 36 |
| 2870 | | 5838 | SNAPVAULT GW | 79,790 | N | | 36 |
| 2870 | | 5839 | FLEXCLONE GW | 46,000 | N | | 36 |
| 2870 | | 5840 | SNAPMANAGER SUITE GW | 140,590 | N | | 36 |
| 2870 | | 5841 | COMPLETE BUNDLE GW | 517,718 | N | | 36 |
| 2870 | | 5844 | SNAPLOCK ENTERPRISE GW | 51,796 | N | | 36 |
| 2870 | | 5852 | CIFS SECONDARY | 62,341 | N | | 36 |
| 2870 | | 5854 | FCP SECONDARY | 62,341 | N | | 36 |
| 2870 | | 5856 | ISCSI SECONDARY | 62,341 | N | | 36 |
| 2870 | | 5858 | NFS SECONDARY | 62,341 | N | | 36 |
| 2870 | | 5859 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 5861 | SNAPRESTORE | 20,965 | N | | 36 |
| 2870 | | 5862 | SNAPMIRROR | 93,973 | N | | 36 |
| 2870 | | 5863 | SNAPVAULT | 55,866 | N | | 36 |
| 2870 | | 5864 | FLEXCLONE | 32,187 | N | | 36 |
| 2870 | | 5865 | SNAPMANAGER SUITE | 98,413 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5866 | COMPLETE BUNDLE | 362,390 | N | | 36 |
| 2870 | | 5869 | SNAPLOCK ENTERPRISE | 25,898 | N | | 36 |
| 2870 | | 5877 | CIFS SECONDARY GW | 62,341 | N | | 36 |
| 2870 | | 5879 | FCP SECONDARY GW | 62,341 | N | | 36 |
| 2870 | | 5881 | ISCSI SECONDARY GW | 62,341 | N | | 36 |
| 2870 | | 5883 | NFS SECONDARY GW | 62,341 | N | | 36 |
| 2870 | | 5884 | SNAPLOCK COMPLIANCE GW | 25,898 | N | | 36 |
| 2870 | | 5886 | SNAPRESTORE GW | 20,965 | N | | 36 |
| 2870 | | 5887 | SNAPMIRROR GW | 93,973 | N | | 36 |
| 2870 | | 5888 | SNAPVAULT GW | 55,866 | N | | 36 |
| 2870 | | 5889 | FLEXCLONE GW | 32,187 | N | | 36 |
| 2870 | | 5890 | SNAPMANAGER SUITE GW | 98,413 | N | | 36 |
| 2870 | | 5891 | COMPLETE BUNDLE GW | 362,390 | N | | 36 |
| 2870 | | 5894 | SNAPLOCK ENTERPRISE GW | 25,898 | N | | 36 |
| 2870 | | 5902 | CIFS SECONDARY | 119,107 | N | | 36 |
| 2870 | | 5904 | FCP SECONDARY | 119,107 | N | | 36 |
| 2870 | | 5906 | ISCSI SECONDARY | 119,107 | N | | 36 |
| 2870 | | 5908 | NFS SECONDARY | 119,107 | N | | 36 |
| 2870 | | 5909 | SNAPLOCK COMPLIANCE | 51,796 | N | | 36 |
| 2870 | | 5911 | SNAPRESTORE | 30,066 | N | | 36 |
| 2870 | | 5912 | SNAPMIRROR | 154,550 | N | | 36 |
| 2870 | | 5913 | SNAPVAULT | 89,311 | N | | 36 |
| 2870 | | 5914 | FLEXCLONE | 75,697 | N | | 36 |
| 2870 | | 5915 | SNAPMANAGER SUITE | 114,223 | N | | 36 |
| 2870 | | 5916 | COMPLETE BUNDLE | 650,304 | N | | 36 |
| 2870 | | 5919 | SNAPLOCK ENTERPRISE | 51,796 | N | | 36 |
| 2870 | | 5927 | CIFS SECONDARY GW | 119,107 | N | | 36 |
| 2870 | | 5929 | FCP SECONDARY GW | 119,107 | N | | 36 |
| 2870 | | 5931 | ISCSI SECONDARY GW | 119,107 | N | | 36 |
| 2870 | | 5933 | NFS SECONDARY GW | 119,107 | N | | 36 |
| 2870 | | 5934 | SNAPLOCK COMPLIANCE GW | 51,796 | N | | 36 |
| 2870 | | 5936 | SNAPRESTORE GW | 30,066 | N | | 36 |
| 2870 | | 5937 | SNAPMIRROR GW | 154,550 | N | | 36 |
| 2870 | | 5938 | SNAPVAULT GW | 89,311 | N | | 36 |
| 2870 | | 5939 | FLEXCLONE GW | 75,697 | N | | 36 |
| 2870 | | 5940 | SNAPMANAGER SUITE GW | 114,223 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 5941 | COMPLETE BUNDLE GW | 650,304 | N | | 36 |
| 2870 | | 5944 | SNAPLOCK ENTERPRISE GW | 51,796 | N | | 36 |
| 2870 | | 6002 | CIFS | 0 | N | | 36 |
| 2870 | | 6004 | NFS | 0 | N | | 36 |
| 2870 | | 6051 | CIFS | 92,123 | N | | 36 |
| 2870 | | 6052 | HTTP | 21,582 | N | | 36 |
| 2870 | | 6053 | NFS | 98,968 | N | | 36 |
| 2870 | | 6054 | CFO | 25,829 | N | | 36 |
| 2870 | | 6055 | FLEXCLONE | 39,310 | N | | 36 |
| 2870 | | 6056 | MULTISTORE | 64,746 | N | | 36 |
| 2870 | | 6057 | SNAPMIRROR | 124,311 | N | | 36 |
| 2870 | | 6058 | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | 6059 | SNAPLOCK ENTERPRISE | 77,695 | N | | 36 |
| 2870 | | 6061 | SNAPRESTORE | 27,748 | N | | 36 |
| 2870 | | 6062 | SNAPVAULT PRIMARY | 44,397 | N | | 36 |
| 2870 | | 6063 | SNAPVAULT SECONDARY | 124,311 | N | | 36 |
| 2870 | | 6068 | FIBRE CHANNEL PROTOCOL | 14,635 | N | | 36 |
| 2870 | | 6070 | SNAPMANAGER/EXCHANGE - FILER | 73,378 | N | | 36 |
| 2870 | | 6071 | SNAPMANAGER/SQL - FILER | 73,378 | N | | 36 |
| 2870 | | 6072 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 6073 | METROCLUSTER | 39,464 | N | | 36 |
| 2870 | | 6074 | SAN BUNDLE | 25,829 | N | | 36 |
| 2870 | | 6078 | MS EXCHANGE BUNDLE 5K USRS | 79,445 | N | | 36 |
| 2870 | | 6079 | SNAPMIRROR/SNAPVAULT BUNDLE | 155,389 | N | | 36 |
| 2870 | | 6088 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 6089 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 6091 | SNAPMANAGER HYPER V FILER | 20,466 | N | | 36 |
| 2870 | | 6096 | SNAPDRIVE FOR UNIX FILER | 34,112 | N | | 36 |
| 2870 | | 6097 | SNAPDRIVE FOR WIN FILER | 34,112 | N | | 36 |
| 2870 | | 6098 | SNAPMANAGER VI FILER | 34,112 | N | | 36 |
| 2870 | | 6099 | SNAPMANAGER SHAREPOINT FILER | 57,716 | N | | 36 |
| 2870 | | 6100 | DATA ONTAP | 28,537 | N | | 36 |
| 2870 | | 6102 | CIFS | 0 | N | | 36 |
| 2870 | | 6104 | NFS | 0 | N | | 36 |
| 2870 | | 6105 | CFO | 0 | N | | 36 |
| 2870 | | 6150 | DATA ONTAP | 32,645 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6151 | CIFS | 92,123 | N | | 36 |
| 2870 | | 6152 | HTTP | 21,582 | N | | 36 |
| 2870 | | 6153 | NFS | 98,968 | N | | 36 |
| 2870 | | 6154 | CFO | 25,829 | N | | 36 |
| 2870 | | 6155 | FLEXCLONE | 39,310 | N | | 36 |
| 2870 | | 6156 | MULTISTORE | 64,746 | N | | 36 |
| 2870 | | 6157 | SNAPMIRROR | 124,311 | N | | 36 |
| 2870 | | 6158 | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | 6159 | SNAPLOCK ENTERPRISE | 77,695 | N | | 36 |
| 2870 | | 6161 | SNAPRESTORE | 27,748 | N | | 36 |
| 2870 | | 6162 | SNAPVAULT PRIMARY | 44,397 | N | | 36 |
| 2870 | | 6163 | SNAPVAULT SECONDARY | 124,311 | N | | 36 |
| 2870 | | 6168 | FIBRE CHANNEL PROTOCOL | 14,635 | N | | 36 |
| 2870 | | 6170 | SNAPMANAGER/EXCHANGE - FILER | 73,378 | N | | 36 |
| 2870 | | 6171 | SNAPMANAGER/SQL - FILER | 73,378 | N | | 36 |
| 2870 | | 6172 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 6173 | METROCLUSTER | 39,464 | N | | 36 |
| 2870 | | 6179 | SNAPMIRROR/SNAPVAULT BUNDLE | 155,389 | N | | 36 |
| 2870 | | 6188 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 6189 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 6191 | SNAPMGR HYPER V FILER GW | 20,466 | N | | 36 |
| 2870 | | 6196 | SNAPDRIVE FOR UNIX FILER GW | 34,112 | N | | 36 |
| 2870 | | 6197 | SNAPDRIVE FOR WIN FILER GW | 34,112 | N | | 36 |
| 2870 | | 6198 | SNAPMANAGER VI FILER GW | 34,112 | N | | 36 |
| 2870 | | 6199 | SNAPMANAGER SHAREPOINT FILER | 57,716 | N | | 36 |
| 2870 | | 6200 | DATA ONTAP | 15,900 | N | | 36 |
| 2870 | | 6250 | DATA ONTAP | 10,368 | N | | 36 |
| 2870 | | 6301 | DATA ONTAP GW | 15,900 | N | | 36 |
| 2870 | | 6302 | CIFS | 0 | N | | 36 |
| 2870 | | 6303 | HTTP | 1,418 | N | | 36 |
| 2870 | | 6304 | NFS | 0 | N | | 36 |
| 2870 | | 6307 | SNAPMANAGER HYPER V FILER | 2,959 | N | | 36 |
| 2870 | | 6311 | FLEXCLONE | 11,839 | N | | 36 |
| 2870 | | 6320 | MULTISTORE | 6,166 | N | | 36 |
| 2870 | | 6322 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 6327 | SNAPDRIVE FOR UNIX FILER | 5,919 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6328 | SNAPDRIVE FOR WIN FILER | 4,933 | N | | 36 |
| 2870 | | 6329 | SNAPMIRROR/SNAPVAULT BUNDLE | 8,092 | N | | 36 |
| 2870 | | 6331 | SNAPMIRROR | 7,769 | N | | 36 |
| 2870 | | 6332 | SNAPLOCK COMPLIANCE | 9,866 | N | | 36 |
| 2870 | | 6333 | SNAPLOCK ENTERPRISE | 9,866 | N | | 36 |
| 2870 | | 6335 | SNAPRESTORE | 3,700 | N | | 36 |
| 2870 | | 6336 | SNAPVAULT PRIMARY | 3,700 | N | | 36 |
| 2870 | | 6337 | SNAPVAULT SECONDARY | 6,475 | N | | 36 |
| 2870 | | 6338 | SNAPMANAGER SAP FILER | 13,874 | N | | 36 |
| 2870 | | 6339 | SNAPMANAGER ORACLE FILER | 9,249 | N | | 36 |
| 2870 | | 6343 | FIBRE CHANNEL PROTOCOL | 1,233 | N | | 36 |
| 2870 | | 6345 | SNAPMANAGER/EXCHANGE - FILER | 9,249 | N | | 36 |
| 2870 | | 6346 | SNAPMANAGER/SQL - FILER | 9,249 | N | | 36 |
| 2870 | | 6348 | SNAPMANAGER VI FILER | 4,933 | N | | 36 |
| 2870 | | 6349 | SNAPMANAGER SHAREPOINT FILER | 7,276 | N | | 36 |
| 2870 | | 6352 | CIFS | 0 | N | | 36 |
| 2870 | | 6353 | HTTP | 2,133 | N | | 36 |
| 2870 | | 6354 | NFS | 0 | N | | 36 |
| 2870 | | 6355 | CFO | 0 | N | | 36 |
| 2870 | | 6357 | SNAPMANAGER HYPER V FILER | 5,327 | N | | 36 |
| 2870 | | 6361 | FLEXCLONE | 20,126 | N | | 36 |
| 2870 | | 6370 | MULTISTORE | 9,249 | N | | 36 |
| 2870 | | 6372 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 6377 | SNAPDRIVE FOR UNIX FILER | 10,655 | N | | 36 |
| 2870 | | 6378 | SNAPDRIVE FOR WIN FILER | 8,879 | N | | 36 |
| 2870 | | 6379 | SNAPMIRROR/SNAPVAULT BUNDLE | 12,150 | N | | 36 |
| 2870 | | 6381 | SNAPMIRROR | 11,661 | N | | 36 |
| 2870 | | 6382 | SNAPLOCK COMPLIANCE | 14,799 | N | | 36 |
| 2870 | | 6383 | SNAPLOCK ENTERPRISE | 14,799 | N | | 36 |
| 2870 | | 6385 | SNAPRESTORE | 5,550 | N | | 36 |
| 2870 | | 6386 | SNAPVAULT PRIMARY | 5,550 | N | | 36 |
| 2870 | | 6387 | SNAPVAULT SECONDARY | 9,718 | N | | 36 |
| 2870 | | 6388 | SNAPMANAGER SAP FILER | 20,811 | N | | 36 |
| 2870 | | 6389 | SNAPMANAGER ORACLE FILER | 13,874 | N | | 36 |
| 2870 | | 6393 | FIBRE CHANNEL PROTOCOL | 1,850 | N | | 36 |
| 2870 | | 6395 | SNAPMANAGER/EXCHANGE - FILER | 13,874 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6396 | SNAPMANAGER/SQL - FILER | 13,874 | N | | 36 |
| 2870 | | 6398 | SNAPMANAGER VI FILER | 8,879 | N | | 36 |
| 2870 | | 6399 | SNAPMANAGER SHAREPOINT FILER | 10,914 | N | | 36 |
| 2870 | | 6401 | DATA ONTAP GW | 32,645 | N | | 36 |
| 2870 | | 6501 | CIFS | 33,298 | N | | 36 |
| 2870 | | 6502 | HTTP | 8,633 | N | | 36 |
| 2870 | | 6503 | NFS | 33,569 | N | | 36 |
| 2870 | | 6505 | FLRXCLONE | 18,499 | N | | 36 |
| 2870 | | 6506 | MULTISTORE | 30,831 | N | | 36 |
| 2870 | | 6507 | SNAPMIRROR | 65,262 | N | | 36 |
| 2870 | | 6508 | SNAPLOCK COMPLIANCE | 34,531 | N | | 36 |
| 2870 | | 6509 | SNAPLOCK ENTERPRISE | 34,531 | N | | 36 |
| 2870 | | 6511 | SNAPRESTORE | 12,332 | N | | 36 |
| 2870 | | 6512 | SNAPVAULT PRIMARY | 18,499 | N | | 36 |
| 2870 | | 6513 | SNAPVAULT SECONDARY | 65,262 | N | | 36 |
| 2870 | | 6519 | FIBRE CHANNEL PROTOCOL | 5,613 | N | | 36 |
| 2870 | | 6521 | SNAPMANAGER EXCHANGE FILER | 36,997 | N | | 36 |
| 2870 | | 6522 | SNAPMANAGER SQL FILER | 36,997 | N | | 36 |
| 2870 | | 6524 | METROCLUSTER | 18,499 | N | | 36 |
| 2870 | | 6529 | SNAPMIRROR SNAPVAULT BUNDLE | 81,579 | N | | 36 |
| 2870 | | 6538 | SNAPMANAGER SAP FILER | 46,247 | N | | 36 |
| 2870 | | 6539 | SNAPMANAGER ORACLE FILER | 36,997 | N | | 36 |
| 2870 | | 6541 | SNAPMANAGER HYPER V FILER | 8,122 | N | | 36 |
| 2870 | | 6545 | SNAPDRIVE FOR UNIX FILER | 13,536 | N | | 36 |
| 2870 | | 6546 | SNAPDRIVE FOR WIN FILER | 13,536 | N | | 36 |
| 2870 | | 6548 | SNAPMANAGER VI FILER | 13,536 | N | | 36 |
| 2870 | | 6549 | SNAPMANAGER SHAREPOINT FILER | 29,104 | N | | 36 |
| 2870 | | 6551 | CIFS | 53,276 | N | | 36 |
| 2870 | | 6552 | HTTP | 15,539 | N | | 36 |
| 2870 | | 6553 | NFS | 47,949 | N | | 36 |
| 2870 | | 6554 | CFO | 15,230 | N | | 36 |
| 2870 | | 6555 | FLEXCLONE | 31,448 | N | | 36 |
| 2870 | | 6556 | MULTISTORE | 46,247 | N | | 36 |
| 2870 | | 6557 | SNAPMIRROR | 93,233 | N | | 36 |
| 2870 | | 6558 | SNAPLOCK COMPLIANCE | 62,155 | N | | 36 |
| 2870 | | 6559 | SNAPLOCK ENTERPRISE | 62,155 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6561 | SNAPRESTORE | 22,198 | N | | 36 |
| 2870 | | 6562 | SNAPVAULT PRIMARY | 33,298 | N | | 36 |
| 2870 | | 6563 | SNAPVAULT SECONDARY | 93,233 | N | | 36 |
| 2870 | | 6569 | FIBRE CHANNEL PROTOCOL | 8,018 | N | | 36 |
| 2870 | | 6571 | SNAPMANAGER/EXCHANGE FILER | 62,896 | N | | 36 |
| 2870 | | 6572 | SNAPMANAGER SQL FILER | 62,896 | N | | 36 |
| 2870 | | 6574 | SAN BUNDLE | 15,230 | N | | 36 |
| 2870 | | 6576 | METROCLUSTER | 29,598 | N | | 36 |
| 2870 | | 6579 | SNAPMIRROR/SNAPVAULT BUNDLE | 116,542 | N | | 36 |
| 2870 | | 6588 | SNAPMANAGER SAP FILER | 78,620 | N | | 36 |
| 2870 | | 6589 | SNAPMANAGER ORACLE FILER | 62,896 | N | | 36 |
| 2870 | | 6591 | SNAPMANAGER HYPER V FILER | 14,618 | N | | 36 |
| 2870 | | 6595 | SNAPDRIVE FOR UNIX FILER | 24,366 | N | | 36 |
| 2870 | | 6596 | SNAPDRIVE FOR WIN FILER | 24,366 | N | | 36 |
| 2870 | | 6598 | SNAPMANAGER VI FILER | 24,366 | N | | 36 |
| 2870 | | 6599 | SNAPMANAGER SHAREPOINT FILER | 49,330 | N | | 36 |
| 2870 | | 6600 | DATA ONTAP GW | 8,038 | N | | 36 |
| 2870 | | 6601 | CIFS GW | 33,298 | N | | 36 |
| 2870 | | 6602 | HTTP GW | 8,633 | N | | 36 |
| 2870 | | 6603 | NFS GW | 33,569 | N | | 36 |
| 2870 | | 6605 | FLEXCLONE GW | 18,499 | N | | 36 |
| 2870 | | 6606 | MULTISTORE GW | 30,831 | N | | 36 |
| 2870 | | 6607 | SNAPMIRROR GW | 65,262 | N | | 36 |
| 2870 | | 6608 | SNAPLOCK COMPLIANCE GW | 34,531 | N | | 36 |
| 2870 | | 6609 | SNAPLOCK ENTERPRISE GW | 34,531 | N | | 36 |
| 2870 | | 6611 | SNAPRESTORE GW | 12,332 | N | | 36 |
| 2870 | | 6612 | SNAPVALUT PRIMARY GW | 18,499 | N | | 36 |
| 2870 | | 6613 | SNAPVALUT SECONDARY GW | 65,262 | N | | 36 |
| 2870 | | 6619 | FIBRE CHANNEL PROTOCOL GW | 5,613 | N | | 36 |
| 2870 | | 6621 | SNAPMANAGER EXCH FILER GW | 36,997 | N | | 36 |
| 2870 | | 6622 | SNAPMANAGER SQL FILER GW | 36,997 | N | | 36 |
| 2870 | | 6624 | METROCLUSTER GW | 18,499 | N | | 36 |
| 2870 | | 6629 | SNAPMIR SNAPVLT BUNDLE GW | 81,579 | N | | 36 |
| 2870 | | 6638 | SNAPMANAGER SAP FILER GW | 46,247 | N | | 36 |
| 2870 | | 6639 | SNAPMANAGER ORACLE FILER GW | 36,997 | N | | 36 |
| 2870 | | 6641 | SNAPMGR HYPER V FILER GW | 8,122 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-----------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6645 | SNAPDRIVE FOR UNIX FILER GW | 13,536 | N | | 36 |
| 2870 | | 6646 | SNAPDRIVE FOR WIN FILER GW | 13,536 | N | | 36 |
| 2870 | | 6648 | SNAPMANAGER VI FILER GW | 13,536 | N | | 36 |
| 2870 | | 6649 | SNAPMANAGER SHPNT FILER GW | 29,104 | N | | 36 |
| 2870 | | 6650 | DATA ONTAP GW | 12,990 | N | | 36 |
| 2870 | | 6651 | CIFS GW | 53,276 | N | | 36 |
| 2870 | | 6652 | HTTP GW | 15,539 | N | | 36 |
| 2870 | | 6653 | NFS GW | 47,949 | N | | 36 |
| 2870 | | 6654 | CFO GW | 15,230 | N | | 36 |
| 2870 | | 6655 | FLEXCLONE GW | 31,448 | N | | 36 |
| 2870 | | 6656 | MULTISTORE GW | 46,247 | N | | 36 |
| 2870 | | 6657 | SNAPMIRROR GW | 93,233 | N | | 36 |
| 2870 | | 6658 | SNAPLOCK COMPLIANCE GW | 62,155 | N | | 36 |
| 2870 | | 6659 | SNAPLOCK ENTERPRISE GW | 62,155 | N | | 36 |
| 2870 | | 6661 | SNAPRESTORE GW | 22,198 | N | | 36 |
| 2870 | | 6662 | SNAPVAULT PRIMARY GW | 33,298 | N | | 36 |
| 2870 | | 6663 | SNAPVAULT SECONDARY GW | 93,233 | N | | 36 |
| 2870 | | 6669 | FIBRE CHANNEL PROTOCOL GW | 8,018 | N | | 36 |
| 2870 | | 6671 | SNAPMANAGER EXCH FILER GW | 62,896 | N | | 36 |
| 2870 | | 6672 | SNAPMANAGER SQL FILER GW | 62,896 | N | | 36 |
| 2870 | | 6674 | METROCLUSTER GW | 29,598 | N | | 36 |
| 2870 | | 6679 | SNAPMIR SNAPVLT BUNDLE GW | 116,542 | N | | 36 |
| 2870 | | 6688 | SNAPMANAGER SAP FILER GW | 78,620 | N | | 36 |
| 2870 | | 6689 | SNAPMANAGER ORACLE FILER GW | 62,896 | N | | 36 |
| 2870 | | 6691 | SNAPMGR HYPER V FILER GW | 14,618 | N | | 36 |
| 2870 | | 6695 | SNAPDRIVE FOR UNIX FILER GW | 24,366 | N | | 36 |
| 2870 | | 6696 | SNAPDRIVE FOR WIN FILER GW | 24,366 | N | | 36 |
| 2870 | | 6698 | SNAPMANAGER VI FILER GW | 24,366 | N | | 36 |
| 2870 | | 6699 | SNAPMANAGER SHPNT FILER GW | 49,330 | N | | 36 |
| 2870 | | 6801 | CIFS | 15,733 | N | | 36 |
| 2870 | | 6802 | HTTP | 5,673 | N | | 36 |
| 2870 | | 6803 | NFS | 29,968 | N | | 36 |
| 2870 | | 6805 | FLEXCLONE | 17,265 | N | | 36 |
| 2870 | | 6806 | MULTISTORE | 18,499 | N | | 36 |
| 2870 | | 6807 | SNAPMIRROR | 43,508 | N | | 36 |
| 2870 | | 6808 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6809 | SNAPLOCK ENTERPRISE | 25,898 | N | | 36 |
| 2870 | | 6811 | SNAPRESTORE | 9,866 | N | | 36 |
| 2870 | | 6812 | SNAPVAULT PRIMARY | 12,332 | N | | 36 |
| 2870 | | 6813 | SNAPVAULT SECONDARY | 43,508 | N | | 36 |
| 2870 | | 6819 | FIBRE CHANNEL PROTOCOL | 3,302 | N | | 36 |
| 2870 | | 6821 | SNAPMANAGER/EXCHANGE FILER | 30,831 | N | | 36 |
| 2870 | | 6822 | SNAPMANAGER/SQL FILER | 30,831 | N | | 36 |
| 2870 | | 6823 | METROCLUSTER | 12,332 | N | | 36 |
| 2870 | | 6829 | SNAPMIRROR/SNAPVAULT BUNDLE | 54,386 | N | | 36 |
| 2870 | | 6838 | SNAPMANAGER SAP FILER | 38,539 | N | | 36 |
| 2870 | | 6839 | SNAPMANAGER ORACLE FILER | 30,831 | N | | 36 |
| 2870 | | 6841 | SNAPMANAGER HYPER V FILER | 5,800 | N | | 36 |
| 2870 | | 6845 | SNAPDRIVE FOR UNIX FILER | 9,667 | N | | 36 |
| 2870 | | 6846 | SNAPDRIVE FOR WIN FILER | 9,667 | N | | 36 |
| 2870 | | 6848 | SNAPMANAGER VI FILER | 9,667 | N | | 36 |
| 2870 | | 6849 | SNAPMANAGER SHAREPOINT FILER | 24,264 | N | | 36 |
| 2870 | | 6900 | DATA ONTAP GW | 7,258 | N | | 36 |
| 2870 | | 6901 | CIFS GW | 15,733 | N | | 36 |
| 2870 | | 6902 | HTTP GW | 5,673 | N | | 36 |
| 2870 | | 6903 | NFS GW | 29,968 | N | | 36 |
| 2870 | | 6905 | FLEXCLONE GW | 17,265 | N | | 36 |
| 2870 | | 6906 | MULTISTORE GW | 18,499 | N | | 36 |
| 2870 | | 6907 | SNAPMIRROR GW | 43,508 | N | | 36 |
| 2870 | | 6908 | SNAPLOCK COMPLIANCE GW | 25,898 | N | | 36 |
| 2870 | | 6909 | SNAPLOCK ENTERPRISE GW | 25,898 | N | | 36 |
| 2870 | | 6911 | SNAPRESTORE GW | 9,866 | N | | 36 |
| 2870 | | 6912 | SNAPVAULT PRIMARY GW | 12,332 | N | | 36 |
| 2870 | | 6913 | SNAPVAULT SECONDARY GW | 43,508 | N | | 36 |
| 2870 | | 6919 | FIBRE CHANNEL PROTOCOL GW | 3,302 | N | | 36 |
| 2870 | | 6921 | SNAPMANAGER/EXCH FILER GW | 30,831 | N | | 36 |
| 2870 | | 6922 | SNAPMANAGER/SQL FILER GW | 30,831 | N | | 36 |
| 2870 | | 6923 | METROCLUSTER GW | 12,332 | N | | 36 |
| 2870 | | 6929 | SNAPMIR/SNAPVLT BUNDLE GW | 54,386 | N | | 36 |
| 2870 | | 6938 | SNAPMANAGER SAP FILER GW | 38,539 | N | | 36 |
| 2870 | | 6939 | SNAPMANAGER ORACLE FILER GW | 30,831 | N | | 36 |
| 2870 | | 6941 | SNAPMGR HYPER V FILER GW | 5,800 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 6945 | SNAPDRIVE FOR UNIX FILER GW | 9,667 | N | | 36 |
| 2870 | | 6946 | SNAPDRIVE FOR WIN FILER GW | 9,667 | N | | 36 |
| 2870 | | 6948 | SNAPMANAGER VI FILER GW | 9,667 | N | | 36 |
| 2870 | | 6949 | SNAPMANAGER SHPNT FILER GW | 24,264 | N | | 36 |
| 2870 | | 6950 | DATA ONTAP GW | 10,368 | N | | 36 |
| 2870 | | 7002 | CIFS | 7,597 | N | | 36 |
| 2870 | | 7003 | HTTP | 4,070 | N | | 36 |
| 2870 | | 7004 | NFS | 13,683 | N | | 36 |
| 2870 | | 7011 | FLEXCLONE | 19,978 | N | | 36 |
| 2870 | | 7020 | MULTISTORE | 15,416 | N | | 36 |
| 2870 | | 7022 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7029 | SNAPMIRROR/SNAPVAULT BUNDLE | 24,775 | N | | 36 |
| 2870 | | 7031 | SNAPMIRROR | 23,722 | N | | 36 |
| 2870 | | 7032 | SNAPLOCK COMPLIANCE | 18,499 | N | | 36 |
| 2870 | | 7033 | SNAPLOCK ENTERPRISE | 18,499 | N | | 36 |
| 2870 | | 7035 | SNAPRESTORE | 7,091 | N | | 36 |
| 2870 | | 7036 | SNAPVAULT PRIMARY | 7,892 | N | | 36 |
| 2870 | | 7037 | SNAPVAULT SECONDARY | 19,821 | N | | 36 |
| 2870 | | 7038 | SNAPMANAGER SAP FILER | 41,622 | N | | 36 |
| 2870 | | 7039 | SNAPMANAGER ORACLE FILER | 27,748 | N | | 36 |
| 2870 | | 7043 | FIBRE CHANNEL PROTOCOL | 1,850 | N | | 36 |
| 2870 | | 7045 | SNAPMANAGER/EXCHANGE - FILER | 27,748 | N | | 36 |
| 2870 | | 7046 | SNAPMANAGER/SQL - FILER | 27,748 | N | | 36 |
| 2870 | | 7048 | SNAPMANAGER VI FILER | 6,906 | N | | 36 |
| 2870 | | 7049 | SNAPMANAGER SHAREPOINT FILER | 21,828 | N | | 36 |
| 2870 | | 7050 | SNAPMANAGER HYPER V FILER | 4,144 | N | | 36 |
| 2870 | | 7076 | SNAPDRIVE FOR UNIX FILER | 8,287 | N | | 36 |
| 2870 | | 7077 | SNAPDRIVE FOR WIN FILER | 6,906 | N | | 36 |
| 2870 | | 7102 | CIFS | 10,852 | N | | 36 |
| 2870 | | 7103 | HTTP | 6,104 | N | | 36 |
| 2870 | | 7104 | NFS | 20,533 | N | | 36 |
| 2870 | | 7105 | CFO | 2,355 | N | | 36 |
| 2870 | | 7111 | FLEXCLONE | 33,963 | N | | 36 |
| 2870 | | 7120 | MULTISTORE | 23,123 | N | | 36 |
| 2870 | | 7122 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7129 | SNAPMIRROR/SNAPVAULT BUNDLE | 35,393 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7131 | SNAPMIRROR | 33,978 | N | | 36 |
| 2870 | | 7132 | SNAPLOCK COMPLIANCE | 27,748 | N | | 36 |
| 2870 | | 7133 | SNAPLOCK ENTERPRISE | 27,748 | N | | 36 |
| 2870 | | 7135 | SNAPRESTORE | 10,606 | N | | 36 |
| 2870 | | 7136 | SNAPVAULT PRIMARY | 11,839 | N | | 36 |
| 2870 | | 7137 | SNAPVAULT SECONDARY | 28,315 | N | | 36 |
| 2870 | | 7138 | SNAPMANAGER SAP FILER | 62,433 | N | | 36 |
| 2870 | | 7139 | SNAPMANAGER ORACLE FILER | 41,622 | N | | 36 |
| 2870 | | 7143 | FIBRE CHANNEL PROTOCOL | 2,775 | N | | 36 |
| 2870 | | 7145 | SNAPMANAGER/EXCHANGE - FILER | 41,622 | N | | 36 |
| 2870 | | 7146 | SNAPMANAGER/SQL - FILER | 41,622 | N | | 36 |
| 2870 | | 7148 | SNAPMANAGER VI FILER | 13,319 | N | | 36 |
| 2870 | | 7149 | SNAPMANAGER SHAREPOINT FILER | 32,743 | N | | 36 |
| 2870 | | 7150 | SNAPMANAGER HYPER V FILER | 7,458 | N | | 36 |
| 2870 | | 7176 | SNAPDRIVE FOR UNIX FILER | 15,983 | N | | 36 |
| 2870 | | 7177 | SNAPDRIVE FOR WIN FILER | 13,319 | N | | 36 |
| 2870 | | 7178 | MS EXCHANGE BUNDLE 2.5K USRS | 42,861 | N | | 36 |
| 2870 | | 7201 | CIFS | 15,733 | N | | 36 |
| 2870 | | 7202 | HTTP | 5,673 | N | | 36 |
| 2870 | | 7203 | NFS | 33,298 | N | | 36 |
| 2870 | | 7204 | FLEXCLONE | 17,265 | N | | 36 |
| 2870 | | 7205 | MULTISTORE | 18,499 | N | | 36 |
| 2870 | | 7206 | SNAPMIRROR | 43,508 | N | | 36 |
| 2870 | | 7207 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 7208 | SNAPLOCK ENTERPRISE | 25,898 | N | | 36 |
| 2870 | | 7209 | SNAPRESTORE | 9,866 | N | | 36 |
| 2870 | | 7210 | SNAPVAULT PRIMARY | 12,332 | N | | 36 |
| 2870 | | 7211 | SNAPVAULT SECONDARY | 43,508 | N | | 36 |
| 2870 | | 7214 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7217 | FIBRE CHANNEL PROTOCOL | 3,546 | N | | 36 |
| 2870 | | 7219 | SNAPMANAGER/EXCHANGE - FILER | 30,831 | N | | 36 |
| 2870 | | 7220 | SNAPMANAGER/SQL - FILER | 30,831 | N | | 36 |
| 2870 | | 7229 | SNAPMIRROR/SNAPVAULT BUNDLE | 54,386 | N | | 36 |
| 2870 | | 7230 | NEARLINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7233 | SNAPMANAGER SAP FILER | 38,539 | N | | 36 |
| 2870 | | 7234 | SNAPMANAGER ORACLE FILER | 30,831 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7235 | SNAPMANAGER VI FILER | 9,667 | N | | 36 |
| 2870 | | 7241 | SNAPMANAGER HYPER V FILER | 5,800 | N | | 36 |
| 2870 | | 7247 | SNAPDRIVE FOR UNIX FILER | 9,667 | N | | 36 |
| 2870 | | 7248 | SNAPDRIVE FOR WIN FILER | 9,667 | N | | 36 |
| 2870 | | 7249 | SNAPMANAGER SHAREPOINT FILER | 24,264 | N | | 36 |
| 2870 | | 7251 | CIFS | 22,477 | N | | 36 |
| 2870 | | 7252 | HTTP | 8,509 | N | | 36 |
| 2870 | | 7253 | NFS | 45,452 | N | | 36 |
| 2870 | | 7254 | CFO | 23,328 | N | | 36 |
| 2870 | | 7255 | FLEXCLONE | 29,351 | N | | 36 |
| 2870 | | 7256 | MULTISTORE | 27,748 | N | | 36 |
| 2870 | | 7257 | SNAPMIRROR | 62,155 | N | | 36 |
| 2870 | | 7258 | SNAPLOCK COMPLIANCE | 46,617 | N | | 36 |
| 2870 | | 7259 | SNAPLOCK ENTERPRISE | 46,617 | N | | 36 |
| 2870 | | 7261 | SNAPRESTORE | 14,503 | N | | 36 |
| 2870 | | 7262 | SNAPVAULT PRIMARY | 22,198 | N | | 36 |
| 2870 | | 7263 | SNAPVAULT SECONDARY | 62,155 | N | | 36 |
| 2870 | | 7266 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7269 | FIBRE CHANNEL PROTOCOL | 5,065 | N | | 36 |
| 2870 | | 7271 | SNAPMANAGER/EXCHANGE - FILER | 52,413 | N | | 36 |
| 2870 | | 7272 | SNAPMANAGER/SQL - FILER | 52,413 | N | | 36 |
| 2870 | | 7273 | METROCLUSTER | 19,732 | N | | 36 |
| 2870 | | 7274 | SAN BUNDLE | 8,050 | N | | 36 |
| 2870 | | 7279 | SNAPMIRROR/SNAPVAULT BUNDLE | 77,695 | N | | 36 |
| 2870 | | 7281 | NEARLINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7283 | SNAPMANAGER SAP FILER | 65,522 | N | | 36 |
| 2870 | | 7284 | SNAPMANAGER ORACLE FILER | 52,413 | N | | 36 |
| 2870 | | 7285 | SNAPMANAGER VI FILER | 17,403 | N | | 36 |
| 2870 | | 7291 | SNAPMANAGER HYPER V FILER | 10,442 | N | | 36 |
| 2870 | | 7297 | SNAPDRIVE FOR UNIX FILER | 17,403 | N | | 36 |
| 2870 | | 7298 | SNAPDRIVE FOR WIN FILER | 17,403 | N | | 36 |
| 2870 | | 7299 | SNAPMANAGER SHAREPOINT FILER | 41,251 | N | | 36 |
| 2870 | | 7300 | DATA ONTAP | 7,258 | N | | 36 |
| 2870 | | 7301 | CIFS | 15,733 | N | | 36 |
| 2870 | | 7302 | HTTP | 5,673 | N | | 36 |
| 2870 | | 7303 | NFS | 33,298 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7304 | FLEXCLONE | 17,265 | N | | 36 |
| 2870 | | 7305 | MULTISTORE | 18,499 | N | | 36 |
| 2870 | | 7306 | SNAPMIRROR | 43,508 | N | | 36 |
| 2870 | | 7307 | SNAPLOCK ENTERPRISE | 25,898 | N | | 36 |
| 2870 | | 7309 | SNAPRESTORE | 9,866 | N | | 36 |
| 2870 | | 7310 | SNAPVAULT PRIMARY | 12,332 | N | | 36 |
| 2870 | | 7311 | SNAPVAULT SECONDARY | 43,508 | N | | 36 |
| 2870 | | 7314 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7315 | SNAPLOCK COMPLIANCE | 25,898 | N | | 36 |
| 2870 | | 7317 | FIBRE CHANNEL PROTOCOL | 3,302 | N | | 36 |
| 2870 | | 7318 | SNAPMANAGER/EXCHANGE - FILER | 30,831 | N | | 36 |
| 2870 | | 7319 | SNAPMANAGER/SQL - FILER | 30,831 | N | | 36 |
| 2870 | | 7322 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7329 | SNAPMIRROR/SNAPVAULT BUNDLE | 54,386 | N | | 36 |
| 2870 | | 7333 | SNAPMANAGER SAP FILER | 38,539 | N | | 36 |
| 2870 | | 7334 | SNAPMANAGER ORACLE FILER | 30,831 | N | | 36 |
| 2870 | | 7335 | SNAPMANAGER VI FILER | 9,667 | N | | 36 |
| 2870 | | 7341 | SNAPMANAGER HYPER V FILER | 5,800 | N | | 36 |
| 2870 | | 7347 | SNAPDRIVE FOR UNIX FILER | 9,667 | N | | 36 |
| 2870 | | 7348 | SNAPDRIVE FOR WIN FILER | 9,667 | N | | 36 |
| 2870 | | 7349 | SNAPMANAGER SHAREPOINT FILER | 24,264 | N | | 36 |
| 2870 | | 7350 | DATA ONTAP | 6,681 | N | | 36 |
| 2870 | | 7351 | CIFS | 22,477 | N | | 36 |
| 2870 | | 7352 | HTTP | 8,509 | N | | 36 |
| 2870 | | 7353 | NFS | 45,452 | N | | 36 |
| 2870 | | 7354 | CFO | 23,328 | N | | 36 |
| 2870 | | 7355 | FLEXCLONE | 29,351 | N | | 36 |
| 2870 | | 7356 | MULTISTORE | 27,748 | N | | 36 |
| 2870 | | 7357 | SNAPMIRROR | 62,155 | N | | 36 |
| 2870 | | 7358 | SNAPLOCK COMPLIANCE | 46,617 | N | | 36 |
| 2870 | | 7359 | SNAPLOCK ENTERPRISE | 46,617 | N | | 36 |
| 2870 | | 7361 | SNAPRESTORE | 14,503 | N | | 36 |
| 2870 | | 7362 | SNAPVAULT PRIMARY | 22,198 | N | | 36 |
| 2870 | | 7363 | SNAPVAULT SECONDARY | 62,155 | N | | 36 |
| 2870 | | 7366 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7369 | FIBRE CHANNEL PROTOCOL | 4,717 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7370 | SNAPMANAGER/EXCHANGE - FILER | 52,413 | N | | 36 |
| 2870 | | 7371 | SNAPMANAGER/SQL - FILER | 52,413 | N | | 36 |
| 2870 | | 7372 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7373 | METROCLUSTER | 19,732 | N | | 36 |
| 2870 | | 7379 | SNAPMIRROR/SNAPVAULT BUNDLE | 77,695 | N | | 36 |
| 2870 | | 7383 | SNAPMANAGER SAP FILER | 65,522 | N | | 36 |
| 2870 | | 7384 | SNAPMANAGER ORACLE FILER | 52,413 | N | | 36 |
| 2870 | | 7385 | SNAPMANAGER VI FILER | 17,403 | N | | 36 |
| 2870 | | 7391 | SNAPMANAGER HYPER V FILER | 10,442 | N | | 36 |
| 2870 | | 7397 | SNAPDRIVE FOR UNIX FILER | 17,403 | N | | 36 |
| 2870 | | 7398 | SNAPDRIVE FOR WIN FILER | 17,403 | N | | 36 |
| 2870 | | 7399 | SNAPMANAGER SHAREPOINT FILER | 41,251 | N | | 36 |
| 2870 | | 7401 | CIFS | 51,180 | N | | 36 |
| 2870 | | 7402 | HTTP | 11,962 | N | | 36 |
| 2870 | | 7403 | NFS | 69,253 | N | | 36 |
| 2870 | | 7404 | FLEXCLONE | 23,123 | N | | 36 |
| 2870 | | 7405 | MULTISTORE | 43,164 | N | | 36 |
| 2870 | | 7406 | SNAPMIRROR | 87,018 | N | | 36 |
| 2870 | | 7407 | SNAPLOCK COMPLIANCE | 43,164 | N | | 36 |
| 2870 | | 7408 | SNAPLOCK ENTERPRISE | 43,164 | N | | 36 |
| 2870 | | 7409 | SNAPRESTORE | 15,416 | N | | 36 |
| 2870 | | 7410 | SNAPVAULT PRIMARY | 24,665 | N | | 36 |
| 2870 | | 7411 | SNAPVAULT SECONDARY | 87,018 | N | | 36 |
| 2870 | | 7414 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7417 | FIBRE CHANNEL PROTOCOL | 9,543 | N | | 36 |
| 2870 | | 7419 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7420 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |
| 2870 | | 7429 | SNAPMIRROR/SNAPVAULT BUNDLE | 108,772 | N | | 36 |
| 2870 | | 7430 | NEARLINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7431 | METROCLUSTER | 24,665 | N | | 36 |
| 2870 | | 7438 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7439 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7441 | SNAPMANAGER HYPER V FILER | 11,370 | N | | 36 |
| 2870 | | 7445 | SNAPDRIVE FOR UNIX FILER | 18,950 | N | | 36 |
| 2870 | | 7446 | SNAPDRIVE FOR WIN FILER | 18,950 | N | | 36 |
| 2870 | | 7448 | SNAPMANAGER VI FILER | 18,950 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7449 | SNAPMANAGER SHAREPOINT FILER | 33,945 | N | | 36 |
| 2870 | | 7451 | CIFS | 22,477 | N | | 36 |
| 2870 | | 7452 | HTTP | 8,509 | N | | 36 |
| 2870 | | 7453 | NFS | 40,906 | N | | 36 |
| 2870 | | 7454 | CFO | 15,230 | N | | 36 |
| 2870 | | 7455 | FLEXCLONE | 29,351 | N | | 36 |
| 2870 | | 7456 | MULTISTORE | 27,748 | N | | 36 |
| 2870 | | 7457 | SNAPMIRROR | 62,155 | N | | 36 |
| 2870 | | 7458 | SNAPLOCK COMPLIANCE | 46,617 | N | | 36 |
| 2870 | | 7459 | SNAPLOCK ENTERPRISE | 46,617 | N | | 36 |
| 2870 | | 7461 | SNAPRESTORE | 14,503 | N | | 36 |
| 2870 | | 7462 | SNAPVAULT PRIMARY | 22,198 | N | | 36 |
| 2870 | | 7463 | SNAPVAULT SECONDARY | 62,155 | N | | 36 |
| 2870 | | 7466 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7469 | FIBRE CHANNEL PROTOCOL | 5,065 | N | | 36 |
| 2870 | | 7471 | SNAPMANAGER/EXCHANGE - FILER | 52,413 | N | | 36 |
| 2870 | | 7472 | SNAPMANAGER/SQL - FILER | 52,413 | N | | 36 |
| 2870 | | 7473 | METROCLUSTER | 19,732 | N | | 36 |
| 2870 | | 7474 | SAN BUNDLE | 12,983 | N | | 36 |
| 2870 | | 7479 | SNAPMIRROR/SNAPVAULT BUNDLE | 77,695 | N | | 36 |
| 2870 | | 7481 | NEARLINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7488 | SNAPMANAGER SAP FILER | 65,522 | N | | 36 |
| 2870 | | 7489 | SNAPMANAGER ORACLE FILER | 52,413 | N | | 36 |
| 2870 | | 7491 | SNAPMANAGER HYPER V FILER | 10,442 | N | | 36 |
| 2870 | | 7495 | SNAPDRIVE FOR UNIX FILER | 17,403 | N | | 36 |
| 2870 | | 7496 | SNAPDRIVE FOR WIN FILER | 17,403 | N | | 36 |
| 2870 | | 7498 | SNAPMANAGER VI FILER | 17,403 | N | | 36 |
| 2870 | | 7499 | SNAPMANAGER SHAREPOINT FILER | 41,251 | N | | 36 |
| 2870 | | 7501 | CIFS | 51,180 | N | | 36 |
| 2870 | | 7502 | HTTP | 11,962 | N | | 36 |
| 2870 | | 7503 | NFS | 69,253 | N | | 36 |
| 2870 | | 7504 | FLEXCLONE | 23,123 | N | | 36 |
| 2870 | | 7505 | MULTISTORE | 43,164 | N | | 36 |
| 2870 | | 7506 | SNAPMIRROR | 87,018 | N | | 36 |
| 2870 | | 7507 | SNAPLOCK ENTERPRISE | 43,164 | N | | 36 |
| 2870 | | 7509 | SNAPRESTORE | 15,416 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7510 | SNAPVAULT PRIMARY | 24,665 | N | | 36 |
| 2870 | | 7511 | SNAPVAULT SECONDARY | 87,018 | N | | 36 |
| 2870 | | 7514 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7517 | FIBRE CHANNEL PROTOCOL | 9,543 | N | | 36 |
| 2870 | | 7518 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7519 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |
| 2870 | | 7520 | SNAPLOCK COMPLIANCE | 43,164 | N | | 36 |
| 2870 | | 7522 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7523 | METROCLUSTER GW | 24,665 | N | | 36 |
| 2870 | | 7529 | SNAPMIRROR/SNAPVAULT BUNDLE | 108,772 | N | | 36 |
| 2870 | | 7538 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7539 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7541 | SNAPMANAGER HYPER V FILER | 11,370 | N | | 36 |
| 2870 | | 7545 | SNAPDRIVE FOR UNIX FILER GW | 18,950 | N | | 36 |
| 2870 | | 7546 | SNAPDRIVE FOR WIN FILER | 18,950 | N | | 36 |
| 2870 | | 7548 | SNAPMANAGER VI FILER GW | 18,950 | N | | 36 |
| 2870 | | 7549 | SNAPMANAGER SHAREPOINT FILER | 33,945 | N | | 36 |
| 2870 | | 7551 | CIFS | 22,477 | N | | 36 |
| 2870 | | 7552 | HTTP | 8,509 | N | | 36 |
| 2870 | | 7553 | NFS | 40,906 | N | | 36 |
| 2870 | | 7554 | CFO | 9,403 | N | | 36 |
| 2870 | | 7555 | FLEXCLONE | 29,351 | N | | 36 |
| 2870 | | 7556 | MULTISTORE | 27,748 | N | | 36 |
| 2870 | | 7557 | SNAPMIRROR | 62,155 | N | | 36 |
| 2870 | | 7558 | SNAPLOCK COMPLIANCE | 46,617 | N | | 36 |
| 2870 | | 7559 | SNAPLOCK ENTERPRISE | 46,617 | N | | 36 |
| 2870 | | 7561 | SNAPRESTORE | 14,503 | N | | 36 |
| 2870 | | 7562 | SNAPVAULT PRIMARY | 22,198 | N | | 36 |
| 2870 | | 7563 | SNAPVAULT SECONDARY | 62,155 | N | | 36 |
| 2870 | | 7566 | SYNCMIRROR | 0 | N | | 36 |
| 2870 | | 7569 | FIBRE CHANNEL PROTOCOL | 5,065 | N | | 36 |
| 2870 | | 7570 | SNAPMANAGER/EXCHANGE - FILER | 52,413 | N | | 36 |
| 2870 | | 7571 | SNAPMANAGER/SQL - FILER | 52,413 | N | | 36 |
| 2870 | | 7572 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7573 | METROCLUSTER | 19,732 | N | | 36 |
| 2870 | | 7579 | SNAPMIRROR/SNAPVAULT BUNDLE | 77,695 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7588 | SNAPMANAGER SAP FILER | 65,522 | N | | 36 |
| 2870 | | 7589 | SNAPMANAGER ORACLE FILER | 52,413 | N | | 36 |
| 2870 | | 7591 | SNAPMANAGER HYPER V FILER | 10,442 | N | | 36 |
| 2870 | | 7595 | SNAPDRIVE FOR UNIX FILER GW | 17,403 | N | | 36 |
| 2870 | | 7596 | SNAPDRIVE FOR WIN FILER GW | 17,403 | N | | 36 |
| 2870 | | 7598 | SNAPMANAGER VI FILER GW | 17,403 | N | | 36 |
| 2870 | | 7599 | SNAPMANAGER SHAREPOINT FILER | 41,251 | N | | 36 |
| 2870 | | 7601 | CIFS | 60,904 | N | | 36 |
| 2870 | | 7602 | HTTP | 16,748 | N | | 36 |
| 2870 | | 7603 | NFS | 69,185 | N | | 36 |
| 2870 | | 7605 | FLEXCLONE | 28,857 | N | | 36 |
| 2870 | | 7606 | MULTISTORE | 55,496 | N | | 36 |
| 2870 | | 7607 | SNAPMIRROR | 98,660 | N | | 36 |
| 2870 | | 7608 | SNAPLOCK COMPLIANCE | 57,963 | N | | 36 |
| 2870 | | 7609 | SNAPLOCK ENTERPRISE | 57,963 | N | | 36 |
| 2870 | | 7611 | SNAPRESTORE | 19,238 | N | | 36 |
| 2870 | | 7612 | SNAPVAULT PRIMARY | 32,064 | N | | 36 |
| 2870 | | 7613 | SNAPVAULT SECONDARY | 98,660 | N | | 36 |
| 2870 | | 7618 | FIBRE CHANNEL PROTOCOL | 17,416 | N | | 36 |
| 2870 | | 7620 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7621 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |
| 2870 | | 7622 | NEAR-LINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7629 | SNAPMIRROR/SNAPVAULT BUNDLE | 123,325 | N | | 36 |
| 2870 | | 7638 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7639 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7641 | SNAPMANAGER HYPER V FILER | 15,918 | N | | 36 |
| 2870 | | 7646 | SNAPDRIVE FOR UNIX FILER | 26,531 | N | | 36 |
| 2870 | | 7647 | SNAPDRIVE FOR WIN FILER | 26,531 | N | | 36 |
| 2870 | | 7648 | SNAPMANAGER VI FILER | 26,531 | N | | 36 |
| 2870 | | 7649 | SNAPMANAGER SHAREPOINT FILER | 33,914 | N | | 36 |
| 2870 | | 7651 | CIFS | 109,628 | N | | 36 |
| 2870 | | 7652 | HTTP | 30,145 | N | | 36 |
| 2870 | | 7653 | NFS | 124,533 | N | | 36 |
| 2870 | | 7654 | CFO | 49,897 | N | | 36 |
| 2870 | | 7655 | FLEXCLONE | 49,058 | N | | 36 |
| 2870 | | 7656 | MULTISTORE | 99,893 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7657 | SNAPMIRROR | 177,588 | N | | 36 |
| 2870 | | 7658 | SNAPLOCK COMPLIANCE | 104,210 | N | | 36 |
| 2870 | | 7659 | SNAPLOCK ENTERPRISE | 104,210 | N | | 36 |
| 2870 | | 7661 | SNAPRESTORE | 34,531 | N | | 36 |
| 2870 | | 7662 | SNAPVAULT PRIMARY | 57,963 | N | | 36 |
| 2870 | | 7663 | SNAPVAULT SECONDARY | 177,588 | N | | 36 |
| 2870 | | 7668 | FIBRE CHANNEL PROTOCOL | 24,879 | N | | 36 |
| 2870 | | 7670 | SNAPMANAGER/EXCHANGE - FILER | 77,695 | N | | 36 |
| 2870 | | 7671 | SNAPMANAGER/SQL - FILER | 77,695 | N | | 36 |
| 2870 | | 7672 | NEAR-LINE - FUNCTION | 0 | N | | 36 |
| 2870 | | 7673 | METROCLUSTER | 49,330 | N | | 36 |
| 2870 | | 7674 | SAN BUNDLE | 48,473 | N | | 36 |
| 2870 | | 7678 | MS EXCHANGE BUNDLE 10K USRS | 100,144 | N | | 36 |
| 2870 | | 7679 | SNAPMIRROR/SNAPVAULT BUNDLE | 221,985 | N | | 36 |
| 2870 | | 7688 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 7689 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 7691 | SNAPMANAGER HYPER V FILER | 28,653 | N | | 36 |
| 2870 | | 7696 | SNAPDRIVE FOR UNIX FILER | 47,756 | N | | 36 |
| 2870 | | 7697 | SNAPDRIVE FOR WIN FILER | 47,756 | N | | 36 |
| 2870 | | 7698 | SNAPMANAGER VI FILER | 47,756 | N | | 36 |
| 2870 | | 7699 | SNAPMANAGER SHAREPOINT FILER | 61,107 | N | | 36 |
| 2870 | | 7700 | DATA ONTAP | 28,537 | N | | 36 |
| 2870 | | 7701 | CIFS | 60,904 | N | | 36 |
| 2870 | | 7702 | HTTP | 16,748 | N | | 36 |
| 2870 | | 7703 | NFS | 69,185 | N | | 36 |
| 2870 | | 7705 | FLEXCLONE | 28,857 | N | | 36 |
| 2870 | | 7706 | MULTISTORE | 55,496 | N | | 36 |
| 2870 | | 7707 | SNAPMIRROR | 98,660 | N | | 36 |
| 2870 | | 7708 | SNAPLOCK COMPLIANCE | 57,963 | N | | 36 |
| 2870 | | 7709 | SNAPLOCK ENTERPRISE | 57,963 | N | | 36 |
| 2870 | | 7711 | SNAPRESTORE | 19,238 | N | | 36 |
| 2870 | | 7712 | SNAPVAULT PRIMARY | 32,064 | N | | 36 |
| 2870 | | 7713 | SNAPVAULT SECONDARY | 98,660 | N | | 36 |
| 2870 | | 7718 | FIBRECHANNEL PROTOCOL | 16,223 | N | | 36 |
| 2870 | | 7720 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7721 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7722 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7729 | SNAPMIRROR/SNAPVAULT BUNDLE | 123,325 | N | | 36 |
| 2870 | | 7738 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7739 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7741 | SNAPMANAGER HYPER V FILER | 15,918 | N | | 36 |
| 2870 | | 7746 | SNAPDRIVE FOR UNIX FILER | 26,531 | N | | 36 |
| 2870 | | 7747 | SNAPDRIVE FOR WIN FILER | 26,531 | N | | 36 |
| 2870 | | 7748 | SNAPMANAGER VI FILER | 26,531 | N | | 36 |
| 2870 | | 7749 | SNAPMANAGER SHAREPOINT FILER | 33,914 | N | | 36 |
| 2870 | | 7750 | DATA ONTAP | 39,078 | N | | 36 |
| 2870 | | 7751 | CIFS | 109,628 | N | | 36 |
| 2870 | | 7752 | HTTP | 30,145 | N | | 36 |
| 2870 | | 7753 | NFS | 124,533 | N | | 36 |
| 2870 | | 7754 | CFO | 49,897 | N | | 36 |
| 2870 | | 7755 | FLEXCLONE | 49,058 | N | | 36 |
| 2870 | | 7756 | MULTISTORE | 99,893 | N | | 36 |
| 2870 | | 7757 | SNAPMIRROR | 177,588 | N | | 36 |
| 2870 | | 7758 | SNAPLOCK COMPLIANCE | 104,210 | N | | 36 |
| 2870 | | 7759 | SNAPLOCK ENTERPRISE | 104,210 | N | | 36 |
| 2870 | | 7761 | SNAPRESTORE | 34,531 | N | | 36 |
| 2870 | | 7762 | SNAPVAULT PRIMARY | 57,963 | N | | 36 |
| 2870 | | 7763 | SNAPVAULT SECONDARY | 177,588 | N | | 36 |
| 2870 | | 7768 | FIBRE CHANNEL PROTOCOL | 23,175 | N | | 36 |
| 2870 | | 7770 | SNAPMANAGER/EXCHANGE - FILER | 77,695 | N | | 36 |
| 2870 | | 7771 | SNAPMANAGER/SQL - FILER | 77,695 | N | | 36 |
| 2870 | | 7772 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7773 | METROCLUSTER | 49,330 | N | | 36 |
| 2870 | | 7779 | SNAPMIRROR/SNAPVAULT BUNDLE | 221,985 | N | | 36 |
| 2870 | | 7788 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 7789 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 7791 | SNAPMANAGER HYPER V FILER | 28,653 | N | | 36 |
| 2870 | | 7796 | SNAPDRIVE FOR UNIX FILER | 47,756 | N | | 36 |
| 2870 | | 7797 | SNAPDRIVE FOR WIN FILER | 47,756 | N | | 36 |
| 2870 | | 7798 | SNAPMANAGER VI FILER | 47,756 | N | | 36 |
| 2870 | | 7799 | SNAPMANAGER SHAREPOINT FILER | 61,107 | N | | 36 |
| 2870 | | 7801 | CIFS | 80,210 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7802 | HTTP | 23,432 | N | | 36 |
| 2870 | | 7803 | NFS | 91,161 | N | | 36 |
| 2870 | | 7805 | FLEXCLONE | 43,533 | N | | 36 |
| 2870 | | 7806 | MULTISTORE | 55,496 | N | | 36 |
| 2870 | | 7807 | SNAPMIRROR | 98,660 | N | | 36 |
| 2870 | | 7808 | SNAPLOCK COMPLIANCE | 57,963 | N | | 36 |
| 2870 | | 7809 | SNAPLOCK ENTERPRISE | 57,963 | N | | 36 |
| 2870 | | 7811 | SNAPRESTORE | 19,238 | N | | 36 |
| 2870 | | 7812 | SNAPVAULT PRIMARY | 32,064 | N | | 36 |
| 2870 | | 7813 | SNAPVAULT SECONDARY | 98,660 | N | | 36 |
| 2870 | | 7818 | FIBRE CHANNEL PROTOCOL | 29,607 | N | | 36 |
| 2870 | | 7820 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7821 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |
| 2870 | | 7822 | NEAR-LINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7829 | SNAPMIRROR/SNAPVAULT BUNDLE | 123,325 | N | | 36 |
| 2870 | | 7838 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7839 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7841 | SNAPMANAGER HYPER V FILER | 22,286 | N | | 36 |
| 2870 | | 7846 | SNAPDRIVE FOR UNIX FILER | 37,143 | N | | 36 |
| 2870 | | 7847 | SNAPDRIVE FOR WIN FILER | 37,143 | N | | 36 |
| 2870 | | 7848 | SNAPMANAGER VI FILER | 37,143 | N | | 36 |
| 2870 | | 7849 | SNAPMANAGER SHAREPOINT FILER | 33,914 | N | | 36 |
| 2870 | | 7851 | CIFS | 144,437 | N | | 36 |
| 2870 | | 7852 | HTTP | 42,176 | N | | 36 |
| 2870 | | 7853 | NFS | 164,169 | N | | 36 |
| 2870 | | 7854 | CFO | 83,498 | N | | 36 |
| 2870 | | 7855 | FLEXCLONE | 78,434 | N | | 36 |
| 2870 | | 7856 | MULTISTORE | 99,893 | N | | 36 |
| 2870 | | 7857 | SNAPMIRROR | 177,588 | N | | 36 |
| 2870 | | 7858 | SNAPLOCK COMPLIANCE | 104,210 | N | | 36 |
| 2870 | | 7859 | SNAPLOCK ENTERPRISE | 104,210 | N | | 36 |
| 2870 | | 7861 | SNAPRESTORE | 34,531 | N | | 36 |
| 2870 | | 7862 | SNAPVAULT PRIMARY | 57,963 | N | | 36 |
| 2870 | | 7863 | SNAPVAULT SECONDARY | 177,588 | N | | 36 |
| 2870 | | 7868 | FIBRE CHANNEL PROTOCOL | 42,293 | N | | 36 |
| 2870 | | 7870 | SNAPMANAGER/EXCHANGE - FILER | 77,695 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7871 | SNAPMANAGER/SQL - FILER | 77,695 | N | | 36 |
| 2870 | | 7872 | NEAR-LINE FUNCTION | 0 | N | | 36 |
| 2870 | | 7873 | METROCLUSTER | 49,330 | N | | 36 |
| 2870 | | 7874 | SAN BUNDLE | 79,159 | N | | 36 |
| 2870 | | 7878 | PERF ACCEL MODULE II BUNDLE | 132,182 | N | | 36 |
| 2870 | | 7879 | SNAPMIRROR/SNAPVAULT BUNDLE | 221,985 | N | | 36 |
| 2870 | | 7888 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 7889 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 7891 | SNAPMANAGER HYPER V FILER | 40,115 | N | | 36 |
| 2870 | | 7896 | SNAPDRIVE FOR UNIX FILER | 66,858 | N | | 36 |
| 2870 | | 7897 | SNAPDRIVE FOR WIN FILER | 66,858 | N | | 36 |
| 2870 | | 7898 | SNAPMANAGER VI FILER | 66,858 | N | | 36 |
| 2870 | | 7899 | SNAPMANAGER SHAREPOINT FILER | 61,107 | N | | 36 |
| 2870 | | 7900 | DATA ONTAP | 46,042 | N | | 36 |
| 2870 | | 7901 | CIFS | 80,210 | N | | 36 |
| 2870 | | 7902 | HTTP | 23,432 | N | | 36 |
| 2870 | | 7903 | NFS | 91,161 | N | | 36 |
| 2870 | | 7905 | FLEXCLONE | 43,599 | N | | 36 |
| 2870 | | 7906 | MULTISTORE | 55,496 | N | | 36 |
| 2870 | | 7907 | SNAPMIRROR | 98,660 | N | | 36 |
| 2870 | | 7908 | SNAPLOCK COMPLIANCE | 57,963 | N | | 36 |
| 2870 | | 7909 | SNAPLOCK ENTERPRISE | 57,963 | N | | 36 |
| 2870 | | 7911 | SNAPRESTORE | 19,238 | N | | 36 |
| 2870 | | 7912 | SNAPVAULT PRIMARY | 32,064 | N | | 36 |
| 2870 | | 7913 | SNAPVAULT SECONDARY | 98,660 | N | | 36 |
| 2870 | | 7918 | FIBRE CHANNEL PROTOCOL | 27,579 | N | | 36 |
| 2870 | | 7920 | SNAPMANAGER/EXCHANGE - FILER | 43,164 | N | | 36 |
| 2870 | | 7921 | SNAPMANAGER/SQL - FILER | 43,164 | N | | 36 |
| 2870 | | 7922 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7929 | SNAPMIRROR/SNAPVAULT BUNDLE | 123,325 | N | | 36 |
| 2870 | | 7938 | SNAPMANAGER SAP FILER | 53,955 | N | | 36 |
| 2870 | | 7939 | SNAPMANAGER ORACLE FILER | 43,164 | N | | 36 |
| 2870 | | 7941 | SNAPMANAGER HYPER V FILER | 22,286 | N | | 36 |
| 2870 | | 7946 | SNAPDRIVE FOR UNIX FILER | 37,143 | N | | 36 |
| 2870 | | 7947 | SNAPDRIVE FOR WIN FILER | 37,143 | N | | 36 |
| 2870 | | 7948 | SNAPMANAGER VI FILER | 37,143 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 7949 | SNAPMANAGER SHAREPOINT FILER | 33,914 | N | | 36 |
| 2870 | | 7950 | DATA ONTAP | 68,308 | N | | 36 |
| 2870 | | 7951 | CIFS | 144,437 | N | | 36 |
| 2870 | | 7952 | HTTP | 42,176 | N | | 36 |
| 2870 | | 7953 | NFS | 164,169 | N | | 36 |
| 2870 | | 7954 | CFO | 83,498 | N | | 36 |
| 2870 | | 7955 | FLEXCLONE | 78,434 | N | | 36 |
| 2870 | | 7956 | MULTISTORE | 99,893 | N | | 36 |
| 2870 | | 7957 | SNAPMIRROR | 177,588 | N | | 36 |
| 2870 | | 7958 | SNAPLOCK COMPLIANCE | 104,210 | N | | 36 |
| 2870 | | 7959 | SNAPLOCK ENTERPRISE | 104,210 | N | | 36 |
| 2870 | | 7961 | SNAPRESTORE | 34,531 | N | | 36 |
| 2870 | | 7962 | SNAPVAULT PRIMARY | 57,963 | N | | 36 |
| 2870 | | 7963 | SNAPVAULT SECONDARY | 177,588 | N | | 36 |
| 2870 | | 7968 | FIBRE CHANNEL PROTOCOL | 39,397 | N | | 36 |
| 2870 | | 7970 | SNAPMANAGER/EXCHANGE - FILER | 77,695 | N | | 36 |
| 2870 | | 7971 | SNAPMANAGER/SQL - FILER | 77,695 | N | | 36 |
| 2870 | | 7972 | NEARSTORE | 0 | N | | 36 |
| 2870 | | 7973 | METROCLUSTER | 49,330 | N | | 36 |
| 2870 | | 7978 | PERF ACCEL MODULE II BUNDLE | 244,119 | N | | 36 |
| 2870 | | 7979 | SNAPMIRROR/SNAPVAULT BUNDLE | 221,985 | N | | 36 |
| 2870 | | 7988 | SNAPMANAGER SAP FILER | 97,118 | N | | 36 |
| 2870 | | 7989 | SNAPMANAGER ORACLE FILER | 77,695 | N | | 36 |
| 2870 | | 7991 | SNAPMANAGER HYPER V FILER | 40,115 | N | | 36 |
| 2870 | | 7996 | SNAPDRIVE FOR UNIX FILER | 66,858 | N | | 36 |
| 2870 | | 7997 | SNAPDRIVE FOR WIN FILER | 66,858 | N | | 36 |
| 2870 | | 7998 | SNAPMANAGER VI FILER | 66,858 | N | | 36 |
| 2870 | | 7999 | SNAPMANAGER SHAREPOINT FILER | 61,107 | N | | 36 |
| 2870 | | 8024 | SNAPDRIVE FOR UNIX AIX | 2,793 | N | | 36 |
| 2870 | | 8025 | SNAPDRIVE FOR UNIX SOLARIS | 2,793 | N | | 36 |
| 2870 | | 8026 | SNAPDRIVE FOR UNIX HPUX | 2,793 | N | | 36 |
| 2870 | | 8027 | SNAPDRIVE FOR UNIX LINUX | 2,793 | N | | 36 |
| 2870 | | 8050 | SNAPDRIVE FOR WINDOWS | 795 | N | | 36 |
| 2870 | | 8129 | SNAPMANAGER/ORACLE WIN | 11,048 | N | | 36 |
| 2870 | | 8131 | SNAPMANAGER/EXCHANGE - HOST | 9,249 | N | | 36 |
| 2870 | | 8133 | SNAPMANAGER/VI HOST | 2,793 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 8135 | SNAPMGR HYPER V HOST | 1,676 | N | | 36 |
| 2870 | | 8140 | SNAPMANAGER FOR SAP WIN | 13,785 | N | | 36 |
| 2870 | | 8141 | SNAPMANAGER FOR SQL - HOST | 9,249 | N | | 36 |
| 2870 | | 8143 | SNAPMANAGER FOR ORACLE | 4,102 | N | | 36 |
| 2870 | | 8145 | SNAPMANAGER FOR SAP | 5,129 | N | | 36 |
| 2870 | | 8147 | SNAPMANAGER SHAREPOINT HOST | 7,276 | N | | 36 |
| 2870 | | 8149 | SM SHAREPOINT MGMT. BUNDLE | 17,019 | N | | 36 |
| 2870 | | 8150 | SINGLE MBOX RECOVERY 100PK | 2,459 | N | | 36 |
| 2870 | | 8151 | SINGLE MBOX RECOVERY 500PK | 5,204 | N | | 36 |
| 2870 | | 8152 | SINGLE MBOX RECOVERY 1000PK | 8,176 | N | | 36 |
| 2870 | | 8153 | SINGLE MBOX RECOVERY 2500PK | 16,636 | N | | 36 |
| 2870 | | 8154 | SINGLE MBOX RECOVERY 5K PK | 26,995 | N | | 36 |
| 2870 | | 8155 | SINGLE MBOX RECOVERY 10K PK | 46,111 | N | | 36 |
| 2870 | | 8156 | SINGLE MBOX RECOVERY 50K PK | 225,672 | N | | 36 |
| 2870 | | 8158 | SMBR CA-ARCSERVE EXTRACT WIZ | 740 | N | | 36 |
| 2870 | | 8159 | SMBR TIVOLI TAPE EXTRACT WIZ | 740 | N | | 36 |
| 2870 | | 8160 | SMBR LEGATO TAPE EXTRACT WIZ | 740 | N | | 36 |
| 2870 | | 8161 | SMBR NETBACKUP EXTRACT WIZ | 740 | N | | 36 |
| 2870 | | 8162 | SMBR PST TAPE EXTRACT WIZ | 1,233 | N | | 36 |
| 2870 | | 8163 | SMBR HP TAPE EXTRACT WIZ | 740 | N | | 36 |
| 2870 | | 8164 | SMBR COMMVAULT GALAXY EX WIZ | 740 | N | | 36 |
| 2870 | | 8165 | SMBR ULTRABAC EXTRACT WIZARD | 740 | N | | 36 |
| 2870 | | 8166 | SMBR AGENT FOR ADV SEARCH | 740 | N | | 36 |
| 2870 | | 8167 | SMBR CONTENT ANALYSIS WIZARD | 740 | N | | 36 |
| 2870 | | 8168 | SMBR ADMINISTRATIVE SERVER | 4,189 | N | | 36 |
| 2870 | | 8187 | SMSP FILESHARE CONNECTOR | 30,831 | N | | 36 |
| 2870 | | 8188 | SMSP STORAGE MANAGER | 16,442 | N | | 36 |
| 2870 | | 8189 | SMSP ARCHIVE MANAGER | 12,332 | N | | 36 |
| 2870 | | 8255 | ONCOMMAND CORE | 0 | N | | 36 |
| 2870 | | 8261 | OPS MGR TIER 1 LICENCE | 0 | N | | 36 |
| 2870 | | 8262 | OPS MGR CORE TIER 2 LICENSE | 0 | N | | 36 |
| 2870 | | 8263 | OPS MGR CORE TIER 3 LICENSE | 0 | N | | 36 |
| 2870 | | 8264 | OPS MGR CORE TIER 4 LICENSE | 0 | N | | 36 |
| 2870 | | 8265 | OPS MGR CORE TIER 5 LICENSE | 0 | N | | 36 |
| 2870 | | 8266 | OPS MGR CORE TIER 6 LICENSE | 0 | N | | 36 |
| 2870 | | 8267 | OPS MGR CORE TIER 7 LICENSE | 0 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | 8268 | PROTECT MGR TIER 1 LICENCE | 0 | N | | 36 |
| 2870 | | 8269 | PROTECT MGR TIER 2 LICENCE | 0 | N | | 36 |
| 2870 | | 8270 | PROTECT MGR TIER 3 LICENCE | 0 | N | | 36 |
| 2870 | | 8271 | PROTECT MGR TIER 4 LICENCE | 0 | N | | 36 |
| 2870 | | 8272 | PROTECT MGR TIER 5 LICENCE | 0 | N | | 36 |
| 2870 | | 8273 | PROTECT MGR TIER 6 LICENCE | 0 | N | | 36 |
| 2870 | | 8274 | PROTECT MGR TIER 7 LICENCE | 0 | N | | 36 |
| 2870 | | 8275 | PROVISIONING MGR. TIER 1 | 0 | N | | 36 |
| 2870 | | 8276 | PROVISIONING MGR. TIER 2 | 0 | N | | 36 |
| 2870 | | 8277 | PROVISIONING MGR. TIER 3 | 0 | N | | 36 |
| 2870 | | 8278 | PROVISIONING MGR. TIER 4 | 0 | N | | 36 |
| 2870 | | 8279 | PROVISIONING MGR. TIER 5 | 0 | N | | 36 |
| 2870 | | 8280 | PROVISIONING MGR. TIER 6 | 0 | N | | 36 |
| 2870 | | 8281 | PROVISIONING MGR. TIER 7 | 0 | N | | 36 |
| 2870 | | 8400 | OPERATIONS MANAGER FOR N3400 | 0 | N | | 36 |
| 2870 | | 8401 | PROTECTION MANAGER FOR N3400 | 0 | N | | 36 |
| 2870 | | 8402 | PROVISIONING MGR. FOR N3400 | 0 | N | | 36 |
| 2870 | | A8P5 | SNAPLOCK COMPLIANCE | 38,847 | N | | 36 |
| 2870 | | A8P6 | SNAPLOCK COMPLIANCE | 38,847 | N | | 36 |
| 2870 | | A8P8 | LFI - SNAPRESTORE | 4,134 | N | | 36 |
| 2870 | | A8P9 | LFI - SNAPMIRROR | 11,090 | N | | 36 |
| 2870 | | A8PA | LFI - SNAPVAULT | 6,243 | N | | 36 |
| 2870 | | A8PB | LFI - FLEXCLONE | 5,243 | N | | 36 |
| 2870 | | A8PC | LFI - SNAPMANAGER SUITE | 16,158 | N | | 36 |
| 2870 | | A8PD | LFI - COMPLETE BUNDLE | 25,796 | N | | 36 |
| 2870 | | A8PN | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | A8PP | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | A8PR | LFI - SNAPRESTORE | 6,196 | N | | 36 |
| 2870 | | A8PS | LFI - SNAPMIRROR | 15,853 | N | | 36 |
| 2870 | | A8PT | LFI - SNAPVAULT | 8,916 | N | | 36 |
| 2870 | | A8PU | LFI - FLEXCLONE | 7,454 | N | | 36 |
| 2870 | | A8PV | LFI - SNAPMANAGER SUITE | 24,251 | N | | 36 |
| 2870 | | A8PW | LFI - COMPLETE BUNDLE | 37,959 | N | | 36 |
| 2870 | | A8Q5 | SNAPLOCK COMPLIANCE | 38,847 | N | | 36 |
| 2870 | | A8Q6 | SNAPLOCK COMPLIANCE | 38,847 | N | | 36 |
| 2870 | | A8Q8 | LFI - SNAPRESTORE | 4,134 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|----------------|--------------|----------------|-------------------------|-----------------|-----------------|-----------------|-----------------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 2870 | | A8Q9 | LFI - SNAPMIRROR | 11,090 | N | | 36 |
| 2870 | | A8QA | LFI - SNAPVAULT | 6,243 | N | | 36 |
| 2870 | | A8QB | LFI - FLEXCLONE | 5,243 | N | | 36 |
| 2870 | | A8QC | LFI - SNAPMANAGER SUITE | 16,158 | N | | 36 |
| 2870 | | A8QD | LFI - COMPLETE BUNDLE | 25,796 | N | | 36 |
| 2870 | | A8QN | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | A8QP | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | A8QR | LFI - SNAPRESTORE | 6,196 | N | | 36 |
| 2870 | | A8QS | LFI - SNAPMIRROR | 15,853 | N | | 36 |
| 2870 | | A8QT | LFI - SNAPVAULT | 8,916 | N | | 36 |
| 2870 | | A8QU | LFI - FLEXCLONE | 7,454 | N | | 36 |
| 2870 | | A8QV | LFI - SNAPMANAGER SUITE | 24,251 | N | | 36 |
| 2870 | | A8QW | LFI - COMPLETE BUNDLE | 37,959 | N | | 36 |
| 2870 | | A8R5 | SNAPLOCK COMPLIANCE | 38,847 | N | | 36 |
| 2870 | | A8R6 | SNAPLOCK ENTERPRISE | 38,847 | N | | 36 |
| 2870 | | A8R8 | SNAPRESTORE | 1,748 | N | | 36 |
| 2870 | | A8R9 | SNAPMIRROR | 4,679 | N | | 36 |
| 2870 | | A8RA | SNAPVAULT | 2,636 | N | | 36 |
| 2870 | | A8RB | FLEXCLONE | 2,211 | N | | 36 |
| 2870 | | A8RC | SNAPMANAGER SUITE | 9,240 | N | | 36 |
| 2870 | | A8RD | COMPLETE BUNDLE | 11,191 | N | | 36 |
| 2870 | | A8RN | SNAPLOCK COMPLIANCE | 77,695 | N | | 36 |
| 2870 | | A8RP | SNAPLOCK ENTERPRISE | 77,695 | N | | 36 |
| 2870 | | A8RR | SNAPRESTORE | 2,386 | N | | 36 |
| 2870 | | A8RS | SNAPMIRROR | 6,104 | N | | 36 |
| 2870 | | A8RT | SNAPVAULT | 3,422 | N | | 36 |
| 2870 | | A8RU | FLEXCLONE | 2,866 | N | | 36 |
| 2870 | | A8RV | SNAPMANAGER SUITE | 12,024 | N | | 36 |
| 2870 | | A8RW | COMPLETE BUNDLE | 16,944 | N | | 36 |
| 2870 | | A8S3 | CIFS SECONDARY | 17,067 | N | | 36 |
| 2870 | | A8S5 | FCP SECONDARY | 17,067 | N | | 36 |
| 2870 | | A8S7 | ISCSI SECONDARY | 17,067 | N | | 36 |
| 2870 | | A8S9 | NFS SECONDARY | 17,067 | N | | 36 |
| 2870 | | A8SA | SNAPLOCK COMPLIANCE | 35,764 | N | | 36 |
| 2870 | | A8SB | SNAPLOCK ENTERPRISE | 35,764 | N | | 36 |
| 2870 | | A8SC | SNAPRESTORE | 7,276 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | A8SD | SNAPMIRROR | 28,377 | N | | 36 |
| 2870 | | A8SE | SNAPVAULT | 19,855 | N | | 36 |
| 2870 | | A8SF | FLEXCLONE | 13,072 | N | | 36 |
| 2870 | | A8SG | SNAPMANAGER SUITE | 31,571 | N | | 36 |
| 2870 | | A8SH | COMPLETE BUNDLE | 111,671 | N | | 36 |
| 2870 | | A8T5 | FCP SECONDARY - GW | 17,067 | N | | 36 |
| 2870 | | A8T7 | ISCSI SECONDARY - GW | 17,067 | N | | 36 |
| 2870 | | A8T9 | NFS SECONDARY - GW | 17,067 | N | | 36 |
| 2870 | | A8TA | SNAPLOCK COMPLIANCE - GW | 35,764 | N | | 36 |
| 2870 | | A8TB | SNAPLOCK ENTERPRISE - GW | 35,764 | N | | 36 |
| 2870 | | A8TC | SNAPRESTORE - GW | 7,276 | N | | 36 |
| 2870 | | A8TD | SNAPMIRROR - GW | 28,377 | N | | 36 |
| 2870 | | A8TE | SNAPVAULT - GW | 19,855 | N | | 36 |
| 2870 | | A8TF | FLEXCLONE - GW | 13,072 | N | | 36 |
| 2870 | | A8TG | SNAPMANAGER SUITE - GW | 31,571 | N | | 36 |
| 2870 | | A8TH | COMPLETE BUNDLE - GW | 111,671 | N | | 36 |
| 2870 | | A8U3 | CIFS SECONDARY | 11,969 | N | | 36 |
| 2870 | | A8U5 | FCP SECONDARY | 11,969 | N | | 36 |
| 2870 | | A8U7 | ISCSI SECONDARY | 11,969 | N | | 36 |
| 2870 | | A8U9 | NFS SECONDARY | 11,969 | N | | 36 |
| 2870 | | A8UA | SNAPLOCK COMPLIANCE | 17,882 | N | | 36 |
| 2870 | | A8UB | SNAPLOCK ENTERPRISE | 17,882 | N | | 36 |
| 2870 | | A8UC | SNAPRESTORE | 5,105 | N | | 36 |
| 2870 | | A8UD | SNAPMIRROR | 19,904 | N | | 36 |
| 2870 | | A8UE | SNAPVAULT | 13,922 | N | | 36 |
| 2870 | | A8UF | FLEXCLONE | 9,187 | N | | 36 |
| 2870 | | A8UG | SNAPMANAGER SUITE | 22,149 | N | | 36 |
| 2870 | | A8UH | COMPLETE BUNDLE | 73,106 | N | | 36 |
| 2870 | | A8V3 | CIFS SECONDARY - GW | 11,969 | N | | 36 |
| 2870 | | A8V5 | FCP SECONDARY - GW | 11,969 | N | | 36 |
| 2870 | | A8V7 | ISCSI SECONDARY - GW | 11,969 | N | | 36 |
| 2870 | | A8V9 | NFS SECONDARY - GW | 11,969 | N | | 36 |
| 2870 | | A8VA | SNAPLOCK COMPLIANCE - GW | 17,882 | N | | 36 |
| 2870 | | A8VB | SNAPLOCK ENTERPRISE - GW | 17,882 | N | | 36 |
| 2870 | | A8VC | SNAPRESTORE - GW | 5,105 | N | | 36 |
| 2870 | | A8VD | SNAPMIRROR - GW | 19,904 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | A8VE | SNAPVAULT - GW | 13,922 | N | | 36 |
| 2870 | | A8VF | FLEXCLONE - GW | 9,187 | N | | 36 |
| 2870 | | A8VG | SNAPMANAGER SUITE - GW | 22,149 | N | | 36 |
| 2870 | | A8VH | COMPLETE BUNDLE - GW | 73,106 | N | | 36 |
| 2870 | | A8W3 | CIFS SECONDARY | 28,919 | N | | 36 |
| 2870 | | A8W5 | FCP SECONDARY | 28,919 | N | | 36 |
| 2870 | | A8W7 | ISCSI SECONDARY | 28,919 | N | | 36 |
| 2870 | | A8W9 | NFS SECONDARY | 28,919 | N | | 36 |
| 2870 | | A8WA | SNAPLOCK COMPLIANCE | 35,764 | N | | 36 |
| 2870 | | A8WB | SNAPLOCK ENTERPRISE | 35,764 | N | | 36 |
| 2870 | | A8WC | SNAPRESTORE | 13,639 | N | | 36 |
| 2870 | | A8WD | SNAPMIRROR | 53,880 | N | | 36 |
| 2870 | | A8WE | SNAPVAULT | 37,713 | N | | 36 |
| 2870 | | A8WF | FLEXCLONE | 25,367 | N | | 36 |
| 2870 | | A8WG | SNAPMANAGER SUITE | 61,390 | N | | 36 |
| 2870 | | A8WH | COMPLETE BUNDLE | 185,134 | N | | 36 |
| 2870 | | A8X3 | CIFS SECONDARY - GW | 28,919 | N | | 36 |
| 2870 | | A8X5 | FCP SECONDARY - GW | 28,919 | N | | 36 |
| 2870 | | A8X7 | ISCSI SECONDARY - GW | 28,919 | N | | 36 |
| 2870 | | A8X9 | NFS SECONDARY - GW | 28,919 | N | | 36 |
| 2870 | | A8XA | SNAPLOCK COMPLIANCE - GW | 35,764 | N | | 36 |
| 2870 | | A8XB | SNAPLOCK ENTERPRISE - GW | 35,764 | N | | 36 |
| 2870 | | A8XC | SNAPRESTORE - GW | 13,639 | N | | 36 |
| 2870 | | A8XD | SNAPMIRROR - GW | 53,880 | N | | 36 |
| 2870 | | A8XE | SNAPVAULT - GW | 37,713 | N | | 36 |
| 2870 | | A8XF | FLEXCLONE - GW | 25,367 | N | | 36 |
| 2870 | | A8XG | SNAPMANAGER SUITE - GW | 61,390 | N | | 36 |
| 2870 | | A8XH | COMPLETE BUNDLE - GW | 185,134 | N | | 36 |
| 2870 | | A8Y3 | CIFS SECONDARY | 22,519 | N | | 36 |
| 2870 | | A8Y5 | FCP SECONDARY | 22,519 | N | | 36 |
| 2870 | | A8Y7 | ISCSI SECONDARY | 22,519 | N | | 36 |
| 2870 | | A8Y9 | NFS SECONDARY | 22,519 | N | | 36 |
| 2870 | | A8YA | SNAPLOCK COMPLIANCE | 17,882 | N | | 36 |
| 2870 | | A8YB | SNAPLOCK ENTERPRISE | 17,882 | N | | 36 |
| 2870 | | A8YC | SNAPRESTORE | 9,564 | N | | 36 |
| 2870 | | A8YD | SNAPMIRROR | 37,761 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | A8YE | SNAPVAULT | 26,422 | N | | 36 |
| 2870 | | A8YF | FLEXCLONE | 17,782 | N | | 36 |
| 2870 | | A8YG | SNAPMANAGER SUITE | 43,028 | N | | 36 |
| 2870 | | A8YH | COMPLETE BUNDLE | 137,852 | N | | 36 |
| 2870 | | A8Z3 | CIFS SECONDARY - GW | 22,519 | N | | 36 |
| 2870 | | A8Z5 | FCP SECONDARY - GW | 22,519 | N | | 36 |
| 2870 | | A8Z7 | ISCSI SECONDARY - GW | 22,519 | N | | 36 |
| 2870 | | A8Z9 | NFS SECONDARY - GW | 22,519 | N | | 36 |
| 2870 | | A8ZA | SNAPLOCK COMPLIANCE - GW | 17,882 | N | | 36 |
| 2870 | | A8ZB | SNAPLOCK ENTERPRISE - GW | 17,882 | N | | 36 |
| 2870 | | A8ZC | SNAPRESTORE - GW | 9,564 | N | | 36 |
| 2870 | | A8ZD | SNAPMIRROR - GW | 37,761 | N | | 36 |
| 2870 | | A8ZE | SNAPVAULT - GW | 26,422 | N | | 36 |
| 2870 | | A8ZF | FLEXCLONE - GW | 17,782 | N | | 36 |
| 2870 | | A8ZG | SNAPMANAGER SUITE - GW | 43,028 | N | | 36 |
| 2870 | | A8ZH | COMPLETE BUNDLE - GW | 137,852 | N | | 36 |
| 2870 | | A903 | CIFS SECONDARY | 65,807 | N | | 36 |
| 2870 | | A905 | FCP SECONDARY | 65,807 | N | | 36 |
| 2870 | | A907 | ISCSI SECONDARY | 65,807 | N | | 36 |
| 2870 | | A909 | NFS SECONDARY | 65,807 | N | | 36 |
| 2870 | | A90A | SNAPLOCK COMPLIANCE | 35,764 | N | | 36 |
| 2870 | | A90B | SNAPLOCK ENTERPRISE | 35,764 | N | | 36 |
| 2870 | | A90C | SNAPRESTORE | 22,075 | N | | 36 |
| 2870 | | A90D | SNAPMIRROR | 98,759 | N | | 36 |
| 2870 | | A90E | SNAPVAULT | 67,236 | N | | 36 |
| 2870 | | A90F | FLEXCLONE | 44,445 | N | | 36 |
| 2870 | | A90G | SNAPMANAGER SUITE | 88,005 | N | | 36 |
| 2870 | | A90H | COMPLETE BUNDLE | 381,899 | N | | 36 |
| 2870 | | A913 | CIFS SECONDARY GW | 65,807 | N | | 36 |
| 2870 | | A915 | FCP SECONDARY GW | 65,807 | N | | 36 |
| 2870 | | A917 | ISCSI SECONDARY GW | 65,807 | N | | 36 |
| 2870 | | A919 | NFS SECONDARY GW | 65,807 | N | | 36 |
| 2870 | | A91A | SNAPLOCK COMPLIANCE GW | 35,764 | N | | 36 |
| 2870 | | A91B | SNAPLOCK ENTERPRISE GW | 35,764 | N | | 36 |
| 2870 | | A91C | SNAPRESTORE GW | 22,075 | N | | 36 |
| 2870 | | A91D | SNAPMIRROR GW | 98,759 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 2870 | | A91E | SNAPVAULT GW | 67,236 | N | | 36 |
| 2870 | | A91F | FLEXCLONE GW | 44,445 | N | | 36 |
| 2870 | | A91G | SNAPMANAGER SUITE GW | 88,005 | N | | 36 |
| 2870 | | A91H | COMPLETE BUNDLE GW | 381,899 | N | | 36 |
| 3494 | | 3302 | ADD'S ENHANCED ESCON CHANNELS | 18,295 | N | | 12 |
| 3494 | | 3702 | DISK STORAGE CAPACITY | 49,370 | N | | 12 |
| 3494 | | 4036 | INCREASED LOGICAL VOLUMES | 7,053 | N | | 12 |
| 3494 | | 4630 | FIELD INSTALL DRIVE | 1,763 | N | | 12 |
| 3494 | | 4772 | REMOVE 3592 DRIVE FROM 3494 | 247 | N | | 12 |
| 3494 | | 4800 | INSTALL CRADLE PAIR | 4,232 | N | | 12 |
| 3494 | | 4801 | REMOVE CRADLE PAIR | 987 | N | | 12 |
| 3494 | | 5210 | INPUT/OUTPUT STATION | 2,560 | N | | 12 |
| 3494 | | 5214 | 2ND DSK DRV FOR LIB MGR | 353 | N | | 12 |
| 3494 | | 5220 | ETHERNET LAN ADAPTOR | 1,587 | N | | 12 |
| 3494 | | 5226 | REMOTE CONSOLE | 705 | N | | 12 |
| 3494 | | 5228 | TAPE CONTROL UNIT EXPANSION | 1,411 | N | | 12 |
| 3494 | | 5229 | TAPE CONTROL UNIT ATTACHMENT | 4,232 | N | | 12 |
| 3494 | | 5230 | 30 CARTRIDGE I/O STATION | 6,143 | N | | 12 |
| 3494 | | 8002 | 1-3590 CLEANING CARTRIDGE | 67 | N | | 12 |
| 3494 | | 8005 | 1-3490E CLEANING CARTRIDGE | 24 | N | | 12 |
| 3494 | | 8510 | 210-3590 DATA CARTRIDGES | 8,649 | N | | 12 |
| 3494 | | 8610 | 210 EXTENDED LENGTH CARTS | 15,018 | N | | 12 |
| 3572 | S5H | | TS2900 TAPE AUTOLO.EXPR.W LTO | 4,496 | Y | 1 | 12 |
| 3572 | S6H | | STORAGETS2900 TAPE AUTOEXPR | 4,855 | Y | 1 | 12 |
| 3572 | | 5402 | 2.0 M SAS MINISAS 1X CABLE | 80 | N | | 12 |
| 3572 | | 5502 | 2.0 M MINISAS MINISAS 1X CABLE | 84 | N | | 12 |
| 3572 | | 5901 | TRANSPARENT LTO ENCRYPTION | 944 | N | | 12 |
| 3572 | | 7006 | 3572 RACK MOUNT KIT | 301 | N | | 12 |
| 3572 | | 7010 | 3572 DESKSIDE COVERS | 283 | N | | 12 |
| 3572 | | 8002 | ULTRIUM CLEANING CART L1 UCC | 48 | N | | 12 |
| 3572 | | 8111 | 3572 ADDITIONAL MAGAZINE | 525 | N | | 12 |
| 3572 | | 8305 | ULTRIUM 3 DATA CART 5 PACK | 140 | N | | 12 |
| 3572 | | 8405 | ULTRIUM 4 DATA CART 5 PACK | 317 | N | | 12 |
| 3572 | | 8505 | ULTRIUM 5 DATA CARTRIDGES 5PAC | 378 | N | | 12 |
| 3573 | L2U | | TS3100 TAPE LIBRARY | 3,023 | Y | 1 | 36 |
| 3573 | L4U | | TS3200 TAPE LIBRARY | 5,671 | Y | 1 | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3573 | | 1682 | PATH FAILOVER | 1,700 | N | | 36 |
| 3573 | | 1901 | ADDITIONAL POWER SUPPLY | 657 | N | | 36 |
| 3573 | | 5400 | SAS/MINI-SAS 4X INTERPOSER | 94 | N | | 36 |
| 3573 | | 5402 | 2M SAS/MINI-SAS 1X CABLE | 80 | N | | 36 |
| 3573 | | 5500 | MINI-SAS/MINI-SAS 4X INTERPOS | 94 | N | | 36 |
| 3573 | | 5502 | 2M MINI-SAS/MINI-SAS 1X CABLE | 84 | N | | 36 |
| 3573 | | 5604 | 4.5 M VHDCI/HD68 SCSI CABLE | 104 | N | | 36 |
| 3573 | | 5610 | 10 M VHDCI/HD68 SCSI CABLE | 133 | N | | 36 |
| 3573 | | 5900 | TRANSPARENT LTO ENCRYPTION | 1,889 | N | | 36 |
| 3573 | | 6013 | 13M LC/LC FIBRE CABLE | 139 | N | | 36 |
| 3573 | | 6025 | 25 M LC/LC FIBRE CABLE | 181 | N | | 36 |
| 3573 | | 7002 | RACK MOUNT KIT | 301 | N | | 36 |
| 3573 | | 8002 | ULTRIUM CLEANING CARTRIDGE L1 | 48 | N | | 36 |
| 3573 | | 8106 | RIGHT SIDE MAGAZINE | 245 | N | | 36 |
| 3573 | | 8107 | 3573 LEFT UPPER 4U MAGAZINE | 264 | N | | 36 |
| 3573 | | 8108 | 3573 LEFT LOWER 4U MAGAZINE | 298 | N | | 36 |
| 3573 | | 8109 | 3573 LEFT SIDE 2U MAGAZINE | 298 | N | | 36 |
| 3573 | | 8143 | ULTRIUM 4 LVD SCSI DRIVE | 4,245 | N | | 36 |
| 3573 | | 8144 | ULTRIUM 4 FIBRE CHANNEL DRIVE | 4,739 | N | | 36 |
| 3573 | | 8145 | ULTRIUM 4 SAS DRIVE | 4,410 | N | | 36 |
| 3573 | | 8148 | ULTRIUM 4 HALF HIGH FIBRE CHAN | 3,216 | N | | 36 |
| 3573 | | 8149 | ULTRIUM 4 HALF HIGH SAS TAPE | 2,803 | N | | 36 |
| 3573 | | 8244 | ULTRIUM 5 FIBRE CHANNEL DRIVE | 5,450 | N | | 36 |
| 3573 | | 8245 | ULTRIUM 5 SAS DRIVE | 5,072 | N | | 36 |
| 3573 | | 8247 | ULTRIUM 5 HALF HIGH SAS DRIVE | 3,224 | N | | 36 |
| 3573 | | 8248 | ULTRIUM 5 HALF HIGH FIBRE DRIV | 3,385 | N | | 36 |
| 3573 | | 8344 | ULTRIUM 6 FIBRE CHANNEL DRIVE | 5,885 | N | | 36 |
| 3573 | | 8347 | ULTRIUM 6 HALF-HIGH SAS DRIVE | 3,482 | N | | 36 |
| 3573 | | 8348 | ULTRIUM 6 HALFHIGHFIBRCHANDRV | 3,655 | N | | 36 |
| 3573 | | 8405 | ULTRIUM 4 DATA CARTRIDGES | 317 | N | | 36 |
| 3573 | | 8505 | ULTRIUM 5 DATA CARTRIDGES 5PAC | 378 | N | | 36 |
| 3576 | E9U | | TS3310 TAPE EXPANSION MOD | 8,312 | Y | 2 | 12 |
| 3576 | L5B | | TS3310 TAPE LIBRARY | 10,579 | Y | 2 | 12 |
| 3576 | | 0500 | LIBRARY&DRIVE CODE UPDATE | 378 | N | | 12 |
| 3576 | | 1640 | CAPACITY EXPANSION | 756 | N | | 12 |
| 3576 | | 1650 | ADVANCED REPORTING | 2,229 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3576 | | 1682 | PATH FAILOVER | 3,400 | N | | 12 |
| 3576 | | 1900 | ADDITIONAL POWER SUPPLY | 1,016 | N | | 12 |
| 3576 | | 3470 | ETHERNET EXPANSION BLADE | 1,587 | N | | 12 |
| 3576 | | 5400 | SAS/MINI-SAS 4X INTERPOSER | 147 | N | | 12 |
| 3576 | | 5402 | 2 M SAS/MINI-SAS 1X CABLE | 124 | N | | 12 |
| 3576 | | 5500 | MINI-SAS INTERPOSER | 147 | N | | 12 |
| 3576 | | 5502 | 2.0 M MINI-SAS 1X CABLE | 130 | N | | 12 |
| 3576 | | 5604 | 4.5M VHDCI/HD68 SCSI CABLE | 147 | N | | 12 |
| 3576 | | 5610 | 10M VHDCI/HD68 SCSI CABLE | 188 | N | | 12 |
| 3576 | | 5900 | TRANSPARENT LTO ENCRYPTION | 3,778 | N | | 12 |
| 3576 | | 6001 | TWO LIB TO DRV ETHERNET CABLES | 122 | N | | 12 |
| 3576 | | 6013 | 13M LC/LC FIBRE CABLE | 196 | N | | 12 |
| 3576 | | 6025 | 25M LC/LC FIBRE CABLE | 257 | N | | 12 |
| 3576 | | 7003 | RACK MOUNT KIT | 888 | N | | 12 |
| 3576 | | 8002 | 1-CLEANING CARTRIDGE | 76 | N | | 12 |
| 3576 | | 8139 | ULTRIUM 4 SAS TAPE DRIVE | 11,112 | N | | 12 |
| 3576 | | 8142 | ULTRIUM 4 FIBRE TAPE DRIVE | 12,491 | N | | 12 |
| 3576 | | 8242 | ULTRIUM 5 FIBRE TAPE DRIVE | 13,115 | N | | 12 |
| 3576 | | 8342 | ULTRIUM 6 FIBRE TAPE DRIVE | 14,164 | N | | 12 |
| 3577 | | 0500 | LIBRARY&DRIVE CODE UPDATE | 479 | N | | 12 |
| 3577 | | 4685 | 3592 FIELD INSTALL/MERGE | 479 | N | | 12 |
| 3580 | H4V | | TS2240 TAPE DRIVE EXPRESS | 2,792 | Y | 2 | 36 |
| 3580 | | 5099 | VHDCI/HD68 CABLE/INTERPOSER | 112 | N | | 12 |
| 3580 | | 5402 | 2.0M SAS/MINI-SAS 1X CABLE | 94 | N | | 36 |
| 3580 | | 5502 | 2.0M MINI-SAS/MINI-SAS 1X CBL | 98 | N | | 36 |
| 3580 | | 5604 | 4.5M VHDCI/HD68 SCSI CABLE | 122 | N | | 12 |
| 3580 | | 5610 | 10M VHDCI/HD68 SCSI CABLE | 155 | N | | 12 |
| 3580 | | 7003 | 19-INCH RACK MOUNT KIT | 125 | N | | 36 |
| 3580 | | 8405 | ULTRIUM 4 DATA CARTRIDGES | 372 | N | | 36 |
| 3580 | | 8505 | ULTRIUM 5 DATA CARTRIDGE | 443 | N | | 36 |
| 3580 | | 8723 | RACK MOUNT KIT | 125 | N | | 12 |
| 3584 | D23 | | TS3500 EXPANSION FRAME | 22,670 | N | 2 | 12 |
| 3584 | D53 | | TS3500 EXPANSION FRAME | 22,670 | N | 2 | 12 |
| 3584 | HA1 | | HIGH AVAILABILITY FRAME | 22,670 | N | 2 | 12 |
| 3584 | L23 | | TS3500 TAPE LIBRARY | 34,005 | N | 2 | 12 |
| 3584 | L53 | | TS3500 TAPE LIBRARY | 34,005 | N | 2 | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3584 | S24 | | TS3500 HD FRAMES ENTERPR DRIVE | 30,227 | N | 2 | 12 |
| 3584 | S54 | | TS3500 HD FRAMES LTO DRIVE | 30,227 | N | 2 | 12 |
| 3584 | SC1 | | TS3500 TAPE LIBRARY CONNECTOR | 15,113 | N | 2 | 12 |
| 3584 | | 0500 | LIBRARY & DRIVE CODE UPDATE | 378 | N | | 12 |
| 3584 | | 1440 | SERVICE BAY B CONFIG/ACCESSOR | 21,914 | N | | 12 |
| 3584 | | 1451 | ENH. FRAME CONTROL ASSEMBLY | 4,347 | N | | 12 |
| 3584 | | 1461 | ADD'1 LC/LC PATCH PANEL CABLE | 49 | N | | 12 |
| 3584 | | 1462 | FIBRE CHANNEL PATCH PANEL | 317 | N | | 12 |
| 3584 | | 1501 | FIBRE DRIVE MOVE KIT | 907 | N | | 12 |
| 3584 | | 1503 | 3592 FIBRE DRIVE MTG KIT | 460 | N | | 12 |
| 3584 | | 1504 | LTO FIBRE DRIVE MTG KIT | 460 | N | | 12 |
| 3584 | | 1514 | LTO FIBRE DRIVE MTG KIT | 460 | N | | 12 |
| 3584 | | 1515 | 3592 FIBRE DRIVE MOUNTING KIT | 460 | N | | 12 |
| 3584 | | 1530 | WEB CAMERA MOUNTING HARDWARE | 1,738 | N | | 12 |
| 3584 | | 1603 | CAPACITY EXPANSION | 11,335 | N | | 12 |
| 3584 | | 1604 | TRANSPARENT LTO ENCRYPTION | 9,068 | N | | 12 |
| 3584 | | 1608 | MIXED MEDIA D22/D23 SUPPORT | 5,970 | N | | 12 |
| 3584 | | 1610 | ADD D22/D23/D52/D53 TO X32 | 1,851 | N | | 12 |
| 3584 | | 1620 | ADD D32 TO X22/X52/X23/X53 | 1,851 | N | | 12 |
| 3584 | | 1643 | INTERMED. CAP. ON DEMAND | 11,335 | N | | 12 |
| 3584 | | 1644 | FULL CAPACITY ON DEMAND | 11,335 | N | | 12 |
| 3584 | | 1645 | HD COD FOR S24 | 15,113 | N | | 12 |
| 3584 | | 1646 | HD COD FOR S54 | 22,670 | N | | 12 |
| 3584 | | 1655 | 64 ADDITIONAL I/O SLOTS-LTO | 6,801 | N | | 12 |
| 3584 | | 1656 | 64 ADDITIONAL I/O SLOTS-3592 | 6,801 | N | | 12 |
| 3584 | | 1658 | 16 ADDITIONAL LTO I/O SLOTS | 1,360 | N | | 12 |
| 3584 | | 1659 | 16 ADDITIONAL 3592 I/O SLOTS | 1,360 | N | | 12 |
| 3584 | | 1660 | 10/100 ETHERNET SUPPORT | 2,852 | N | | 12 |
| 3584 | | 1663 | DRIVE REMOVAL | 510 | N | | 12 |
| 3584 | | 1665 | LTO ULTRIUM DRIVE REINSTALL | 510 | N | | 12 |
| 3584 | | 1668 | DLT DRIVE REINSTALL | 510 | N | | 12 |
| 3584 | | 1674 | 3592 DRIVE FIELD INSTALL | 510 | N | | 12 |
| 3584 | | 1675 | 3592 E07 DRIVE FIELD INSTALL | 510 | N | | 12 |
| 3584 | | 1678 | 3588 FIELD INSTALL ASSIST | 510 | N | | 12 |
| 3584 | | 1680 | CONTROL PATH FAILOVER | 6,801 | N | | 12 |
| 3584 | | 1681 | DATA PATH FAILOVER | 1,511 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3584 | | 1682 | PATH FAILOVER | 6,801 | N | | 12 |
| 3584 | | 1690 | ADVANCED LIB MGT SYSTEM | 9,446 | N | | 12 |
| 3584 | | 1692 | ENTRY ALMS | 1,511 | N | | 12 |
| 3584 | | 1693 | INTERMEDIATE ALMS | 3,400 | N | | 12 |
| 3584 | | 1694 | FULL ALMS | 4,534 | N | | 12 |
| 3584 | | 1695 | LTO TEST HARDWARE FOR HD | 1,507 | N | | 12 |
| 3584 | | 1696 | 3592 TEST HARDWARE FOR HD | 1,507 | N | | 12 |
| 3584 | | 1697 | MIXED MEDIA HD TESTS SLOTS | 1,507 | N | | 12 |
| 3584 | | 1700 | ENHANCED NODE CARDS | 7,443 | N | | 12 |
| 3584 | | 1701 | ENHANCED NODE CARD | 2,720 | N | | 12 |
| 3584 | | 1802 | 1-2 FRAME X-TRACK CABLE | 103 | N | | 12 |
| 3584 | | 1806 | 3-6 FRAME X-TRACK CABLE | 399 | N | | 12 |
| 3584 | | 1814 | 7-14 FRAME X-TRACK CABLE | 591 | N | | 12 |
| 3584 | | 1816 | 8-16 FRAME X-TRACK CABLE | 849 | N | | 12 |
| 3584 | | 1840 | CHANGE HA X-TRACK CABLE | 880 | N | | 12 |
| 3584 | | 1855 | SHUTTLE COMPLEX SERVICE INSTAL | 378 | N | | 12 |
| 3584 | | 1901 | DUAL AC POWER | 450 | N | | 12 |
| 3584 | | 1909 | SINGLE POWER SOURCE BIFUR. CAE | 139 | N | | 12 |
| 3584 | | 1950 | POWER DISTRIBUTION UNIT | 2,817 | N | | 12 |
| 3584 | | 2205 | ENHANCED GRIPPERS/PIVOT | 5,667 | N | | 12 |
| 3584 | | 2206 | ENH. GRIPPERS/PIVOT FOR HA | 5,667 | N | | 12 |
| 3584 | | 2304 | ENHANCED ACCESSOR | 17,758 | N | | 12 |
| 3584 | | 2305 | ENHANCED ACCESSOR FOR HA | 17,758 | N | | 12 |
| 3584 | | 2704 | CONSOLE EXPANSION 26PORT ENET | 1,110 | N | | 12 |
| 3584 | | 2724 | RACKMOUNT TS3000 SYST CONSOLE | 1,889 | N | | 12 |
| 3584 | | 2734 | USB MODEM | 151 | N | | 12 |
| 3584 | | 4871 | S7700 BE SW MOUNTING HARDWAR | 2,282 | N | | 12 |
| 3584 | | 4873 | REINSTALL TS7700 BE SWITCH | 363 | N | | 12 |
| 3584 | | 4874 | ADJ FRAME SUPPORT BE SWITCH | 332 | N | | 12 |
| 3584 | | 4875 | BACK END 8GB SWITCH | 15,113 | N | | 12 |
| 3584 | | 4876 | CONTROL UNIT BE SWITCH | 2,282 | N | | 12 |
| 3584 | | 4877 | REINSTALL 8GB BE SWITCHES | 363 | N | | 12 |
| 3584 | | 4878 | CU ADJ FRAME SUPPORT FOR | 332 | N | | 12 |
| 3584 | | 5512 | KVM DISPLAY KEYBOARD MOUSE | 1,360 | N | | 12 |
| 3584 | | 5922 | 22 M LC-SC FIBRE CABLE | 234 | N | | 12 |
| 3584 | | 6013 | 13 METER LC-LC FIBRE CABLE | 196 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3584 | | 6025 | 25 METER LC-LC FIBRE CABLE | 257 | N | | 12 |
| 3584 | | 6061 | 61 METER LC-LC FIBRE CABLE | 355 | N | | 12 |
| 3584 | | 8750 | ULTRIUM CLEANING CARTRIDGE | 76 | N | | 12 |
| 3584 | | 8802 | 3592 CLEANING CARTRIDGE | 106 | N | | 12 |
| 3584 | | 9984 | DUAL 4.3M PWRCORD NEMA L6/20P | 0 | N | | 12 |
| 3584 | | 9985 | DUAL 4.3M PWRCORD RUSSELLSTOL | 0 | N | | 12 |
| 3588 | F4A | | TS1040 ULTRIUM 4 TAPE DRIVE | 17,229 | Y | 2 | 12 |
| 3588 | F5A | | TS1050 ULTRIUM 5 TAPE DRIVE | 18,091 | Y | 2 | 12 |
| 3589 | 004 | | ULTRIUM CLEANING CARTRIDGES | 0 | Y | | 60 |
| 3589 | 010 | | 800GB ULTRIUM TAPE CART LAB | 0 | Y | | 60 |
| 3589 | 011 | | 800GB ULTRIUM TAPE CARTRIDGES | 0 | Y | | 60 |
| 3589 | 550 | | 2.5 TB ULTRIUM TAPE CART LABEL | 0 | Y | | 60 |
| 3589 | 570 | | 2.5 TB ULTRIUM TAPE WORM CARTR | 0 | Y | | 60 |
| 3589 | 650 | | 2.5 TB ULTRIUM TAPE CARTRIDGE | 0 | Y | | 60 |
| 3589 | 670 | | 2.5 TB ULTRIUM TAPE WORM CARTR | 0 | Y | | 60 |
| 3589 | | 0820 | 400GB ULTR.TAPE LABELED 20-PAK | 886 | N | | 60 |
| 3589 | | 0821 | 20 PACK 400GB ULTR T RFID | 931 | N | | 60 |
| 3589 | | 0920 | 400GB ULTR.TAPE 20-PAK | 871 | N | | 60 |
| 3589 | | 1020 | 800GB LABEL 20-PK | 1,953 | N | | 60 |
| 3589 | | 1021 | 20 PACK 800GB ULTR T RFID | 1,998 | N | | 60 |
| 3589 | | 1120 | 800GB 20-PK | 1,938 | N | | 60 |
| 3589 | | 1420 | 1.5 TB ULTRIUM TAPE CART L 20P | 2,350 | N | | 60 |
| 3589 | | 1421 | 1.5 TB ULTRIUM TAPE RFID L 20P | 2,395 | N | | 60 |
| 3589 | | 1520 | 1.5 TB ULTRIUM TAPE CART 20 P | 2,334 | N | | 60 |
| 3589 | | 2820 | 400GB WORM ULT.TAPE LAB.20-PAK | 1,068 | N | | 60 |
| 3589 | | 2821 | 20 PACK 400GB ULTRT WORM RFID | 1,113 | N | | 60 |
| 3589 | | 2920 | 400GB WORM ULT.TAPE 20-PAK | 1,053 | N | | 60 |
| 3589 | | 3221 | 20 PACK 800GB ULTRT WORM RFID | 2,325 | N | | 60 |
| 3589 | | 3420 | 1.5 TB ULTRIUM WORM TP CT L20P | 2,685 | N | | 60 |
| 3589 | | 3421 | 1.5 TB ULTRIUM WORM RFID L 20P | 2,730 | N | | 60 |
| 3589 | | 3520 | 1.5 TB ULTRIUM WORM TAPE C 20P | 2,670 | N | | 60 |
| 3589 | | 4005 | ULTRIUM CLEANING CARTR. 5-PACK | 381 | N | | 60 |
| 3589 | | 5500 | 2.5 TB ULTRIUM TP LABELD 20PAK | 3,262 | N | | 60 |
| 3589 | | 5510 | 2.5TB ULTRIUM TP RFID LBL 20PA | 3,277 | N | | 60 |
| 3589 | | 5700 | 2.5 TB ULTRIUM WORM TP CART | 3,338 | N | | 60 |
| 3589 | | 5710 | 2.5 TB ULTRIUM WORM RFID LBLD | 3,352 | N | | 60 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3589 | | 6500 | 2.5 TB ULTRIUM TAPE 20PAK | 3,249 | N | | 60 |
| 3589 | | 6700 | 2.5 TB ULTIRUM WORM TP CART | 3,325 | N | | 60 |
| 3590 | E11 | | MAGSTAR TAPE SUBSYSTEM | 29,867 | N | 3 | 12 |
| 3590 | E1A | | MAGSTAR TAPE SUBSYSTEM | 27,941 | N | 3 | 12 |
| 3590 | H11 | | ENTERPRISE TAPE DRIVE | 35,139 | N | 3 | 12 |
| 3590 | H1A | | ENTERPRISE TAPE DRIVE | 32,872 | N | 3 | 12 |
| 3592 | C07 | | TAPE CONTROLLER MODEL C07 | 27,204 | N | 3 | 12 |
| 3592 | E06 | | TS1130 TAPE DRIVE | 29,508 | N | 3 | 12 |
| 3592 | E07 | | TS1140 TAPE DRIVE | 32,459 | N | 3 | 12 |
| 3592 | J1A | | ENTERPRISE TAPE DRIVE | 24,181 | N | 3 | 12 |
| 3592 | | 0500 | DRIVE MICROCODE UPDATE | 378 | N | | 12 |
| 3592 | | 0520 | J70 FUNCTION ENHANCE FIELD | 378 | N | | 12 |
| 3592 | | 2704 | CONSOLE EXPANSION 26PORT ENET | 1,110 | N | | 12 |
| 3592 | | 2724 | RACKMOUNT TS3000 SYST CONSOLE | 1,889 | N | | 12 |
| 3592 | | 2734 | USB MODEM | 151 | N | | 12 |
| 3592 | | 3062 | DRIVE-TO-SWITCH CABLE/RACK | 121 | N | | 12 |
| 3592 | | 3441 | FICON SW ATTACHMENT | 9,710 | N | | 12 |
| 3592 | | 3442 | FICON LW ATTACHMENT | 9,710 | N | | 12 |
| 3592 | | 3443 | FICON 10KM LW ATTACHMENT | 11,731 | N | | 12 |
| 3592 | | 3478 | DUAL PORTED FIBRE ADAPTERS | 3,400 | N | | 12 |
| 3592 | | 3518 | FCSWITCH MOUNT KIT FORTS3500 A | 1,286 | N | | 12 |
| 3592 | | 3519 | REDUNDANT FC MOUNTING | 139 | N | | 12 |
| 3592 | | 4444 | LOGICAL LIBRARY OPTION PROVIDE | 4,534 | N | | 12 |
| 3592 | | 4451 | 1ST CONTROLLER INSTALLED | 491 | N | | 12 |
| 3592 | | 4452 | 2NDCONTROLLER INST IN BASE F05 | 491 | N | | 12 |
| 3592 | | 4453 | 3RDCONTROLLER INST IN BASE F05 | 491 | N | | 12 |
| 3592 | | 4454 | 4THCONTROLLER INST IN BASE F05 | 491 | N | | 12 |
| 3592 | | 4461 | 1ST CONTROLLER INST IN AN EXPA | 491 | N | | 12 |
| 3592 | | 4462 | 2ND CONTROLLER INST IN AN EXPA | 491 | N | | 12 |
| 3592 | | 4463 | 3RD CONTROLLER INST IN AN EXPA | 491 | N | | 12 |
| 3592 | | 4464 | 4TH CONTROLLER INST IN AN EXPA | 491 | N | | 12 |
| 3592 | | 4641 | INSTALL CONTROLLER IN RACK | 491 | N | | 12 |
| 3592 | | 4674 | INSTALL 3592 IN RACK | 529 | N | | 12 |
| 3592 | | 4684 | 3592 E07 ADDITIONAL RACKMOUNT | 188 | N | | 12 |
| 3592 | | 4772 | REMOVE 3592 FROM RACK | 264 | N | | 12 |
| 3592 | | 4802 | RACK LEFT CRADLE | 4,534 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 3592 | | 4812 | RACK RIGHT CRADLE | 5,667 | N | | 12 |
| 3592 | | 4875 | 8GB FIBRE CHANNEL SWITCH | 15,113 | N | | 12 |
| 3592 | | 4897 | REINSTALL 4GB FC SWITCH | 363 | N | | 12 |
| 3592 | | 5241 | DUAL PORT FC HBA | 7,406 | N | | 12 |
| 3592 | | 5512 | KVM DISPLAY KEYBOARD MOUSE | 1,360 | N | | 12 |
| 3592 | | 5595 | DU ENCRYPT.CONFIGURATION/FIELD | 378 | N | | 12 |
| 3592 | | 5596 | ENCRYPT. CONFIGURATION - FIELD | 378 | N | | 12 |
| 3592 | | 5597 | QUADPORT ETHERNET ADAPTER | 1,814 | N | | 12 |
| 3592 | | 5891 | FIELD MERGE C07 IN A 3952 | 1,889 | N | | 12 |
| 3592 | | 5913 | 13 M LC/SC FIBRE CABLE | 169 | N | | 12 |
| 3592 | | 5922 | 22 M LC/SC FIBRE CABLE | 188 | N | | 12 |
| 3592 | | 5961 | 61 M LC/SC FIBRE CABLE | 322 | N | | 12 |
| 3592 | | 6013 | 13 M LC/LC FIBRE CABLE | 169 | N | | 12 |
| 3592 | | 6025 | 25 M LC/LC FIBRE CABLE | 249 | N | | 12 |
| 3592 | | 6061 | 61 M LC/LC FIBRE CABLE | 322 | N | | 12 |
| 3599 | 011 | | TAPE CARTRIDGE 3592 (DATA) | 0 | Y | | 120 |
| 3599 | 012 | | TAPE CARTRIDGE 3592 (DATA) | 0 | Y | | 120 |
| 3599 | 013 | | TAPE CARTRIDGE 3592 (DATA) | 0 | Y | | 120 |
| 3599 | 017 | | TAPE CARTRIDGE 3592 (CLEANING) | 0 | Y | | 120 |
| 3599 | 420 | | TC 3592 LABEL INIT DAT CART TC | 0 | Y | | 120 |
| 3599 | 430 | | TC 3592 LABELED INIT ECO DA TK | 0 | Y | | 120 |
| 3599 | 440 | | TC 3592 LABEL INIT WORM CART TY | 0 | Y | | 120 |
| 3599 | 520 | | TC 3592 LABELED DATA CART TC | 0 | Y | | 120 |
| 3599 | 530 | | TC 3592 LABELED ECO DATA TK | 0 | Y | | 120 |
| 3599 | 540 | | TC 3592 LABELED WORM CARTR TY | 0 | Y | | 120 |
| 3599 | 620 | | TAPE CART 3592 DATA CART TYPE C | 0 | Y | | 120 |
| 3599 | 630 | | TAPE CART 3592 ECO DATA TYPE K | 0 | Y | | 120 |
| 3599 | 640 | | TAPE CART 3592 WORM CART TYPE Y | 0 | Y | | 120 |
| 3599 | | 1020 | 20-PACK 3592 DATA CART W/INTL | 3,285 | N | | 120 |
| 3599 | | 1021 | 20 PACK 3592 STD CART RFID L&I | 3,348 | N | | 60 |
| 3599 | | 1120 | 20PACK 3592 DCART W/LABEL.&INIT | 2,187 | N | | 120 |
| 3599 | | 1121 | 20 PK 3592 ECON CART RFID L&I | 2,251 | N | | 120 |
| 3599 | | 1220 | 20PACK 3592 DCART W/LABEL.SERV | 2,177 | N | | 120 |
| 3599 | | 1221 | 20 PK 3592 ECON CART RFID LAB | 2,222 | N | | 120 |
| 3599 | | 1320 | 20-PACK 3592 DATA CARTRIDGES | 2,158 | N | | 120 |
| 3599 | | 2020 | 20-PACK 3592 DATA CART W/LAB | 3,269 | N | | 120 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3599 | | 2021 | 20 PACK 3592 STD CART RFID LAB | 3,301 | N | | 120 |
| 3599 | | 2420 | 20-PCK 3592 EXT.WORM DATA CART | 4,331 | N | | 120 |
| 3599 | | 2421 | 20 PK 3592 EX WORM C RFID L&I | 4,395 | N | | 120 |
| 3599 | | 2520 | 20-PCK 3592 EXT.WORM DATA CART | 4,316 | N | | 120 |
| 3599 | | 2521 | 20 PK 3592 EX WORM C RFID LAB | 4,348 | N | | 120 |
| 3599 | | 2620 | 20-PCK 3592 EXT.WORM DATA CART | 4,284 | N | | 120 |
| 3599 | | 3020 | 20-PACK 3592 DATA CART. | 3,237 | N | | 120 |
| 3599 | | 4020 | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,331 | N | | 120 |
| 3599 | | 4021 | 20 PK 3592 EXT CART RFID L&I | 4,395 | N | | 120 |
| 3599 | | 4211 | 20PACK3592 DATA CARTR WITH LAB | 6,440 | N | | 120 |
| 3599 | | 4221 | 20PACK3592DATA CARTR WITH RFID | 6,472 | N | | 120 |
| 3599 | | 4300 | 20PCK3592ECONOM DATA CARTR WI | 4,022 | N | | 120 |
| 3599 | | 4310 | 20PACK 3592 ECONOMY DATA CART | 4,053 | N | | 120 |
| 3599 | | 4400 | 20PCK3592WORM DATA CARTR WITH | 6,440 | N | | 120 |
| 3599 | | 4410 | 20PCK3592WORM DATACART WITHRFI | 6,472 | N | | 120 |
| 3599 | | 5020 | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,316 | N | | 120 |
| 3599 | | 5021 | 20 PK 3592 EXT CART RFID LAB | 4,348 | N | | 120 |
| 3599 | | 5221 | 20PACK 3592DATA CART TC WITH L | 6,424 | N | | 120 |
| 3599 | | 5231 | 20PCK3592DATA CART TC WITH RFI | 6,456 | N | | 120 |
| 3599 | | 5300 | 20PCK3592ECO DATA CART TK WITH | 4,006 | N | | 120 |
| 3599 | | 5310 | 20PCK3592ECODATA CART TK WITH | 4,038 | N | | 120 |
| 3599 | | 5400 | 20PCK3592WORM DATA CART TY WI | 6,424 | N | | 120 |
| 3599 | | 5410 | 20PCK3592WORM DATA CART TY WI | 6,456 | N | | 120 |
| 3599 | | 6020 | 20-PCK 3592 EXT.DATA CARTRIDGE | 4,284 | N | | 120 |
| 3599 | | 6200 | 20PCK3592DATACARTR WITHOUT LAI | 6,393 | N | | 120 |
| 3599 | | 6300 | 20PCK3592ECO DATA CARTR WITHO | 3,975 | N | | 120 |
| 3599 | | 6400 | 20PCK3592WORM DATA CARTR WITH | 6,393 | N | | 120 |
| 3599 | | 7005 | 5-PACK CLNR CART W/MEDIA | 538 | N | | 120 |
| 3599 | | 7006 | 5-PACK CLNR CART WITHOUT MEDIA | 538 | N | | 120 |
| 3758 | | 2117 | SFP+ 10 GBPS SR | 660 | N | | 12 |
| 3758 | | 2118 | SFP+ 10 GBPS SR 8 PACK | 4,867 | N | | 12 |
| 3758 | | 2151 | SFP+ 10 GBPS LR | 2,850 | N | | 12 |
| 3758 | | 2158 | SFP+ 10 GBPS LR 8 PACK | 19,579 | N | | 12 |
| 3758 | | 2711 | TWINAX ACTIVE 1 M | 181 | N | | 12 |
| 3758 | | 2718 | TWINAX ACTIVE 1 M 8 PACK | 1,247 | N | | 12 |
| 3758 | | 2731 | TWINAX ACTIVE 3 M | 225 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3758 | | 2738 | TWINAX ACTIVE 3 M 8 PACK | 1,683 | N | | 12 |
| 3758 | | 2751 | TWINAX ACTIVE 5 M | 282 | N | | 12 |
| 3758 | | 2758 | TWINAX ACTIVE 5 M 8 PACK | 2,125 | N | | 12 |
| 3758 | | 2801 | SFP 8 GBPS SW | 210 | N | | 12 |
| 3758 | | 2808 | SFP 8 GBPS SW 8 PACK | 1,676 | N | | 12 |
| 3758 | | 2821 | SFP 8 GBPS 10 KM LW | 1,683 | N | | 12 |
| 3758 | | 2828 | SFP 8 GBPS 10 KM LW 8 PACK | 13,464 | N | | 12 |
| 3758 | | 5605 | LC LC 5 M MMF 50 MICRON | 76 | N | | 12 |
| 3758 | | 5625 | LC LC 25 M MMF 50 MICRON | 152 | N | | 12 |
| 3758 | | 5721 | LC LC 31 M SMF 9 MICRON | 73 | N | | 12 |
| 3758 | | 5810 | OM3 CABLE LC LC 10 M | 87 | N | | 12 |
| 3758 | | 5910 | MID MOUNT RACK KIT | 102 | N | | 12 |
| 3758 | | 5999 | USB DRIVE | 261 | N | | 12 |
| 3758 | | 7404 | DVANCED PERFORMANCE MONITOF | 1,741 | N | | 12 |
| 3758 | | 7405 | TRUNKING ACTIVATION | 3,482 | N | | 12 |
| 3758 | | 7408 | FC AND CONVERGED ACTIVATION | 14,074 | N | | 12 |
| 3758 | | 7714 | 3758 B32 FW UPGRADE 1 YEAR | 1,070 | N | | 12 |
| 3758 | | 7715 | 3758 B32 FW UPGRADE 2 YEARS | 2,031 | N | | 12 |
| 3890 | | 3021 | PROG ENDORSING / ITEM NUM | 123,609 | N | | 12 |
| 3890 | | 3022 | STACKER MODULE(MAX 4) | 79,569 | N | | 12 |
| 3890 | | 4666 | ITEM NUMBERING/ENDORSING | 83,416 | N | | 12 |
| 3890 | | 5111 | MICROFILMING | 179,782 | N | | 12 |
| 3890 | | 5115 | OCR FEATURE | 264,969 | N | | 12 |
| 3890 | | 5120 | E13B MICR | 62,365 | N | | 12 |
| 3890 | | 6370 | S/370 ATTACHMENT | 7,823 | N | | 12 |
| 3952 | F05 | | TAPE FRAME | 9,446 | N | 2 | 12 |
| 3952 | | 1903 | DUAL AC POWER | 907 | N | | 12 |
| 3952 | | 3517 | REDUNDANT FC ATTACH | 139 | N | | 12 |
| 3952 | | 4743 | REMOVE 3957 V06 VEA | 8,932 | N | | 12 |
| 3952 | | 4870 | REPLACE CONTROLLER W/C06 | 2,649 | N | | 12 |
| 3952 | | 5594 | ATTACH ADDITIONAL CU TO ROUTEF | 741 | N | | 12 |
| 3952 | | 5627 | INSTALL 3957 VEB | 544 | N | | 12 |
| 3952 | | 5629 | INSTALL 3957 V07 | 544 | N | | 12 |
| 3952 | | 5758 | INTEGRATED CONTROL PATH | 6,366 | N | | 12 |
| 3952 | | 5875 | FIELD MERGE 3592 J70 | 1,889 | N | | 12 |
| 3952 | | 5877 | FIELD INSTALL 3592 J70 | 2,040 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 3952 | | 5878 | FIELD MERGE 3592 C06 | 1,889 | N | | 12 |
| 3952 | | 5880 | FIELD INSTALL 3592 C06 | 2,040 | N | | 12 |
| 3953 | | 0500 | LM FUNCTION ENHANCE FIELD | 378 | N | | 12 |
| 3953 | | 3488 | 4GB FIBRE CHANNEL SWITCH | 12,355 | N | | 12 |
| 3953 | | 4865 | CONTROL UNIT REMOVAL | 320 | N | | 12 |
| 3953 | | 4897 | REINSTALL 4GB FC SWITCH | 363 | N | | 12 |
| 3953 | | 5875 | FIELD MERGE 3592 J70 | 1,889 | N | | 12 |
| 3953 | | 5878 | FIELD MERGE 3592 C06 | 1,889 | N | | 12 |
| 3956 | | 7403 | ENABLE 1ST EXPANSION DRAWER | 9,940 | N | | 12 |
| 3957 | VEB | | TS7720 VIRTUALIZ ENGINE SERVER | 60,453 | N | 3 | 12 |
| 3957 | | 0201 | 9 MICRON LC/LC 31 METER | 188 | N | | 12 |
| 3957 | | 0203 | 50 MICRON LC/LC 31 METER | 158 | N | | 12 |
| 3957 | | 0521 | FUNCTIONAL ENHANCE FIELD | 378 | N | | 120 |
| 3957 | | 1032 | GB GRID DUAL PORT COPPER CONN | 491 | N | | 12 |
| 3957 | | 1033 | 1GB GRID DUAL PORT OPTICAL SW | 1,473 | N | | 12 |
| 3957 | | 1034 | ENABLE DUAL PORT GRID CONNECT | 4,549 | N | | 12 |
| 3957 | | 1036 | GB GRID DUAL PORT COPPER CONN | 491 | N | | 12 |
| 3957 | | 1037 | 1GB GRID DUAL PORT OPTICAL SW | 1,473 | N | | 12 |
| 3957 | | 3441 | FICON SHORT WAVELENGTH ATT | 9,710 | N | | 12 |
| 3957 | | 3442 | FICON LONG WAVELENGTH ATT | 9,710 | N | | 12 |
| 3957 | | 3443 | FICON 10K LG WAVELENGTH ATT | 11,731 | N | | 12 |
| 3957 | | 3461 | 8GB MEMORY UPGRADE FIELD | 5,290 | N | | 12 |
| 3957 | | 4015 | GRID ENABLEMENT | 37,783 | N | | 12 |
| 3957 | | 4016 | REMOVE CLUSTER FROM GRID | 1,511 | N | | 12 |
| 3957 | | 4017 | CLUSTER CLEANUP | 1,511 | N | | 12 |
| 3957 | | 5240 | DUAL PORT FC HBA | 4,214 | N | | 12 |
| 3957 | | 5241 | DUAL PORT FC HBA | 7,406 | N | | 12 |
| 3957 | | 5267 | 1 TB CACHE ENABLEMENT | 35,894 | N | | 12 |
| 3957 | | 5268 | 100 MB/SEC INCREMENT | 51,008 | N | | 12 |
| 3957 | | 5270 | INCREASED LOGICAL VOLUMES | 7,557 | N | | 12 |
| 3957 | | 5271 | SELECTIVE DEVICE ACCESS CONTRC | 37,783 | N | | 12 |
| 3958 | | 0201 | 9 MICRON LC/LC 31 METER | 188 | N | | 12 |
| 3958 | | 0203 | 50 MICRON LC/LC 31 METER | 158 | N | | 12 |
| 3958 | | 3121 | PROTECTTIER SERVER | 65,365 | N | | 12 |
| 3958 | | 3437 | CLUSTER CONNECTION KIT | 2,645 | N | | 12 |
| 3958 | | 3441 | PROTECTTIER SERVER | 9,710 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---|----------------|----------------|----------------|-------------------|
| 3958 | | 3442 | FICON 4KM LONGWAVE | 9,710 | N | | 12 |
| 3958 | | 3443 | FICON 10KM LONGWAVE | 11,731 | N | | 12 |
| 3958 | | 3444 | FICON SHORTWAVE | 9,710 | N | | 12 |
| 3958 | | 3445 | FICON 4KM LONGWAVE | 9,710 | N | | 12 |
| 3958 | | 3446 | FICON 10KM LONGWAVE | 11,731 | N | | 12 |
| 3958 | | 3447 | CLUSTER CONNECTION KIT | 1,738 | N | | 12 |
| 3958 | | 3448 | DUAL PORT ETHERNET CARD | 635 | N | | 12 |
| 3958 | | 3449 | 4GB FC DUAL PORT HBA DISK | 586 | N | | 12 |
| 3958 | | 3456 | 16GB QUAD PORT ETHERNET ADAPTI | 1,814 | N | | 12 |
| 3958 | | 3457 | 10GB DUAL PORT ETHER. 3958 ADA | 4,309 | N | | 12 |
| 3958 | | 3458 | 8 GB FC DUAL PORT HBA HOST | 3,287 | N | | 12 |
| 3958 | | 3467 | MEMORY UPGRADE | 5,290 | N | | 12 |
| 3958 | | 3707 | 4.8 TB FC DISK EXPANSION | 33,400 | N | | 12 |
| 3958 | | 5247 | ENHANCED ROUTER | 2,267 | N | | 12 |
| 3958 | | 5510 | PLANT INSTALL KVM SWITCH | 1,209 | N | | 12 |
| 3958 | | 5512 | KVM DISPLAY | 1,360 | N | | 12 |
| 3958 | | 5513 | 1ST SERVER IN ADJACENT FRAME CONNECTION | 370 | N | | 12 |
| 3958 | | 5514 | 2ND SERVER IN ADJACENT FRAME | 219 | N | | 12 |
| 3958 | | 5770 | ENTERPRISE CONTROLLER | 31,639 | N | | 12 |
| 3958 | | 5771 | ENTERPRISE CONTROLLER | 31,639 | N | | 12 |
| 3958 | | 6025 | 25 METER LC/LC FC CABLE | 249 | N | | 12 |
| 4003 | | 1661 | 4 PORT MODULE 10GBE (XFP) | 17,346 | N | | 12 |
| 4003 | | 1662 | 16 PORT MODULE 10GBE (SFP+) | 37,952 | N | | 12 |
| 4003 | | 1663 | 24 PORT MODULE 1GBE (RJ45) | 8,671 | N | | 12 |
| 4003 | | 1664 | 48 PORT MODULE 1GBE (MRJ21) | 17,346 | N | | 12 |
| 4003 | | 1665 | 24 PORT MODULE 1GBE (FIBER) | 10,839 | N | | 12 |
| 4003 | | 2101 | XFP 10GB COPPER 15M CX4 | 1,069 | N | | 12 |
| 4003 | | 2110 | XFP 850NM 300M MMF | 1,337 | N | | 12 |
| 4003 | | 2111 | XFP 1310NM 10KM SMF | 2,680 | N | | 12 |
| 4003 | | 2112 | XFP 1550NM 40KM SMF | 10,734 | N | | 12 |
| 4003 | | 2130 | SFP+ 10 GBE SR 300M MMF | 1,350 | N | | 12 |
| 4003 | | 2131 | SFP+ 10 GBE LR 10KM SMF | 2,705 | N | | 12 |
| 4003 | | 2202 | SFP 1GE COPPER RJ-45 | 317 | N | | 12 |
| 4003 | | 2211 | SFP 1GE SX MMF W/OM | 513 | N | | 12 |
| 4003 | | 2212 | SFP 1GE LX SMF W/OM | 1,122 | N | | 12 |
| 4003 | | 2213 | SFP 1GE LHA SMF W/OM | 4,505 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 4003 | | 2216 | SFP 100MBE MMF W/OM | 190 | N | | 12 |
| 4003 | | 2801 | SFP 1GE COPPER RJ-45 8-PACK | 2,538 | N | | 12 |
| 4003 | | 2810 | SFP 100MBE MMF W/OM 8 PACK | 1,522 | N | | 12 |
| 4003 | | 2811 | SFP 1GE SX MMF W/OM 8-PACK | 4,100 | N | | 12 |
| 4003 | | 2812 | SFP 1GE LX SMF W/OM 8-PACK | 8,981 | N | | 12 |
| 4003 | | 2813 | SFP 1GE LHA SMF W/OM 8-PACK | 36,045 | N | | 12 |
| 4003 | | 2830 | SFP+ 10 GBE SR 300M MMF 8 P | 10,805 | N | | 12 |
| 4003 | | 2831 | SFP+ 10 GBE LR 10KM SMF 8 P | 21,650 | N | | 12 |
| 4003 | | 8710 | 128MB FLASH MEMORY | 754 | N | | 12 |
| 4274 | | 2610 | MXX MULTISERVICES DPC | 120,019 | N | | 12 |
| 4274 | | 2710 | MXX FLEX PIC CONC TYPE 3 | 82,871 | N | | 12 |
| 4274 | | 2810 | MXX 1 P SONET OC192 VSR PIC | 122,040 | N | | 12 |
| 4274 | | 2820 | MXX 1 P SONET OC192 XFP PIC | 161,093 | N | | 12 |
| 4274 | | 2830 | 10/100/1000B T RJ 45 100M X4 | 200,146 | N | | 12 |
| 4274 | | 5810 | OC 48 SR 2KM SFP | 4,882 | N | | 12 |
| 4274 | | 5820 | OC 48 IR 15KM SFP | 7,811 | N | | 12 |
| 4274 | | 5830 | OC 48 LR 80KM SFP | 24,408 | N | | 12 |
| 4274 | | 5910 | 10GE/OC192 1310NM 10KM XFP | 4,686 | N | | 12 |
| 4274 | | 5920 | 10GE/OC192 1550NM 40KM XFP | 9,763 | N | | 12 |
| 4274 | | 5930 | 10GE/OC192 1550NM 80KM XFP | 13,669 | N | | 12 |
| 4274 | | 7340 | 5M FLOWS | 5,467 | N | | 12 |
| 4274 | | 7350 | 2K IKE SESSIONS | 4,882 | N | | 12 |
| 4274 | | 7360 | 2.5M SFW/NAT SESSIONS | 14,645 | N | | 12 |
| 7009 | C1L | | 8A0927 R/6000 PWRSRV C1L | 9,685 | N | 2 | 12 |
| 7009 | | 1906 | IBM FIBRE CHANNEL ADAPTER | 4,772 | N | | 0 |
| 7009 | | 2415 | SCSI-2 FAST/WIDE ADPT/A | 797 | N | | 12 |
| 7009 | | 2416 | SCSI-2 DIFFERENTIAL FW ADPT | 1,021 | N | | 12 |
| 7009 | | 2422 | SCSI-2 DIFF Y-CABLE | 166 | N | | 12 |
| 7009 | | 2423 | SCSI-2 DIFF SYS TO SYS CABLE | 80 | N | | 12 |
| 7009 | | 2424 | .6M SCSI-2 DIFFERENTIAL CBL | 80 | N | | 12 |
| 7009 | | 2425 | 2.5M SCSI2 DIFFERENTIAL CBL | 97 | N | | 12 |
| 7009 | | 2426 | SCSI2 DIFFERENTIAL WIDE YCBL | 331 | N | | 12 |
| 7009 | | 2427 | SCSI-2 DIFFERENTIAL Y-CBL | 316 | N | | 12 |
| 7009 | | 2434 | 16BIT SCSI-2 F/W ADPT/A INT | 261 | N | | 12 |
| 7009 | | 2435 | 16 BIT SCSI-2 FW ADPT DUAL | 112 | N | | 12 |
| 7009 | | 2436 | 16 BIT SCSI-2 DIFF FW ADPT | 112 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7009 | | 2437 | 8 BIT SCSI-2 FW ADPT DUAL | 93 | N | | 12 |
| 7009 | | 2438 | 8BIT SCSI-2 DIFF FW ADPT/A | 93 | N | | 12 |
| 7009 | | 2439 | 8BIT SCSI-2 FW ADPT/A SING | 108 | N | | 12 |
| 7009 | | 2555 | 1GB SCSI-2 DISK DRIVE | 1,342 | N | | 12 |
| 7009 | | 2580 | 2GB SCSI-2 DISK DRIVE | 2,311 | N | | 12 |
| 7009 | | 2583 | 2GB SCSI-2 DISK DR (SELECT) | 969 | N | | 12 |
| 7009 | | 2586 | 2GB SCSI-2 F/W DISK DR | 2,311 | N | | 12 |
| 7009 | | 2588 | 2GB SCSI-2 F/W DSK DR SEL | 969 | N | | 12 |
| 7009 | | 2619 | 20X(MAX)SCSI-2 CD-ROM DRIVE | 279 | N | | 12 |
| 7009 | | 2700 | IPORT MULTIPROT COMM ADAPTER | 1,939 | N | | 12 |
| 7009 | | 2702 | MULTIP ATTCHMNT CABLE V.35 | 87 | N | | 12 |
| 7009 | | 2704 | MULTIPROTO ATTCH CABLE X.21 | 87 | N | | 12 |
| 7009 | | 2705 | 4-P MULTIPROTO INTERF CABLE | 373 | N | | 12 |
| 7009 | | 2706 | MULTIP ATTCH CBL-EIA-232/V24 | 69 | N | | 12 |
| 7009 | | 2707 | EICON ISDN DIVA MCA ADAPTER | 224 | N | | 12 |
| 7009 | | 2723 | FDDI FIBER DUAL RING UPGRADE | 1,487 | N | | 12 |
| 7009 | | 2724 | FDDI FIBER SINGLE RING ADPT | 2,978 | N | | 12 |
| 7009 | | 2757 | BLOCK MULTIPLEXER ADPT CABLE | 522 | N | | 0 |
| 7009 | | 2758 | MULTIPLEXER CHNL CABLE ASSEM | 671 | N | | 0 |
| 7009 | | 2834 | SCSI SINGLE-END CONTROL CBL | 186 | N | | 12 |
| 7009 | | 2921 | 1MB ARTIC960 COPROCESSOR | 3,803 | N | | 12 |
| 7009 | | 2922 | AIB CABLE OPTION EIA 232 | 354 | N | | 12 |
| 7009 | | 2923 | AIB CABLE OPTION EIA 530 | 428 | N | | 12 |
| 7009 | | 2924 | 4MB ARTIC960 COPROCESSOR | 1,577 | N | | 12 |
| 7009 | | 2926 | AIB CABLE OPTION ISO 4902 V36 | 428 | N | | 12 |
| 7009 | | 2927 | AIB CABLE OPTION ISO 4903 X21 | 428 | N | | 12 |
| 7009 | | 2928 | 8MB ARTIC960 COPROCESSOR | 4,250 | N | | 12 |
| 7009 | | 2930 | 8-PORT ASYNC ADAPTER-EIA-232 | 620 | N | | 12 |
| 7009 | | 2934 | ASYNCH TERM/PRT CABLE EIA-232 | 33 | N | | 12 |
| 7009 | | 2936 | ASYNC CABLE EIA-232/V.24 | 54 | N | | 12 |
| 7009 | | 2937 | PRINT/TERM INTERPOS EIA-232 | 21 | N | | 12 |
| 7009 | | 2940 | 8-PORT ASYNC ADAPTER-EIA 422A | 697 | N | | 0 |
| 7009 | | 2945 | TERMINAL CABLE-EAI-422A | 97 | N | | 12 |
| 7009 | | 2955 | 16PORT ASYNC ADAPTER EIA-232 | 838 | N | | 12 |
| 7009 | | 2957 | 16-PORT ASYNC ADAPTER EIA 422A | 1,156 | N | | 0 |
| 7009 | | 2972 | AUTO TR LANSTREAMER MC 32ADP | 634 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 7009 | | 2995 | MULTIPOINT INTERFACE CABLE | 286 | N | | 12 |
| 7009 | | 2996 | 16PORT INTERF CABLE EIA-232 | 220 | N | | 12 |
| 7009 | | 2997 | 16-PORT INTERFACE CABLE EIA | 476 | N | | 0 |
| 7009 | | 3100 | PC PARALLEL PRINTER CABLE | 35 | N | | 12 |
| 7009 | | 3107 | SERIAL PORT CONVERTER CABLE | 37 | N | | 12 |
| 7009 | | 3130 | SCSI DEVICE-DEVICE CABLE | 57 | N | | 12 |
| 7009 | | 3750 | SERV PUBLICATION WRAP PLUGS | 42 | N | | 12 |
| 7009 | | 3751 | DIAGNOSTIC MEDIA | 42 | N | | 12 |
| 7009 | | 4011 | 16MB SIMM MEMORY | 477 | N | | 12 |
| 7009 | | 4012 | 32MB SIMM MEMORY | 954 | N | | 12 |
| 7009 | | 4024 | 8MB SIMM MEMORY (SELECT) | 119 | N | | 12 |
| 7009 | | 4025 | 16MB SIMM MEMORY (SELECT) | 358 | N | | 12 |
| 7009 | | 4026 | 32MB SIMM MEMORY (SELECT) | 834 | N | | 12 |
| 7009 | | 4218 | T-R CABLE INCL F/C 2970 | 26 | N | | 12 |
| 7009 | | 4223 | ETHERNET 10BASE2 TRANSCEIVER | 145 | N | | 12 |
| 7009 | | 4224 | ETHERNET 10BASET TRANSCEIVER | 145 | N | | 12 |
| 7009 | | 4227 | SUN COMPTBLE DISP CONTV CBL | 23 | N | | 12 |
| 7009 | | 4229 | PWR GT1X-PWRDISPLAY 16S | 27 | N | | 12 |
| 7009 | | 6033 | KEYBOARD 106 KEY CHIN/TR/TAW | 242 | N | | 12 |
| 7009 | | 6145 | 4GB INTR 4MM TAPE DR SELECT | 1,491 | N | | 12 |
| 7009 | | 6212 | HP SUBSYSTEM ADAPTER | 249 | N | | 12 |
| 7009 | | 6305 | DIGITAL TRUNK DUAL ADAPTER | 1,789 | N | | 12 |
| 7009 | | 7006 | RT INTERF CO-PROC PRTMASTER | 1,189 | N | | 12 |
| 7009 | | 7042 | RT INTRF RS-232 INTERF B/A | 596 | N | | 12 |
| 7009 | | 7044 | RT INTRF RS-422 INTERF B/A | 671 | N | | 12 |
| 7009 | | 7046 | RT CP 6-PORT V.35 INTERF B/A | 914 | N | | 12 |
| 7009 | | 7048 | RT CP 6-PORT X.21 INTERF B/A | 746 | N | | 12 |
| 7009 | | 7106 | RT INTERF 6-PORT V.35 CABLE | 632 | N | | 12 |
| 7009 | | 7108 | RT INTRF CP 8-PORT CABLE | 279 | N | | 12 |
| 7009 | | 7110 | RT INTRF CP 6-PORT X.21 CBL | 522 | N | | 12 |
| 7009 | | 8128 | RISC/6000 128 PORT ASYNC CTR | 965 | N | | 12 |
| 7009 | | 8130 | RISC/6000 RSN 16-PORTEIA-232 | 1,114 | N | | 12 |
| 7009 | | 8131 | R/6000 128-PORT ACC 4.5METER | 44 | N | | 12 |
| 7009 | | 8132 | R/6000 128-PORT ACC 23CM 9IN | 29 | N | | 12 |
| 7009 | | 8133 | R/6000 RJ-45-DB-25 CONV CBL | 89 | N | | 12 |
| 7009 | | 8135 | 64 PORT-128 PIN-OUT CONVERT | 33 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 7014 | B42 | | IBM 7014 MODEL B42 RACK | 2,214 | Y | 2 | 12 |
| 7014 | S25 | | IBM 7014 MODEL S25 RACK | 1,490 | Y | 2 | 12 |
| 7014 | T00 | | RS/6000 SYSTEM RACK | 2,176 | Y | 2 | 12 |
| 7014 | T42 | | RS/6000 SYSTEM RACK | 2,959 | Y | 2 | 12 |
| 7014 | | 0469 | CUSTOMER-SPECIFIED RACK PLAC | 373 | N | | 12 |
| 7014 | | 5889 | INTELLIGENT PDU+ BASE OPTION | 450 | N | | 12 |
| 7014 | | 6068 | FRONT DOOR FOR 1.8 METER RACK | 336 | N | | 12 |
| 7014 | | 6069 | FRONT DOOR FOR 2.0 METER RACK | 410 | N | | 12 |
| 7014 | | 6080 | RUGGEDIZED RACK FEATURE | 1,118 | N | | 12 |
| 7014 | | 6084 | FRONT DOOR FOR 2.0M OEM RACK | 1,208 | N | | 12 |
| 7014 | | 6086 | SUITE ATTACH KIT 2M RACK BLACK | 186 | N | | 12 |
| 7014 | | 6095 | POWER CORD PDU-EXTERNAL I/O | 18 | N | | 12 |
| 7014 | | 6098 | SIDE PANEL 1.8M/2M RACK BLACK | 112 | N | | 12 |
| 7014 | | 6101 | FRONT DOOR FOR 1.8M OEM RACK | 722 | N | | 12 |
| 7014 | | 6104 | SUITE ATT. KIT 1.8M RACK BLACK | 264 | N | | 12 |
| 7014 | | 6116 | DC POWER DISTRIBUTION SELECT | 1,118 | N | | 12 |
| 7014 | | 6117 | DC PWR DISTR.SEL BLKHD CONNEC | 1,491 | N | | 12 |
| 7014 | | 6248 | ACOUSTIC RACK DOORS 1.8M | 3,467 | N | | 12 |
| 7014 | | 6249 | ACOUSTIC RACK DOORS 2.0M | 3,467 | N | | 12 |
| 7014 | | 6255 | OEM ACOUST.RACK DOORS 1.8M | 2,796 | N | | 12 |
| 7014 | | 6256 | OEM ACOUST.RACK DOORS 2.0M | 2,796 | N | | 12 |
| 7014 | | 6489 | P.CORD 24A IEC309 3P+N+G 32A | 247 | N | | 12 |
| 7014 | | 6491 | P.CORD 48A IEC309 P+N+G 63A | 298 | N | | 12 |
| 7014 | | 6492 | P.CORD 48A IEC309 2P+G 60A | 260 | N | | 12 |
| 7014 | | 6580 | RACK SECURITY KIT | 134 | N | | 12 |
| 7014 | | 6586 | MODEM TRAY FOR 19-INCH RACK | 186 | N | | 12 |
| 7014 | | 6653 | P.CORD 16A IEC309 3P+N+G 16A | 178 | N | | 12 |
| 7014 | | 6654 | P.CORD 4.3M 24A NEMA L6-30PLG | 178 | N | | 12 |
| 7014 | | 6656 | P.CORD 24A IEC309 P+N+G 32A | 178 | N | | 12 |
| 7014 | | 6657 | P.CORD 4.3M 24A PDL PLUG | 186 | N | | 12 |
| 7014 | | 6658 | P.CORD 4.3M 24A KOREAN PLUG | 178 | N | | 12 |
| 7014 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 14 | N | | 12 |
| 7014 | | 6858 | REAR DOOR HEAT EXCHANGER | 4,314 | N | | 12 |
| 7014 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 1,084 | N | | 12 |
| 7014 | | 7188 | PWR DIST.UNIT -SIDE MOUNT | 746 | N | | 12 |
| 7014 | | 7189 | OWDISTRIBUTION(WW)UTG0247CON | 895 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7014 | | 7196 | POWDISTRIBUTION(US)FIXED POWCRI | 1,118 | N | | 12 |
| 7031 | | 6458 | PWR CABLE-DRAWER TO IBM PDU | 11 | N | | 12 |
| 7031 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 11 | N | | 12 |
| 7031 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 11 | N | | 12 |
| 7031 | | 6470 | PWR CORD(6FT) TO WALL | 11 | N | | 12 |
| 7031 | | 6471 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6472 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6473 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6474 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6475 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6476 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6477 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6478 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6488 | PWR CORD(9FT) TO WALL/OEM PDU | 34 | N | | 12 |
| 7031 | | 6493 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6494 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6496 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6598 | DISK SLOT FILLERS (QUANTITY 4) | 38 | N | | 12 |
| 7031 | | 6651 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6659 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7031 | | 6660 | PWR CORD(14FT) DRW TO OEM PDU | 11 | N | | 12 |
| 7031 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 11 | N | | 12 |
| 7031 | | 6669 | PWR CORD(14FT) DRW TO OEM PDU | 11 | N | | 12 |
| 7031 | | 6670 | PWR CORD(6FT) TO WALL | 11 | N | | 12 |
| 7031 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 11 | N | | 12 |
| 7031 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 11 | N | | 12 |
| 7031 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7036 | P16 | | IBM 16-PORT LAN-ATTACHED RAN | 1,611 | Y | 2 | 12 |
| 7036 | | 2934 | ASYNCH.TERMINAL/PRINTER CBL. | 36 | N | | 12 |
| 7036 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 60 | N | | 12 |
| 7036 | | 6458 | PWR.CABLE--DRAWER TO IBM PDU | 14 | N | | 12 |
| 7036 | | 6470 | PWR CORD(6FOOT) TO WALL | 14 | N | | 12 |
| 7040 | | 2456 | LC-SC FIBRE CHAN.CONV.C. | 76 | N | | 12 |
| 7040 | | 2459 | LC-SC 62.5 MICRON FIBER CONV C | 76 | N | | 12 |
| 7040 | | 2934 | ASYNCH TERM/PRT CABLE 3M 25PIN | 33 | N | | 12 |
| 7040 | | 2936 | ASYNCHR.C.EIA-232/V.24 | 54 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7040 | | 3125 | SERIAL/SERIAL PORT C.RACK/RACK | 60 | N | | 12 |
| 7040 | | 3636 | L200P FLAT PANEL MONITOR | 1,212 | N | | 12 |
| 7040 | | 3637 | T541H 15 TFT COL.MON CAPT.CAB | 460 | N | | 12 |
| 7040 | | 3925 | SER.PORT CONV.C.9-PIN/25-PIN | 18 | N | | 12 |
| 7040 | | 4242 | 6 FOOT EXT. CAB. FOR DISPLAYS | 76 | N | | 12 |
| 7040 | | 4253 | SCSI-TO-IDE INTERFACE BRIDGE | 76 | N | | 12 |
| 7040 | | 4256 | EXTENDER CABLE USB KEYBDS 2M | 37 | N | | 12 |
| 7040 | | 4599 | PCI BLIND SWAP CASS. KIT | 37 | N | | 12 |
| 7040 | | 5706 | 2-PORT BASE-TX ETHHT PCI-X ADPT | 855 | N | | 12 |
| 7040 | | 5711 | PCI-X D.CH.U320 RAID BL.SW.ADP | 2,266 | N | | 12 |
| 7040 | | 7060 | 4GB MEM.ACTIV.4FEAT.7054&7051 | 8,666 | N | | 12 |
| 7040 | | 7061 | 4GB MEM.ACTIV.4FEAT.7054&7055 | 8,666 | N | | 12 |
| 7040 | | 7063 | 4GBCUODMEM.ACT.FOR FC7040/41 | 8,666 | N | | 12 |
| 7040 | | 7064 | 4GBCUODMEM.ACT.FOR FC7043/45 | 8,666 | N | | 12 |
| 7040 | | 7410 | 2 PROC.ACTIV.4CUOD PROC.FC7400 | 19,647 | N | | 12 |
| 7040 | | 7412 | 2 PROC ACTIV CUOD PROC FC 7402 | 12,846 | N | | 12 |
| 7040 | | 7413 | 2 PROC ACTIV CUOD PROC FC 7403 | 21,159 | N | | 12 |
| 7040 | | 7414 | 2 PROC.ACTIV.4CUOD PROC.FC7404 | 31,738 | N | | 12 |
| 7040 | | 7415 | 2 PROC ACTIV CUOD PROC FC 7405 | 28,715 | N | | 12 |
| 7040 | | 7416 | 2 PROC.ACTIV.4CUOD PROC.FC7406 | 41,562 | N | | 12 |
| 7040 | | 7420 | ON/OFFCOD 30DAYPRC.ACT.4FC7400 | 8,563 | N | | 12 |
| 7040 | | 7422 | ON/OFFCOD 30DAYPRC.ACT.4FC7402 | 4,282 | N | | 12 |
| 7040 | | 7423 | ON/OFFCOD 30DAYPRC.ACT.4FC7403 | 7,052 | N | | 12 |
| 7040 | | 7424 | ON/OFFCOD 30DAYPRC.ACT.4FC7404 | 13,853 | N | | 12 |
| 7040 | | 7425 | ON/OFFCOD 30DAYPRC.ACT.4FC7405 | 9,572 | N | | 12 |
| 7040 | | 7426 | ON/OFFCOD 30DAYPRC.ACT.4FC7406 | 17,631 | N | | 12 |
| 7040 | | 7441 | 2 PROC.ACT.FOR PROC. FC 7431 | 57,431 | N | | 12 |
| 7040 | | 7451 | ON/OFFCODPROC.ACT.FOR FC 7431 | 19,143 | N | | 12 |
| 7040 | | 8131 | 128-PORT ASY.CONTR.CAB 4.5 M | 45 | N | | 12 |
| 7040 | | 8132 | 128-PORT ASY.CONTR.CAB 23CM | 30 | N | | 12 |
| 7042 | CR7 | | RACK MOUNTED HW MNG CONSOLE | 4,324 | Y | 2 | 12 |
| 7042 | | 0010 | ONE CSC BILLING UNIT | 126 | N | | 12 |
| 7042 | | 0011 | TEN CSC BILLING UNITS | 1,267 | N | | 12 |
| 7042 | | 0033 | INTERNAL MODEM | 149 | N | | 12 |
| 7042 | | 0034 | SPCFY CD ALTER EXT HIGH SPEED | 387 | N | | 12 |
| 7042 | | 1208 | GB PLUGGABLE USB MEMORY OPTIK | 205 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 7042 | | 1946 | 4GB (2X2GB) MEMORY | 167 | N | | 12 |
| 7042 | | 1998 | 500GB SATA HDD 2.5IN | 210 | N | | 12 |
| 7042 | | 3632 | WIDESCREEN LCD MONITOR | 901 | N | | 12 |
| 7042 | | 4242 | 6-FT EXT CBL DISPLAYS(15TO15) | 80 | N | | 12 |
| 7042 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 39 | N | | 12 |
| 7042 | | 4765 | HMC CR5 REDUNDANT PWR SUPPLY | 206 | N | | 12 |
| 7042 | | 5524 | RFID TAGS FOR SERVERS BLADES | 17 | N | | 12 |
| 7042 | | 5767 | 2PORT BASETX ETH PCI EXPRS ADP | 475 | N | | 12 |
| 7042 | | 6458 | POW CBL DRAW 14-FT 250V/10A | 13 | N | | 12 |
| 7042 | | 6460 | POWCRD 14-FT DRW(125V 15A)PT#4 | 13 | N | | 12 |
| 7042 | | 6469 | PCRD14-FT DRW(250V 15A)US PT#5 | 13 | N | | 12 |
| 7042 | | 6470 | PCRD 6-FT TOWALL(125V 15A)PT#4 | 13 | N | | 12 |
| 7042 | | 6471 | PCRD 9-FT OEM (125V 15A)PT#70 | 13 | N | | 12 |
| 7042 | | 6472 | PCORD 9-FT OEM (250V 16A)PT#18 | 13 | N | | 12 |
| 7042 | | 6473 | PCORD 9-FT OEM (250V 10A)PT#19 | 13 | N | | 12 |
| 7042 | | 6474 | PCORD 9-FT OEM(250V 13A)PT#23 | 13 | N | | 12 |
| 7042 | | 6475 | PCORD 9-FT OEM(250V 16A)PT#32 | 13 | N | | 12 |
| 7042 | | 6476 | PCORD 9-FT OEM(250V 10A)PT#24 | 13 | N | | 12 |
| 7042 | | 6477 | PCORD 9-FT OEM(250V 16A)PT#22 | 13 | N | | 12 |
| 7042 | | 6478 | PCORD 9-FT OEM(250V 16A)PT#25 | 13 | N | | 12 |
| 7042 | | 6488 | PCORD 9FT (125V 15A/250V 10A) | 37 | N | | 12 |
| 7042 | | 6493 | PCORD 9-FT OEM(250V 10A)PT#62 | 13 | N | | 12 |
| 7042 | | 6494 | PCORD 9-FT OEM(250V 10A)PT#69 | 13 | N | | 12 |
| 7042 | | 6496 | PCORD 9-FT OEM(250V 10A)PT#66 | 13 | N | | 12 |
| 7042 | | 6577 | POWER CABLE DRAWER TO IBM PD | 13 | N | | 12 |
| 7042 | | 6651 | PCORD 9-FT OEM(125V 15A)PT#75 | 13 | N | | 12 |
| 7042 | | 6659 | PCORD 14-FT OEM(250V 15A)PT#76 | 13 | N | | 12 |
| 7042 | | 6660 | PCORD 14-FT OEM(125V 15A)PT#59 | 13 | N | | 12 |
| 7042 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 13 | N | | 12 |
| 7042 | | 6669 | PCORD 14-FT OEM(250V 15A)PT#57 | 13 | N | | 12 |
| 7042 | | 6671 | PCORD 9-FT IBM PDU 250V/10A | 13 | N | | 12 |
| 7042 | | 6672 | PCORD 5-FT IBM PDU 250V/10A | 13 | N | | 12 |
| 7042 | | 6680 | PCORD 9-FT OEM(250V 10A) PT#6 | 13 | N | | 12 |
| 7042 | | 7802 | ETH CBL 15M HMC CSL TO SYSUNIT | 24 | N | | 12 |
| 7042 | | 8845 | USB MOUSE | 26 | N | | 12 |
| 7042 | | EM07 | ADDTNL 8GB1X8GB 1.333GHZ | 316 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7042 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 19 | N | | 12 |
| 7042 | | EU02 | HMC CR7 REDUNDANT POWER SU | 224 | N | | 12 |
| 7045 | SW4 | | P SERIES | 53,683 | N | 2 | 12 |
| 7045 | | 6125 | I/O DR.ATT.CAB.GR DR.PS#4401 | 298 | N | | 12 |
| 7045 | | 6126 | I/O DR.ATT.CAB.GR DR.PS#4405 | 298 | N | | 12 |
| 7045 | | 6127 | I/O DR.ATT.CAB.GR DR.PS#4409 | 298 | N | | 12 |
| 7045 | | 6186 | BULK POWER REGULATOR | 2,982 | N | | 12 |
| 7045 | | 6855 | WEIGHT DISTRIBUTION PLATE | 559 | N | | 12 |
| 7045 | | 7802 | ETH.CAB 15M HMC TO SYS.UNIT | 22 | N | | 12 |
| 7045 | | 7837 | BULK POWER DISTRIB.ASSEMBLY | 1,864 | N | | 12 |
| 7045 | | 7937 | 3OLT-DOWN KIT LOW-RAISED FLOOR | 5,219 | N | | 12 |
| 7045 | | 7938 | BOLT-DOWN KIT HIGH-RAIS.FLOOR | 5,219 | N | | 12 |
| 7045 | | 7960 | COMPACT HANDLING OPTION | 494 | N | | 12 |
| 7045 | | 8686 | LINE CORD 6AWG 14FT IEC309 | 746 | N | | 12 |
| 7045 | | 8688 | LINE CORD 6AWG/TYPE W 14FT | 1,118 | N | | 12 |
| 7045 | | 8697 | LINE CORD 8AWG 14FT IEC309 | 1,491 | N | | 12 |
| 7205 | | 5060 | RACK POWER CORD SINGLE | 27 | N | | 12 |
| 7205 | | 5061 | RACK POWER CORD BIFURCATED | 56 | N | | 12 |
| 7205 | | 8723 | RACK MOUNT KIT | 115 | N | | 12 |
| 7206 | | 2832 | SCSI CONTROLLER CABLE | 235 | N | | 12 |
| 7206 | | 2833 | INTEGRATED SCSI CABLE | 145 | N | | 12 |
| 7206 | | 2838 | SCSI INTEGRATED CONTROLR CBL | 145 | N | | 12 |
| 7206 | | 2872 | SCSI-2 F/W 1.0M W/TERM 50-PIN | 100 | N | | 12 |
| 7206 | | 3130 | SCSI DEVICE-TO-DEVICE CBL | 57 | N | | 12 |
| 7206 | | 5060 | RACK POWER CORD SINGLE | 21 | N | | 12 |
| 7206 | | 8723 | RACK MOUNT KIT | 89 | N | | 12 |
| 7210 | | 5060 | RACK POWER CORD SINGLE | 21 | N | | 12 |
| 7210 | | 5860 | RACK POWER CORD SINGLE | 21 | N | | 12 |
| 7210 | | 5861 | RACK POWER CORD BIFURCATED | 43 | N | | 12 |
| 7212 | | 5805 | 5-PK 4.7 GB DVD-RAM 2 DISK | 33 | N | | 12 |
| 7214 | | 1401 | DAT160 TAPE DRIVE | 1,095 | N | | 12 |
| 7214 | | 1404 | HHLTO ULTRIUM 4 TAPE DRIVE | 2,550 | N | | 12 |
| 7216 | | 1420 | DVD RAM SLED W/1 DVD-RAM SAS D | 340 | N | | 12 |
| 7216 | | 8247 | HHLTO5 SAS TAPE DRIVE | 2,720 | N | | 12 |
| 7226 | 1U3 | | 7226 MULTI MEDIA ENCLOSURE | 982 | Y | 2 | 12 |
| 7226 | | 1107 | 500 GB REMOVABLE RDX DRIVE | 223 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7226 | | 1420 | DVD RAM SATA SAS SLED W1 DRIVE | 340 | N | | 12 |
| 7226 | | 1422 | DVD RAM SATA SAS DRIVE ONLY | 113 | N | | 12 |
| 7226 | | 1705 | RDX 3.0 BUNDLE 320 GB DRIVE | 429 | N | | 12 |
| 7226 | | 1706 | RDX 3.0 BUNDLE 500 GB DRIVE | 573 | N | | 12 |
| 7226 | | 1707 | RDX 3.0 BUNDLE 1.0 TB DRIVE | 724 | N | | 12 |
| 7226 | | 1708 | 320 GB REMOVABLE RDX DRIVE | 147 | N | | 12 |
| 7226 | | 5544 | QUAD SAS CABLE | 151 | N | | 12 |
| 7226 | | 5757 | DVD RAM USB DRIVE ONLY | 94 | N | | 12 |
| 7226 | | 5762 | DVD RAM USB SLED W1 DRIVE | 320 | N | | 12 |
| 7226 | | 8002 | ULTRIUM CLEANING CARTRIDGE | 52 | N | | 12 |
| 7226 | | 8248 | HHLTO5 FC 1.5 TB TAPE DRIVE | 2,494 | N | | 12 |
| 7226 | | 8348 | HLTO6 FIBRE CHANTAPEDRV1.5 TB | 2,872 | N | | 12 |
| 7226 | | 8501 | ULTRIUM 5 CARTRIDGE 1.5 TB | 120 | N | | 12 |
| 7226 | | 8505 | ULTRIUM 5 5 PAK DATA CARTRIDGE | 566 | N | | 12 |
| 7226 | | 8601 | ULTRIUM 6 TAPE CARTRIDGE | 105 | N | | 12 |
| 7226 | | 8605 | ULTR 6 5-PACK TP CARTR 2.5 TB | 525 | N | | 12 |
| 7226 | | EU01 | 1.0 TB REMOVABLE RDX DRIVE | 260 | N | | 12 |
| 7226 | | EU03 | RDX 3.0 REMOVABLE DISC DOCKING | 166 | N | | 36 |
| 7226 | | EU15 | 1.5 TB RDX CARTRIDGE | 298 | N | | 12 |
| 7310 | | 3636 | L200P FLAT PANEL MONITOR | 1,077 | N | | 12 |
| 7310 | | 3637 | T541H/L150P 15 TFT COL.MON. | 409 | N | | 12 |
| 7310 | | 3640 | THINKVISION L171P FLAT PAN.MON | 584 | N | | 12 |
| 7310 | | 3642 | THINKVISION L191P FLAT PAN.MON | 685 | N | | 12 |
| 7310 | | 4242 | 6FOOT EXT.CAB.FOR DISPLAYS | 84 | N | | 12 |
| 7310 | | 4256 | EXTENDER CABLE-USB KEYB 2M | 42 | N | | 12 |
| 7310 | | 5706 | 2-PORT BASETX ETHT.PCI-X ADP | 761 | N | | 12 |
| 7310 | | 6458 | POWER CORD(4M)-ALL | 14 | N | | 12 |
| 7310 | | 6460 | POWER CORD(4M)-US/CANADA | 14 | N | | 12 |
| 7310 | | 6651 | PWR CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 7310 | | 6659 | PWR CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 7310 | | 6660 | PWR CORD(14FT) DR.TO OEM PDU | 14 | N | | 12 |
| 7310 | | 6669 | PWR CORD(14FT) DR.TO OEM PDU | 14 | N | | 12 |
| 7310 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 7310 | | 7802 | ETHERNET CABLE 15M | 25 | N | | 12 |
| 7311 | | 2456 | LC-SC 50 MICRON FIBER CABLE | 66 | N | | 12 |
| 7311 | | 2459 | LC-SC 62.5 MICRON FIBER CABLE | 66 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7311 | | 2934 | ASYNCH TERMINAL/PRINTER CABLE | 29 | N | | 12 |
| 7311 | | 2936 | ASYNCH CABLE EIA-232/V.24 | 48 | N | | 12 |
| 7311 | | 3124 | SERIAL TO SERIAL PORT CABLE DD | 53 | N | | 12 |
| 7311 | | 3125 | SERIAL TO SERIAL PORT CABLE RR | 53 | N | | 12 |
| 7311 | | 3636 | L200P FLAT PANEL MONITOR | 862 | N | | 12 |
| 7311 | | 3637 | T541H 15 TFT COL.MON CAPT.CAB | 327 | N | | 12 |
| 7311 | | 3640 | THINKVISION L171P FLAT PAN.MON | 467 | N | | 12 |
| 7311 | | 3642 | THINKVISION L191P FLAT PAN.MON | 548 | N | | 12 |
| 7311 | | 3925 | SERIAL PORT CONVERTER CABLE | 16 | N | | 12 |
| 7311 | | 3927 | SERIAL PRT CBL 9-9 PIN 3.7M | 53 | N | | 12 |
| 7311 | | 3928 | SERIAL PRT CBL 9-9 PIN 10M | 53 | N | | 12 |
| 7311 | | 4242 | 6 FOOT EXTENDER CABLE FOR DISP | 66 | N | | 12 |
| 7311 | | 4256 | EXTENDER CABLE - USB KEYBOARD | 33 | N | | 12 |
| 7311 | | 4599 | PCI BLIND SWAP CASSETTE KIT | 40 | N | | 12 |
| 7311 | | 5647 | BLIND SWAP TYPE III CAS PCI X | 30 | N | | 12 |
| 7311 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,611 | N | | 12 |
| 7311 | | 5706 | 2-PORT BASE-TX ETH T PCI-X ADPT | 609 | N | | 12 |
| 7311 | | 5711 | PCI-X D.CH.U320 RAID BL.SW.ADP | 1,611 | N | | 12 |
| 7311 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 725 | N | | 12 |
| 7311 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 473 | N | | 12 |
| 7311 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,014 | N | | 12 |
| 7311 | | 5912 | PCI-X DDR DUAL X4 SAS ADAPTER | 665 | N | | 12 |
| 7311 | | 6006 | POWER CONTROL CABLE (SPCN) 3M | 32 | N | | 12 |
| 7311 | | 6007 | POWER CONTROL CABLE (SPCN) 15M | 64 | N | | 12 |
| 7311 | | 6470 | P.CORD-UNITED STATES/CANADA | 11 | N | | 12 |
| 7311 | | 6651 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7311 | | 6659 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7311 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 11 | N | | 12 |
| 7311 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 11 | N | | 12 |
| 7311 | | 8131 | 28-PORT ASYNCHRONOUS CONTROL | 40 | N | | 12 |
| 7311 | | 8132 | 28-PORT ASYNCHRONOUS CONTROL | 26 | N | | 12 |
| 7314 | | 2456 | LC-SC 50 MICRON FIBER CONV CAB | 66 | N | | 12 |
| 7314 | | 2459 | LC-SC 62.5 MICRON FIBER CONV C | 66 | N | | 12 |
| 7314 | | 2934 | ASY.TERM/PRINTER CABLE EIA-232 | 29 | N | | 12 |
| 7314 | | 2936 | ASYNC CABLE EIA-232/V.24 | 48 | N | | 12 |
| 7314 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 53 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7314 | | 3125 | SER TO SER PORT CAB RACK/RACK | 53 | N | | 12 |
| 7314 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 16 | N | | 12 |
| 7314 | | 3927 | SERIAL PRT CBL 9-9 PIN 3.7M | 53 | N | | 12 |
| 7314 | | 3928 | SERIAL PRT CBL 9-9 PIN 10M | 53 | N | | 12 |
| 7314 | | 4242 | 6-FT EXT CBL DISPLAYS(15TO15) | 66 | N | | 12 |
| 7314 | | 4256 | EXT CBL - USB KEYBOARDS 2M | 33 | N | | 12 |
| 7314 | | 5647 | BL.SWAP III CAS-PC-X OR PCIE | 28 | N | | 12 |
| 7314 | | 5706 | 2-PORT 10/100/1000 BASE-TX ETH | 609 | N | | 12 |
| 7314 | | 5713 | 1 GB ISCSI TOE PCI X ON COPPER | 725 | N | | 12 |
| 7314 | | 5736 | PCI-X DDR DUAL CHAN.U320 SCSI | 473 | N | | 12 |
| 7314 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,014 | N | | 12 |
| 7314 | | 5908 | PCI X DDR 1.5GB CACHE SAS RAID | 6,851 | N | | 12 |
| 7314 | | 5912 | PCI-X DDR DUAL X4 SAS ADAPTER | 665 | N | | 12 |
| 7314 | | 6001 | POWER CONTROL CABLE(SPCN) - 2M | 20 | N | | 12 |
| 7314 | | 6006 | POWER CONTROL CABLE(SPCN) - 3M | 32 | N | | 12 |
| 7314 | | 6007 | POWER CONTROL CABLE(SPCN) -15M | 64 | N | | 12 |
| 7314 | | 6458 | POW CBL DRAW 14-FT 250V/10A | 11 | N | | 12 |
| 7314 | | 6469 | PCRD14-FT DRW(250V 15A)US PT#5 | 11 | N | | 12 |
| 7314 | | 6472 | PCORD 9-FT OEM (250V 16A)PT#18 | 11 | N | | 12 |
| 7314 | | 6473 | PCORD 9-FT OEM (250V 10A)PT#19 | 11 | N | | 12 |
| 7314 | | 6474 | PCORD 9-FT OEM(250V 13A)PT#23 | 11 | N | | 12 |
| 7314 | | 6475 | PCORD 9-FT OEM(250V 16A)PT#32 | 11 | N | | 12 |
| 7314 | | 6476 | PCORD 9-FT OEM(250V 10A)PT#24 | 11 | N | | 12 |
| 7314 | | 6477 | PCORD 9-FT DRAW(250V 16A)PT#22 | 11 | N | | 12 |
| 7314 | | 6478 | PCORD 9-FT DRAW(250V 16A)PT#25 | 11 | N | | 12 |
| 7314 | | 6488 | PCORD 9FT (125V 15A/250V 10A) | 32 | N | | 12 |
| 7314 | | 6493 | PCORD 9-FT OEM(250V 10A)PT#62 | 11 | N | | 12 |
| 7314 | | 6494 | PCORD 9-FT OEM(250V 10A)PT#69 | 11 | N | | 12 |
| 7314 | | 6496 | PCORD 9-FT OEM(250V 10A)PT#66 | 11 | N | | 12 |
| 7314 | | 6659 | PCORD 9-FT OEM(250V 15A)PT#76 | 11 | N | | 12 |
| 7314 | | 6669 | PCORD 14-FT OEM(250V 15A)PT#57 | 11 | N | | 12 |
| 7314 | | 6680 | PCORD 9-FT OEM(250V 10A) PT#6 | 11 | N | | 12 |
| 7315 | | 3636 | L200P FLAT PANEL MONITOR | 862 | N | | 12 |
| 7315 | | 3637 | T541H 15 TFT COL.MON CAPT.CAB | 327 | N | | 12 |
| 7315 | | 4242 | 5 FOOT EXTENDER CABLE DISPLAYS | 66 | N | | 12 |
| 7315 | | 4256 | EXTENDER CABLE-USB KEYB 2M | 33 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 7315 | | 7802 | ETH.CAB 15M HMC TO SYS.UNIT | 20 | N | | 12 |
| 7315 | | 8131 | 128-PORT ASYNC CONTR CAB 4.5M | 40 | N | | 12 |
| 7315 | | 8132 | 128-PORT ASYNC CONTR CAB 23CM | 26 | N | | 12 |
| 7316 | TF3 | | FLAT PANEL CONSOLE KIT | 2,237 | Y | 2 | 12 |
| 7316 | | 4242 | 6FT EXT. CABLE FOR DISPLAYS | 95 | N | | 12 |
| 7316 | | 4268 | CAB KEYB/VID/MOUSE(KVM)CON.OP1 | 570 | N | | 12 |
| 7316 | | 4269 | CABLE USB CON.OPTION-1.5M | 570 | N | | 12 |
| 7316 | | 4283 | IBM 1X8 RACK CONSOLE SWITCH | 1,267 | N | | 12 |
| 7316 | | 8880 | USB TRAVEL KEYB.W/CBL US ENG. | 112 | N | | 12 |
| 7778 | | 4645 | INTEGRATE BLADE SERVER CHASSIS | 18 | N | | 36 |
| 7778 | | 4646 | INTEGRATE BLADE SERVER CHASSIS | 22 | N | | 36 |
| 7778 | | 8141 | IBM I SOFTWARE PREINSTALL | 54 | N | | 36 |
| 7778 | | 8142 | IBM I SW PREINSTALL NON SDI | 45 | N | | 36 |
| 7778 | | 8143 | LINUX SOFTWARE PREINSTALL | 54 | N | | 36 |
| 7778 | | 8144 | LINUX SOFTWARE PREINSTALL SDI | 54 | N | | 36 |
| 7778 | | 8146 | SOFTWARE PREINSTALL | 54 | N | | 36 |
| 7778 | | 8147 | SOFTWARE PREINSTALL BP ORDER | 45 | N | | 36 |
| 7778 | | 8240 | EMULEX 8GB FIBRE CHANNEL EXP | 996 | N | | 36 |
| 7778 | | 8241 | QLOGIC 4 GB FIBRE CHANNEL EXP | 679 | N | | 36 |
| 7778 | | 8242 | QLOGIC 8GB FIBRE CHANNEL EXP | 996 | N | | 36 |
| 7778 | | 8246 | 8 GB SAS PASSTHROUGH EXPANSION | 226 | N | | 36 |
| 7778 | | 8271 | QLOGIC ETHERNET AND 8 GB FIBRE C | 996 | N | | 36 |
| 7778 | | 8274 | IBM 300GB SAS 10K RPM SAS HDD | 625 | N | | 36 |
| 7778 | | 8291 | BROADCOM 2/4 PORT ETH EXP | 570 | N | | 36 |
| 7778 | | 8395 | ONE PROCESSOR ENTITLEMENT JS2 | 91 | N | | 36 |
| 7779 | BCS | | IBM BLADECENTER S CHASSIS | 1,220 | Y | 1 | 36 |
| 7779 | | 0983 | US TAA COMPLIANCE INDICATOR | 0 | N | | 36 |
| 7779 | | 3174 | CISCO 3012 CATALYST SWITCH | 2,955 | N | | 36 |
| 7779 | | 3212 | NORTEL NETWORKS LAYER 2/3 | 1,813 | N | | 36 |
| 7779 | | 3220 | SERVER CONNECTIVITY MODULE FB | 1,203 | N | | 36 |
| 7779 | | 3238 | SHORT WAVE SFP MODULE 4 GB | 136 | N | | 36 |
| 7779 | | 3260 | 1M SAS 4 CHANNEL CABLE | 108 | N | | 36 |
| 7779 | | 3266 | 3M SAS 4 CHANNEL CABLE | 122 | N | | 36 |
| 7779 | | 3267 | IBM BC SAS CONNECTIVITY MODULE | 906 | N | | 36 |
| 7779 | | 3733 | POWER CORD (2.5 M) BC TO WALL | 9 | N | | 36 |
| 7779 | | 3747 | 300 GB 15K RPM SAS DISK DRIVE | 724 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7779 | | 4380 | LC LC FIBER CHANNEL CBL 5 M | 117 | N | | 36 |
| 7779 | | 4385 | LC LC FIBER CHANNEL CBL 25 M | 171 | N | | 36 |
| 7779 | | 4545 | IBM BC S 6 DISK STORAGE MODULE | 720 | N | | 36 |
| 7779 | | 4558 | POWER CORD (2.5 M) TO PDU/UPS | 17 | N | | 36 |
| 7779 | | 4560 | POWER CORD (4.3 M) WALL 208V | 44 | N | | 36 |
| 7779 | | 4561 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4562 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4563 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4564 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4565 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4566 | POWER CORD (4.3 M) WALL 230V | 44 | N | | 36 |
| 7779 | | 4568 | POWER CBL (4.3 M) WALL 240V | 17 | N | | 36 |
| 7779 | | 4570 | POWER CORD (4.3 M) WALL 220V | 17 | N | | 36 |
| 7779 | | 4571 | POWER CORD (4.3 M) WALL 230V | 17 | N | | 36 |
| 7779 | | 4572 | POWER CORD (4.3 M) WALL 125V | 17 | N | | 36 |
| 7779 | | 4578 | POWER CORD (2.5 M) WALL 120V | 9 | N | | 36 |
| 7779 | | 4648 | RACK INTEGRATION SERVICES: BP | 109 | N | | 36 |
| 7779 | | 4649 | RACK INTEGRATION SERVICES | 136 | N | | 36 |
| 7779 | | 5818 | POWER CORD (4.3 M) BC 220V/16A | 44 | N | | 36 |
| 7779 | | 6470 | POWER CORD (6 FOOT) WALL 125V | 12 | N | | 36 |
| 7779 | | 6471 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6472 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6473 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6474 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6475 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6476 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6477 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6478 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6488 | POWER CORD (9 FOOT) WALL 125V | 36 | N | | 36 |
| 7779 | | 6493 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6494 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6496 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6651 | POWER CORD (9 FOOT) WALL 125V | 12 | N | | 36 |
| 7779 | | 6659 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7779 | | 6680 | POWER CORD (9 FOOT) WALL 250V | 12 | N | | 36 |
| 7809 | | 3741 | 146 GB 10 000 RPM 2.5 SAS DISK | 271 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 7809 | | 3743 | 300 GB 10 000 RPM 2.5 SAS DISK | 507 | N | | 36 |
| 7809 | | 8215 | 2GB 1333MHZ DDR3 1 GB RDIMM | 113 | N | | 36 |
| 7809 | | 8216 | 4GB 1333MHZ DDR3 1 GB RDIMM | 213 | N | | 36 |
| 7809 | | 8217 | 8GB 1066MHZ DDR3 2 GB RDIMM | 951 | N | | 36 |
| 7809 | | 8241 | QLOGIC 4 GB FIBRE CHANNEL EXPA | 679 | N | | 36 |
| 7809 | | 8243 | BROADCOM 2 PORT GB ETHERNET E | 271 | N | | 36 |
| 7809 | | 8246 | 1 GB SAS PASSTHROUGH EXPANSIOI | 226 | N | | 36 |
| 7809 | | 8257 | SERVER RAID MR10IE CONTROLLER BC | 679 | N | | 36 |
| 7809 | | 8271 | QLOGIC ETHERNET AND 8 GB FCE C | 996 | N | | 36 |
| 7809 | | 8272 | 2 PORT QDR 40 GB/S INFINIBAND | 1,341 | N | | 36 |
| 7809 | | 8356 | 4 CORE 2.53 GHZ 1066 MHZ PROCE | 1,065 | N | | 36 |
| 7809 | | 8357 | 4 CORE 2.80 GHZ 1333 MHZ PROCE | 1,564 | N | | 36 |
| 7863 | 10X | | FLEX SYSTEM X240 COMPUTE NODE | 40 | Y | 2 | 36 |
| 7863 | | 1759 | CN4054 10 GB VIRTUAL FABRIC | 886 | N | | 36 |
| 7863 | | 1760 | UPGRADE KEY FOR 1759 | 620 | N | | 36 |
| 7863 | | 1763 | EN2024 4-PORT 1GB ENET ADAPTR | 560 | N | | 36 |
| 7863 | | 1764 | FC3172 2-PORT 8GB FC ADAPTER | 684 | N | | 36 |
| 7863 | | 3743 | 300 GB 10 000 RPM 2.5 SAS DISK | 233 | N | | 36 |
| 7863 | | 3766 | 600 GB 10 000 RPM 2.5 SAS DISK | 450 | N | | 36 |
| 7863 | | 4645 | INTEGRATE BLADE SERVER | 16 | N | | 36 |
| 7863 | | 4646 | INTEGRATE ITE IN CHASSIS | 20 | N | | 36 |
| 7863 | | EB2C | VIRTUAL FABRIC S/W UPGRADE | 80 | N | | 36 |
| 7863 | | EBK1 | BLANK 2 GB USB KEY OPTION | 60 | N | | 36 |
| 7863 | | EBK2 | USB ENABLEMENT KIT | 55 | N | | 36 |
| 7863 | | EBK3 | 2GB USB HYPERVISOR KEY | 60 | N | | 36 |
| 7863 | | EC25 | FC3052 2 PORT 8GB FC ADAPTER | 684 | N | | 36 |
| 7863 | | EC2B | FC5022 2PORT 16GB FC ADAPTER | 1,152 | N | | 36 |
| 7863 | | EC2C | IB6132 2PORT INFINIBAND ADAPT | 1,772 | N | | 36 |
| 7863 | | EC2D | EN4132 2-PORT 10GB ENET ADAPT | 886 | N | | 36 |
| 7863 | | EEM1 | 32GB (2X16GB RDIMMS) MEMORY | 643 | N | | 36 |
| 7863 | | EEM3 | 8GB (2X4GB UDIMMS) MEMORY | 143 | N | | 36 |
| 7863 | | EEM4 | 8GB (2X4GB RDIMMS) MEMORY | 159 | N | | 36 |
| 7863 | | EEM5 | 8GB (2X4GB RDIMMS) MEMORY | 185 | N | | 36 |
| 7863 | | EEM6 | 32GB (2X16GB LRDIMMS) MEMORY | 594 | N | | 36 |
| 7863 | | EEM8 | 64GB (2X32GB LRDIMMS) MEMORY | 2,255 | N | | 36 |
| 7863 | | EEM9 | 16GB (2X8GB RDIMMS) MEMORY | 304 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7863 | | EEMC | 8GB (2X4GB RDIMMS) MEMORY | 185 | N | | 36 |
| 7863 | | EHD1 | 146 GB 15 000 RPM 2.5 SAS DISK | 281 | N | | 36 |
| 7863 | | EHD2 | 500 GB 7 200 RPM 2.5 SAS DISK | 281 | N | | 36 |
| 7863 | | EHD3 | 200 GB 2.5 SATA SSD | 1,772 | N | | 36 |
| 7863 | | EHD4 | 900 GB 10 000 RPM 2.5 SAS DISK | 668 | N | | 36 |
| 7863 | | EHD5 | 300 GB 15 000 RPM 2.5 SAS DISK | 507 | N | | 36 |
| 7863 | | EHD6 | 1 TB 7 200 RPM 2.5 SAS DISK | 483 | N | | 36 |
| 7863 | | EHD7 | 250 GB 7 200 RPM 2.5 SATA DISK | 225 | N | | 36 |
| 7863 | | EHD8 | 500 GB 7 200 RPM 2.5 SATA DISK | 257 | N | | 36 |
| 7863 | | EHD9 | 1 TB 7 200 RPM 2.5 SATA DISK | 418 | N | | 36 |
| 7863 | | EHDC | 256 GB 2.5 SATA SSD | 571 | N | | 36 |
| 7863 | | EHDD | 128 GB 2.5 SATA SSD | 297 | N | | 36 |
| 7863 | | EM09 | 8GB (2X4GB RDIMMS) MEMORY | 175 | N | | 36 |
| 7863 | | EM17 | 16GB (2X8GB RDIMMS) MEMORY | 272 | N | | 36 |
| 7863 | | EM33 | 32GB (2X16GB RDIMMS) MEMORY | 530 | N | | 36 |
| 7863 | | EN20 | COMPUTE NODE W/10GB VIRTUAL F/ | 1,552 | N | | 36 |
| 7863 | | EN21 | COMPUTE NODE W/O 10GB VIRTUAL | 1,511 | N | | 36 |
| 7863 | | EP30 | ADD. 8-CORE 2.9GHZ 20MB PROC | 2,511 | N | | 36 |
| 7863 | | EP31 | 8-CORE 2.9GHZ 20MB PROCESSOR | 2,511 | N | | 36 |
| 7863 | | EP32 | ADD. 2-CORE 3.0GHZ 5MB PROC | 1,119 | N | | 36 |
| 7863 | | EP33 | 2-CORE 3.0GHZ 5MB PROCESSOR | 1,119 | N | | 36 |
| 7863 | | EP34 | ADD. 8-CORE 2.4GHZ 20MB PROC | 1,713 | N | | 36 |
| 7863 | | EP35 | 8-CORE 2.4GHZ 20MB PROCESSOR | 1,713 | N | | 36 |
| 7863 | | EP36 | ADD. 4-CORE 1.8GHZ 10MB PROC | 281 | N | | 36 |
| 7863 | | EP37 | 4-CORE 1.8GHZ 10MB PROCESSOR | 281 | N | | 36 |
| 7863 | | EP38 | ADD. 4-CORE 2.4GHZ 10MB PROC | 391 | N | | 36 |
| 7863 | | EP39 | 4-CORE 2.4GHZ 10MB PROCESSOR | 391 | N | | 36 |
| 7863 | | EP3A | ADD. 6-CORE 2.0GHZ 15MB PROC | 520 | N | | 36 |
| 7863 | | EP3B | 6-CORE 2.0GHZ 15MB PROCESSOR | 520 | N | | 36 |
| 7863 | | EP3C | ADD. 8-CORE 2.2GHZ 20MB PROC | 1,579 | N | | 36 |
| 7863 | | EP3D | 8-CORE 2.2GHZ 20MB PROCESSOR | 1,579 | N | | 36 |
| 7863 | | EP3E | ADD. 6-CORE 2.9GHZ 15MB PROC | 1,850 | N | | 36 |
| 7863 | | EP3F | 6-CORE 2.9GHZ 15MB PROCESSOR | 1,850 | N | | 36 |
| 7863 | | EP3G | ADD. 4-CORE 3.3GHZ 10MB PROC | 1,119 | N | | 36 |
| 7863 | | EP3J | ADD. 8-CORE 2.0GHZ 15MB PROC | 1,345 | N | | 36 |
| 7863 | | EP3K | 8-CORE 2.0GHZ 20MB PROCESSOR | 1,345 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 7863 | | EP3L | 4-CORE 3.3GHZ 10MB PROCESSOR | 1,119 | N | | 36 |
| 7863 | | EP3M | ADD. 6-CORE 2.0GHZ 15MB PROC | 834 | N | | 36 |
| 7863 | | EP3N | 6-CORE 2.0GHZ 15MB PROCESSOR | 834 | N | | 36 |
| 7863 | | EP3P | ADD. 8-CORE 1.8GHZ 20MB PROC | 1,318 | N | | 36 |
| 7863 | | EP3Q | 8-CORE 1.8GHZ 20MB PROCESSOR | 1,318 | N | | 36 |
| 7863 | | EP3R | ADD. 8-CORE 2.6GHZ 20MB PROC | 1,850 | N | | 36 |
| 7863 | | EP3S | 8-CORE 2.6GHZ 20MB PROCESSOR | 1,850 | N | | 36 |
| 7863 | | EP3T | ADD. 8 CORE 1.8GHZ 20MB PROC | 1,463 | N | | 36 |
| 7863 | | EP3U | 8 CORE 1.8GHZ 20MB PROCESSOR | 1,463 | N | | 36 |
| 7863 | | EP3V | ADD. 8 CORE 2.1GHZ 20MB PROC | 1,463 | N | | 36 |
| 7863 | | EP3W | 8 CORE 2.1GHZ 20MB PROCESSOR | 1,463 | N | | 36 |
| 7863 | | EPA5 | 6-CORE 2.3 GHZ 15MB PROCESSOR | 778 | N | | 36 |
| 7863 | | EPA6 | 6-CORE 2.5 GHZ 15MB PROCESSOR | 1,119 | N | | 36 |
| 7863 | | EPA7 | 8-CORE 2.7 GHZ 20MB PROCESSOR | 2,051 | N | | 36 |
| 7863 | | EPB5 | 6-CORE 2.3 GHZ 15MB PROCESSOR | 778 | N | | 36 |
| 7863 | | EPB6 | 6-CORE 2.5 GHZ 15MB PROCESSOR | 1,119 | N | | 36 |
| 7863 | | EPB7 | 8-CORE 2.7 GHZ 20MB PROCESSOR | 2,051 | N | | 36 |
| 7863 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 7863 | | ESC4 | S H | 30 | N | | 36 |
| 7868 | 047 | | RACK-MOUNTED MODEM | 3,159 | Y | 2 | 12 |
| 7891 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 36 |
| 7891 | | 0011 | TEN CSC BILLING UNITS | 1,370 | N | | 36 |
| 7891 | | 1107 | USB 500 GB REMOVABLE DISK DR | 238 | N | | 36 |
| 7891 | | 1111 | 3M BLUE CAT5E CABLE | 20 | N | | 36 |
| 7891 | | 1113 | 25M BLUE CAT5E CABLE | 64 | N | | 36 |
| 7891 | | 1121 | CAT5E ETHERNET CBL 25M YELLOW | 64 | N | | 36 |
| 7891 | | 4539 | INTERPOSER FOR 1.8-INCH SSD | 967 | N | | 36 |
| 7891 | | 4796 | AME ENABLEMENT | 1,290 | N | | 36 |
| 7891 | | 8144 | LINUX SW PREIN BPS | 48 | N | | 36 |
| 7891 | | 8196 | 8GB (2X4GB RDIMMS)1066MHZ | 407 | N | | 36 |
| 7891 | | 8207 | 200GB SSD | 3,547 | N | | 36 |
| 7891 | | 8240 | EMULEX 8GB FIBRE | 886 | N | | 36 |
| 7891 | | 8241 | QLOGIC 4GB FIBR | 604 | N | | 36 |
| 7891 | | 8242 | QLOGIC 8GB FIB | 886 | N | | 36 |
| 7891 | | 8243 | BROADCOM 2-PORT GB ETHERNET | 241 | N | | 36 |
| 7891 | | 8246 | 3GB SAS PASS | 200 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7891 | | 8271 | QLOGIC 8GB FIBR | 886 | N | | 36 |
| 7891 | | 8272 | 2-PORT QDR 40 GB/S INFINIBAND | 1,192 | N | | 36 |
| 7891 | | 8274 | 300GB 10K HDD | 555 | N | | 36 |
| 7891 | | 8275 | QLOGIC 2-PORT 10GB | 1,208 | N | | 36 |
| 7891 | | 8276 | 600GB SAS 10K HDD | 724 | N | | 36 |
| 7891 | | 8291 | BROADCOM 2/4-PORT ETHERNET | 507 | N | | 36 |
| 7891 | | 8408 | ONE PROC ENT | 81 | N | | 36 |
| 7891 | | EM34 | 5M 10GBE CABLE SFP ACT TWINAX | 3,626 | N | | 36 |
| 7891 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 278 | N | | 36 |
| 7891 | | EU04 | RDX USB EXTERNAL DOCKING | 222 | N | | 36 |
| 7891 | | EU08 | RDX 320 GB REMOVABLE DISKDRIVE | 181 | N | | 36 |
| 7891 | | EU15 | 1.5TB REMOVABLE DISKDRIVECARTF | 399 | N | | 36 |
| 7891 | | EUC6 | CORE USE HW FEATURE | 403 | N | | 36 |
| 7891 | | EUC7 | CORE USE HW FEATURE 10 | 4,030 | N | | 36 |
| 7893 | 92X | | FLEX SYSTEM CHASSIS | 3,013 | Y | 2 | 36 |
| 7893 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 36 |
| 7893 | | 0011 | TEN CSC BILLING UNITS | 1,370 | N | | 36 |
| 7893 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 20 | N | | 36 |
| 7893 | | 1113 | 25M BLUE CAT5E CABLE | 51 | N | | 36 |
| 7893 | | 1452 | 200V 14 FT 4.3M LINE CORD | 31 | N | | 36 |
| 7893 | | 3238 | SHORT WAVE SFP MODULE 4 GB | 121 | N | | 36 |
| 7893 | | 3249 | QDR INFINIBAND 3M QSFP CABLE | 128 | N | | 36 |
| 7893 | | 3282 | 10 GB ETHERNET 850 NM FIBER SF | 724 | N | | 36 |
| 7893 | | 3286 | 8 GB SFP SHORT WAVE OPTIC TRA | 152 | N | | 36 |
| 7893 | | 3590 | REDUNDANT 2500W POWER MODUL | 354 | N | | 36 |
| 7893 | | 3591 | FC3171 8GB SAN PASS-THRU | 4,876 | N | | 36 |
| 7893 | | 3592 | CME FOR REDUNDANCY | 754 | N | | 36 |
| 7893 | | 3594 | PORT UPGRADE 1 FOR #3598 | 1,772 | N | | 36 |
| 7893 | | 3595 | FC3171 8GB SAN SWITCH | 7,979 | N | | 36 |
| 7893 | | 3596 | EN4093 SWITCH UPGRADE 1 | 7,979 | N | | 36 |
| 7893 | | 3597 | EN4093 SWITCH UPGRADE 2 | 7,092 | N | | 36 |
| 7893 | | 3598 | EN2092 1GB ENET SCALABLE SWIT | 1,950 | N | | 36 |
| 7893 | | 3599 | PORT UPGRADE 2 FOR #3598 | 1,772 | N | | 36 |
| 7893 | | 3666 | REDUNDANT 2100W POWER MODUL | 305 | N | | 36 |
| 7893 | | 3699 | IB6131 INIFINIBAND SWITCH | 10,075 | N | | 36 |
| 7893 | | 3700 | 10 GB ETHERNET PASS-THRU | 4,029 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7893 | | 3733 | POWER CORD 2.5 M BC TO WALL | 8 | N | | 36 |
| 7893 | | 3770 | FC5022 16GB SAN SCALABLE SWITCH | 7,979 | N | | 36 |
| 7893 | | 3771 | FC5022 24-PORT 16GB ESB SAN SW | 14,185 | N | | 36 |
| 7893 | | 3772 | FC5022 PORT UPGRADE 1 | 6,206 | N | | 36 |
| 7893 | | 3773 | FC5022 PORT UPGRADE 2 | 10,478 | N | | 36 |
| 7893 | | 4380 | LC LC FIBER CHANNEL CBL 5 M | 104 | N | | 36 |
| 7893 | | 4385 | LC LC FIBER CHANNEL CBL 25 M | 152 | N | | 36 |
| 7893 | | 4558 | POWER CORD (2.5 M) TO PDU/UPS | 15 | N | | 36 |
| 7893 | | 4560 | POWER CORD 4.3 M WALL 208V | 39 | N | | 36 |
| 7893 | | 4648 | RACK INTEGRATION SERVICES BP | 97 | N | | 36 |
| 7893 | | 4649 | RACK INTEGRATION SERVICES | 121 | N | | 36 |
| 7893 | | 5370 | BROCADE 8GB SFP TRANSCEIVER | 222 | N | | 36 |
| 7893 | | 5371 | BROCADE 16GB SFP TRANSCEIVER | 620 | N | | 36 |
| 7893 | | 7805 | ADDITIONAL (2X) ITE FANS | 353 | N | | 36 |
| 7893 | | 9036 | BASE 2100W POWER MODULE IND | 305 | N | | 36 |
| 7893 | | 9039 | BASE CME | 754 | N | | 36 |
| 7893 | | 9059 | BASE 2500W POWER MODULE IND | 354 | N | | 36 |
| 7893 | | A2RR | SERIAL CABLE FOR EN FCOE SW | 23 | N | | 36 |
| 7893 | | EB24 | 1M QSFP BREAK OUT CABLE | 418 | N | | 36 |
| 7893 | | EB25 | 3M QSFP BREAK OUT CABLE | 604 | N | | 36 |
| 7893 | | EB26 | 5M QSFP BREAK OUT CABLE | 805 | N | | 36 |
| 7893 | | EB27 | QSFP 40G TRANSCEIVER | 2,337 | N | | 36 |
| 7893 | | EB28 | 1M 3.3-FTPASSIVE QSFP+ | 536 | N | | 36 |
| 7893 | | EB29 | BASE T SFP RJ45 TRANSCEIVER | 241 | N | | 36 |
| 7893 | | EB2A | BASE-SX SFP TRANSCEIVER | 225 | N | | 36 |
| 7893 | | EB2B | 3M 9.8-FTPASSIVE QSFP+ | 418 | N | | 36 |
| 7893 | | EB2H | 10M 30.3FTPASSIVE QSFP+ MTP | 523 | N | | 36 |
| 7893 | | EB2J | 30M 90.3FTPASSIVE QSFP+ MTP | 136 | N | | 36 |
| 7893 | | EB2K | SFP 1000BASELX LR FIBER TRANS | 241 | N | | 36 |
| 7893 | | EB37 | BROCADE VDX SFP+ LR TRANSC | 1,289 | N | | 36 |
| 7893 | | EB38 | SFP+ TRANSCEIVER 10GBE | 732 | N | | 36 |
| 7893 | | EB3A | 3M 10GE TWINAX ACT COPPER | 245 | N | | 36 |
| 7893 | | EB3B | 5M 10GE TWINAX ACT COPPER | 326 | N | | 36 |
| 7893 | | EB3C | BROCADE VDX SFP+SR OPTICAL TR/ | 2,804 | N | | 36 |
| 7893 | | EB3D | 1M 10GE TWINAX ACT COPPER SFP+ | 220 | N | | 36 |
| 7893 | | ECB1 | FDR INFINIBAND 3M 9 8 FT CAB | 302 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7893 | | ECB2 | 1.5M CAT5 ETHERNET CABLE(BLUE) | 13 | N | | 36 |
| 7893 | | ECB4 | 10 GBE SFP+ DAC CABLE 1M | 120 | N | | 36 |
| 7893 | | ECB5 | 3M (9.8-FT)10 GBE SFP COPPERCB | 168 | N | | 36 |
| 7893 | | ECB6 | 5M (16.4-FT) DAC SFP SWITCHCBL | 209 | N | | 36 |
| 7893 | | ECB8 | SFP 1000BASELX LR FIBER TRANS | 386 | N | | 36 |
| 7893 | | ECB9 | SFP+ LR FIBER TRANSCEIVER | 1,289 | N | | 36 |
| 7893 | | EN01 | 1M 10GBE CABLE SFP+ ACT TWINAX | 165 | N | | 36 |
| 7893 | | EN02 | 3M 10GBE CABLE SFP+ ACT TWINAX | 181 | N | | 36 |
| 7893 | | EN03 | 5M 10GBE CABLE SFP+ ACT TWINAX | 249 | N | | 36 |
| 7893 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 7893 | | ESC5 | S H A | 236 | N | | 36 |
| 7893 | | ESU1 | CN4093 PORT UPGRADE 1 | 8,865 | N | | 36 |
| 7893 | | ESU2 | CN4093 PORT UPGRADE 2 | 8,865 | N | | 36 |
| 7893 | | ESW1 | IB6131SWITCH FDR UPGRADE | 4,432 | N | | 36 |
| 7893 | | ESW2 | CN4093 10GB CONVERGED SWITCH | 16,845 | N | | 36 |
| 7893 | | ESW3 | FC5022 FABRIC WATCH UPGRADE | 2,417 | N | | 36 |
| 7893 | | ESW4 | FC5022 ISL TRUNKING UPGRADE | 4,835 | N | | 36 |
| 7893 | | ESW5 | FC5022 24-PORT 16GB SAN SWITCH | 10,478 | N | | 36 |
| 7893 | | ESW6 | EN6131 40GB ETHERNET SWITCH | 20,150 | N | | 36 |
| 7893 | | ESW7 | FABRIC EN4093R 10GB SWITCH | 10,639 | N | | 36 |
| 7893 | | ESW8 | FABRIC SI4093 UPGRADE 1 | 7,656 | N | | 36 |
| 7893 | | ESW9 | FABRIC SI4093 UPGRADE 2 | 6,125 | N | | 36 |
| 7893 | | ESWA | FABRIC SI4093 INTERCONNECT MOD | 7,656 | N | | 36 |
| 7893 | | ESWB | CISCO NEXUS B22 FABRIC EXTENDE | 8,059 | N | | 36 |
| 7893 | | ESWC | CISCO 10GB FABRIC EXT W 16 FET | 12,896 | N | | 36 |
| 7893 | | ESWD | FLEX SYSTEM EN4023 10GB SCALAB | 11,445 | N | | 36 |
| 7893 | | ESWE | FLEX SYSTEM EN4023 10GB FOD 1 | 8,865 | N | | 36 |
| 7893 | | ESWF | FLEX SYSTEM EN4023 10GB FOD 2 | 8,865 | N | | 36 |
| 7895 | 23X | | POWER SYSTEMS 7895 | 39 | Y | 1 | 36 |
| 7895 | 43X | | FLEX SYSTEM P460 COMPUTE NODE | 80 | Y | 1 | 36 |
| 7895 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 36 |
| 7895 | | 0011 | TEN CSC BILLING UNITS | 1,370 | N | | 36 |
| 7895 | | 1107 | USB 500GB REMOVABLE DISK DRIVE | 238 | N | | 36 |
| 7895 | | 1761 | IB6132 2 PORT QDR INFINIBAND | 1,519 | N | | 36 |
| 7895 | | 1762 | EN4054 4 PORT 10GB ENET ADAPT | 684 | N | | 36 |
| 7895 | | 1763 | EN2024 4 PORT 1GB ENET ADAPTR | 560 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7895 | | 1764 | FC3172 2 PORT 8GB FC ADAPTER | 754 | N | | 36 |
| 7895 | | 4645 | INTEGRATE FLEX SERVER CHASSIS | 16 | N | | 36 |
| 7895 | | 4646 | INTEGRATE ITE IN CHASSIS | 20 | N | | 36 |
| 7895 | | 4796 | ATIVEMEMORYEXPANSIONENABLEMI | 1,290 | N | | 36 |
| 7895 | | 7005 | TOP COVER NO SSDSHDDS INSTALL | 64 | N | | 36 |
| 7895 | | 7065 | TOP COVER SSDS INSTALLED | 1,065 | N | | 36 |
| 7895 | | 7066 | TOP COVER HDDS INSTALLED | 652 | N | | 36 |
| 7895 | | 7067 | TOP COVER DISKLESS MODEL | 37 | N | | 36 |
| 7895 | | 7068 | TOP COVER SSDS INSTALLED | 1,038 | N | | 36 |
| 7895 | | 7069 | TOP COVER HDDS INSTALLED | 619 | N | | 36 |
| 7895 | | 8143 | LINUX SOFTWARE PREINSTALL | 48 | N | | 36 |
| 7895 | | 8144 | LINUX SOFTWARE PREINSTALL BP | 48 | N | | 36 |
| 7895 | | 8146 | SOFTWARE PREINSTALL | 48 | N | | 36 |
| 7895 | | 8147 | SOFTWARE PREINSTALL BP ORDER | 40 | N | | 36 |
| 7895 | | 8196 | 3GB 2X4GB RDIMMS DDR3 MEMORY | 185 | N | | 36 |
| 7895 | | 8207 | 177GB 1.8 SATA SOLIDSTATEDRIVE | 3,547 | N | | 36 |
| 7895 | | 8274 | 300GB SAS 10K RPM SFF HDD | 249 | N | | 36 |
| 7895 | | 8276 | 600GB SAS 10K RPM SFF HDD | 499 | N | | 36 |
| 7895 | | 8311 | 900GB SAS 10K RPM SFF HDD | 987 | N | | 36 |
| 7895 | | 8491 | ONE PROCESSOR ENTITLEMENT | 81 | N | | 36 |
| 7895 | | EC23 | FLEX SYSTEM FC5052 2-PORT 16GB | 1,152 | N | | 36 |
| 7895 | | EC24 | CN4058 8-PORT 10GB CONVERGED | 2,418 | N | | 36 |
| 7895 | | EC26 | EN4132 2-PORT 10GB ROCE ADAPTR | 1,693 | N | | 36 |
| 7895 | | EC2E | FLEX SYSTEM FC5054 4-PORT 16GB | 1,772 | N | | 36 |
| 7895 | | EEMD | 16GB 2 X 8GB RDIMMS MEMORY | 321 | N | | 36 |
| 7895 | | EEME | 32GB 2 X 16GB RDIMMS MEMORY | 643 | N | | 36 |
| 7895 | | EEMF | 64GB (2 X 32GB RDIMMS) MEMORY | 2,255 | N | | 36 |
| 7895 | | EM04 | 4GB 2X2GB MEMORY DIMMS 1066 | 428 | N | | 36 |
| 7895 | | EPRA | 16-CORE 4.1 GHZ POWER7+ PROC | 7,094 | N | | 36 |
| 7895 | | EPRB | 16-CORE 3.6 GHZ POWER7+ PROC | 5,016 | N | | 36 |
| 7895 | | EPRD | 8-CORE 4.0 GHZ POWER7+ PROC | 5,016 | N | | 36 |
| 7895 | | EPRH | 32-CORE 3.6 GHZ POWER7 | 32,655 | N | | 36 |
| 7895 | | EPRJ | 32-CORE 4.1 GHZ POWER7 | 36,995 | N | | 36 |
| 7895 | | EPRK | 16-CORE 4.0 GHZ POWER7 | 19,157 | N | | 36 |
| 7895 | | ERF1 | RFID TAGS FOR SERVERS COMPUTE | 16 | N | | 36 |
| 7895 | | ESC4 | S H | 30 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 7895 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 278 | N | | 36 |
| 7895 | | EU04 | RDX USB EXTERNAL DOCKING | 222 | N | | 36 |
| 7895 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 181 | N | | 36 |
| 7895 | | EU15 | 1.5TB REMOVABLE DISKDRIVECARTF | 399 | N | | 36 |
| 7895 | | EUC6 | CORE USE HW FEATURE | 403 | N | | 36 |
| 7895 | | EUC7 | COREUSE HW FEATURE10 | 4,030 | N | | 36 |
| 7953 | 94X | | 42U SLIM RACK | 1,450 | Y | 2 | 36 |
| 7953 | | 6489 | 4.3M (14 FT) 3PH 24A 380 415V | 375 | N | | 36 |
| 7953 | | 6491 | 4.3M (14 FT) 1PH 48A PWRCRD 2 | 322 | N | | 36 |
| 7953 | | 6492 | 4.3M (14 FT) 1PH 48 60A 200 2 | 322 | N | | 36 |
| 7953 | | 7109 | IINTELLIGENT PDU 1 EIA UNIT | 1,173 | N | | 36 |
| 7953 | | 7188 | POWER DISTRIBUTION UNIT | 806 | N | | 36 |
| 7953 | | 7189 | OWDISTRIBUTUNIT WW UTG0247CONM | 967 | N | | 36 |
| 7953 | | 7196 | OWDISTRIBUTUNIT US FIXED POWCRI | 1,209 | N | | 36 |
| 7953 | | EC01 | RACK FRONT DOOR BLACK | 322 | N | | 36 |
| 7953 | | EC02 | RACK REAR DOOR | 322 | N | | 36 |
| 7953 | | EC03 | RACK SIDE COVER | 403 | N | | 36 |
| 7953 | | EC04 | RACK SUITE ATTACHMENT KIT | 145 | N | | 36 |
| 7953 | | EC11 | OEM RACK FRONT DOOR (BLACK) | 443 | N | | 36 |
| 7953 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 7953 | | ESC1 | RACK S H A | 322 | N | | 36 |
| 7955 | 01M | | FLEX SYSTEM MANAGER | 3,838 | Y | 2 | 36 |
| 7955 | | 1771 | 200 GB SOLID STATE DRIVE | 1,772 | N | | 36 |
| 7955 | | 3767 | 1TB 7.2K RPM 2.5 SATA DISK | 418 | N | | 36 |
| 7955 | | 4645 | INTEGRATE BLADE SERVER | 16 | N | | 36 |
| 7955 | | 4646 | INTEGRATE ITE IN CHASSIS | 20 | N | | 36 |
| 7955 | | EM09 | 8GB 2X4GB RDIMMS MEMORY | 169 | N | | 36 |
| 7955 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 7955 | | ESC3 | S H | 237 | N | | 36 |
| 7988 | | 4645 | INTEGRBLADE SERVER INCHASS(BP | 18 | N | | 36 |
| 7988 | | 4646 | INTEGRBLADE SERVER INCHASSIS | 22 | N | | 36 |
| 7988 | | 5405 | OVPOWERVIRT FOR 4-CORE CONFIC | 72 | N | | 36 |
| 7988 | | 5407 | OVPOWERVIRT FOR 2-CORE CONFIC | 144 | N | | 36 |
| 7988 | | 8146 | SOFTWARE PREINSTALL | 54 | N | | 36 |
| 7988 | | 8147 | SW PREINSTALL BP ORDER | 45 | N | | 36 |
| 7989 | BCH | | IBM BLADECENTER H CHASSIS | 3,310 | Y | 2 | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 7989 | | 3194 | UPGRADE FOR IBM BLADECENTER | 5,440 | N | | 36 |
| 7989 | | 3199 | QLOGIC FABRIC MGR SUPPORT | 1,994 | N | | 36 |
| 7989 | | 3201 | BC KVM/ADVANCED MNG MODULE | 770 | N | | 36 |
| 7989 | | 3212 | ORTEL NETWORKS LAYER 2/3 COPI | 1,813 | N | | 36 |
| 7989 | | 3220 | SERVER CONNECTIVITY MOD FOR BC | 1,203 | N | | 36 |
| 7989 | | 3238 | SHORT WAVE SFP MODULE 4 GB | 136 | N | | 36 |
| 7989 | | 3239 | MULTI-SWITCH INTERCONNECT MOD | 1,241 | N | | 36 |
| 7989 | | 3248 | BNT 10 PORT 10 GB ETHERNET SWI | 10,155 | N | | 36 |
| 7989 | | 3260 | 1M SAS 4 CHANNEL CABLE | 108 | N | | 36 |
| 7989 | | 3266 | 3M SAS 4 CHANNEL CABLE | 122 | N | | 36 |
| 7989 | | 3267 | IBM BC SAS CONNECTIVITY MODULE | 906 | N | | 36 |
| 7989 | | 3286 | 8GB SFP+ SHORT WAVE OPTIC | 171 | N | | 36 |
| 7989 | | 3632 | WIDESCREEN LCD MONITOR | 990 | N | | 36 |
| 7989 | | 4154 | ULTRASLIM ENH SATA DVD RAM | 180 | N | | 36 |
| 7989 | | 4242 | 6-FOOT EXTENDER CABLE FOR DISF | 82 | N | | 36 |
| 7989 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 41 | N | | 36 |
| 7989 | | 4380 | LC LC FIBER CHANNEL CBL 5 M | 117 | N | | 36 |
| 7989 | | 4385 | LC LC FIBER CHANNEL CBL 25 M | 171 | N | | 36 |
| 7989 | | 4648 | RACK INTEGR SERV: BP ONLY | 109 | N | | 36 |
| 7989 | | 4649 | RACK INTEGRATION SERVICES | 136 | N | | 36 |
| 7989 | | 6673 | PWRCORD-BC CHASSIS TO PDU | 81 | N | | 36 |
| 7989 | | 6674 | 4.3M 200-240V 2X NEMA L6-30P | 131 | N | | 36 |
| 7989 | | 6675 | 4.3M 200-240V 2X KSC3805 30A | 204 | N | | 36 |
| 7989 | | 6676 | 4.3M 200-240V 1X IEC309 32A | 204 | N | | 36 |
| 7989 | | 6677 | 4.3M 200-240V 1X AS/NZS 3112 | 198 | N | | 36 |
| 7989 | | EUC6 | CORE USE HW FEATURE | 453 | N | | 36 |
| 7998 | | 4645 | INTEGRATE BLADE SERVER | 18 | N | | 36 |
| 7998 | | 4646 | INTEGRATE BLADE SERVER | 22 | N | | 36 |
| 7998 | | 5649 | ADVANCED POWER VIRTUALIZATION | 0 | N | | 36 |
| 7998 | | 8146 | SOFTWARE PREINSTALL | 54 | N | | 36 |
| 7998 | | 8147 | SOFTWARE PREINSTALL BP ORDER | 45 | N | | 36 |
| 7998 | | 8291 | BROADCOM 2/4 PORT ETH EXP | 570 | N | | 36 |
| 7998 | | 8401 | ONE PROCESSOR ENTITLEMENT | 91 | N | | 36 |
| 7998 | | 8444 | ONE PROC. ENTITLEMENT FOR PROC | 91 | N | | 36 |
| 8202 | E4D | | POWER 720 | 285 | Y | 2 | 36 |
| 8202 | | 0010 | ONE CSC BILLING UNIT | 143 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 0011 | TEN CSC BILLING UITS | 1,439 | N | | 36 |
| 8202 | | 0348 | V.24/EIA232 6.1M (20 FT) PCI C | 105 | N | | 36 |
| 8202 | | 0353 | V.35 6.1M (20 FT) PCI CABLE | 105 | N | | 36 |
| 8202 | | 0359 | X.21 6.1M (20 FT) PCI CABLE | 313 | N | | 36 |
| 8202 | | 0456 | CUSTOMER SPECIFIED PLACEMENT | 339 | N | | 36 |
| 8202 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,237 | N | | 36 |
| 8202 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 3,034 | N | | 36 |
| 8202 | | 0599 | RACK FILLER PANEL KIT | 62 | N | | 36 |
| 8202 | | 1025 | MODEM CABLE US/CANADA | 10 | N | | 36 |
| 8202 | | 1107 | USB 500 GB REMOVABLE DISK DRIV | 249 | N | | 36 |
| 8202 | | 1111 | 3M BLUE CAT5E CABLE | 21 | N | | 36 |
| 8202 | | 1112 | 10M BLUE CAT5E CABLE | 37 | N | | 36 |
| 8202 | | 1113 | 25M BLUE CAT5E CABLE | 67 | N | | 36 |
| 8202 | | 1459 | 200V (6 FT) 1.8M UPPER LOCKING | 167 | N | | 36 |
| 8202 | | 1737 | 856GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8202 | | 1738 | 856GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8202 | | 1751 | 900GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8202 | | 1752 | 900GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8202 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8202 | | 1817 | QUANTITY 150 OF 1962 | 152,343 | N | | 36 |
| 8202 | | 1818 | QUANTITY 150 OF 1964 | 152,343 | N | | 36 |
| 8202 | | 1824 | QUAD PORT 1 GB HEA DAUGHTER C/ | 254 | N | | 36 |
| 8202 | | 1825 | DUAL PORT 10 GB HEA DAUGHFIBEF | 1,481 | N | | 36 |
| 8202 | | 1826 | DUAL PORT 10 GB HEA DAUGCOPPEF | 296 | N | | 36 |
| 8202 | | 1827 | SYSTEM PORT/UPS CONVERSION CA | 80 | N | | 36 |
| 8202 | | 1828 | 1.5 METER 12X TO 4X CHANNEL | 254 | N | | 36 |
| 8202 | | 1841 | 3 METER 12X TO 4X CHANNEL | 317 | N | | 36 |
| 8202 | | 1844 | QUANTITY 150 OF 1956 | 101,308 | N | | 36 |
| 8202 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 508 | N | | 36 |
| 8202 | | 1861 | 0.6 METER 12X DDR CABLE | 296 | N | | 36 |
| 8202 | | 1862 | 1.5 METER 12X DDR CABLE | 339 | N | | 36 |
| 8202 | | 1864 | 8.0 METER 12X DDR CABLE | 614 | N | | 36 |
| 8202 | | 1865 | 3.0 METER 12X DDR CABLE | 402 | N | | 36 |
| 8202 | | 1866 | QUANTITY 150 OF 1917 | 63,222 | N | | 36 |
| 8202 | | 1868 | QUANTITY 150 OF 1947 | 63,222 | N | | 36 |
| 8202 | | 1869 | QUANTITY 150 OF 1925 | 101,308 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 8202 | | 1879 | 283GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8202 | | 1880 | 300GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8202 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 675 | N | | 36 |
| 8202 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 421 | N | | 36 |
| 8202 | | 1888 | 139GB 15K SFF SAS DD IBM I | 421 | N | | 36 |
| 8202 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 675 | N | | 36 |
| 8202 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8202 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |
| 8202 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8202 | | 1927 | QUANTITY 150 OF 1948 | 120,605 | N | | 36 |
| 8202 | | 1929 | QUANTITY 150 OF 1953 | 120,605 | N | | 36 |
| 8202 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |
| 8202 | | 1948 | 283GB 15K RPM SAS SFF 2 DISK | 804 | N | | 36 |
| 8202 | | 1953 | 300GB 15K RPM SAS SFF 2 DISK | 804 | N | | 36 |
| 8202 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8202 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8202 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8202 | | 1996 | 177GB SSD MODULE WITH EMLC | 3,724 | N | | 36 |
| 8202 | | 2053 | PCIE LP RAID SSD SAS ADAPTER 3 | 2,584 | N | | 36 |
| 8202 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,584 | N | | 36 |
| 8202 | | 2456 | 2M LC SC 50 MICRON FIBER CONVE | 70 | N | | 36 |
| 8202 | | 2459 | 2M LC SC 62.5 MICRON FIBER CON | 70 | N | | 36 |
| 8202 | | 2728 | 4 PORT USB PCIE ADAPTER | 127 | N | | 36 |
| 8202 | | 2893 | PCIE 2-LINE WAN W/MODEM | 490 | N | | 36 |
| 8202 | | 2934 | M ASYNCHRONOUS TERMINAL/PRIN | 31 | N | | 36 |
| 8202 | | 2936 | ASYNCHRONOUS CABLE EIA 232/V.2 | 51 | N | | 36 |
| 8202 | | 3124 | SERIAL TO SERIAL PORT CABLE FO | 56 | N | | 36 |
| 8202 | | 3125 | SERIAL TO SERIAL PORT CABLE FO | 56 | N | | 36 |
| 8202 | | 3287 | 1M QDR IB ENET COPPER CABLE | 438 | N | | 36 |
| 8202 | | 3288 | 3M QDR IB ENET COPPER CABLE | 549 | N | | 36 |
| 8202 | | 3289 | 5M QDR IB ENET COPPER CABLE | 592 | N | | 36 |
| 8202 | | 3290 | 10M QDR IB OPTIC CABLE | 635 | N | | 36 |
| 8202 | | 3293 | 30M QDR IB OPTIC CABLE | 762 | N | | 36 |
| 8202 | | 3450 | SAS YO CABLE 1.5M HD 6GB ADA | 203 | N | | 36 |
| 8202 | | 3451 | SAS YO CABLE 3M HD 6GB ADAPT | 254 | N | | 36 |
| 8202 | | 3452 | SAS YO CABLE 6M HD 6GB ADAPT | 381 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 3453 | SAS YO CABLE 10M HD 6GB ADAP | 571 | N | | 36 |
| 8202 | | 3454 | SAS X CABLE 3M HD 6GB 2 ADAP | 381 | N | | 36 |
| 8202 | | 3455 | SAS X CABLE 6M HD 6GB 2 ADAP | 635 | N | | 36 |
| 8202 | | 3456 | SAS X CABLE 10M HD 6GB 2 ADA | 1,058 | N | | 36 |
| 8202 | | 3457 | SAS YO CABLE 15M HD 3GB ADAP | 1,058 | N | | 36 |
| 8202 | | 3458 | SAS X CABLE 15M HD 3GB 2 ADA | 2,031 | N | | 36 |
| 8202 | | 3632 | WIDESCREEN LCD MONITOR | 845 | N | | 36 |
| 8202 | | 3652 | SAS CABLE (EE) DRAWER TO D 1M | 42 | N | | 36 |
| 8202 | | 3653 | SAS CABLE (EE) DRAWER TO D 3M | 58 | N | | 36 |
| 8202 | | 3654 | SAS CABLE (EE) DRAWER TO D 6M | 101 | N | | 36 |
| 8202 | | 3656 | SAS SFF CABLE | 33 | N | | 36 |
| 8202 | | 3661 | SAS CABLE (X) ADAPTER SAS 3M | 127 | N | | 36 |
| 8202 | | 3662 | SAS CABLE (X) ADAPTER SAS 6M | 254 | N | | 36 |
| 8202 | | 3663 | SAS CABLE (X) ADAPTER SAS 15M | 517 | N | | 36 |
| 8202 | | 3675 | SAS EX CABLE 3M - DRW TO DRW | 145 | N | | 36 |
| 8202 | | 3680 | SAS EX CABLE 6M - DRW TO DRW | 258 | N | | 36 |
| 8202 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR | 63 | N | | 36 |
| 8202 | | 3684 | SAS CABLE (AE) ADAPTER TO E 3M | 127 | N | | 36 |
| 8202 | | 3685 | SAS CABLE (AE) ADAPTER TO E 6M | 254 | N | | 36 |
| 8202 | | 3687 | SAS CABLE (YI) S TO SAS 3M | 93 | N | | 36 |
| 8202 | | 3688 | SAS CABLE (AT) 0.6 METER | 76 | N | | 36 |
| 8202 | | 3689 | SAS AT CABLE 0.6M HD 6GB ADA | 101 | N | | 36 |
| 8202 | | 3691 | SAS CABLE (YO) ADAPTER 1.5M | 76 | N | | 36 |
| 8202 | | 3692 | SAS CABLE (YO) ADAPTER 3M | 93 | N | | 36 |
| 8202 | | 3693 | SAS CABLE (YO) ADAPTER 6M | 127 | N | | 36 |
| 8202 | | 3694 | SAS CABLE (YO) ADAPTER 15M | 446 | N | | 36 |
| 8202 | | 3925 | 0.3M SERIAL PORT CONVERTER CAE | 17 | N | | 36 |
| 8202 | | 3927 | SERIAL PORT NULL MODEM 3.7.M | 56 | N | | 36 |
| 8202 | | 3928 | SERIAL PORT NULL MODEM 10M | 56 | N | | 36 |
| 8202 | | 3930 | SYSTEM SERIAL PORT CONVERTER (| 11 | N | | 36 |
| 8202 | | 4242 | 1.8 M (6 FT) EXTENDER CABLE | 70 | N | | 36 |
| 8202 | | 4256 | EXTENDER CABLE USB KEYBOARDS | 35 | N | | 36 |
| 8202 | | 4276 | VGA TO DVI CONNECTION CONVERT | 6 | N | | 36 |
| 8202 | | 4526 | 8GB (2X4GB) MEMORY DIMMS 1066 | 901 | N | | 36 |
| 8202 | | 4529 | 16GB (2X8GB) MEMORY DIMMS 106 | 1,803 | N | | 36 |
| 8202 | | 4793 | OWER ACTIVE MEMORY EXPANSION | 1,777 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 4807 | CIE CRYPTO COPROCESSOR NO BS | 9,310 | N | | 36 |
| 8202 | | 4808 | CIE CRYPTO COPROCESSOR GEN3 | 9,310 | N | | 36 |
| 8202 | | 5260 | PCIE2 LP 4-PORT 1GBE ADAPTR | 254 | N | | 36 |
| 8202 | | 5269 | PCIE LP POWER GXT145 GRAPHICS | 489 | N | | 36 |
| 8202 | | 5270 | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,962 | N | | 36 |
| 8202 | | 5273 | PCIE LP 8GB 2 PORT FIBRE CHANN | 2,961 | N | | 36 |
| 8202 | | 5274 | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,118 | N | | 36 |
| 8202 | | 5275 | PCIE LP 10GBE SR 1 PORT ADAPT | 2,962 | N | | 36 |
| 8202 | | 5276 | PCIE LP 4GB 2 PORT FIBRE CHANN | 2,115 | N | | 36 |
| 8202 | | 5277 | PCIE LP 4 PORT ASYNC EIA 232 | 591 | N | | 36 |
| 8202 | | 5278 | PCIE LP 2X4 PORT SAS ADAPTER | 634 | N | | 36 |
| 8202 | | 5279 | PCIE2 4PORT 10GBE1GBE SFP LP | 2,115 | N | | 36 |
| 8202 | | 5280 | PCIE2 4 PORT 10GBE1GBE SR LP | 2,961 | N | | 36 |
| 8202 | | 5283 | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846 | N | | 36 |
| 8202 | | 5284 | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539 | N | | 36 |
| 8202 | | 5285 | PCIE 2 PORT 4X IB QDR ADAPT | 846 | N | | 36 |
| 8202 | | 5286 | PCIE2 LP 2 PORT 10GBE SFP+ | 1,354 | N | | 36 |
| 8202 | | 5287 | PCIE2 2 PORT 10GBE SR ADAPTER | 2,539 | N | | 36 |
| 8202 | | 5288 | PCIE2 2 PORT 10GBE SFP+COPP | 1,354 | N | | 36 |
| 8202 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 167 | N | | 36 |
| 8202 | | 5290 | PCIE LP 2 PORT ASYNC EIA 232 A | 167 | N | | 36 |
| 8202 | | 5524 | RFID TAGS FOR SERVERS BLADES | 16 | N | | 36 |
| 8202 | | 5532 | SYSTEM PWR SUP -1925W | 339 | N | | 36 |
| 8202 | | 5603 | SYSTEM AC POWER SUPPLY 1725 W | 339 | N | | 36 |
| 8202 | | 5604 | MEMORY RISER CARD | 677 | N | | 36 |
| 8202 | | 5615 | GX++ DUAL PORT 12X CHANNEL ATT | 1,481 | N | | 36 |
| 8202 | | 5618 | STORAGE BACKPLANE 6 SFF BAYS | 676 | N | | 36 |
| 8202 | | 5630 | STORAGE BACKPLANE 8 SFF BAYS/1 | 1,523 | N | | 36 |
| 8202 | | 5631 | SPLIT DRIVE BAY CAPABILITY5618 | 676 | N | | 36 |
| 8202 | | 5638 | 1.5TB/3.0TB LTO 5 SAS TAPE DR | 3,385 | N | | 36 |
| 8202 | | 5685 | PCIE RISER CARD (GEN2) | 1,693 | N | | 36 |
| 8202 | | 5706 | IBM 2 PORT 10/100/1000 BASE TX | 639 | N | | 36 |
| 8202 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962 | N | | 36 |
| 8202 | | 5713 | 1 GIGABIT ISCSI TOE PCI X | 762 | N | | 36 |
| 8202 | | 5729 | PCIE2 8GB 4PORT FIBRE CHANN | 5,078 | N | | 36 |
| 8202 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 5736 | PCI X DDR DUAL CHANNEL ULTRA32 | 497 | N | | 36 |
| 8202 | | 5740 | 4 PORT 10/100/1000 B TX X ADAP | 702 | N | | 36 |
| 8202 | | 5744 | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 2,961 | N | | 36 |
| 8202 | | 5745 | PCIE2 4 PORT 10GBE GBE SFP COP | 2,115 | N | | 36 |
| 8202 | | 5747 | IBM LTO ULTRIUM 4 800 GB DATA | 508 | N | | 36 |
| 8202 | | 5748 | POWER GXT145 PCI EXPRESS GRAPH | 319 | N | | 36 |
| 8202 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,115 | N | | 36 |
| 8202 | | 5759 | 4 GB DUAL PORT FIBRE CHANNEL P | 2,115 | N | | 36 |
| 8202 | | 5767 | 2 PORT 10/100/1000 BASE TX ETH | 446 | N | | 36 |
| 8202 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,118 | N | | 36 |
| 8202 | | 5769 | 10 GIGABIT ETHERNET SR PCI | 2,962 | N | | 36 |
| 8202 | | 5771 | SATA SLIMLINE DVD RAM DRIVE | 253 | N | | 36 |
| 8202 | | 5772 | 10 GIGABIT ETHERNET LR PCI | 4,013 | N | | 36 |
| 8202 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115 | N | | 36 |
| 8202 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 591 | N | | 36 |
| 8202 | | 5802 | 12X I/O DRAWER PCIE SFF DISK | 10,147 | N | | 36 |
| 8202 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB | 1,861 | N | | 36 |
| 8202 | | 5877 | 12X I/O DRAWER PCIE NO DISK | 9,216 | N | | 36 |
| 8202 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 4,570 | N | | 36 |
| 8202 | | 5888 | EXP30 ULTRA SSD I/O DRAWER | 20,736 | N | | 36 |
| 8202 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 254 | N | | 36 |
| 8202 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 634 | N | | 36 |
| 8202 | | 5908 | PCI X DDR 1.5GB CACHE SAS | 7,194 | N | | 36 |
| 8202 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTE | 698 | N | | 36 |
| 8202 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 6,348 | N | | 36 |
| 8202 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 190 | N | | 36 |
| 8202 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 317 | N | | 36 |
| 8202 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 148 | N | | 36 |
| 8202 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 85 | N | | 36 |
| 8202 | | 5926 | SAS EX CABLE 1.5M - DRW TO DRW | 129 | N | | 36 |
| 8202 | | 5963 | FULL WIDTH KEYBOARD USB CANAD | 70 | N | | 36 |
| 8202 | | 6006 | POWER CONTROL CABLE SPCN3 ME1 | 33 | N | | 36 |
| 8202 | | 6007 | OWER CONTROL CABLE SPCN15ME1 | 67 | N | | 36 |
| 8202 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 287 | N | | 36 |
| 8202 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 352 | N | | 36 |
| 8202 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |
| 8202 | | 6263 | 1.8M RACK TRIM KIT | 338 | N | | 36 |
| 8202 | | 6272 | 2.0M RACK TRIM KIT | 338 | N | | 36 |
| 8202 | | 6458 | POWER CABLE DRAWER TO IBM P | 11 | N | | 36 |
| 8202 | | 6460 | POWER CORD 4.3M (14 FT) DRAWER | 11 | N | | 36 |
| 8202 | | 6469 | POWER CORD 4.3M (14 FOOT) DRAWER | 11 | N | | 36 |
| 8202 | | 6470 | POWER CORD 1.8M(6 FOOT) TO WALL | 11 | N | | 36 |
| 8202 | | 6471 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6472 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6473 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6474 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6475 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6476 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6477 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6478 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6488 | POWER CORD 2.7M (9 FOOT) | 33 | N | | 36 |
| 8202 | | 6489 | 4.3M (14 FT) 3PH/24A POWER CORD | 233 | N | | 36 |
| 8202 | | 6491 | 4.3M (14 FT) 1PH/48A PWR CORD | 255 | N | | 36 |
| 8202 | | 6492 | 4.3M (14 FT) 1PH/48 60A PWR CORD | 255 | N | | 36 |
| 8202 | | 6493 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6494 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6496 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6577 | POWER CABLE DRAWER TO IBM PD | 11 | N | | 36 |
| 8202 | | 6580 | OPTIONAL RACK SECURITY KIT | 115 | N | | 36 |
| 8202 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 159 | N | | 36 |
| 8202 | | 6651 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6654 | 4.3M (14 FT) 1PH/24 30A PWR CORD | 153 | N | | 36 |
| 8202 | | 6655 | 4.3M (14 FT) 1PH/24 30A WR PWR | 339 | N | | 36 |
| 8202 | | 6656 | 4.3M (14 FT)1PH/24A POWER CORD | 153 | N | | 36 |
| 8202 | | 6659 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6660 | POWER CORD (14 FOOT) DRAWER TRAY | 11 | N | | 36 |
| 8202 | | 6665 | POWER CORD 3 M (10 FT) DRAWER TRAY | 11 | N | | 36 |
| 8202 | | 6669 | POWER CORD 4.3M (14 FOOT) | 11 | N | | 36 |
| 8202 | | 6671 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |
| 8202 | | 6672 | POWER CORD 1.5M (5 FOOT) | 11 | N | | 36 |
| 8202 | | 6680 | POWER CORD 2.7M (9 FOOT) | 11 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 930 | N | | 36 |
| 8202 | | 7118 | NVIRONMENTAL MONITORING PROB | 237 | N | | 36 |
| 8202 | | 7134 | IBM RACK MOUNT DRAWER BEZEL | 85 | N | | 36 |
| 8202 | | 7135 | DEM RACK MOUNT DRAWER BEZEL | 85 | N | | 36 |
| 8202 | | 7145 | BM/OEM RACK MOUNT DRAWER RAI | 168 | N | | 36 |
| 8202 | | 7188 | POWER DISTRIBUTION UNIT | 640 | N | | 36 |
| 8202 | | 7567 | IBM TOWER COVER SET | 253 | N | | 36 |
| 8202 | | 7568 | OEM TOWER COVER SET | 253 | N | | 36 |
| 8202 | | 7802 | ETHERNET CABLE 15M HARDWARE | 21 | N | | 36 |
| 8202 | | 8143 | LINUX SOFTWARE PREINSTALL | 50 | N | | 36 |
| 8202 | | 8144 | LINUX SOFTWARE PREINSTALL BP | 50 | N | | 36 |
| 8202 | | 8360 | ONE PROCESSOR ACTIVATION FOR F | 491 | N | | 36 |
| 8202 | | 8361 | ONE PROCESSOR ACTIVATION FOR F | 791 | N | | 36 |
| 8202 | | 8362 | ONE PROCESSOR ACTIVATION FOR F | 1,735 | N | | 36 |
| 8202 | | 8845 | USB MOUSE | 25 | N | | 36 |
| 8202 | | 9055 | 2 PORT 10 100 1000 BASE TX ETH | 254 | N | | 36 |
| 8202 | | EB34 | I 6.1.1 NATIVE I/O ENABLEM | 846 | N | | 36 |
| 8202 | | EC27 | PCIE2 LP 2 PORT 10GBE ROCE SFP | 846 | N | | 36 |
| 8202 | | EC28 | PCIE2 2 PORT 10GBE ROCE SFP A | 846 | N | | 36 |
| 8202 | | EC29 | PCIE2 LP 2 PORT 10GBE ROCE SR | 1,481 | N | | 36 |
| 8202 | | EC30 | PCIE2 2 PORT 10GBE ROCE SR ADA | 1,481 | N | | 36 |
| 8202 | | ECB0 | 0.6M BLUE CAT5 ETHERNET CABLE | 10 | N | | 36 |
| 8202 | | ECB2 | 1.5M BLUE CAT5 ETHERNET CABLE | 14 | N | | 36 |
| 8202 | | EDR1 | EXP30 ULTRA SSD I/O DRAWER | 20,736 | N | | 36 |
| 8202 | | EJ01 | STORAGE B P 8 SFF RAID IOA | 1,523 | N | | 36 |
| 8202 | | EJ02 | SPLIT DRIVE CAPABILITY 5618 | 676 | N | | 36 |
| 8202 | | EJ03 | GX 2 PORT PCIE2 X8 ADAPTER | 1,693 | N | | 36 |
| 8202 | | EJ04 | GX DUAL-PORT 12X CHAN ATTACH | 1,481 | N | | 36 |
| 8202 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |
| 8202 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |
| 8202 | | EM01 | MEMORY RISER CARD | 677 | N | | 36 |
| 8202 | | EM04 | 4GB 2X2GB MEMORY DIMMS 1066 | 449 | N | | 36 |
| 8202 | | EM08 | 8GB 2X4GB MEMORY DIMMS 1066 | 540 | N | | 36 |
| 8202 | | EM16 | 16GB 2X8GB MEMORY DIMMS 1066 | 1,081 | N | | 36 |
| 8202 | | EM32 | 32GB 2X16GB MEMORYDIMMS1066 | 3,244 | N | | 36 |
| 8202 | | EM4B | 16GB (2X8GB) MEMORY DIMMS 1066 | 719 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | EM4C | 32GB (2X16GB) MEM DIMMS 1066 | 1,439 | N | | 36 |
| 8202 | | EM4D | 64GB (2X32GB) MEM DIMMS 1066 | 5,417 | N | | 36 |
| 8202 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 85 | N | | 36 |
| 8202 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 101 | N | | 36 |
| 8202 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 127 | N | | 36 |
| 8202 | | EN05 | PCIE X8 CABLE 1.5M | 254 | N | | 36 |
| 8202 | | EN07 | PCIE X8 CABLE 3M | 287 | N | | 36 |
| 8202 | | EN0A | PCIE2 16GB 2-PORT FIBRE CHANNE | 3,809 | N | | 36 |
| 8202 | | EN0B | PCIE2 LP 16GB 2-PORT FIBRE CHA | 3,809 | N | | 36 |
| 8202 | | EN0H | PICE2 4-PORT 10GB FCOE & 1GBE | 2,962 | N | | 36 |
| 8202 | | EN0J | PCIE2 LP 4-PORT 10GB FCOE & 1G | 2,962 | N | | 36 |
| 8202 | | EN0Y | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078 | N | | 36 |
| 8202 | | EPC5 | 4 CORE 3.0 GHZ PROC MODULE | 635 | N | | 36 |
| 8202 | | EPC6 | 6 CORE 3.0 GHZ PROC MODULE | 1,016 | N | | 36 |
| 8202 | | EPC7 | 8 CORE 3.0 GHZ PROC MODULE | 2,374 | N | | 36 |
| 8202 | | EPCL | 6-CORE 3.6 GHZ PROC. MODULE | 1,108 | N | | 36 |
| 8202 | | EPCM | 8-CORE 3.6 GHZ PROC. MODULE | 2,454 | N | | 36 |
| 8202 | | EPD5 | ONE PROCESSOR ACTIV FOR EPC5 | 491 | N | | 36 |
| 8202 | | EPD6 | ONE PROCESSOR ACTIV FOR EPC6 | 791 | N | | 36 |
| 8202 | | EPD7 | ONE PROCESSOR ACTIV FOR EPC7 | 1,735 | N | | 36 |
| 8202 | | EPDK | ONE PROCESSOR ACTIV FOR EPCK | 550 | N | | 36 |
| 8202 | | EPDL | ONE PROCESSOR ACTIV FOR EPCL | 884 | N | | 36 |
| 8202 | | EPDM | ONE PROCESSOR ACTIV FOR EPCM | 1,811 | N | | 36 |
| 8202 | | EQ02 | QUANTITY 150 OF 3452 SAS CABL | 57,128 | N | | 36 |
| 8202 | | EQ03 | QUANTITY 150 OF 3453 SAS YO | 85,693 | N | | 36 |
| 8202 | | EQ0C | QUANTITY OF 150 ES0C | 455,504 | N | | 36 |
| 8202 | | EQ0D | QUANTITY OF 150 ES0D | 455,504 | N | | 36 |
| 8202 | | EQ38 | QUANTITY 150 OF 1738 | 190,428 | N | | 36 |
| 8202 | | EQ52 | QUANTITY 150 OF 1752 | 190,428 | N | | 36 |
| 8202 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 8202 | | ES02 | 387GB 1.8 SAS SSD AIX LINUX | 3,724 | N | | 36 |
| 8202 | | ES04 | 387 GB 1.8 SSD FOR W/EMLC | 3,724 | N | | 36 |
| 8202 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8202 | | ES0B | 387GB SFF-1 SSD FOR IBM I | 3,036 | N | | 36 |
| 8202 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8202 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,036 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8202 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8202 | | ESA2 | PCIE2 LP RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8202 | | ESC6 | S H B | 286 | N | | 36 |
| 8202 | | ESR2 | SIX ES02 387GB 1.8 SAS AIX/LI | 20,109 | N | | 36 |
| 8202 | | ESR4 | SIX ES04 387 GB 1.8 SSD | 20,109 | N | | 36 |
| 8202 | | ESRA | FOUR ES0A 387GB SFF-1 SSD AIX | 10,932 | N | | 36 |
| 8202 | | ESRB | FOUR ES0B 387GB SFF-1 SSD | 10,932 | N | | 36 |
| 8202 | | ESRC | FOUR ES0C387GB SFF-2 SSD AIX | 10,932 | N | | 36 |
| 8202 | | ESRD | FOUR ES0D 387GB SFF-2 SSD | 10,932 | N | | 36 |
| 8202 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 291 | N | | 36 |
| 8202 | | EU03 | RDX USB INTERNAL DOCKING | 190 | N | | 36 |
| 8202 | | EU04 | RDX USB EXTERNAL DOCKING | 233 | N | | 36 |
| 8202 | | EU07 | RDX SATA INTERNAL DOCKING | 233 | N | | 36 |
| 8202 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 190 | N | | 36 |
| 8202 | | EU11 | 2.5/6TB LTO-6 SAS TAPE DRIVE H | 3,555 | N | | 36 |
| 8202 | | EU15 | 1.5TB REMOVABLE DISK CARTRIDGE | 418 | N | | 36 |
| 8202 | | EU17 | 2.5 TB LTO-6 TAPE CARTRIDGE | 164 | N | | 36 |
| 8202 | | EU18 | 5-PACK OF EU17 | 825 | N | | 36 |
| 8202 | | EUC6 | CORE USE HW FEATURE | 423 | N | | 36 |
| 8202 | | EUC7 | CORE USE HW FEATURE 10 | 4,232 | N | | 36 |
| 8205 | E6D | | POWER 740 | 731 | Y | 2 | 36 |
| 8205 | | 0010 | ONE CSC BILLING UNIT | 143 | N | | 36 |
| 8205 | | 0011 | TEN CSC BILLING UITS | 1,439 | N | | 36 |
| 8205 | | 0348 | V 24 EIA232 6 1M 20 FT PCI C | 105 | N | | 36 |
| 8205 | | 0353 | V 35 6 1M 20 FT PCI CABLE | 105 | N | | 36 |
| 8205 | | 0359 | X 21 6 1M 20 FT PCI CABLE | 313 | N | | 36 |
| 8205 | | 0456 | CUSTOMER SPECIFIED PLACEMENT | 339 | N | | 36 |
| 8205 | | 0551 | 19 INCH 1 8 METER HIGH RACK | 2,237 | N | | 36 |
| 8205 | | 0553 | 19 INCH 2 0 METER HIGH RACK | 3,034 | N | | 36 |
| 8205 | | 0599 | RACK FILLER PANEL KIT | 62 | N | | 36 |
| 8205 | | 1025 | MODEM CABLE US CANADA AND GE | 10 | N | | 36 |
| 8205 | | 1107 | USB 500 GB REMOVABLE DISK DRIV | 249 | N | | 36 |
| 8205 | | 1109 | ENET SWITCH J48E | 15,700 | N | | 36 |
| 8205 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 21 | N | | 36 |
| 8205 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 37 | N | | 36 |
| 8205 | | 1113 | 25M BLUE CAT5E CABLE | 67 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 21 | N | | 36 |
| 8205 | | 1116 | CAT5E ETHERNET CABLE 10M GREE | 37 | N | | 36 |
| 8205 | | 1118 | CAT5E ETHERNET CABLE 3M YELLC | 21 | N | | 36 |
| 8205 | | 1119 | CAT5E ETHERNET CABLE 10M YELL | 37 | N | | 36 |
| 8205 | | 1121 | CAT5E ETHERNET CABLE 25M YELL | 67 | N | | 36 |
| 8205 | | 1135 | INTEGRATED STORAGE CONTROLLEF | 22,718 | N | | 36 |
| 8205 | | 1141 | 1 METER CABLE FOR EXP4500 SWIT | 212 | N | | 36 |
| 8205 | | 1143 | 3 METER CABLE FOR EXP4500 SWIT | 296 | N | | 36 |
| 8205 | | 1148 | EX4500 10GB OPTICAL TRANSCEIVE | 1,154 | N | | 36 |
| 8205 | | 1151 | JUNIPER EX4500 ENET SWITCH | 37,686 | N | | 36 |
| 8205 | | 1737 | 856GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8205 | | 1738 | 856GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8205 | | 1751 | 900GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8205 | | 1752 | 900GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8205 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8205 | | 1817 | QUANTITY 150 OF 1962 | 152,343 | N | | 36 |
| 8205 | | 1818 | QUANTITY 150 OF 1964 | 152,343 | N | | 36 |
| 8205 | | 1824 | QUAD PORT 1 GB HEA DAUGHTER C/ | 254 | N | | 36 |
| 8205 | | 1825 | DUAL PORT 10 GB HEA DAUGHTER F | 1,481 | N | | 36 |
| 8205 | | 1826 | DUAL PORT 10 GB HEA DAUGHTER C | 296 | N | | 36 |
| 8205 | | 1827 | SYSTEM PORT UPS CONVERSION CA | 80 | N | | 36 |
| 8205 | | 1828 | 1 5 METER 12X TO 4X CHANNEL CO | 254 | N | | 36 |
| 8205 | | 1841 | 3 METER 12X TO 4X CHANNEL CONV | 317 | N | | 36 |
| 8205 | | 1844 | QUANTITY 150 OF 1956 | 101,308 | N | | 36 |
| 8205 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 508 | N | | 36 |
| 8205 | | 1861 | 0 6 METER 12X DDR CABLE | 296 | N | | 36 |
| 8205 | | 1862 | 1 5 METER 12X DDR CABLE | 339 | N | | 36 |
| 8205 | | 1864 | 8 0 METER 12X DDR CABLE | 614 | N | | 36 |
| 8205 | | 1865 | 3 0 METER 12X DDR CABLE | 402 | N | | 36 |
| 8205 | | 1866 | QUANTITY 150 OF 1917 | 63,222 | N | | 36 |
| 8205 | | 1868 | QUANTITY 150 OF1947 | 63,222 | N | | 36 |
| 8205 | | 1869 | QUANTITY 150 OF 1925 | 101,308 | N | | 36 |
| 8205 | | 1879 | 283GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8205 | | 1880 | 300GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8205 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 675 | N | | 36 |
| 8205 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 421 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 1888 | 139GB 15K SFF SAS DD IBM I | 421 | N | | 36 |
| 8205 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 675 | N | | 36 |
| 8205 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8205 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |
| 8205 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8205 | | 1927 | QUANTITY 150 OF 1948 | 120,605 | N | | 36 |
| 8205 | | 1929 | QUANTITY 150 OF 1953 | 120,605 | N | | 36 |
| 8205 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |
| 8205 | | 1948 | 283GB 15K RPM SAS SFF 2 DISK | 804 | N | | 36 |
| 8205 | | 1953 | 300GB 15K RPM SAS SFF 2 DISK | 804 | N | | 36 |
| 8205 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8205 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8205 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8205 | | 1996 | 1 GIGABIT ISCSI TOE PCI XONC | 3,724 | N | | 36 |
| 8205 | | 2053 | PCIE LP RAID SSD SAS ADAPTER | 2,584 | N | | 36 |
| 8205 | | 2055 | PCIE RAID SSD SAS ADAPTER 3G | 2,584 | N | | 36 |
| 8205 | | 2456 | 2M LC SC 50 MICRON FIBER CONVE | 70 | N | | 36 |
| 8205 | | 2459 | 2M LC SC 62 5 MICRON FIBER CON | 70 | N | | 36 |
| 8205 | | 2728 | 4 PORT USB PCIE ADAPTER | 127 | N | | 36 |
| 8205 | | 2893 | PCIE 2 LINE WAN W MODEM | 490 | N | | 36 |
| 8205 | | 2934 | M ASYNCHRONOUS TERMINAL PRIN | 31 | N | | 36 |
| 8205 | | 2936 | ASYNCHRONOUS CABLE EIA 232 V 2 | 51 | N | | 36 |
| 8205 | | 3124 | SERIAL TO SERIAL PORT CABLE DR | 56 | N | | 36 |
| 8205 | | 3125 | SERIAL TO SERIAL PORT CABLE RA | 56 | N | | 36 |
| 8205 | | 3287 | 1M QDR IB ENET COPPER CABLE | 438 | N | | 36 |
| 8205 | | 3288 | 3M QDR IB ENET COPPER CABLE | 549 | N | | 36 |
| 8205 | | 3289 | 5M QDR IB ENET COPPER CABLE | 592 | N | | 36 |
| 8205 | | 3290 | 10M QDR IB OPTIC CABLE | 635 | N | | 36 |
| 8205 | | 3293 | 30M QDR IB OPTIC CABLE | 762 | N | | 36 |
| 8205 | | 3450 | SAS YO CABLE 1.5M HD 6GB ADA | 203 | N | | 36 |
| 8205 | | 3451 | SAS YO CABLE 3M HD 6GB ADAPT | 254 | N | | 36 |
| 8205 | | 3452 | SAS YO CABLE 6M HD 6GB ADAPT | 381 | N | | 36 |
| 8205 | | 3453 | SAS YO CABLE 10M HD 6GB ADAP | 571 | N | | 36 |
| 8205 | | 3454 | SAS X CABLE 3M HD 6GB 2 ADAP | 381 | N | | 36 |
| 8205 | | 3455 | SAS X CABLE 6M HD 6GB 2 ADAP | 635 | N | | 36 |
| 8205 | | 3456 | SAS X CABLE 10M HD 6GB 2 ADA | 1,058 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 3457 | SAS YO CABLE 15M HD 3GB ADAP | 1,058 | N | | 36 |
| 8205 | | 3458 | SAS X CABLE 15M HD 3GB 2ADA | 2,031 | N | | 36 |
| 8205 | | 3632 | WIDESCREEN LCD MONITOR | 845 | N | | 36 |
| 8205 | | 3652 | SAS CABLE EE DRAWER TO DRA1M | 42 | N | | 36 |
| 8205 | | 3653 | SAS CABLE EE DRAWER TO DRA3M | 58 | N | | 36 |
| 8205 | | 3654 | SAS CABLE EE DRAWER TO DRA6M | 101 | N | | 36 |
| 8205 | | 3656 | SAS SFF CABLE | 33 | N | | 36 |
| 8205 | | 3661 | SAS CABLE X ADAPTER TO SAS3M | 127 | N | | 36 |
| 8205 | | 3662 | SAS CABLE X ADAPTER TO SAS6M | 254 | N | | 36 |
| 8205 | | 3663 | SAS CABLE X ADAPTER TO SA15M | 517 | N | | 36 |
| 8205 | | 3675 | SAS EX CBL 3M DRWR TO DRWR | 145 | N | | 36 |
| 8205 | | 3680 | SAS EX CBL 6M DRWR TO DRWR | 258 | N | | 36 |
| 8205 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR | 63 | N | | 36 |
| 8205 | | 3684 | SAS CABLE AE ADAPTER TO EN3M | 127 | N | | 36 |
| 8205 | | 3685 | SAS CABLE AE ADAPTER TO EN6M | 254 | N | | 36 |
| 8205 | | 3687 | SAS CABLE YI SYSTEM TO SAS3M | 93 | N | | 36 |
| 8205 | | 3688 | SAS CABLE AT 0.6 METER | 76 | N | | 36 |
| 8205 | | 3689 | SAS AT CABLE 0.6M HD 6GB ADA | 101 | N | | 36 |
| 8205 | | 3691 | SAS CABLE YO ADAPTER TO1.5M | 76 | N | | 36 |
| 8205 | | 3692 | SAS CABLE YO ADAPTER TO S3M | 93 | N | | 36 |
| 8205 | | 3693 | SAS CABLE YO ADAPTER TO S6M | 127 | N | | 36 |
| 8205 | | 3694 | SAS CABLE YO ADAPTER TO 15M | 446 | N | | 36 |
| 8205 | | 3925 | 0.3M SERIAL PORT CONVERTER CAE | 17 | N | | 36 |
| 8205 | | 3927 | SERIAL PORT NULL MODEM C3.7M | 56 | N | | 36 |
| 8205 | | 3928 | SERIAL PORT NULL MODEM CA10M | 56 | N | | 36 |
| 8205 | | 3930 | SYSTEM SERIAL PORT CONVERTER C | 11 | N | | 36 |
| 8205 | | 4242 | 1.8 M 6 FT EXTENDER CABLE FO | 70 | N | | 36 |
| 8205 | | 4256 | EXTENDER CABLE USB KEYBOARD | 35 | N | | 36 |
| 8205 | | 4276 | 15GA TO DVI CONNECTION CONVERTI | 6 | N | | 36 |
| 8205 | | 4526 | 8GB 2X4GB MEMORY DIMMS 1066 | 901 | N | | 36 |
| 8205 | | 4529 | 16GB 2X8GB MEMORY DIMMS 106 | 1,803 | N | | 36 |
| 8205 | | 4794 | LOWER ACTIVE MEMORY EXPANSION | 1,777 | N | | 36 |
| 8205 | | 4807 | CIE CRYPTO COPROCESSOR NO BS | 9,310 | N | | 36 |
| 8205 | | 4808 | CIE CRYPTO COPROCESSOR GEN3 | 9,310 | N | | 36 |
| 8205 | | 4970 | ONE PROCESSOR OF 5250 ENTERPR | 12,695 | N | | 36 |
| 8205 | | 4973 | ONE PROCESSOR OF 5250 ENTERPR | 12,695 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 4974 | FULL 5250 ENTERPRISE ENABLEMEN | 50,781 | N | | 36 |
| 8205 | | 5260 | PCIE2 LP 4-PORT 1GBE ADAPTR | 254 | N | | 36 |
| 8205 | | 5269 | PCIE LP POWER GXT145 GRAPHICS | 489 | N | | 36 |
| 8205 | | 5270 | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,962 | N | | 36 |
| 8205 | | 5273 | PCIE LP 8GB 2 PORT FIBRE CHANN | 2,961 | N | | 36 |
| 8205 | | 5274 | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,118 | N | | 36 |
| 8205 | | 5275 | PCIE LP 10GBE SR 1 PORT ADAPTE | 2,962 | N | | 36 |
| 8205 | | 5276 | PCIE LP 4GB 2 PORT FIBRE CHANN | 2,115 | N | | 36 |
| 8205 | | 5277 | PCIE LP 4 PORT ASYNC EIA 232 A | 591 | N | | 36 |
| 8205 | | 5278 | PCIE LP 2 X4 PORT SAS ADAPTER | 634 | N | | 36 |
| 8205 | | 5279 | PCIE2 4PORT 10GBE 1GBE SFP LP | 2,115 | N | | 36 |
| 8205 | | 5280 | PCIE2 4 PORT 10GBE 1GBE SR LP | 2,961 | N | | 36 |
| 8205 | | 5283 | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846 | N | | 36 |
| 8205 | | 5284 | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539 | N | | 36 |
| 8205 | | 5285 | PCIE 2 PORT 4X IB QDR ADAPT | 846 | N | | 36 |
| 8205 | | 5286 | PCIE2 LP 2 PORT 10GBE SFP+ | 1,354 | N | | 36 |
| 8205 | | 5287 | PCIE2 2 PORT 10GBE SR ADAPTER | 2,539 | N | | 36 |
| 8205 | | 5288 | PCIE2 2 PORT 10GBE SFP+COPP | 1,354 | N | | 36 |
| 8205 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 167 | N | | 36 |
| 8205 | | 5290 | PCIE LP 2 PORT ASYNC EIA 232 A | 167 | N | | 36 |
| 8205 | | 5532 | SYS AC PWR SUPP 1925 W | 339 | N | | 36 |
| 8205 | | 5604 | MEMORY RISER CARD | 677 | N | | 36 |
| 8205 | | 5615 | GX DUAL PORT 12X CHANNEL ATT | 1,481 | N | | 36 |
| 8205 | | 5618 | STORAGE BACKPLANE 6 SFF BAY | 676 | N | | 36 |
| 8205 | | 5630 | STORAGE BACKPLANE 8 SFF BAY | 1,523 | N | | 36 |
| 8205 | | 5631 | SPLIT DRIVE BAY CAPABILITY FOR | 676 | N | | 36 |
| 8205 | | 5638 | 1 5TB 3 0TB LTO 5 SAS TAPE DRI | 3,385 | N | | 36 |
| 8205 | | 5685 | PCIE RISER CARD (GEN2) | 1,693 | N | | 36 |
| 8205 | | 5706 | 2 PORT 10 100 1000 BASE TX ETH | 639 | N | | 36 |
| 8205 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962 | N | | 36 |
| 8205 | | 5713 | 1 GIGABIT ISCSI TOE PCI X ON C | 762 | N | | 36 |
| 8205 | | 5729 | PCIE2 8GB 4PORT FIBRE CHANN | 5,078 | N | | 36 |
| 8205 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961 | N | | 36 |
| 8205 | | 5736 | PCI X DDR DUAL CHANNEL ULTRA32 | 497 | N | | 36 |
| 8205 | | 5740 | 4 PORT 10 100 1000 BASE TX PCI | 702 | N | | 36 |
| 8205 | | 5744 | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 2,961 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 5745 | PCIE2 4 PORT 10GBE GBE SFP COP | 2,115 | N | | 36 |
| 8205 | | 5747 | LTO ULTRIUM 4 800 GB DATA CART | 508 | N | | 36 |
| 8205 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 319 | N | | 36 |
| 8205 | | 5749 | 4GBPS FIBRE CHANNEL 2 PORT | 2,115 | N | | 36 |
| 8205 | | 5759 | 4 GB DUAL PORT FIBRE CHANNEL P | 2,115 | N | | 36 |
| 8205 | | 5767 | 2 PORT 10 100 1000 BASE TX ETH | 446 | N | | 36 |
| 8205 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,118 | N | | 36 |
| 8205 | | 5769 | 10 GIGABIT ETHERNET SR PCI EXP | 2,962 | N | | 36 |
| 8205 | | 5771 | SATA SLIMLINE DVD RAM DRIVE | 253 | N | | 36 |
| 8205 | | 5772 | 10 GIGABIT ETHERNET LR PCI EXP | 4,013 | N | | 36 |
| 8205 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115 | N | | 36 |
| 8205 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 591 | N | | 36 |
| 8205 | | 5802 | 12X I O DRAWER PCIE SFF DISK | 10,147 | N | | 36 |
| 8205 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB | 1,861 | N | | 36 |
| 8205 | | 5877 | 12X I O DRAWER PCIE NO DISK | 9,216 | N | | 36 |
| 8205 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 4,570 | N | | 36 |
| 8205 | | 5888 | EXP30 ULTRA SSD I O DRAWER | 20,736 | N | | 36 |
| 8205 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 254 | N | | 36 |
| 8205 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 634 | N | | 36 |
| 8205 | | 5908 | PCI X DDR 1 5GB CACHE SAS RAID | 7,194 | N | | 36 |
| 8205 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTE | 698 | N | | 36 |
| 8205 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 6,348 | N | | 36 |
| 8205 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 190 | N | | 36 |
| 8205 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 317 | N | | 36 |
| 8205 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 148 | N | | 36 |
| 8205 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 85 | N | | 36 |
| 8205 | | 5926 | SAS EX CBL 1.5M DRWRTO DRWR | 129 | N | | 36 |
| 8205 | | 6006 | POWER CONTROL CABLE SPCN 3 | 33 | N | | 36 |
| 8205 | | 6007 | POWER CONTROL CABLE SPCN 1 | 67 | N | | 36 |
| 8205 | | 6068 | OPT FRONT DOOR FOR 1 8M RACK | 287 | N | | 36 |
| 8205 | | 6069 | OPT FRONT DOOR FOR 2 0M RACK | 352 | N | | 36 |
| 8205 | | 6248 | 1 8M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |
| 8205 | | 6249 | 2 0M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |
| 8205 | | 6263 | 1 8M RACK TRIM KIT | 338 | N | | 36 |
| 8205 | | 6272 | 2 0M RACK TRIM KIT | 338 | N | | 36 |
| 8205 | | 6458 | POWER CABLE DRAWER TO P | 11 | N | | 36 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 8205 | | 6460 | POWER CORD 4 3M 14 FT DRAW | 11 | N | | 36 |
| 8205 | | 6469 | POWER CORD 4 3M 14 FOOT DRA | 11 | N | | 36 |
| 8205 | | 6470 | POWER CORD 1 8M 6 FOOT TO WA | 11 | N | | 36 |
| 8205 | | 6471 | POWER CORD 2 7M 9 FOO125V 15A | 11 | N | | 36 |
| 8205 | | 6472 | POWER CORD 2 7M 9 FOO250V 16A | 11 | N | | 36 |
| 8205 | | 6473 | POWER CORD 2 7M 9 FOO250V 10A | 11 | N | | 36 |
| 8205 | | 6474 | POWER CORD 2 7M 9 FOO250V 13A | 11 | N | | 36 |
| 8205 | | 6475 | POWER CORD 2 7M 9 FOO250V 16A | 11 | N | | 36 |
| 8205 | | 6476 | POWER CORD 2 7M 9 FOO250V 10A | 11 | N | | 36 |
| 8205 | | 6477 | POWER CORD 2 7M 9 FOO250V 16A | 11 | N | | 36 |
| 8205 | | 6478 | POWER CORD 2 7 M 9 FOO250V 16A | 11 | N | | 36 |
| 8205 | | 6488 | POWER CORD 2 7M 9 FOO125V 15A | 33 | N | | 36 |
| 8205 | | 6489 | 4 3M 14 FT 3PH 24A POWER COR | 233 | N | | 36 |
| 8205 | | 6491 | 4 3M 14 FT 1PH 48A PWR CORD | 255 | N | | 36 |
| 8205 | | 6492 | 4 3M 14 FT 1PH 48 60A PWR CO | 255 | N | | 36 |
| 8205 | | 6493 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6494 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6496 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6577 | POWER CABLE DRAWER TO PD | 11 | N | | 36 |
| 8205 | | 6580 | OPTIONAL RACK SECURITY KIT | 115 | N | | 36 |
| 8205 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 159 | N | | 36 |
| 8205 | | 6651 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6654 | 4 3M 14 FT 1PH 24 30A PWR CO | 153 | N | | 36 |
| 8205 | | 6655 | 4 3M 14 FT 1PH 24 30A WR PWR | 339 | N | | 36 |
| 8205 | | 6656 | 4 3M 14 FT 1PH 24A POWER CORD | 153 | N | | 36 |
| 8205 | | 6659 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6660 | POWER CORD 14 FOOT DRAWER T | 11 | N | | 36 |
| 8205 | | 6665 | POWER CORD 3 M 10 FT DRAWER | 11 | N | | 36 |
| 8205 | | 6669 | POWER CORD 4 3M 14 FOOT DRA | 11 | N | | 36 |
| 8205 | | 6671 | POWER CORD 2 7M 9 FOOT DRAW | 11 | N | | 36 |
| 8205 | | 6672 | POWER CORD 1 5M 5 FOOT DRAW | 11 | N | | 36 |
| 8205 | | 6680 | POWER CORD 2 7M 9 FOOT TO W | 11 | N | | 36 |
| 8205 | | 6771 | TWO 1M INTRA RACK FIBRE CHANNE | 58 | N | | 36 |
| 8205 | | 6773 | TWO 3M INTRA RACK FIBRE CHANNE | 85 | N | | 36 |
| 8205 | | 7109 | INTELLIGENT PDU 1 EIA UNIT | 930 | N | | 36 |
| 8205 | | 7118 | NVIRONMENTAL MONITORING PROB | 237 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | 7131 | RACK MOUNT DRAWER BEZEL AND H | 85 | N | | 36 |
| 8205 | | 7132 | HEM RACK MOUNT DRAWER BEZEL A | 85 | N | | 36 |
| 8205 | | 7145 | HEM RACK MOUNT DRAWER RAIL KIT | 168 | N | | 36 |
| 8205 | | 7188 | POWER DISTRIBUTION UNIT | 640 | N | | 36 |
| 8205 | | 7802 | ETHERNET CABLE 15M HARDWARE | 21 | N | | 36 |
| 8205 | | 8143 | LINUX SOFTWARE PREINSTALL | 50 | N | | 36 |
| 8205 | | 8144 | LINUX SOFTWARE PREINSTALL BUS | 50 | N | | 36 |
| 8205 | | 8347 | 1 CORE 3 7 GHZ POWER7 PROCESSOR | 3,470 | N | | 36 |
| 8205 | | 8353 | 1 CORE 3 3 GHZ POWER7 PROCESSOR | 2,751 | N | | 36 |
| 8205 | | 8354 | 3 CORE 3 7 GHZ POWER7 PROCESSOR | 3,740 | N | | 36 |
| 8205 | | 8355 | 3 CORE 3 55 GHZ POWER7 PROCESSOR | 2,825 | N | | 36 |
| 8205 | | 8366 | ONE PROCESSOR ACTIVATION F8353 | 2,539 | N | | 36 |
| 8205 | | 8367 | ONE PROCESSOR ACTIVATION F8354 | 2,661 | N | | 36 |
| 8205 | | 8368 | ONE PROCESSOR ACTIVATION F8355 | 1,872 | N | | 36 |
| 8205 | | 8373 | ONE PROCESSOR ACTIVATION FOR F | 2,793 | N | | 36 |
| 8205 | | 8845 | USB MOUSE | 25 | N | | 36 |
| 8205 | | 9055 | 2 PORT 10 100 1000 BASE TX ETH | 254 | N | | 36 |
| 8205 | | EB34 | 1 6.1.1 NATIVE IO ENBLMENT | 846 | N | | 36 |
| 8205 | | EC27 | PCIE2 LP 2 PORT 10GBE ROCE SFP | 846 | N | | 36 |
| 8205 | | EC28 | PCIE2 2 PORT 10GBE ROCE SFP+ A | 846 | N | | 36 |
| 8205 | | EC29 | PCIE2 LP 2 PORT 10GBE ROCE SR | 1,481 | N | | 36 |
| 8205 | | EC30 | PCIE2 2 PORT 10GBE ROCE SR ADA | 1,481 | N | | 36 |
| 8205 | | ECB0 | 0.6M BLUE CAT5 ETHERNET CABLE | 10 | N | | 36 |
| 8205 | | ECB2 | 1.5M BLUE CAT5 ETHERNET CABLE | 14 | N | | 36 |
| 8205 | | EDR1 | EXP30 ULTRA SSD I O DRWR | 20,736 | N | | 36 |
| 8205 | | EJ01 | STORAGE B P 8 SFF RAID IOA | 1,523 | N | | 36 |
| 8205 | | EJ02 | SPLIT DRIVE CAPABILITY 5618 | 676 | N | | 36 |
| 8205 | | EJ03 | GX2 PORT PCIE2 X8 ADAPTER | 1,693 | N | | 36 |
| 8205 | | EJ04 | GX DUAL-PORT 12X CHAN ATTACH | 1,481 | N | | 36 |
| 8205 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |
| 8205 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |
| 8205 | | EM01 | MEMORY RISER CARD | 677 | N | | 36 |
| 8205 | | EM04 | 4GB (2X2GB) MEMORY DIMMS 1066 | 449 | N | | 36 |
| 8205 | | EM08 | 8GB (2X4GB) MEMORY DIMMS 1066 | 540 | N | | 36 |
| 8205 | | EM16 | 16GB(2X8GB) MEMORY DIMMS 1066 | 1,081 | N | | 36 |
| 8205 | | EM32 | 32GB (2X16GB) MEMORYDIMMS 1066 | 3,244 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | EM4B | 6GB 2X8GBMEMDIMMS4GBDDR3DR | 719 | N | | 36 |
| 8205 | | EM4C | 2GB 2X16GBMEMDIMMS4GBDDR3DR | 1,439 | N | | 36 |
| 8205 | | EM4D | 4GB 2X32GBMEMDIMMS4GBDDR3DR | 5,417 | N | | 36 |
| 8205 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 85 | N | | 36 |
| 8205 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 101 | N | | 36 |
| 8205 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 127 | N | | 36 |
| 8205 | | EN05 | PCIE X8 CABLE 1.5M | 254 | N | | 36 |
| 8205 | | EN07 | PCIE X8 CABLE 3M | 287 | N | | 36 |
| 8205 | | EN0A | PCIE2 16GB 2POFBRCHANNADPTR | 3,809 | N | | 36 |
| 8205 | | EN0B | CIE2LP16GB2PORTFBRCHANNADPTI | 3,809 | N | | 36 |
| 8205 | | EN0H | PCIE2 4PO10GB FCOE 1GBESRRJ45 | 2,962 | N | | 36 |
| 8205 | | EN0J | PCIE2LP4PO10GB FCOE 1GBESRRJ45 | 2,962 | N | | 36 |
| 8205 | | EN0Y | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078 | N | | 36 |
| 8205 | | EPC8 | 4 CORE 3.7 GHZ POWER7 PROC | 3,470 | N | | 36 |
| 8205 | | EPC9 | 4 CORE 3.3 GHZ POWER7 PROC | 2,751 | N | | 36 |
| 8205 | | EPCA | 6 CORE 3.7 GHZ POWER7 PROC | 3,740 | N | | 36 |
| 8205 | | EPCB | 8 CORE 3.55 GHZ POWER7 PROC | 3,532 | N | | 36 |
| 8205 | | EPCP | 6COR4.2 GHZ POWER7+PROC MDL | 2,962 | N | | 36 |
| 8205 | | EPCQ | 8COR3.6 GHZ POWER7+PROC MDL | 3,343 | N | | 36 |
| 8205 | | EPCR | 8COR4.2 GHZ POWER7+PROC MDL | 4,697 | N | | 36 |
| 8205 | | EPD8 | ONE PROCESSOR ACTIV FOR EPC8 | 2,793 | N | | 36 |
| 8205 | | EPD9 | ONE PROCESSOR ACTIV FOR EPC9 | 2,539 | N | | 36 |
| 8205 | | EPDA | ONE PROCESSOR ACTIV FOR EPCA | 2,661 | N | | 36 |
| 8205 | | EPDB | ONE PROCESSOR ACTIV FOR EPC8 | 2,340 | N | | 36 |
| 8205 | | EPDP | ONE PROC ACT PROCFEAT EPCP | 1,650 | N | | 36 |
| 8205 | | EPDQ | ONE PROC ACT PROCFEAT EPCQ | 1,862 | N | | 36 |
| 8205 | | EPDR | ONE PROC ACT PROCFEAT EPCR | 2,496 | N | | 36 |
| 8205 | | EQ02 | QUANTITY 150 OF 3452 SAS CABL | 57,128 | N | | 36 |
| 8205 | | EQ03 | QUANTITY 150 OF 3453 SAS YO | 85,693 | N | | 36 |
| 8205 | | EQ0C | QUANTITY OF 150 ES0C | 455,504 | N | | 36 |
| 8205 | | EQ0D | QUANTITY OF 150 ES0D | 455,504 | N | | 36 |
| 8205 | | EQ38 | QUANTITY 150 OF 1738 | 190,428 | N | | 36 |
| 8205 | | EQ52 | QUANTITY 150 OF 1752 | 190,428 | N | | 36 |
| 8205 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 8205 | | ES02 | 387GB 1.8 SAS SSD AIX LINUX | 3,724 | N | | 36 |
| 8205 | | ES04 | 387GB 1.8SASSSD I WITEMLC | 3,724 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8205 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8205 | | ES0B | 387GB SFF-1 SSD FOR IBM I | 3,036 | N | | 36 |
| 8205 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8205 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,036 | N | | 36 |
| 8205 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8205 | | ESA2 | PCIE2 LP RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8205 | | ESC6 | S H B | 286 | N | | 36 |
| 8205 | | ESR2 | 6 ES02 387GB 1.8 SAS SSD | 20,109 | N | | 36 |
| 8205 | | ESR4 | SIXES04387GB1.8SASSSDIEMLC | 20,109 | N | | 36 |
| 8205 | | ESRA | 4 ES0A 387GB SFF1 SSD | 10,932 | N | | 36 |
| 8205 | | ESRB | 4 ES0B 387GB SFF1 SSD | 10,932 | N | | 36 |
| 8205 | | ESRC | 4 ES0C 387GB SFF2 SSD | 10,932 | N | | 36 |
| 8205 | | ESRD | 4 ES0D 387GB SFF2 SSD | 10,932 | N | | 36 |
| 8205 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 291 | N | | 36 |
| 8205 | | EU03 | RDX USB INTERNAL DOCKING | 190 | N | | 36 |
| 8205 | | EU04 | RDX USB EXTERNAL DOCKING | 233 | N | | 36 |
| 8205 | | EU07 | RDX SATA INTERNAL DOCKING | 233 | N | | 36 |
| 8205 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 190 | N | | 36 |
| 8205 | | EU11 | 2.5 6.25TB LTO 6 SAS TAPE DRIV | 3,555 | N | | 36 |
| 8205 | | EU15 | 1.5TB REMOVABLE DISKDRIVECARTF | 418 | N | | 36 |
| 8205 | | EU17 | 2.5 TB LTO-6 TAPE CARTRIDGE | 164 | N | | 36 |
| 8205 | | EU18 | 5-PACK OF EU17 | 825 | N | | 36 |
| 8205 | | EUC6 | CORE USE HW FEATURE | 423 | N | | 36 |
| 8205 | | EUC7 | CORE USE HW FEATURE 10 | 4,232 | N | | 36 |
| 8231 | E1D | | POWER 710 | 846 | Y | 2 | 36 |
| 8231 | E2D | | POWER 730 | 783 | Y | 2 | 36 |
| 8231 | | 0010 | ONE CSC BILLING UNIT | 143 | N | | 36 |
| 8231 | | 0011 | TEN CSC BILLING UITS | 1,439 | N | | 36 |
| 8231 | | 0348 | V.24/EIA232 6.1M (20-FT) PCI C | 105 | N | | 36 |
| 8231 | | 0353 | V.35 6.1M (20-FT) PCI CABLE | 105 | N | | 36 |
| 8231 | | 0359 | X.21 6.1M (20-FT) PCI CABLE | 313 | N | | 36 |
| 8231 | | 0456 | CUSTOMER SPECIFIED PLACEMENT | 339 | N | | 36 |
| 8231 | | 0551 | 19 INCH 1.8 METER HIGH RA | 2,237 | N | | 36 |
| 8231 | | 0553 | 19 INCH 2.0 METER HIGH RA | 3,034 | N | | 36 |
| 8231 | | 0599 | RACK FILLER PANEL KIT | 62 | N | | 36 |
| 8231 | | 1025 | MODEM CABLE - US/CANADA AND GE | 10 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 1107 | USB 500 GB REMOVABLE DISK DRIV | 249 | N | | 36 |
| 8231 | | 1111 | 3M BLUE CAT5E CABLE | 21 | N | | 36 |
| 8231 | | 1112 | 10M BLUE CAT5E CABLE | 37 | N | | 36 |
| 8231 | | 1113 | 25M BLUE CAT5E CABLE | 67 | N | | 36 |
| 8231 | | 1455 | 200V (6 FT) 1.8M WATERTIGHT LI | 167 | N | | 36 |
| 8231 | | 1456 | 200V (14 FT) 4.3M WATERTIGHT L | 167 | N | | 36 |
| 8231 | | 1737 | 856GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8231 | | 1738 | 856GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8231 | | 1751 | 900GB 10K RPM SAS SFF DISK | 1,270 | N | | 36 |
| 8231 | | 1752 | 900GB 10K RPM SAS SFF 2 DISK | 1,270 | N | | 36 |
| 8231 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8231 | | 1817 | QUANTITY 150 OF 1962 | 152,343 | N | | 36 |
| 8231 | | 1818 | QUANTITY 150 OF 1964 | 152,343 | N | | 36 |
| 8231 | | 1827 | SYSTEM PORT/UPS CONVERSION CA | 80 | N | | 36 |
| 8231 | | 1828 | 1.5 METER 12X TO 4X CHANNEL CC | 254 | N | | 36 |
| 8231 | | 1832 | QUAD-PORT 1 GB HEA DAUGHTER C/ | 254 | N | | 36 |
| 8231 | | 1833 | DUAL-PORT 10GB HEA DAUGHTER C/ | 1,447 | N | | 36 |
| 8231 | | 1837 | DUAL-PORT 10 GB HEA DAUGHTER C | 372 | N | | 36 |
| 8231 | | 1841 | 3 METER 12X TO 4X CHANNEL CC | 317 | N | | 36 |
| 8231 | | 1844 | QUANTITY 150 OF 1956 | 101,308 | N | | 36 |
| 8231 | | 1854 | 10 METER 12X TO 4X ENHANCE CCC | 508 | N | | 36 |
| 8231 | | 1861 | 0.6 METER 12X DDR CABLE | 296 | N | | 36 |
| 8231 | | 1862 | 1.5 METER 12X DDR CABLE | 339 | N | | 36 |
| 8231 | | 1864 | 8 METER 12X DDR CABLE | 614 | N | | 36 |
| 8231 | | 1865 | 3.0 METER 12X DDR CABLE | 402 | N | | 36 |
| 8231 | | 1866 | QUANTITY 150 OF 1917 | 63,222 | N | | 36 |
| 8231 | | 1868 | QUANTITY 150 OF 1947 | 63,222 | N | | 36 |
| 8231 | | 1869 | QUANTITY 150 OF 1925 | 101,308 | N | | 36 |
| 8231 | | 1879 | 283GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8231 | | 1880 | 300GB 15K RPM SAS DISK | 804 | N | | 36 |
| 8231 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 675 | N | | 36 |
| 8231 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 421 | N | | 36 |
| 8231 | | 1888 | 139GB 15K SFF SAS DD IBM I | 421 | N | | 36 |
| 8231 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 675 | N | | 36 |
| 8231 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8231 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8231 | | 1927 | QUANTITY 150 OF 1948 | 120,605 | N | | 36 |
| 8231 | | 1929 | QUANTITY 150 OF 1953 | 120,605 | N | | 36 |
| 8231 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 421 | N | | 36 |
| 8231 | | 1948 | 283GB 15K RPM SAS SFF-2 | 804 | N | | 36 |
| 8231 | | 1953 | 300GB 15K RPM SAS SFF-2 | 804 | N | | 36 |
| 8231 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 675 | N | | 36 |
| 8231 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8231 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 36 |
| 8231 | | 1996 | 1 GIGABIT ISCSI TOE PCI XONC | 3,724 | N | | 36 |
| 8231 | | 2053 | PCIE LP RAID SSD SAS ADAPTER 3 | 2,584 | N | | 36 |
| 8231 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,584 | N | | 36 |
| 8231 | | 2456 | 2M LC-SC 50 MICRON FIBER CONVE | 70 | N | | 36 |
| 8231 | | 2459 | 2M LC-SC 62.5 MICRON FIBER CON | 70 | N | | 36 |
| 8231 | | 2728 | 4 PORT USB PCIE ADAPTER | 127 | N | | 36 |
| 8231 | | 2893 | PCIE 2 LINE WAN W MODEM | 490 | N | | 36 |
| 8231 | | 2934 | M ASYNCHRONOUS TERMINAL/PRIN | 31 | N | | 36 |
| 8231 | | 2936 | ASYNCHRONOUS CABLE EIA-232/V.2 | 51 | N | | 36 |
| 8231 | | 3124 | SERIAL-TO-SERIAL PORT CABLE FO | 56 | N | | 36 |
| 8231 | | 3125 | SERIAL-TO-SERIAL PORT CABLE FO | 56 | N | | 36 |
| 8231 | | 3287 | 1M QDR IB/ENET COPPER CABLE | 438 | N | | 36 |
| 8231 | | 3288 | 3M QDR IB/ENET COPPER CABLE | 549 | N | | 36 |
| 8231 | | 3289 | 5M QDR IB/ENET COPPER CABLE | 592 | N | | 36 |
| 8231 | | 3290 | 10M QDR IB OPTIC CABLE | 635 | N | | 36 |
| 8231 | | 3293 | 30M QDR IB OPTIC CABLE | 762 | N | | 36 |
| 8231 | | 3450 | SAS YO CABLE 1.5M HD 6GB ADA | 203 | N | | 36 |
| 8231 | | 3451 | SAS YO CABLE 3M HD 6GB ADAPT | 254 | N | | 36 |
| 8231 | | 3452 | SAS YO CABLE 6M HD 6GB ADAPT | 381 | N | | 36 |
| 8231 | | 3453 | SAS YO CABLE 10M HD 6GB ADAP | 571 | N | | 36 |
| 8231 | | 3454 | SAS X CABLE 3M HD 6GB 2 ADAP | 381 | N | | 36 |
| 8231 | | 3455 | SAS X CABLE 6M HD 6GB 2 ADAP | 635 | N | | 36 |
| 8231 | | 3456 | SAS X CABLE 10M HD 6GB 2 ADA | 1,058 | N | | 36 |
| 8231 | | 3457 | SAS YO CABLE 15M HD 3GB ADAP | 1,058 | N | | 36 |
| 8231 | | 3458 | SAS X CABLE 15M HD 3GB 2 ADA | 2,031 | N | | 36 |
| 8231 | | 3632 | WIDESCREEN LCD MONITOR | 845 | N | | 36 |
| 8231 | | 3652 | SAS CABLE (EE) DRAWER TO DRAW | 42 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 3653 | SAS CABLE (EE) DRAWER TO DRAWER | 58 | N | | 36 |
| 8231 | | 3654 | SAS CABLE (EE) DRAWER TO DRAWER | 101 | N | | 36 |
| 8231 | | 3661 | SAS CABLE (X) ADAPTER TO SAS | 127 | N | | 36 |
| 8231 | | 3662 | SAS CABLE (X) ADAPTER TO SAS E | 254 | N | | 36 |
| 8231 | | 3663 | SAS CABLE (X) ADAPTER TO SAS E | 517 | N | | 36 |
| 8231 | | 3675 | SAS EX CABLE 3M DRW TO DRW | 145 | N | | 36 |
| 8231 | | 3680 | SAS EX CABLE 6M DRW TO DRW | 258 | N | | 36 |
| 8231 | | 3684 | SAS CABLE (AE) ADAPTER TO ENCL | 127 | N | | 36 |
| 8231 | | 3685 | SAS CABLE (AE) ADAPTER TO ENCL | 254 | N | | 36 |
| 8231 | | 3687 | SAS CABLE (YI) SYSTEM TO SAS E | 93 | N | | 36 |
| 8231 | | 3688 | SAS CABLE AT 0.6 METER | 76 | N | | 36 |
| 8231 | | 3689 | SAS AT CABLE 0.6M HD 6GB ADA | 101 | N | | 36 |
| 8231 | | 3691 | SAS CABLE (YO) ADAPTER TO SAS | 76 | N | | 36 |
| 8231 | | 3692 | SAS CABLE (YO) ADAPTER TO SAS | 93 | N | | 36 |
| 8231 | | 3693 | SAS CABLE (YO) ADAPTER TO SAS | 127 | N | | 36 |
| 8231 | | 3694 | SAS CABLE (YO) ADAPTER TO SAS | 446 | N | | 36 |
| 8231 | | 3925 | 0.3M SERIAL PORT CONVERTER CAE | 17 | N | | 36 |
| 8231 | | 3927 | SERIAL PORT NULL MODEM CABLE | 56 | N | | 36 |
| 8231 | | 3928 | SERIAL PORT NULL MODEM CABLE | 56 | N | | 36 |
| 8231 | | 3930 | SYSTEM SERIAL PORT CONVERTER C | 11 | N | | 36 |
| 8231 | | 4242 | 1.8 M (6-FT) EXTENDER CABLE FO | 70 | N | | 36 |
| 8231 | | 4256 | EXTENDER CABLE USB KEYBOARDS | 35 | N | | 36 |
| 8231 | | 4276 | /GA TO DVI CONNECTION CONVERTI | 6 | N | | 36 |
| 8231 | | 4525 | 4GB (2X2GB) MEMORY DIMMS 1066 | 449 | N | | 36 |
| 8231 | | 4526 | 8GB (2X4GB) MEMORY DIMMS 1066 | 901 | N | | 36 |
| 8231 | | 4527 | 16GB (2X8GB) MEMORY DIMMS 106 | 1,803 | N | | 36 |
| 8231 | | 4795 | ACTIVE MEMORY EXPANSION ENABL | 1,777 | N | | 36 |
| 8231 | | 4808 | PCI-E CRYPTO COPROCESSOR GEN3 | 9,310 | N | | 36 |
| 8231 | | 4970 | ONE PROCESSOR OF 5250 ENTERPR | 12,695 | N | | 36 |
| 8231 | | 4974 | FULL 5250 ENTERPRISE ENABLEMEN | 50,781 | N | | 36 |
| 8231 | | 5260 | PCI-E2 LP 4-PORT 1GBE ADAPTR | 254 | N | | 36 |
| 8231 | | 5263 | DISK/DVD/TAPE BACKPLANE 3X SFF | 707 | N | | 36 |
| 8231 | | 5265 | MEMORY RISER CARD | 677 | N | | 36 |
| 8231 | | 5266 | GX++ DUAL-PORT 4X CHANNEL ATT | 1,185 | N | | 36 |
| 8231 | | 5267 | STORAGE BACKPLANE -- 6 SFF DRI | 676 | N | | 36 |
| 8231 | | 5268 | STORAGE BACKPLANE W EXT | 1,523 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 5269 | PCIE LP POWER GXT145 GRAPHICS | 489 | N | | 36 |
| 8231 | | 5270 | PCIE LP 10GB FCOE 2-PORT ADAPT | 2,962 | N | | 36 |
| 8231 | | 5273 | PCIE LP 8GB 2-PORT FIBRE CHANN | 2,961 | N | | 36 |
| 8231 | | 5274 | PCIE LP 2-PORT 1GBE SX ADAPTER | 1,118 | N | | 36 |
| 8231 | | 5275 | PCIE LP 10GBE SR 1-PORT ADAPTE | 2,962 | N | | 36 |
| 8231 | | 5276 | PCIE LP 4GB 2-PORT FIBRE CHANN | 2,115 | N | | 36 |
| 8231 | | 5277 | PCIE LP 4-PORT ASYNC EIA-232 A | 591 | N | | 36 |
| 8231 | | 5278 | PCIE LP 2-X4-PORT SAS ADAPTER | 634 | N | | 36 |
| 8231 | | 5279 | PCIE2 4PORT 10GBE1GBE SFP LP | 2,115 | N | | 36 |
| 8231 | | 5280 | PCIE2 4 PORT 10GBE1GBE SR LP | 2,961 | N | | 36 |
| 8231 | | 5283 | PCIE2 LP 2 PORT 4X IB QDR ADAP | 846 | N | | 36 |
| 8231 | | 5284 | PCIE2 LP 2 PORT 10GBE SR ADAPT | 2,539 | N | | 36 |
| 8231 | | 5286 | PCIE2 LP 2 PORT 10GBE SFP+ | 1,354 | N | | 36 |
| 8231 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 167 | N | | 36 |
| 8231 | | 5290 | 2-PRT ASYNCH EIA-232 PCIE-1 LP | 167 | N | | 36 |
| 8231 | | 5532 | SYSTEM PWR SUP1925W | 339 | N | | 36 |
| 8231 | | 5603 | SYSTEM AC POWER SUPPLY 1725 W | 339 | N | | 36 |
| 8231 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962 | N | | 36 |
| 8231 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961 | N | | 36 |
| 8231 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 319 | N | | 36 |
| 8231 | | 5767 | 2 PORT 10/100/1000 BASE TX ETH | 446 | N | | 36 |
| 8231 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,118 | N | | 36 |
| 8231 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 2,962 | N | | 36 |
| 8231 | | 5771 | SATA SLIMLINE DVD RAM DRIVE | 253 | N | | 36 |
| 8231 | | 5772 | 10 GIGABIT ETHERNET LR PCI | 4,013 | N | | 36 |
| 8231 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115 | N | | 36 |
| 8231 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 591 | N | | 36 |
| 8231 | | 5802 | 12X I/O DRAWER PCIE SFF DISK | 10,147 | N | | 36 |
| 8231 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 1,861 | N | | 36 |
| 8231 | | 5877 | 12X I/O DRAWER PCIE NO DISK | 9,216 | N | | 36 |
| 8231 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 4,570 | N | | 36 |
| 8231 | | 5888 | EXP30 ULTRA SSD I/O DRAWER | 20,736 | N | | 36 |
| 8231 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 254 | N | | 36 |
| 8231 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 634 | N | | 36 |
| 8231 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 6,348 | N | | 36 |
| 8231 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 190 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 317 | N | | 36 |
| 8231 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 148 | N | | 36 |
| 8231 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 85 | N | | 36 |
| 8231 | | 5926 | SAS EX CABLE 1.5M DRW TO DRW | 129 | N | | 36 |
| 8231 | | 6006 | POWER CONTROL CBL SPCN 3 M | 33 | N | | 36 |
| 8231 | | 6007 | POWER CONTROL CBL SPCN 15 M | 67 | N | | 36 |
| 8231 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 287 | N | | 36 |
| 8231 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 352 | N | | 36 |
| 8231 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |
| 8231 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,972 | N | | 36 |
| 8231 | | 6263 | 1.8M RACK TRIM KIT | 338 | N | | 36 |
| 8231 | | 6272 | 2.0M RACK TRIM KIT | 338 | N | | 36 |
| 8231 | | 6458 | POWER CABLE -- DRAWER TO IBM P | 11 | N | | 36 |
| 8231 | | 6460 | POWER CORD 4.3M (14-FT) DRAWER | 11 | N | | 36 |
| 8231 | | 6469 | POWER CORD 4.3M (14-FOOT) DRAWER | 11 | N | | 36 |
| 8231 | | 6470 | POWER CORD 1.8M(6-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6471 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6472 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6473 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6474 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6475 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6476 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6477 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6478 | POWER CORD 2.7 M(9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6488 | POWER CORD 2.7M (9-FOOT) TO WALL | 33 | N | | 36 |
| 8231 | | 6489 | 4.3M (14-FT) 3PH/24A POWER CORD | 233 | N | | 36 |
| 8231 | | 6491 | 4.3M (14-FT) 1PH/48A PWR CORD | 255 | N | | 36 |
| 8231 | | 6492 | 4.3M (14-FT) 1PH/48-60A PWR CORD | 255 | N | | 36 |
| 8231 | | 6493 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6494 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6496 | POWER CORD 2.7M (9-FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6577 | POWER CABLE - DRAWER TO IBM PC | 11 | N | | 36 |
| 8231 | | 6580 | OPTIONAL RACK SECURITY KIT | 115 | N | | 36 |
| 8231 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 159 | N | | 36 |
| 8231 | | 6651 | POWER CORD 2.7M (9 FOOT) TO WALL | 11 | N | | 36 |
| 8231 | | 6654 | 4.3M (14-FT) 1PH/24-30A PWR CORD | 153 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | 6655 | 4.3M (14-FT) 1PH/24-30A WR PWR | 339 | N | | 36 |
| 8231 | | 6656 | 4.3M (14-FT)1PH/24A POWER CORD | 153 | N | | 36 |
| 8231 | | 6659 | POWER CORD 2.7M (9-FOOT) TO W | 11 | N | | 36 |
| 8231 | | 6660 | POWER CORD (14-FOOT) DRAWER T | 11 | N | | 36 |
| 8231 | | 6665 | POWER CORD 3 M (10 FT) DRAWER | 11 | N | | 36 |
| 8231 | | 6669 | POWER CORD 4.3M (14-FOOT) DR | 11 | N | | 36 |
| 8231 | | 6670 | POWER CORD (6-FOOT) TO WALL (| 11 | N | | 36 |
| 8231 | | 6671 | POWER CORD 2.7M (9-FOOT) DRAW | 11 | N | | 36 |
| 8231 | | 6672 | POWER CORD 1.5M (5-FOOT) DRA | 11 | N | | 36 |
| 8231 | | 6680 | POWER CORD 2.7M (9-FOOT) TO W | 11 | N | | 36 |
| 8231 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 930 | N | | 36 |
| 8231 | | 7118 | NVIRONMENTAL MONITORING PROB | 237 | N | | 36 |
| 8231 | | 7188 | POWER DISTRIBUTION UNIT | 640 | N | | 36 |
| 8231 | | 7802 | ETHERNET CABLE 15M HARDWARE | 21 | N | | 36 |
| 8231 | | 8143 | LINUX SOFTWARE PREINSTALL | 50 | N | | 36 |
| 8231 | | 8144 | LINUX SOFTWARE PREINSTALL (BUS | 50 | N | | 36 |
| 8231 | | 8360 | ONE PROCESSOR ACTIVATION FOR F | 491 | N | | 36 |
| 8231 | | 8372 | ONE PROCESSOR ACTIVATION FOR F | 974 | N | | 36 |
| 8231 | | 8381 | ONE PROCESSOR ACTIVATION FOR F | 727 | N | | 36 |
| 8231 | | 8382 | ONE PROCESSOR ACTIVATION FOR F | 450 | N | | 36 |
| 8231 | | 8845 | USB MOUSE | 25 | N | | 36 |
| 8231 | | 9056 | PCIE LP 2 PORT 1GBE TX ADAPTER | 254 | N | | 36 |
| 8231 | | EB34 | I 6.1.1 NATIVE I O ENABLEM | 846 | N | | 36 |
| 8231 | | EC27 | PCIE2 LP 2-PORT 10GBE ROCE SFP | 846 | N | | 36 |
| 8231 | | EC29 | PCIE2 LP 2 PORT 10GBE ROCE SR | 1,481 | N | | 36 |
| 8231 | | ECB0 | 0.6M BLUE CAT5 ETHERNET CABLE | 10 | N | | 36 |
| 8231 | | ECB2 | 1.5M BLUE CAT5 ETHERNET CABLE | 14 | N | | 36 |
| 8231 | | EDR1 | EXP30 ULTRA SSD I O DRAWER | 20,736 | N | | 36 |
| 8231 | | EHSS | SPSS ON PWR SOL IND | 0 | N | | 36 |
| 8231 | | EJ0D | STORAGE BACKPLANE 6 SFF DRI | 676 | N | | 36 |
| 8231 | | EJ0E | STORAGE BACKPLANE 3 SFF DRI | 707 | N | | 36 |
| 8231 | | EJ0F | STORAGE BACKPLANE W/EXT SAS | 1,523 | N | | 36 |
| 8231 | | EJ0G | GX DUAL-PORT 12X ATTACH | 1,481 | N | | 36 |
| 8231 | | EJ0H | GX LP 1 PORT PCIE2 X8 ADAPTE | 1,227 | N | | 36 |
| 8231 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |
| 8231 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 50 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | EM04 | 4GB 2X2GB MEMORY DIMMS 1066 | 449 | N | | 36 |
| 8231 | | EM08 | 8GB 2X4GB MEMORY DIMMS 1066 | 540 | N | | 36 |
| 8231 | | EM16 | 16GB 2X4GB MEMORY DIMMS 1066 | 1,081 | N | | 36 |
| 8231 | | EM32 | 32GB 2X4GB MEMORY DIMMS 1066 | 3,244 | N | | 36 |
| 8231 | | EM4B | 16GB 2X8GB MEMORY DIMMS 1066 | 719 | N | | 36 |
| 8231 | | EM4C | 32GB 2X16GB MEM DIMMS 1066 | 1,439 | N | | 36 |
| 8231 | | EM4D | 64GB 2X32GB MEM DIMMS 1066 | 5,417 | N | | 36 |
| 8231 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 85 | N | | 36 |
| 8231 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 101 | N | | 36 |
| 8231 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 127 | N | | 36 |
| 8231 | | EN05 | PCIE X8 CABLE 1.5M | 254 | N | | 36 |
| 8231 | | EN07 | PCIE X8 CABLE 3M | 287 | N | | 36 |
| 8231 | | EN0B | PCIE2 LP 16GB 2PORT FIBRE CHA | 3,809 | N | | 36 |
| 8231 | | EN0J | PCIE2 LP 4PORT 10GB FCOE & 1G | 2,962 | N | | 36 |
| 8231 | | EN0Y | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 5,078 | N | | 36 |
| 8231 | | EPC1 | ‡ CORE 3.0 GHZ POWER7 PROCESSF | 635 | N | | 36 |
| 8231 | | EPC2 | ‡ CORE 3.7 GHZ POWER7 PROCESSF | 830 | N | | 36 |
| 8231 | | EPC3 | ‡ CORE 3.55 GHZ POWER7 PROCESF | 1,375 | N | | 36 |
| 8231 | | EPC4 | ‡ CORE 3.7 GHZ POWER7 PROCESSF | 1,121 | N | | 36 |
| 8231 | | EPCE | 4-CORE 3.6 GHZ POWER7 PROC | 418 | N | | 36 |
| 8231 | | EPCF | 4 CORE 4.3 GHZ POWER7 PROC | 550 | N | | 36 |
| 8231 | | EPCG | 6-CORE 4.2 GHZ POWER7 PROC | 423 | N | | 36 |
| 8231 | | EPCH | 8 CORE 3.6 GHZ POWER7 PROC | 458 | N | | 36 |
| 8231 | | EPCJ | 8-CORE 4.2 GHZ POWER7 PROC | 783 | N | | 36 |
| 8231 | | EPD1 | ONE PROCESSOR ACTIV FOR EPC1 | 491 | N | | 36 |
| 8231 | | EPD2 | ONE PROCESSOR ACTIV FOR EPC2 | 450 | N | | 36 |
| 8231 | | EPD3 | ONE PROCESSOR ACTIV FOR EPC3 | 904 | N | | 36 |
| 8231 | | EPD4 | ONE PROCESSOR ACTIV FOR EPC4 | 727 | N | | 36 |
| 8231 | | EPDE | ONE PROCESSOR ACTIV FOR EPCE | 249 | N | | 36 |
| 8231 | | EPDF | ONE PROCESSOR ACTIV FOR EPCF | 435 | N | | 36 |
| 8231 | | EPDG | ONE PROCESSOR ACTIV FOR EPCG | 249 | N | | 36 |
| 8231 | | EPDH | ONE PROCESSOR ACTIV FOR EPCH | 254 | N | | 36 |
| 8231 | | EPDJ | ONE PROCESSOR ACTIV FOR EPCJ | 465 | N | | 36 |
| 8231 | | EQ02 | QUANTITY 150 OF 3452 SAS CABL | 57,128 | N | | 36 |
| 8231 | | EQ03 | QUANTITY 150 OF 3453 SAS YO | 85,693 | N | | 36 |
| 8231 | | EQ0C | QUANTITY OF 150 ES0C | 455,504 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8231 | | EQ0D | QUANTITY OF 150 ES0D | 455,504 | N | | 36 |
| 8231 | | EQ52 | QNT150 1752 900GB SFF2 | 190,428 | N | | 36 |
| 8231 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 8231 | | ES02 | 387GB 1.8 SAS SSD AIX LINUX | 3,724 | N | | 36 |
| 8231 | | ES04 | 387 GB 1.8 SSD FOR IBMI W/EMLC | 3,724 | N | | 36 |
| 8231 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8231 | | ES0B | 387GB SFF-1 SSD FOR IBMI | 3,036 | N | | 36 |
| 8231 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,036 | N | | 36 |
| 8231 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,036 | N | | 36 |
| 8231 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8231 | | ESA2 | PCIE2 LP RAID SAS ADAPTER 6GB | 5,247 | N | | 36 |
| 8231 | | ESC5 | S H A | 260 | N | | 36 |
| 8231 | | ESR2 | SIX ES02 387GB 1.8 SAS AIX LI | 20,109 | N | | 36 |
| 8231 | | ESR4 | SIX ES04 387 GB 1.8 SSD IBMI | 20,109 | N | | 36 |
| 8231 | | ESRA | FOUR ES0A 387GB SFF 1 SSD AIX | 10,932 | N | | 36 |
| 8231 | | ESRB | FOUR ES0B 387GB SFF 1 SSD IBMI | 10,932 | N | | 36 |
| 8231 | | ESRC | FOUR ES0C387GB SFF 2 SSD AIX | 10,932 | N | | 36 |
| 8231 | | ESRD | FOUR ES0D 387GB SFF 2 SSD IBMI | 10,932 | N | | 36 |
| 8231 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 291 | N | | 36 |
| 8231 | | EU04 | RDX USB EXTERNAL DOCKING | 233 | N | | 36 |
| 8231 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 190 | N | | 36 |
| 8231 | | EU15 | 1.5TB REMOVABLE DISK CARTRIDGE | 418 | N | | 36 |
| 8231 | | EU23 | RDX USB INTERNAL DOCKING | 190 | N | | 36 |
| 8233 | | 0010 | ONE CSC BILLING UNIT | 143 | N | | 12 |
| 8233 | | 0011 | TEN CSC BILLING UITS | 1,439 | N | | 12 |
| 8233 | | 0348 | V.24/EIA232 6.1M (20 FT) PCI C | 105 | N | | 12 |
| 8233 | | 0353 | V.35 6.1M (20 FT) PCI CABLE | 105 | N | | 12 |
| 8233 | | 0359 | X.21 6.1M (20 FT) PCI CABLE | 313 | N | | 12 |
| 8233 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,237 | N | | 12 |
| 8233 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 3,034 | N | | 12 |
| 8233 | | 0599 | RACK FILLER PANEL KIT | 62 | N | | 12 |
| 8233 | | 1025 | MODEM CABLE US/CANADA AND GL | 10 | N | | 12 |
| 8233 | | 1107 | USB 500 GB REMOVABLE DISK DR | 249 | N | | 12 |
| 8233 | | 1111 | CAT5E ETHERNET CABLE3M BLUE | 21 | N | | 12 |
| 8233 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 37 | N | | 12 |
| 8233 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 67 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8233 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 21 | N | | 12 |
| 8233 | | 1116 | CAT5E ETHERNET CABLE 10M GREEN | 37 | N | | 12 |
| 8233 | | 1117 | CAT5E ETHERNET CABLE 25M GREEN | 67 | N | | 12 |
| 8233 | | 1118 | CAT5E ETHERNET CABLE 3M YELLOW | 21 | N | | 12 |
| 8233 | | 1119 | CAT5E ETHERNET CABLE 10M YELLOW | 37 | N | | 12 |
| 8233 | | 1121 | CAT5E ETHERNET CABLE 25M YELLOW | 67 | N | | 12 |
| 8233 | | 1421 | 4.3M 200V/16A POWER CORD CH/DK | 10 | N | | 12 |
| 8233 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,016 | N | | 12 |
| 8233 | | 1817 | QUANTITY 150 OF 1962 | 152,343 | N | | 12 |
| 8233 | | 1818 | QUANTITY 150 OF 1964 | 152,343 | N | | 12 |
| 8233 | | 1827 | SYSTEM PORT/UPS CONVERSION CA | 80 | N | | 12 |
| 8233 | | 1828 | 1.5 METER 12X TO 4X CHANNEL CC | 254 | N | | 12 |
| 8233 | | 1841 | 3 METER 12X TO 4X CHANNEL CC | 317 | N | | 12 |
| 8233 | | 1844 | QUANTITY 150 OF 1956 | 101,308 | N | | 12 |
| 8233 | | 1854 | 10 METER 12X TO 4X ENHANCE CCC | 508 | N | | 12 |
| 8233 | | 1861 | 0.6 METER 12X DDR CABLE | 296 | N | | 12 |
| 8233 | | 1862 | 1.5 METER 12X DDR CABLE | 339 | N | | 12 |
| 8233 | | 1864 | 8.0 METER 12X DDR CABLE | 614 | N | | 12 |
| 8233 | | 1865 | 3.0 METER 12X DDR CABLE | 402 | N | | 12 |
| 8233 | | 1866 | QUANTITY 150 OF 1917 | 63,222 | N | | 12 |
| 8233 | | 1868 | QUANTITY 150 OF 1947 | 63,222 | N | | 12 |
| 8233 | | 1869 | QUANTITY 150 OF 1925 | 101,308 | N | | 12 |
| 8233 | | 1878 | DP PANEL CABLE FOR RACK MOUNT | 5 | N | | 12 |
| 8233 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 675 | N | | 12 |
| 8233 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 421 | N | | 12 |
| 8233 | | 1888 | 139GB 15K SFF SAS DD IBM I | 421 | N | | 12 |
| 8233 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 675 | N | | 12 |
| 8233 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,016 | N | | 12 |
| 8233 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 421 | N | | 12 |
| 8233 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 675 | N | | 12 |
| 8233 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 421 | N | | 12 |
| 8233 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 675 | N | | 12 |
| 8233 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 12 |
| 8233 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,016 | N | | 12 |
| 8233 | | 1996 | 1 GIGABIT ISCSI TOE PCI XONC | 3,724 | N | | 12 |
| 8233 | | 2054 | PCIE RAID SSD SAS ADAPTER 3GB | 2,584 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|--------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 8233 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,584 | N | | 12 |
| 8233 | | 2456 | 2M LC SC 50 MICRON FIBER CONVE | 70 | N | | 12 |
| 8233 | | 2459 | 2M LC SC 62.5 MICRON FIBER CON | 70 | N | | 12 |
| 8233 | | 2728 | 4 PORT USB PCIE ADAPTER | 127 | N | | 12 |
| 8233 | | 2893 | PCIE 2 LINE WAN W/MODEM | 490 | N | | 12 |
| 8233 | | 2934 | M ASYNCHRONOUS TERMINAL/PRIN | 31 | N | | 12 |
| 8233 | | 2936 | ASYNCHRONOUS CABLE EIA 232/V | 51 | N | | 12 |
| 8233 | | 3124 | SERIAL TO SERIAL PORT CABLE DD | 56 | N | | 12 |
| 8233 | | 3125 | SERIAL TO SERIAL PORT CABLE RR | 56 | N | | 12 |
| 8233 | | 3632 | WIDESCREEN LCD MONITOR | 845 | N | | 12 |
| 8233 | | 3652 | SAS CABLE (EE) DRAWER TO DR 1M | 42 | N | | 12 |
| 8233 | | 3653 | SAS CABLE (EE) DRAWER TO DR 3M | 58 | N | | 12 |
| 8233 | | 3654 | SAS CABLE (EE) DRAWER TO DR 6M | 101 | N | | 12 |
| 8233 | | 3656 | SAS SFF CABLE | 33 | N | | 12 |
| 8233 | | 3657 | RIGHT ANGLE SAS TAPE DRIVE CAB | 17 | N | | 12 |
| 8233 | | 3661 | SAS CABLE (X) ADAPTER TO SAS E | 127 | N | | 12 |
| 8233 | | 3662 | SAS CABLE (X) ADAPTER TO SAS E | 254 | N | | 12 |
| 8233 | | 3663 | SAS CABLE (X) ADAPTER TO SAS E | 517 | N | | 12 |
| 8233 | | 3668 | SAS CABLE DASD BACKPLANE TO R | 67 | N | | 12 |
| 8233 | | 3669 | SAS CABLE DASD BACKPLANE SPL | 72 | N | | 12 |
| 8233 | | 3679 | SAS CABLE (AI) ADAPTER TO INT | 44 | N | | 12 |
| 8233 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR (| 63 | N | | 12 |
| 8233 | | 3684 | SAS CABLE (AE) ADAPTER TO ENCL | 127 | N | | 12 |
| 8233 | | 3685 | SAS CABLE (AE) ADAPTER TO ENCL | 254 | N | | 12 |
| 8233 | | 3687 | SAS CABLE (YI) SYSTEM TO SAS E | 93 | N | | 12 |
| 8233 | | 3688 | SAS CABLE (AT) 0.6 METER | 76 | N | | 12 |
| 8233 | | 3691 | SAS CABLE (YO) ADAPTER TO SAS | 76 | N | | 12 |
| 8233 | | 3692 | SAS CABLE (YO) ADAPTER TO SAS | 93 | N | | 12 |
| 8233 | | 3693 | SAS CABLE (YO) ADAPTER TO SAS | 127 | N | | 12 |
| 8233 | | 3694 | SAS CABLE (YO) ADAPTER TO SAS | 446 | N | | 12 |
| 8233 | | 3925 | 0.3M SERIAL PORT CONVERTER CAE | 17 | N | | 12 |
| 8233 | | 3927 | SERIAL PORT NULL MODEM CABLE | 56 | N | | 12 |
| 8233 | | 3928 | SERIAL PORT NULL MODEM CABLE | 56 | N | | 12 |
| 8233 | | 4242 | 1.8 M (6 FT) EXTENDER CABLE | 70 | N | | 12 |
| 8233 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 35 | N | | 12 |
| 8233 | | 4276 | /GA TO DVI CONNECTION CONVERTI | 6 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233 | | 4526 | 8GB (2X4GB) MEMORY DIMMS | 901 | N | | 12 |
| 8233 | | 4527 | 16GB (2X8GB) MEMORY DIMMS 1066 | 1,803 | N | | 12 |
| 8233 | | 4528 | 32GB (2X16GB) MEMORYDIMMS 1066 | 5,408 | N | | 12 |
| 8233 | | 4792 | ACTIVE MEMORY EXPANSION ENABL | 2,200 | N | | 12 |
| 8233 | | 4807 | CIE CRYPTO COPROCESSOR NO BS | 9,310 | N | | 12 |
| 8233 | | 4808 | CIE CRYPTO COPROCESSOR GEN3 | 9,310 | N | | 12 |
| 8233 | | 4988 | ONE PROCESSOR OF 5250 ENTERPR | 12,695 | N | | 12 |
| 8233 | | 4989 | FULL 5250 ENTERPRISE ENABLEMEN | 50,781 | N | | 12 |
| 8233 | | 5609 | 3X DUAL PORT 12X CHANNEL ATTAC | 1,862 | N | | 12 |
| 8233 | | 5613 | DUAL PORT (SR) INTEGRATED VIRT | 2,962 | N | | 12 |
| 8233 | | 5616 | 3X DUAL PORT 12X CHANNEL ATTAC | 931 | N | | 12 |
| 8233 | | 5624 | 4 PORT 1GB INTEGRATED VIRTUAL | 446 | N | | 12 |
| 8233 | | 5638 | 1.5TB 3.0TB LTO 5 SAS TAPE DR | 3,385 | N | | 12 |
| 8233 | | 5646 | BLIND SWAP TYPE III CASSETTE | 31 | N | | 12 |
| 8233 | | 5647 | BLIND SWAP TYPE III CASSETTE | 31 | N | | 12 |
| 8233 | | 5679 | SAS RAID ENABLEMENT | 2,116 | N | | 12 |
| 8233 | | 5706 | 2 PORT 10/100/1000 BASE TX ETH | 639 | N | | 12 |
| 8233 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,962 | N | | 12 |
| 8233 | | 5713 | 1 GIGABIT ISCSI TOE PCI X ON C | 762 | N | | 12 |
| 8233 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,961 | N | | 12 |
| 8233 | | 5736 | PCI X DDR DUAL CHANNEL ULTRA32 | 497 | N | | 12 |
| 8233 | | 5740 | 4 PORT 10/100/1000 BASE TX PCI | 702 | N | | 12 |
| 8233 | | 5747 | LTO ULTRIUM 4 800 GB DATA CART | 508 | N | | 12 |
| 8233 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 319 | N | | 12 |
| 8233 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,115 | N | | 12 |
| 8233 | | 5759 | 4 GB DUAL PORT FIBRE CHANNEL | 2,115 | N | | 12 |
| 8233 | | 5767 | 2 PORT 10/100/1000 BASE TX ETH | 446 | N | | 12 |
| 8233 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,118 | N | | 12 |
| 8233 | | 5769 | 10 GIGABIT ETHERNET SR PCI | 2,962 | N | | 12 |
| 8233 | | 5772 | 10 GIGABIT ETHERNET LR PCI | 4,013 | N | | 12 |
| 8233 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,115 | N | | 12 |
| 8233 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 591 | N | | 12 |
| 8233 | | 5802 | 12X I/O DRAWER PCIE SFF DISK | 10,147 | N | | 12 |
| 8233 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 1,861 | N | | 12 |
| 8233 | | 5877 | 12X I/O DRAWER PCIE NO DISK | 9,216 | N | | 12 |
| 8233 | | 5887 | EXP24S SFF GEN2-BAY DRAWER | 4,570 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 254 | N | | 12 |
| 8233 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 634 | N | | 12 |
| 8233 | | 5904 | PCI X DDR 1.5GB CACHE SAS RAID | 7,194 | N | | 12 |
| 8233 | | 5908 | PCI X DDR 1.5GB CACHE SAS RAID | 7,194 | N | | 12 |
| 8233 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTE | 698 | N | | 12 |
| 8233 | | 6006 | POWER CONTROL CABLE (SPCN) 3 | 33 | N | | 12 |
| 8233 | | 6007 | POWER CONTROL CABLE (SPCN) 15 | 67 | N | | 12 |
| 8233 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 287 | N | | 12 |
| 8233 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 352 | N | | 12 |
| 8233 | | 6248 | 1.8M RACK ACOUSTIC DOOR | 2,972 | N | | 12 |
| 8233 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,972 | N | | 12 |
| 8233 | | 6263 | 1.8M RACK TRIM KIT | 338 | N | | 12 |
| 8233 | | 6272 | 2.0M RACK TRIM KIT | 338 | N | | 12 |
| 8233 | | 6458 | POWER CABLE DRAWER TO PDU | 11 | N | | 12 |
| 8233 | | 6460 | POWER CORD 4.3M (14 FT) DRAWE | 11 | N | | 12 |
| 8233 | | 6469 | POWER CORD 4.3M (14 FOOT) DRA | 11 | N | | 12 |
| 8233 | | 6470 | POWER CORD 1.8M(6 FOOT) TO WA | 11 | N | | 12 |
| 8233 | | 6471 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6472 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6473 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6474 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6475 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6476 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6477 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6478 | POWER CORD 2.7 M(9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6488 | POWER CORD 2.7M (9 FOOT) TO W | 33 | N | | 12 |
| 8233 | | 6489 | 4.3M (14 FT) 3PH/24A POWER COR | 233 | N | | 12 |
| 8233 | | 6491 | 4.3M (14 FT) 1PH/48A PWR CORD | 255 | N | | 12 |
| 8233 | | 6492 | 4.3M (14 FT) 1PH/48 60A PWR CO | 255 | N | | 12 |
| 8233 | | 6493 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6494 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6496 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6577 | POWER CABLE DRAWER TO IBM PC | 11 | N | | 12 |
| 8233 | | 6580 | OPTIONAL RACK SECURITY KIT | 115 | N | | 12 |
| 8233 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 159 | N | | 12 |
| 8233 | | 6651 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233 | | 6654 | 4.3M (14 FT) 1PH/24 30A PWR CO | 153 | N | | 12 |
| 8233 | | 6655 | 4.3M (14 FT) 1PH/24 30A WR PWR | 339 | N | | 12 |
| 8233 | | 6656 | 4.3M (14 FT)1PH/24A POWER CORD | 153 | N | | 12 |
| 8233 | | 6659 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 6660 | POWER CORD (14 FOOT) DRAWER T | 11 | N | | 12 |
| 8233 | | 6665 | POWER CORD 3 M (10 FT) DRAWER | 11 | N | | 12 |
| 8233 | | 6669 | POWER CORD 4.3M (14 FOOT) DRA | 11 | N | | 12 |
| 8233 | | 6671 | POWER CORD 2.7M (9 FOOT) DRAW | 11 | N | | 12 |
| 8233 | | 6672 | POWER CORD 1.5M (5 FOOT) DRAW | 11 | N | | 12 |
| 8233 | | 6680 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8233 | | 7109 | INTELLIGENT PDU 1 EIA UNIT | 930 | N | | 12 |
| 8233 | | 7118 | NVIRONMENTAL MONITORING PROB | 237 | N | | 12 |
| 8233 | | 7188 | POWER DISTRIBUTION UNIT | 640 | N | | 12 |
| 8233 | | 7714 | ONE PROCESSOR ACTIVATION 8334 | 2,624 | N | | 12 |
| 8233 | | 7715 | ONE PROCESSOR ACTIVATION 8332 | 5,078 | N | | 12 |
| 8233 | | 7716 | ONE PROCESSOR ACTIVATION 8336 | 7,617 | N | | 12 |
| 8233 | | 7717 | ONE PROCESSOR ACTIVATION 8335 | 4,105 | N | | 12 |
| 8233 | | 7802 | ETHERNET CABLE 15M HARDWARE | 21 | N | | 12 |
| 8233 | | 7863 | PCI BLIND SWAP CASSETTE KIT | 42 | N | | 12 |
| 8233 | | 8332 | 3 CORE 3.3 GHZ POWER7 PROCESSC | 10,495 | N | | 12 |
| 8233 | | 8334 | 3 CORE 3.0 GHZ POWER7 PROCESSC | 5,027 | N | | 12 |
| 8233 | | 8335 | 3 CORE 3.3 GHZ POWER7 PROCESSC | 5,924 | N | | 12 |
| 8233 | | 8336 | 3 CORE 3.55 GHZ POWER7 PROCESS | 14,980 | N | | 12 |
| 8233 | | 8845 | USB MOUSE | 25 | N | | 12 |
| 8233 | | EM08 | 8GB 2X4GB MEMORY DIMMS 1066 | 540 | N | | 36 |
| 8233 | | EM16 | 16GB 2X8GB MEMORY DIMMS 1066 | 1,081 | N | | 36 |
| 8233 | | EM32 | 32GB 2X16GB MEMORYDIMMS1066 | 3,244 | N | | 36 |
| 8233 | | EPA1 | 8 CORE 3.6 GHZ POWER7 PROC | 10,486 | N | | 12 |
| 8233 | | EPA2 | 6 CORE 3.7 GHZ POWER7 PROC | 4,147 | N | | 12 |
| 8233 | | EPA3 | 4 CORE 3.7 GHZ POWER7 PROC | 2,553 | N | | 12 |
| 8233 | | EPB1 | ONE PROCESSOR ACTIVATION EPA1 | 5,332 | N | | 12 |
| 8233 | | EPB2 | ONE PROCESSOR ACTIVATION EPA2 | 2,873 | N | | 12 |
| 8233 | | EPB3 | ONE PROCESSOR ACTIVATION EPA3 | 2,978 | N | | 12 |
| 8233 | | EQ0C | QUANTITY OF 150 ES0C | 455,504 | N | | 12 |
| 8233 | | EQ0D | QUANTITY OF 150 ES0D | 455,504 | N | | 12 |
| 8233 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,036 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8233 | | ES0B | 387GB SFF-1 SSD FOR IBMI | 3,036 | N | | 12 |
| 8233 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,036 | N | | 12 |
| 8233 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,036 | N | | 12 |
| 8233 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 190 | N | | 12 |
| 8233 | | EUC6 | CORE USE HW FEATURE | 423 | N | | 36 |
| 8234 | | 0348 | V.24/EIA 6.1M (20FT) PCI CABLE | 100 | N | | 12 |
| 8234 | | 0353 | V.35 6.1M 20FT PCI CABLE | 100 | N | | 12 |
| 8234 | | 0359 | X.21 6.1M 20FT PCI CABLE | 298 | N | | 12 |
| 8234 | | 0367 | V.24/EIA232 24.4M 80FT PCI CBL | 100 | N | | 12 |
| 8234 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,131 | N | | 12 |
| 8234 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 2,890 | N | | 12 |
| 8234 | | 0555 | 19 INCH 1.3 METER HIGH RACK | 1,594 | N | | 12 |
| 8234 | | 0599 | RACK FILLER PANEL KIT | 59 | N | | 12 |
| 8234 | | 1025 | MODEM CABLE US/CANADA GEN USE | 10 | N | | 12 |
| 8234 | | 1107 | USB 500 GB REMOVABLE DISKDRIVE | 238 | N | | 12 |
| 8234 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 20 | N | | 12 |
| 8234 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 36 | N | | 12 |
| 8234 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 64 | N | | 12 |
| 8234 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 20 | N | | 12 |
| 8234 | | 1116 | CAT5E ETHERNET CABLE 10M GREEN | 36 | N | | 12 |
| 8234 | | 1117 | CAT5E ETHERNET CABLE 25M GREEN | 64 | N | | 12 |
| 8234 | | 1118 | CAT5E ETHERNET CABLE 3M YELLO | 20 | N | | 12 |
| 8234 | | 1119 | CAT5E ETHERNET CABLE 10M YELLC | 36 | N | | 12 |
| 8234 | | 1120 | DECLINE ELECTR SERVICE AGENT | 0 | N | | 12 |
| 8234 | | 1121 | CAT5E ETHERNET CABLE 25M YELLC | 64 | N | | 12 |
| 8234 | | 1793 | 177GB SFF2 SSD W/ EMLC AIX/LI | 2,892 | N | | 36 |
| 8234 | | 1794 | 177GB SFF 2 SSD W/ EMLC IBM I | 2,892 | N | | 36 |
| 8234 | | 1827 | SYSTEM PORT/UPS CONVERSION CB | 77 | N | | 12 |
| 8234 | | 1828 | 1.5M 12X TO 4X CHAN CONVERSION | 242 | N | | 12 |
| 8234 | | 1841 | 3M 12X TO 4X CHAN CONVERSION | 302 | N | | 12 |
| 8234 | | 1844 | QUANTITY 150 OF 1956 | 96,484 | N | | 12 |
| 8234 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 484 | N | | 12 |
| 8234 | | 1861 | 0.6 METER 12X DDR CABLE | 282 | N | | 12 |
| 8234 | | 1862 | 1.5 METER 12X DDR CABLE | 322 | N | | 12 |
| 8234 | | 1864 | 8.0 METER 12X DDR CABLE | 584 | N | | 12 |
| 8234 | | 1865 | 3.0 METER 12X DDR CABLE | 383 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234 | | 1866 | QUANTITY 150 OF 1917 | 60,212 | N | | 12 |
| 8234 | | 1868 | QUANTITY 150 OF 1947 | 60,212 | N | | 12 |
| 8234 | | 1869 | QUANTITY 150 OF 1925 | 96,484 | N | | 12 |
| 8234 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 643 | N | | 12 |
| 8234 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 401 | N | | 12 |
| 8234 | | 1887 | QUANTITY 150 OF 1793 | 433,814 | N | | 36 |
| 8234 | | 1888 | 139GB 15K SFF SAS DD IBM I | 401 | N | | 12 |
| 8234 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 401 | N | | 12 |
| 8234 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 643 | N | | 12 |
| 8234 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 401 | N | | 12 |
| 8234 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 643 | N | | 12 |
| 8234 | | 1958 | QUANTITY 150 OF 1794 | 433,814 | N | | 36 |
| 8234 | | 2456 | 2M LC SC 50 MICRON FIBER CONV | 66 | N | | 12 |
| 8234 | | 2459 | 2M LC SC 62.5 MICRON FIBER CBL | 66 | N | | 12 |
| 8234 | | 2728 | 4 PORT USB PCIE ADAPTER | 121 | N | | 12 |
| 8234 | | 2893 | PCIE 2 LINE WAN W/MODEM | 466 | N | | 12 |
| 8234 | | 2934 | 3M ASYNCH TERMINAL/PRINTER CBL | 29 | N | | 12 |
| 8234 | | 2936 | ASYNCH CBL EIA 232/V.24 3M | 48 | N | | 12 |
| 8234 | | 3124 | SERIAL TO SERIAL PRT CBL DRWR | 53 | N | | 12 |
| 8234 | | 3125 | SERIAL TO SERIAL PRT CBL RACK | 53 | N | | 12 |
| 8234 | | 3632 | WIDESCREEN LCD MONITOR | 805 | N | | 12 |
| 8234 | | 3652 | SAS CBL EE DRWR TO DRWR 1M | 40 | N | | 12 |
| 8234 | | 3653 | SAS CBL EE DRWR TO DRWR 3M | 56 | N | | 12 |
| 8234 | | 3654 | SAS CBL EE DRWR TO DRWR 6M | 97 | N | | 12 |
| 8234 | | 3661 | SAS CBL X ADP SAS ENCL DUAL 3M | 121 | N | | 12 |
| 8234 | | 3662 | SAS CBL X ADP SAS ENCL DUAL 6M | 242 | N | | 12 |
| 8234 | | 3663 | SAS CBL X ADP SAS ENCL DUAL | 492 | N | | 12 |
| 8234 | | 3679 | SAS CBL AI ADP TO INT DRIVE 1M | 42 | N | | 12 |
| 8234 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR | 60 | N | | 12 |
| 8234 | | 3684 | SAS CBL AE ADP ENCL SINGLE 3M | 121 | N | | 12 |
| 8234 | | 3685 | SAS CBL AE ADP ENCL SINGLE 6M | 242 | N | | 12 |
| 8234 | | 3688 | SAS CABLE (AT) 0.6 METER | 73 | N | | 12 |
| 8234 | | 3691 | SAS CBL YO ADP ENCL SNGL 1.5M | 73 | N | | 12 |
| 8234 | | 3692 | SAS CBL YO ADP ENCL SINGLE 3M | 89 | N | | 12 |
| 8234 | | 3693 | SAS CBL YO ADP ENCL SINGLE 6M | 121 | N | | 12 |
| 8234 | | 3694 | SAS CBL YO ADP ENCL SINGLE 15M | 425 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234 | | 3925 | 0.3M SERIAL PRT CONVERTER CBL | 16 | N | | 12 |
| 8234 | | 3927 | SERIAL PRT NULL MODEM CBL 9PIN | 54 | N | | 12 |
| 8234 | | 3928 | SERIAL PRT NULL MODEM CBL 9PIN | 54 | N | | 12 |
| 8234 | | 4242 | 1.8M 6FT EXT CBL FOR DISPLAYS | 66 | N | | 12 |
| 8234 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 33 | N | | 12 |
| 8234 | | 4276 | VGA DVI CONNECTION CONVERTER | 6 | N | | 12 |
| 8234 | | 4808 | 'CIE CRYPTO COPROCESSOR GEN3 | 8,866 | N | | 12 |
| 8234 | | 4990 | SINGLE 5250 ENTERPRISE ENABLE | 40,302 | N | | 12 |
| 8234 | | 4991 | FULL 5250 ENTERPRISE ENABLE | 161,209 | N | | 12 |
| 8234 | | 5524 | RFID TAGS FOR SERVERS BLADES | 16 | N | | 12 |
| 8234 | | 5646 | BLIND SWAP TYPE III CASSETTE | 30 | N | | 12 |
| 8234 | | 5647 | BLIND SWAP TYPE III CASSETTE | 30 | N | | 12 |
| 8234 | | 5706 | 2PRT 10/100/1000 BASE TX ETH | 608 | N | | 12 |
| 8234 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821 | N | | 12 |
| 8234 | | 5713 | 1GB ISCSI TOE PCI X ON COPPER | 725 | N | | 12 |
| 8234 | | 5735 | 8GB PCI EXPRESS DUAL PRT FIBRE | 2,820 | N | | 12 |
| 8234 | | 5736 | PCI X DUAL CHANN ULTRA320 SCSI | 473 | N | | 12 |
| 8234 | | 5748 | POWER GXT145 PCI EXPRESS | 304 | N | | 12 |
| 8234 | | 5749 | 4GBPS FIBRE CHANNEL 2 PORT | 2,014 | N | | 12 |
| 8234 | | 5759 | 4GB DUAL PRT FIBRE CHAN PCI X | 2,014 | N | | 12 |
| 8234 | | 5767 | 2 PRT 10/100/1000 BASE TX ETH | 425 | N | | 12 |
| 8234 | | 5768 | 2 PRT GB ETH SX PCI EXPRESS | 1,065 | N | | 12 |
| 8234 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 2,821 | N | | 12 |
| 8234 | | 5772 | 10 GB ETH LR PCI EXPRESS ADP | 3,822 | N | | 12 |
| 8234 | | 5774 | 4 GB PCI EXPRESS DUAL PORT | 2,014 | N | | 12 |
| 8234 | | 5782 | PCI X EXP24 CTL 1.5GB NO IOP | 6,816 | N | | 12 |
| 8234 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADP | 563 | N | | 12 |
| 8234 | | 5802 | 12X I/O DRAWER PCIE SFF DISK | 9,664 | N | | 12 |
| 8234 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 1,772 | N | | 12 |
| 8234 | | 5877 | 12X I O DRAWER PCIE NO DISK | 8,778 | N | | 12 |
| 8234 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 4,353 | N | | 12 |
| 8234 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 604 | N | | 12 |
| 8234 | | 5908 | PCI X DDR 1.5GB CACHE SAS RAID | 6,851 | N | | 12 |
| 8234 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTER | 665 | N | | 12 |
| 8234 | | 6006 | 'OWER CONTROL CBL SPCN 3 METE | 32 | N | | 12 |
| 8234 | | 6007 | POWER CONTROL CBL SPCN 15 M | 64 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 274 | N | | 12 |
| 8234 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 334 | N | | 12 |
| 8234 | | 6248 | 1.8M RACK ACCOUSTIC DOORS | 2,831 | N | | 12 |
| 8234 | | 6249 | 2.0M RACK ACCOUSTIC DOORS | 2,831 | N | | 12 |
| 8234 | | 6458 | PWR CBL DRWR IBM PDU 14FT 250V | 11 | N | | 12 |
| 8234 | | 6460 | PWR CRD 4.3M 14FT DRWR OEM PDL | 11 | N | | 12 |
| 8234 | | 6469 | PWR CRD 4.3M 14FT DRWR OEM PDL | 11 | N | | 12 |
| 8234 | | 6471 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6472 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6473 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6474 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6475 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6476 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6477 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6478 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6488 | PWR CRD 2.7M 9FT WALL OEM PDU | 32 | N | | 12 |
| 8234 | | 6489 | 4.3M 14FT 3PH/24A POWER CORD | 202 | N | | 12 |
| 8234 | | 6491 | 4.3M 14FT 1PH/48A PWR CORD | 243 | N | | 12 |
| 8234 | | 6492 | 4.3M 14FT 1PH/48 60A PWR CORD | 243 | N | | 12 |
| 8234 | | 6493 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 12 |
| 8234 | | 6494 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 12 |
| 8234 | | 6496 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 12 |
| 8234 | | 6580 | OPTIONAL RACK SECURITY KIT | 109 | N | | 12 |
| 8234 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 152 | N | | 12 |
| 8234 | | 6651 | PWR CRD 2.7M 9FT WALL 125V 15A | 11 | N | | 12 |
| 8234 | | 6654 | 4.3M 14FT 1PH/24 30A PWR CORD | 145 | N | | 12 |
| 8234 | | 6655 | 4.3M 14FT 1PH/24 30A WR PWR | 322 | N | | 12 |
| 8234 | | 6656 | 4.3M 14FT 1PH/24 POWER CORD | 145 | N | | 12 |
| 8234 | | 6659 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 11 | N | | 12 |
| 8234 | | 6669 | PWR CRD 4.3M 14FT DRWR PDU | 11 | N | | 12 |
| 8234 | | 6671 | PWR CRD 2.7M 9FT DRWR PDU 250V | 11 | N | | 12 |
| 8234 | | 6672 | PWR CRD 1.5M 5FT DRWR PDU 250V | 11 | N | | 12 |
| 8234 | | 6680 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 12 |
| 8234 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 886 | N | | 12 |
| 8234 | | 7164 | OEM RACK MOUNT DRWR RAIL KIT | 135 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8234 | | 7188 | POWER DISTRIBUTION UNIT | 609 | N | | 12 |
| 8234 | | 7723 | 1 PROC ACTIVATION PROC FC 7537 | 4,756 | N | | 12 |
| 8234 | | 7802 | ETH CBL 15M HW MANAGEMENT | 20 | N | | 12 |
| 8234 | | 7863 | PCI BLIND SWAP CASSETTE KIT | 40 | N | | 12 |
| 8234 | | 7870 | POWER DISTRIBUTION BACKPLANE | 161 | N | | 12 |
| 8234 | | 8143 | LINUX SOFTWARE PREINSTALL | 48 | N | | 12 |
| 8234 | | 8144 | LINUX SOFTWARE PREINSTALL SDIS | 48 | N | | 12 |
| 8234 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 181 | N | | 12 |
| 8236 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 12 |
| 8236 | | 0011 | TEN CSC BILLING UITS | 1,370 | N | | 12 |
| 8236 | | 0348 | V.24 EIA232 6.1M (20 FT) PCI C | 100 | N | | 12 |
| 8236 | | 0353 | V.35 6.1M (20 FT) PCI CABLE | 100 | N | | 12 |
| 8236 | | 0359 | X.21 6.1M (20 FT) PCI CABLE | 298 | N | | 12 |
| 8236 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,131 | N | | 12 |
| 8236 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 2,890 | N | | 12 |
| 8236 | | 0599 | RACK FILLER PANEL KIT | 59 | N | | 12 |
| 8236 | | 1790 | 600GB 10K RPM SAS SFF DISK | 967 | N | | 12 |
| 8236 | | 1818 | QUANTITY 150 OF 1964 | 145,088 | N | | 12 |
| 8236 | | 1828 | 1.5 METER 12X TO 4X CHANNEL CO | 242 | N | | 12 |
| 8236 | | 1841 | 3 METER 12X TO 4X CHANNEL CONV | 302 | N | | 12 |
| 8236 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 484 | N | | 12 |
| 8236 | | 1861 | 0.6 METER 12X DDR CABLE | 282 | N | | 12 |
| 8236 | | 1866 | QUANTITY 150 OF 1917 | 60,212 | N | | 12 |
| 8236 | | 1869 | QUANTITY 150 OF 1925 | 96,484 | N | | 12 |
| 8236 | | 1880 | 300GB 15K RPM SAS DISK | 766 | N | | 12 |
| 8236 | | 1885 | 300GB 10K RPM SFF SAS DISK DRI | 643 | N | | 12 |
| 8236 | | 1886 | 146GB 15K RPM SFF SAS DISK DRI | 401 | N | | 12 |
| 8236 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 401 | N | | 12 |
| 8236 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 643 | N | | 12 |
| 8236 | | 1929 | QUANTITY 150 OF 1953 | 114,861 | N | | 12 |
| 8236 | | 1953 | 300GB 15K RPM SAS SFF 2 DISK | 766 | N | | 12 |
| 8236 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 967 | N | | 12 |
| 8236 | | 2054 | PCIE RAID SSD SAS ADAPTER 3GB | 2,461 | N | | 12 |
| 8236 | | 2456 | 2M LC SC 50 MICRON FIBER CONVE | 66 | N | | 12 |
| 8236 | | 2459 | 2M LC SC 62.5 MICRON FIBER CON | 66 | N | | 12 |
| 8236 | | 2728 | 4 PORT USB PCIE ADAPTER | 121 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236 | | 2934 | M ASYNCHRONOUS TERMINAL PRIN | 29 | N | | 12 |
| 8236 | | 2936 | ASYNCHRONOUS CABLE EIA 232 V.2 | 48 | N | | 12 |
| 8236 | | 3124 | SERIAL TO SE.PORT CBL DRAW3.7M | 53 | N | | 12 |
| 8236 | | 3125 | SERIAL TO SE.PORT CBL RACK 8M | 53 | N | | 12 |
| 8236 | | 3632 | WIDESCREEN LCD MONITOR | 805 | N | | 12 |
| 8236 | | 3652 | SAS CABLE (EE) DRAWER TO DRW1M | 40 | N | | 12 |
| 8236 | | 3653 | SAS CABLE (EE) DRAWER TO DRW3M | 56 | N | | 12 |
| 8236 | | 3654 | SAS CABLE (EE) DRAWER TO DRW6M | 97 | N | | 12 |
| 8236 | | 3661 | SAS CABLE (X) ADAPTER TO SAS3M | 121 | N | | 12 |
| 8236 | | 3662 | CONTROLLER DUAL PATH 6M | 242 | N | | 12 |
| 8236 | | 3663 | CONTROLLER DUAL PATH 15M | 492 | N | | 12 |
| 8236 | | 3668 | SAS CABLE DASD BACKPLANE TO R | 64 | N | | 12 |
| 8236 | | 3679 | SAS CAB (AI) ADAPTER TO INT 1M | 42 | N | | 12 |
| 8236 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR (| 60 | N | | 12 |
| 8236 | | 3684 | SAS CAB (AE) ADAPTER TO EN 3M | 121 | N | | 12 |
| 8236 | | 3685 | SAS CAB (AE) ADAPTER TO EN 6M | 242 | N | | 12 |
| 8236 | | 3687 | SAS CA(YI) SYSTEM TO SAS 3M | 89 | N | | 12 |
| 8236 | | 3691 | SAS CAB(YO) ADAPTER TO SAS1.5M | 73 | N | | 12 |
| 8236 | | 3692 | SAS CAB(YO) ADAPTER TO SAS 3M | 89 | N | | 12 |
| 8236 | | 3693 | SAS CAB(YO) ADAPTER TO SAS 6M | 121 | N | | 12 |
| 8236 | | 3694 | SAS CAB(YO) ADAPTER TO SAS 15M | 425 | N | | 12 |
| 8236 | | 3925 | 0.3M SERIAL PORT CONVERTER CAE | 16 | N | | 12 |
| 8236 | | 3927 | SERIAL PORT NULL MOD CAB 3.7M | 53 | N | | 12 |
| 8236 | | 3928 | SERIAL PORT NULL MO CAB 10M | 53 | N | | 12 |
| 8236 | | 4242 | 1.8 M (6 FT) EXTENDER CABLE FO | 66 | N | | 12 |
| 8236 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 33 | N | | 12 |
| 8236 | | 4276 | /GA TO DVI CONNECTION CONVERTI | 6 | N | | 12 |
| 8236 | | 4526 | 8GB (2X4GB) MEMORY DIMMS 1067 | 858 | N | | 12 |
| 8236 | | 4527 | 16GB (2X8GB) MEMORY DIMMS 106 | 1,717 | N | | 12 |
| 8236 | | 4807 | CIE CRYPTO COPROCESSOR NO BS | 8,866 | N | | 12 |
| 8236 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 159 | N | | 12 |
| 8236 | | 5609 | GX DUAL PORT 12X CHANNEL ATTAC | 1,773 | N | | 12 |
| 8236 | | 5613 | DUAL PORT (SR) INTEGRATED VIRT | 2,821 | N | | 12 |
| 8236 | | 5624 | 4 PORT 1GB INTEGRATED VIRTUAL | 425 | N | | 12 |
| 8236 | | 5706 | IBM 2 PORT 10/100/1000 BASETX | 609 | N | | 12 |
| 8236 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236 | | 5713 | 1 GIGABIT ISCSI TOE PCI X ON C | 725 | N | | 12 |
| 8236 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,820 | N | | 12 |
| 8236 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 304 | N | | 12 |
| 8236 | | 5759 | 4 GB DUAL PORT FIBRE CHANNEL P | 2,014 | N | | 12 |
| 8236 | | 5767 | 2 PORT 10/100/1000 BASE TX ETH | 425 | N | | 12 |
| 8236 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,065 | N | | 12 |
| 8236 | | 5769 | 10 GIGABIT ETHERNET SR PCI EXP | 2,821 | N | | 12 |
| 8236 | | 5772 | 10 GIGABIT ETHERNET LR PCI EXP | 3,822 | N | | 12 |
| 8236 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,014 | N | | 12 |
| 8236 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 563 | N | | 12 |
| 8236 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 4,353 | N | | 12 |
| 8236 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 242 | N | | 12 |
| 8236 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 604 | N | | 12 |
| 8236 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 274 | N | | 12 |
| 8236 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 334 | N | | 12 |
| 8236 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 8236 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 8236 | | 6263 | 1.8M RACK TRIM KIT | 321 | N | | 12 |
| 8236 | | 6272 | 2.0M RACK TRIM KIT | 321 | N | | 12 |
| 8236 | | 6458 | POWER CABLE DRAWER TO PDU | 11 | N | | 12 |
| 8236 | | 6460 | POWER CORD 4.3M (14 FT) DRAW | 11 | N | | 12 |
| 8236 | | 6469 | POWER CORD 4.3M (14 FOOT) DRA | 11 | N | | 12 |
| 8236 | | 6470 | POW C 1.8M(6 FOOT) T(125V 15A | 11 | N | | 12 |
| 8236 | | 6471 | POWC2.7M (9 FOOT) T(125V 15A | 11 | N | | 12 |
| 8236 | | 6472 | POWC2.7M (9 FOOT) T(250V 16A | 11 | N | | 12 |
| 8236 | | 6473 | POWC2.7M (9 FOOT) T(250V 10A | 11 | N | | 12 |
| 8236 | | 6474 | POWC2.7M (9 FOOT) T(250V 13A | 11 | N | | 12 |
| 8236 | | 6475 | POWC2.7M (9 FOOT) T(250V 16A | 11 | N | | 12 |
| 8236 | | 6476 | POWC2.7M (9 FOOT) T(250V 10A | 11 | N | | 12 |
| 8236 | | 6477 | POWC2.7M (9 FOOT) T(250V 16A | 11 | N | | 12 |
| 8236 | | 6478 | POWC2.7M (9 FOOT) T(250V 16A | 11 | N | | 12 |
| 8236 | | 6488 | POC 2.7M (9 FOOT) T(125V 15A | 32 | N | | 12 |
| 8236 | | 6489 | 4.3M (14 FT) 3PH 24A POWER COR | 222 | N | | 12 |
| 8236 | | 6491 | 4.3M (14 FT) 1PH 48A PWR CORD | 243 | N | | 12 |
| 8236 | | 6492 | 4.3M (14 FT) 1PH 48 60A PWR CO | 243 | N | | 12 |
| 8236 | | 6493 | POC 2.7M (9 FOOT) T(250V 10A | 11 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8236 | | 6494 | POC 2.7M (9 FOOT) T(250V 10A | 11 | N | | 12 |
| 8236 | | 6496 | POC 2.7M (9 FOOT) T(250V 10A | 11 | N | | 12 |
| 8236 | | 6580 | OPTIONAL RACK SECURITY KIT | 109 | N | | 12 |
| 8236 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 152 | N | | 12 |
| 8236 | | 6651 | POC 2.7M (9 FOOT) T(125V 15A | 11 | N | | 12 |
| 8236 | | 6654 | 4.3M (14 FT) 1PH 24 30A PWR CO | 145 | N | | 12 |
| 8236 | | 6655 | 4.3M (14 FT) 1PH 24 30A WR PWR | 322 | N | | 12 |
| 8236 | | 6656 | 4.3M (14 FT)1PH 24A POWER CORD | 145 | N | | 12 |
| 8236 | | 6659 | POC 2.7M (9 FOOT) T(250V 15A | 11 | N | | 12 |
| 8236 | | 6660 | POWER CORD (14 FOOT) DRAWER T | 11 | N | | 12 |
| 8236 | | 6665 | POWER CORD 3 M (10 FT) DRAWER | 11 | N | | 12 |
| 8236 | | 6669 | POWER CORD 4.3M (14 FOOT) DRA | 11 | N | | 12 |
| 8236 | | 6671 | POWER CORD 2.7M (9 FOOT) DRAW | 11 | N | | 12 |
| 8236 | | 6672 | POWER CORD 1.5M (5 FOOT) DRAW | 11 | N | | 12 |
| 8236 | | 6680 | POWER CORD 2.7M (9 FOOT) TO W | 11 | N | | 12 |
| 8236 | | 7109 | INTELLIGENT PDU 1 EIA UNIT UN | 886 | N | | 12 |
| 8236 | | 7118 | NVIRONMENTAL MONITORING PROB | 226 | N | | 12 |
| 8236 | | 7188 | POWER DISTRIBUTION UNIT | 609 | N | | 12 |
| 8236 | | 7550 | QUANTITY 150 OF 1790 | 145,088 | N | | 12 |
| 8236 | | 7802 | ETHERNET CABLE 15M HARDWARE | 20 | N | | 12 |
| 8236 | | 8332 | 3CORE 3.3 GHZ POWER7 PROCESSO | 9,995 | N | | 12 |
| 8236 | | 8845 | USB MOUSE | 24 | N | | 12 |
| 8236 | | EM08 | 8GB 2X4GB MEMORY DIMMS 1066 | 515 | N | | 36 |
| 8236 | | EM16 | 16GB 2X8GB MEMORY DIMMS 1066 | 1,030 | N | | 36 |
| 8236 | | EM32 | 32GB 2X16GB MEMORYDIMMS1066 | 3,090 | N | | 36 |
| 8236 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 2,892 | N | | 12 |
| 8236 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 2,892 | N | | 12 |
| 8246 | L1D | | POWERLINUX 7R1 | 2,821 | Y | 2 | 36 |
| 8246 | L1T | | POWERLINUX 7R1 | 2,821 | Y | 2 | 36 |
| 8246 | L2D | | POWERLINUX 7R2 | 3,224 | Y | 2 | 36 |
| 8246 | L2T | | POWERLINUX 7R2 | 3,224 | Y | 2 | 36 |
| 8246 | | 0348 | V.24 EIA232 6.1M 20 FT PCI C | 100 | N | | 36 |
| 8246 | | 0353 | V.35 6.1M 20 FT PCI CABLE | 100 | N | | 36 |
| 8246 | | 0359 | X.21 6.1M 20 FT PCI CABLE | 298 | N | | 36 |
| 8246 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,131 | N | | 36 |
| 8246 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 2,890 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | 0599 | RACK FILLER PANEL KIT | 59 | N | | 36 |
| 8246 | | 1025 | MODEM CABLE US CANADA AND GU | 10 | N | | 36 |
| 8246 | | 1107 | USB 500 GB REMOVABLE DISK DR | 238 | N | | 36 |
| 8246 | | 1827 | SYSTEM PORT UPS CONVERSION CA | 77 | N | | 36 |
| 8246 | | 1828 | 1.5 METER 12X TO 4X CHANNEL CC | 242 | N | | 36 |
| 8246 | | 1832 | QUAD PORT 1 GB HEA DAUGHTER C/ | 242 | N | | 36 |
| 8246 | | 1833 | DUAL PORT 10GB HEA DAUGHTER C/ | 1,378 | N | | 36 |
| 8246 | | 1837 | DUAL PORT 10 GB HEA DAUGHTER C | 355 | N | | 36 |
| 8246 | | 1841 | 3 METER 12X TO 4X CHANNEL CC | 302 | N | | 36 |
| 8246 | | 1854 | 10 METER 12X TO 4X ENHANCE CCC | 484 | N | | 36 |
| 8246 | | 1861 | 0.6 METER 12X DDR CABLE | 282 | N | | 36 |
| 8246 | | 1862 | 1.5 METER 12X DDR CABLE | 322 | N | | 36 |
| 8246 | | 1864 | 8.0 METER 12X DDR CABLE | 584 | N | | 36 |
| 8246 | | 1865 | 3.0 METER 12X DDR CABLE | 383 | N | | 36 |
| 8246 | | 1880 | 300GB 15K RPM SAS DISK | 766 | N | | 36 |
| 8246 | | 2053 | PCIE LP RAID SSD SAS ADAPTER 3 | 2,461 | N | | 36 |
| 8246 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,461 | N | | 36 |
| 8246 | | 2456 | LC SC 50 MICRON FIBER CONV CAB | 66 | N | | 36 |
| 8246 | | 2459 | LC SC 62.5 MIC.FIB.CONV.CABLE | 66 | N | | 36 |
| 8246 | | 2728 | 4 PORT USB PCIE ADAPTER | 121 | N | | 36 |
| 8246 | | 2893 | PCIE 2 LINE WAN W MODEM | 466 | N | | 36 |
| 8246 | | 2934 | ASYNCH.TERMIN PRINT.CBL EIA232 | 29 | N | | 36 |
| 8246 | | 2936 | ASYNCHRONOUS CABLE EIA 232 V | 48 | N | | 36 |
| 8246 | | 3124 | SER TO SER PORT CAB DRAW DRAW | 53 | N | | 36 |
| 8246 | | 3125 | SERIAL TO SE.PORT CBL RACK 8M | 53 | N | | 36 |
| 8246 | | 3287 | 1M QDR IB COPPER CABLE | 418 | N | | 36 |
| 8246 | | 3288 | 3M QDR IB COPPER CABLE | 523 | N | | 36 |
| 8246 | | 3289 | 5M QDR IB ENET COPPER CABLE | 564 | N | | 36 |
| 8246 | | 3290 | 10M QDR IB OPTIC CABLE | 605 | N | | 36 |
| 8246 | | 3293 | 30M QDR IB OPTIC CABLE | 725 | N | | 36 |
| 8246 | | 3632 | WIDESCREEN LCD MONITOR | 805 | N | | 36 |
| 8246 | | 3675 | SAS EX CABLE 3M - DRW TO DRW | 138 | N | | 36 |
| 8246 | | 3680 | SAS EX CABLE 6M - DRW TO DRW | 246 | N | | 36 |
| 8246 | | 3688 | 1 SAS CABLE AT 0.6 METER | 73 | N | | 36 |
| 8246 | | 3689 | SAS AT CABLE 0.6M - HD 6GB ADA | 97 | N | | 36 |
| 8246 | | 3925 | 0.3M SERIAL PRT CONVERTER CBL | 16 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | 3927 | SERIAL PORT NULL MOD CAB 3.7M | 53 | N | | 36 |
| 8246 | | 3928 | SER PORT NULL MODEM CABLE10M | 53 | N | | 36 |
| 8246 | | 3930 | SYSTEM SERIAL PORT CONVERTER (| 11 | N | | 36 |
| 8246 | | 4242 | 6FOOT EXTEND.CBL FOR DISPLAYS | 66 | N | | 36 |
| 8246 | | 4256 | EXTENDER CABLE USB KEYBO 1.8M | 33 | N | | 36 |
| 8246 | | 4276 | 15GA TO DVI CONNECTION CONVERTI | 6 | N | | 36 |
| 8246 | | 4648 | RACK INTEGRATION SERVICES BP | 97 | N | | 36 |
| 8246 | | 4649 | RACK INTEGRATION SERVICES | 121 | N | | 36 |
| 8246 | | 5260 | PCIE2 LP 4-PORT 1GBE ADAPTR | 242 | N | | 36 |
| 8246 | | 5266 | GX DUAL PORT 4X CHANNEL ATT | 1,128 | N | | 36 |
| 8246 | | 5269 | PCIE LP POWER GXT145 GRAPHICS | 465 | N | | 36 |
| 8246 | | 5270 | PCIE LP 10GB FCOE 2 PORT ADAPT | 2,821 | N | | 36 |
| 8246 | | 5274 | PCIE LP 2 PORT 1GBE SX ADAPTER | 1,065 | N | | 36 |
| 8246 | | 5275 | PCIE LP 10GBE SR 1 PORT ADAPT | 2,821 | N | | 36 |
| 8246 | | 5277 | PCIE LP 4 PORT ASYNC EIA 232 A | 563 | N | | 36 |
| 8246 | | 5279 | PCIE2 4PORT 10GBE 1GBE SFP LP | 2,014 | N | | 36 |
| 8246 | | 5280 | PCIE2 4-PORT 10GBE 1GBE SR LP | 2,820 | N | | 36 |
| 8246 | | 5283 | PCIE2 LP 2-PORT 4X IB QDR ADAP | 806 | N | | 36 |
| 8246 | | 5286 | PCIE2 LP 2 PORT 10GBE SFP+ | 1,290 | N | | 36 |
| 8246 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 159 | N | | 36 |
| 8246 | | 5290 | PCIE LP 2 PORT ASYNC EIA 23 | 159 | N | | 36 |
| 8246 | | 5532 | SYSTEM PWR SUP -1925W | 322 | N | | 36 |
| 8246 | | 5603 | SYSTEM AC POWER SUPPLY 1725 W | 322 | N | | 36 |
| 8246 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 2,821 | N | | 36 |
| 8246 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 2,820 | N | | 36 |
| 8246 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 304 | N | | 36 |
| 8246 | | 5767 | 2 PORT 10 100 1000 BASE TX | 425 | N | | 36 |
| 8246 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,065 | N | | 36 |
| 8246 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 2,821 | N | | 36 |
| 8246 | | 5771 | SATA SLIMLINE DVD RAM DRIVE | 241 | N | | 36 |
| 8246 | | 5772 | 10 GIGABIT ETHERNET LR PCI | 3,822 | N | | 36 |
| 8246 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,014 | N | | 36 |
| 8246 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 563 | N | | 36 |
| 8246 | | 5802 | 12X I O DRAWER PCIE SFF DI | 9,664 | N | | 36 |
| 8246 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 1,772 | N | | 36 |
| 8246 | | 5877 | 12X I O DRAWER PCIE NO DISK | 8,778 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | 5887 | EXP24S SFF GEN2-BAY DRAWER | 4,353 | N | | 36 |
| 8246 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 242 | N | | 36 |
| 8246 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 604 | N | | 36 |
| 8246 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 6,045 | N | | 36 |
| 8246 | | 5926 | SAS EX CABLE 1.5M - DRW TO DRW | 123 | N | | 36 |
| 8246 | | 6006 | POWER CONTROL CBL SPCN3 M | 32 | N | | 36 |
| 8246 | | 6007 | POWER CONTROL CBL SPCN 15 M | 64 | N | | 36 |
| 8246 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 274 | N | | 36 |
| 8246 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 334 | N | | 36 |
| 8246 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,831 | N | | 36 |
| 8246 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,831 | N | | 36 |
| 8246 | | 6263 | 1.8M RACK TRIM KIT | 321 | N | | 36 |
| 8246 | | 6272 | 2.0M RACK TRIM KIT | 321 | N | | 36 |
| 8246 | | 6458 | PWR CBL 14FT DRWR IBM PDU | 11 | N | | 36 |
| 8246 | | 6460 | PWR CRD 14FT DRWR OEM PDU | 11 | N | | 36 |
| 8246 | | 6469 | PWR CRD 4.3M DRWR OEM PDU | 11 | N | | 36 |
| 8246 | | 6470 | PWR CORD 6FOOTTO WALL | 11 | N | | 36 |
| 8246 | | 6471 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6472 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6473 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6474 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6475 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6476 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6477 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6478 | PWR CRD 2.7M 9FT WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6488 | PWR CORD 9FOOT 125V 15A | 32 | N | | 36 |
| 8246 | | 6489 | 4.3M 14 FT 3PH 24A POWER COR | 222 | N | | 36 |
| 8246 | | 6491 | 4.3M 14 FT 1PH 48A PWR CORD | 243 | N | | 36 |
| 8246 | | 6492 | 4.3M 14 FT 1PH 48 60A PWR CO | 243 | N | | 36 |
| 8246 | | 6493 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 36 |
| 8246 | | 6494 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 36 |
| 8246 | | 6496 | PWR CRD 2.7M 9FT WALL 250V 10A | 11 | N | | 36 |
| 8246 | | 6577 | POWER CABLE DRAWER TO IBM PD | 11 | N | | 36 |
| 8246 | | 6580 | OPTIONAL RACK SECURITY KIT | 109 | N | | 36 |
| 8246 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 152 | N | | 36 |
| 8246 | | 6651 | PWR CRD 2.7M 9FT WALL 125V 15A | 11 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | 6654 | 4.3M 1PH 24- 0A PWR CORD | 145 | N | | 36 |
| 8246 | | 6655 | 4.3M 14FT 1PH 24 30A WR PWR | 322 | N | | 36 |
| 8246 | | 6656 | 4.3M 14FT 1PH 4A POWER CORD | 145 | N | | 36 |
| 8246 | | 6659 | PWR.CORD 9FTTO WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 6660 | PWR CORD14FT DR.TO OEM PDU | 11 | N | | 36 |
| 8246 | | 6665 | PWR CORD 3M DRWR TO IBM PDU | 11 | N | | 36 |
| 8246 | | 6669 | PWR CRD 4.3M DRWR OEM PDU | 11 | N | | 36 |
| 8246 | | 6671 | PWR CRD 2.7M DRWR IBM PDU | 11 | N | | 36 |
| 8246 | | 6672 | PWR CRD 1.5M DRWR IBM PDU | 11 | N | | 36 |
| 8246 | | 6680 | PWR CRD 2.7M WALL OEM PDU | 11 | N | | 36 |
| 8246 | | 7109 | IINTELLIGENT PDU 1 EIA UNIT | 886 | N | | 36 |
| 8246 | | 7118 | NVIRONMENTAL MONITORING PROB | 226 | N | | 36 |
| 8246 | | 7188 | POWER DISTRIBUTION UNIT | 609 | N | | 36 |
| 8246 | | 7802 | ETH CBL 15M HW MANAGEMENT | 20 | N | | 36 |
| 8246 | | 8143 | LINUX SOFTWARE PREINSTALL | 48 | N | | 36 |
| 8246 | | 8845 | USB MOUSE | 24 | N | | 36 |
| 8246 | | 9056 | PCIE LP 2-PORT 1GBE TX ADAPTER | 242 | N | | 0 |
| 8246 | | EC29 | PCIE2 LP 2 PORT 10GBE ROCE SR | 1,411 | N | | 36 |
| 8246 | | EDR1 | EXP30 ULTRA SSD I/O DRAWER | 19,748 | N | | 36 |
| 8246 | | EJ0G | GX DUAL PORT 12X ATTACH | 1,411 | N | | 36 |
| 8246 | | EJ0H | GX++LP 1-PORT PCIE2 X8 ADAPTER | 1,169 | N | | 36 |
| 8246 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 48 | N | | 36 |
| 8246 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 48 | N | | 36 |
| 8246 | | EL02 | 300GB SFF DISK POWERLINUX | 249 | N | | 36 |
| 8246 | | EL03 | 146GB SFF DISK POWERLINUX | 297 | N | | 36 |
| 8246 | | EL09 | 4GB 2 PORT FCAL POWERLINUX | 1,434 | N | | 36 |
| 8246 | | EL0E | 4GB 2X2GB MEMORY POWERLINUX | 184 | N | | 36 |
| 8246 | | EL0F | 3GB 2X4GB MEMORY POWERLINUX | 346 | N | | 36 |
| 8246 | | EL0G | 16GB 2X8GB MEMORYPOWERLINUX | 886 | N | | 36 |
| 8246 | | EL0K | MEMORY RISER CARD POWERLINUX | 322 | N | | 36 |
| 8246 | | EL0L | 6 DRIVES DVD RAID POWERLINUX | 983 | N | | 36 |
| 8246 | | EL0M | 6 DRIVES DVD POWERLINUX | 322 | N | | 36 |
| 8246 | | EL0N | 3 DRIVES DVD TAPE POWERLINUX | 337 | N | | 36 |
| 8246 | | EL0P | 600GB 10K RPM SAS SFF DISK | 475 | N | | 36 |
| 8246 | | EL0W | 6 SFF DRIVES SATA DVD | 322 | N | | 36 |
| 8246 | | EL0X | 3 SFF DRIVES SATA DVD HH | 337 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | EL0Y | EXTERNAL SAS PORT POWERLINUX | 983 | N | | 36 |
| 8246 | | EL0Z | 300GB 15K RPM SAS SFF DISK DRI | 547 | N | | 36 |
| 8246 | | EL10 | 2 PORT SAS ADAPTER POWERLINUX | 322 | N | | 36 |
| 8246 | | EL1F | 3GB MEMORY DIMMS POWERLINUX | 185 | N | | 36 |
| 8246 | | EL1G | 6GB MEMORY DIMMS POWERLINUX | 370 | N | | 36 |
| 8246 | | EL1H | 32GB MEMORY DIMMS POWERLINUX | 740 | N | | 36 |
| 8246 | | EL1L | 387GB SFF2 SSD FOR AIX/LINUX | 2,892 | N | | 36 |
| 8246 | | EL1M | 146GB 15K RPM SAS SFF2 DISK | 297 | N | | 36 |
| 8246 | | EL1N | 300GB 10K RPM SAS SFF2 DISK | 249 | N | | 36 |
| 8246 | | EL1P | 300GB 15K RPM SAS SFF2 DISK | 547 | N | | 36 |
| 8246 | | EL1Q | 600GB 10K RPM SAS SFF2 DISK | 475 | N | | 36 |
| 8246 | | EL1R | 900GB 10K RPM SAS SFF 2 DISK | 724 | N | | 36 |
| 8246 | | EL1S | EXP24S SFF GEN2-BAY DRAWER | 3,224 | N | | 36 |
| 8246 | | EL1T | SAS CAB(YO) ADAPTER TO SAS1.5M | 73 | N | | 36 |
| 8246 | | EL1U | SAS CAB(YO) ADAPTER TO SAS 15M | 425 | N | | 36 |
| 8246 | | EL1V | SAS CAB(YO) ADAPTER TO SAS 3M | 89 | N | | 36 |
| 8246 | | EL1W | SAS CAB(YO) ADAPTER TO SAS 6M | 121 | N | | 36 |
| 8246 | | EL1X | SAS X CABLE 15M HD 3GB 2-ADAP | 1,934 | N | | 36 |
| 8246 | | EL1Y | SAS X CABLE 10M HD 6GB 2-ADAP | 1,008 | N | | 36 |
| 8246 | | EL1Z | SAS X CABLE 3M HD 6GB 2-ADAP | 363 | N | | 36 |
| 8246 | | EL20 | SAS X CABLE 6M HD 6GB 2-ADAP | 605 | N | | 36 |
| 8246 | | EL21 | SAS CBL X ADP SAS ENCL 15M | 492 | N | | 36 |
| 8246 | | EL22 | SAS CABLE (X) ADAPTER TO SAS E | 121 | N | | 36 |
| 8246 | | EL23 | SAS CBL X ADP SAS ENCLOSURE 6M | 242 | N | | 36 |
| 8246 | | EL24 | SAS YO CABLE 15M HD 3GB ADAP | 1,008 | N | | 36 |
| 8246 | | EL25 | SAS YO CABLE 1.5M HD 6GB ADAP | 193 | N | | 36 |
| 8246 | | EL26 | SAS YO CABLE 10M HD 6GB ADAP | 544 | N | | 36 |
| 8246 | | EL27 | PCIE2 LP 2-PORT 10GBE ROCE SFP | 524 | N | | 36 |
| 8246 | | EL28 | SAS YO CABLE 6M HD 6GB ADAPT | 363 | N | | 36 |
| 8246 | | EL29 | SAS YO CABLE 3M HD 6GB ADAPT | 242 | N | | 36 |
| 8246 | | EL2A | SAS AA CBL 0.6M HD 6GB ADAPT | 81 | N | | 36 |
| 8246 | | EL2B | SAS AA CABLE 1.5M HD 6GB ADAP | 141 | N | | 36 |
| 8246 | | EL2C | SAS AA CABLE 3M HD 6GB ADAPT | 181 | N | | 36 |
| 8246 | | EL2D | SAS AA CABLE 6M HD 6GB ADAPT | 302 | N | | 36 |
| 8246 | | EL2K | PCIE2 LP RAID SAS ADAPTER 6GB | 4,997 | N | | 36 |
| 8246 | | EL2L | SAS CA(YI) SYSTEM TO SAS 3M | 89 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | EL2N | PCIE LP 8GB 2 PORT FIBRE CHANN | 1,411 | N | | 36 |
| 8246 | | EL2P | PCIE2 LP 2 PORT 10GBE SR ADAPT | 1,411 | N | | 36 |
| 8246 | | EL2S | 16GB (2X8GB) MEM DIMMS 1066 | 321 | N | | 36 |
| 8246 | | EL2T | 32GB (2X16GB) MEM DIMMS 1066 | 643 | N | | 36 |
| 8246 | | EL2U | 64GB (2X32GB) MEM DIMMS 1066 | 2,255 | N | | 36 |
| 8246 | | EL2V | 64GB (2X32GB) MEM DIMMS 1066 | 1,531 | N | | 36 |
| 8246 | | EL2Z | PCIE2 LP 2-PORT 10GBE ROCE SR | 1,209 | N | | 36 |
| 8246 | | EL30 | EXP30 ULTRA SSD I/O DRAWER | 19,748 | N | | 36 |
| 8246 | | EL31 | PCIE X8 CABLE 1.5M | 242 | N | | 36 |
| 8246 | | EL32 | PCIE X8 CABLE 3M | 274 | N | | 36 |
| 8246 | | EL34 | 387GB 1.8 SAS SSD AIX/LINUX | 3,547 | N | | 36 |
| 8246 | | EL35 | 900GB 10K RPM SAS SFF DISK | 724 | N | | 36 |
| 8246 | | EL36 | 12X I/O DRAWER PCIE SFF DISK | 9,664 | N | | 36 |
| 8246 | | EL37 | 12X I/O DRAWER PCIE NO DISK | 8,778 | N | | 36 |
| 8246 | | EL38 | PCIE2 LP 4-PORT 10GB FCOE 1G | 2,015 | N | | 36 |
| 8246 | | ELBB | POWERLINUX BASE 8C 4.2 GHZ | 1,974 | N | | 36 |
| 8246 | | ELBC | POWERLINUX BASE - 16C 3.6 GHZ | 3,237 | N | | 36 |
| 8246 | | ELBD | POWERLINUX BASE - 16C 4.2 GHZ | 3,572 | N | | 36 |
| 8246 | | ELBE | POWERLINUX BASE 4C 3.6GHZ | 1,172 | N | | 36 |
| 8246 | | ELBF | POWERLINUX BASE 6C 4.2 GHZ | 1,534 | N | | 36 |
| 8246 | | ELQL | QUANTITY 150 OF EL1L | 433,814 | N | | 36 |
| 8246 | | ELQM | QUANTITY 150 OF EL1M | 44,615 | N | | 36 |
| 8246 | | ELQN | QUANTITY 150 OF EL1N | 37,360 | N | | 36 |
| 8246 | | ELQP | QUANTITY 150 OF EL1P | 82,096 | N | | 36 |
| 8246 | | ELQQ | QUANTITY 150 OF EL1Q | 71,214 | N | | 36 |
| 8246 | | ELQR | QUANTITY 150 OF EL1R | 108,695 | N | | 36 |
| 8246 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 81 | N | | 36 |
| 8246 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 97 | N | | 36 |
| 8246 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 121 | N | | 36 |
| 8246 | | EN0B | PCIE2 LP 16GB 2-PORT FIBRE CHA | 3,627 | N | | 36 |
| 8246 | | EN0Y | PCIE2 LP 8GB 4-PORT FIBRE CHAN | 4,836 | N | | 36 |
| 8246 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 16 | N | | 36 |
| 8246 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 2,892 | N | | 36 |
| 8246 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 4,997 | N | | 36 |
| 8246 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 278 | N | | 36 |
| 8246 | | EU04 | RDX USB EXTERNAL DOCKING | 222 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8246 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 181 | N | | 36 |
| 8246 | | EU15 | 1.5TB REMOVABLE DISK CARTRIDGE | 399 | N | | 36 |
| 8246 | | EU23 | RDX USB INTERNAL DOCKING | 181 | N | | 36 |
| 8406 | 70Y | | BLADECENTER PS700 | 3,708 | Y | 1 | 36 |
| 8406 | | 4645 | INTEGRATE BLADE SERVER IN CHAS | 16 | N | | 36 |
| 8406 | | 4646 | INTEGRATE BLADE SERVER IN CHAS | 20 | N | | 36 |
| 8406 | | 8141 | IBM I SOFTWARE PREINSTALL | 48 | N | | 36 |
| 8406 | | 8142 | IBM I SOFTWARE PREINSTALL (BUS | 40 | N | | 36 |
| 8406 | | 8143 | LINUX SOFTWARE PREINSTALL | 48 | N | | 36 |
| 8406 | | 8144 | LINUX SOFTWARE PREINSTALL (BUS | 48 | N | | 36 |
| 8406 | | 8146 | AIX VIOS SOFTWARE PREINSTALL | 48 | N | | 36 |
| 8406 | | 8147 | AIX VIOS SOFTWARE PREINSTALL (| 40 | N | | 36 |
| 8406 | | 8208 | 8GB (2X4GB DIMMS) DDR3 1066 MH | 407 | N | | 36 |
| 8406 | | 8209 | 16 GB (2X8 GB DIMM) DDR3 1066 | 800 | N | | 36 |
| 8406 | | 8240 | EMULEX 8GB FIBRE CHANNEL EXPA | 886 | N | | 36 |
| 8406 | | 8241 | QLOGIC 4 GB FIBRE CHANNEL EXPA | 604 | N | | 36 |
| 8406 | | 8242 | QLOGIC 8GB FIBRE CHANNEL EXPAN | 886 | N | | 36 |
| 8406 | | 8246 | 1 GB SAS PASSTHROUGH EXPANSIOI | 200 | N | | 36 |
| 8406 | | 8271 | QLOGIC ETHERNET AND 8 GB FCE C | 886 | N | | 36 |
| 8406 | | 8274 | IBM 300GB SAS 10K RPM SFF HDD | 555 | N | | 36 |
| 8406 | | 8275 | QLOGIC 2 PORT 10GB CONVERGED | 1,208 | N | | 36 |
| 8406 | | 8276 | IBM 600GB SAS 10K RPM SFF HDD | 724 | N | | 36 |
| 8406 | | 8291 | BROADCOM 2/4 PORT ETH EXP | 507 | N | | 36 |
| 8406 | | 8358 | 1 WIDE ADD ON SMP CHASSIS | 4,436 | N | | 36 |
| 8406 | | 8405 | ONE PROC ENTIT IBM BLADEC 70Y | 81 | N | | 36 |
| 8406 | | 8411 | ONE PROCESSOR ENTITLEMENT FOF | 81 | N | | 36 |
| 8408 | E8D | | POWER 750 | 5,377 | Y | 2 | 36 |
| 8408 | | 0010 | ONE CSC BILLING UNIT | 137 | N | | 36 |
| 8408 | | 0011 | TEN CSC BILLING UNITS | 1,370 | N | | 36 |
| 8408 | | 0348 | V.24/EIA232 6.1M 20 FT PCI CBL | 100 | N | | 36 |
| 8408 | | 0353 | V.35 6.1M 20 FT PCI CBL | 100 | N | | 36 |
| 8408 | | 0359 | X.21 6.1M 20 FT PCI CBL | 298 | N | | 36 |
| 8408 | | 0456 | CUSTER SPECIFIED PLAC | 322 | N | | 36 |
| 8408 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,450 | N | | 36 |
| 8408 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 3,323 | N | | 36 |
| 8408 | | 0599 | RCK FILL PAN KIT | 59 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 1025 | MODEM CBL US/CANADA AND GEN U | 10 | N | | 36 |
| 8408 | | 1107 | USB 500 GB RMVBL DSK DR | 238 | N | | 36 |
| 8408 | | 1111 | 3M BLUE CAT5E CBL | 20 | N | | 36 |
| 8408 | | 1112 | 10M BLUE CAT5E CBL | 36 | N | | 36 |
| 8408 | | 1113 | 25M BLUE CAT5E CBL | 64 | N | | 36 |
| 8408 | | 1737 | 856GB 10K RPM SAS SFF DSK DR I | 1,209 | N | | 36 |
| 8408 | | 1738 | 856GB 10K RPM SAS SFF 2 DSKDRI | 1,209 | N | | 36 |
| 8408 | | 1751 | 900GB10K RPM SAS SFF DRAIX/LNX | 1,209 | N | | 36 |
| 8408 | | 1752 | 900GB10KRPM SAS SFF2DR AIX/LNX | 1,209 | N | | 36 |
| 8408 | | 1768 | INTEG MULTIF CRD WITHCOPP SFP | 1,098 | N | | 36 |
| 8408 | | 1769 | INTEG MULTIF CARD WITH SR OPT | 2,066 | N | | 36 |
| 8408 | | 1790 | 600GB10K RPM SAS SFF DRAIX/LNX | 967 | N | | 36 |
| 8408 | | 1808 | GX 12X DDR ADPTR DUPO | 922 | N | | 36 |
| 8408 | | 1815 | SAS CBL 3 SPLIT DASD BACKPLANE | 153 | N | | 36 |
| 8408 | | 1817 | QTITY 150 OF 1962 | 145,088 | N | | 36 |
| 8408 | | 1818 | QTITY 150 OF 1964 | 145,088 | N | | 36 |
| 8408 | | 1819 | SAS CBL ASSMBL SAS PORT | 153 | N | | 36 |
| 8408 | | 1827 | SYS PORT/UPS CONV CBL | 77 | N | | 36 |
| 8408 | | 1828 | .5 METER12XTO4XCHANN CONV CBL | 242 | N | | 36 |
| 8408 | | 1841 | 3 METER 12XTO 4XCHANN CONV CBL | 302 | N | | 36 |
| 8408 | | 1844 | QTITY 150 OF 1956 | 96,484 | N | | 36 |
| 8408 | | 1854 | 10 M 12XTO4XENH CHANN CONV CBL | 484 | N | | 36 |
| 8408 | | 1861 | 0.6 METER 12X DDR CBL | 282 | N | | 36 |
| 8408 | | 1862 | 1.5 METER 12X DDR CBL | 322 | N | | 36 |
| 8408 | | 1864 | 8.0 METER 12X DDR CBL | 584 | N | | 36 |
| 8408 | | 1865 | 3.0 METER 12X DDR CBL | 383 | N | | 36 |
| 8408 | | 1866 | QTITY 150 OF 1917 | 60,212 | N | | 36 |
| 8408 | | 1868 | QTITY 150 OF 1947 | 60,212 | N | | 36 |
| 8408 | | 1869 | QTITY 150 OF 1925 | 96,484 | N | | 36 |
| 8408 | | 1879 | 283GB 15K RPM SAS SFF DSK DR I | 766 | N | | 36 |
| 8408 | | 1880 | 300GB15KRPM SAS SFF DR AIX/LNX | 766 | N | | 36 |
| 8408 | | 1882 | 146.8GB 10K RPM SAS SFF DR | 524 | N | | 36 |
| 8408 | | 1885 | 300GB 10K RPM SFF SAS DR | 643 | N | | 36 |
| 8408 | | 1886 | 146GB15K RPM SFF SAS DRAIX/LNX | 401 | N | | 36 |
| 8408 | | 1888 | 139GB 15K RPM SFF SAS DR I | 401 | N | | 36 |
| 8408 | | 1911 | 283GB 10K RPM SFF SAS DR I | 643 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 1914 | GX 2 PORT PCIE2 X8 ADPTR | 2,030 | N | | 36 |
| 8408 | | 1916 | 571GB 10K RPM SAS SFF DR I | 967 | N | | 36 |
| 8408 | | 1917 | 146GB15KRPM SAS SFF2DR AIX/LNX | 401 | N | | 36 |
| 8408 | | 1925 | 300GB10KRPM SAS SFF2DR AIX/LNX | 643 | N | | 36 |
| 8408 | | 1926 | QTITY 150 OF 1879 | 114,861 | N | | 36 |
| 8408 | | 1927 | QTITY 150 OF 1948 | 114,861 | N | | 36 |
| 8408 | | 1928 | QTITY 150 OF 1880 | 114,861 | N | | 36 |
| 8408 | | 1929 | QTITY 150 OF 1953 | 114,861 | N | | 36 |
| 8408 | | 1947 | 139GB 15K RPM SAS SFF 2DR I | 401 | N | | 36 |
| 8408 | | 1948 | 283GB 15K RPM SAS SFF 2DR I | 766 | N | | 36 |
| 8408 | | 1953 | 300GB15KRPM SAS SFF2DR AIX/LNX | 766 | N | | 36 |
| 8408 | | 1956 | 283GB 10K RPM SAS SFF 2DR I | 643 | N | | 36 |
| 8408 | | 1962 | 571GB 10K RPM SAS SFF 2 DR I | 967 | N | | 36 |
| 8408 | | 1964 | 600GB10KRPM SAS SFF2DR AIX/LNX | 967 | N | | 36 |
| 8408 | | 1996 | 177GB SSD MDL WITH EMLC I | 4,079 | N | | 36 |
| 8408 | | 2055 | PCIE RAID & SSD SAS ADPTR 3GB | 2,461 | N | | 36 |
| 8408 | | 2456 | 2M LC SC50MICRON FIB CONV CBL | 66 | N | | 36 |
| 8408 | | 2459 | 2M LC SC 62.5MICRON FIB CONV | 66 | N | | 36 |
| 8408 | | 2728 | 4 PORT USB PCIE ADPTR | 121 | N | | 36 |
| 8408 | | 2893 | PCIE 2 LINE WAN W/MODEM | 466 | N | | 36 |
| 8408 | | 2934 | 3M ASYNC TRMN/PRNTR CBL EIA232 | 29 | N | | 36 |
| 8408 | | 2936 | ASYNC CBL EIA 232/V.24 3M | 48 | N | | 36 |
| 8408 | | 3124 | SRL TOSRL PORTCBL DRWR/DRWR3. | 53 | N | | 36 |
| 8408 | | 3125 | SRL TO SRL PORT CBL RCK/RCK | 53 | N | | 36 |
| 8408 | | 3287 | 1M 3.3FT IB 40G COPP CBL QSFP | 418 | N | | 36 |
| 8408 | | 3288 | 3M 9.8 FT. IB40G COPP CBL QSF | 523 | N | | 36 |
| 8408 | | 3289 | 5M QDR IB/ENET COPP CBL QSFP | 564 | N | | 36 |
| 8408 | | 3290 | 10M QUAD DATARATE INBND OPTCBI | 605 | N | | 36 |
| 8408 | | 3293 | 30MQUAD DATA RATEINBND OPT CBI | 725 | N | | 36 |
| 8408 | | 3450 | SAS YO CBL1.5M HD6GB ADPTR TOE | 193 | N | | 36 |
| 8408 | | 3451 | SAS YO CBL3M HD6GB ADPTR TO EN | 242 | N | | 36 |
| 8408 | | 3452 | SAS YO CBL6M HD6GB ADPTR TO EN | 363 | N | | 36 |
| 8408 | | 3453 | SAS YO CBL10M HD6GBADPTR TO EN | 544 | N | | 36 |
| 8408 | | 3454 | SAS X CBL 3M HD6GB 2ADPTR TOEN | 363 | N | | 36 |
| 8408 | | 3455 | SAS X CBL 6M HD6GB 2ADPTR TOEN | 605 | N | | 36 |
| 8408 | | 3456 | SAS X CBL 10MHD6GB 2ADPTR TOEN | 1,008 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 3457 | SAS YO CBL 15M HD3GBADPTR TOEM | 1,008 | N | | 36 |
| 8408 | | 3458 | SAS X CBL15M HD3GB2ADPTR TO EM | 1,934 | N | | 36 |
| 8408 | | 3632 | WIDESCREEEN LCD MON | 805 | N | | 36 |
| 8408 | | 3652 | SAS CBL EE DRWR TO DRWR 1M | 40 | N | | 36 |
| 8408 | | 3653 | SAS CBL EE DRWR TO DRWR 3M | 56 | N | | 36 |
| 8408 | | 3654 | SAS CBL EE DRWR TO DRWR 6M | 97 | N | | 36 |
| 8408 | | 3661 | SAS CBLXADPTR TOSAS ENCLDUALC | 121 | N | | 36 |
| 8408 | | 3662 | SAS CBLXADPTR TOSAS ENCLDUALC | 242 | N | | 36 |
| 8408 | | 3663 | SAS CBLX ADPTRSAS ENCLDUAL15M | 492 | N | | 36 |
| 8408 | | 3675 | SAS EX CBL 3M DRWR TO DRWR | 138 | N | | 36 |
| 8408 | | 3679 | SAS CBL AI ADPTR TO INTDR 1 M | 42 | N | | 36 |
| 8408 | | 3680 | SAS EX CBL 6M DRWR TO DRWR | 246 | N | | 36 |
| 8408 | | 3681 | 3M SAS CBL ADPTR TO ADPTR AA | 60 | N | | 36 |
| 8408 | | 3684 | SAS CBLAE ADPTRENCL SNGLCONT/ | 121 | N | | 36 |
| 8408 | | 3685 | SAS CBLAE ADPTRENCL SNGLCONT/ | 242 | N | | 36 |
| 8408 | | 3687 | SAS CBL YI SYS SAS ENCLSNGLCO/3 | 89 | N | | 36 |
| 8408 | | 3688 | SAS CBL AT 0.6 METER | 73 | N | | 36 |
| 8408 | | 3689 | SAS AT CBL0.6M HD 6GB ADP12XEN | 97 | N | | 36 |
| 8408 | | 3691 | SAS CBL YO ADPTRSAS ENCLSNGL C | 73 | N | | 36 |
| 8408 | | 3692 | SAS CBL YO AD SAS ENCL SNGL/3M | 89 | N | | 36 |
| 8408 | | 3693 | SAS CBL YO AD SAS ENCL SNGL/6M | 121 | N | | 36 |
| 8408 | | 3694 | SAS CBL YO AD SAS ENCLSNGL/15M | 425 | N | | 36 |
| 8408 | | 3925 | 0.3M SRL PORT CONV CBL9PIN 25P | 16 | N | | 36 |
| 8408 | | 3927 | SRL PORT NULL MODEMCBL 9PIN3.7 | 53 | N | | 36 |
| 8408 | | 3928 | SRL PORT NULL MODEM CBL9 PIN10 | 53 | N | | 36 |
| 8408 | | 3930 | SYS SRL PORT CONVERTER CBL | 11 | N | | 36 |
| 8408 | | 4242 | 1.8M6FT EXTENDERCBL DISPL15PIN | 66 | N | | 36 |
| 8408 | | 4256 | EXTENDER CBL USB KYBRDS1.8M | 33 | N | | 36 |
| 8408 | | 4276 | VGA TO DVI CONNECTION CONVERT | 6 | N | | 36 |
| 8408 | | 4792 | ACTIVE MEM EXPNS ENBLMENT | 2,096 | N | | 36 |
| 8408 | | 4808 | PCIE CRYPTOCOPROC GEN3BSC4765 | 8,866 | N | | 36 |
| 8408 | | 4809 | PCIE CRYPTOCOPROC GEN4BSC4765 | 8,866 | N | | 36 |
| 8408 | | 4988 | ONE PROC OF 5250 ENT ENBLMENT | 12,091 | N | | 36 |
| 8408 | | 4989 | FULL 5250 ENT ENBLMENT | 48,363 | N | | 36 |
| 8408 | | 5285 | PCIE2 2PORT 4XIB QDR ADPTR40GB | 806 | N | | 36 |
| 8408 | | 5287 | PCIE2 2 PORT 10GBESR ADPTR | 2,418 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 5288 | PCIE2 2 PORT 10GBE SFP+COPP | 1,290 | N | | 36 |
| 8408 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADPT | 159 | N | | 36 |
| 8408 | | 5532 | SYS AC PWR SUPP 1925 W | 924 | N | | 36 |
| 8408 | | 5646 | BLIND SWP III CASSETTE PCIESRT | 30 | N | | 36 |
| 8408 | | 5647 | BLIND SWP III CASSETTE PCI XOR | 30 | N | | 36 |
| 8408 | | 5662 | 175MB CCH RAID DUAL IOA ENBLCR | 1,539 | N | | 36 |
| 8408 | | 5708 | 10GB FCOE PCIE DUPO ADPTR | 2,821 | N | | 36 |
| 8408 | | 5729 | PCIE2 8GB 4PORT FIBRE CHANN AD | 4,836 | N | | 36 |
| 8408 | | 5735 | 8GIGABITPCI EXP DUPO FIBRECHAN | 2,820 | N | | 36 |
| 8408 | | 5744 | PCIE2 4PORT 10GBE 1GBE SR RJ45 | 2,820 | N | | 36 |
| 8408 | | 5745 | PCIE2 4PORT10GBE 1GBE SFP COPF | 2,014 | N | | 36 |
| 8408 | | 5748 | POWER GXT145 PCI EXP GRAPH AC | 304 | N | | 36 |
| 8408 | | 5767 | 2 PORT 10/100/1000 BASE TX ETH | 425 | N | | 36 |
| 8408 | | 5768 | 2 PORT GIGABIT ETH SX PCI EXP | 1,065 | N | | 36 |
| 8408 | | 5769 | 10 GIGABIT ETH SR PCI EXP ADPT | 2,821 | N | | 36 |
| 8408 | | 5771 | SATA SLIMLINE DVD RAM DR | 241 | N | | 36 |
| 8408 | | 5772 | 10 GIGABIT ETH LR PCI EXP ADPT | 3,822 | N | | 36 |
| 8408 | | 5774 | 4 GIGABIT PCI EXP DUPO FIBRECH | 2,014 | N | | 36 |
| 8408 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADPT | 563 | N | | 36 |
| 8408 | | 5802 | 12X I/O DRWR PCIE SFF DISK | 11,114 | N | | 36 |
| 8408 | | 5805 | PCIE 380MB CCH DUAL X4 3GB SAS | 1,772 | N | | 36 |
| 8408 | | 5877 | 12X I/O DRWR PCIE NO DSK | 10,095 | N | | 36 |
| 8408 | | 5887 | EXP24S SFF GEN2 BAY DRWR | 5,006 | N | | 36 |
| 8408 | | 5899 | PCIE2 4 PORT 1GBE ADPTR | 242 | N | | 36 |
| 8408 | | 5901 | PCIE DUAL X4 SAS ADPTR | 604 | N | | 36 |
| 8408 | | 5913 | PCIE2 1.8GB CCH RAID SASADPTR | 6,045 | N | | 36 |
| 8408 | | 5915 | SAS AA CBL 3M HD 6GB ADPTR | 181 | N | | 36 |
| 8408 | | 5916 | SAS AA CBL 6M HD 6GB ADPTR | 302 | N | | 36 |
| 8408 | | 5917 | SAS AA CBL 1.5M HD 6GB ADPTR | 141 | N | | 36 |
| 8408 | | 5918 | SAS AA CBL 0.6M HD 6GB ADPTR | 81 | N | | 36 |
| 8408 | | 5926 | SAS EX CBL 1.5M DRWR TO DRWR | 123 | N | | 36 |
| 8408 | | 6006 | PWR CONTROL CBL SPCN 3 METER | 32 | N | | 36 |
| 8408 | | 6007 | PWR CONTROL CBL SPCN 15 METER | 64 | N | | 36 |
| 8408 | | 6068 | OPT FRONT DOOR 1.8M RCK | 274 | N | | 36 |
| 8408 | | 6069 | OPT FRONT DOOR 2.0M RCK | 334 | N | | 36 |
| 8408 | | 6248 | 1.8M RCK ACOUSTIC DOORS | 2,831 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 6249 | 2.0M RCK ACOUSTIC DOORS | 2,831 | N | | 36 |
| 8408 | | 6263 | 1.8M RCK TRIM KIT | 321 | N | | 36 |
| 8408 | | 6272 | 2.0M RCK TRIM KIT | 321 | N | | 36 |
| 8408 | | 6458 | PWR CORD 4.3M 14 FTDRWR WALL | 11 | N | | 36 |
| 8408 | | 6460 | PWR CORD 4.3M 14 FT DRWR WALL | 11 | N | | 36 |
| 8408 | | 6469 | PWR CORD 4.3M 14 FT DRWR WALL | 11 | N | | 36 |
| 8408 | | 6471 | 'WR CORD 2.7M9FT DRWR WALL/OEI | 11 | N | | 36 |
| 8408 | | 6472 | 'WR CORD 2.7M9FT DRWR WALL/OEI | 11 | N | | 36 |
| 8408 | | 6473 | 'WR CORD 2.7M9FT DRWR WALL/OEI | 11 | N | | 36 |
| 8408 | | 6474 | PWR CORD 2.7M9FT DRWR 250V/13A | 11 | N | | 36 |
| 8408 | | 6475 | PWR CORD 2.7M9FT DRWR 250V/16A | 11 | N | | 36 |
| 8408 | | 6476 | PWR CORD 2.7M9FT DRWR 250V/10A | 11 | N | | 36 |
| 8408 | | 6477 | PWR CORD 2.7M9FT DRWR 250V/16A | 11 | N | | 36 |
| 8408 | | 6478 | PWR CORD 2.7M9FT DRWR 250V 16A | 11 | N | | 36 |
| 8408 | | 6488 | PWR CORD 2.7M9FT DRWR 125V/15A | 32 | N | | 36 |
| 8408 | | 6489 | 4.3M 14FT 3PH/24A 380 415V PWR | 222 | N | | 36 |
| 8408 | | 6491 | 4.3M 14FT 1PH/48A 200 240V PWR | 243 | N | | 36 |
| 8408 | | 6492 | 4.3M14FT1PH/48 60A 200 240V PW | 243 | N | | 36 |
| 8408 | | 6493 | MRCORD 2.7M9FTDRWR TOWALL/OE | 11 | N | | 36 |
| 8408 | | 6494 | MRCORD 2.7M9FTDRWR TOWALL/OE | 11 | N | | 36 |
| 8408 | | 6496 | PWRCORD 2.7M 9FTTO WALL/OEM250 | 11 | N | | 36 |
| 8408 | | 6497 | PWR CORD 6 FTWALL/OEM PDU250V | 20 | N | | 36 |
| 8408 | | 6577 | PWRCBL DRWRTO PDU200 240V/10A | 11 | N | | 36 |
| 8408 | | 6580 | OPTIONAL RACK SECURITY KIT | 109 | N | | 36 |
| 8408 | | 6586 | MODEM TRAY 19 INCH RCK | 152 | N | | 36 |
| 8408 | | 6651 | PWR CORD2.7M 9FTTO WALL/OEM | 11 | N | | 36 |
| 8408 | | 6654 | 4.3M 14 FT 1PH/24 30A PWR CORD | 145 | N | | 36 |
| 8408 | | 6655 | 4.3M 14 FT 1PH/24 30A WR PWRCR | 322 | N | | 36 |
| 8408 | | 6656 | 4.3M 14 FT1PH/24A PWR CORD | 145 | N | | 36 |
| 8408 | | 6659 | PWR CORD2.7M 9FT WALL/OEM 250V | 11 | N | | 36 |
| 8408 | | 6660 | 'WR CORD 4.3M 14FTDRWRWALL125 | 11 | N | | 36 |
| 8408 | | 6665 | PWR CORD 2.8M 9.2 FT DRWR WALL | 11 | N | | 36 |
| 8408 | | 6669 | 'WR CORD 4.3M 14FT DRWROEM PDI | 11 | N | | 36 |
| 8408 | | 6671 | PWR CORD 2.7M 9FT DRWR PDU250V | 11 | N | | 36 |
| 8408 | | 6672 | PWR CORD 1.5M 5FT DRWR PDU 250 | 11 | N | | 36 |
| 8408 | | 6680 | PWR CORD 2.7M 9 FT DAWER WALL | 11 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | 7109 | UNIV UTG0247 CONNECTOR | 886 | N | | 36 |
| 8408 | | 7118 | ENVIRONMENTAL MONING PROBE | 226 | N | | 36 |
| 8408 | | 7188 | PWR DISTRIBUTION UNIT | 609 | N | | 36 |
| 8408 | | 7544 | QTITY 150 OF 1888 | 60,212 | N | | 36 |
| 8408 | | 7547 | QTITY 150 OF 1885 | 96,484 | N | | 36 |
| 8408 | | 7548 | QTITY 150 OF 1886 | 60,212 | N | | 36 |
| 8408 | | 7550 | QTITY 150 OF 1790 | 145,088 | N | | 36 |
| 8408 | | 7557 | QTITY 150 OF 1911 | 96,484 | N | | 36 |
| 8408 | | 7566 | QTITY 150 OF 1916 | 145,088 | N | | 36 |
| 8408 | | 7802 | ETH CBL 15M HW MNGMNT CONSOLI | 20 | N | | 36 |
| 8408 | | 7863 | PCI BLD SWP CASSETTE KIT2 WDAD | 40 | N | | 36 |
| 8408 | | 8143 | LNX SW PREINSTALL | 48 | N | | 36 |
| 8408 | | 8144 | LNXSW PREINSTALL BUSINESS PART | 48 | N | | 36 |
| 8408 | | 8845 | USB MOUSE | 24 | N | | 36 |
| 8408 | | EC28 | PCIE2 2PORT 10GBE ROCE SFP+ AD | 806 | N | | 36 |
| 8408 | | EC30 | PCIE2 2 PORT 10GBE ROCE SR ADP | 1,411 | N | | 36 |
| 8408 | | ECB0 | 0.6M 2.0 FT BLUE CAT5 ETH CBL | 10 | N | | 36 |
| 8408 | | ECB2 | 1.5M 4.9 FT BLUE CAT5 ETH CBL | 13 | N | | 36 |
| 8408 | | EDR1 | EXP30 ULTRA SSD I/O DRWR | 22,710 | N | | 36 |
| 8408 | | EK51 | FULL WDTN KYBRD US ENG 103P | 48 | N | | 36 |
| 8408 | | EK83 | FULL WDTN KYBRD US ENG EURO 103 | 48 | N | | 36 |
| 8408 | | EM01 | MEM RSR CRD | 645 | N | | 36 |
| 8408 | | EM08 | 3GB2X4GB MEM DIMMS1066 MHZ2GB | 515 | N | | 36 |
| 8408 | | EM4B | 6GB2X8GB MEM DIMMS1066 MHZ4GB | 685 | N | | 36 |
| 8408 | | EM4C | 12GB 2X16GB MEM DIMMS1066MHZ4GB | 1,370 | N | | 36 |
| 8408 | | EN01 | 1M 3.3FT 10GBENET CBL SFP ACT | 81 | N | | 36 |
| 8408 | | EN02 | 3M 9.8FT10GB ENET CBL SFP ACT | 97 | N | | 36 |
| 8408 | | EN03 | 5M 16.4FT10GB ENET CBL SFP ACT | 121 | N | | 36 |
| 8408 | | EN05 | PCIEX8 CBL 1.5M | 242 | N | | 36 |
| 8408 | | EN07 | PCIEX8 CBL 3M | 274 | N | | 36 |
| 8408 | | EN08 | PCIEX8 CBL 8M | 306 | N | | 36 |
| 8408 | | EN0A | PCIE2 16GB 2 PORT FIBRE CHANNA | 3,627 | N | | 36 |
| 8408 | | EN0H | PCIE2 4 PORT 10GB FCOE&1GBE SR | 2,821 | N | | 36 |
| 8408 | | EN10 | INTEG MUTIFUNCRD W/10GBE RJ45 | 1,854 | N | | 36 |
| 8408 | | EN11 | INTEGMULTIF CRDW/10GBE RJ45 SR | 2,499 | N | | 36 |
| 8408 | | EPT1 | PROC MEM BCKPLN | 2,821 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 8408 | | EU15 | 1.5TB RMVBL DSK DR CRTRDGD | 399 | N | | 36 |
| 8493 | T42 | | POWER7 MODEL 19 RACK | 7,862 | N | 2 | 36 |
| 8493 | | 0010 | ONE CSC BILLING UNIT | 143 | N | | 36 |
| 8493 | | 0011 | TEN CSC BILLING UITS | 1,439 | N | | 36 |
| 8493 | | 1109 | ENET SWITCH J48E | 15,700 | N | | 36 |
| 8493 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 21 | N | | 36 |
| 8493 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 37 | N | | 36 |
| 8493 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 67 | N | | 36 |
| 8493 | | 1114 | SMART ANALYT SOLUT EXPRESS INC | 0 | N | | 36 |
| 8493 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 21 | N | | 36 |
| 8493 | | 1116 | CAT5E ETHERNET CABLE 10M GREE | 37 | N | | 36 |
| 8493 | | 1117 | CAT5E ETHERNET CABLE 25M GREE | 67 | N | | 36 |
| 8493 | | 1118 | CAT5E ETHERNET CABLE 3M YELLC | 21 | N | | 36 |
| 8493 | | 1119 | CAT5E ETHERNET CABLE 10M YELL | 37 | N | | 36 |
| 8493 | | 1121 | CAT5E ETHERNET CABLE 25M YELL | 67 | N | | 36 |
| 8493 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,016 | N | | 36 |
| 8493 | | 1885 | 300GB 10K RPM SFF SAS DISK D | 675 | N | | 36 |
| 8493 | | 2701 | TWO1M INTRARACK FIBRE CH CABLE | 58 | N | | 36 |
| 8493 | | 2703 | TWO3M INTRARACK FIBRE CH CABLE | 85 | N | | 36 |
| 8493 | | 5273 | PCIE LP 8GB 2PORT FIBRE CHANNA | 2,961 | N | | 36 |
| 8493 | | 5735 | PCIE 8GB 2PORT FIBRE CHANNEL | 2,961 | N | | 36 |
| 8493 | | 6069 | STANDARD RACK FRONT DOOR | 465 | N | | 36 |
| 8493 | | 6249 | ACOUSTIC RACK DOORS | 3,936 | N | | 36 |
| 8493 | | 6458 | POWER CORD DRAWER PDU 4.3M 14 | 11 | N | | 36 |
| 8493 | | 6577 | POWER CORD DRAWER PDU 200 250 | 11 | N | | 36 |
| 8493 | | 6671 | 2.7M 9FT 200250V10A DRAW PDU | 11 | N | | 36 |
| 8493 | | 6672 | 1.5M 5FT 200250V10A DRAWER PD | 11 | N | | 36 |
| 9109 | RMD | | POWER 760 | 5,770 | N | 2 | 36 |
| 9109 | | 0010 | ONE CSC BILLING UNIT | 166 | N | | 36 |
| 9109 | | 0011 | TEN CSC BILLING UNITS | 1,662 | N | | 36 |
| 9109 | | 0348 | V.24/EIA232 6.1M20 FTPCI CBL | 120 | N | | 36 |
| 9109 | | 0353 | V.35 6.1M20FTCI CBL | 120 | N | | 36 |
| 9109 | | 0359 | X.21 6.1M 20 FT PCI CABLE | 362 | N | | 36 |
| 9109 | | 0456 | CUSTER SPIFIED PLACE | 390 | N | | 36 |
| 9109 | | 0551 | 19 INCH 1.8 MET HIGRACK | 3,098 | N | | 36 |
| 9109 | | 0553 | 19 INCH 2.0 MET HIGRACK | 4,200 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 0599 | RCK FILL PANEL KIT | 72 | N | | 36 |
| 9109 | | 1025 | MDM CBL US/CAN ANDGENUSE | 12 | N | | 36 |
| 9109 | | 1107 | USB 500 GB RMVBL DSK DRIVE | 287 | N | | 36 |
| 9109 | | 1111 | 3M BLUE CAT5E CABLE | 24 | N | | 36 |
| 9109 | | 1112 | 10M BLUE CAT5E CABLE | 43 | N | | 36 |
| 9109 | | 1113 | 25M BLUE CAT5E CABLE | 77 | N | | 36 |
| 9109 | | 1737 | 856GB 10KRPM SAS SFFDSKDR I | 1,465 | N | | 36 |
| 9109 | | 1738 | 856GB 10KRPM SAS SFF2DSKDR I | 1,465 | N | | 36 |
| 9109 | | 1751 | 900GB 10K RPM SAS SFF DISK DRI | 1,465 | N | | 36 |
| 9109 | | 1752 | 900GB10KRPM SAS SFF 2DSKDRAIX | 1,465 | N | | 36 |
| 9109 | | 1768 | INTEG MULTF CA WICOPP SFP+ | 1,330 | N | | 36 |
| 9109 | | 1769 | INTEG MULTF CA WISR OPT | 2,503 | N | | 36 |
| 9109 | | 1790 | 600GB10K RPM SAS SFFDSKDR AIX/ | 1,172 | N | | 36 |
| 9109 | | 1808 | GX++ 12X DDR ADPTR DUPO | 1,117 | N | | 36 |
| 9109 | | 1815 | SAS CBL TRIPLE SPLITDASDBACKP | 186 | N | | 36 |
| 9109 | | 1817 | QTITY 150 OF 1962 | 175,811 | N | | 36 |
| 9109 | | 1818 | QTITY 150 OF 1964 | 175,811 | N | | 36 |
| 9109 | | 1819 | SAS CBL ASSMBL SAS PORT | 186 | N | | 36 |
| 9109 | | 1827 | SYS PORT/UPS CONV CBL | 92 | N | | 36 |
| 9109 | | 1828 | 1.5MET12XTO4X CHANCONVCBL | 292 | N | | 36 |
| 9109 | | 1841 | 3 MET12XTO4X CHANCONVCBL | 367 | N | | 36 |
| 9109 | | 1844 | QTITY 150 OF 1956 | 116,872 | N | | 36 |
| 9109 | | 1854 | 0 MET12XTO4XENHCHANNCONCBL | 585 | N | | 36 |
| 9109 | | 1861 | 0.6 METER 12X DDR CBL | 342 | N | | 36 |
| 9109 | | 1862 | 1.5 METER 12X DDR CBL | 390 | N | | 36 |
| 9109 | | 1864 | 8.0 METER 12X DDR CBL | 707 | N | | 36 |
| 9109 | | 1865 | 3.0 METER 12X DDR CBL | 464 | N | | 36 |
| 9109 | | 1866 | QTITY 150 OF 1917 | 72,919 | N | | 36 |
| 9109 | | 1868 | QTITY 150 OF 1947 | 72,919 | N | | 36 |
| 9109 | | 1869 | QUANTITY 150 OF 1925 | 116,872 | N | | 36 |
| 9109 | | 1879 | 283GB 15K RPM SAS SFF DSK DR (| 927 | N | | 36 |
| 9109 | | 1880 | 300GB15KRPMSASSFFDSKDRAIX/LINI | 927 | N | | 36 |
| 9109 | | 1885 | 300GB 10K RPM SFF SAS DSK DR | 779 | N | | 36 |
| 9109 | | 1886 | 46GB15KRPMSFFSASDSKDRAIX/LINI | 486 | N | | 36 |
| 9109 | | 1888 | 139GB 15K RPM SFF SAS DSK DR | 486 | N | | 36 |
| 9109 | | 1911 | 283GB 10K RPM SFF SAS DSK DR | 779 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 1914 | GX++ 2 PORT PCIE2 X8 ADPTR | 2,460 | N | | 36 |
| 9109 | | 1916 | 571GB 10K RPM SAS SFF DSK DR | 1,172 | N | | 36 |
| 9109 | | 1917 | 46GB15KRPMSASSFF2DSKDRAIX/LI | 486 | N | | 36 |
| 9109 | | 1925 | 300GB10KRPMSASSFF2DSKDRAIX/LI | 779 | N | | 36 |
| 9109 | | 1926 | QTITY 150 OF 1879 | 139,127 | N | | 36 |
| 9109 | | 1927 | QTITY 150 OF 1948 | 139,127 | N | | 36 |
| 9109 | | 1928 | QTITY 150 OF 1880 | 139,127 | N | | 36 |
| 9109 | | 1929 | QTITY 150 OF 1953 | 139,127 | N | | 36 |
| 9109 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK D | 486 | N | | 36 |
| 9109 | | 1948 | 283GB15KRPMSASSFF2DSKDRI | 927 | N | | 36 |
| 9109 | | 1953 | 300GB15KRPMSASSFF2DSKDRAIX/LI | 927 | N | | 36 |
| 9109 | | 1956 | 283GB10KRPMSASSFF2DSKDRI | 779 | N | | 36 |
| 9109 | | 1962 | 571GB10KRPMSASSFF2DSKDRI | 1,172 | N | | 36 |
| 9109 | | 1964 | 300GB10KRPMSASSFF2DSKDRAIX/LI | 1,172 | N | | 36 |
| 9109 | | 1996 | 177GBSSDMDL WITH EMLC I | 5,156 | N | | 36 |
| 9109 | | 2055 | CIERAIDSSDSASADPTR3GB WBLIND | 2,982 | N | | 36 |
| 9109 | | 2456 | 2MLC SC50MICRONFIBCONVCBL | 80 | N | | 36 |
| 9109 | | 2459 | 2MLC SC62.5MICRONFIBCONVCBL | 80 | N | | 36 |
| 9109 | | 2728 | 4 PORT USB PCIE ADPTR | 146 | N | | 36 |
| 9109 | | 2893 | PCIE 2 LINE WAN W/MDM | 564 | N | | 36 |
| 9109 | | 2934 | 3MASYNCHTERM/PRINTCBL EIA232 | 35 | N | | 36 |
| 9109 | | 2936 | ASYNCH CBL EIA 232/V.24 3M | 59 | N | | 36 |
| 9109 | | 3124 | RLTOSRLPORTCBLDRWR/DRWR3.7M | 64 | N | | 36 |
| 9109 | | 3125 | SRLTOSRLPORTCBLRCK/RCK8M | 64 | N | | 36 |
| 9109 | | 3287 | 1M3.3FTIB40GCOPPCBLQSFP/QSFP | 507 | N | | 36 |
| 9109 | | 3288 | 3M9.8FTIB40GCOPPCBLQSFP/QSFP | 634 | N | | 36 |
| 9109 | | 3289 | 1MQDRIB/ENETCOPPCBLQSFP/QSFP | 683 | N | | 36 |
| 9109 | | 3290 | METQUADDATARATEINBNDOPTCBLQ | 731 | N | | 36 |
| 9109 | | 3293 | METQUADDATARATINBNDOPTCBLQ | 879 | N | | 36 |
| 9109 | | 3450 | SAS YO CBL 1.5M HD 6GBADPTRTO | 234 | N | | 36 |
| 9109 | | 3451 | 3SAS YO CBL 3M HD 6GBADPTRTOEN | 292 | N | | 36 |
| 9109 | | 3452 | SAS YO CBL 6M HD 6GBADPTRTOEN | 438 | N | | 36 |
| 9109 | | 3453 | 3SAS YO CBL 10M HD 6GBADPTRTOE | 659 | N | | 36 |
| 9109 | | 3454 | SAS X CBL 3M HD 6GB 2ADPTRTOEN | 438 | N | | 36 |
| 9109 | | 3455 | SAS X CBL 6M HD 6GB 2ADPTRTOEN | 731 | N | | 36 |
| 9109 | | 3456 | SAS X CBL 10M HD 6GB 2ADPTRTOE | 1,220 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 3457 | SAS YO CBL 15M HD 3GBADPTRTOEN | 1,220 | N | | 36 |
| 9109 | | 3458 | SAS X CBL 15M HD 3GB 2ADPTRTOE | 2,344 | N | | 36 |
| 9109 | | 3632 | WIDESCREEEN LCD MNTR | 974 | N | | 36 |
| 9109 | | 3652 | SAS CBL EE DRWR TO DRWR 1M | 48 | N | | 36 |
| 9109 | | 3653 | SAS CBL EE DRWR TO DRWR 3M | 69 | N | | 36 |
| 9109 | | 3654 | SAS CBL EE DRWR TO DRWR 6M | 117 | N | | 36 |
| 9109 | | 3661 | SCBLXADPTOSASENCLDUCONT/DU | 146 | N | | 36 |
| 9109 | | 3662 | SCBLXADPTOSASENCLDUCONT/DU | 293 | N | | 36 |
| 9109 | | 3663 | SCBLXADPTOSASENCLDUCONT/DU | 596 | N | | 36 |
| 9109 | | 3675 | SAS EX CBL 3M DRWR TO DRWR | 167 | N | | 36 |
| 9109 | | 3679 | SAS CBLAI ADPTTOINTDR1M | 51 | N | | 36 |
| 9109 | | 3680 | SASEXCBL6MDRWRTODRWR | 298 | N | | 36 |
| 9109 | | 3681 | 3MSASCBLADPTRTOADPTR AA | 74 | N | | 36 |
| 9109 | | 3684 | ASCBLAE ADPTRTOENCL SNGL CON | 146 | N | | 36 |
| 9109 | | 3685 | SCBLAEADPTOENCLSNGLCON/SNG | 293 | N | | 36 |
| 9109 | | 3687 | ASCBLYISYSTOSASENCLSNGLCONT | 107 | N | | 36 |
| 9109 | | 3688 | SAS CBL AT 0.6 METER | 88 | N | | 36 |
| 9109 | | 3689 | SASATCBL0.6MHD6GBADPTO12XENC | 117 | N | | 36 |
| 9109 | | 3691 | SCBLYOADPTRRTOSASENCLSNGLC1 | 88 | N | | 36 |
| 9109 | | 3692 | SCBLYOADPTRRTOSASENCLSNGLCC | 107 | N | | 36 |
| 9109 | | 3693 | SCBLYOADPTRRTOSASENCLSNGLCO | 146 | N | | 36 |
| 9109 | | 3694 | SCBLYOADPSASENCLSNGLCONDUF | 516 | N | | 36 |
| 9109 | | 3925 | .3MSRPORCONCBL9TO25 9109RMD | 20 | N | | 36 |
| 9109 | | 3927 | SRLPONUMDMCBL9TO9PIN3.7M | 64 | N | | 36 |
| 9109 | | 3928 | SRLPONUMDMCBL9TO9PIN10M | 64 | N | | 36 |
| 9109 | | 3930 | SYS SRL PORT CONVERTER CBL | 13 | N | | 36 |
| 9109 | | 4242 | 1.8M6FTEXTCBLDISP15PDSHE15PDS | 80 | N | | 36 |
| 9109 | | 4256 | EXTENDER CBL USB KYBRDS 1.8M | 40 | N | | 36 |
| 9109 | | 4276 | VGA TO DVI CONNCONV | 7 | N | | 36 |
| 9109 | | 4792 | ACTIVE MEM EXPNS ENBLM | 2,539 | N | | 36 |
| 9109 | | 4808 | PCIECRYCOPRCGEN3BSC4765 001 | 10,742 | N | | 36 |
| 9109 | | 4809 | PCIECRYCOPRCGEN4BSC4765 001 | 10,742 | N | | 36 |
| 9109 | | 4988 | ONE PRCS OF 5250 ENT ENBLM | 14,649 | N | | 36 |
| 9109 | | 4989 | FULL 5250 ENT ENBL | 58,597 | N | | 36 |
| 9109 | | 5285 | PCIE2 2POR4X IB QDRADP40GB | 976 | N | | 36 |
| 9109 | | 5287 | PCIE2 2POR10GBESRADP | 2,930 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 5288 | PCIE2 2 PORT 10GBE SFP+COPP | 1,563 | N | | 36 |
| 9109 | | 5289 | 2PORTASYNCEIA232PCIEADPTR | 193 | N | | 36 |
| 9109 | | 5532 | SYSACPWRSUPP1925W | 1,119 | N | | 36 |
| 9109 | | 5646 | BLSWPTYPIIIICASTPCIESHSL | 36 | N | | 36 |
| 9109 | | 5647 | BLSWPTYPIIIICASTPCIXPCIESTNSL | 36 | N | | 36 |
| 9109 | | 5662 | 175MBCCHRAIDDUAIOAENBLCRD | 1,864 | N | | 36 |
| 9109 | | 5708 | 10GBFCOEPCIEDUPOADP | 3,418 | N | | 36 |
| 9109 | | 5729 | PCIE2 8GB4POFIBCHAADP | 5,859 | N | | 36 |
| 9109 | | 5735 | 8GIPCIEXDUPOFICHAADP | 3,417 | N | | 36 |
| 9109 | | 5744 | PCIE2 4PO10GBE1GBESR RJ45ADP | 3,417 | N | | 36 |
| 9109 | | 5745 | PCIE2 4PO10GBE1GBESFP+COPPRJ4 | 2,440 | N | | 36 |
| 9109 | | 5748 | POWEGXT145PCIEXPGRACC | 370 | N | | 36 |
| 9109 | | 5767 | 2PO10 100 1000BASTXETHPCIEXPAD | 516 | N | | 36 |
| 9109 | | 5768 | 2POGIGAETHSXPCIEXPADP | 1,290 | N | | 36 |
| 9109 | | 5769 | 10GIGABETHSRPCIEXPADP | 3,418 | N | | 36 |
| 9109 | | 5771 | SATSLIMLIDVDRAMDR | 292 | N | | 36 |
| 9109 | | 5772 | 10GIGAETHLRPCIEXPADP | 4,631 | N | | 36 |
| 9109 | | 5774 | 4GIGAPCIEXPDUPOFIBCHAADP | 2,440 | N | | 36 |
| 9109 | | 5785 | 4POASYEIA232PCIEADPT | 682 | N | | 36 |
| 9109 | | 5802 | 12X I ODRWRPCIESFFDISK | 14,051 | N | | 36 |
| 9109 | | 5805 | CIE380MBCCHDUX4 3GBSASRAIDAD | 2,147 | N | | 36 |
| 9109 | | 5877 | 12X I O DRWPCIEENODSK | 12,763 | N | | 36 |
| 9109 | | 5887 | EXP24S SFF GEN2BADRW | 6,328 | N | | 36 |
| 9109 | | 5899 | PCIE2 4PO1GBEADP | 293 | N | | 36 |
| 9109 | | 5901 | PCIEDUAX4SASADP | 731 | N | | 36 |
| 9109 | | 5913 | PCIE2 1.8GBCCHRAIDSASADP TRI P | 7,324 | N | | 36 |
| 9109 | | 5915 | SAS AA CBL 3M HD 6GB ADPTR TO | 220 | N | | 36 |
| 9109 | | 5916 | SAS AA CBL 6M HD 6GB ADPTR TO | 366 | N | | 36 |
| 9109 | | 5917 | SAS AA CBL 1.5M HD 6GB ADPTR T | 170 | N | | 36 |
| 9109 | | 5918 | SAS AA CBL 0.6M HD 6GB ADPTR T | 97 | N | | 36 |
| 9109 | | 5926 | SAS EX CBL 1.5M DRWR TO DRWR | 149 | N | | 36 |
| 9109 | | 6006 | PWRCONTROL CBLSPCN3METER | 38 | N | | 36 |
| 9109 | | 6007 | PWRCONTROL CBLSPCN15METER | 77 | N | | 36 |
| 9109 | | 6068 | OPTFRONT DOOR 1.8M RCK | 331 | N | | 36 |
| 9109 | | 6069 | OPT FRONT DOOR 2.0M RCK | 406 | N | | 36 |
| 9109 | | 6248 | 1.8M RCK ACOUSTIC DOORS | 3,430 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 6249 | 2.0M RCK ACOUSTIC DOORS | 3,430 | N | | 36 |
| 9109 | | 6263 | 1.8M RCK TRIM KIT | 390 | N | | 36 |
| 9109 | | 6272 | 2.0M RCK TRIM KIT | 390 | N | | 36 |
| 9109 | | 6458 | WCO4.3M14FTDRWR WALLPDU250V | 14 | N | | 36 |
| 9109 | | 6460 | WCO4.3M14FTDRWR OEM PDU125V | 14 | N | | 36 |
| 9109 | | 6469 | NCO4.3M14FTDRWR WALLOEM PDU1 | 13 | N | | 36 |
| 9109 | | 6471 | NCO2.7M9FTDRWR WALLOEM PDU1 | 13 | N | | 36 |
| 9109 | | 6472 | NCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6473 | NCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6474 | NCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6475 | NCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6476 | WCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6477 | NCO2.7M9FTDRWR WALLOEM PDU2 | 13 | N | | 36 |
| 9109 | | 6478 | NCO2.7M9FOOTWALLOEM PDU250V | 13 | N | | 36 |
| 9109 | | 6488 | VCO2.7M9FTDRWRWALLOEM PDU12 | 38 | N | | 36 |
| 9109 | | 6489 | 4.3M14FT3PH24A380 415V PWRCO | 268 | N | | 36 |
| 9109 | | 6491 | 4.3M14FT1PH48A200 240V PWRCO | 295 | N | | 36 |
| 9109 | | 6492 | 4.3M14FT1PH4860A 200 240V PWRC | 295 | N | | 36 |
| 9109 | | 6493 | VCO2.7M9FTDRWRWALLOEM PDU25 | 13 | N | | 36 |
| 9109 | | 6494 | VCO2.7M9FTDRWRWALLOEM PDU25 | 13 | N | | 36 |
| 9109 | | 6496 | NCO2.7M9FOOWALLOEMPDU 250V10 | 13 | N | | 36 |
| 9109 | | 6497 | WCO6FOOTWALLOEM PDU250V10A | 24 | N | | 36 |
| 9109 | | 6577 | PWCBLDRWRPDU200 240V10A | 14 | N | | 36 |
| 9109 | | 6580 | OPTIONAL RACK SECURITY KIT | 131 | N | | 36 |
| 9109 | | 6586 | MDM TRAY 19 INCH RCK | 184 | N | | 36 |
| 9109 | | 6651 | NCO2.7M9 FOOWALLOEMPDU125V15 | 13 | N | | 36 |
| 9109 | | 6654 | 4.3M14FT1PH24 30A PWR CORD | 176 | N | | 36 |
| 9109 | | 6655 | 4.3M14FT1PH24 30A WR PWR CORD | 390 | N | | 36 |
| 9109 | | 6656 | 4.3M14FT1PH24A PWR CORD | 176 | N | | 36 |
| 9109 | | 6659 | WCO2.7M9FOWAOEMPDU250V15A | 13 | N | | 36 |
| 9109 | | 6660 | WCO4.3M14FTDRWRWALLOEMPDU12 | 14 | N | | 36 |
| 9109 | | 6665 | WCO2.8M9.2FTDRWRWALLPDU250V | 13 | N | | 36 |
| 9109 | | 6669 | NCO4.3M14FOOTDRWROEM PDU 250 | 13 | N | | 36 |
| 9109 | | 6671 | WRC2.7M9FOODRWRPDU250V10A | 13 | N | | 36 |
| 9109 | | 6672 | WCO1.5M5FOODRWRPDU250V10A | 13 | N | | 36 |
| 9109 | | 6680 | VCO2.7M9FTDAWTOWALLOEM PDU2 | 13 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | 7109 | INTL PDU+1EIAUNITUNIVUTG0247CC | 1,072 | N | | 36 |
| 9109 | | 7118 | ENVIRO MNTRI PROBE | 272 | N | | 36 |
| 9109 | | 7188 | PWR DISTRI UNIT | 738 | N | | 36 |
| 9109 | | 7544 | QTITY 150 OF 1888 | 72,919 | N | | 36 |
| 9109 | | 7547 | QTITY 150 OF 1885 | 116,872 | N | | 36 |
| 9109 | | 7548 | QTITY 150 OF 1886 | 72,919 | N | | 36 |
| 9109 | | 7550 | QTITY 150 OF 1790 | 175,811 | N | | 36 |
| 9109 | | 7557 | QTITY 150 OF 1911 | 116,872 | N | | 36 |
| 9109 | | 7566 | QTITY 150 OF 1916 | 175,811 | N | | 36 |
| 9109 | | 7802 | TH CB15MHW MNGM CONS TO SYSU | 25 | N | | 36 |
| 9109 | | 7863 | PCIBLSWPCASTKITDOUBWIDADPTRI | 48 | N | | 36 |
| 9109 | | 8143 | LINUX SW PREINST | 44 | N | | 36 |
| 9109 | | 8144 | LINUX SW PREINST BUSIN PART | 44 | N | | 36 |
| 9109 | | EC28 | PCIE2 2PORT10GBEROCESFP+ADP | 976 | N | | 36 |
| 9109 | | EC30 | PCIE2 2PORT10GBEROCESRADPT | 1,709 | N | | 36 |
| 9109 | | ECB0 | 0.6M2.0FTBLUE CAT5ETHCBL | 12 | N | | 36 |
| 9109 | | ECB2 | 1.5M 4.9FTBLUE CAT5ETHCBL | 16 | N | | 36 |
| 9109 | | EDR1 | EXP30 ULTRA SSD I/O DRWR | 28,712 | N | | 36 |
| 9109 | | EK51 | FUWDTKYBUSBUS ENG103P | 58 | N | | 36 |
| 9109 | | EK83 | FUWDTKYBRUSBUS ENG EURO 103P | 58 | N | | 36 |
| 9109 | | EM01 | MEM RSR CRD | 781 | N | | 36 |
| 9109 | | EM08 | 3B2X4GBMEMDIMMS1066MHZ2GB DC | 624 | N | | 36 |
| 9109 | | EM4B | 3GB2X8GBMEMDIMMS1066MHZ4GB DC | 829 | N | | 36 |
| 9109 | | EM4C | 2GB2X16GBMEMDIMMS1066MHZ4GB | 1,659 | N | | 36 |
| 9109 | | EN01 | 1M3.3FT10GBENET CBL SFP+ ACT T | 97 | N | | 36 |
| 9109 | | EN02 | 3M9.8FT10GB ENETCBL SFP+ ACT T | 117 | N | | 36 |
| 9109 | | EN03 | 5M16.4FT10GB ENETCBL SFP+ ACT | 146 | N | | 36 |
| 9109 | | EN05 | PCIE X8 CBL 1.5M | 292 | N | | 36 |
| 9109 | | EN07 | PCIE X8 CBL 3M | 331 | N | | 36 |
| 9109 | | EN08 | PCIE X8 CBL 8M | 371 | N | | 36 |
| 9109 | | EN0A | PCIE2 16GB2POFIBCHANADP | 4,394 | N | | 36 |
| 9109 | | EN0H | PCIE2 4 PORT10GBFCOE 1GBE SR R | 3,418 | N | | 36 |
| 9109 | | EN10 | INMUTNCRD W 10GBE RJ45 COPP T | 2,246 | N | | 36 |
| 9109 | | EN11 | INMULCRD W 10GBE RJ45 SR OPT | 3,028 | N | | 36 |
| 9109 | | EPT1 | PRCS MEM BCKPLN | 3,418 | N | | 36 |
| 9109 | | EPT5 | .1 GHZPROD CM0 12COPOWER7+2X6 | 5,263 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9109 | | EPT6 | .4 GHZPRODCM0 12COPOWER7+2X6 | 10,968 | N | | 36 |
| 9109 | | EPTA | 1 CORE ACT OFEPT5 | 958 | N | | 36 |
| 9109 | | EPTB | 1 CORE ACT OFEPT6 | 2,243 | N | | 36 |
| 9109 | | EPTR | SRVC PRCS | 976 | N | | 36 |
| 9109 | | EPTS | STOR BCKPLN | 2,982 | N | | 36 |
| 9109 | | EQ02 | QUA150OF3452SAS YO CBL 6M HD 6 | 65,873 | N | | 36 |
| 9109 | | EQ03 | QTIT150 OF3453 SAS YOCBL10MHD6 | 98,865 | N | | 36 |
| 9109 | | EQ0A | QUANTITY 150 OF ES0A | 707,269 | N | | 36 |
| 9109 | | EQ0B | QUANTITY OF 150 ES0B | 707,269 | N | | 36 |
| 9109 | | EQ0C | QTITOF 150ES0C | 707,269 | N | | 36 |
| 9109 | | EQ0D | QTITOF 150ES0D | 707,269 | N | | 36 |
| 9109 | | EQ37 | QTIT150OF1737 856GB SFF1DISK | 219,763 | N | | 36 |
| 9109 | | EQ38 | QTIT150OF1738 856GB SFF2DISK | 219,763 | N | | 36 |
| 9109 | | EQ51 | QTIT150OF1751 900GB SFF1DISK | 219,763 | N | | 36 |
| 9109 | | EQ52 | QTIT150OF1752 900GB SFF2DISK | 219,763 | N | | 36 |
| 9109 | | EQ77 | PWR CBL DRWR PDU200 240V 10A | 2,685 | N | | 36 |
| 9109 | | ERF1 | FID TAGS SERVMP TENODECHASSRC | 19 | N | | 36 |
| 9109 | | ERG7 | OPTFRONDOOPWR 770 780 2.0M RC | 2,237 | N | | 36 |
| 9109 | | ES02 | 387GB1.8 SASSSDAIXLINUX WITH E | 5,488 | N | | 36 |
| 9109 | | ES04 | 387GB1.8 SASSSDI WITH EMLC | 5,488 | N | | 36 |
| 9109 | | ES0A | 387GB SFF1SSD AIXLINUX WITH EM | 4,714 | N | | 36 |
| 9109 | | ES0B | 387GB SFF1SSD I WITH EMLC | 4,714 | N | | 36 |
| 9109 | | ES0C | 387GB SFF2SSD AIXLINUX WITH EM | 4,714 | N | | 36 |
| 9109 | | ES0D | 387GB SFF2SSD I WITH EMLC | 4,714 | N | | 36 |
| 9109 | | ESA1 | PCIE2 RAIDSAS ADPTR DUPO 6GB | 6,054 | N | | 36 |
| 9109 | | ESC7 | S H | 330 | N | | 36 |
| 9109 | | ESR2 | SIXES02 387GB1.8 SAS SSD AIXLI | 28,922 | N | | 36 |
| 9109 | | ESR4 | SIX ES04 387GB 1.8 SAS SSD I W | 28,922 | N | | 36 |
| 9109 | | ESRA | FOUR ES0A 387GB SFF 1 SSD AIXL | 16,491 | N | | 36 |
| 9109 | | ESRB | FOUR ES0B 387GB SFF1 SSD EMLC | 16,491 | N | | 36 |
| 9109 | | ESRC | FOUR ES0C 387GB SFF 2 SSD AIXL | 16,491 | N | | 36 |
| 9109 | | ESRD | FOUR ES0D 387GB SFF 2 SSD I WI | 16,491 | N | | 36 |
| 9109 | | EU01 | 1TB RMVBL DSK DR CRTRDG | 337 | N | | 36 |
| 9109 | | EU04 | XUSBEXTDCKSTTNRMVBLDSKCRTR | 268 | N | | 36 |
| 9109 | | EU08 | RDX 320 GB RMVBL DSK DR | 220 | N | | 36 |
| 9109 | | EU15 | 1.5TB RMVBL DSK DR CRTRDG | 483 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9110 | | 0983 | US TAA COMPLIANCE INDICATOR | 0 | N | | 36 |
| 9110 | | 2456 | LC-SC 50 MICRON FIBER CONV CAB | 77 | N | | 36 |
| 9110 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9110 | | 2934 | ASYNCH.TERMIN/PRINT.CBL EIA232 | 34 | N | | 36 |
| 9110 | | 2936 | ASYNCHRONOUS CAB.EIA-232/V.24 | 56 | N | | 36 |
| 9110 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 61 | N | | 36 |
| 9110 | | 3125 | SER TO SER PORT CAB RACK/RACK | 61 | N | | 36 |
| 9110 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 19 | N | | 36 |
| 9110 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 61 | N | | 36 |
| 9110 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 61 | N | | 36 |
| 9110 | | 4242 | 6FOOT EXT.CBL FOR DISPLAYS | 77 | N | | 36 |
| 9110 | | 4256 | EXTENDER CABLE-USB KEYB 2M | 38 | N | | 36 |
| 9110 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,853 | N | | 36 |
| 9110 | | 5706 | 2-PORT BASETX ETH.T.PCI-X ADP | 699 | N | | 36 |
| 9110 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 834 | N | | 36 |
| 9110 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 544 | N | | 36 |
| 9110 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,316 | N | | 36 |
| 9110 | | 6458 | PWR CAB-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9110 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9110 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9110 | | 6470 | PWR CORD(6FOOT) TO WALL | 12 | N | | 36 |
| 9110 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 12 | N | | 36 |
| 9110 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9110 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9110 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 12 | N | | 36 |
| 9110 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9110 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9110 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9110 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9110 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 36 | N | | 36 |
| 9110 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9110 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9110 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9110 | | 6598 | DISK SLOT FILLERS (QUANTITY 4) | 41 | N | | 36 |
| 9110 | | 6651 | PWR.CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9110 | | 6659 | PWR.CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9110 | | 6660 | PWR CORD(14FT) DR.TO OEM PDU | 12 | N | | 36 |
| 9110 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 12 | N | | 36 |
| 9110 | | 6669 | PWR CORD(14FT) DR.TO OEM PDU | 12 | N | | 36 |
| 9110 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 12 | N | | 36 |
| 9110 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 12 | N | | 36 |
| 9110 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9110 | | 7282 | 1 PROC.ENT.FOR PROC.FC #8282 | 300 | N | | 36 |
| 9110 | | 7283 | 1 PROC.ENT.FOR PROC.FC #8283 | 531 | N | | 36 |
| 9110 | | 7284 | 1 PROC.ENT.FOR PROC.FC #8284 | 789 | N | | 36 |
| 9110 | | 7361 | 1PROC.ENTITL.FOR PRC.FC#7654 | 462 | N | | 36 |
| 9110 | | 7362 | 1PROC.ENTITL.FOR PRC.FC#7655 | 783 | N | | 36 |
| 9110 | | 7376 | 1PROC.ENTITL.FOR PRC.FC#7656 | 482 | N | | 36 |
| 9110 | | 7432 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 36 |
| 9110 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 36 |
| 9110 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 46 | N | | 36 |
| 9110 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 30 | N | | 36 |
| 9111 | | 1974 | PCI-X DUAL CHAN.U320 SCSI ADPT | 544 | N | | 12 |
| 9111 | | 1975 | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853 | N | | 12 |
| 9111 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 77 | N | | 12 |
| 9111 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 12 |
| 9111 | | 2934 | ASYNCH.TERM./PRINT.CAB EIA-232 | 34 | N | | 12 |
| 9111 | | 2936 | ASYNCHRON.CAB. EIA-232/V.24 | 56 | N | | 12 |
| 9111 | | 3124 | SER.2SER.PORT CAB.-DRAW/DRAW. | 61 | N | | 12 |
| 9111 | | 3125 | SER.2SER.PORT CAB.-RACK/RACK | 61 | N | | 12 |
| 9111 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 19 | N | | 12 |
| 9111 | | 4242 | 6FOOT EXTEND.CAB.FOR DISPLAYS | 77 | N | | 12 |
| 9111 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 38 | N | | 12 |
| 9111 | | 4267 | SCSI CAB PCI ADP 2 HOT-SW.DISK | 46 | N | | 12 |
| 9111 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,853 | N | | 12 |
| 9111 | | 5706 | 2-PORT BASETX ETHT.PCI-X ADP | 699 | N | | 12 |
| 9111 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 834 | N | | 12 |
| 9111 | | 5736 | PCIX DDR2 2CHAN U320 SCSI | 544 | N | | 12 |
| 9111 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,316 | N | | 12 |
| 9111 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 36 | N | | 12 |
| 9111 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 74 | N | | 12 |
| 9111 | | 6458 | PWR CAB-DRAWER TO IBM PDU | 12 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9111 | | 6460 | POWER CORD(14FT) TO WALL | 12 | N | | 12 |
| 9111 | | 6469 | PWR CORD(14FOOT) (250V 15A) | 12 | N | | 12 |
| 9111 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 12 | N | | 12 |
| 9111 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 12 | N | | 12 |
| 9111 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9111 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9111 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 12 | N | | 12 |
| 9111 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9111 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9111 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9111 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9111 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 36 | N | | 12 |
| 9111 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9111 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9111 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9111 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 41 | N | | 12 |
| 9111 | | 6651 | PWR.CORD(9FT) TO WALL/OEM PDU | 12 | N | | 12 |
| 9111 | | 6659 | PWR.CORD(9FT) TO WALL/OEM PDU | 12 | N | | 12 |
| 9111 | | 6660 | PWR CORD(14FT) DR.TO OEM PDU | 12 | N | | 12 |
| 9111 | | 6669 | PWR CORD(14FT) DR.TO OEM PDU | 12 | N | | 12 |
| 9111 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 12 | N | | 12 |
| 9111 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 12 | N | | 12 |
| 9111 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 12 |
| 9111 | | 7319 | ONE PROC.ENT.FOR PROC.FC#8327 | 880 | N | | 12 |
| 9111 | | 7320 | ONE PROC.ENT.FOR PROC.FC#8330 | 1,669 | N | | 12 |
| 9111 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 12 |
| 9111 | | 7940 | ADVANCED POWER VIRTUALIZATION | 0 | N | | 12 |
| 9111 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 46 | N | | 12 |
| 9111 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 30 | N | | 12 |
| 9113 | | 0983 | US TAA COMPLIANCE INDICATOR | 0 | N | | 12 |
| 9113 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 77 | N | | 12 |
| 9113 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 12 |
| 9113 | | 2934 | ASYNCH.TERM./PRINT.CAB EIA-232 | 34 | N | | 12 |
| 9113 | | 2936 | ASYNCHRON.CAB. EIA-232/V.24 | 56 | N | | 12 |
| 9113 | | 3124 | SER.2SER.PORT CAB.-DRAW/DRAW. | 61 | N | | 12 |
| 9113 | | 3125 | SER.2SER.PORT CAB.-RACK/RACK | 61 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9113 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 19 | N | | 12 |
| 9113 | | 4242 | 6FOOT EXTEND.CAB.FOR DISPLAYS | 77 | N | | 12 |
| 9113 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 38 | N | | 12 |
| 9113 | | 4267 | SCSI CAB PCI ADP 2 HOT-SW.DISK | 46 | N | | 12 |
| 9113 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,853 | N | | 12 |
| 9113 | | 5706 | 2-PORT BASETX ETHHT.PCI-X ADP | 699 | N | | 12 |
| 9113 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 544 | N | | 12 |
| 9113 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 36 | N | | 12 |
| 9113 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 64 | N | | 12 |
| 9113 | | 6458 | PWR CAB-DRAWER TO IBM PDU | 12 | N | | 12 |
| 9113 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 12 |
| 9113 | | 6469 | PWR CORD(14FOOT) (250V 15A) | 12 | N | | 12 |
| 9113 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 12 | N | | 12 |
| 9113 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 12 | N | | 12 |
| 9113 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9113 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9113 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 12 | N | | 12 |
| 9113 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9113 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9113 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9113 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 12 |
| 9113 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 36 | N | | 12 |
| 9113 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9113 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9113 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 12 |
| 9113 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 41 | N | | 12 |
| 9113 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 12 | N | | 12 |
| 9113 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 12 | N | | 12 |
| 9113 | | 7601 | 1PROC.ENTITL.FOR PROC FC#5239 | 545 | N | | 12 |
| 9113 | | 7603 | PROCESSOR ACTIVATION #5264 | 2,063 | N | | 12 |
| 9113 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 12 |
| 9113 | | 7871 | 1PROC.ACT.FOR CUOD PRC.FC5237 | 2,342 | N | | 12 |
| 9113 | | 7931 | ON/OFF PROC.BILLING FOR COD | 41 | N | | 12 |
| 9113 | | 7934 | 30DAYS PREPAID RESERVE F.COD | 1,256 | N | | 12 |
| 9113 | | 7941 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 12 |
| 9113 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 46 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9113 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 30 | N | | 12 |
| 9114 | | 2456 | LC-SC 50 MIC.FIBER CONV.CABLE | 77 | N | | 12 |
| 9114 | | 2459 | LC-SC 62.5 MIC.FIBER CONV.CAB | 77 | N | | 12 |
| 9114 | | 2842 | WR GXT4500P GRAPH.ACCELERATO | 1,390 | N | | 12 |
| 9114 | | 2843 | WR GXT6500P GRAPH.ACCELERATO | 1,854 | N | | 12 |
| 9114 | | 2934 | ASYNCH.TERMIN/PRINT.CAB.EIA232 | 34 | N | | 12 |
| 9114 | | 2936 | ASYNCHRONOUS CAB.EIA-232/V.24 | 56 | N | | 12 |
| 9114 | | 3124 | SER.TO SER.PORT CAB FOR DRAWER | 61 | N | | 12 |
| 9114 | | 3125 | SER.TO SER.PORT CAB FOR RACK | 61 | N | | 12 |
| 9114 | | 3925 | SERIAL PORT CONVERTER CABLE | 19 | N | | 12 |
| 9114 | | 4242 | 6 FOOT EXTENDER CAB.FOR DISPL. | 77 | N | | 12 |
| 9114 | | 4963 | 2GB FIBRE CHANNEL ADAPTER | 5,385 | N | | 12 |
| 9114 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,853 | N | | 12 |
| 9114 | | 5706 | 2PORT BASETX ETHER.PCI-X ADPT | 699 | N | | 12 |
| 9114 | | 8131 | 128PORT ASYNCH.CONTR.CAB 4.5M | 46 | N | | 12 |
| 9114 | | 8132 | 128PORT ASYNCH.CONTR.CAB 23CM | 30 | N | | 12 |
| 9115 | | 1974 | PCI-X DUAL CHAN.U320 SCSI ADPT | 544 | N | | 36 |
| 9115 | | 1975 | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853 | N | | 36 |
| 9115 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9115 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9115 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 34 | N | | 36 |
| 9115 | | 2936 | ASYNCHRONOUS CBL EIA-232/V.24 | 56 | N | | 36 |
| 9115 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 61 | N | | 36 |
| 9115 | | 3125 | SER TO SER PORT CAB RACK/RACK | 61 | N | | 36 |
| 9115 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 19 | N | | 36 |
| 9115 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 61 | N | | 36 |
| 9115 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 61 | N | | 36 |
| 9115 | | 4242 | 6FOOT EXT.CBL FOR DISPLAYS | 77 | N | | 36 |
| 9115 | | 4256 | EXTENDER CBL-USB KEYBOARDS 2M | 38 | N | | 36 |
| 9115 | | 6458 | PWR CABLE-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9115 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9115 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9115 | | 6470 | PWR CORD(6FOOT) TO WALL | 12 | N | | 36 |
| 9115 | | 6471 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6472 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6473 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9115 | | 6474 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6475 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6476 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6477 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6478 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6488 | PWR CORD(9FT) TOWALL/OEM PDU | 36 | N | | 36 |
| 9115 | | 6493 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6494 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6496 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6651 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6659 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 6660 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9115 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 12 | N | | 36 |
| 9115 | | 6669 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9115 | | 6671 | PWR CORD(9FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9115 | | 6672 | PWR CORD(5FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9115 | | 6680 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9115 | | 7287 | 1 PROC.ENT.FOR PROC.FC #8290 | 808 | N | | 36 |
| 9115 | | 7288 | 1 PROC.ENT.FOR PROC.FC #8288 | 284 | N | | 36 |
| 9115 | | 7289 | 1 PROC.ENT.FOR PROC.FC #8289 | 302 | N | | 36 |
| 9115 | | 7370 | 1PROC.ENTITL. FOR PROC.FC#7650 | 258 | N | | 36 |
| 9115 | | 7372 | 1PROC.ENTITL. FOR PROC.FC#7652 | 757 | N | | 36 |
| 9115 | | 7432 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 36 |
| 9115 | | 7574 | 1PROC.ENTITL. FOR PROC.FC#7674 | 543 | N | | 36 |
| 9115 | | 7689 | 1 PROC.ENT.FOR PROC.FC #7679 | 678 | N | | 36 |
| 9115 | | 7802 | ETHT CBL 15M HMC TO SYST.UNIT | 23 | N | | 36 |
| 9115 | | 8131 | 128PORT ASYNCH.CONTR.CBL 4.5M | 46 | N | | 36 |
| 9115 | | 8132 | 128PORT ASYNCH.CONTR.CBL 23CM | 30 | N | | 36 |
| 9116 | | 2456 | LC-SC 50 MIC.FIBER CONV.CABLE | 77 | N | | 36 |
| 9116 | | 2459 | LC-SC 62.5 MIC.FIBER CONV.CBL | 77 | N | | 36 |
| 9116 | | 2934 | ASYN.TERM/PRINT.CABLE EIA-232 | 34 | N | | 36 |
| 9116 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 56 | N | | 36 |
| 9116 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 61 | N | | 36 |
| 9116 | | 3125 | SER TO SER PORT CAB RACK/RACK | 61 | N | | 36 |
| 9116 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 19 | N | | 36 |
| 9116 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 61 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9116 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 61 | N | | 36 |
| 9116 | | 4242 | 6FOOT EXTEND.CBL FOR DISPLAYS | 77 | N | | 36 |
| 9116 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 38 | N | | 36 |
| 9116 | | 5647 | BLIND SWAP TYPE III CAS PCI X | 34 | N | | 36 |
| 9116 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 36 | N | | 36 |
| 9116 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 74 | N | | 36 |
| 9116 | | 6458 | PWR CAB.-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9116 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9116 | | 6470 | PWR CORD(6FOOT) TO WALL | 12 | N | | 36 |
| 9116 | | 6471 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6472 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6473 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6474 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6475 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6476 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6477 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6478 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6488 | PWR CORD(9FT) TO WALL/OEM PDU | 36 | N | | 36 |
| 9116 | | 6493 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6494 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6496 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 41 | N | | 36 |
| 9116 | | 6651 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6659 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 12 | N | | 36 |
| 9116 | | 6669 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9116 | | 6671 | PWR CORD(9FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9116 | | 6672 | PWR CORD(5FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9116 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9116 | | 7164 | IBM/OEM RACK-M.DRW RAIL KIT | 155 | N | | 36 |
| 9116 | | 7235 | ONE PROCESSOR ACT FOR PROC729 | 5,186 | N | | 36 |
| 9116 | | 7304 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 36 |
| 9116 | | 7662 | ACTIV. FOR #7781 PROC.-PERMAN | 1,070 | N | | 36 |
| 9116 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 36 |
| 9116 | | 7863 | PCI BLIND SWAP CASSETTE KIT | 46 | N | | 36 |
| 9116 | | 7870 | POWER DISTRIBUTION BACKPLANE | 185 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9116 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 46 | N | | 36 |
| 9116 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 30 | N | | 36 |
| 9117 | MMC | | POWER 770 | 7,601 | N | 2 | 12 |
| 9117 | MMD | | POWER 770 | 7,601 | N | 2 | 12 |
| 9117 | | 0010 | ONE CSC BILLING UNITS | 166 | N | | 12 |
| 9117 | | 0011 | TEN CSC BILLING UITS | 1,662 | N | | 12 |
| 9117 | | 0348 | V.24/EIA232 6.1M 20 FT PCI CBL | 120 | N | | 12 |
| 9117 | | 0353 | V.35 6.1M 20 FT PCI CABLE | 120 | N | | 12 |
| 9117 | | 0359 | X.21 6.1M 20 FT PCI CABLE | 362 | N | | 12 |
| 9117 | | 0367 | V.24/EIA232 6.1M PCI CABLE | 120 | N | | 12 |
| 9117 | | 0368 | V.24/EIA232 PCI CABLE M3 | 120 | N | | 0 |
| 9117 | | 0551 | 9 INCH 1.8 METER HIGH RAC | 2,581 | N | | 12 |
| 9117 | | 0553 | 19 INCH 2.0 METER HIGH RA | 3,501 | N | | 12 |
| 9117 | | 0555 | 19 INCH 1.3 METER HIGH RA | 1,932 | N | | 12 |
| 9117 | | 0595 | PCI/SCSI DISK EXPANSION DRAWER | 6,951 | N | | 12 |
| 9117 | | 0599 | RACK FILLER PANEL KIT | 72 | N | | 12 |
| 9117 | | 1025 | MODEM CABLE US/CCN GENERAL US | 12 | N | | 12 |
| 9117 | | 1107 | USB 500 GB REMOVABLE DISKDRIVE | 287 | N | | 12 |
| 9117 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 24 | N | | 12 |
| 9117 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 43 | N | | 12 |
| 9117 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 77 | N | | 12 |
| 9117 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 24 | N | | 12 |
| 9117 | | 1116 | CAT5E ETHERNET CABLE 10M GREEN | 43 | N | | 12 |
| 9117 | | 1117 | CAT5E ETHERNET CABLE 25M GREEN | 77 | N | | 12 |
| 9117 | | 1118 | CAT5E ETHERNET CABLE 3M YELLO | 24 | N | | 12 |
| 9117 | | 1119 | CAT5E ETHERNET CABLE 10M YELLC | 43 | N | | 12 |
| 9117 | | 1121 | CAT5E ETHERNET CABLE 25M YELLC | 77 | N | | 12 |
| 9117 | | 1460 | 3M COPPER RIO CABLE | 434 | N | | 12 |
| 9117 | | 1461 | 6M COPPER RIO CABLE | 531 | N | | 12 |
| 9117 | | 1462 | 15M RIO CABLE | 1,062 | N | | 12 |
| 9117 | | 1474 | 6M RIO TO RIO 2 CABLE | 628 | N | | 12 |
| 9117 | | 1475 | 10M RIO TO RIO 2 CABLE | 1,160 | N | | 12 |
| 9117 | | 1487 | 3M RIO TO RIO 2 CABLE | 398 | N | | 12 |
| 9117 | | 1737 | 856GB 10K RPM SAS SFF DISK | 1,465 | N | | 12 |
| 9117 | | 1738 | 856GB 10K RPM SAS SFF 2 DISK | 1,465 | N | | 12 |
| 9117 | | 1751 | 900GB 10K RPM SAS SFF DISK | 1,465 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 1752 | 900GB 10K RPM SAS SFF 2 DISK | 1,465 | N | | 12 |
| 9117 | | 1768 | QUAD ENET CARD W COPPER SFP | 1,330 | N | | 12 |
| 9117 | | 1769 | QUAD ENET CARD W SR OPTICAL | 2,503 | N | | 12 |
| 9117 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9117 | | 1793 | 177GB SFF2 SSD W/ EMLC AIX | 3,504 | N | | 36 |
| 9117 | | 1794 | 177GB SFF 2 SSD W/ EMLC IB | 3,504 | N | | 36 |
| 9117 | | 1802 | GX DUAL PORT- 12X HCA | 1,105 | N | | 12 |
| 9117 | | 1803 | INTEGR 4 PORT 1GB VIRT ETH I/O | 521 | N | | 12 |
| 9117 | | 1804 | INTEGRATED 4 PORT 2X1GB 2X10GE | 2,945 | N | | 12 |
| 9117 | | 1808 | GX 12X DDR ADAPTER DUAL PORT | 1,117 | N | | 12 |
| 9117 | | 1813 | INTEG 4 PORT 2X1GB 2X10GB SFP | 1,566 | N | | 12 |
| 9117 | | 1815 | SAS CABLE FOR TRIPLE SPLIT DAS | 186 | N | | 12 |
| 9117 | | 1817 | QUANTITY 150 OF 1962 | 175,811 | N | | 12 |
| 9117 | | 1818 | QUANTITY 150 OF 1964 | 175,811 | N | | 12 |
| 9117 | | 1819 | SAS CBL ASSEMBLY FOR SAS PORT | 186 | N | | 12 |
| 9117 | | 1827 | SYSTEM PORT UPS CONVERSION CB | 92 | N | | 12 |
| 9117 | | 1828 | 1.5M 12X TO 4X CHAN. CONV. CBL | 292 | N | | 12 |
| 9117 | | 1829 | 0.6 METER 12X CABLE | 342 | N | | 12 |
| 9117 | | 1830 | 1.5 METER 12X CABLE | 390 | N | | 12 |
| 9117 | | 1834 | 8.0 METER 12X CABLE | 707 | N | | 12 |
| 9117 | | 1840 | 3.0 METER 12X CABLE | 464 | N | | 12 |
| 9117 | | 1841 | 3 M 12X TO 4X CHAN. CONV. CBL | 367 | N | | 12 |
| 9117 | | 1842 | 10 M 12X TO 4X CHAN. CONV. CBL | 591 | N | | 12 |
| 9117 | | 1844 | QUANTITY 150 OF 1956 | 116,872 | N | | 12 |
| 9117 | | 1845 | OPERATOR PANEL | 146 | N | | 12 |
| 9117 | | 1853 | OPERATOR PANEL | 746 | N | | 12 |
| 9117 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 585 | N | | 12 |
| 9117 | | 1861 | 0.6 METER 12X DDR CABLE | 342 | N | | 12 |
| 9117 | | 1862 | 1.5 METER 12X DDR CABLE | 390 | N | | 12 |
| 9117 | | 1864 | 8.0 METER 12X DDR CABLE | 707 | N | | 12 |
| 9117 | | 1865 | 3.0 METER 12X DDR CABLE | 464 | N | | 12 |
| 9117 | | 1866 | QUANTITY 150 OF 1917 | 72,919 | N | | 12 |
| 9117 | | 1868 | QUANTITY 150 OF 1947 | 72,919 | N | | 12 |
| 9117 | | 1869 | QUANTITY 150 OF 1925 | 116,872 | N | | 12 |
| 9117 | | 1879 | 283GB 15K RPM SAS DISK | 927 | N | | 12 |
| 9117 | | 1880 | 300GB 15K RPM SAS DISK | 927 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 779 | N | | 12 |
| 9117 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 486 | N | | 12 |
| 9117 | | 1887 | QUANTITY 150 OF 1793 | 525,642 | N | | 36 |
| 9117 | | 1888 | 139GB 15K SFF SAS DD IBM I | 486 | N | | 12 |
| 9117 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 779 | N | | 12 |
| 9117 | | 1914 | GX 2 PORT PCIE2 X8 ADAPTER | 2,460 | N | | 12 |
| 9117 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9117 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9117 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9117 | | 1926 | QUANTITY 150 OF 1879 | 139,127 | N | | 12 |
| 9117 | | 1927 | QUANTITY 150 OF 1948 | 139,127 | N | | 12 |
| 9117 | | 1928 | QUANTITY 150 OF 1880 | 139,127 | N | | 12 |
| 9117 | | 1929 | QUANTITY 150 OF 1953 | 139,127 | N | | 12 |
| 9117 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9117 | | 1948 | 283GB 15K RPM SAS SFF 2 DISK | 927 | N | | 12 |
| 9117 | | 1953 | 300GB 15K RPM SAS SFF 2 DISK | 927 | N | | 12 |
| 9117 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9117 | | 1958 | QUANTITY 150 OF 1794 | 525,642 | N | | 36 |
| 9117 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9117 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9117 | | 1996 | 1 GIGABIT ISCSI TOE PCI XONC | 4,296 | N | | 12 |
| 9117 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,982 | N | | 12 |
| 9117 | | 2124 | ULTRA 320 SCSI CABLE 1 METER | 121 | N | | 12 |
| 9117 | | 2125 | ULTRA 320 SCSI CABLE 3 METER | 136 | N | | 12 |
| 9117 | | 2126 | ULTRA 320 SCSI CABLE 5 METER | 151 | N | | 12 |
| 9117 | | 2127 | ULTRA 320 SCSI CABLE 10 METER | 205 | N | | 12 |
| 9117 | | 2128 | ULTRA 320 SCSI CABLE 20 METER | 321 | N | | 12 |
| 9117 | | 2138 | 0.55 METER ULTRA 320 SCSI CBL | 75 | N | | 12 |
| 9117 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 80 | N | | 12 |
| 9117 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 80 | N | | 12 |
| 9117 | | 2728 | 4 PORT USB PCIE ADAPTER | 146 | N | | 12 |
| 9117 | | 2738 | 2 PORT USB PCI ADAPTER | 43 | N | | 12 |
| 9117 | | 2849 | PWR GXT135P GRAP.ACC.W/DIG.SUF | 334 | N | | 12 |
| 9117 | | 2877 | ARTIC960RXD QUAD DTA 4DROP CAE | 149 | N | | 12 |
| 9117 | | 2893 | PCIE 2 LINE WAN W/MODEM | 564 | N | | 12 |
| 9117 | | 2894 | PCIE 2 LINE WAN W/MODEM CIM | 570 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 2934 | ASYNCH.TERM./PRINT.CAB EIA-232 | 35 | N | | 12 |
| 9117 | | 2936 | ASYNCHRON.CAB. EIA-232/V.24 | 59 | N | | 12 |
| 9117 | | 2943 | 8PORT ASYN.ADP.EIA232/RS422 | 1,147 | N | | 12 |
| 9117 | | 3124 | SER.2SER.PORT CAB.-DRAW/DRAW. | 64 | N | | 12 |
| 9117 | | 3125 | SER.2SER.PORT CAB.-RACK/RACK | 64 | N | | 12 |
| 9117 | | 3278 | 73.4GB15 000RPM DISK DRIVE ASS | 491 | N | | 12 |
| 9117 | | 3279 | 146.8GB SCSI DD 15K RPM U320 | 957 | N | | 12 |
| 9117 | | 3287 | 1M 3 3 FT IB ENET 40G COPPER | 507 | N | | 12 |
| 9117 | | 3288 | 3M 9 8 FT IB ENET 40G COPPE | 634 | N | | 12 |
| 9117 | | 3289 | 5M QDR IB ENET COPPER CABLE QS | 683 | N | | 12 |
| 9117 | | 3290 | 10 METER QUAD DATA RATE INFINI | 731 | N | | 12 |
| 9117 | | 3293 | 30 METER QUAD DATA RATE INFINI | 879 | N | | 12 |
| 9117 | | 3450 | SAS YO CABLE 1.5M-HD 6GB ADAP | 234 | N | | 12 |
| 9117 | | 3451 | SAS YO CABLE 3M-HD 6GB ADAP | 292 | N | | 12 |
| 9117 | | 3452 | SAS YO CABLE 6M-HD 6GB ADAP | 438 | N | | 12 |
| 9117 | | 3453 | SAS YO CABLE 10M-HD 6GB ADAP | 659 | N | | 12 |
| 9117 | | 3454 | SAS X CABLE 3M-HD 6GB 2-ADAP | 438 | N | | 12 |
| 9117 | | 3455 | SAS X CABLE 6M-HD 6GB 2-ADAP | 731 | N | | 12 |
| 9117 | | 3456 | SAS X CABLE 10M-HD 6GB 2-ADAP | 1,220 | N | | 12 |
| 9117 | | 3457 | SAS YO CABLE 15M HD 3GB ADAP | 1,220 | N | | 12 |
| 9117 | | 3458 | SAS X CABLE 15M HD 3GB 2 ADA | 2,344 | N | | 12 |
| 9117 | | 3585 | 300 GB 15K RPM SCSI DD AIX LNX | 1,490 | N | | 12 |
| 9117 | | 3632 | WIDESCREEN LCD MONITOR | 974 | N | | 12 |
| 9117 | | 3636 | L200P FLAT PANEL MONITOR | 1,055 | N | | 12 |
| 9117 | | 3637 | T541H/L150P 15INCHTFT COL.M | 401 | N | | 12 |
| 9117 | | 3640 | THINKVISION L171P FLAT PAN.MON | 572 | N | | 12 |
| 9117 | | 3642 | THINKVISION L191P FLAT PAN.MON | 671 | N | | 12 |
| 9117 | | 3644 | IBM T119 FLAT PANEL MONITOR | 834 | N | | 12 |
| 9117 | | 3645 | IBM T117 FLAT PANEL MONITOR | 690 | N | | 12 |
| 9117 | | 3647 | 146GB 15K RPM SAS DD AIX LNX | 486 | N | | 12 |
| 9117 | | 3648 | 300GB 15K RPM SAS DD AIX LNX | 927 | N | | 12 |
| 9117 | | 3649 | 450GB 15K RPM SAS DD AIX LNX | 1,270 | N | | 12 |
| 9117 | | 3650 | EXT CONN 3 OF 6 INTERNAL SAS | 89 | N | | 12 |
| 9117 | | 3651 | EXT CONN 6 INTERNAL SAS DISK | 89 | N | | 12 |
| 9117 | | 3652 | SAS CBL (EE) DRAWER TO DRW 1M | 48 | N | | 12 |
| 9117 | | 3653 | SAS CBL (EE) DRAWER TO DRW 3M | 69 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 3654 | SAS CBL (EE) DRAWER TO DRW 6M | 117 | N | | 12 |
| 9117 | | 3658 | 428GB 15K RPM SAS DD IBM I | 1,270 | N | | 12 |
| 9117 | | 3660 | PROC. FABRIC CABLE 2 ENCLOSURE | 1,475 | N | | 12 |
| 9117 | | 3661 | SAS CBL (X) ADP SAS ENCL. 3M | 146 | N | | 12 |
| 9117 | | 3662 | SAS CBL (X) ADP SAS ENCL. 6M | 293 | N | | 12 |
| 9117 | | 3663 | SAS CBL (X) ADP SAS ENCL. 15M | 596 | N | | 12 |
| 9117 | | 3664 | PROC. FABRIC CABLE 3 ENCLOSURE | 2,982 | N | | 12 |
| 9117 | | 3665 | PROC. FABRIC CABLE 4 ENCLOSURE | 5,965 | N | | 12 |
| 9117 | | 3667 | SAS CABLE (YR) 1M | 92 | N | | 12 |
| 9117 | | 3671 | SERV INTERFACE CABLE 2 3 AND 4 | 1,491 | N | | 12 |
| 9117 | | 3672 | SERV INTERFACE CABLE 3 AND 4 E | 2,237 | N | | 12 |
| 9117 | | 3673 | SERV INTERFACE CABLE 4 ENCL | 2,982 | N | | 12 |
| 9117 | | 3675 | SAS EX CABLE 3M DRW TO DRW | 167 | N | | 12 |
| 9117 | | 3677 | 139.5GB 15K RPM SAS DD IBM I | 486 | N | | 12 |
| 9117 | | 3678 | 283.7GB 15K RPM SAS DD IBM I | 927 | N | | 12 |
| 9117 | | 3679 | SAS CABLE (AI) 1 M | 51 | N | | 12 |
| 9117 | | 3680 | SAS EX CABLE 6M DRW TO DRW | 298 | N | | 12 |
| 9117 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR | 74 | N | | 12 |
| 9117 | | 3684 | SAS CBL (AE) ADP TO ENCL. 3M | 146 | N | | 12 |
| 9117 | | 3685 | SAS CBL (AE) ADP TO ENCL. 6M | 293 | N | | 12 |
| 9117 | | 3687 | CONTROLLER/DUAL PATH 3M | 107 | N | | 12 |
| 9117 | | 3688 | SAS CABLE (AT) 0.6 METER | 88 | N | | 12 |
| 9117 | | 3689 | SAS AT CABLE 0.6M-HD 6GB ADAP | 117 | N | | 12 |
| 9117 | | 3691 | SAS CBL (YO) ADP TO SAS 1.5M | 88 | N | | 12 |
| 9117 | | 3692 | SAS CBL (YO) ADP TO SAS 3M | 107 | N | | 12 |
| 9117 | | 3693 | SAS CBL (YO) ADP TO SAS 6M | 146 | N | | 12 |
| 9117 | | 3694 | SAS CBL (AE) ADP TO ENCL. 15M | 516 | N | | 12 |
| 9117 | | 3711 | PROCESS CABLE TWO DRAWER SYS | 2,982 | N | | 12 |
| 9117 | | 3712 | PROCESSOR CABLE TWOTHREEFOUR | 3,728 | N | | 12 |
| 9117 | | 3713 | PROCESS CBL TWOTHREEFOUR DRAI | 7,456 | N | | 12 |
| 9117 | | 3714 | PROCESS CBL FOUR DRAWER SYSTE | 8,947 | N | | 12 |
| 9117 | | 3715 | PROCESS CBL TWOTHREE DRAWER | 2,982 | N | | 12 |
| 9117 | | 3716 | PROCESS CBL TWOTHREEFOUR DRW | 3,728 | N | | 12 |
| 9117 | | 3717 | PROCESS CBL THREEFOUR DRAWER | 7,456 | N | | 12 |
| 9117 | | 3718 | PROCESS CBL FOUR DRAWER | 8,947 | N | | 12 |
| 9117 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 20 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 3926 | ASYNCH PRINTER/TERM.CAB 4M | 90 | N | | 12 |
| 9117 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 64 | N | | 12 |
| 9117 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 64 | N | | 12 |
| 9117 | | 3930 | SYSTEM SERIAL PORT CONVERTER (| 13 | N | | 12 |
| 9117 | | 4242 | 6FOOT EXTEND.CAB.FOR DISPLAYS | 80 | N | | 12 |
| 9117 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 40 | N | | 12 |
| 9117 | | 4276 | GA TO DVI CONNECTIONCONVERTE | 7 | N | | 12 |
| 9117 | | 4328 | 141.12GB 15K RPM DISK UNIT | 957 | N | | 12 |
| 9117 | | 4496 | 8/16GB(4X4GB) DIMMS 276 PIN | 14,918 | N | | 12 |
| 9117 | | 4633 | DVD RAM | 1,546 | N | | 12 |
| 9117 | | 4710 | ON/OFF 999 GB DAYS BILLING | 745 | N | | 12 |
| 9117 | | 4746 | PCI TWINAXIAL WORKSTN IOA | 805 | N | | 12 |
| 9117 | | 4764 | PCI-X CRYPT.COPROC.(FIPS 4) | 8,789 | N | | 12 |
| 9117 | | 4791 | ACTIVE MEMORY EXP ENABLEMENT | 5,145 | N | | 12 |
| 9117 | | 4797 | ACTIVE MEMORY MIRRORING | 14,539 | N | | 12 |
| 9117 | | 4808 | PCI-E CRYPTO COPROCESSOR GEN3 | 10,742 | N | | 12 |
| 9117 | | 4809 | PCI-E CRYPTO COPROCESSOR GEN4 | 10,742 | N | | 12 |
| 9117 | | 4980 | 3.5 GHZ PROC CARD 0/12 CORE P | 12,920 | N | | 12 |
| 9117 | | 4981 | 3.1 GHZ PROC CARD 0/16 CORE P | 7,223 | N | | 12 |
| 9117 | | 4983 | 3.72 GHZ PROC 0/12 CORE P7 | 12,920 | N | | 12 |
| 9117 | | 4984 | 3.30 GHZ PROC 0/16 CORE P7 | 7,223 | N | | 12 |
| 9117 | | 4990 | SINGLE 5250 ENTERPR ENABLEMENT | 37,280 | N | | 12 |
| 9117 | | 4991 | FULL 5250 ENTERPRS ENABLEMENT | 149,118 | N | | 12 |
| 9117 | | 4992 | SINGLE 5250 ENTERPRISE ENABLEM | 37,280 | N | | 12 |
| 9117 | | 4997 | FULL 5250 ENTERPRISE ENABLEM | 149,118 | N | | 12 |
| 9117 | | 5108 | 30 DISK EXPANSION FEATURE | 9,669 | N | | 12 |
| 9117 | | 5115 | DUAL LINE CORDS TOWER | 3,223 | N | | 12 |
| 9117 | | 5116 | DUAL LINE CORDS 5294 TOWER | 3,223 | N | | 12 |
| 9117 | | 5138 | REDUNDANT POWER AND COOLING | 1,304 | N | | 12 |
| 9117 | | 5285 | PCI-E 2 PORT 4X IB QDR ADAPT | 976 | N | | 12 |
| 9117 | | 5287 | PCI-E2 2 PORT 10GBE SR ADAPTER | 2,930 | N | | 12 |
| 9117 | | 5288 | PCI-E2 2 PORT 10GBE SFP+COPP | 1,563 | N | | 12 |
| 9117 | | 5289 | 2 PORT ASYNC EIA 232 PCI-E ADAP | 193 | N | | 12 |
| 9117 | | 5329 | 1 CORE PROC. ACT FOR 4983 | 4,255 | N | | 12 |
| 9117 | | 5330 | 100 COD UTL MINS 4983 AIXL | 1 | N | | 12 |
| 9117 | | 5331 | 100 COD UTL MINS 4983 IBMI | 18 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 5332 | 1 PROC DAY ON/OFF 4983 AIXL | 12 | N | | 12 |
| 9117 | | 5333 | 1 PROC DAY ON/OFF 4983 IBMI | 134 | N | | 12 |
| 9117 | | 5334 | 1 CORE PROC. ACT FOR 4984 | 1,856 | N | | 12 |
| 9117 | | 5335 | 100 COD UTL MINS 4984 AIXL | 0 | N | | 12 |
| 9117 | | 5336 | 100 COD UTL MINS 4984 IBMI | 17 | N | | 12 |
| 9117 | | 5337 | 1 PROC DAY ON/OFF 4984 AIXL | 5 | N | | 12 |
| 9117 | | 5338 | 1 PROC DAY ON/OFF 4984 IBMI | 127 | N | | 12 |
| 9117 | | 5403 | ONEPROC.ACTIV.FOR PROC.FC#7380 | 17,149 | N | | 12 |
| 9117 | | 5404 | UTILITY BILLING FOR FC #7380 | 261 | N | | 12 |
| 9117 | | 5459 | ONE PROCESS ACTIV FOR FC 4980 | 4,255 | N | | 12 |
| 9117 | | 5468 | ONE PROCESS ACTIV FOR FC 4981 | 1,856 | N | | 12 |
| 9117 | | 5480 | UTILITY BILLING FOR FC 7380 I | 842 | N | | 12 |
| 9117 | | 5481 | UTILITY BILLING FOR FC 5620 I | 708 | N | | 12 |
| 9117 | | 5482 | UTILITY BILLING FC 5621/5622 | 768 | N | | 12 |
| 9117 | | 5483 | ON/OFF PROCESSOR BILLING 5620 | 424 | N | | 12 |
| 9117 | | 5484 | ON/OFF PROCESSOR BILLING 5621 | 461 | N | | 12 |
| 9117 | | 5485 | ON/OFF PROCESSOR BILLING 7380 | 507 | N | | 12 |
| 9117 | | 5524 | RFID TAGS FOR SERVERS BLADES | 19 | N | | 12 |
| 9117 | | 5532 | SYSTEM PWR SUP 1925W | 1,119 | N | | 12 |
| 9117 | | 5564 | 0/256GB DDR3 1066MHZ 4 DIMMS | 32,891 | N | | 12 |
| 9117 | | 5583 | 5777 CTLR W/AUX WRITE CACHE | 6,757 | N | | 12 |
| 9117 | | 5585 | CHASIS AND IBM BEZEL FOR MMC | 8,947 | N | | 12 |
| 9117 | | 5586 | CHASIS AND OEM BEZEL FOR MMC | 8,947 | N | | 12 |
| 9117 | | 5600 | 0/32GB DDR3 MEMORY (4X8GB) DIM | 1,461 | N | | 12 |
| 9117 | | 5601 | 0/64GB DDR3 MEMORY (4X16GB) DI | 5,755 | N | | 12 |
| 9117 | | 5602 | 0 128GB DDR3 MEMORY 4X32GB | 11,511 | N | | 12 |
| 9117 | | 5617 | PROCESSOR POWER REGULATOR | 1,563 | N | | 12 |
| 9117 | | 5620 | 3.5GHZ POW6-2/0CORE 12 DDR2 | 3,392 | N | | 12 |
| 9117 | | 5621 | 4.2GHZ POW6-2/0CORE 8 DDR2 | 4,783 | N | | 12 |
| 9117 | | 5622 | 4.2GHZ POW6-2/0CORE 12 DDR2 | 5,704 | N | | 12 |
| 9117 | | 5625 | PROC. POWER REGULATOR | 1,118 | N | | 12 |
| 9117 | | 5627 | OEM SYST.CEC ENCL. WITH BEZEL | 370 | N | | 12 |
| 9117 | | 5628 | AC POWER SUPPLY 1600 W | 1,107 | N | | 12 |
| 9117 | | 5629 | MEDIA ENCLOSURE AND BACKPLANE | 137 | N | | 12 |
| 9117 | | 5632 | SYSTEM AC POWER SUPPLY 1725 W | 1,119 | N | | 12 |
| 9117 | | 5636 | 2X-1GB VIRTETH-INTEGR I/OPORTS | 293 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 5637 | 2X-10GB (SR) VIRTETH-INTEGRI/O | 4,132 | N | | 12 |
| 9117 | | 5639 | 4X-1GB VIRTETH-INTEGR I/OPORTS | 516 | N | | 12 |
| 9117 | | 5640 | UTILITY BILLING FOR FC #5620 | 103 | N | | 12 |
| 9117 | | 5641 | UTILITY BILLING FOR FC #5621 | 174 | N | | 12 |
| 9117 | | 5646 | BL.SWAP CASS-PCI-XL OR PCIESH | 36 | N | | 12 |
| 9117 | | 5647 | BL.SWAPCASS-PCI-XL OR PCIEST | 36 | N | | 12 |
| 9117 | | 5648 | SERVICE INTERFACE CARD | 738 | N | | 12 |
| 9117 | | 5650 | ON/OFF PROCBILLING FT #5620 | 62 | N | | 12 |
| 9117 | | 5652 | DISK/MEDIA BACKPLANE | 2,982 | N | | 12 |
| 9117 | | 5653 | ON/OFF PROCDBILLING#5621 #5622 | 105 | N | | 12 |
| 9117 | | 5656 | ON/OFF PROC DAY BILLINGFT#7380 | 157 | N | | 12 |
| 9117 | | 5657 | SERVICE INTERFACE CABLE -2ENCL | 1,475 | N | | 12 |
| 9117 | | 5658 | SERVICE INTERFACE CABLE -3ENCL | 2,982 | N | | 12 |
| 9117 | | 5659 | 3ACKPLANE AND SYSTEM MIDPLANE | 8,947 | N | | 12 |
| 9117 | | 5660 | SERVICE INTERFACE CABLE -4ENCL | 5,965 | N | | 12 |
| 9117 | | 5662 | 175MB CACHE RAID DUAL IOA | 1,864 | N | | 12 |
| 9117 | | 5663 | PROC ENCLOSURE AND BACKPLANE | 1,491 | N | | 12 |
| 9117 | | 5664 | SERVICE PROCESSOR | 2,982 | N | | 12 |
| 9117 | | 5665 | FSP/CLOCK PASS THROUGH CARD | 671 | N | | 12 |
| 9117 | | 5666 | I/O BACKPLANE | 3,320 | N | | 12 |
| 9117 | | 5667 | SYSTEM MIDPLANE | 738 | N | | 12 |
| 9117 | | 5668 | SAS DISK BACKPLANE-6SLOT | 783 | N | | 12 |
| 9117 | | 5669 | 3ACKPLANE AND SYSTEM MIDPLANE | 8,947 | N | | 12 |
| 9117 | | 5670 | 1 PROC ACTIV FOR PROC FT #5620 | 6,785 | N | | 12 |
| 9117 | | 5671 | 1 PROC ACTIV FOR PROC FT #5621 | 9,566 | N | | 12 |
| 9117 | | 5672 | 1 PROC ACTIV FOR PROC FT #5622 | 11,408 | N | | 12 |
| 9117 | | 5675 | 3/4 CORE PROCESSOR ENCLOSURE | 1,563 | N | | 12 |
| 9117 | | 5680 | ACTIV OF 1GB DDR2 POWER 6 MEM | 242 | N | | 12 |
| 9117 | | 5681 | ACTIV OF 256GB DDR2 POWER6MEM | 62,033 | N | | 12 |
| 9117 | | 5682 | POWER 570 SYSTEM BEZEL | 75 | N | | 12 |
| 9117 | | 5683 | SYSTEM CHASSIS 4 EIA | 295 | N | | 12 |
| 9117 | | 5684 | ACTIVATION OF 100 GB DDR2 MEMO | 24,232 | N | | 12 |
| 9117 | | 5691 | ON/OFFMEM BIL 1GB-DAY-POW6 | 2 | N | | 12 |
| 9117 | | 5693 | 0/4GB(4X1GB) 667MHZ DDR2 POW6 | 242 | N | | 12 |
| 9117 | | 5694 | 0/8GB(4X2GB) 667MHZ DDR2 POW6 | 485 | N | | 12 |
| 9117 | | 5695 | 0/16GB(4X4GB) 533MHZ DDR2 POW6 | 969 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 5696 | 0/32GB(4X8GB) 400MHZ DDR2 POW6 | 1,939 | N | | 12 |
| 9117 | | 5699 | SYSTEM SHIP GROUP | 14 | N | | 12 |
| 9117 | | 5703 | PCI-X DUAL CHAN.U320 RAID ADP | 1,952 | N | | 12 |
| 9117 | | 5706 | 2-PORT BASETX ETHT.PCI-X ADP | 737 | N | | 12 |
| 9117 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418 | N | | 12 |
| 9117 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 879 | N | | 12 |
| 9117 | | 5717 | 4PT 10/100/1000 BASE TX PCI AD | 810 | N | | 12 |
| 9117 | | 5721 | 10GB ETHT-SR PCI-X 2.0 DDR ADP | 4,679 | N | | 12 |
| 9117 | | 5723 | 2 PORT ASYN.EIA-232 PCI ADPT | 127 | N | | 12 |
| 9117 | | 5729 | PCIE2 8GB 4PORT FIBRE CHANN | 5,859 | N | | 12 |
| 9117 | | 5735 | 8GB PCI EXPRESS DUAL PRT FIBRE | 3,417 | N | | 12 |
| 9117 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 573 | N | | 12 |
| 9117 | | 5737 | PCI-X DDR DUAL CHAN.U320 SCSI | 1,973 | N | | 12 |
| 9117 | | 5740 | 4-PORT BASETX PCI-X ADPT | 819 | N | | 12 |
| 9117 | | 5741 | SINGLE BUS ULTRA 320 SCSI | 487 | N | | 12 |
| 9117 | | 5742 | DUAL BUS ULTRA 320 SCSI CA | 974 | N | | 12 |
| 9117 | | 5744 | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 3,417 | N | | 12 |
| 9117 | | 5745 | PCIE2 4 PORT 10GBE GBE SFP COP | 2,440 | N | | 12 |
| 9117 | | 5748 | POW GXT145 PCI-EXP.GRAPH.ACCEL | 370 | N | | 12 |
| 9117 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,440 | N | | 12 |
| 9117 | | 5756 | IDE SLIMLINE DVD-ROM DRIVE | 205 | N | | 12 |
| 9117 | | 5757 | IBM 4.7 GB IDE SLIMLINEDVD-RAM | 492 | N | | 12 |
| 9117 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,440 | N | | 12 |
| 9117 | | 5762 | SATA SLIMLINE DVD RAM DRIVE | 292 | N | | 12 |
| 9117 | | 5767 | 2-P10/100/1000-TXETHPCI EXPAD. | 516 | N | | 12 |
| 9117 | | 5768 | 2-PORT GBIT ETH-SX PCI EXP ADP | 1,290 | N | | 12 |
| 9117 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 3,418 | N | | 12 |
| 9117 | | 5771 | SATA SLIMLINE DVD RAM DRIVE | 292 | N | | 12 |
| 9117 | | 5772 | 10 GB ETHERNET LR PCI EXPRESS | 4,631 | N | | 12 |
| 9117 | | 5774 | 4GIGABITPCI-E DUAL PORT FIBR | 2,440 | N | | 12 |
| 9117 | | 5776 | PCIX DSK CONTROL. 90MB NO IOP | 1,932 | N | | 12 |
| 9117 | | 5777 | PCIX DSK CONTROL. 1.5MB NO IOP | 5,988 | N | | 12 |
| 9117 | | 5778 | PCI X EXP24 CTL 1.5MB NO IOP | 8,211 | N | | 12 |
| 9117 | | 5782 | PCI X EXP24 CTL 1.5MB NO IOP | 8,258 | N | | 12 |
| 9117 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADP | 682 | N | | 12 |
| 9117 | | 5796 | PCI DDR 12X EXPANSION DRAW | 5,312 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 5802 | 12X I/O DRAWER PCIE SFF D | 11,709 | N | | 12 |
| 9117 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 2,147 | N | | 12 |
| 9117 | | 5877 | 12X I O DRAWER PCIE NO DIS | 10,636 | N | | 12 |
| 9117 | | 5878 | SAS DISK BACKPLANE 6 SLOT | 774 | N | | 12 |
| 9117 | | 5886 | EXP 12S | 4,834 | N | | 12 |
| 9117 | | 5887 | EXP24S SFF GEN2-BAY DRAWER | 5,274 | N | | 12 |
| 9117 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 293 | N | | 12 |
| 9117 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 731 | N | | 12 |
| 9117 | | 5904 | PCI X DDR 1.5GB CACHE SAS RAID | 8,301 | N | | 12 |
| 9117 | | 5908 | PCI X DDR 1.5GB CACHE SAS RAID | 8,301 | N | | 12 |
| 9117 | | 5909 | ALTERNATE SAS CONTROLLER SLOT | 1,044 | N | | 12 |
| 9117 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTER | 805 | N | | 12 |
| 9117 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324 | N | | 12 |
| 9117 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 220 | N | | 12 |
| 9117 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 366 | N | | 12 |
| 9117 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 170 | N | | 12 |
| 9117 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 97 | N | | 12 |
| 9117 | | 5926 | SAS EX CABLE 1.5M DRW TO DRW | 149 | N | | 12 |
| 9117 | | 5951 | FULL WIDTH KEYB-USB US ENG | 80 | N | | 12 |
| 9117 | | 5983 | FULL WIDTH KEYB-USB US ENG INT | 80 | N | | 12 |
| 9117 | | 6001 | POWER CONTROL CABLE(SPCN)-2M | 23 | N | | 12 |
| 9117 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 38 | N | | 12 |
| 9117 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 77 | N | | 12 |
| 9117 | | 6008 | POWER CONTROL CABLE(SPCN)-6M | 48 | N | | 12 |
| 9117 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 331 | N | | 12 |
| 9117 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 406 | N | | 12 |
| 9117 | | 6246 | 1.8M RACK TRIM KIT | 221 | N | | 12 |
| 9117 | | 6247 | 2.0M RACK TRIM KIT | 221 | N | | 12 |
| 9117 | | 6248 | 1.8M RACK ACCOUSTIC DOORS | 3,430 | N | | 12 |
| 9117 | | 6249 | 2.0M RACK ACCOUSTIC DOORS | 3,430 | N | | 12 |
| 9117 | | 6263 | 1.8M RACK TRIM KIT | 390 | N | | 12 |
| 9117 | | 6272 | 2.0M RACK TRIM KIT | 390 | N | | 12 |
| 9117 | | 6446 | DUAL PORT 12X CHANNEL ATTACH | 562 | N | | 12 |
| 9117 | | 6457 | DUAL PT 12X CHANNEL ATTACH | 2,441 | N | | 12 |
| 9117 | | 6458 | PWR CAB-DRAWER TO IBM PDU | 14 | N | | 12 |
| 9117 | | 6469 | PWR CORD(14FOOT) (250V 15A) | 13 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 13 | N | | 12 |
| 9117 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 13 | N | | 12 |
| 9117 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 13 | N | | 12 |
| 9117 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 13 | N | | 12 |
| 9117 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 13 | N | | 12 |
| 9117 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 13 | N | | 12 |
| 9117 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 13 | N | | 12 |
| 9117 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 13 | N | | 12 |
| 9117 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 13 | N | | 12 |
| 9117 | | 6487 | PWR CORD(6FOOT) (250V 15A) | 13 | N | | 12 |
| 9117 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 38 | N | | 12 |
| 9117 | | 6489 | 4.3M 14 FT 3PH/24A POWER CORD | 249 | N | | 12 |
| 9117 | | 6491 | 4.3M 14 FT 1PH/48A PWR CORD | 295 | N | | 12 |
| 9117 | | 6492 | 4.3M 14 FT 1PH/48 60A PWR CORD | 295 | N | | 12 |
| 9117 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 13 | N | | 12 |
| 9117 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 13 | N | | 12 |
| 9117 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 13 | N | | 12 |
| 9117 | | 6497 | 6 FT 250V/15A POWER CORD | 24 | N | | 12 |
| 9117 | | 6577 | POWER CABLE DRW TO IBM PDU | 14 | N | | 12 |
| 9117 | | 6580 | OPTIONAL RACK SECURITY KIT | 131 | N | | 12 |
| 9117 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 184 | N | | 12 |
| 9117 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 43 | N | | 12 |
| 9117 | | 6651 | PWR.CORD(9FT) TO WALL/OEM PDU | 13 | N | | 12 |
| 9117 | | 6654 | 4.3M 14 FT 1PH/24 30A PWR CORD | 176 | N | | 12 |
| 9117 | | 6655 | 4.3M 14FT 1PH/24 30A WR PWR CD | 390 | N | | 12 |
| 9117 | | 6656 | 4.3M 14 FT 1PH/24A POWER CORD | 176 | N | | 12 |
| 9117 | | 6657 | 4.3M 14 FT 1PH/24A POWER CORD | 186 | N | | 12 |
| 9117 | | 6659 | PWR.CORD(9FT) TO WALL/OEM PDU | 13 | N | | 12 |
| 9117 | | 6660 | OWER CORD 14 FOOT DRAW TO EO | 14 | N | | 12 |
| 9117 | | 6664 | 2.1M 7 FT 200V PDU POWER CBL | 14 | N | | 12 |
| 9117 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 13 | N | | 12 |
| 9117 | | 6669 | PWR CORD(14FT) DR.TO OEM PDU | 13 | N | | 12 |
| 9117 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 13 | N | | 12 |
| 9117 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 13 | N | | 12 |
| 9117 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 13 | N | | 12 |
| 9117 | | 6699 | RIO 2 BUS ADAPTER | 773 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 6805 | PCI 2 LINE WAN IOA NO IOP | 410 | N | | 12 |
| 9117 | | 6808 | PCI 4 MODEM WAN IOA NO IOP | 1,546 | N | | 12 |
| 9117 | | 7099 | CBL RESTRAINT HW EXCESS SRVC | 44 | N | | 12 |
| 9117 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 1,072 | N | | 12 |
| 9117 | | 7118 | ENVIROMENTAL MONITOR PROBE | 272 | N | | 12 |
| 9117 | | 7164 | IBM/OEM RACK-MOUNT DRW R KIT | 163 | N | | 12 |
| 9117 | | 7188 | POWER DISTRIBUTION UNIT | 738 | N | | 12 |
| 9117 | | 7204 | QUANTITY 150 OF 2124 | 18,230 | N | | 12 |
| 9117 | | 7205 | QUANTITY 150 OF 2125 | 20,466 | N | | 12 |
| 9117 | | 7206 | QUANTITY 150 OF 2126 | 22,815 | N | | 12 |
| 9117 | | 7207 | QUANTITY 150 OF 2127 | 30,756 | N | | 12 |
| 9117 | | 7208 | QUANTITY 150 OF 2128 | 48,314 | N | | 12 |
| 9117 | | 7213 | QUANTITY 150 OF 2138 | 11,184 | N | | 12 |
| 9117 | | 7272 | 2GB CUOD MEMORY ACTIVATION | 485 | N | | 12 |
| 9117 | | 7273 | 4GB CUOD MEMORY ACTIVATION | 969 | N | | 12 |
| 9117 | | 7274 | 8GB CUOD MEMORY ACTIVATION | 1,939 | N | | 12 |
| 9117 | | 7275 | 16GB CUOD MEMORY ACTIVATION | 3,877 | N | | 12 |
| 9117 | | 7276 | 32GB CUOD MEMORY ACTIVATION | 7,754 | N | | 12 |
| 9117 | | 7306 | 1 PROC ACTIVATION PROC FC 7388 | 19,835 | N | | 12 |
| 9117 | | 7314 | 'O DRAWER MOUNTING ENCLOSURE | 512 | N | | 12 |
| 9117 | | 7332 | UTILITY BILLING PROC 7388 100 | 302 | N | | 12 |
| 9117 | | 7333 | ON/OFF PROC DAY BILLING 7388 | 181 | N | | 12 |
| 9117 | | 7334 | UTILITY BILLING FOR PROC 7388 | 880 | N | | 12 |
| 9117 | | 7346 | ON/OFF PROC BILLING 7388 IBM I | 529 | N | | 12 |
| 9117 | | 7380 | 4.7GHZ POW6-2/0CORE 12 DDR2 | 8,574 | N | | 12 |
| 9117 | | 7387 | 4.4GHZ PROC CARD 0/2 CORE PWR6 | 6,540 | N | | 12 |
| 9117 | | 7388 | 5.0GHZ PROC CARD 0/2 CORE PWR6 | 9,917 | N | | 12 |
| 9117 | | 7510 | QUANTITY 150 OF 4328 | 143,713 | N | | 12 |
| 9117 | | 7514 | QUANTITY 150 OF 5741 | 73,143 | N | | 12 |
| 9117 | | 7518 | QUANTITY 150 OF 3677 | 72,919 | N | | 12 |
| 9117 | | 7519 | QUANTITY 150 OF 3678 | 139,127 | N | | 12 |
| 9117 | | 7540 | 4.2GHZ PROC CARD 0/4 CORE PWR6 | 18,183 | N | | 12 |
| 9117 | | 7544 | QUANTITY 150 OF #1888 | 72,919 | N | | 12 |
| 9117 | | 7547 | QUANTITY 150 OF #1885 | 116,872 | N | | 12 |
| 9117 | | 7548 | QUANTITY 150 OF #1886 | 72,919 | N | | 12 |
| 9117 | | 7550 | QUANTITY 150 OF 1790 | 175,811 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 7557 | QUANTITY 150 OF 1911 | 116,872 | N | | 12 |
| 9117 | | 7566 | QUANTITY 150 OF 1916 | 175,811 | N | | 12 |
| 9117 | | 7618 | 1WAY PROC.ACT..FOR PROC.FC8338 | 11,235 | N | | 12 |
| 9117 | | 7624 | ON/OFF PROC.DAY BILL.-FC8338 | 93 | N | | 12 |
| 9117 | | 7642 | PROC COD UTILITY BILL FOR 4980 | 1 | N | | 12 |
| 9117 | | 7643 | PROC MINS FOR IBM I | 18 | N | | 12 |
| 9117 | | 7644 | 1 PROC DAY ON/OFF BILL 4980 | 12 | N | | 12 |
| 9117 | | 7645 | 1 PROC DAY ON/OFF BILL 4980 | 134 | N | | 12 |
| 9117 | | 7647 | PROC MINS FOR IBM I | 17 | N | | 12 |
| 9117 | | 7648 | 1 PROC DAY ON/OFF BILL 4981 | 5 | N | | 12 |
| 9117 | | 7649 | 1 PROC DAY ON/OFF BILL 4981 | 127 | N | | 12 |
| 9117 | | 7663 | 1GB DDR2 MEMORY ACTIVATION | 1,242 | N | | 12 |
| 9117 | | 7665 | 1WAY PROC.ACT..FOR PROC.FC7782 | 4,592 | N | | 12 |
| 9117 | | 7666 | 30DAYS PREPAID RESERVE CAP. | 1,156 | N | | 12 |
| 9117 | | 7700 | 1 PROC ACTIVATION PROC FC7540 | 16,360 | N | | 12 |
| 9117 | | 7701 | UTILITY BILLING PROC 7540 100 | 249 | N | | 12 |
| 9117 | | 7702 | ON/OFF PROC DAY BILLING 7540 | 149 | N | | 12 |
| 9117 | | 7706 | UTILITY BILLING PROC 7540 IBM I | 834 | N | | 12 |
| 9117 | | 7709 | ON/OFF PROC BILLING 7540 IBM I | 503 | N | | 12 |
| 9117 | | 7718 | ON/OFF PROC.DAY BILL.-FC7782 | 38 | N | | 12 |
| 9117 | | 7719 | 1 PROC ACTIVATION PROC FC 7387 | 13,080 | N | | 12 |
| 9117 | | 7726 | UTILITY BILLING PROC 7387 100 | 199 | N | | 12 |
| 9117 | | 7728 | 30DAYS PREPAID RESERVE CAP. | 2,804 | N | | 12 |
| 9117 | | 7743 | UTILITY BILLING PROC 7387 IBM | 794 | N | | 12 |
| 9117 | | 7744 | ON/OFF PROC BILLING 7387 IBM I | 477 | N | | 12 |
| 9117 | | 7745 | ON/OFF PROC DAY BILLING 7387 | 120 | N | | 12 |
| 9117 | | 7801 | ETHERN.CAB 6M HMC TO SYS.UNIT | 11 | N | | 12 |
| 9117 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 25 | N | | 12 |
| 9117 | | 7863 | PCI BLIND SWAP CASSETTE KIT | 48 | N | | 12 |
| 9117 | | 7870 | POWER DISTRIBUTION BACKPLANE | 194 | N | | 12 |
| 9117 | | 7875 | PROCESSOR POWER REGULATOR | 503 | N | | 12 |
| 9117 | | 7879 | SYSTEM DRAWER ENCLOSURE | 345 | N | | 12 |
| 9117 | | 7888 | AC POWER SUPPLY 1400 W | 789 | N | | 12 |
| 9117 | | 7897 | 1PROC.ACT.FOR CUOD PRC.FC7830 | 8,891 | N | | 12 |
| 9117 | | 7898 | 1PROC.ACT.FOR CUOD PRC.FC7832 | 23,993 | N | | 12 |
| 9117 | | 7899 | 1PROC.ACT.FOR CUOD PRC.FC7833 | 26,392 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | 7929 | 1PROC.ENTITL.FOR PRC.FC7834 | 3,299 | N | | 12 |
| 9117 | | 7942 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 12 |
| 9117 | | 7950 | 1024MB ACTIVATION FOR DDR1MEM | 1,455 | N | | 12 |
| 9117 | | 7952 | ON/OFFPROC.DAY BILL.FOR FC7830 | 81 | N | | 12 |
| 9117 | | 7953 | ON/OFFPROC.DAY BILL.FOR FC7832 | 220 | N | | 12 |
| 9117 | | 7955 | ON/OFFPROC.DAY BILL.FOR FC7833 | 242 | N | | 12 |
| 9117 | | 7956 | 30D PREP.RES.CAP.4 1.65GHZPROC | 2,435 | N | | 12 |
| 9117 | | 7957 | ON/OFF MEM.1GBDAY BIL.FOR DDR1 | 10 | N | | 12 |
| 9117 | | 7959 | 30D PREP.RES.CAP.4 1.9GHZPROC | 7,257 | N | | 12 |
| 9117 | | 7967 | IBM DRAWER IND AAP | 0 | N | | 12 |
| 9117 | | 7968 | NON-IBM DRAWER IND OEM | 0 | N | | 12 |
| 9117 | | 7969 | SYSTEM DRAWER ENCLOSURE OEM | 345 | N | | 12 |
| 9117 | | 7995 | POWERVM ENTERPRISE EDITION | 0 | N | | 12 |
| 9117 | | 8129 | 0/256GB DDR2 (32X8GB) 400 MHZ | 15,508 | N | | 12 |
| 9117 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 48 | N | | 12 |
| 9117 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 32 | N | | 12 |
| 9117 | | 8133 | RJ-45 TO DB-25 CONVERTER CABLE | 97 | N | | 12 |
| 9117 | | 8143 | LINUX SOFTWARE PREINSTALL | 44 | N | | 12 |
| 9117 | | 8144 | LINUX SOFTWARE PREINSTALL SDIS | 44 | N | | 12 |
| 9117 | | 8212 | ACTIVATION OF 1 GB DDR3 POWER7 | 182 | N | | 12 |
| 9117 | | 8213 | ACT OF 100 GB DDR3 POWER7 | 18,267 | N | | 12 |
| 9117 | | 8841 | MOUSE-BUS.BLACK W/KEYB.ATT.CAE | 60 | N | | 12 |
| 9117 | | 8845 | USB MOUSE | 28 | N | | 12 |
| 9117 | | EB34 | I 6.1.1 NATIVE I O ENABLEMENT | 976 | N | | 12 |
| 9117 | | EB85 | CHASIS IBM BEZEL FOR MMD | 8,947 | N | | 12 |
| 9117 | | EB86 | CHASIS OEM BEZEL FOR MMD | 8,947 | N | | 12 |
| 9117 | | EC28 | PCIE2 2 PORT 10GBE ROCE SFP A | 976 | N | | 12 |
| 9117 | | EC30 | PCIE2 2-PORT 10GBE ROCE SR ADA | 1,709 | N | | 12 |
| 9117 | | EC53 | OPERATOR PANEL | 746 | N | | 12 |
| 9117 | | ECB0 | 0.6M BLUE CAT5 ETHERNET CABLE | 12 | N | | 12 |
| 9117 | | ECB2 | 1.5M BLUE CAT5 ETHERNET CABLE | 16 | N | | 12 |
| 9117 | | EDR1 | EXP30 ULTRA SSD I/O DRAWER | 23,927 | N | | 12 |
| 9117 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 58 | N | | 12 |
| 9117 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 58 | N | | 12 |
| 9117 | | EM40 | 0 32GB DDR3 1066MHZ 4 DIMMS | 410 | N | | 12 |
| 9117 | | EM41 | 0 64GB DDR3 1066MHZ 4 DIMMS | 820 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | EM42 | 0 128GB DDR3 1066MHZ 4 DIMMS | 1,640 | N | | 12 |
| 9117 | | EM44 | 0 256GB DDR3 1066MHZ 4 DIMMS | 12,675 | N | | 12 |
| 9117 | | EMA2 | ACTIVATION OF 1 GB DDR3 P7 | 137 | N | | 12 |
| 9117 | | EMA3 | QTY 100 OF FC EMA2 1GB ACT | 13,793 | N | | 12 |
| 9117 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 97 | N | | 12 |
| 9117 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 117 | N | | 12 |
| 9117 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 146 | N | | 12 |
| 9117 | | EN05 | PCIE X8 CABLE 1.5M | 292 | N | | 12 |
| 9117 | | EN07 | PCIE X8 CABLE 3M | 331 | N | | 12 |
| 9117 | | EN08 | PCIE X8 CABLE 8M | 371 | N | | 12 |
| 9117 | | EP2A | 100 ON/OFF PRC DAYS 4980 AIXL | 1,267 | N | | 12 |
| 9117 | | EP2B | 100 ON/OFF PRC DAYS 4980 IBMI | 13,421 | N | | 12 |
| 9117 | | EP2C | 100 ON/OFF PRC DAYS 4981 AIXL | 596 | N | | 12 |
| 9117 | | EP2D | 100 ON/OFF PRC DAYS 4981 IBMI | 12,750 | N | | 12 |
| 9117 | | EP2G | 100 ON/OFF PRC DAYS 4983 AIXL | 1,267 | N | | 12 |
| 9117 | | EP2H | 100 ON/OFF PRC DAYS 4983 IBMI | 13,421 | N | | 12 |
| 9117 | | EP2J | 100 ON OFF PRC DY 4984 AIXL | 596 | N | | 12 |
| 9117 | | EP2K | 100 ON OFF PRC DY 4984 IBMI | 12,750 | N | | 12 |
| 9117 | | EPM0 | X4.22 GHZ PROC 0 12 CORE P7 | 13,206 | N | | 12 |
| 9117 | | EPM1 | 3.80 GHZ PROC 0 16 CORE P7 | 12,473 | N | | 12 |
| 9117 | | EPMA | 1CORE ACTIVATION FOR EPM0 | 4,403 | N | | 12 |
| 9117 | | EPMB | 1CORE ACTIVATION FOR EPM1 | 3,116 | N | | 12 |
| 9117 | | EPME | 1 ON/OFF PROC-DAY EPM0 AIXL | 12 | N | | 12 |
| 9117 | | EPMF | 1 ON/OFF PROC-DAY EPM0 | 134 | N | | 12 |
| 9117 | | EPMG | 1 ON/OFF PROC-DAY EPM1 AIXL | 5 | N | | 12 |
| 9117 | | EPMH | 1 ON/OFF PROC-DAY EPM1 | 127 | N | | 12 |
| 9117 | | EPMN | 100 ON/OFF PRC-DAYS EPM0 AIXL | 1,267 | N | | 12 |
| 9117 | | EPMP | 100 ON/OFF PRC-DAYS EPM0 | 13,421 | N | | 12 |
| 9117 | | EPMQ | 100 ON/OFF PRC-DAYS EPM1 AIXL | 596 | N | | 12 |
| 9117 | | EPMR | 100 ON/OFF PRC-DAYS EPM1 | 12,750 | N | | 12 |
| 9117 | | EPMW | 100 COD UTL MINS EPM0 AIXL | 1 | N | | 12 |
| 9117 | | EPMX | 100 COD UTL MINS EPM0 | 18 | N | | 12 |
| 9117 | | EPMZ | 100 COD UTL MINS EPM1 | 17 | N | | 12 |
| 9117 | | EQ02 | QUANTITY 150 OF 3452 SAS CABL | 65,873 | N | | 12 |
| 9117 | | EQ03 | QUANTITY 150 OF 3453 SAS YO | 98,865 | N | | 12 |
| 9117 | | EQ0A | QUANTITY 150 OF ES0A | 525,642 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9117 | | EQ0B | QUANTITY OF 150 ES0B | 525,642 | N | | 12 |
| 9117 | | EQ0C | QUANTITY OF 150 ES0C | 525,642 | N | | 12 |
| 9117 | | EQ0D | QUANTITY OF 150 ES0D | 525,642 | N | | 12 |
| 9117 | | EQ37 | QUANTITY 150 OF 1737 | 219,763 | N | | 12 |
| 9117 | | EQ38 | QUANTITY 150 OF 1738 | 219,763 | N | | 12 |
| 9117 | | EQ51 | QUANTITY 150 OF 1751 | 219,763 | N | | 12 |
| 9117 | | EQ52 | QUANTITY 150 OF 1752 | 219,763 | N | | 12 |
| 9117 | | EQ77 | POWER CABLE DRAWER TO IBM PD | 2,685 | N | | 12 |
| 9117 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 19 | N | | 12 |
| 9117 | | ERG7 | FRONT DOOR FOR P770/780 2MRACK | 2,237 | N | | 12 |
| 9117 | | ES02 | 387GB 1.8 SAS SSD AIX/LINUX | 4,296 | N | | 12 |
| 9117 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,504 | N | | 12 |
| 9117 | | ES0B | 387GB SFF-1 SSD FOR IBM I | 3,504 | N | | 12 |
| 9117 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,504 | N | | 12 |
| 9117 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,504 | N | | 12 |
| 9117 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 6,054 | N | | 12 |
| 9117 | | ESC8 | S H | 521 | N | | 12 |
| 9117 | | ESR2 | 6 ES02 387GB 1.8 SAS SSD | 23,202 | N | | 12 |
| 9117 | | ESRA | 4 ES0A 387GB SFF1 SSD | 12,615 | N | | 12 |
| 9117 | | ESRB | 4 ES0B 387GB SFF1 SSD | 12,615 | N | | 12 |
| 9117 | | ESRC | 4 ES0C 387GB SFF2 SSD | 12,615 | N | | 12 |
| 9117 | | ESRD | 4 ES0D 387GB SFF2 SSD | 12,615 | N | | 12 |
| 9117 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 337 | N | | 12 |
| 9117 | | EU04 | RDX USB EXTERNAL DOCKING | 268 | N | | 12 |
| 9117 | | EU05 | SERVICE PROCESSOR 2 | 2,982 | N | | 12 |
| 9117 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 220 | N | | 12 |
| 9117 | | EU09 | SERVICE PROCESSOR 3 | 2,982 | N | | 12 |
| 9117 | | EU15 | 1.5TB REMOVABLE DISKDRIVECARTF | 483 | N | | 12 |
| 9117 | | EUC6 | CORE USE HW FEATURE | 373 | N | | 12 |
| 9117 | | EUC7 | CORE USE HW FEATURE 10 | 3,728 | N | | 12 |
| 9118 | | 2456 | LC-SC 50 MICRON FIBER CONV.CBL | 82 | N | | 12 |
| 9118 | | 2459 | LC-SC 62.5 MIC.FIBER CONV.CBL | 82 | N | | 12 |
| 9118 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 33 | N | | 12 |
| 9118 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 54 | N | | 12 |
| 9118 | | 3125 | SER.TO SER.PORT CBL FOR RACK | 65 | N | | 12 |
| 9118 | | 3636 | L200P FLAT PANEL MONITOR | 1,055 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9118 | | 3637 | T541H/L150P 15INCHTFT COL.M | 401 | N | | 12 |
| 9118 | | 3640 | THINKVISION L171P FLAT PAN.MON | 572 | N | | 12 |
| 9118 | | 3642 | THINKVISION L191P FLAT PAN.MON | 671 | N | | 12 |
| 9118 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 20 | N | | 12 |
| 9118 | | 4242 | 6FT EXTEND.CBL FOR DISPLAYS | 82 | N | | 12 |
| 9118 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 41 | N | | 12 |
| 9118 | | 4599 | PCI BLIND SWAP CASS.KIT UNIV. | 48 | N | | 12 |
| 9118 | | 5706 | 2-PORT BASETX ETH.T.PCI-X ADP | 745 | N | | 12 |
| 9118 | | 5711 | PCI-X D.CH.U320 RAID BL.SW.ADP | 1,973 | N | | 12 |
| 9118 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 888 | N | | 12 |
| 9118 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 578 | N | | 12 |
| 9118 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,465 | N | | 12 |
| 9118 | | 6186 | BULK POWER REGULATOR | 2,982 | N | | 12 |
| 9118 | | 6251 | SLIM LINE DOORS | 4,474 | N | | 12 |
| 9118 | | 6252 | ACOUSTIC DOORS | 5,965 | N | | 12 |
| 9118 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 14 | N | | 12 |
| 9118 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 14 | N | | 12 |
| 9118 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9118 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9118 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 14 | N | | 12 |
| 9118 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9118 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9118 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9118 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9118 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 39 | N | | 12 |
| 9118 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9118 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9118 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9118 | | 6651 | PWR.CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 9118 | | 6659 | PWR.CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 9118 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 9118 | | 6855 | WEIGHT DISTRIBUTION PLATE | 559 | N | | 12 |
| 9118 | | 6861 | SLIM LINE DOORS | 2,672 | N | | 12 |
| 9118 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 25 | N | | 12 |
| 9118 | | 7837 | 3ULK PWR DISTRIBUTION ASSEMBLY | 1,864 | N | | 12 |
| 9118 | | 7937 | 3OLT-DOWN KIT LOW-RAISED FLOOR | 5,219 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9118 | | 7938 | BOLT-DOWN KIT HIGH-RAIS.FLOOR | 5,219 | N | | 12 |
| 9118 | | 7944 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 12 |
| 9118 | | 7960 | COMPACT HANDLING OPTION | 494 | N | | 12 |
| 9118 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 48 | N | | 12 |
| 9118 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 32 | N | | 12 |
| 9118 | | 8686 | L.CRD 6AWG 14FTIEC309 100A PLG | 746 | N | | 12 |
| 9118 | | 8688 | L.CRD 6AWG/TYP E W 14FT 60A PLG | 1,118 | N | | 12 |
| 9118 | | 8697 | LINE CORD 8AWG 14FT 30A PLUG | 1,491 | N | | 12 |
| 9119 | FHB | | POWER 795 SERVER | 67,849 | N | 2 | 12 |
| 9119 | | 0010 | ONE CSC BILLING UNITS | 166 | N | | 12 |
| 9119 | | 0011 | TEN CSC BILLING UITS | 1,662 | N | | 12 |
| 9119 | | 0348 | V.24/EIA232 20 FT PCI CABLE | 122 | N | | 12 |
| 9119 | | 0353 | V.35 20 FT PCI CABLE | 122 | N | | 12 |
| 9119 | | 0359 | X.21 20 FT PCI CABLE | 366 | N | | 12 |
| 9119 | | 0367 | V.24/EIA232 6.1M PCI CABLE | 122 | N | | 12 |
| 9119 | | 0368 | V.24/EIA232 PCI CABLE M3 | 122 | N | | 0 |
| 9119 | | 0551 | 19 INCH 1.8 METER HIGH RACK | 2,610 | N | | 12 |
| 9119 | | 0553 | 19 INCH 2.0 METER HIGH RACK | 3,538 | N | | 12 |
| 9119 | | 0555 | 19 INCH 1.3 METER HIGH RACK | 1,951 | N | | 12 |
| 9119 | | 0599 | RACK FILLER PANEL KIT | 73 | N | | 12 |
| 9119 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 24 | N | | 12 |
| 9119 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 43 | N | | 12 |
| 9119 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 77 | N | | 12 |
| 9119 | | 1115 | CAT5E ETHERNET CABLE 3M GREEN | 24 | N | | 12 |
| 9119 | | 1116 | CAT5E ETHERNET CABLE 10M GREEN | 43 | N | | 12 |
| 9119 | | 1117 | CAT5E ETHERNET CABLE 25M GREEN | 77 | N | | 12 |
| 9119 | | 1118 | CAT5E ETHERNET CABLE 3M YELLO | 24 | N | | 12 |
| 9119 | | 1119 | CAT5E ETHERNET CABLE 10M YELLC | 43 | N | | 12 |
| 9119 | | 1419 | 4.3M 200V/16A PWR CD ISRAEL | 13 | N | | 12 |
| 9119 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9119 | | 1793 | 177GB SFF2 SSD W/ EMLC AIX/LI | 3,504 | N | | 36 |
| 9119 | | 1794 | 177GB SFF 2 SSD W/ EMLC IBM I | 3,504 | N | | 36 |
| 9119 | | 1816 | GX DUAL PORT 12X HCA | 2,982 | N | | 12 |
| 9119 | | 1817 | QUANTITY 150 OF 1962 | 175,811 | N | | 12 |
| 9119 | | 1818 | QUANTITY 150 OF 1964 | 175,811 | N | | 12 |
| 9119 | | 1844 | QUANTITY 150 OF 1956 | 116,872 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 591 | N | | 12 |
| 9119 | | 1861 | 0.6 METER 12X DDR CABLE | 345 | N | | 12 |
| 9119 | | 1863 | 2.5 METER 12X DDR CABLE | 485 | N | | 12 |
| 9119 | | 1864 | 8.0 METER 12X DDR CABLE | 715 | N | | 12 |
| 9119 | | 1865 | 3.0 METER 12X DDR CABLE | 464 | N | | 12 |
| 9119 | | 1866 | QUANTITY 150 OF 1917 | 72,919 | N | | 12 |
| 9119 | | 1868 | QUANTITY 150 OF 1947 | 72,919 | N | | 12 |
| 9119 | | 1869 | QUANTITY 150 OF 1925 | 116,872 | N | | 12 |
| 9119 | | 1879 | 283GB 15K RPM SAS DISK | 927 | N | | 12 |
| 9119 | | 1880 | 300GB 15K RPM SAS DISK | 927 | N | | 12 |
| 9119 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 779 | N | | 12 |
| 9119 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 486 | N | | 12 |
| 9119 | | 1887 | QUANTITY 150 OF 1793 | 525,642 | N | | 36 |
| 9119 | | 1888 | 139GB 15K SFF SAS DD IBM I | 486 | N | | 12 |
| 9119 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 779 | N | | 12 |
| 9119 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9119 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9119 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9119 | | 1926 | QUANTITY 150 OF 1879 | 139,127 | N | | 12 |
| 9119 | | 1927 | QUANTITY 150 OF 1948 | 139,127 | N | | 12 |
| 9119 | | 1928 | QUANTITY 150 OF 1880 | 139,127 | N | | 12 |
| 9119 | | 1929 | QUANTITY 150 OF 1953 | 139,127 | N | | 12 |
| 9119 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9119 | | 1948 | 283GB 15K RPM SAS SFF 2 DISK | 927 | N | | 12 |
| 9119 | | 1953 | 300GB 15K RPM SAS SFF 2 DISK | 927 | N | | 12 |
| 9119 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9119 | | 1958 | QUANTITY 150 OF 1794 | 525,642 | N | | 36 |
| 9119 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9119 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9119 | | 2124 | ULTRA 320 SCSI CABLE 1 METER | 123 | N | | 12 |
| 9119 | | 2456 | LC-SC 50 MIC.FIBER CONV.CBL | 82 | N | | 12 |
| 9119 | | 2459 | LC-SC 62.5 MIC.FIBER CONV.CBL | 82 | N | | 12 |
| 9119 | | 2728 | 4 PORT USB PCIE ADAPTER | 148 | N | | 12 |
| 9119 | | 2893 | PCIE 2 LINE WAN W/MODEM | 570 | N | | 12 |
| 9119 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 36 | N | | 12 |
| 9119 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 59 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 3125 | SER.TO.SER.PORT CBL FOR RACK | 65 | N | | 12 |
| 9119 | | 3450 | SAS YO CABLE 1.5M HD 6GB ADA | 234 | N | | 12 |
| 9119 | | 3451 | SAS YO CABLE 3M HD 6GB ADAPT | 292 | N | | 12 |
| 9119 | | 3452 | SAS YO CABLE 6M HD 6GB ADAPT | 438 | N | | 12 |
| 9119 | | 3453 | SAS YO CABLE 10M HD 6GB ADAP | 659 | N | | 12 |
| 9119 | | 3454 | SAS X CABLE 3M HD 6GB 2 ADAP | 438 | N | | 12 |
| 9119 | | 3455 | SAS X CABLE 6M HD 6GB 2 ADAP | 731 | N | | 12 |
| 9119 | | 3456 | SAS X CABLE 10M HD 6GB 2 ADA | 1,220 | N | | 12 |
| 9119 | | 3632 | WIDESCREEN LCD MONITOR | 985 | N | | 12 |
| 9119 | | 3636 | L200P FLAT PANEL MONITOR | 1,055 | N | | 12 |
| 9119 | | 3637 | T541H/L150P 15INCHTFT COL.M | 401 | N | | 12 |
| 9119 | | 3640 | THINKVISION L171P FLAT PAN.MON | 572 | N | | 12 |
| 9119 | | 3642 | THINKVISION L191P FLAT PAN.MON | 671 | N | | 12 |
| 9119 | | 3652 | SAS CBL EE DRAWER TO DRAWER 1M | 48 | N | | 12 |
| 9119 | | 3653 | SAS CBL EE DRAWER TO DRAWER 3M | 69 | N | | 12 |
| 9119 | | 3654 | SAS CBL EE DRAWER TO DRAWER 6M | 118 | N | | 12 |
| 9119 | | 3661 | SAS CBL X ADP SAS TO ENCL 3M | 148 | N | | 12 |
| 9119 | | 3662 | SAS CBL X ADP SAS TO ENCL 6M | 297 | N | | 12 |
| 9119 | | 3663 | SAS CBL X ADP SAS TO ENCL 15M | 596 | N | | 12 |
| 9119 | | 3679 | SAS CABLE (AI) 1M | 51 | N | | 12 |
| 9119 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR | 75 | N | | 12 |
| 9119 | | 3684 | SAS CBL AE ADP ENCL SINGLE 3M | 148 | N | | 12 |
| 9119 | | 3685 | SAS CBL AE ADP ENCL SINGLE 6M | 297 | N | | 12 |
| 9119 | | 3688 | SAS CABLE (AT) 0.6 METER | 89 | N | | 12 |
| 9119 | | 3689 | SAS AT CABLE 0.6M HD 6GB ADA | 117 | N | | 12 |
| 9119 | | 3691 | SAS CBL YO ADP TO ENCL 1.5M | 89 | N | | 12 |
| 9119 | | 3692 | SAS CBL YO ADP TO ENCL 3 M | 109 | N | | 12 |
| 9119 | | 3693 | SAS CBL YO ADP TO ENCL 6 M | 148 | N | | 12 |
| 9119 | | 3694 | SAS CBL YO ADP TO ENCL 15M | 521 | N | | 12 |
| 9119 | | 3759 | UNI LIFT TOOL AND SERV LADDER | 3,728 | N | | 12 |
| 9119 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 20 | N | | 12 |
| 9119 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 65 | N | | 12 |
| 9119 | | 4242 | 6FOOT EXT.CBL FOR DISPLAYS | 82 | N | | 12 |
| 9119 | | 4253 | SCSI-TO-IDE INTERFACE BRIDGE | 75 | N | | 12 |
| 9119 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 41 | N | | 12 |
| 9119 | | 4276 | VGA TO DVI CONNECTION CONV | 7 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 4327 | 70.56GB 15K RPM DISK UNIT | 745 | N | | 12 |
| 9119 | | 4599 | PCI BLIND SWAP CASS.KIT UNIV. | 48 | N | | 12 |
| 9119 | | 4700 | /32 CORE POWER7 COD PROCESSO | 74,485 | N | | 12 |
| 9119 | | 4702 | /24 CORE POWER7 COD PROCESSO | 37,951 | N | | 12 |
| 9119 | | 4704 | ON/OFF AIX/LINUX PROC COD BILL | 1,491 | N | | 12 |
| 9119 | | 4706 | BILLING FOR 100 PROCESSOR MINU | 3 | N | | 12 |
| 9119 | | 4707 | BILLING FOR 100 PROCESSOR MINU | 2 | N | | 12 |
| 9119 | | 4709 | ON/OFF PROC COD BILLING | 14 | N | | 12 |
| 9119 | | 4710 | ON/OFF 999 GB DAYS MEMORY | 745 | N | | 12 |
| 9119 | | 4711 | ON/OFF PROC COD BILLING | 14 | N | | 12 |
| 9119 | | 4712 | ON/OFF IBMI PROC COD BILLING | 13,943 | N | | 12 |
| 9119 | | 4713 | SINGLE CORE ACTIVATION FOR POW | 6,039 | N | | 12 |
| 9119 | | 4714 | SINGLE CORE ACTIVATION FOR POW | 5,629 | N | | 12 |
| 9119 | | 4717 | SIXTY FOUR CORE ACTIVATIONS PW | 386,515 | N | | 12 |
| 9119 | | 4718 | SIXTY FOUR CORE ACTIVATIONS PW | 360,270 | N | | 12 |
| 9119 | | 4719 | BILLING FOR 100 PROCESSOR MINU | 19 | N | | 12 |
| 9119 | | 4721 | ON/OFF PROCESSOR COD BILLING | 139 | N | | 12 |
| 9119 | | 4722 | BILLING FOR 100 PROCESSOR MINU | 19 | N | | 12 |
| 9119 | | 4724 | ON/OFF PROCESSOR COD BILLING | 137 | N | | 12 |
| 9119 | | 4754 | PROCESSOR ACTIVATION 4754 | 12,523 | N | | 12 |
| 9119 | | 4755 | PROCESSOR ACTIVATION 4755 | 17,693 | N | | 12 |
| 9119 | | 4790 | ACTIVE MEMORY EXPANSION ENABL | 10,289 | N | | 12 |
| 9119 | | 4808 | 'CIE CRYPTO COPROCESSOR GEN3 | 10,742 | N | | 12 |
| 9119 | | 4896 | IBM I CBU SPECIFY | 0 | N | | 12 |
| 9119 | | 4995 | SINGLE 5250 ENTERPR ENABLEMENT | 37,280 | N | | 12 |
| 9119 | | 4996 | FULL 5250 ENTERPRI ENABLEMENT | 298,237 | N | | 12 |
| 9119 | | 5108 | 30 DISK EXPANSION FEATURE | 9,769 | N | | 12 |
| 9119 | | 5164 | DUAL PWR CORDS 8294/9194 | 3,318 | N | | 12 |
| 9119 | | 5168 | 30 DISK EXP FOR 9194 TOWER | 9,956 | N | | 12 |
| 9119 | | 5524 | RFID TAGS FOR SERVERS BLADES | 19 | N | | 12 |
| 9119 | | 5600 | 0/32GB DDR3 MEMORY (4X8GB) | 1,461 | N | | 12 |
| 9119 | | 5601 | 0/64GB DDR3 MEMORY (4X16GB) | 5,755 | N | | 12 |
| 9119 | | 5602 | 0/128GB DDR3 MEM 1066MHZ 4DIMM | 11,511 | N | | 12 |
| 9119 | | 5638 | 1.5TB 3.0TB LTO 5 SAS TAPE DR | 3,905 | N | | 12 |
| 9119 | | 5646 | BLIND SWAP TYPE III CASSETTE | 36 | N | | 12 |
| 9119 | | 5647 | BLIND SWAP TYPE III CAS PCI X | 37 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 5680 | ACTIVATION OF 1GB DDR2 POWER6 | 242 | N | | 12 |
| 9119 | | 5681 | ACTIVATION 256 GB DDR2 POWER6 | 62,033 | N | | 12 |
| 9119 | | 5684 | ACTIVATION OF 100 GB DDR2 MEMO | 24,232 | N | | 12 |
| 9119 | | 5689 | DAT160 DATA CARTRIDGE | 446 | N | | 12 |
| 9119 | | 5691 | ON/OFF 1GB 1DAY MEMORY BILLING | 0 | N | | 12 |
| 9119 | | 5706 | 2-PORT BASETX ETH.T.PCI-X ADP | 745 | N | | 12 |
| 9119 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418 | N | | 12 |
| 9119 | | 5711 | PCI-X D.CH.U320 RAID BL.SW.ADP | 1,973 | N | | 12 |
| 9119 | | 5713 | 1GB ISCSI TOE PCI-X-COPP.ADPT | 888 | N | | 12 |
| 9119 | | 5720 | DVD TAPE SAS EXT STORAGE UNIT | 2,683 | N | | 12 |
| 9119 | | 5724 | DVD TAPE SATA SAS EXT STORAGE | 3,131 | N | | 12 |
| 9119 | | 5735 | 8 GB PCI EXPRESS DUAL PRT ADP | 3,452 | N | | 12 |
| 9119 | | 5736 | PCI-X DDR 2.0 DUAL CHAN.U320 | 578 | N | | 12 |
| 9119 | | 5746 | HALF HIGH 800GB/1.6TB LTO4 SA | 3,905 | N | | 12 |
| 9119 | | 5747 | IBM LTO ULTRIUM 4 800 GB DATA | 591 | N | | 12 |
| 9119 | | 5748 | PWR GXT145 PCI EXP GRAPHICS | 373 | N | | 12 |
| 9119 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,465 | N | | 12 |
| 9119 | | 5757 | 4.7 GB IDE SLIMLINE DVD RAM | 492 | N | | 12 |
| 9119 | | 5759 | 4GB DUAL-PORT FIBRE CHANNEL | 2,465 | N | | 12 |
| 9119 | | 5767 | 2 PRT 10/100/1000 BASETX ADP | 521 | N | | 12 |
| 9119 | | 5768 | 2PRT GB ETH SX PCI EXPRESS ADP | 1,305 | N | | 12 |
| 9119 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 3,418 | N | | 12 |
| 9119 | | 5772 | 10 GB ETH LR PCI EXPRESS ADP | 4,679 | N | | 12 |
| 9119 | | 5774 | 4 GB PCI EXPRESS DUAL PORT ADP | 2,465 | N | | 12 |
| 9119 | | 5778 | PCI X EXP24 CTL 1.5GB NO IOP | 8,295 | N | | 12 |
| 9119 | | 5782 | PCI X EXP24 CTL 1.5GB NO IOP | 8,345 | N | | 12 |
| 9119 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADP | 689 | N | | 12 |
| 9119 | | 5803 | 12X I/O DRAWER PCIE SFF DISK | 23,859 | N | | 12 |
| 9119 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 2,147 | N | | 12 |
| 9119 | | 5809 | MOD UPG CARRY OVER INDICATOR | 9,432 | N | | 12 |
| 9119 | | 5873 | 12X I/O DRAWER PCIE NO DISK | 21,249 | N | | 12 |
| 9119 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 5,274 | N | | 12 |
| 9119 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 739 | N | | 12 |
| 9119 | | 5904 | PCI X DDR 1.5GB CACHE SAS RAID | 8,388 | N | | 12 |
| 9119 | | 5906 | PCI X DDR 1.5GB CACHE SAS RAID | 8,388 | N | | 12 |
| 9119 | | 5908 | PCI X DDR 1.5GB CACHE SAS RAID | 8,388 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|----------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 5912 | PCI X DDR DUAL X4 SAS ADAPTER | 814 | N | | 12 |
| 9119 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324 | N | | 12 |
| 9119 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 220 | N | | 12 |
| 9119 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 366 | N | | 12 |
| 9119 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 170 | N | | 12 |
| 9119 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 97 | N | | 12 |
| 9119 | | 5941 | 100 PROCESSOR MINUTES FOR 4694 | 7 | N | | 12 |
| 9119 | | 5942 | 100 PROCESSOR MINUTES FOR 4695 | 10 | N | | 12 |
| 9119 | | 5943 | 100 PROCESSOR MINUTES FOR 4694 | 23 | N | | 12 |
| 9119 | | 5944 | 100 PROCESSOR MINUTES FOR 4695 | 26 | N | | 12 |
| 9119 | | 5945 | ON/OFF PROCESSOR COD BILLING | 173 | N | | 12 |
| 9119 | | 5946 | ON/OFF PROCESSOR COD BILLING | 191 | N | | 12 |
| 9119 | | 6006 | POWER CONTROL CABLE 3M SPCN | 39 | N | | 12 |
| 9119 | | 6007 | POWER CONTROL CABLE 15M SPCN | 79 | N | | 12 |
| 9119 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 336 | N | | 12 |
| 9119 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 410 | N | | 12 |
| 9119 | | 6121 | I/O DRW.CBL.GRP PRIM.RCK/9U | 298 | N | | 12 |
| 9119 | | 6122 | I/O DRW.CBL.GRP PRIM.RCK/5U | 298 | N | | 12 |
| 9119 | | 6123 | I/O DRW.CBL.GRP PRIM.RCK/1U | 298 | N | | 12 |
| 9119 | | 6124 | I/O DRW.CBL.GRP PRIM.RCK/13U | 298 | N | | 12 |
| 9119 | | 6125 | I/O DRW.CBL.GRP 8691.RCK/1U | 298 | N | | 12 |
| 9119 | | 6126 | I/O DRW.CBL.GRP 8691.RCK/5U | 298 | N | | 12 |
| 9119 | | 6127 | I/O DRW.CBL.GRP 8691 RCK/9U | 298 | N | | 12 |
| 9119 | | 6186 | BULK POWER REGULATOR | 2,982 | N | | 12 |
| 9119 | | 6243 | EMC SKIRTS/TAILGATE | 336 | N | | 12 |
| 9119 | | 6248 | 1.8M RACK ACCOUSTIC DOORS | 3,467 | N | | 12 |
| 9119 | | 6249 | 2.0M RACK ACCOUSTIC DOORS | 3,467 | N | | 12 |
| 9119 | | 6254 | ACOUSTIC DOORS #8691 EXP.RACK | 5,965 | N | | 12 |
| 9119 | | 6259 | INTEGRATED BATTERY BACKUP W/C | 7,456 | N | | 12 |
| 9119 | | 6272 | 2.0M RACK TRIM KIT | 390 | N | | 12 |
| 9119 | | 6331 | INTEGRATED BATT BACKUP W/CBLS | 298 | N | | 12 |
| 9119 | | 6332 | BULK POWER AC/DC REGULATOR P7 | 3,131 | N | | 12 |
| 9119 | | 6333 | BULK POWER REGULATOR | 3,131 | N | | 12 |
| 9119 | | 6334 | BULK PWR DISTRIBUTION ASSEMBLY | 1,864 | N | | 12 |
| 9119 | | 6352 | BULK POWER DISTRIBUTION ASSEMBLY | 1,864 | N | | 12 |
| 9119 | | 6458 | PWR CBL DRWR PDU 14FT 250V/10A | 14 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 6460 | PWR CD 14FT DRWR OEM PDU 125V | 14 | N | | 12 |
| 9119 | | 6469 | PWR CD 14FT DRWR OEM PDU 250V | 14 | N | | 12 |
| 9119 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 14 | N | | 12 |
| 9119 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 14 | N | | 12 |
| 9119 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9119 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9119 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 14 | N | | 12 |
| 9119 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9119 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9119 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9119 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 14 | N | | 12 |
| 9119 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 39 | N | | 12 |
| 9119 | | 6489 | 4.3M 14 FT 3PH/24A POWER CORD | 268 | N | | 12 |
| 9119 | | 6491 | 4.3M 14 FT 1PH/48A PWR CORD | 295 | N | | 12 |
| 9119 | | 6492 | 14 FT 1PH/48 60A PWR CORD | 298 | N | | 12 |
| 9119 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9119 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9119 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 14 | N | | 12 |
| 9119 | | 6497 | PWR CD 6FT WALL OEM PDU 250V | 24 | N | | 12 |
| 9119 | | 6498 | PWR CD 6FT WALL OEM PDU 250V | 177 | N | | 12 |
| 9119 | | 6577 | POWER CABLE DRAWER TO IBM PD | 14 | N | | 12 |
| 9119 | | 6580 | OPTIONAL RACK SECURITY KIT | 134 | N | | 12 |
| 9119 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 186 | N | | 12 |
| 9119 | | 6598 | DISK SLOT FILLER (QUANTITY 4) | 44 | N | | 12 |
| 9119 | | 6651 | PWR.CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 9119 | | 6654 | 14 FT 1PH/24 30A POWER CORD | 178 | N | | 12 |
| 9119 | | 6655 | 14 FT 1PH/24 30A WR POWER CORD | 394 | N | | 12 |
| 9119 | | 6656 | 4.3M 14 FT 1PH/24A POWER CORD | 176 | N | | 12 |
| 9119 | | 6658 | 14 FT 1PH/24A PWR CD KOREA | 178 | N | | 12 |
| 9119 | | 6659 | PWR.CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |
| 9119 | | 6660 | PWR CD 14FT DRWR OEM PDU 125V | 14 | N | | 12 |
| 9119 | | 6664 | 7 FT 200V PDU POWER CORD | 14 | N | | 12 |
| 9119 | | 6669 | PWR CD 14FT DRWR OEM PDU 250V | 14 | N | | 12 |
| 9119 | | 6671 | PWR CD 9FT DRWR PDU 250V/10A | 14 | N | | 12 |
| 9119 | | 6672 | PWR CD 5FT DRWR PDU 250V/10A | 14 | N | | 12 |
| 9119 | | 6680 | PWR CORD(9FT) TO WALL/OEM PDU | 14 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 6821 | EXP RK UPIC CABLE GROUP BPD1 T | 373 | N | | 12 |
| 9119 | | 6822 | EXP RK UPIC CABLE GROUP BPD1 T | 373 | N | | 12 |
| 9119 | | 6823 | EXP RK UPIC CABLE GROUP BPD1 T | 373 | N | | 12 |
| 9119 | | 6855 | WEIGHT DISTRIBUTION PLATE | 559 | N | | 12 |
| 9119 | | 6861 | SLIM LINE DOORS FOR SYS.RACK | 2,672 | N | | 12 |
| 9119 | | 6867 | SEC ACOUSTIC DOORS FRONT REAR | 8,947 | N | | 12 |
| 9119 | | 6868 | SLIMLINE DOORS (FFHB CEC RACK | 5,965 | N | | 12 |
| 9119 | | 6878 | ACOUSTIC DOORS (F R) EXP RCK | 8,947 | N | | 12 |
| 9119 | | 6880 | NON ACOUSTIC DOORS (F R) RCK | 5,965 | N | | 12 |
| 9119 | | 6887 | SEC ACOUSTIC FRONT COVER W/HE | 12,302 | N | | 12 |
| 9119 | | 6888 | EXPANSION RACK ACOUSTIC DOORS | 10,811 | N | | 12 |
| 9119 | | 6941 | UPIC CBL GRP BPD1 I/O DRWR A01 | 373 | N | | 12 |
| 9119 | | 6942 | UPIC CBL GRP BPD1 I/O DRWR A05 | 373 | N | | 12 |
| 9119 | | 6943 | UPIC CBL GRP BPD1 I/O DRWR A09 | 373 | N | | 12 |
| 9119 | | 6944 | UPIC CBL GRP BPD2 I/O DRWR Z01 | 373 | N | | 12 |
| 9119 | | 6945 | UPIC CBL GRP BPD2 I/O DRWR Z05 | 373 | N | | 12 |
| 9119 | | 6946 | UPIC CBL GRP BPD2 I/O DRWR Z09 | 373 | N | | 12 |
| 9119 | | 6947 | UPIC Y CBL GRP BPD2 DRWR Z13 | 298 | N | | 12 |
| 9119 | | 6948 | UPIC Y CBL GRP BPD2 DRWR Z17 | 298 | N | | 12 |
| 9119 | | 6949 | UPIC Y CBL GRP BPD2 DRWR Z21 | 298 | N | | 12 |
| 9119 | | 6950 | UPIC Y CBL GRP BPD2 DRWR Z25 | 298 | N | | 12 |
| 9119 | | 6952 | 3RD 4TH AMDS + UPIC Y CBL GRP | 3,728 | N | | 12 |
| 9119 | | 6953 | NONPOWERED BOLT ON EXPANSION | 22,368 | N | | 12 |
| 9119 | | 6954 | POWERED EXPANSION RACK 24 INCH | 44,736 | N | | 12 |
| 9119 | | 6961 | UPIC Y CBL GRP BPD1 1ST PROC | 485 | N | | 12 |
| 9119 | | 6962 | UPIC Y CBL GRP BPD1 2ND PROC | 485 | N | | 12 |
| 9119 | | 6963 | UPIC Y CBL GRP BPD1 3RD PROC | 485 | N | | 12 |
| 9119 | | 6964 | UPIC Y CBL GRP BPD1 4TH PROC | 485 | N | | 12 |
| 9119 | | 6965 | UPIC Y CBL GRP BPD2 5TH PROC | 485 | N | | 12 |
| 9119 | | 6966 | UPIC Y CBL GRP BPD2 6TH PROC | 485 | N | | 12 |
| 9119 | | 6967 | UPIC Y CBL GRP BPD2 7TH PROC | 485 | N | | 12 |
| 9119 | | 6968 | UPIC Y CBL GRP BPD2 8TH PROC | 485 | N | | 12 |
| 9119 | | 6969 | UPIC Y CBL GRP BPD1 DRWR A13 | 671 | N | | 12 |
| 9119 | | 6970 | UPIC Y CBL GRP BPD1 DRWR A17 | 671 | N | | 12 |
| 9119 | | 6971 | UPIC Y CBL GRP BPD1 DRWR A21 | 671 | N | | 12 |
| 9119 | | 6972 | UPIC Y CBL GRP BPD1 DRWR A25 | 671 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 6973 | UPIC Y CABLE GROUP BPC I/O A29 | 485 | N | | 12 |
| 9119 | | 6974 | UPIC Y CABLE GROUP BPC I/O Z29 | 298 | N | | 12 |
| 9119 | | 6991 | UPIC Y CABLE GROUP BPD1 TO 1S | 485 | N | | 12 |
| 9119 | | 6992 | UPIC Y CABLE GROUP BPD1 TO 2N | 485 | N | | 12 |
| 9119 | | 6993 | UPIC Y CABLE GROUP BPD1 TO 3R | 485 | N | | 12 |
| 9119 | | 6994 | UPIC Y CABLE GROUP BPD1 TO 4T | 485 | N | | 12 |
| 9119 | | 6995 | UPIC Y CABLE GROUP BPD1 TO 5T | 485 | N | | 12 |
| 9119 | | 6996 | UPIC Y CABLE GROUP BPD1 TO 6T | 485 | N | | 12 |
| 9119 | | 6997 | UPIC Y CABLE GROUP BPD1 TO 7T | 485 | N | | 12 |
| 9119 | | 6998 | UPIC Y CABLE GROUP BPD1 TO 8T | 485 | N | | 12 |
| 9119 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 1,084 | N | | 12 |
| 9119 | | 7118 | NVIRONMENTAL MONITORING PROB | 272 | N | | 12 |
| 9119 | | 7188 | POWER DISTRIBUTION UNIT | 746 | N | | 12 |
| 9119 | | 7234 | ON/OFF PROC COD BILLING 1 PROC | 55 | N | | 12 |
| 9119 | | 7244 | ON/OFF PROC COD BILLING 1 PROC | 77 | N | | 12 |
| 9119 | | 7280 | 256GB MEM.ACT.FOR#4501 & #4502 | 318,087 | N | | 12 |
| 9119 | | 7509 | QUANTITY 150 OF 4327 | 111,727 | N | | 12 |
| 9119 | | 7544 | QUANTITY 150 OF #1888 | 72,919 | N | | 12 |
| 9119 | | 7547 | QUANTITY 150 OF #1885 | 116,872 | N | | 12 |
| 9119 | | 7548 | QUANTITY 150 OF #1886 | 72,919 | N | | 12 |
| 9119 | | 7550 | QUANTITY 150 OF 1790 | 175,811 | N | | 12 |
| 9119 | | 7556 | CAP BACKUP PWR 595 5.0GHZ PROC | 50,477 | N | | 12 |
| 9119 | | 7557 | QUANTITY 150 OF 1911 | 116,872 | N | | 12 |
| 9119 | | 7560 | CAP. BACKUP POWER 795 0/32W | 74,485 | N | | 12 |
| 9119 | | 7562 | CAP. BACKUP POWER 795 0/24W | 37,951 | N | | 12 |
| 9119 | | 7566 | QUANTITY 150 OF 1916 | 175,811 | N | | 12 |
| 9119 | | 7569 | CAP. BACKUP POWER 595 4.2 GHZ | 36,683 | N | | 12 |
| 9119 | | 7571 | CAP. BACKUP POWER 595 5.0 GHZ | 50,477 | N | | 12 |
| 9119 | | 7588 | ON/OFF PRC.BILL.-FCS 8970/7587 | 149 | N | | 12 |
| 9119 | | 7592 | ON/OFF PRC.BILL.-FCS 8967/7704 | 97 | N | | 12 |
| 9119 | | 7593 | ON/OFF PRC.BILL.-FCS 8968/7705 | 218 | N | | 12 |
| 9119 | | 7667 | ACTIV. #8967 #7704 CUOD PRC.BO | 11,564 | N | | 12 |
| 9119 | | 7668 | ACTIV. #8968 #7705 CUOD PRC.BO | 26,081 | N | | 12 |
| 9119 | | 7669 | 1GB M.ACT.FOR#4500 #4501 #4502 | 1,242 | N | | 12 |
| 9119 | | 7693 | ACTIV. #8970 #7587 CUOD PRC.BO | 18,043 | N | | 12 |
| 9119 | | 7694 | RESERVE CAP.PREPAID FOR #8970 | 4,502 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 7799 | 256MEM.ACT.FOR#7835 MEM.DIMMS | 453,510 | N | | 12 |
| 9119 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 25 | N | | 12 |
| 9119 | | 7803 | 3ULK POWER CONTROLL.ASSEMBLY | 2,982 | N | | 12 |
| 9119 | | 7810 | ROC.CLOCK CARD PROGRAMMABLE | 428 | N | | 12 |
| 9119 | | 7815 | ACTIVATE 7813/7731/8969 CUOD | 24,232 | N | | 12 |
| 9119 | | 7837 | 3ULK PWR DISTRIBUTION ASSEMBLY | 1,864 | N | | 12 |
| 9119 | | 7925 | ACTIVATE 7981/7730 1 PROC | 10,811 | N | | 12 |
| 9119 | | 7926 | 30D PREP.RES.CAP.FOR #798 | 2,976 | N | | 12 |
| 9119 | | 7937 | 3OLT-DOWN KIT LOW-RAISED FLOOR | 5,219 | N | | 12 |
| 9119 | | 7938 | BOLT-DOWN KIT HIGH-RAIS.FLOOR | 5,219 | N | | 12 |
| 9119 | | 7960 | COMPACT HANDLING OPTION | 932 | N | | 12 |
| 9119 | | 7970 | 1GB ACTIV.#7816ẛ MEM.FCS | 1,771 | N | | 12 |
| 9119 | | 7972 | ON/OFF PROC.BILLING FOR FC | 222 | N | | 12 |
| 9119 | | 7974 | ON/OFF MEMORY BILLING | 10 | N | | 12 |
| 9119 | | 7975 | 30D PREPAID RES.CAP.FOR #7 | 6,667 | N | | 12 |
| 9119 | | 7990 | ACTIVATE 7988/7732 1 PROC | 16,776 | N | | 12 |
| 9119 | | 7991 | 30D PREPAID RES.CAP.FOR #7 | 4,625 | N | | 12 |
| 9119 | | 7993 | ON/OFF PROC.BILL.FOR FC #7 | 99 | N | | 12 |
| 9119 | | 7996 | ON/OFF PRC.BILL.-COD FOR # | 154 | N | | 12 |
| 9119 | | 8131 | 128PORT ASYNCH.CONTR.C 4.5M | 48 | N | | 12 |
| 9119 | | 8132 | 128PORT ASYNCH.CONTR.C 23CM | 32 | N | | 12 |
| 9119 | | 8211 | 0/256GB DDR3 MEMORY (8X5600) | 11,691 | N | | 12 |
| 9119 | | 8212 | ACTIVATION OF 1 GB DDR3 POWER7 | 137 | N | | 12 |
| 9119 | | 8213 | ACTIVATION OF 100 GB DDR3 POWE | 13,793 | N | | 12 |
| 9119 | | 8214 | 0/512GB DDR3 MEMORY (16X5600) | 23,381 | N | | 12 |
| 9119 | | 8218 | 0/256GB DDR3 MEMORY (4X5601) D | 23,024 | N | | 12 |
| 9119 | | 8219 | 0/512GB DDR3 MEMORY (8X5601) D | 46,047 | N | | 12 |
| 9119 | | 8221 | 0/1024GB DDR3 M 1066MHZ 32DIMM | 92,095 | N | | 12 |
| 9119 | | 8467 | RESERVE CAP.PREPAID FOR #8967 | 2,891 | N | | 12 |
| 9119 | | 8468 | RESERVE CAP.PREPAID FOR #8968 | 6,520 | N | | 12 |
| 9119 | | 8471 | 1GB BASE MEMORY ACTIVATIONS | 492 | N | | 12 |
| 9119 | | 8472 | 256GB BASE MEMORY ACTIVATIONS | 114,523 | N | | 12 |
| 9119 | | 8493 | 256GB MEMORY ACTIV.FOR #8151 | 357,884 | N | | 12 |
| 9119 | | 8686 | L.CRD 6AWG 14FTIEC309 100A PLG | 1,864 | N | | 12 |
| 9119 | | 8688 | L.CRD 6AWG/TYP E W 14FT 60A PLG | 1,491 | N | | 12 |
| 9119 | | 8695 | LINE CORD 4AWG 14FT NO PLUG | 746 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9119 | | 8696 | LINE CORD 4AWG 14FT 100A PLUG | 1,864 | N | | 12 |
| 9119 | | 8697 | LINE CORD 8AWG 14FT 30A PLUG | 1,491 | N | | 12 |
| 9119 | | 8699 | LINE CORD 6AWG 14FT 60A PLUG | 1,864 | N | | 12 |
| 9119 | | 8789 | LINE CORD 4AWG/TYPEW 14FT 38 | 1,491 | N | | 12 |
| 9119 | | 8792 | LINE CORD 4AWG 14FT 380 520V | 2,237 | N | | 12 |
| 9119 | | 8845 | USB MOUSE | 29 | N | | 12 |
| 9119 | | EQ0A | QUANTITY 150 OF ES0A | 525,642 | N | | 12 |
| 9119 | | EQ0B | QUANTITY OF 150 ES0B | 525,642 | N | | 12 |
| 9119 | | EQ0C | QUANTITY OF 150 ES0C | 525,642 | N | | 12 |
| 9119 | | EQ0D | QUANTITY OF 150 ES0D | 525,642 | N | | 12 |
| 9119 | | EQ77 | POWER CABLE DRAWER TO IBM PD | 2,685 | N | | 12 |
| 9119 | | ES0A | 387GB SFF-1 SSD FOR AIX LINUX | 3,504 | N | | 12 |
| 9119 | | ES0B | 387GB SFF-1 SSD FOR IBM I | 3,504 | N | | 12 |
| 9119 | | ES0C | 387GB SFF-2 SSD FOR AIX LINUX | 3,504 | N | | 12 |
| 9119 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,504 | N | | 12 |
| 9119 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 6,054 | N | | 12 |
| 9123 | | 0983 | ASSEMBLED IN USA | 0 | N | | 36 |
| 9123 | | 1965 | POWER HYPERVISOR | 0 | N | | 36 |
| 9123 | | 1975 | PCI-X DUAL CH.U320SCSI RAID AD | 1,813 | N | | 36 |
| 9123 | | 2456 | LC-SC 50 MIC.FIBER CONV.CABLE | 75 | N | | 36 |
| 9123 | | 2459 | LC-SC 62.5 MIC.FIBER CONV.CBL | 75 | N | | 36 |
| 9123 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 33 | N | | 36 |
| 9123 | | 2936 | ASYNCHRONOUS CBL EIA-232/V.24 | 54 | N | | 36 |
| 9123 | | 3636 | L200P FLAT PANEL MONITOR | 970 | N | | 36 |
| 9123 | | 3637 | T541H/L150P 15INCHTFT COL.M | 369 | N | | 36 |
| 9123 | | 3640 | THINKVISION L171P FLAT PAN.MON | 526 | N | | 36 |
| 9123 | | 3642 | THINKVISION L191P FLAT PAN.MON | 617 | N | | 36 |
| 9123 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 18 | N | | 36 |
| 9123 | | 4242 | 6FOOT EXTEND.CAB.FOR DISPLAYS | 75 | N | | 36 |
| 9123 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 37 | N | | 36 |
| 9123 | | 6458 | PWR CAB.-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9123 | | 6469 | PWR CORD(14FOOT) (250V 15A) | 12 | N | | 36 |
| 9123 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 12 | N | | 36 |
| 9123 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 12 | N | | 36 |
| 9123 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9123 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9123 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 12 | N | | 36 |
| 9123 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9123 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9123 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9123 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9123 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 36 | N | | 36 |
| 9123 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9123 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9123 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9123 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 40 | N | | 36 |
| 9123 | | 6671 | PWR CORD(9FT) DRW.TO IBM PDU | 12 | N | | 36 |
| 9123 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 12 | N | | 36 |
| 9123 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 36 |
| 9124 | | 0983 | ASSEMBLED IN USA | 0 | N | | 36 |
| 9124 | | 1965 | POWER HYPERVISOR | 0 | N | | 36 |
| 9124 | | 1975 | PCI-X DUAL CH.U320SCSI RAID AD | 1,813 | N | | 36 |
| 9124 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 75 | N | | 36 |
| 9124 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 75 | N | | 36 |
| 9124 | | 2934 | ASYNCH.TERM./PRINT.CAB EIA-232 | 33 | N | | 36 |
| 9124 | | 2936 | ASYNCHRON.CAB. EIA-232/V.24 | 54 | N | | 36 |
| 9124 | | 3636 | L200P FLAT PANEL MONITOR | 970 | N | | 36 |
| 9124 | | 3637 | T541H/L150P 15INCHTFT COL.M | 369 | N | | 36 |
| 9124 | | 3640 | THINKVISION L171P FLAT PAN.MON | 526 | N | | 36 |
| 9124 | | 3642 | THINKVISION L191P FLAT PAN.MON | 617 | N | | 36 |
| 9124 | | 3925 | SER.PORT CON.CAB 9PIN TO 25PIN | 18 | N | | 36 |
| 9124 | | 4242 | 6FOOT EXTEND.CAB.FOR DISPLAYS | 75 | N | | 36 |
| 9124 | | 4256 | EXTENDER CABLE-USB KEYB. 2M | 37 | N | | 36 |
| 9124 | | 6458 | PWR CAB.-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9124 | | 6469 | PWR CORD(14FOOT) (250V 15A) | 12 | N | | 36 |
| 9124 | | 6470 | PWR CORD(6FOOT) (125V 15A) | 12 | N | | 36 |
| 9124 | | 6471 | PWR CORD(9FOOT) (125V 15A) | 12 | N | | 36 |
| 9124 | | 6472 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9124 | | 6473 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9124 | | 6474 | PWR CORD(9FOOT) (250V 13A) | 12 | N | | 36 |
| 9124 | | 6475 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9124 | | 6476 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9124 | | 6477 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9124 | | 6478 | PWR CORD(9FOOT) (250V 16A) | 12 | N | | 36 |
| 9124 | | 6488 | PWR CORD(9FOOT) (125V 15A) | 36 | N | | 36 |
| 9124 | | 6493 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9124 | | 6494 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9124 | | 6496 | PWR CORD(9FOOT) (250V 10A) | 12 | N | | 36 |
| 9124 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 40 | N | | 36 |
| 9124 | | 6672 | PWR CORD(5FT) DRW.TO IBM PDU | 12 | N | | 36 |
| 9124 | | 7802 | ETHERN.CAB 15M HMC TO SYS.UNIT | 23 | N | | 36 |
| 9125 | | 1861 | 0.6 METER 12X DDR CABLE | 345 | N | | 12 |
| 9125 | | 1862 | 1.5 METER 12X DDR CABLE | 394 | N | | 12 |
| 9125 | | 1863 | 2.5 METER 12X DDR CABLE | 485 | N | | 12 |
| 9125 | | 1882 | 146.8 GB 10K RPM SAS SFF DISK | 641 | N | | 12 |
| 9125 | | 1885 | 300GB 10K RPM SFF SAS DISKDRIV | 779 | N | | 12 |
| 9125 | | 2456 | 2M LC SC 50 MICRON FIBER CBL | 82 | N | | 12 |
| 9125 | | 2459 | 2M LC SC 62.5 MICRON FIBER CBL | 82 | N | | 12 |
| 9125 | | 2728 | 4 PORT USB PCIE ADAPTER | 148 | N | | 12 |
| 9125 | | 2934 | 3M ASYNCHRONOUS TERMINAL CBL | 36 | N | | 12 |
| 9125 | | 2936 | ASYNCHRONOUS CBL EIA 232/V.24 | 59 | N | | 12 |
| 9125 | | 3125 | SERIAL TO SERIAL PRT CBL RACK | 65 | N | | 12 |
| 9125 | | 3688 | SAS CABLE (AT) 0.6 METER | 89 | N | | 12 |
| 9125 | | 3759 | UNIVERSAL LIFT TOOL AND SERV | 3,728 | N | | 12 |
| 9125 | | 3760 | UNIVERSAL LIFT TOOL ADAPTERS | 1,491 | N | | 12 |
| 9125 | | 3925 | 0.3M SERIAL PRT CONVERTER CBL | 20 | N | | 12 |
| 9125 | | 3928 | SERIAL PORT NULL MODEM CABLE | 65 | N | | 12 |
| 9125 | | 4599 | PCI BLIND SWAP CASSETTE KIT | 48 | N | | 12 |
| 9125 | | 5680 | ACTIVATION OF 1GB DDR2 POWER6 | 242 | N | | 12 |
| 9125 | | 5681 | ACTIVATION 256 GB DDR2 POWER6 | 62,033 | N | | 12 |
| 9125 | | 5684 | ACTIVATION OF 100 GB DDR2 MEMO | 24,232 | N | | 12 |
| 9125 | | 5706 | 2 PORT 10/100/1000 BASE TX | 745 | N | | 12 |
| 9125 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418 | N | | 12 |
| 9125 | | 5713 | 1 GB ISCSI TOE PCI X COPPER | 888 | N | | 12 |
| 9125 | | 5735 | 8GB PCI EXPRESS DUAL PRT FIBRE | 3,452 | N | | 12 |
| 9125 | | 5736 | PCI X DDR DUAL CHAN. ULTRA320 | 578 | N | | 12 |
| 9125 | | 5748 | POWER GXT145 PCI EXPRESS | 373 | N | | 12 |
| 9125 | | 5759 | 4 GB DUAL PRT FIBRE CHANNEL | 2,465 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9125 | | 5767 | 2 PRT 10/100/1000 BASE TX | 521 | N | | 12 |
| 9125 | | 5768 | 2 PRT GIGABIT ETHERNET SX PCI | 1,305 | N | | 12 |
| 9125 | | 5769 | 10 GB ETH SR PCI EXPRESS ADP | 3,418 | N | | 12 |
| 9125 | | 5772 | 10 GIGABIT ETHERNET LR PCI | 4,679 | N | | 12 |
| 9125 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL PRT | 2,465 | N | | 12 |
| 9125 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADP | 689 | N | | 12 |
| 9125 | | 5803 | PCIE DUAL X4 3GB SAS RAID ADP | 23,859 | N | | 12 |
| 9125 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 2,147 | N | | 12 |
| 9125 | | 5873 | 12X I/O DRAWER PCIE NO DISK | 21,249 | N | | 12 |
| 9125 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 739 | N | | 12 |
| 9125 | | 5902 | PCI X DDR DUAL X4 3GB SAS | 1,864 | N | | 12 |
| 9125 | | 5912 | PCI X DDR DUAL X4 SAS ADP | 814 | N | | 12 |
| 9125 | | 6239 | 2G FC PCIX ADAP | 2,311 | N | | 0 |
| 9125 | | 6318 | ONE CPU ACTIVATION FOR 6316 | 745,591 | N | | 12 |
| 9125 | | 6329 | I/O RISER PCI X PCI E 16X LEFT | 671 | N | | 12 |
| 9125 | | 6333 | BULK POWER REGULATOR | 2,662 | N | | 12 |
| 9125 | | 6336 | POWER AND ETHERNET CBLS EIA 01 | 156 | N | | 12 |
| 9125 | | 6337 | POWER AND ETHERNET CBLS EIA 03 | 154 | N | | 12 |
| 9125 | | 6338 | POWER AND ETHERNET CBLS EIA 05 | 98 | N | | 12 |
| 9125 | | 6339 | POWER AND ETHERNET CBLS EIA 07 | 156 | N | | 12 |
| 9125 | | 6370 | POWER AND ETHERNET CBLS EIA 09 | 154 | N | | 12 |
| 9125 | | 6371 | POWER AND ETHERNET CBLS EIA 11 | 151 | N | | 12 |
| 9125 | | 6372 | POWER AND ETHERNET CBLS EIA 13 | 149 | N | | 12 |
| 9125 | | 6373 | POWER AND ETHERNET CBLS EIA 15 | 136 | N | | 12 |
| 9125 | | 6374 | POWER AND ETHERNET CBLS EIA 17 | 140 | N | | 12 |
| 9125 | | 6375 | POWER AND ETHERNET CBLS EIA 19 | 147 | N | | 12 |
| 9125 | | 6376 | POWER AND ETHERNET CBLS EIA 21 | 145 | N | | 12 |
| 9125 | | 6377 | POWER AND ETHERNET CBLS EIA 23 | 140 | N | | 12 |
| 9125 | | 6378 | POWER AND ETHERNET CBLS EIA 25 | 138 | N | | 12 |
| 9125 | | 6379 | POWER AND ETHERNET CBLS EIA 27 | 136 | N | | 12 |
| 9125 | | 6387 | POWER AND ETHERNET CBLS EIA 29 | 136 | N | | 12 |
| 9125 | | 6388 | POWER AND ETHERNET CBLS EIA 31 | 134 | N | | 12 |
| 9125 | | 6392 | POWER CABLES EIA 05 | 263 | N | | 12 |
| 9125 | | 6393 | POWER CABLES EIA 09 | 250 | N | | 12 |
| 9125 | | 6394 | POWER CABLES EIA 13 | 239 | N | | 12 |
| 9125 | | 6395 | POWER CABLES EIA 17 | 237 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9125 | | 6396 | POWER CABLES EIA 21 | 230 | N | | 12 |
| 9125 | | 6397 | POWER CABLES EIA 25 | 219 | N | | 12 |
| 9125 | | 6398 | POWER CABLES EIA 29 | 210 | N | | 12 |
| 9125 | | 6881 | SLIM LINE REAR DOOR | 2,496 | N | | 12 |
| 9125 | | 6882 | REAR DOOR WITH HEAT EXCHANGE | 5,079 | N | | 12 |
| 9125 | | 6883 | REAR DOOR WITH INTEG. HEAT | 8,220 | N | | 12 |
| 9125 | | 7299 | ONE CPU ACTIVATION FOR 7298 | 746 | N | | 12 |
| 9125 | | 7802 | ETHERNET CBL 15M HW MANAGEMEN | 25 | N | | 12 |
| 9125 | | 7937 | BOLT DOWN KIT LOW RAISED FLOOR | 5,219 | N | | 12 |
| 9125 | | 7938 | BOLT DOWN KIT HIGH RAISED | 5,219 | N | | 12 |
| 9125 | | 7960 | COMPACT HANDLING OPTION | 932 | N | | 12 |
| 9125 | | 8695 | LINE CORD 4AWG 14FT NO PLUG | 746 | N | | 12 |
| 9125 | | 8696 | LINE CORD 4AWG 14FT 100A PLUG | 1,594 | N | | 12 |
| 9125 | | 8699 | LINE CORD 6AWG 14FT 60A PLUG | 1,864 | N | | 12 |
| 9131 | | 0456 | CUSTOMER SPECIFIED PLACEMENT | 371 | N | | 36 |
| 9131 | | 1974 | PCI-X DUAL CHAN.U320 SCSI ADPT | 544 | N | | 36 |
| 9131 | | 1975 | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853 | N | | 36 |
| 9131 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9131 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9131 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 34 | N | | 36 |
| 9131 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 56 | N | | 36 |
| 9131 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 61 | N | | 36 |
| 9131 | | 3125 | SER TO SER PORT CAB RACK/RACK | 61 | N | | 36 |
| 9131 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 19 | N | | 36 |
| 9131 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 61 | N | | 36 |
| 9131 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 61 | N | | 36 |
| 9131 | | 4242 | 6FOOT EXT.CBL FOR DISPLAYS | 77 | N | | 36 |
| 9131 | | 4256 | EXTENDER CBL-USB KEYBOARDS 2M | 38 | N | | 36 |
| 9131 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 36 | N | | 36 |
| 9131 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 74 | N | | 36 |
| 9131 | | 6458 | PWR CAB.-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9131 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9131 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9131 | | 6470 | PWR CORD(6FOOT) TO WALL | 12 | N | | 36 |
| 9131 | | 6471 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6472 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9131 | | 6473 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6474 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6475 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6476 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6477 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6478 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6488 | PWR CORD(9FT) TOWALL/OEM PDU | 36 | N | | 36 |
| 9131 | | 6493 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6494 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6496 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 41 | N | | 36 |
| 9131 | | 6651 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6659 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 6660 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9131 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 12 | N | | 36 |
| 9131 | | 6669 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9131 | | 6671 | PWR CORD(9FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9131 | | 6672 | PWR CORD(5FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9131 | | 6680 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9131 | | 7320 | ONE PROC.ENT.FOR PROC.FC#8330 | 1,669 | N | | 36 |
| 9131 | | 7337 | 1PROC.ENTITL.FOR PRC.FC#8333 | 1,203 | N | | 36 |
| 9131 | | 7802 | ETH CBL 15M HMC TO SYST.UNIT | 23 | N | | 36 |
| 9131 | | 7940 | ADVANCED POWER VIRTUALIZATION | 0 | N | | 36 |
| 9131 | | 8131 | 128PORT ASYNCH.CONTR.CBL 4.5M | 46 | N | | 36 |
| 9131 | | 8132 | 128PORT ASYNCH.CONTR.CBL 23CM | 30 | N | | 36 |
| 9133 | | 0983 | US TAA COMPLIANCE INDICATOR | 0 | N | | 36 |
| 9133 | | 1974 | PCI-X DUAL CHAN.U320 SCSI ADPT | 544 | N | | 36 |
| 9133 | | 1975 | PCI-X DUAL CHAN.U320 SCSI RAID | 1,853 | N | | 36 |
| 9133 | | 2424 | 0.6M 16BIT SCSI2 SYS.2SYS CAB | 83 | N | | 36 |
| 9133 | | 2456 | LC-SC 50 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9133 | | 2459 | LC-SC 62.5 MIC.FIB.CONV.CABLE | 77 | N | | 36 |
| 9133 | | 2934 | ASYN.TERM/PRINT.CBL EIA-232 | 34 | N | | 36 |
| 9133 | | 2936 | ASYNCH. CABLE EIA-232/V.24 | 56 | N | | 36 |
| 9133 | | 3124 | SER TO SER PORT CAB DRAW/DRAW | 61 | N | | 36 |
| 9133 | | 3125 | SER TO SER PORT CAB RACK/RACK | 61 | N | | 36 |
| 9133 | | 3925 | SER.PORT CONV.CBL 9PIN-25PIN | 19 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9133 | | 3927 | SER.PORT NULL MODEM CABLE 3.7M | 61 | N | | 36 |
| 9133 | | 3928 | SER.PORT NULL MODEM CABLE 10M | 61 | N | | 36 |
| 9133 | | 4242 | 6FOOT EXT.CBL FOR DISPLAYS | 77 | N | | 36 |
| 9133 | | 4256 | EXTENDER CBL-USB KEYBOARDS 2M | 38 | N | | 36 |
| 9133 | | 6006 | POWER CONTROL CABLE(SPCN)-3M | 36 | N | | 36 |
| 9133 | | 6007 | POWER CONTROL CABLE(SPCN)-15M | 74 | N | | 36 |
| 9133 | | 6458 | PWR CAB.-DRAWER TO IBM PDU | 12 | N | | 36 |
| 9133 | | 6460 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9133 | | 6469 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9133 | | 6470 | PWR CORD(6FOOT) TO WALL | 12 | N | | 36 |
| 9133 | | 6471 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6472 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6473 | PWR CORD(9FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6474 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6475 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6476 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6477 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6478 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6488 | PWR CORD(9FT) TOWALL/OEM PDU | 36 | N | | 36 |
| 9133 | | 6493 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6494 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6496 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6497 | PWR CORD(6FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6498 | PWR CORD(6FT) TO WALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6598 | DISK SLOT FILLERS(QUANTITY 4) | 41 | N | | 36 |
| 9133 | | 6651 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6659 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 6660 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9133 | | 6665 | PWR CRD 3M 10FT DRWR PDU 250V | 12 | N | | 36 |
| 9133 | | 6669 | PWR CORD(14FT) DRW TO OEM PDU | 12 | N | | 36 |
| 9133 | | 6671 | PWR CORD(9FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9133 | | 6672 | PWR CORD(5FT) DRW TO IBM PDU | 12 | N | | 36 |
| 9133 | | 6680 | PWR CORD(9FT) TOWALL/OEM PDU | 12 | N | | 36 |
| 9133 | | 7313 | ONE PROC.ACT.FOR PROC.FC#8309 | 1,671 | N | | 36 |
| 9133 | | 7323 | 1PROC.ACTIV.FOR PROC.FC#8312 | 1,947 | N | | 36 |
| 9133 | | 7324 | 1PROC.ACTIV.FOR PROC.FC#8313 | 347 | N | | 36 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9133 | | 7326 | 1PROC.ACT.ON 2ND PROC.FC#8313 | 387 | N | | 36 |
| 9133 | | 7802 | ETHT CBL 15M HMC TO SYST.UNIT | 23 | N | | 36 |
| 9133 | | 7941 | ADVANCED PWR VIRTUALIZATION | 0 | N | | 36 |
| 9133 | | 8131 | 128PORT ASYNCH.CONTR.CBL 4.5M | 46 | N | | 36 |
| 9133 | | 8132 | 128PORT ASYNCH.CONTR.CBL 23CM | 30 | N | | 36 |
| 9179 | MHC | | POWER 780 | 7,601 | N | 2 | 12 |
| 9179 | MHD | | POWER 780 SERVER | 7,601 | N | 2 | 12 |
| 9179 | | 0010 | ONE CSC BILLING UNIT | 166 | N | | 12 |
| 9179 | | 0011 | TEN CSC BILLING UITS | 1,662 | N | | 12 |
| 9179 | | 0348 | V 24 EIA232 6 1M (20 FT) PCI C | 120 | N | | 12 |
| 9179 | | 0353 | V 35 6 1M (20 FT) PCI CABLE | 120 | N | | 12 |
| 9179 | | 0359 | X 21 6 1M (20 FT) PCI CABLE | 362 | N | | 12 |
| 9179 | | 0551 | 19 INCH 1 8 METER HIGH RA | 2,581 | N | | 12 |
| 9179 | | 0553 | 19 INCH 2 0 METER HIGH RA | 3,501 | N | | 12 |
| 9179 | | 0599 | RACK FILLER PANEL KIT | 72 | N | | 12 |
| 9179 | | 1107 | USB 500 GB REMOVABLE DISK DRIV | 287 | N | | 12 |
| 9179 | | 1111 | CAT5E ETHERNET CABLE 3M BLUE | 24 | N | | 12 |
| 9179 | | 1112 | CAT5E ETHERNET CABLE 10M BLUE | 43 | N | | 12 |
| 9179 | | 1113 | CAT5E ETHERNET CABLE 25M BLUE | 77 | N | | 12 |
| 9179 | | 1121 | CAT5E ETHERNET CABLE 25M YELLC | 77 | N | | 12 |
| 9179 | | 1737 | 856GB 10K RPM SAS SFF DISK | 1,465 | N | | 12 |
| 9179 | | 1738 | 856GB 10K RPM SAS SFF-2 DISK | 1,465 | N | | 12 |
| 9179 | | 1751 | 900GB 10K RPM SAS SFF DISK | 1,465 | N | | 12 |
| 9179 | | 1752 | 900GB 10K RPM SAS SFF-2 DISK | 1,465 | N | | 12 |
| 9179 | | 1768 | QUAD ENET CARD W COPPER SFP | 1,330 | N | | 12 |
| 9179 | | 1769 | QUAD ENET CARD W SR OPTICAL | 2,503 | N | | 12 |
| 9179 | | 1790 | 600GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9179 | | 1800 | GX DUAL PORT RIO 2 ATTACH | 2,930 | N | | 12 |
| 9179 | | 1802 | GX DUAL PORT 12X CHANNEL ATTA | 1,105 | N | | 12 |
| 9179 | | 1803 | INTEGRATED 4 PORT 1GB VIRTUA | 521 | N | | 12 |
| 9179 | | 1804 | INTEGRATED 4 PORT (2X1GB AND | 2,945 | N | | 12 |
| 9179 | | 1808 | GX 12X DDR ADAPTER DUAL PORT | 1,117 | N | | 12 |
| 9179 | | 1813 | INTEGRATED 4 PORT (2X1GB AND | 1,566 | N | | 12 |
| 9179 | | 1815 | SAS CABLE FOR TRIPLE SPLIT DAS | 186 | N | | 12 |
| 9179 | | 1817 | QUANTITY 150 OF 1962 | 175,811 | N | | 12 |
| 9179 | | 1818 | QUANTITY 150 OF 1964 | 175,811 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 1819 | SAS CABLE ASSEMBLY FOR SAS POF | 186 | N | | 12 |
| 9179 | | 1828 | 1 5 METER 12X TO 4X CHANNEL CO | 292 | N | | 12 |
| 9179 | | 1841 | 3 METER 12X TO 4X CHANNEL CONV | 367 | N | | 12 |
| 9179 | | 1844 | QUANTITY 150 OF 1956 | 116,872 | N | | 12 |
| 9179 | | 1853 | OPERATOR PANEL | 746 | N | | 12 |
| 9179 | | 1854 | 10 METER 12X TO 4X ENHANCED CH | 585 | N | | 12 |
| 9179 | | 1861 | 0 6 METER 12X DDR CABLE | 342 | N | | 12 |
| 9179 | | 1862 | 1 5 METER 12X DDR CABLE | 390 | N | | 12 |
| 9179 | | 1864 | 8 0 METER 12X DDR CABLE | 707 | N | | 12 |
| 9179 | | 1865 | 3 0 METER 12X DDR CABLE | 464 | N | | 12 |
| 9179 | | 1866 | QUANTITY 150 OF 1917 | 72,919 | N | | 12 |
| 9179 | | 1868 | QUANTITY 150 OF 1947 | 72,919 | N | | 12 |
| 9179 | | 1869 | QUANTITY 150 OF 1925 | 116,872 | N | | 12 |
| 9179 | | 1879 | 283GB 15K RPM SAS DISK | 927 | N | | 12 |
| 9179 | | 1880 | 300GB 15K RPM SAS DISK | 927 | N | | 12 |
| 9179 | | 1885 | 300GB 10K SFF SAS DD AIX LNX | 779 | N | | 12 |
| 9179 | | 1886 | 146GB 15K SFF SAS DD AIX LNX | 486 | N | | 12 |
| 9179 | | 1888 | 139GB 15K SFF SAS DD IBM I | 486 | N | | 12 |
| 9179 | | 1911 | 283GB 10K RPM SFF SAS DISK DRI | 779 | N | | 12 |
| 9179 | | 1914 | GX 2-PORT PCIE2 X8 ADAPTER | 2,460 | N | | 12 |
| 9179 | | 1916 | 571GB 10K RPM SAS SFF DISK | 1,172 | N | | 12 |
| 9179 | | 1917 | 146GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9179 | | 1925 | 300GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9179 | | 1926 | QTY 150 OF #1879 | 139,127 | N | | 12 |
| 9179 | | 1927 | QTY 150 OF #1948 | 139,127 | N | | 12 |
| 9179 | | 1928 | QTY 150 OF #1880 | 139,127 | N | | 12 |
| 9179 | | 1929 | QTY 150 OF #1953 | 139,127 | N | | 12 |
| 9179 | | 1947 | 139GB 15K RPM SAS SFF 2 DISK | 486 | N | | 12 |
| 9179 | | 1948 | 283GB 15K RPM SAS SFF-2 | 927 | N | | 12 |
| 9179 | | 1953 | 300GB 15K RPM SAS SFF-2 | 927 | N | | 12 |
| 9179 | | 1956 | 283GB 10K RPM SAS SFF 2 DISK | 779 | N | | 12 |
| 9179 | | 1962 | 571GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9179 | | 1964 | 600GB 10K RPM SAS SFF 2 DISK | 1,172 | N | | 12 |
| 9179 | | 1996 | 1 GIGABIT ISCSI TOE PCI XO | 4,296 | N | | 12 |
| 9179 | | 2055 | PCIE RAID SSD SAS ADAPTER 3GB | 2,982 | N | | 12 |
| 9179 | | 2456 | 2M LC SC 50 MICRON FIBER CONVE | 80 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 2459 | 2M LC SC 62 5 MICRON FIBER CON | 80 | N | | 12 |
| 9179 | | 2728 | 4 PORT USB PCIE ADAPTER | 146 | N | | 12 |
| 9179 | | 2893 | PCIE 2 LINE WAN W MODEM | 564 | N | | 12 |
| 9179 | | 2934 | M ASYNCHRONOUS TERMINAL PRIN | 35 | N | | 12 |
| 9179 | | 2936 | ASYNCHRONOUS CABLE EIA 232 V 2 | 59 | N | | 12 |
| 9179 | | 3124 | SERIAL TO SERIAL PORT CABLE FO | 64 | N | | 12 |
| 9179 | | 3125 | SERIAL TO SERIAL PORT CABLE FO | 64 | N | | 12 |
| 9179 | | 3287 | 1M 3 3 FT IB ENET 40G COPPER | 507 | N | | 12 |
| 9179 | | 3288 | 3M 9 8 FT IB ENET 40G COPPE | 634 | N | | 12 |
| 9179 | | 3289 | 5M QDR IB ENET COPPER CABLE QS | 683 | N | | 12 |
| 9179 | | 3290 | 1M 3 3 FT IB ENET 40G COPPER | 731 | N | | 12 |
| 9179 | | 3293 | 30 METER QUAD DATA RATE INFINI | 879 | N | | 12 |
| 9179 | | 3450 | SAS YO CABLE 1.5M HD 6GB ADA | 234 | N | | 12 |
| 9179 | | 3451 | SAS YO CABLE 3M HD 6GB ADAPT | 292 | N | | 12 |
| 9179 | | 3452 | SAS YO CABLE 6M HD 6GB ADAPT | 438 | N | | 12 |
| 9179 | | 3453 | SAS YO CABLE 10M HD 6GB ADAP | 659 | N | | 12 |
| 9179 | | 3454 | SAS X CABLE 3M HD 6GB 2 ADAP | 438 | N | | 12 |
| 9179 | | 3455 | SAS X CABLE 6M HD 6GB 2 ADAP | 731 | N | | 12 |
| 9179 | | 3456 | SAS X CABLE 10M HD 6GB 2 ADA | 1,220 | N | | 12 |
| 9179 | | 3458 | SAS X CABLE 15M HD 3GB 2 ADA | 2,344 | N | | 12 |
| 9179 | | 3632 | WIDESCREEN LCD MONITOR | 974 | N | | 12 |
| 9179 | | 3647 | 146GB 15K RPM SAS DD AIX LNX | 486 | N | | 12 |
| 9179 | | 3648 | 300GB 15K RPM SAS DD AIX LNX | 927 | N | | 12 |
| 9179 | | 3649 | 450GB 15K RPM SAS DD AIX LNX | 1,270 | N | | 12 |
| 9179 | | 3652 | SAS CABLE (EE) DRAWER TO DRAW | 48 | N | | 12 |
| 9179 | | 3653 | SAS CABLE (EE) DRAWER TO DRAW | 69 | N | | 12 |
| 9179 | | 3654 | SAS CABLE (EE) DRAWER TO DRAW | 117 | N | | 12 |
| 9179 | | 3661 | SAS CABLE (X) ADAPTER TO SAS E | 146 | N | | 12 |
| 9179 | | 3662 | SAS CABLE (X) ADAPTER TO SAS E | 293 | N | | 12 |
| 9179 | | 3663 | SAS CABLE (X) ADAPTER TO SAS E | 596 | N | | 12 |
| 9179 | | 3671 | SERV INTERFACE CABLE 2 3 AN | 1,491 | N | | 12 |
| 9179 | | 3672 | SERV INTERFACE CABLE 3 AND 4 | 2,237 | N | | 12 |
| 9179 | | 3673 | SERV INTERFACE CABLE 4 ENCLOS | 2,982 | N | | 12 |
| 9179 | | 3675 | SAS EX CABLE 3M - DRW TO DRW | 167 | N | | 12 |
| 9179 | | 3679 | SAS CABLE (AI) ADAPTER TO INT | 51 | N | | 12 |
| 9179 | | 3680 | SAS EX CABLE 6M - DRW TO DRW | 298 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 3681 | 3M SAS CABLE ADPTR TO ADPTR (| 74 | N | | 12 |
| 9179 | | 3684 | SAS CABLE (AE) ADAPTER TO ENCL | 146 | N | | 12 |
| 9179 | | 3685 | SAS CABLE (AE) ADAPTER TO ENCL | 293 | N | | 12 |
| 9179 | | 3687 | SAS CABLE (YI) SYSTEM TO SAS E | 107 | N | | 12 |
| 9179 | | 3688 | SAS CABLE (AT) 0 6 METER | 88 | N | | 12 |
| 9179 | | 3689 | SAS AT CABLE 0.6M HD 6GB ADA | 117 | N | | 12 |
| 9179 | | 3691 | SAS CABLE (YO) ADAPTER TO SAS | 88 | N | | 12 |
| 9179 | | 3692 | SAS CABLE (YO) ADAPTER TO SAS | 107 | N | | 12 |
| 9179 | | 3693 | SAS CABLE (YO) ADAPTER TO SAS | 146 | N | | 12 |
| 9179 | | 3694 | SAS CABLE (YO) ADAPTER TO SAS | 516 | N | | 12 |
| 9179 | | 3711 | ROCESSOR CABLE TWO DRAWER S | 2,982 | N | | 12 |
| 9179 | | 3712 | ROCESSOR CABLE TWO THREE OF | 3,728 | N | | 12 |
| 9179 | | 3713 | ROCESSOR CABLE THREE OR FOUR | 7,456 | N | | 12 |
| 9179 | | 3714 | ROCESSOR CABLE FOUR DRAWER | 8,947 | N | | 12 |
| 9179 | | 3715 | ROCESS CBL TWOTHREE DRAWER | 2,982 | N | | 12 |
| 9179 | | 3716 | ROCESS CBL TWOTHREEFOUR DRW | 3,728 | N | | 12 |
| 9179 | | 3717 | ROCESS CBL THREEFOUR DRAWER | 7,456 | N | | 12 |
| 9179 | | 3718 | PROCESS CBL FOUR DRAWER | 8,947 | N | | 12 |
| 9179 | | 3925 | 0 3M SERIAL PORT CONVERTER CAE | 20 | N | | 12 |
| 9179 | | 3927 | SERIAL PORT NULL MODEM CABLE | 64 | N | | 12 |
| 9179 | | 3928 | SERIAL PORT NULL MODEM CABLE | 64 | N | | 12 |
| 9179 | | 3930 | SYSTEM SERIAL PORT CONVERTER (| 13 | N | | 12 |
| 9179 | | 4242 | 1 8 M (6 FT) EXTENDER CABLE FO | 80 | N | | 12 |
| 9179 | | 4256 | EXTENDER CABLE USB KEYB1.8 | 40 | N | | 12 |
| 9179 | | 4276 | /GA TO DVI CONNECTION CONVERTI | 7 | N | | 12 |
| 9179 | | 4710 | ON/OFF 999 GB DAYS BILLING | 745 | N | | 12 |
| 9179 | | 4791 | ACTIVE MEMORY EXPANSION ENABL | 5,145 | N | | 12 |
| 9179 | | 4808 | PCIE CRYPTO COPROCESSOR GEN3 | 10,742 | N | | 12 |
| 9179 | | 4809 | PCIE CRYPTO COPROCESSOR GEN4 | 10,742 | N | | 12 |
| 9179 | | 4982 | 3 86 GHZ 4 14 GHZ TURBOCORE | 42,818 | N | | 12 |
| 9179 | | 4992 | SINGLE 5250 ENTERPRISE ENABLEM | 37,280 | N | | 12 |
| 9179 | | 4997 | FULL 5250 ENTERPRISE ENABLEMEN | 149,118 | N | | 12 |
| 9179 | | 5003 | 4.1 3.9 GHZ.0/8 16 TURBOCORE | 42,818 | N | | 12 |
| 9179 | | 5285 | PCIE 2 PORT 4X IB QDR ADAPT | 976 | N | | 12 |
| 9179 | | 5287 | PCIE2 2 PORT 10GBE SR ADAPTER | 2,930 | N | | 12 |
| 9179 | | 5288 | PCIE2 2 PORT 10GBE SFP+COPP | 1,563 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 5289 | 2 PORT ASYNC EIA 232 PCIE ADAP | 193 | N | | 12 |
| 9179 | | 5294 | 1 8M I O TOWER | 51,632 | N | | 12 |
| 9179 | | 5296 | 1 8M I O TOWER (NO DISK) | 31,331 | N | | 12 |
| 9179 | | 5339 | 1 CORE PROC. ACT FOR 5003 | 6,244 | N | | 12 |
| 9179 | | 5340 | 100 COD UTL MINS 5003. AIX | 2 | N | | 12 |
| 9179 | | 5341 | 100 COD UTL MINS 5003 IBMI | 19 | N | | 12 |
| 9179 | | 5342 | 1 PROC-DAY ON OFF 5003 AIX | 19 | N | | 12 |
| 9179 | | 5343 | 1 PROC DAY ON/OFF 5003 IBMI | 139 | N | | 12 |
| 9179 | | 5469 | ONE PROCESSOR ACTIVATION FOR F | 6,244 | N | | 12 |
| 9179 | | 5524 | RFID TAGS FOR SERVERS BLADES | 19 | N | | 12 |
| 9179 | | 5532 | SYSTEM PWR SUP 1925W | 1,119 | N | | 12 |
| 9179 | | 5564 | 0/256GB DDR3 1066MHZ 4 DIMMS | 32,891 | N | | 12 |
| 9179 | | 5595 | CHASIS IBM BEZEL FOR MHC | 8,947 | N | | 12 |
| 9179 | | 5596 | CHASIS OEM BEZEL FOR MHC | 8,947 | N | | 12 |
| 9179 | | 5597 | SYSTEM CEC ENCLOSURE WITH IBM | 8,947 | N | | 12 |
| 9179 | | 5598 | SYSTEM CEC ENCLOSURE WITH OEM | 8,947 | N | | 12 |
| 9179 | | 5600 | 0 32GB DDR3 MEMORY (4X8GB) DIM | 1,461 | N | | 12 |
| 9179 | | 5601 | 0 64GB DDR3 MEMORY (4X16GB) DI | 5,755 | N | | 12 |
| 9179 | | 5602 | 0 128GB DDR3 MEMORY (4X32GB) D | 11,511 | N | | 12 |
| 9179 | | 5632 | SYSTEM AC POWER SUPPLY 1725 W | 1,119 | N | | 12 |
| 9179 | | 5646 | BLIND SWAP TYPE III CASSETTE | 36 | N | | 12 |
| 9179 | | 5647 | BLIND SWAP TYPE III CASSETTE | 36 | N | | 12 |
| 9179 | | 5652 | DISK MEDIA BACKPLANE | 2,982 | N | | 12 |
| 9179 | | 5662 | 175MB CACHE RAID BATTERY CARD | 1,864 | N | | 12 |
| 9179 | | 5664 | SERVICE PROCESSOR | 2,982 | N | | 12 |
| 9179 | | 5665 | FSP CLOCK PASS THROUGH CARD | 671 | N | | 12 |
| 9179 | | 5706 | 2 PORT 10 100 1000 BASE TX | 737 | N | | 12 |
| 9179 | | 5708 | 10GB FCOE PCIE DUAL PORT ADAPT | 3,418 | N | | 12 |
| 9179 | | 5713 | 1 GIGABIT ISCSI TOE PCI X ON C | 879 | N | | 12 |
| 9179 | | 5729 | PCIE2 8GB 4PORT FIBRE CHANN | 5,859 | N | | 12 |
| 9179 | | 5735 | 8 GIGABIT PCI EXPRESS DUAL POR | 3,417 | N | | 12 |
| 9179 | | 5736 | PCI X DDR DUAL CHANNEL ULTRA32 | 573 | N | | 12 |
| 9179 | | 5740 | 4 PORT 10 100 1000 BASE TX PCI | 819 | N | | 12 |
| 9179 | | 5744 | PCIE2 4 PORT 10GBE 1GBE SR RJ4 | 3,417 | N | | 12 |
| 9179 | | 5745 | PCIE2 4 PORT 10GBE GBE SFP COP | 2,440 | N | | 12 |
| 9179 | | 5748 | POWER GXT145 PCI EXPRESS GRAP | 370 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,440 | N | | 12 |
| 9179 | | 5759 | 4 GB DUAL PORT FIBRE CHANNEL P | 2,440 | N | | 12 |
| 9179 | | 5767 | 2 PORT 10 100 1000 BASE TX ETH | 516 | N | | 12 |
| 9179 | | 5768 | 2 PORT GIGABIT ETHERNET SX PCI | 1,290 | N | | 12 |
| 9179 | | 5769 | 10 GIGABIT ETHERNET SR PCI EXP | 3,418 | N | | 12 |
| 9179 | | 5771 | SATA SLIMLINE DVD-RAM DRIVE | 292 | N | | 12 |
| 9179 | | 5772 | 10 GIGABIT ETHERNET LR PCI EXP | 4,631 | N | | 12 |
| 9179 | | 5774 | 4 GIGABIT PCI EXPRESS DUAL POR | 2,440 | N | | 12 |
| 9179 | | 5785 | 4 PORT ASYNC EIA 232 PCIE ADAP | 682 | N | | 12 |
| 9179 | | 5802 | 12X I O DRAWER PCIE SFF D | 11,709 | N | | 12 |
| 9179 | | 5805 | PCIE 380MB CACHE DUAL X4 3GB S | 2,147 | N | | 12 |
| 9179 | | 5877 | 12X I O DRAWER PCIE NO DI | 10,636 | N | | 12 |
| 9179 | | 5887 | EXP24S SFF GEN2 BAY DRAWER | 5,274 | N | | 12 |
| 9179 | | 5899 | PCIE2 4-PORT 1GBE ADAPTER | 293 | N | | 12 |
| 9179 | | 5901 | PCIE DUAL X4 SAS ADAPTER | 731 | N | | 12 |
| 9179 | | 5908 | PCI X DDR 1 5GB CACHE SAS RAID | 8,301 | N | | 12 |
| 9179 | | 5913 | PCIE2 1.8GB CACHE RAID SAS ADA | 7,324 | N | | 12 |
| 9179 | | 5915 | SAS AA CABLE 3M HD 6GB ADAPT | 220 | N | | 12 |
| 9179 | | 5916 | SAS AA CABLE 6M HD 6GB ADAPT | 366 | N | | 12 |
| 9179 | | 5917 | SAS AA CABLE 1.5M HD 6GB ADA | 170 | N | | 12 |
| 9179 | | 5918 | SAS AA CBL 0.6M HD 6GB ADAPT | 97 | N | | 12 |
| 9179 | | 5926 | SAS EX CABLE 1.5M - DRW TO DRW | 149 | N | | 12 |
| 9179 | | 6006 | POWER CONTROL CABLE (SPCN) 3 | 38 | N | | 12 |
| 9179 | | 6007 | POWER CONTROL CABLE (SPCN) 1 | 77 | N | | 12 |
| 9179 | | 6068 | OPT FRONT DOOR FOR 1 8M RACK | 331 | N | | 12 |
| 9179 | | 6069 | OPT FRONT DOOR FOR 2 0M RACK | 406 | N | | 12 |
| 9179 | | 6238 | HIGH END APPEARANCE SIDE COVER | 485 | N | | 12 |
| 9179 | | 6248 | 1 8M RACK ACOUSTIC DOORS | 3,430 | N | | 12 |
| 9179 | | 6249 | 2 0M RACK ACOUSTIC DOORS | 3,430 | N | | 12 |
| 9179 | | 6250 | HIGH END APPEARANCE FRONT DOO | 2,237 | N | | 12 |
| 9179 | | 6263 | 1 8M RACK TRIM KIT | 390 | N | | 12 |
| 9179 | | 6272 | 2 0M RACK TRIM KIT | 390 | N | | 12 |
| 9179 | | 6458 | POWER CABLE DRAWER TO IBM P | 14 | N | | 12 |
| 9179 | | 6460 | POWER CORD 4 3M (14 FT) DRAWE | 14 | N | | 12 |
| 9179 | | 6469 | POWER CORD 4 3M (14 FOOT) DRA | 13 | N | | 12 |
| 9179 | | 6471 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 6472 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6473 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6474 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6475 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6476 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6477 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6478 | POWER CORD 2 7 M(9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6488 | POWER CORD 2 7M (9 FOOT) TO W | 38 | N | | 12 |
| 9179 | | 6489 | 4 3M (14 FT) 3PH 24A POWER COR | 268 | N | | 12 |
| 9179 | | 6491 | 4 3M (14 FT) 1PH 48A PWR CORD | 295 | N | | 12 |
| 9179 | | 6492 | 4 3M (14 FT) 1PH 48 60A PWR CO | 295 | N | | 12 |
| 9179 | | 6493 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6494 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6496 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6497 | POWER CORD (6 FOOT) TO WALL O | 24 | N | | 12 |
| 9179 | | 6577 | POWER CABLE DRAWER TO IBM PC | 14 | N | | 12 |
| 9179 | | 6580 | OPTIONAL RACK SECURITY KIT | 131 | N | | 12 |
| 9179 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 184 | N | | 12 |
| 9179 | | 6651 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6654 | 4 3M (14 FT) 1PH 24 30A PWR CO | 176 | N | | 12 |
| 9179 | | 6655 | 4 3M (14 FT) 1PH 24 30A WR PWR | 390 | N | | 12 |
| 9179 | | 6656 | 4 3M (14 FT)1PH 24A POWER CORD | 176 | N | | 12 |
| 9179 | | 6659 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6660 | POWER CORD (14 FOOT) DRAWER T | 14 | N | | 12 |
| 9179 | | 6665 | POWER CORD 3 M (10 FT) DRAWER | 13 | N | | 12 |
| 9179 | | 6669 | POWER CORD 4 3M (14 FOOT) DRA | 13 | N | | 12 |
| 9179 | | 6671 | POWER CORD 2 7M (9 FOOT) DRAW | 13 | N | | 12 |
| 9179 | | 6672 | POWER CORD 1 5M (5 FOOT) DRAW | 13 | N | | 12 |
| 9179 | | 6680 | POWER CORD 2 7M (9 FOOT) TO W | 13 | N | | 12 |
| 9179 | | 6800 | PCI 1GBPS ETHERNET IOA | 643 | N | | 12 |
| 9179 | | 7109 | INTELLIGENT PDU+ 1 EIA UNIT | 1,072 | N | | 12 |
| 9179 | | 7118 | NVIRONMENTAL MONITORING PROB | 272 | N | | 12 |
| 9179 | | 7188 | POWER DISTRIBUTION UNIT | 738 | N | | 12 |
| 9179 | | 7544 | QUANTITY 150 OF 1888 | 72,919 | N | | 12 |
| 9179 | | 7547 | QUANTITY 150 OF 1885 | 116,872 | N | | 12 |
| 9179 | | 7548 | QUANTITY 150 OF 1886 | 116,872 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | 7549 | QUANTITY 150 OF 3647 | 72,919 | N | | 12 |
| 9179 | | 7550 | QUANTITY 150 OF 1790 | 175,811 | N | | 12 |
| 9179 | | 7557 | QUANTITY 150 OF 1911 | 116,872 | N | | 12 |
| 9179 | | 7564 | QUANTITY 150 OF 3648 | 139,127 | N | | 12 |
| 9179 | | 7565 | QUANTITY 150 OF 3649 | 190,461 | N | | 12 |
| 9179 | | 7566 | QUANTITY 150 OF 1916 | 175,811 | N | | 12 |
| 9179 | | 7633 | PROC COD UTILITY BILLING FOR F | 2 | N | | 12 |
| 9179 | | 7634 | PROC COD UTILITY BILLING FOR F | 19 | N | | 12 |
| 9179 | | 7635 | 1 PROC DAY ON OFF BILLING FOR | 19 | N | | 12 |
| 9179 | | 7636 | 1 PROC DAY ON OFF BILLING FOR | 139 | N | | 12 |
| 9179 | | 7802 | ETHERNET CABLE 15M HARDWARE | 25 | N | | 12 |
| 9179 | | 7863 | PCI BLIND SWAP CASSETTE KIT D | 48 | N | | 12 |
| 9179 | | 8143 | LINUX SOFTWARE PREINSTALL | 44 | N | | 12 |
| 9179 | | 8144 | LINUX SOFTWARE PREINSTALL (BUS | 44 | N | | 12 |
| 9179 | | 8212 | ACTIVATION OF 1 GB DDR3 POWER7 | 182 | N | | 12 |
| 9179 | | 8213 | ACTIVATION OF 100 GB DDR3 POWE | 18,267 | N | | 12 |
| 9179 | | 8845 | USB MOUSE | 28 | N | | 12 |
| 9179 | | EB34 | I 6.1.1 NATIVE I/O ENABLEMENT | 976 | N | | 12 |
| 9179 | | EB95 | CHASIS & IBM BEZEL FOR MHD | 8,947 | N | | 12 |
| 9179 | | EB96 | CHASIS & OEM BEZEL FOR MHD | 8,947 | N | | 12 |
| 9179 | | EC28 | PCIE2 2-PORT 10GBE ROCE SFP+ A | 976 | N | | 12 |
| 9179 | | EC30 | PCIE2 2-PORT 10GBE ROCE SR ADA | 1,709 | N | | 12 |
| 9179 | | EC53 | OPERATOR PANEL | 746 | N | | 12 |
| 9179 | | ECB0 | 0.6M BLUE CAT5 ETHERNET CABLE | 12 | N | | 12 |
| 9179 | | ECB2 | 1.5M BLUE CAT5 ETHERNET CABLE | 16 | N | | 12 |
| 9179 | | EDR1 | EXP30 ULTRA SSD I/O DRAWER | 23,927 | N | | 12 |
| 9179 | | EK51 | FULL WIDTH KEY USB US ENGLISH | 58 | N | | 12 |
| 9179 | | EK83 | FULL WIDTH KEY USB US ENGLISH | 58 | N | | 12 |
| 9179 | | EM40 | 0 32GB DDR3 1066MHZ 4 DIMMS | 410 | N | | 12 |
| 9179 | | EM41 | 0 64GB DDR3 1066MHZ 4 DIMMS | 820 | N | | 12 |
| 9179 | | EM42 | 0 128GB DDR3 1066MHZ 4 DIMMS | 1,640 | N | | 12 |
| 9179 | | EM44 | 0 256GB DDR3 1066MHZ 4 DIMMS | 12,675 | N | | 12 |
| 9179 | | EMA2 | ACTIVATION OF 1 GB DDR3 P7 | 137 | N | | 12 |
| 9179 | | EMA3 | TY 100 OF FC EMA2 1GB ACT | 13,793 | N | | 12 |
| 9179 | | EN01 | 1M 10GBE CABLE SFP ACT TWINAX | 97 | N | | 12 |
| 9179 | | EN02 | 3M 10GBE CABLE SFP ACT TWINAX | 117 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | EN03 | 5M 10GBE CABLE SFP ACT TWINAX | 146 | N | | 12 |
| 9179 | | EN05 | PCIE X8 CABLE 1.5M | 292 | N | | 12 |
| 9179 | | EN07 | PCIE X8 CABLE 3M | 331 | N | | 12 |
| 9179 | | EN08 | PCIE X8 CABLE 8M | 371 | N | | 12 |
| 9179 | | EP24 | 3.44 GHZ PROC 0/24 CORE P7 | 41,584 | N | | 12 |
| 9179 | | EP25 | 1 CORE PROC.ACT FOR EP24 | 4,042 | N | | 12 |
| 9179 | | EP26 | 100 COD UTL MINS EP24 AIXL | 1 | N | | 12 |
| 9179 | | EP27 | 100 COD UTL MINS EP24 IBMI | 18 | N | | 12 |
| 9179 | | EP28 | 1 ON/OFF PROC DAY EP24 AIXL | 12 | N | | 12 |
| 9179 | | EP29 | 1 ON/OFF PROC DAY EP24 IBMI | 133 | N | | 12 |
| 9179 | | EP2E | 100 ON/OFF PRC DAYS 4982 AIXL | 1,939 | N | | 12 |
| 9179 | | EP2F | 100 ON/OFF PRC DAYS 4982 IBMI | 13,943 | N | | 12 |
| 9179 | | EP2L | 100 ON/OFF PRC DAYS 5003 AIXL | 1,939 | N | | 12 |
| 9179 | | EP2M | 100 ON/OFF PRC DAYS 5003 IBMI | 13,943 | N | | 12 |
| 9179 | | EP2N | 100 ON/OFF PRC DAYS EP24 AIXL | 1,267 | N | | 12 |
| 9179 | | EP2P | 100 ON/OFF PRC DAYS EP24 IBMI | 13,346 | N | | 12 |
| 9179 | | EPH0 | 4.42 GHZ PROC 0 16 CORE P7 | 41,467 | N | | 12 |
| 9179 | | EPH2 | 3.72 GHZ PROC 0 32 CORE P7 | 58,063 | N | | 12 |
| 9179 | | EPHA | 1-CORE ACTIVATION FOR EPH0 | 6,047 | N | | 12 |
| 9179 | | EPHC | 1-CORE ACTIVATION FOR EPH2 | 4,233 | N | | 12 |
| 9179 | | EPHE | 1 ON OFF PROC-DAY EPH0 AIXL | 14 | N | | 12 |
| 9179 | | EPHF | 1 ON OFF PROC-DAY EPH0 IBM I | 139 | N | | 12 |
| 9179 | | EPHJ | 1 ON OFF PROC-DAY EPH2 AIXL | 14 | N | | 12 |
| 9179 | | EPHK | 1 ON/OFF PROC-DAY EPH2 IBM I | 139 | N | | 12 |
| 9179 | | EPHN | 100 ON/OFF PRC-DAYS EPH0 AIXL | 1,491 | N | | 12 |
| 9179 | | EPHP | 100 ON/OFF PROC-D FOR #EPH2 | 13,943 | N | | 12 |
| 9179 | | EPHS | 100 ON/OFF PRC-DAYS EPH2 AIXL | 1,491 | N | | 12 |
| 9179 | | EPHT | 100 ON/OFF PRC-DAYS EPH2 IBMI | 13,943 | N | | 12 |
| 9179 | | EPHU | 100 COD UTL MINS EPH0 AIXL | 2 | N | | 12 |
| 9179 | | EPHV | 100 COD UTL MINS EPH0 IBMI | 19 | N | | 12 |
| 9179 | | EPHY | 100 COD UTL MINS EPH2 AIXL | 1 | N | | 12 |
| 9179 | | EPHZ | 100 COD UTL MINS EPH2 IBMI | 18 | N | | 12 |
| 9179 | | EQ02 | QUANTITY 150 OF 3453 SAS YO | 65,873 | N | | 12 |
| 9179 | | EQ03 | QUANTITY 150 OF 3453 SAS YO | 98,865 | N | | 12 |
| 9179 | | EQ0A | QUANTITY 150 OF ES0A | 525,642 | N | | 12 |
| 9179 | | EQ0B | QUANTITY OF 150 ES0B | 525,642 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9179 | | EQ0C | QUANTITY OF 150 ES0C | 525,642 | N | | 12 |
| 9179 | | EQ0D | QUANTITY OF 150 ES0D | 525,642 | N | | 12 |
| 9179 | | EQ37 | QUANTITY 150 OF 1737 | 219,763 | N | | 12 |
| 9179 | | EQ38 | QUANTITY 150 OF 1738 | 219,763 | N | | 12 |
| 9179 | | EQ51 | QUANTITY 150 OF 1751 | 219,763 | N | | 12 |
| 9179 | | EQ52 | QUANTITY 150 OF 1752 | 219,763 | N | | 12 |
| 9179 | | EQ77 | POWER CABLE DRAWER TO IBM PD | 2,685 | N | | 12 |
| 9179 | | ERF1 | RFID TAGS FOR COMPUTE NODES | 19 | N | | 12 |
| 9179 | | ERG7 | FRONT DOOR FOR P770/780 2MRACK | 2,237 | N | | 12 |
| 9179 | | ES02 | 387GB 1.8 SAS SSD AIX/LINUX | 4,296 | N | | 12 |
| 9179 | | ES0A | 387GB SFF-1 SSD FOR AIX LI | 3,504 | N | | 12 |
| 9179 | | ES0B | 387GB SFF-1 SSD FOR IBM I | 3,504 | N | | 12 |
| 9179 | | ES0C | 387GB SFF-2 SSD FOR AIX LI | 3,504 | N | | 12 |
| 9179 | | ES0D | 387GB SFF-2 SSD FOR IBM I | 3,504 | N | | 12 |
| 9179 | | ESA1 | PCIE2 RAID SAS ADAPTER 6GB | 6,054 | N | | 12 |
| 9179 | | ESC8 | S H | 521 | N | | 12 |
| 9179 | | ESR2 | 6 ES02 387GB 1.8 SAS SSD | 23,202 | N | | 12 |
| 9179 | | ESRA | 4 ES0A 387GB SFF1 SSD | 12,615 | N | | 12 |
| 9179 | | ESRB | 4 ES0B 387GB SFF1 SSD | 12,615 | N | | 12 |
| 9179 | | ESRC | 4 ES0C 387GB SFF2 SSD | 12,615 | N | | 12 |
| 9179 | | ESRD | 4 ES0D 387GB SFF2 SSD | 12,615 | N | | 12 |
| 9179 | | EU01 | 1TB REMOVABLE DISK CARTRIDGE | 337 | N | | 12 |
| 9179 | | EU04 | RDX USB EXTERNAL DOCKING | 268 | N | | 12 |
| 9179 | | EU05 | SERVICE PROCESSOR 2 | 2,982 | N | | 12 |
| 9179 | | EU08 | RDX 320 GB REMOVABLE DISK DRIV | 220 | N | | 12 |
| 9179 | | EU09 | SERVICE PROCESSOR-3 | 2,982 | N | | 12 |
| 9179 | | EU15 | 1.5TB REMOVABLE DISKDRIVECARTF | 483 | N | | 12 |
| 9393 | SNP | | 8S0421 'LIC' 9393 MODEL SNP | 66,196 | N | 3 | 0 |
| 9393 | | 0700 | CACHE SIZE 1024 MB | 84,197 | N | | 12 |
| 9393 | | 0701 | CACHE SIZE 1792 MB | 109,097 | N | | 12 |
| 9393 | | 0702 | CACHE SIZE 2048 MB | 117,625 | N | | 12 |
| 9393 | | 0710 | 1024MB EFFECTIVE CACHE | 32,006 | N | | 12 |
| 9393 | | 2001 | 160GB EFFECTIVE CAPACITY | 101,707 | N | | 12 |
| 9393 | | 4001 | 16 PARALLEL CHANNELS | 11,485 | N | | 12 |
| 9393 | | 5002 | 30GB EFFECT.CAPACITY INCREMENT | 52,232 | N | | 12 |
| 9393 | | 5003 | 210GB EFFECT.CAPACITY INCREM | 134,309 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | 810 | | ISERIES | 0 | Y | 2 | 12 |
| 9406 | | 0348 | V.24/EIA232 20-FT PCI CABLE | 101 | N | | 12 |
| 9406 | | 0353 | V.35 20-FT PCI CABLE | 101 | N | | 12 |
| 9406 | | 0359 | X.21 20-FT PCI CABLE | 134 | N | | 12 |
| 9406 | | 0367 | OPERATIONS CONSOLE PCI CABLE | 101 | N | | 12 |
| 9406 | | 0371 | LC-SC ADAPTER KIT (50UM) | 66 | N | | 12 |
| 9406 | | 0372 | LC-SC ADAPTER KIT (62.5UM) | 66 | N | | 12 |
| 9406 | | 0456 | CUSTOMER PLACEMENT | 322 | N | | 12 |
| 9406 | | 0469 | CUSTOM RACK PLACEMENT | 403 | N | | 12 |
| 9406 | | 0551 | ISERIES RACK | 2,150 | N | | 12 |
| 9406 | | 0553 | ISERIES 2.0M RACK | 2,922 | N | | 12 |
| 9406 | | 0555 | ISERIES 25U RACK | 1,611 | N | | 12 |
| 9406 | | 0599 | RACK FILLER PANEL KIT | 60 | N | | 12 |
| 9406 | | 0601 | LINUX DIR ATTACH-2743 | 1,467 | N | | 12 |
| 9406 | | 0602 | LINUX DIR ATTACH-2760 | 1,467 | N | | 12 |
| 9406 | | 0607 | LINUX DIR ATTACH-4838 | 484 | N | | 12 |
| 9406 | | 0611 | DIRECT ATTACH - 2765 | 3,063 | N | | 12 |
| 9406 | | 0612 | LINUX DIR ATTACH-2766 | 4,836 | N | | 12 |
| 9406 | | 0613 | LINUX DIR ATTACH-2742 | 343 | N | | 12 |
| 9406 | | 0625 | DIRECT ATTACH - 5704 | 2,132 | N | | 12 |
| 9406 | | 0626 | LINUX DIR ATTACH-2787 | 4,997 | N | | 12 |
| 9406 | | 0628 | LINUX DIR ATTACH-5703 | 2,418 | N | | 12 |
| 9406 | | 0630 | PCI-X 1GBPS ISCSI TOE-COPPER | 959 | N | | 12 |
| 9406 | | 0645 | DIRECT ATTACH-5712 | 473 | N | | 12 |
| 9406 | | 0647 | PCI-X DISK/TAPE CTRLR NO IOP | 473 | N | | 12 |
| 9406 | | 1266 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9406 | | 1268 | 141.12GB 15K RPM DISK UNIT | 1,047 | N | | 12 |
| 9406 | | 1293 | 36.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9406 | | 1294 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9406 | | 1295 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9406 | | 1296 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9406 | | 1462 | 15M COPPER HSL CABLE | 887 | N | | 12 |
| 9406 | | 1470 | 6M OPTICAL HSL CABLE | 443 | N | | 0 |
| 9406 | | 1782 | TCOD BILLING FOR MOD 825 | 443 | N | | 12 |
| 9406 | | 1783 | TCOD BILLING FOR MOD 825 | 443 | N | | 12 |
| 9406 | | 1785 | TCOD BILLING FOR MOD 870 | 484 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | | 1786 | TCOD BILLING FOR MOD 870 | 484 | N | | 12 |
| 9406 | | 1788 | TCOD BILLING FOR MOD 890 | 524 | N | | 12 |
| 9406 | | 1789 | TCOD BILLING FOR MOD 890 | 524 | N | | 12 |
| 9406 | | 1791 | TCOD BILLING FOR MOD 890 | 524 | N | | 12 |
| 9406 | | 1792 | TCOD BILLING FOR MOD 890 | 524 | N | | 12 |
| 9406 | | 1827 | SERIAL-UPS CONVERSION CABLE | 77 | N | | 12 |
| 9406 | | 1873 | DWR TO DWR SERIAL CABLE | 53 | N | | 12 |
| 9406 | | 1874 | RACK TO RACK SERIAL CABLE | 53 | N | | 12 |
| 9406 | | 1875 | SERIAL PORT CONVERTER CABLE | 16 | N | | 12 |
| 9406 | | 1894 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9406 | | 1895 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9406 | | 1896 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9406 | | 2670 | OPTICAL BUS RECEIVER (220MBPS) | 4,030 | N | | 0 |
| 9406 | | 2742 | PCI 2-LINE WAN IOA | 343 | N | | 12 |
| 9406 | | 2743 | PCI 1GBPS ETHERNET IOA | 1,467 | N | | 12 |
| 9406 | | 2760 | PCI 1GBPS ETHERNET UTP IOA | 1,467 | N | | 12 |
| 9406 | | 2766 | PCI FIBRE CHANNEL DISK CTRLR | 4,836 | N | | 12 |
| 9406 | | 2787 | PCI-X FIBRE CHAN DISK CTRLR | 4,997 | N | | 12 |
| 9406 | | 2893 | PCIE 2-LINE WAN W/MODEM | 472 | N | | 12 |
| 9406 | | 2934 | ASYNC TERMINAL/PRT CABLE | 29 | N | | 12 |
| 9406 | | 2936 | ASYNC MODEM CABLE | 48 | N | | 12 |
| 9406 | | 3578 | 300GB 10K RPM DISK UNIT | 1,289 | N | | 12 |
| 9406 | | 4242 | 6-FT EXT CABLE FOR DISPLAY | 66 | N | | 12 |
| 9406 | | 4256 | EXTENDER CABLE FOR KEYBD | 33 | N | | 12 |
| 9406 | | 4326 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9406 | | 4400 | 1GB DDR2 MAIN STORAGE | 488 | N | | 12 |
| 9406 | | 4684 | 30GB 1/4-INCH CARTRIDGE TAPE | 3,224 | N | | 12 |
| 9406 | | 4688 | 160GB VXA-320 TAPE DRIVE | 1,209 | N | | 12 |
| 9406 | | 4813 | PCI INTEG XSERIES SERVER | 2,241 | N | | 12 |
| 9406 | | 4838 | PCI 100/10MBPS ETHERNET IOA | 484 | N | | 12 |
| 9406 | | 5403 | ONE PROCESSOR ACTIVATION | 14,267 | N | | 12 |
| 9406 | | 5404 | UTILITY BILLING 100 PROC MIN | 790 | N | | 12 |
| 9406 | | 5490 | ENTERPRISE ENABLEMENT | 40,302 | N | | 12 |
| 9406 | | 5491 | FULL ENTERPRISE ENABLE | 161,209 | N | | 12 |
| 9406 | | 5646 | PCIE BLIND SWAP CASSET SHORT | 40 | N | | 12 |
| 9406 | | 5647 | PCIE BLIND SWAP CASSET STD | 40 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | | 5656 | ON/OFF 1PROC-1DAY BILLING | 476 | N | | 12 |
| 9406 | | 5680 | 1GB CUOD MEMORY ACTIVATION | 262 | N | | 12 |
| 9406 | | 5691 | ON/OFF 1GB-1DAY MEMORY BILL | 2 | N | | 12 |
| 9406 | | 5703 | PCI-X RAID DISK UNIT CTLR | 1,611 | N | | 12 |
| 9406 | | 5704 | PCI-X FIBRE CHAN TAPE CTLR | 2,132 | N | | 12 |
| 9406 | | 5706 | PCI-X 1GBPS ETHERNET-TX IOA | 805 | N | | 12 |
| 9406 | | 5712 | PCI-X TAPE/DASD CONTROLLER | 473 | N | | 12 |
| 9406 | | 5736 | PCI-X DISK/TAPE CTLR W/IOP | 473 | N | | 12 |
| 9406 | | 5739 | PCI-X EXP24 CTLR - 1.5GB W/IOP | 6,851 | N | | 12 |
| 9406 | | 5759 | 4GBPS FIBRE CHANNEL (2-PORT) | 2,666 | N | | 12 |
| 9406 | | 5766 | PCI-X TAPE CTLR (5736 EQUIV) | 473 | N | | 12 |
| 9406 | | 5767 | PCIE 1GB ETHERNET UTP 2PORT | 563 | N | | 12 |
| 9406 | | 5768 | PCIE 1GB ETHERNET FIBER 2PRT | 1,065 | N | | 12 |
| 9406 | | 5774 | PCIE 4GB FIBRE CHANNEL 2PORT | 2,666 | N | | 12 |
| 9406 | | 5775 | PCI-X DISK/TAPE CTLR-NO IOP | 473 | N | | 12 |
| 9406 | | 5778 | PCI-X EXP24 CTL-1.5GB NO IOP | 6,851 | N | | 12 |
| 9406 | | 5781 | PCI-X EXP24 CTLR-1.5GB W/IOP | 6,892 | N | | 12 |
| 9406 | | 5782 | PCI-X EXP24 CTL-1.5GB NO IOP | 6,892 | N | | 12 |
| 9406 | | 5783 | PCI-X ISCSI HBA COPPER | 805 | N | | 12 |
| 9406 | | 5871 | STANDARD EDITION FOR #0954 | 802,015 | N | | 12 |
| 9406 | | 5872 | STANDARD EDITION FOR #0955 | 1,269,521 | N | | 12 |
| 9406 | | 5876 | CBU STD EDITION FOR #0959 | 540,050 | N | | 12 |
| 9406 | | 5890 | ENTERPRISE EDITION FOR #0953 | 1,027,708 | N | | 12 |
| 9406 | | 5891 | ENTERPRISE EDITION FOR #0954 | 1,285,642 | N | | 12 |
| 9406 | | 5892 | ENTERPRISE EDITION FOR #0955 | 1,813,602 | N | | 12 |
| 9406 | | 5896 | CBU EDITION FOR #0959 | 701,259 | N | | 12 |
| 9406 | | 6006 | SPCN POWER CABLE - 3M | 32 | N | | 12 |
| 9406 | | 6007 | SPCN POWER CABLE - 15M | 64 | N | | 12 |
| 9406 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 363 | N | | 12 |
| 9406 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 443 | N | | 12 |
| 9406 | | 6186 | BULK POWER REGULATOR | 3,224 | N | | 12 |
| 9406 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9406 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9406 | | 6258 | 36GB 4MM TAPE UNIT | 764 | N | | 12 |
| 9406 | | 6279 | 160GB VXA-320 TAPE DRIVE | 1,209 | N | | 12 |
| 9406 | | 6417 | HSL-2/RIO-2 BUS ADAPTER | 709 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | | 6492 | 14-FT 1PH/48-60A PWR CORD | 213 | N | | 12 |
| 9406 | | 6497 | 6-FT 250V/15A POWER CORD | 32 | N | | 12 |
| 9406 | | 6580 | OPTIONAL RACK SECURITY KIT | 145 | N | | 12 |
| 9406 | | 6586 | MODEM TRAY FOR 19-INCH RACK | 202 | N | | 12 |
| 9406 | | 6598 | DISK SLOT FILLER (QTY 4) | 32 | N | | 12 |
| 9406 | | 6654 | 14-FT 1PH/24-30A PWR CORD | 161 | N | | 12 |
| 9406 | | 6671 | 9FT IEC 320 C13/14 PDU CORD | 13 | N | | 12 |
| 9406 | | 6672 | 5FT IEC 320 C13/14 PDU CORD | 13 | N | | 12 |
| 9406 | | 6805 | PCI 2-LINE WAN IOA NO IOP | 343 | N | | 12 |
| 9406 | | 7188 | POWER DIST UNIT-SIDE MOUNT | 806 | N | | 12 |
| 9406 | | 7256 | 520 ENTERPRISE ENABLEMENT | 40,302 | N | | 12 |
| 9406 | | 7257 | 550 ENTERPRISE ENABLEMENT | 40,302 | N | | 12 |
| 9406 | | 7258 | 570 FULL ENTERPRISE ENABLE | 120,907 | N | | 12 |
| 9406 | | 7259 | 595 FULL ENTERPRISE ENABLE | 201,511 | N | | 12 |
| 9406 | | 7260 | 570 ENTERPRISE ENABLEMENT | 40,302 | N | | 12 |
| 9406 | | 7261 | 595 ENTERPRISE ENABLEMENT | 40,302 | N | | 12 |
| 9406 | | 7272 | 2GB CUOD MEMORY ACTIVATION | 524 | N | | 12 |
| 9406 | | 7273 | 4GB CUOD MEMORY ACTIVATION | 1,048 | N | | 12 |
| 9406 | | 7274 | 8GB CUOD MEMORY ACTIVATION | 2,096 | N | | 12 |
| 9406 | | 7275 | 16GB CUOD MEMORY ACTIVATION | 4,191 | N | | 12 |
| 9406 | | 7276 | 32GB CUOD MEMORY ACTIVATION | 8,383 | N | | 12 |
| 9406 | | 7320 | 520 ONE PROCESSOR ACTIVATION | 1,451 | N | | 12 |
| 9406 | | 7323 | 550 ONE PROCESSOR ACTIVATION | 1,693 | N | | 12 |
| 9406 | | 7341 | 550 ON/OFF PROC DAY BILLING | 411 | N | | 12 |
| 9406 | | 7463 | ENTERPRISE EDITION FOR #0915 | 214,408 | N | | 12 |
| 9406 | | 7522 | QUANTITY 150 OF 1268 | 157,058 | N | | 12 |
| 9406 | | 7576 | 550 ENTERPRISE ENABLEMENT | 80,605 | N | | 12 |
| 9406 | | 7577 | 570 ENTERPRISE ENABLEMENT | 120,907 | N | | 12 |
| 9406 | | 7579 | 595 ENTERPRISE ENABLEMENT | 120,907 | N | | 12 |
| 9406 | | 7593 | 595 ON/OFF PROC DAY BILLING | 588 | N | | 12 |
| 9406 | | 7597 | FULL ENTERPRISE ENABLEMENT | 201,511 | N | | 12 |
| 9406 | | 7598 | 595 FULL ENTERPRISE ENABLE | 282,116 | N | | 12 |
| 9406 | | 7618 | 570 ONE PROCESSOR ACTIVATION | 9,310 | N | | 12 |
| 9406 | | 7621 | ON/OFF PROC DAY BILLING | 240 | N | | 12 |
| 9406 | | 7622 | 520 RESERVE CAPACITY PREPAID | 7,206 | N | | 12 |
| 9406 | | 7624 | 570 ON/OFF PROC DAY BILLING | 476 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | | 7663 | 570 1GB MEM ACTIVATION | 1,308 | N | | 12 |
| 9406 | | 7668 | 595 ONE PROCESSOR ACTIVATION | 28,195 | N | | 12 |
| 9406 | | 7669 | 1GB DDR2 MEMORY ACTIVATION | 1,343 | N | | 12 |
| 9406 | | 7711 | CBU EDITION FOR 0906 | 51,587 | N | | 12 |
| 9406 | | 7728 | 570 RESERVE CAPACITY PREPAID | 14,267 | N | | 12 |
| 9406 | | 7734 | ENTERPRISE EDITION FOR 0906 | 40,705 | N | | 12 |
| 9406 | | 7735 | ENTERPRISE EDITION FOR 0906 | 74,882 | N | | 12 |
| 9406 | | 7736 | ENTERPRISE EDITION FOR 0906 | 104,705 | N | | 12 |
| 9406 | | 7741 | 550 RESERVE CAPACITY PREPAID | 12,332 | N | | 12 |
| 9406 | | 7747 | ENTERPRISE EDITION FOR 0934 | 233,753 | N | | 12 |
| 9406 | | 7748 | ENTERPRISE EDITION FOR 0935 | 314,358 | N | | 12 |
| 9406 | | 7749 | ENTERPRISE EDITION FOR 0936 | 475,567 | N | | 12 |
| 9406 | | 7760 | CBU EDITION FOR 0937 | 221,662 | N | | 12 |
| 9406 | | 7784 | STANDARD EDITION FOR 0906 | 28,292 | N | | 12 |
| 9406 | | 7799 | 595 256GB MEMORY ACTIVATION | 490,281 | N | | 12 |
| 9406 | | 7802 | 15M HMC ATTACHMENT CABLE | 20 | N | | 12 |
| 9406 | | 7815 | 595 ONE PROCESSOR ACTIVATION | 26,196 | N | | 12 |
| 9406 | | 7837 | BULK POWER DISTRIBUTION | 2,015 | N | | 12 |
| 9406 | | 7840 | SIDE-BY-SIDE FOR 1.8M RACKS | 403 | N | | 12 |
| 9406 | | 7841 | RUGGEDIZE RACK KIT | 1,209 | N | | 12 |
| 9406 | | 7863 | BLIND SWAP CASSETTE (DOUBLE) | 40 | N | | 12 |
| 9406 | | 7871 | 550 CUOD PROC ACTIVATION | 2,982 | N | | 12 |
| 9406 | | 7897 | 570 CUOD PROC ACTIVATION | 6,207 | N | | 12 |
| 9406 | | 7925 | 595 ONE PROCESSOR ACTIVATION | 16,927 | N | | 12 |
| 9406 | | 7926 | 595 RESERVE CAPACITY PREPAID | 17,652 | N | | 12 |
| 9406 | | 7931 | 550 ON/OFF PROC DAY BILLING | 435 | N | | 12 |
| 9406 | | 7934 | 550 RESERVE CAPACITY PREPAID | 13,058 | N | | 12 |
| 9406 | | 7940 | ADV POWER VIRTUALIZATION | 0 | N | | 12 |
| 9406 | | 7942 | ADW POWER VIRTUALIZATION | 0 | N | | 12 |
| 9406 | | 7952 | 570 ON/OFF PROC DAY BILLING | 476 | N | | 12 |
| 9406 | | 7970 | 595 1GB MEMORY ACTIVATION | 1,914 | N | | 12 |
| 9406 | | 7972 | 595 ON/OFF PROC DAY BILLING | 588 | N | | 12 |
| 9406 | | 7974 | 595 1GB MEMORY DAY BILLING | 24 | N | | 12 |
| 9406 | | 7975 | 595 RESERVE CAPACITY REPAID | 17,652 | N | | 12 |
| 9406 | | 7985 | ENTERPRISE EDITION FOR #0952 | 1,868,413 | N | | 12 |
| 9406 | | 7993 | 595 ON/OFF PROC DAY BILLING | 588 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9406 | | 8468 | 595 RESERVE CAPACITY PREPAID | 17,652 | N | | 12 |
| 9406 | | 8686 | 14-FT 250V/70A POWER CORD | 2,015 | N | | 12 |
| 9406 | | 8697 | 14-FT 480V/30A POWER CORD | 1,612 | N | | 12 |
| 9407 | | 0348 | V.24/EIA232 20-FT PCI CBL | 101 | N | | 12 |
| 9407 | | 0353 | V.35 20-FT PCI CBL | 101 | N | | 12 |
| 9407 | | 0359 | X.21 20-FT PCI CBL | 134 | N | | 12 |
| 9407 | | 0367 | OPERATIONS CONSOLE PCI CBL | 101 | N | | 12 |
| 9407 | | 0371 | LC SC ADAPTER KIT (50UM) | 66 | N | | 12 |
| 9407 | | 0372 | LC SC ADAPTER KIT (62.5UM) | 66 | N | | 12 |
| 9407 | | 0551 | ISERIES RACK | 2,150 | N | | 12 |
| 9407 | | 0553 | 19 INCH 2.0 METER RACK | 2,922 | N | | 12 |
| 9407 | | 0555 | ISERIES 25U RACK | 1,611 | N | | 12 |
| 9407 | | 0599 | RACK FILLER PANEL KIT | 60 | N | | 12 |
| 9407 | | 0620 | DIRECT ATTACH-5700 | 695 | N | | 12 |
| 9407 | | 0621 | DIRECT ATTACH-5701 | 563 | N | | 12 |
| 9407 | | 0630 | PCI X 1GBPS ISCSI TOE COPPER | 959 | N | | 12 |
| 9407 | | 0647 | PCI-X DISK/TAPE CTRLR NO IOP | 473 | N | | 12 |
| 9407 | | 1827 | SERIAL-UPS CONVERSION CABLE | 77 | N | | 12 |
| 9407 | | 1843 | OP PANEL CABLE FOR DESKSIDE | 4 | N | | 12 |
| 9407 | | 1875 | SERIAL PORT CONVERTER CABLE | 16 | N | | 12 |
| 9407 | | 1877 | OP PANEL CABLE FOR RACK MOUNT | 4 | N | | 12 |
| 9407 | | 1897 | 73.4GB 15K RPM DISK UNIT | 531 | N | | 12 |
| 9407 | | 2742 | PCI TWO-LINE WAN IOA | 343 | N | | 12 |
| 9407 | | 2793 | PCI 2-LINE WAN W/MODEM | 472 | N | | 12 |
| 9407 | | 2893 | PCIE 2 LINE WAN W/MODEM | 472 | N | | 12 |
| 9407 | | 2934 | ASYNC TERMINAL/PRT CABLE | 29 | N | | 12 |
| 9407 | | 2936 | ASYNC MODEM CABLE | 48 | N | | 12 |
| 9407 | | 3684 | SAS CABLE (AE) ADPT ENCL 3M | 121 | N | | 12 |
| 9407 | | 3685 | SAS CABLE (AE) ADPT ENCL 6M | 242 | N | | 12 |
| 9407 | | 4327 | 70.56GB 15K RPM DISK UNIT | 608 | N | | 12 |
| 9407 | | 4328 | 141.12GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9407 | | 4400 | 1GB DDR2 MAIN STORAGE | 488 | N | | 12 |
| 9407 | | 4521 | 2GB RDIMM MEMORY | 410 | N | | 12 |
| 9407 | | 4523 | 8GB RDIMM MEMORY | 1,673 | N | | 12 |
| 9407 | | 5572 | FOUR 70GB DISK PACKAGE | 1,612 | N | | 12 |
| 9407 | | 5624 | 4 PORT 1GB IVE DAUGHTER CARD | 425 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9407 | | 5679 | 175MB SAS RAID ENABLEMENT | 2,015 | N | | 12 |
| 9407 | | 5700 | PCI 1GBPS ETHERNET IOA | 695 | N | | 12 |
| 9407 | | 5701 | PCI 1GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9407 | | 5706 | PCI-X 1GBPS ETHERNET-TX IOA | 805 | N | | 12 |
| 9407 | | 5717 | 1GB ETHRNET UTP 4 PORT ADPTR | 886 | N | | 12 |
| 9407 | | 5736 | PCI-X DISK/TAPE CTLR W/IOP | 473 | N | | 12 |
| 9407 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |
| 9407 | | 5759 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |
| 9407 | | 5767 | PCIE 1GB ETHERNET UTP 2PORT | 563 | N | | 12 |
| 9407 | | 5768 | PCIE 1GB ETHERNET FIBER 2PRT | 1,065 | N | | 12 |
| 9407 | | 5774 | PCIE 4GB FIBER CHANNEL 2PORT | 2,666 | N | | 12 |
| 9407 | | 5775 | PCI-X DISK/TAPE CTLR-NO IOP | 473 | N | | 12 |
| 9407 | | 5783 | PCI-X ISCSI HBA COPPER | 805 | N | | 12 |
| 9407 | | 5912 | PCI X SAS ADAPTER | 665 | N | | 12 |
| 9407 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 363 | N | | 12 |
| 9407 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 443 | N | | 12 |
| 9407 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9407 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9407 | | 6458 | 14-FT INT 250V/10A PWR CD | 11 | N | | 12 |
| 9407 | | 6460 | 14-FT 125V/15A POWER CORD | 11 | N | | 12 |
| 9407 | | 6469 | 14-FT 250V/15A PWR CRD | 11 | N | | 12 |
| 9407 | | 6470 | 6-FT 125V/15A PWR CRD | 11 | N | | 12 |
| 9407 | | 6492 | 14-FT 1PH/48-60A PWR CRD | 213 | N | | 12 |
| 9407 | | 6497 | 6-FT 250V/15A PWR CRD | 32 | N | | 12 |
| 9407 | | 6580 | OPTIONAL RACK SECURITY KIT | 145 | N | | 12 |
| 9407 | | 6586 | MODEM TRAY FOR 19-INCH RACK | 202 | N | | 12 |
| 9407 | | 6598 | DISK SLOT FILLER (QTY 4) | 32 | N | | 12 |
| 9407 | | 6654 | 14-FT 1PH/24-30A PWR CORD | 161 | N | | 12 |
| 9407 | | 6671 | 9FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9407 | | 6672 | 5FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9407 | | 6800 | PCI 1GBPS ETHERNET IOA | 695 | N | | 12 |
| 9407 | | 6801 | PCI 1GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9407 | | 6803 | PCI WAN FOR ECS | 645 | N | | 12 |
| 9407 | | 6805 | PCI 2-LINE WAN IOA NO IOP | 343 | N | | 12 |
| 9407 | | 6833 | PCI 2-LINE WAN W/MODEM NOIOP | 472 | N | | 12 |
| 9407 | | 7109 | INTELLIGENT PDU PLUS | 1,173 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9407 | | 7114 | RACK MOUNT DRWR RAIL KIT | 145 | N | | 12 |
| 9407 | | 7188 | POWER DISTRIBUTION UNIT | 806 | N | | 12 |
| 9407 | | 7200 | RACK MOUNT DRWR BEZEL | 241 | N | | 12 |
| 9407 | | 7703 | 950W POWER SUPPLY | 217 | N | | 12 |
| 9407 | | 7802 | 15M HMC ATTACHMENT CABLE | 20 | N | | 12 |
| 9407 | | 7840 | SIDE BY SIDE FOR 1.8M RACKS | 403 | N | | 12 |
| 9407 | | 7841 | RUGGEDIZE RACK KIT | 1,209 | N | | 12 |
| 9407 | | 7966 | ADV POWER VIRUTALIZATION | 0 | N | | 12 |
| 9408 | | 0348 | V.24/EIA232 20 FT PCI CABLE | 101 | N | | 12 |
| 9408 | | 0353 | V.35 20 FT PCI CABLE | 101 | N | | 12 |
| 9408 | | 0359 | X.21 20 FT PCI CABLE | 302 | N | | 12 |
| 9408 | | 0367 | OPERATIONS CONSOLE PCI CABLE | 101 | N | | 12 |
| 9408 | | 0371 | LC SC ADAPTER KIT (50UM) | 66 | N | | 12 |
| 9408 | | 0372 | LC SC ADAPTER KIT (62.5UM) | 66 | N | | 12 |
| 9408 | | 0446 | 512MB DDR SERVER MEMORY | 355 | N | | 12 |
| 9408 | | 0456 | CUSTOMER PLACEMENT | 322 | N | | 12 |
| 9408 | | 0469 | CUSTOM RACK PLACEMENT | 403 | N | | 12 |
| 9408 | | 0551 | 19 INCH 1.8 METER RACK | 2,150 | N | | 12 |
| 9408 | | 0553 | 19 INCH 2.0 METER RACK | 2,922 | N | | 12 |
| 9408 | | 0555 | 19 INCH 1.3 METER RACK | 1,611 | N | | 12 |
| 9408 | | 0595 | PCI X TOWER UNIT IN RACK | 5,799 | N | | 12 |
| 9408 | | 0599 | RACK FILLER PANEL KIT | 60 | N | | 12 |
| 9408 | | 0603 | DIRECT ATTACH 2744 | 677 | N | | 12 |
| 9408 | | 0613 | DIRECT ATTACH 2742 | 343 | N | | 12 |
| 9408 | | 0614 | DIRECT ATTACH 2793 | 472 | N | | 12 |
| 9408 | | 0620 | DIRECT ATTACH 5700 | 695 | N | | 12 |
| 9408 | | 0621 | DIRECT ATTACH 5701 | 563 | N | | 12 |
| 9408 | | 0624 | DIRECT ATTACH 5702 | 530 | N | | 12 |
| 9408 | | 0625 | DIRECT ATTACH 5704 | 2,132 | N | | 12 |
| 9408 | | 0626 | DIRECT ATTACH 2787 | 4,997 | N | | 12 |
| 9408 | | 0629 | 4GBPS FIBRE CHANNEL (1PORT) | 2,132 | N | | 12 |
| 9408 | | 0630 | PCI X 1GBPS ISCSI TOE COPPER | 959 | N | | 12 |
| 9408 | | 0645 | DIRECT ATTACH 5712 | 473 | N | | 12 |
| 9408 | | 0647 | PCI X DISK/TAPE CTLR NO IOP | 473 | N | | 12 |
| 9408 | | 1266 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9408 | | 1267 | 70.56GB 15K RPM DISK UNIT | 608 | N | | 12 |

| Machine | | | | Purchase | Customer | Per Call | Warranty |
|---------|-------|---------|-------------------------------|----------|----------|----------|----------|
| Type | Model | Feature | Description | Price | Setup | Class | (months) |
| 9408 | | 1268 | 141.12GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9408 | | 1269 | 282.25GB 15K RPM DISK UNIT | 1,704 | N | | 12 |
| 9408 | | 1293 | 36.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9408 | | 1294 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9408 | | 1295 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9408 | | 1296 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9408 | | 1297 | 73.4GB 15K RPM DISK UNIT | 531 | N | | 12 |
| 9408 | | 1298 | 146.8GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9408 | | 1299 | 300GB 10K RPM DISK UNIT | 1,289 | N | | 12 |
| 9408 | | 1827 | SERIAL UPS CONVERSION CABLE | 77 | N | | 12 |
| 9408 | | 1843 | OP PANEL CABLE FOR DESKSIDE | 4 | N | | 12 |
| 9408 | | 1873 | DWR TO DWR SERIAL CABLE | 53 | N | | 12 |
| 9408 | | 1874 | RACK TO RACK SERIAL CABLE | 53 | N | | 12 |
| 9408 | | 1875 | SERIAL PORT CONVERTER CABLE | 16 | N | | 12 |
| 9408 | | 1877 | OP PANEL CABLE FOR RACK MOUNT | 4 | N | | 12 |
| 9408 | | 1893 | 36.4GB 10K RPM DISK UNIT | 605 | N | | 12 |
| 9408 | | 1894 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9408 | | 1895 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9408 | | 1896 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9408 | | 1897 | 73.4GB 15K RPM DISK UNIT | 531 | N | | 12 |
| 9408 | | 1898 | 146.8GB DISK UNIT | 790 | N | | 12 |
| 9408 | | 2742 | PCI TWO LINE WAN IOA | 343 | N | | 12 |
| 9408 | | 2744 | PCI 100 MBPS TOKEN RING IOA | 677 | N | | 12 |
| 9408 | | 2780 | PCI X ULTRA4 RAID DISK CTRLR | 4,997 | N | | 12 |
| 9408 | | 2787 | PCI X FIBRE CHAN DISK CTRLR | 4,997 | N | | 12 |
| 9408 | | 2793 | PCI 2 LINE WAN W/MODEM | 472 | N | | 12 |
| 9408 | | 2893 | PCIE 2 LINE WAN W/MODEM | 472 | N | | 12 |
| 9408 | | 2934 | ASYNC TERMINAL/PRT CABLE | 29 | N | | 12 |
| 9408 | | 2936 | ASYNC MODEM CABLE | 48 | N | | 12 |
| 9408 | | 3652 | SAS CABLE (EE) DRWR DRWR 1M | 40 | N | | 12 |
| 9408 | | 3653 | SAS CABLE (EE) DRWR DRWR 3M | 56 | N | | 12 |
| 9408 | | 3654 | SAS CABLE (EE) DRWR DRWR 6M | 97 | N | | 12 |
| 9408 | | 3674 | SAS CABLE DASD BP TO BULKHD | 64 | N | | 12 |
| 9408 | | 3684 | SAS CABLE (AE) ADPT ENCL 3M | 121 | N | | 12 |
| 9408 | | 3685 | SAS CABLE (AE) ADPT ENCL 6M | 242 | N | | 12 |
| 9408 | | 3687 | SAS CABLE SYS TO ENCL 3M | 89 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9408 | | 3691 | SAS CBL (YO) 1X ADP ENC 1.5M | 73 | N | | 12 |
| 9408 | | 3692 | SAS CABLE (YO) 1X ADP ENC 3M | 89 | N | | 12 |
| 9408 | | 3693 | SAS CABLE (YO) 1X ADP ENC 6M | 121 | N | | 12 |
| 9408 | | 4326 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9408 | | 4327 | 70.56GB 15K RPM DISK UNIT | 608 | N | | 12 |
| 9408 | | 4328 | 141.12GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9408 | | 4329 | 282.25GB 15K RPM DISK UNIT | 1,704 | N | | 12 |
| 9408 | | 4521 | 2GB RDIMM MEMORY | 410 | N | | 12 |
| 9408 | | 4523 | 8GB RDIMM MEMORY | 1,673 | N | | 12 |
| 9408 | | 4524 | 16GB RDIMM MEMORY | 3,345 | N | | 12 |
| 9408 | | 4812 | PCI INTEG XSERIES SERVER | 2,241 | N | | 12 |
| 9408 | | 5094 | PCI X EXPANSION TOWER | 12,816 | N | | 12 |
| 9408 | | 5294 | 1.8M I/O TOWER | 42,640 | N | | 12 |
| 9408 | | 5582 | 5738 CTLR W/AUX WRITE CACHE | 5,638 | N | | 12 |
| 9408 | | 5583 | 5777 CTLR W/AUX WRITE CACHE | 5,638 | N | | 12 |
| 9408 | | 5590 | 2780 CTLR W/AUX WRITE CACHE | 5,638 | N | | 12 |
| 9408 | | 5616 | GX DUAL PORT 12X CHAN ATTCH | 887 | N | | 12 |
| 9408 | | 5624 | 4 PORT 1GB IVE DAUGHTER CARD | 425 | N | | 12 |
| 9408 | | 5647 | PCIE BLIND SWAP CASSETTE STD | 40 | N | | 12 |
| 9408 | | 5654 | 1W PERM PROC ACTIV FOR 5634 | 1,302 | N | | 12 |
| 9408 | | 5679 | 175MB SAS RAID ENABLEMENT | 2,015 | N | | 12 |
| 9408 | | 5700 | PCI 1 GBPS ETHERNET IOA | 695 | N | | 12 |
| 9408 | | 5701 | PCI 1 GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9408 | | 5702 | PCI X ULTRA TAPE CONTROLLER | 530 | N | | 12 |
| 9408 | | 5704 | PCI X FIBRE CHAN TAPE CTLR | 2,132 | N | | 12 |
| 9408 | | 5706 | PCI X 1GBPS ETHERNET TX IOA | 805 | N | | 12 |
| 9408 | | 5712 | PCI X TAPE CONTROLLER | 473 | N | | 12 |
| 9408 | | 5715 | PCI X TAPE/DASD CONTROLLER | 530 | N | | 12 |
| 9408 | | 5717 | 1GB ETHRNET UTP 4 PORT ADPTR | 886 | N | | 12 |
| 9408 | | 5736 | PCI X DISK/TAPE CTLR W/IOP | 473 | N | | 12 |
| 9408 | | 5737 | PCI X DISK CTLR 90MB W/IOP | 1,611 | N | | 12 |
| 9408 | | 5738 | PCI X DISK CTLR 1.5GB W/IOP | 4,997 | N | | 12 |
| 9408 | | 5739 | PCI X EXP24 CTLR 1.5GB W/IOP | 6,851 | N | | 12 |
| 9408 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |
| 9408 | | 5759 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |
| 9408 | | 5767 | PCIE 1GB ETHERNET UTP 2PORT | 563 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9408 | | 5768 | PCIE 1GB ETHERNET FIBER 2PRT | 1,065 | N | | 12 |
| 9408 | | 5774 | PCIE 4GB FIBER CHANNEL 2PORT | 2,666 | N | | 12 |
| 9408 | | 5775 | PCI X DISK/TAPE CTRLR NO IOP | 473 | N | | 12 |
| 9408 | | 5776 | PCI X DISK CTRLR 90MB NO IOP | 1,611 | N | | 12 |
| 9408 | | 5777 | PCI X DISK CTRLR 1.5GB NO IOP | 4,997 | N | | 12 |
| 9408 | | 5778 | PCI X EXP24 CTL 1.5GB NO IOP | 6,851 | N | | 12 |
| 9408 | | 5781 | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,892 | N | | 12 |
| 9408 | | 5782 | PCI X EXP24 CTL 1.5GB NO IOP | 6,892 | N | | 12 |
| 9408 | | 5783 | PCI X ISCSI HBA COPPER | 805 | N | | 12 |
| 9408 | | 5912 | PCI X SAS ADAPTER | 665 | N | | 12 |
| 9408 | | 6006 | SPCN POWER CABLE 3M | 32 | N | | 12 |
| 9408 | | 6007 | SPCN POWER CABLE 15M | 56 | N | | 12 |
| 9408 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 363 | N | | 12 |
| 9408 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 443 | N | | 12 |
| 9408 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,176 | N | | 12 |
| 9408 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,176 | N | | 12 |
| 9408 | | 6417 | HSL 2/RIO G BUS ADAPTER | 645 | N | | 12 |
| 9408 | | 6458 | 14 FT INT 250V/10A PWR CD | 11 | N | | 12 |
| 9408 | | 6470 | 6 FT 125V/15A POWER CORD | 11 | N | | 12 |
| 9408 | | 6492 | 14 FT 1PH/48 60A PWR CORD | 161 | N | | 12 |
| 9408 | | 6497 | 6 FT 250V/15A POWER CORD | 32 | N | | 12 |
| 9408 | | 6580 | OPTIONAL RACK SECURITY KIT | 145 | N | | 12 |
| 9408 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 202 | N | | 12 |
| 9408 | | 6598 | DISK SLOT FILLER (QTY 4) | 32 | N | | 12 |
| 9408 | | 6654 | 14 FT 1HP/24 30A PWR CORD | 161 | N | | 12 |
| 9408 | | 6655 | 14 FT 1HP/24 30A WR PWR CORD | 161 | N | | 12 |
| 9408 | | 6671 | 9FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9408 | | 6672 | 5FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9408 | | 6699 | RIO 2 BUS ADAPTER | 645 | N | | 12 |
| 9408 | | 6800 | PCI 1GBPS ETHERNET IOA | 695 | N | | 12 |
| 9408 | | 6801 | PCI 1GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9408 | | 6805 | PCI 2 LINE WAN IOA NO IOP | 343 | N | | 12 |
| 9408 | | 6833 | PCI 2 LINE WAN W/MODEM NOIOP | 472 | N | | 12 |
| 9408 | | 7109 | INTELLIGENT PDU PLUS | 1,173 | N | | 12 |
| 9408 | | 7114 | RACK MOUNT DRWR RAIL KIT | 121 | N | | 12 |
| 9408 | | 7188 | POWER DISTRIBUTION UNIT | 806 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9408 | | 7200 | RACK MOUNT DRWR BEZEL | 121 | N | | 12 |
| 9408 | | 7703 | 950W POWER SUPPLY | 217 | N | | 12 |
| 9408 | | 7802 | 15M HMC ATTACHMENT CABLE | 20 | N | | 12 |
| 9408 | | 7840 | SIDE BY SIDE FOR 1.8M RACKS | 403 | N | | 12 |
| 9408 | | 7841 | RUGGEDIZE RACK KIT | 1,209 | N | | 12 |
| 9408 | | 7863 | BLIND SWAP CASSETTE (DOUBLE) | 40 | N | | 12 |
| 9409 | | 0348 | V.24/EIA232 20 FT PCI CABLE | 101 | N | | 12 |
| 9409 | | 0353 | V.35 20 FT PCI CABLE | 101 | N | | 12 |
| 9409 | | 0359 | X.21 20 FT PCI CABLE | 302 | N | | 12 |
| 9409 | | 0367 | OPERATIONS CONSOLE PCI CABLE | 101 | N | | 12 |
| 9409 | | 0371 | LC SC ADAPTER KIT (50UM) | 66 | N | | 12 |
| 9409 | | 0372 | LC SC ADAPTER KIT (62.5UM) | 66 | N | | 12 |
| 9409 | | 0446 | 512MB DDR SERVER MEMORY | 355 | N | | 12 |
| 9409 | | 0456 | CUSTOMER PLACEMENT | 322 | N | | 12 |
| 9409 | | 0469 | CUSTOM RACK PLACEMENT | 403 | N | | 12 |
| 9409 | | 0551 | 19 INCH 1.8 METER RACK | 2,150 | N | | 12 |
| 9409 | | 0553 | 19 INCH 2.0 METER RACK | 2,922 | N | | 12 |
| 9409 | | 0555 | 19 INCH 1.3 METER RACK | 1,611 | N | | 12 |
| 9409 | | 0595 | PCI X TOWER UNIT IN RACK | 5,799 | N | | 12 |
| 9409 | | 0599 | RACK FILLER PANEL KIT | 60 | N | | 12 |
| 9409 | | 0603 | DIRECT ATTACH 2744 | 677 | N | | 12 |
| 9409 | | 0613 | DIRECT ATTACH 2742 | 343 | N | | 12 |
| 9409 | | 0614 | DIRECT ATTACH 2793 | 472 | N | | 12 |
| 9409 | | 0620 | DIRECT ATTACH 5700 | 695 | N | | 12 |
| 9409 | | 0621 | DIRECT ATTACH 5701 | 563 | N | | 12 |
| 9409 | | 0624 | DIRECT ATTACH 5702 | 530 | N | | 12 |
| 9409 | | 0625 | DIRECT ATTACH 5704 | 2,132 | N | | 12 |
| 9409 | | 0626 | DIRECT ATTACH 2787 | 4,997 | N | | 12 |
| 9409 | | 0629 | 4GBPS FIBRE CHANNEL (1PORT) | 2,132 | N | | 12 |
| 9409 | | 0630 | PCI X 1GBPS ISCSI TOE COPPER | 959 | N | | 12 |
| 9409 | | 0645 | DIRECT ATTACH 5712 | 473 | N | | 12 |
| 9409 | | 0647 | PCI X DISK/TAPE CTRLR NO IOP | 473 | N | | 12 |
| 9409 | | 1266 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9409 | | 1267 | 70.56GB 15K RPM DISK UNIT | 608 | N | | 12 |
| 9409 | | 1268 | 141.12GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9409 | | 1269 | 282.25GB 15K RPM DISK UNIT | 1,704 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409 | | 1293 | 36.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9409 | | 1294 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9409 | | 1295 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9409 | | 1296 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9409 | | 1297 | 73.4GB 15K RPM DISK UNIT | 531 | N | | 12 |
| 9409 | | 1298 | 146.8GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9409 | | 1299 | 300GB 10K RPM DISK UNIT | 1,289 | N | | 12 |
| 9409 | | 1827 | SERIAL UPS CONVERSION CABLE | 77 | N | | 12 |
| 9409 | | 1843 | OP PANEL CABLE FOR DESKSIDE | 4 | N | | 12 |
| 9409 | | 1873 | DWR TO DWR SERIAL CABLE | 53 | N | | 12 |
| 9409 | | 1874 | RACK TO RACK SERIAL CABLE | 53 | N | | 12 |
| 9409 | | 1875 | SERIAL PORT CONVERTER CABLE | 16 | N | | 12 |
| 9409 | | 1877 | OP PANEL CABLE FOR RACKMOUNT | 4 | N | | 12 |
| 9409 | | 1893 | 36.4GB 10K RPM DISK UNIT | 605 | N | | 12 |
| 9409 | | 1894 | 73.4GB 10K RPM DISK UNIT | 483 | N | | 12 |
| 9409 | | 1895 | 146.8GB 10K RPM DISK UNIT | 563 | N | | 12 |
| 9409 | | 1896 | 36.4GB 15K RPM DISK UNIT | 483 | N | | 12 |
| 9409 | | 1897 | 73.4GB 15K RPM DISK UNIT | 531 | N | | 12 |
| 9409 | | 1898 | 146.8GB DISK UNIT | 790 | N | | 12 |
| 9409 | | 2742 | PCI TWO LINE WAN IOA | 343 | N | | 12 |
| 9409 | | 2744 | PCI 100 MBPS TOKEN RING IOA | 677 | N | | 12 |
| 9409 | | 2780 | PCI X ULTRA4 RAID DISK CTRLR | 5,481 | N | | 12 |
| 9409 | | 2787 | PCI X FIBRE CHAN DISK CTRLR | 4,997 | N | | 12 |
| 9409 | | 2793 | PCI 2 LINE WAN W/MODEM | 472 | N | | 12 |
| 9409 | | 2893 | PCIE 2 LINE WAN W/MODEM | 472 | N | | 12 |
| 9409 | | 2934 | ASYNC TERMINAL/PRT CABLE | 29 | N | | 12 |
| 9409 | | 2936 | ASYNC MODEM CABLE | 48 | N | | 12 |
| 9409 | | 2943 | 8 PORT ASYNC ADAPTER | 936 | N | | 12 |
| 9409 | | 3578 | 300GB 10K RPM DISK UNIT | 1,289 | N | | 12 |
| 9409 | | 3652 | SAS CABLE (EE) DRWR DRWR 1M | 40 | N | | 12 |
| 9409 | | 3653 | SAS CABLE (EE) DRWR DRWR 3M | 56 | N | | 12 |
| 9409 | | 3654 | SAS CABLE (EE) DRWR DRWR 6M | 97 | N | | 12 |
| 9409 | | 3668 | SAS CABLE DASD BP TO BULKHD | 64 | N | | 12 |
| 9409 | | 3684 | SAS CABLE (AE) ADPT ENCL 3M | 121 | N | | 12 |
| 9409 | | 3685 | SAS CABLE (AE) ADPT ENCL 6M | 242 | N | | 12 |
| 9409 | | 3687 | SAS CABLE SYS TO ENCL 3M | 89 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409 | | 3691 | SAS CBL (YO) 1X ADP ENC 1.5M | 73 | N | | 12 |
| 9409 | | 3692 | SAS CABLE (YO) 1X ADP ENC 3M | 89 | N | | 12 |
| 9409 | | 3693 | SAS CABLE (YO) 1X ADP ENC 6M | 121 | N | | 12 |
| 9409 | | 4326 | 35.16GB 15K RPM DISK UNIT | 966 | N | | 12 |
| 9409 | | 4327 | 70.56GB 15K RPM DISK UNIT | 608 | N | | 12 |
| 9409 | | 4328 | 141.12GB 15K RPM DISK UNIT | 790 | N | | 12 |
| 9409 | | 4329 | 282.25GB 15K RPM DISK UNIT | 1,704 | N | | 12 |
| 9409 | | 4521 | 2GB RDIMM MEMORY | 410 | N | | 12 |
| 9409 | | 4523 | 8GB RDIMM MEMORY | 1,673 | N | | 12 |
| 9409 | | 4524 | 16GB RDIMM MEMORY | 3,345 | N | | 12 |
| 9409 | | 4812 | PCI INTEG XSERIES SERVER | 2,241 | N | | 12 |
| 9409 | | 4986 | 1 PROCESSOR ACTIV FOR 4966 | 6,104 | N | | 12 |
| 9409 | | 4998 | SINGLE 5250 ENTERPRISE ENABL | 40,302 | N | | 12 |
| 9409 | | 4999 | FULL 5250 ENTERPRISE ENABL | 120,907 | N | | 12 |
| 9409 | | 5094 | PCI X EXPANSION TOWER | 14,106 | N | | 12 |
| 9409 | | 5294 | 1.8M I/O TOWER | 46,670 | N | | 12 |
| 9409 | | 5582 | 5738 CTLR W/AUX WRITE CACHE | 5,638 | N | | 12 |
| 9409 | | 5583 | 5777 CTLR W/AUX WRITE CACHE | 5,638 | N | | 12 |
| 9409 | | 5590 | 2780 CTLR W/AUX WRITE CACHE | 6,203 | N | | 12 |
| 9409 | | 5616 | GX DUAL PORT 12X CHAN ATTCH | 887 | N | | 12 |
| 9409 | | 5624 | 4 PORT 1GB IVE DAUGHTER CARD | 425 | N | | 12 |
| 9409 | | 5647 | PCIE BLIND SWAP CASSETTE STD | 40 | N | | 12 |
| 9409 | | 5679 | 175MB SAS RAID ENABLEMENT | 2,015 | N | | 12 |
| 9409 | | 5700 | PCI 1 GBPS ETHERNET IOA | 695 | N | | 12 |
| 9409 | | 5701 | PCI 1 GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9409 | | 5702 | PCI X ULTRA TAPE CONTROLLER | 530 | N | | 12 |
| 9409 | | 5703 | PCI X RAID DISK UNIT CTLR | 1,611 | N | | 12 |
| 9409 | | 5704 | PCI X FIBRE CHAN TAPE CTLR | 2,132 | N | | 12 |
| 9409 | | 5706 | PCI X 1GBPS ETHERNET TX IOA | 805 | N | | 12 |
| 9409 | | 5712 | PCI X TAPE CONTROLLER | 473 | N | | 12 |
| 9409 | | 5717 | 1GB ETHRNET UTP 4 PORT ADPTR | 886 | N | | 12 |
| 9409 | | 5736 | PCI X DISK/TAPE CTLR W/IOP | 473 | N | | 12 |
| 9409 | | 5737 | PCI X DISK CTLR 90MB W/IOP | 1,611 | N | | 12 |
| 9409 | | 5738 | PCI X DISK CTLR 1.5GB W/IOP | 4,997 | N | | 12 |
| 9409 | | 5739 | PCI X EXP24 CTLR 1.5GB W/IOP | 6,851 | N | | 12 |
| 9409 | | 5749 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|-------------------------------|----------------|----------------|----------------|-------------------|
| 9409 | | 5759 | 4GBPS FIBRE CHANNEL (2 PORT) | 2,666 | N | | 12 |
| 9409 | | 5767 | PCIE 1GB ETHERNET UTP 2PORT | 563 | N | | 12 |
| 9409 | | 5768 | PCIE 1GB ETHERNET FIBER 2PRT | 1,065 | N | | 12 |
| 9409 | | 5774 | PCIE 4GB FIBRE CHANNEL 2PORT | 2,666 | N | | 12 |
| 9409 | | 5775 | PCI X DISK/TAPE CTRLR NO IOP | 473 | N | | 12 |
| 9409 | | 5776 | PCI X DISK CTRLR 90MB NO IOP | 1,611 | N | | 12 |
| 9409 | | 5777 | PCI X DISK CTRLR 1.5GB NO IOP | 4,997 | N | | 12 |
| 9409 | | 5778 | PCI X EXP24 CTL 1.5GB NO IOP | 6,851 | N | | 12 |
| 9409 | | 5781 | PCI X EXP24 CTRLR 1.5GB W/IOP | 6,892 | N | | 12 |
| 9409 | | 5782 | PCI X EXP24 CTL 1.5GB NO IOP | 6,892 | N | | 12 |
| 9409 | | 5783 | PCI X ISCSI HBA COPPER | 805 | N | | 12 |
| 9409 | | 5912 | PCI X SAS ADAPTER | 665 | N | | 12 |
| 9409 | | 6006 | SPCN POWER CABLE 3M | 32 | N | | 12 |
| 9409 | | 6007 | SPCN POWER CABLE 15M | 64 | N | | 12 |
| 9409 | | 6068 | OPT FRONT DOOR FOR 1.8M RACK | 363 | N | | 12 |
| 9409 | | 6069 | OPT FRONT DOOR FOR 2.0M RACK | 443 | N | | 12 |
| 9409 | | 6248 | 1.8M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9409 | | 6249 | 2.0M RACK ACOUSTIC DOORS | 2,831 | N | | 12 |
| 9409 | | 6417 | HSL 2/RIO G BUS ADAPTER | 709 | N | | 12 |
| 9409 | | 6458 | 14 FT INT 250V/10A PWR CD | 11 | N | | 12 |
| 9409 | | 6460 | 14 FT 125V/15A POWER CORD | 11 | N | | 12 |
| 9409 | | 6469 | 14 FT 250V/15A POWER CORD | 11 | N | | 12 |
| 9409 | | 6470 | 6 FT 125V/15A POWER CORD | 11 | N | | 12 |
| 9409 | | 6492 | 14 FT 1PH/48 60A PWR CORD | 213 | N | | 12 |
| 9409 | | 6497 | 6 FT 250V/15A POWER CORD | 32 | N | | 12 |
| 9409 | | 6580 | OPTIONAL RACK SECURITY KIT | 145 | N | | 12 |
| 9409 | | 6586 | MODEM TRAY FOR 19 INCH RACK | 202 | N | | 12 |
| 9409 | | 6598 | DISK SLOT FILLER (QTY 4) | 32 | N | | 12 |
| 9409 | | 6654 | 14 FT 1HP/24 30A PWR CORD | 161 | N | | 12 |
| 9409 | | 6671 | 9FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9409 | | 6672 | 5FT IEC 320 C13/14 PDU CORD | 11 | N | | 12 |
| 9409 | | 6699 | RIO2 BUS ADAPTER | 645 | N | | 12 |
| 9409 | | 6800 | PCI 1GBPS ETHERNET IOA | 695 | N | | 12 |
| 9409 | | 6801 | PCI 1GBPS ETHERNET UTP IOA | 563 | N | | 12 |
| 9409 | | 6805 | PCI 2 LINE WAN IOA NO IOP | 343 | N | | 12 |
| 9409 | | 6833 | PCI 2 LINE WAN W/MODEM NOIOP | 472 | N | | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|------------------------------|----------------|----------------|----------------|-------------------|
| 9409 | | 7109 | INTELLIGENT PDU PLUS | 1,173 | N | | 12 |
| 9409 | | 7146 | RACK MOUNT DRWR RAIL KIT | 242 | N | | 12 |
| 9409 | | 7188 | POWER DISTRIBUTION UNIT | 806 | N | | 12 |
| 9409 | | 7802 | 15M HMC ATTACHMENT CABLE | 20 | N | | 12 |
| 9409 | | 7840 | SIDE BY SIDE FOR 1.8M RACKS | 403 | N | | 12 |
| 9409 | | 7841 | RUGGEDIZE RACK KIT | 1,209 | N | | 12 |
| 9409 | | 7863 | BLIND SWAP CASSETTE (DOUBLE) | 40 | N | | 12 |
| 9830 | AE1 | | FLASHSYSTEM | 15,315 | Y | 2 | 12 |
| 9830 | AS1 | | FLASHSYSTEM | 15,315 | Y | 2 | 12 |
| 9830 | | 3700 | 1 M FIBER CABLE LC LC | 57 | N | | 12 |
| 9830 | | 3701 | 5 M FIBER CABLE LC LC | 72 | N | | 12 |
| 9830 | | 5989 | 3 M IBM QSFP OPT QDR IB | 837 | N | | 12 |
| 9830 | | 5990 | 10 M IBM QSFP OPT QDR IB | 909 | N | | 12 |
| 9830 | | 6313 | LINE CORD - 2.8M 120V US | 18 | N | | 12 |
| 9830 | | A0RD | 1 M IBM QSFP COP IB | 239 | N | | 12 |
| 9830 | | A0RE | 3 M IBM QSFP COP IB | 430 | N | | 12 |
| 9830 | | A2YG | 1 M MLNX QSFP COP FDR14 IB | 239 | N | | 12 |
| 9830 | | A2YH | 3 M MLNX QSFP COP FDR14 IB | 287 | N | | 12 |
| 9830 | | A2YL | 3 M MLNX QSFP OPT FDR14 IB | 1,292 | N | | 12 |
| 9830 | | AF00 | 1TB SLC 4PACK | 27,280 | N | | 12 |
| 9830 | | AF01 | ACTIVE SPARE SLC PROTECTION | 3,829 | N | | 12 |
| 9830 | | AF04 | 8 GB FC 4 PORT EXT INT | 7,657 | N | | 12 |
| 9830 | | AF05 | IB QDR 4 PORT EXT INT | 7,657 | N | | 12 |
| 9830 | | AF06 | 3TB SLC 12PACK | 81,839 | N | | 12 |
| 9830 | | AF07 | 5TB SLC 20PACK | 135,919 | N | | 12 |
| 9830 | | AF08 | UPGRADE 1TB SLC 4PACK | 27,280 | N | | 12 |
| 9830 | | AF09 | 6TB EMLC 12PACK | 81,839 | N | | 12 |
| 9830 | | AF0A | 10TB EMLC 20PACK | 135,919 | N | | 12 |
| 9830 | | AF0B | UPGRADE 2TB EMLC 4PACK | 27,280 | N | | 12 |
| 9830 | | AF0G | 2TB SLC 8PACK | 54,559 | N | | 12 |
| 9830 | | AF0H | 4TB SLC 16PACK | 109,118 | N | | 12 |
| 9830 | | AF0I | 2TB EMLC 4PACK | 27,280 | N | | 12 |
| 9830 | | AF0J | ACTIVE SPARE EMLC PROTECTION | 3,829 | N | | 12 |
| 9830 | | AF0L | 4TB EMLC 8PACK | 54,559 | N | | 12 |
| 9830 | | AF0P | 8TB EMLC 16PACK | 109,118 | N | | 12 |
| 9831 | AE2 | | FLASHSYSTEM 820 | 15,315 | Y | 2 | 12 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|--------------------------------|----------------|----------------|----------------|-------------------|
| 9831 | AS2 | | FLASHSYSTEM 720 | 15,315 | Y | 2 | 12 |
| 9831 | | 3700 | 1 M FIBER CABLE (LC LC) | 57 | N | | 12 |
| 9831 | | 3701 | 5 M FIBER CABLE (LC LC) | 72 | N | | 12 |
| 9831 | | 5989 | 3 M IBM QSFP OPT QDR IB | 837 | N | | 12 |
| 9831 | | 5990 | 10 M IBM QSFP OPT QDR IB | 909 | N | | 12 |
| 9831 | | 6313 | LINE CORD - 2.8M 120V (US) | 18 | N | | 12 |
| 9831 | | A0RD | 1 M IBM QSFP COP IB | 239 | N | | 12 |
| 9831 | | A0RE | 3 M IBM QSFP COP IB | 430 | N | | 12 |
| 9831 | | A2YG | 1 M MLNX QSFP COP FDR14 IB | 239 | N | | 12 |
| 9831 | | A2YH | 3 M MLNX QSFP COP FDR14 IB | 287 | N | | 12 |
| 9831 | | A2YL | 3 M MLNX QSFP OPT FDR14 IB | 1,292 | N | | 12 |
| 9831 | | A2YN | 10 M MLNX QSFP OPT FDR14 IB | 1,363 | N | | 12 |
| 9831 | | AF02 | 6TB SLC RAID 0 (12 PACK) | 158,892 | N | | 12 |
| 9831 | | AF03 | 12TB SLC RAID 0 (12 PACK) | 316,826 | N | | 12 |
| 9831 | | AF04 | 8 GB FC 4 PORT EXT INT | 7,657 | N | | 12 |
| 9831 | | AF05 | IB QDR 4 PORT EXT INT | 7,657 | N | | 12 |
| 9831 | | AF0E | 12TB EMLC RAID 0 (12 PACK) | 158,892 | N | | 12 |
| 9831 | | AF0F | 24TB EMLC RAID 0 (12 PACK) | 316,826 | N | | 12 |
| 9910 | E15 | | POWERWARE 9130 1.5 KVA TOWER | 1,411 | Y | 2 | 60 |
| 9910 | E35 | | OWERWARE PW 9910G3KVA 208VXL | 1,842 | Y | 2 | 60 |
| 9910 | E66 | | OWERWARE PW 9910G6KVA 208VXL | 2,136 | Y | 2 | 60 |
| 9910 | | 1420 | PWR CORD L6-30 TO L6-30 14 FT. | 65 | N | | 60 |
| 9910 | | 1421 | PWR CORD L6-30 TO L6-30 6 FT. | 53 | N | | 60 |
| 9910 | | 1422 | PW CORD L6-30 TO RUSSELLS.6FT | 113 | N | | 60 |
| 9910 | | 1423 | PW CORD L6-30 TO RUSSELL.14FT | 124 | N | | 60 |
| 9910 | | 1426 | PWR CORD L6-30 TO AUSTR.30A | 162 | N | | 60 |
| 9910 | | 1427 | PWR CORD L6-30 TO NZ 30A(PDL) | 162 | N | | 60 |
| 9910 | | 2103 | CONNECT UPS (TWIST IEC320) | 321 | N | | 0 |
| 9910 | | 2203 | CONNECT UPS THINWIRE IEC320 | 321 | N | | 0 |
| 9910 | | 2911 | POWERPASS (110-127V) | 120 | N | | 0 |
| 9910 | | 2921 | POWER CORDJ01/ J30(110-127V) | 12 | N | | 0 |
| 9910 | | 2934 | WRWARE XSLOT WEB/SNMP/XHUB (| 298 | N | | 0 |
| 9910 | | 2936 | POWER. X-SLOT RELAY CARD/CAB | 123 | N | | 60 |
| 9910 | | 2938 | PWR ENV.MON.PROBE-2934/2935 | 132 | N | | 60 |
| 9910 | | 2939 | OWERWARE X-SLOT RELAY-SER.KI | 210 | N | | 60 |
| 9910 | | 2941 | OP ETHERNET CARD | 343 | N | | 60 |

| Machine Type | Model | Feature | Description | Purchase Price | Customer Setup | Per Call Class | Warranty (months) |
|--------------|-------|---------|---------------------------------|----------------|----------------|----------------|-------------------|
| 9910 | | 2944 | POWERWARE RELAY SERIAL CARD | 133 | N | | 60 |
| 9910 | | 2945 | POWERWARE NETWORK MANAGEMEN | 197 | N | | 60 |
| 9910 | | 2970 | PW CORD L6-30 TO L6-30 6FT | 53 | N | | 60 |
| 9910 | | 2972 | 14 FT 1PH/24-30A PWR CORD | 109 | N | | 60 |
| 9910 | | 2973 | POWERWARE PDU TO UPS PWR.COR | 226 | N | | 60 |
| 9910 | | 2974 | POWERWARE PDU TO UPS PWR.COR | 202 | N | | 60 |
| 9910 | | 2975 | UPS INPUT PWR.CORD 30A(2.4M) | 113 | N | | 60 |
| 9910 | | 2976 | POWER CORD 8 FT SINGLE PHASE I | 1,814 | N | | 60 |
| 9910 | | 6570 | POWER.9125 3 KVA TOWER PPDM | 750 | N | | 60 |
| 9910 | | 6571 | POWER.9125 6 KVA TOWER PPDM | 677 | N | | 60 |
| 9910 | | 6572 | POWER.9125 6KVA(IEC DIST.MOD) | 623 | N | | 60 |
| 9910 | | 6608 | POWERWARE 1500VA RACKMT BATT MO | 540 | N | | 0 |
| 9910 | | 6645 | EXTENDED BATTERY MOD. E64/65 | 1,096 | N | | 60 |
| 9910 | | 6646 | EXTENDED BATTERY MOD. E82/83 | 1,773 | N | | 60 |
| 9910 | | 6647 | POWERWARE 9130 1.5 KVA EXT. BA | 625 | N | | 60 |
| 9910 | | 6651 | POWERWARE PW 9910 3KVA EXT. B | 1,064 | N | | 60 |
| 9910 | | 6652 | POWERWARE PW 9910 6KVA EXT.BA | 1,028 | N | | 60 |
| 9910 | | 7015 | AS/400 INTERFACE CABL 15FT | 64 | N | | 0 |
| 9910 | | 7117 | SPLITTER CABLE | 137 | N | | 0 |
| 9910 | | 9851 | POWER CORD PRESTIGE 3000 L6-30 | 189 | N | | 0 |
| 9910 | | 9860 | PW CORD/RED.PW SOURCE - 14FT. | 35 | N | | 60 |
| 9910 | | 9874 | PW C/RED.PW SOURCE 14FT | 31 | N | | 60 |
| 9910 | | 9875 | PW C/RED.PW SOURCE 14FT | 37 | N | | 60 |