

IBM Power L1122

Autonomous IT built for the AI era



Highlights

A leader in reliability


Quantum-safe security

Optimized energy use with
Energy Efficiency mode

Scalable and flexible growth

The new IBM® Power® L1122 introduces a comprehensive suite of new capabilities derived from our biggest strength: an end-to-end, full-stack design and synergy. From the Power processor and systems to the firmware and operating systems, and ultimately to the cloud, we have developed unique and innovative capabilities by integrating all layers of infrastructure. This holistic approach is centered on autonomous IT, translating into real business outcomes across three core pillars:

- **Business Continuity:** Providing a resilient and reliable foundation for your mission-critical workloads, creating lower risk exposure to threats and non-compliance with regulations, irrespective of deployment model.
- **Productivity and Efficiency:** Enabling your infrastructure to achieve new levels of uptime and operational efficiency.
- **Scalable Infrastructure for the AI Era:** Empowering AI projects and scalability by agilely employing a broader range of AI use cases and new applications for mission-critical processes, consistently and with added protections for critical workloads.



>1 Minute

Guaranteed ransomware
threat detection with
IBM Power Cyber Vault

Business Continuity

IBM Power L1122 delivers a paradigm shift in maximizing continuous operations.

Zero Planned Downtime for System Maintenance

Traditionally, businesses have had to schedule maintenance windows, leading to service interruptions. Avoiding planned downtime to apply updates and patches could lead to significant security and operational risks. IBM Power11 processor-based servers can enable zero hours of planned downtime for system maintenance¹. Through advanced technologies, necessary maintenance and updates can be performed without ever taking business-critical applications and workloads offline. This eliminates the impact of planned outages on business operations and supports continuous service delivery.

IBM Power Cyber Vault

Advanced threat detection capabilities in Power L1122, offered with IBM Power Cyber Vault, can detect a ransomware attack in less than one minute². If an incident does occur, recovery mechanisms allow an automated restoration and recovery of systems and data, minimizing the impact and potential financial losses associated with ransomware attacks. This rapid detection and recovery significantly strengthens the cyber resiliency posture.

Quantum-Safe Protection

In addition to the Transparent Memory Encryption (TME) capability introduced in Power10, which offers a hardware-based security feature that automatically encrypts data stored in memory, the Power L1122 incorporates advanced codes and ciphers to increase protection during system reboot and live partition mobility processes. The system also supports the new hardware security module 4770 Crypto Card to elevate your security compliance posture with FIPS 4 certification.

Spare Cores

Integrated advanced spare core capabilities directly at the silicon level help to improve system resilience and availability. This feature designates a pool of fully functional, idle processor cores ready to be dynamically activated in the event of a detected hard error or failure within an active core. This proactive hardware-level fault tolerance mechanism minimizes the impact of component failures, limiting unscheduled downtime and supporting continuous processing for mission-critical workloads by maintaining compute capacity and preserving system integrity.

Concurrent Maintenance

Concurrent maintenance on IBM Power11 processor-based servers gives users the ability to perform hardware service and upgrades - such as replacing power supplies, fans, or I/O components - without shutting down the system or interrupting running business-critical workloads. This capability is crucial for maintaining high availability and minimizing planned downtime in enterprise environments. By enabling technicians to service critical system elements while mission-critical applications continue running, concurrent maintenance supports continuous operations, improves system uptime, and aligns with the always-on demands of modern IT infrastructure.

13%

Better server efficiency
with the new Energy
Efficiency Mode



Enhanced Productivity and Efficiency

Boost outputs and time savings through highly efficient IT operations.

Autonomous System Maintenance

To achieve zero downtime during a system maintenance process, the Power L1122 leverages the advanced automation capabilities of the Hardware Management Console (HMC) and IBM Concert® to streamline and coordinate updates. Together, these tools lower the risk associated with complex and manual maintenance tasks by reducing the potential for human error and helping to deliver consistent, policy-driven execution. By automating key processes, the Power L1122 minimizes the need for specialized skills, simplifying operations and making high availability more accessible and reliable for mission-critical applications.

Faster Support Engagements

This capability requires the Hardware Management Console (HMC) to automate diagnostic data collection and analytics, accelerating problem identification and resolution. By centralizing system insights through the HMC, it reduces the time IT system administrators spend on manual troubleshooting and frees valuable resources for more strategic initiatives.

Intelligent Energy Management

Power L1122 introduces a new Energy Efficiency mode with an automated scheduling option, designed to reduce operational costs and environmental impact. This intelligent, programmable capability manages power consumption across the system, optimizing resource utilization without compromising performance or critical business Service Level Agreements (SLAs). Enterprises can achieve 13 % better server efficiency with the new Energy Efficiency mode compared to Maximum Performance mode on Power L1122³. This innovation translates directly into cost savings and a reduced datacenter footprint, reinforcing an organization's commitment to sustainability while delivering top-tier performance for your demanding workloads.

Automated Cryptographic Inventory

A comprehensive, automated discovery and inventory of all cryptographic assets across the system, including certificates, keys, and their associated configurations. Monitor the cryptographic posture, identifying potential vulnerabilities, misconfigurations, or non-compliant usage against defined security policies and regulatory frameworks when adding IBM PowerSC.

Scalable and Flexible Growth

Enterprise AI on IBM Power


Power11, with on-chip acceleration, high parallelism, and large memory, provides a sustainable and secured platform to embed AI into transactions and workflows. Power11 processor-based servers allow clients to interface and embed AI close to business-critical applications and data. This reduces security risks of data leakage and improves latency and performance of models by bringing AI to where data is living and being generated. Power11 processor-based servers offer security across the stack, lower latency, and less complexity without requiring the additional cost of GPUs.

IBM Power Private Cloud with Shared Utility Capacity

IBM Power Private Cloud with Shared Utility Capacity on Power L1122 provides enhanced multisystem resource sharing and by-the-minute tracking and consumption of computing resources across a collection of systems within Power Enterprise Pools 2.0. It delivers a complete range of flexibility to tailor initial system configurations with the right mix of purchased and pay-for-use consumption of processors and software. A Power Private Cloud solution consolidated onto Power L1122 has the potential to greatly simplify system management so IT teams can focus on optimizing their business results instead of moving resources around within their data center. Clients no longer need to worry about overprovisioning capacity on each system to support growth, as all available processors on all systems in a pool are activated and available for use.

Power11 on IBM Power Virtual Server

IBM Power Virtual Server is a cloud-based infrastructure solution that brings the performance and reliability of Power to a flexible and scalable virtual environment. It allows businesses to run AIX®, IBM i, and Linux workloads in the cloud without having to refactor applications, making it ideal for hybrid cloud strategies and architectures. With seamless integration into the broader IBM Cloud® ecosystem, Power Virtual Server provides secured, high-performance compute capacity alongside automation, backup, and disaster recovery capabilities. It is designed for enterprises looking to modernize their infrastructure, improve operational efficiency, and extend existing on-prem Power environments into the cloud to take advantage of pay-as-you-use billing to manage costs.



IBM Power L1122 Technical Specifications

Product Line	IBM Power L1122
Machine Type	9856-22H
System Packaging	19" Rack Drawer (2U)
Microprocessor Type	64-Bit Power11
Number of Processor Sockets Per Server	2
Processor Options GHz (Cores/Socket) Max # of Cores	3.0 to 4.2 GHz (16) 32 2.65 to 4.15 (24) 48 2.4 to 3.95 GHz (30) 60
EnergyScale	Y
Level 2 (L2) Cache Per Core	2 MB
Level 3 (L3) Cache Per Core	8 MB
System Memory (Minimum-Maximum) 4000/4800 MHz DDR5	64 GB – 4 TB
Reliability, Availability, Serviceability	
Chipkill Memory	Y
Service Processor (eBMC)	Y
Hot-Swappable NVMe SSD Disks	Y
Dynamic Processor Deallocation	Y
Processor Instruction Retry	Y
Hot-Plug Concurrent Maintenance PCIe Slots	Y
Redundant Hot-Plug Power	Y
Redundant Hot-Plug Cooling	Y
Dual VIOS	Optional
Active Memory Mirroring	Y
Capacity and Expandability	
Capacity on Demand (CoD)	CUoD
Power Private Cloud (EP2.0)	Y
PowerVM Enterprise Edition	Y
Max Logical Partitions/Micropartitions	1000
System Unit PCIe Slots	4 PCIe x16 Gen4 or Gen5 x8 4 PCIe x8 Gen5 2 PCIe x8 Gen4
Max PCIe Gen4 I/O Drawer	1
Max PCIe Gen4 Slots: PCIe I/O Drawers	12 in I/O Drawer
Max NED24 NVMe Drawer	1
Max NED24 NVMe Slots: NVMe Drawer	24 U.2 NVMe Bays
Internal Storage Bays	8 NVMe U.2
Maximum TB Storage in System Unit	122.4 TB (8 x 15.3TB NVMe U.2)
AIX SMT8 rPerf # of Cores: rPerf	8C: 293 20C: 627 32C: 1040 48C: 1358 60C: 1532
IBM i CPW # of Cores: Perf	8C: 236,400 20C: 124,400 32C: 124,400 48C: 124,400 60C: 124,400 *Max LPAR Size: 4-Core

Conclusion

IBM Power L1122 is a compact 2U rack server optimized for Linux workloads and AI-ready applications. Featuring up to 60 Power11 cores and 4TB of memory, it delivers exceptional performance for containerized, data-intensive, and cloud-native environments. The Power L1122 provides an affordable entry point into enterprise computing, offering flexible scalability, advanced full stack security, and energy-efficient operations. Designed for organizations modernizing with open-source and hybrid cloud technologies, it combines the reliability of Power with the agility of Linux innovation.

Why IBM?

IBM brings decades of experience helping enterprises modernize with resilience, performance, and long-term support. With the Power11 platform, IBM continues that tradition, combining deep infrastructure expertise, innovation in hybrid cloud and AI, and a global ecosystem of Business Partners. Choosing IBM Power means choosing infrastructure built to evolve with your business- secured by design, built for resilience, and ready for whatever is next.

For more information

To learn more about IBM Power L1122, contact your IBM representative or IBM Business Partner, or visit <https://www.ibm.com/products/power/linux>



© Copyright IBM Corporation 2025
IBM Corporation
New Orchard Road
Armonk, NY 10504

Produced in the
United States of America
July 2025

1. Based upon IBM internal testing of system upgrade scenarios; many (i.e. VIOS, hot plug adapters, I/O adapter FW, and concurrent system firm ware updates) can be done in-place while some (i.e. non-concurrent system FW and HW maintenance) may require Live Partition Mobility (LPM) support.
2. This guarantee covers only the displaying of an alert in less than one minute. Remediation is in the form of drive replacement up to the cost of the Covered Product. Terms and conditions apply; full details can be found [here](#).
3. Based upon IBM measurements on servers comparing Maximum Performance Mode to Energy Efficient Mode while running compute-, disk-, and memory-based workloads running on Power S1122 with 2x16c/32x32GB DDIMM.

IBM, the IBM logo, IBM Cloud, IBM Concert, Power, AIX, and PowerVM are trademarks or registered trademarks of International Business Machines Corporation, in the United States and/or other countries. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on ibm.com/trademark.

This document is current as of the initial date of publication and may be changed by IBM at any time. Not all offerings are available in every country in which IBM operates.

THE INFORMATION IN THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

IBM products are warranted according to the terms and conditions of the agreements under which they are provided.

