

Personal Communications for Windows, Version 12.0



Host Access Class Library

Personal Communications for Windows, Version 12.0



Host Access Class Library

Note

Before using this information and the product it supports, be sure to read the general information under Appendix C, "Notices," on page 409.

Ninth Edition (February 2016)

This edition applies to Version 12.0 of IBM Personal Communications for Windows (program number: 5639-I70) and to all subsequent releases and modifications until otherwise indicated in new editions or technical newsletters. Make sure you are using the correct edition for the level of the product.

© Copyright IBM Corporation 1997, 2016.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Figures ix

Tables xi

About This Book xiii

Who Should Read This Book xiii
How to Use This Book xiii
Where to Find More Information xiii
Support Options xiv
 Subscribing to Support News xiv
 Support Assistant xiv

Chapter 1. Introduction 1

C++ Objects 1
 HACL C++ 1390/1399 Code Page Support 2
Java Objects 2
Automation Objects 2
LotusScript Extension 2
ECL Concepts 2
 Connections, Handles and Names 3
 Sessions 3
 ECL Container Objects 4
 ECL List Objects 4
 Events 4
 Error Handling 5
 Addressing (Rows, Columns, Positions) 5
Migrating from EHLLAPI 6
 Execution/Language Interface 6
 Features 6
 Session IDs 7
 Presentation Space Models 8
 SendKey Interface 8
 Events 8
 PS Connect/Disconnect and Multithreading 9

Chapter 2. Host Access Class Library

C++ 11

Building C++ ECL Programs 13
 IBM Visual Age C++ 13
 Microsoft Visual C++ 14
ECLBase Class 15
 Derivation 15
ECLBase Methods 15
 GetVersion 15
 ConvertHandle2ShortName 16
 ConvertShortName2Handle 16
 ConvertTypeToString 17
 ConvertPos 18
ECLConnection Class 19
 Derivation 19
ECLConnection Methods 19
 ECLConnection Constructor 19
 ECLConnection Destructor 20
 GetCodePage 21

 GetHandle 21
 GetConnType 22
 GetName 23
 GetEncryptionLevel 24
 IsStarted 25
 IsCommStarted 26
 IsAPIEnabled 26
 IsReady 27
 IsDBCSHost 28
 StartCommunication 28
 StopCommunication 29
 RegisterCommEvent 29
 UnregisterCommEvent 30
ECLConnList Class 31
 Derivation 31
 Usage Notes 31
ECLConnList Methods 32
 ECLConnList Constructor 32
 ECLConnList Destructor 32
 GetFirstConnection 33
 GetNextConnection 34
 FindConnection 35
 GetCount 36
 Refresh 36
ECLConnMgr Class 37
 Derivation 37
ECLConnMgr Methods 37
 ECLConnMgr Constructor 37
 ECLConnMgr Deconstructor 38
 GetConnList 39
 StartConnection 39
 StopConnection 40
 RegisterStartEvent 42
 UnregisterStartEvent 42
ECLCommNotify Class 43
 Derivation 44
 Example 44
ECLCommNotify Methods 46
 NotifyEvent 46
 NotifyError 46
 NotifyStop 47
ECLErr Class 47
 Derivation 47
ECLErr Methods 47
 GetMsgNumber 47
 GetReasonCode 48
 GetMsgText 49
ECLField Class 50
 Derivation 50
ECLField Methods 52
 GetStart 52
 GetStartRow 53
 GetStartCol 54
 GetEnd 55
 GetEndRow 56
 GetEndCol 57

GetLength	58	ECLPS Constructor	91
GetScreen	58	ECLPS Destructor	92
SetText	60	GetPCCodePage	93
IsModified, IsProtected, IsNumeric, IsHighIntensity, IsPenDetectable, IsDisplay	61	GetHostCodePage	93
GetAttribute	63	GetOSCodePage	93
ECLFieldList Class	64	GetSize	93
Derivation	64	GetSizeRows	94
Properties	64	GetSizeCols	95
ECLFieldList Methods	65	GetCursorPos	95
Refresh	65	GetCursorPosRow	96
GetFieldCount	66	GetCursorPosCol	97
GetFirstField	66	SetCursorPos	98
GetNextField	67	SendKeys	98
FindField	68	SearchText	100
ECLKeyNotify Class	70	GetScreen	102
Derivation	71	GetScreenRect	105
Example	71	SetText	107
ECLKeyNotify Methods	73	ConvertPosToRowCol	108
NotifyEvent	73	ConvertRowColToPos	109
NotifyError	74	ConvertPosToRow	109
NotifyStop	74	ConvertPosToCol	110
ECLListener Class	75	RegisterKeyEvent	111
Derivation	75	UnregisterKeyEvent	112
Usage Notes	75	GetFieldList	112
ECLOIA Class	75	WaitForCursor	113
Derivation	75	WaitWhileCursor	114
Usage Notes	75	WaitForString	115
ECLOIA Methods	75	WaitWhileString	116
ECLOIA Constructor	76	WaitForStringInRect	116
IsAlphanumeric	77	WaitWhileStringInRect	117
IsAPL	77	WaitForAttrib	118
IsKatakana	78	WaitWhileAttrib	119
IsHiragana	78	WaitForScreen	120
IsDBCS	79	WaitWhileScreen	121
IsUpperShift	79	RegisterPSEvent	121
IsNumeric	80	StartMacro	122
IsCapsLock	81	UnregisterPSEvent	123
IsInsertMode	81	ECLPSEvent Class	123
IsCommErrorReminder	82	Derivation	124
IsMessageWaiting	82	Usage Notes	124
WaitForInputReady	83	ECLPSEvent Methods	124
WaitForSystemAvailable	83	GetPS	124
WaitForAppAvailable	83	GetType	125
WaitForTransition	84	GetStart	125
InputInhibited	84	GetEnd	125
GetStatusFlags	85	GetStartRow	125
RegisterOIAEvent	86	GetStartCol	126
UnregisterOIAEvent	86	GetEndRow	126
ECLOIANotify Class	87	GetEndCol	126
Derivation	87	ECLPSListener Class	127
Usage Notes	87	Derivation	127
ECLOIANotify Methods	87	Usage Notes	127
NotifyEvent	88	ECLPSListener Methods	128
NotifyError	88	NotifyEvent	128
NotifyStop	88	NotifyError	128
ECLPS Class	89	NotifyStop	129
Derivation	89	ECLPSNotify Class	129
Properties	89	Derivation	130
Usage Notes	89	Usage Notes	130
ECLPS Methods	89	ECLPSNotify Methods	130
		NotifyEvent	130

NotifyError	131	ECLWinMetrics Constructor	156
NotifyStop	131	ECLWinMetrics Destructor	156
ECLRecoNotify Class	132	GetWindowTitle	157
Derivation	132	SetWindowTitle	158
ECLRecoNotify Methods	132	GetXpos	158
ECLRecoNotify Constructor	132	SetXpos	159
ECLRecoNotify Destructor	132	GetYpos	160
NotifyEvent	133	SetYpos	161
NotifyStop	133	GetWidth	161
NotifyError	133	SetWidth	162
ECLScreenDesc Class	134	GetHeight	163
Derivation	134	SetHeight	164
ECLScreenDesc Methods	134	GetWindowRect	164
ECLScreenDesc Constructor	134	SetWindowRect	165
ECLScreenDesc Destructor	135	IsVisible	166
AddAttrib	135	SetVisible	166
AddCursorPos	136	IsActive	167
AddNumFields	137	SetActive	167
AddNumInputFields	137	IsMinimized	168
AddOIAInhibitStatus	138	SetMinimized	169
AddString	138	IsMaximized	169
AddStringInRect	139	SetMaximized	170
Clear	140	IsRestored	170
ECLScreenReco Class	140	SetRestored	171
Derivation	141	ECLXfer Class	171
ECLScreenReco Methods	141	Derivation	171
ECLScreenReco Constructor	142	Properties	171
ECLScreenReco Destructor	142	Usage Notes	171
AddPS	142	ECLXfer Methods	172
IsMatch	143	ECLXfer Constructor	172
RegisterScreen	143	ECLXfer Destructor	173
RemovePS	143	SendFile	173
UnregisterScreen	144	ReceiveFile	175
ECLSession Class	144	ECLPageSettings Class	176
Derivation	144	Derivation	176
Properties	144	Properties	176
Usage Notes	144	Restrictions	176
ECLSession Methods	145	Usage Notes	176
ECLSession Constructor	145	ECLPageSettings Methods	177
ECLSession Destructor	146	Connection types	177
GetPS	146	ECLPageSettings Constructor	178
GetOIA	147	SetCPI	178
GetXfer	147	GetCPI	179
GetWinMetrics	148	IsFontCPI	179
GetPageSettings	149	SetLPI	180
GetPrinterSettings	149	GetLPI	180
RegisterUpdateEvent	150	IsFontLPI	181
UnregisterUpdateEvent	150	SetFontFaceName	181
ECLStartNotify Class	150	GetFontFaceName	182
Derivation	151	SetFontSize	182
Example	151	GetFontSize	183
ECLStartNotify Methods	153	SetMaxLinesPerPage	183
NotifyEvent	153	GetMaxLinesPerPage	184
NotifyError	153	SetMaxCharsPerLine	184
NotifyStop	154	GetMaxCharsPerLine	184
ECLUpdateNotify Class	154	RestoreDefaults	185
ECLWinMetrics Class	154	ECLPrinterSettings Class	185
Derivation	154	Derivation	185
Properties	155	Properties	186
Usage Notes	155	Restrictions	186
ECLWinMetrics Methods	155	Usage Notes	186

ECLPrinterSettings Methods	186
ECLPrinterSettings Constructor	187
SetPDTMode	187
GetPDTFile	188
IsPDTMode	189
GetPrintMode	190
SetPrtToDskAppend	191
GetPrtToDskAppendFile	192
SetPrtToDskSeparate	192
GetPrtToDskSeparateFile	193
SetSpecificPrinter	194
SetWinDefaultPrinter	194
GetPrinterName	195
SetPromptDialog	196
IsPromptDialogEnabled	196

Chapter 3. Host Access Class Library

Automation Objects 199

autSystem Class	200
autECLConnList Class	200
Properties	201
autECLConnList Methods	203
Collection Element Methods	204
Refresh	204
FindConnectionByHandle	204
FindConnectionByName	205
StartCommunication	205
StopCommunication	206
autECLConnMgr Class	206
Properties	206
autECLConnMgr Methods	207
RegisterStartEvent	207
UnregisterStartEvent	207
StartConnection	207
StopConnection	208
autECLConnMgr Events	209
NotifyStartEvent	209
NotifyStartError	210
NotifyStartStop	210
Event Processing Example	210
autECLFieldList Class	211
Properties	211
autECLFieldList Methods	216
Collection Element Methods	216
Refresh	216
FindFieldByRowCol	216
FindFieldByText	217
GetText	218
SetText	218
autECLOIA Class	219
Properties	219
autECLOIA Methods	226
RegisterOIAEvent	226
UnregisterOIAEvent	227
SetConnectionByName	227
SetConnectionByHandle	228
StartCommunication	228
StopCommunication	229
WaitForInputReady	229
WaitForSystemAvailable	230
WaitForAppAvailable	230

WaitForTransition	231
CancelWaits	231
autECLOIA Events	231
NotifyOIAEvent	232
NotifyOIAError	232
NotifyOIAStop	232
Event Processing Example	232
autECLPS Class	233
Properties	233
autECLPS Methods	238
RegisterPSEvent	238
RegisterKeyEvent	239
RegisterCommEvent	239
UnregisterPSEvent	239
UnregisterKeyEvent	239
UnregisterCommEvent	240
SetConnectionByName	240
SetConnectionByHandle	241
SetCursorPos	241
SendKeys	242
SearchText	242
GetText	243
SetText	244
GetTextRect	245
SetTextRect	245
StartCommunication	246
StopCommunication	246
StartMacro	247
Wait	247
WaitForCursor	248
WaitWhileCursor	249
WaitForString	249
WaitWhileString	250
WaitForStringInRect	251
WaitWhileStringInRect	252
WaitForAttrib	253
WaitWhileAttrib	254
WaitForScreen	255
WaitWhileScreen	256
CancelWaits	257
autECLPS Events	257
NotifyPSEvent	257
NotifyKeyEvent	257
NotifyCommEvent	258
NotifyPSError	258
NotifyKeyError	258
NotifyCommError	259
NotifyPSStop	259
NotifyKeyStop	259
NotifyCommStop	259
Event Processing Example	259
autECLScreenDesc Class	261
autECLScreenDesc Methods	261
AddAttrib	261
AddCursorPos	262
AddNumFields	263
AddNumInputFields	263
AddOIAInhibitStatus	264
AddString	265
AddStringInRect	265
Clear	266

autECLScreenReco Class	267	autSystem Methods	302
autECLScreenReco Methods	267	Shell	303
AddPS	267	Inputnd	303
IsMatch	268	autECLPageSettings Class	304
RegisterScreen	268	Usage Notes.	304
RemovePS	269	Restrictions	304
UnregisterScreen	269	Connection types	305
autECLScreenReco Events	269	Properties	305
NotifyRecoEvent	269	autECLPageSettings Methods	311
NotifyRecoError	270	RestoreTextDefaults	311
NotifyRecoStop	270	SetConnectionByName	312
Event Processing Example	270	SetConnectionByHandle	312
autECLSession Class	271	autECLPrinterSettings Class	313
Properties	271	Usage Notes.	313
autECLSession Methods	276	Restrictions	313
RegisterSessionEvent	276	Properties	314
RegisterCommEvent	277	autECLPrinterSettings Methods	320
UnregisterSessionEvent	277	SetPDTMode	320
UnregisterCommEvent	277	SetPrtToDskAppend	321
SetConnectionByName	277	SetPrtToDskSeparate	322
SetConnectionByHandle	278	SetSpecificPrinter	323
StartCommunication	278	SetWinDefaultPrinter	324
StopCommunication	279	SetConnectionByName	324
autECLSession Events	279	SetConnectionByHandle	325
NotifyCommEvent	280	Support For Primary Interop Assemblies for	
NotifyCommError	280	Automation Objects	325
NotifyCommStop	280		
Event Processing Example	280		
autECLWinMetrics Class	281		
Properties	281		
autECLWinMetrics Methods	288		
RegisterCommEvent	288		
UnregisterCommEvent	288		
SetConnectionByName	289		
SetConnectionByHandle	289		
GetWindowRect	290		
SetWindowRect.	290		
StartCommunication	291		
StopCommunication	291		
autECL WinMetrics Events	292		
NotifyCommEvent	292		
NotifyCommError	292		
NotifyCommStop	292		
Event Processing Example	293		
autECLXfer Class	293		
Properties	294		
autECLXfer Methods	296		
RegisterCommEvent	297		
UnregisterCommEvent	297		
SetConnectionByName	297		
SetConnectionByHandle	298		
SendFile	298		
ReceiveFile	299		
StartCommunication	300		
StopCommunication	300		
autECLXfer Events	301		
NotifyCommEvent	301		
NotifyCommError	301		
NotifyCommStop	302		
Event Processing Example	302		
autSystem Class	302		
		lsxECLConnection Class	328
		Properties	329
		lsxECLConnection Methods	331
		StartCommunication	331
		StopCommunication	332
		lsxECLConnList Class	332
		Properties	333
		lsxECLConnList Methods	333
		Refresh	333
		FindConnectionByHandle	334
		FindConnectionByName.	334
		lsxECLConnMgr Class	335
		Properties	335
		lsxECLConnMgr Methods	335
		StartConnection	335
		StopConnection.	336
		lsxECLField Class	337
		Properties	337
		lsxECLField Methods.	340
		GetText	341
		SetText	341
		lsxECLFieldList Class.	342
		Properties	342
		lsxECLFieldList Methods	342
		Refresh	342
		FindFieldByRowCol	343
		FindFieldByText	343
		lsxECLIOA Class	344
		Properties	345
		lsxECLIOA Methods	351
		WaitForInputReady	351
		WaitForSystemAvailable	351

**Chapter 4. Host Access Class Library
LotusScript Extension 327**

WaitForAppAvailable	352
WaitForTransition	352
IsxECLPS Class	353
Properties	354
IsxECLPS Methods	358
SetCursorPos	358
SendKeys	359
SearchText	359
GetText	360
SetText	361
GetTextRect	362
WaitForCursor	362
WaitWhileCursor	363
WaitForString	364
WaitWhileString	365
WaitForStringInRect	366
WaitWhileStringInRect	366
WaitForAttrib	367
WaitWhileAttrib	368
WaitForScreen	369
WaitWhileScreen	370
IsxECLScreenReco Class	371
IsxECLScreenReco Methods	371
IsMatch	371
IsxECLScreenDesc Class	372
IsxECLScreenDesc Methods	372
AddAttrib	372
AddCursorPos	373
AddNumFields	373
AddNumInputFields	374
AddOIAInhibitStatus	374
AddString	375
AddStringInRect	376
Clear	376
IsxECLSession Class	377
Properties	378

IsxECLSession Methods	381
IsxECLWinMetrics Class	381
Properties	382
IsxECLWinMetrics Methods	387
GetWindowRect	387
SetWindowRect	388
IsxECLXfer Class	388
Properties	389
IsxECLXfer Methods	391
SendFile	391
ReceiveFile	392

Chapter 5. Host Access Class Library for Java 395

- | **Chapter 6. Troubleshooting 397**
- | IBM Personal Communications .NET Interop
- | assemblies fail to trigger session OIA notifications . 397

Appendix A. Sendkeys Mnemonic Keywords 399

Appendix B. ECL Planes — Format and Content 403

TextPlane	403
FieldPlane	403
ColorPlane	405
ExfieldPlane	406

Appendix C. Notices 409

Trademarks 409

Index 411

Figures

1. HACL Layers	1	3. Host Access Class Library Automation	
2. Host Access Class Objects.	11	Objects.	200

Tables

1. Copy-Construction and Assignment Examples	50	5. 5250 Field Attributes	404
2. Primary Interop Assemblies for Personal Communications Automation Objects	326	6. Mask Values	404
3. Mnemonic Keywords for the Sendkeys Method	399	7. Color Plane Information	405
4. 3270 Field Attributes	403	8. 3270 Extended Character Attributes	406
		9. 5250 Extended Character Attributes	407

About This Book

This book provides necessary programming information for you to use the IBM® Personal Communications for Windows, Version 12.0 Host Access Class Library (HACL). In this book, *Windows* refers to Windows 7, Windows 8, Windows 8.1, Windows 10, Windows Server 2008, and Windows Server 2012. Throughout this book, *workstation* refers to all supported personal computers. When only one model or architecture of the personal computer is referred to, only that type is specified.

Who Should Read This Book

This book is intended for programmers and developers who write application programs that use the Host Access Class Library (HACL) functions.

A working knowledge of Windows is assumed. For information about Windows, see the list of publications under “Where to Find More Information.”

This book assumes you are familiar with the language and compiler that you are using. For information on how to write, compile, or link-edit programs, refer to “Where to Find More Information” for the appropriate references for the specific language you are using.

How to Use This Book

This book is organized as follows:

- Chapter 1, “Introduction,” on page 1, gives an overview of the Host Access Class Library.
- Chapter 2, “Host Access Class Library C+,” on page 11, describes the Host Access Class Library C++ methods and properties.
- Chapter 3, “Host Access Class Library Automation Objects,” on page 199, describes the methods and properties of the Host Access Class Library Automation Objects.
- Chapter 4, “Host Access Class Library LotusScript Extension,” on page 327, describes the Host Access Class Library methods and properties of the Host Access Class Library LotusScript Extension.
- Chapter 5, “Host Access Class Library for Java,” on page 395, explains where you can find detailed information about the Host Access Class Library (HACL) Java™ classes.
- Appendix A, “Sendkeys Mnemonic Keywords,” on page 399, contains the mnemonic keywords for the Sendkeys method.
- Appendix B, “ECL Planes — Format and Content,” on page 403, describes the format and contents of the different data planes in the HACL presentation space model.

Where to Find More Information

The Personal Communications library includes the following publications:

- *Installation Guide*
- *Quick Beginnings*
- *Emulator User’s Reference*
- *Administrator’s Guide and Reference*

- *Emulator Programming*
- *Client/Server Communications Programming*
- *System Management Programming*
- *CM Mouse Support User's Guide and Reference*
- *Host Access Class Library*
- *Configuration File Reference*

See also:

- *IBM 3270 Information Display System Data Stream Programmer's Reference*
- *IBM 5250 Information Display System Functions Reference Manual*

In addition to the printed books, there are HTML documents provided with Personal Communications:

Host Access Class Library for Java

This HTML document describes how to write an ActiveX/OLE 2.0-compliant application to use Personal Communications as an embedded object.

Support Options

If you determine that you need to contact IBM, you can do any of the following:

- Access the Personal Communications Web page at <http://www.ibm.com/software/products/en/pcomm>.
- To find the phone number for IBM Software Support, U.S. customers can call 1-800-IBM-4YOU. International customers that have access to the U.S. "800" toll free numbers can reach the International Support Center by calling 1-800-IBM-4YOU and asking to speak with the International Support Center (ISC) in Atlanta. International customers without access to the U.S. toll free numbers can call the ISC directly at 770-863-1234. The ISC's FAX number is 770-863-3030 and is available 24 hours a day.

Subscribing to Support News

To receive Personal Communications support news flashes, complete the following steps:

1. Go to the IBM support at <http://www.ibm.com/support/mynotifications>, and log in with your IBM Registration ID.
2. In the **Product lookup** field, type **Personal Communications**.
3. In the drop down list, click the **Subscribe** link rendered against the product.
4. Select all types of documents for which you would like to receive notifications, and click **Submit**.

Support Assistant

The IBM Support Assistant enables you to easily resolve software questions. The Support Assistant provides the following components:

- **Search**
Enable search of the software information database.
- **Service**
Assists customers who choose to submit a PMR by providing access to the Electronic Service Request Web site.
- **Support Links**
A consolidated list of IBM web links, organized by brand and product.

Help desk personnel and Personal Communications administrators might want to install Support Assistant in order to better support end users. The Support Assistant can be downloaded from the following address: <http://www.ibm.com/software/support/isa/index.html>

Chapter 1. Introduction

The Host Access Class Library (HACL) is a set of objects that allows application programmers to access host applications easily and quickly. IBM Personal Communications provides support for a wide variety of programming languages and environments by supporting several different HACL layers: C++ objects, Java objects, Microsoft COM-based automation technology (OLE), and LotusScript Extension (LSX). Each layer provides the same basic functionality, but each layer has some differences due to the different syntax and capabilities of each environment. The most functional and flexible layer is the C++ layer, which provides the basis for all others.

This layering concept allows the basic HACL functions to be used with a wide variety of programming environments including Java, Microsoft Visual Basic, Visual Basic for Applications, Lotus[®] Notes[®], Lotus WordPro and Visual C++. The following figure shows the HACL layers.




Figure 1. HACL Layers

C++ Objects

This C++ class library presents a complete object-oriented abstraction of a host connection that includes: reading and writing the host presentation space (screen), enumerating the fields on the screen, reading the Operator Indicator Area (OIA) for status information, accessing and updating information about the visual emulator window, transferring files, and performing asynchronous notification of significant events.

See Chapter 2, "Host Access Class Library C++," on page 11 for details on C++ objects.

HACL C++ 1390/1399 Code Page Support

Personal Communications Version 12.0 supports Japanese code page 1390/1399 on a Unicode session for the following HACL C++ methods:

- GetScreen (ECLField Class)
- SetText (ECLField Class)
- GetScreen (ECLPS Class)
- SearchText (ECLPS Class)
- SendKeys (ECLPS Class)

For more information about these methods, see their individual sections in Chapter 2, “Host Access Class Library C++,” on page 11.

Java Objects

Java objects provides Java wrapping for all HACL functions similar to Host-on-Demand Version 3. See Chapter 5, “Host Access Class Library for Java,” on page 395 for details on HACL Java classes.

Automation Objects

The Host Access Class Library Automation Objects allow Personal Communications to support the Microsoft COM-based automation technology (formerly known as OLE automation). The HACL Automation Objects are a series of automation servers that allow automation controllers, for example, Microsoft Visual Basic, to programmatically access Personal Communications’ data and functionality. In other words, applications that are enabled for controlling the automation protocol (automation controller) can control some of Personal Communications’ operations (automation server).

Note: The Automation Objects provided by IBM Personal Communications are 32-bit in nature. These can be used only with 32-bit Microsoft Office programs.

See Chapter 3, “Host Access Class Library Automation Objects,” on page 199 for details on the Automation Objects layer.

LotusScript Extension

The Host Access Class Library LotusScript Extension (LSX) is a language extension module for LotusScript (the scripting and macro language of Lotus Notes and all the Lotus SmartSuite® products). This LSX gives users of Lotus products access to the HACL functions through easy-to-use scripting functions.

See Chapter 4, “Host Access Class Library LotusScript Extension,” on page 327 for details on the LotusScript layer.

ECL Concepts

The following sections describe several essential concepts of the *Emulator Class Library* (ECL). Understanding these concepts will aid you in making effective use of the library.

Connections, Handles and Names

In the context of the ECL, a connection is a single, unique Personal Communications emulator window. The emulator window may or may not be actually connected to a host and may or may not be visible on the screen. For instance, a Personal Communications window can be in a disconnected state. Connections are distinguished by their connection handle or by their connection name. Most HACL objects are associated with a specific connection. Typically, the object takes a connection handle or connection name as a parameter on the constructor of the object. For languages like Visual Basic that do not support parameters on constructors, a member function is supplied for making the association. Once constructed, the object cannot be associated with any other connection. For example, to create an ECLPS (Presentation Space) object associated with connection 'B', the following code would be used:

C++

```
ECLPS *PSObject;  
PSObject = new ECLPS('B');
```

Visual Basic

```
Dim PSObject as Object  
Set PSObject = CreateObject("PCOMM.autECLPS")  
PSObject.SetConnectionByName("B")
```

LotusScript Extension

```
dim myPSObj as new lxxECLPS("B")
```

An HACL connection name is a single character from A–Z or a-z. There are a maximum of 52 connection names, and Personal Communications is currently limited to 52 concurrent connections. A connection's name is the same as its EHLLAPI short session ID, and the session ID shown on the Personal Communications window title and OIA.

An HACL handle is a unique 32-bit number that represents a single connection. Unlike a connection name, a connection handle is not limited to 52 values, and the value itself has no significance to the application. You can use a connection handle across threads and processes to refer to the same connection.

For future expansion, applications should use the connection handle whenever possible. Most HACL objects accept a handle or a name when a connection needs to be identified. There are functions available in the base HACL class to convert a handle to a name, and a name to a handle. These functions are available from any HACL object.

Note: Connection properties are dynamic. For example, the connection type returned by `GetConnType` may change if you reconfigure the connection to a different host. In general, the application should not assume that connection properties remain fixed.

Sessions

In the context of the ECL, a session object (`ECLSession`) is only a container for all the other connection-specific objects. It provides a shortcut for an application to create a complete set of HACL objects for a particular connection. The term *session* should not be confused with the Personal Communications session concept. A Personal Communications session refers to a physical emulation window on the screen.

Creating or destroying ECLSession objects does not affect Personal Communications sessions (windows). An application can create any number of ECLSession objects that refer to the same or different connections.

ECL Container Objects

Several of the HACL classes act as containers of other objects. For example, the ECLSession object contains an instance of the ECLPS, ECLOIA, ECLWinMetrics, and ECLXfer objects. Containers provide methods to return a pointer to the contained object. For example, the ECLSession object has a GetOIA method, which returns a pointer to an OIA object. Contained objects are not implemented as public members of the container's class, but rather are accessed only through methods.

For performance or other reasons, the contained objects may or may not be created when the container object is created. The class implementation may choose to defer construction of the contained objects until the first time the application requests a pointer to them. The application should not assume that contained objects are created at the same time as the container. For example, an instance of the ECLPS object may not be constructed when an ECLSession object is constructed. Instead, the ECLSession class may delay the construction of the ECLPS object until the first time the GetPS method is called.

When a container class is destroyed, all the contained instances are also destroyed. Any pointers that have been returned to the application become invalid and must not be used.

Note: Some HACL layers (such as the Automation Objects) may hide the containment scheme or recast it into a naming scheme that does not use explicit pointers

ECL List Objects

Several HACL classes provide list iteration capabilities. For example, the ECLConnList class manages the list of connections. ECL list classes are not asynchronously updated to reflect changes in the list content. The application must explicitly call the Refresh method to update the contents of a list. This allows an application to iterate a list without concern that the list may change during the iteration.

Events

The HACL provides the capability of asynchronous notification of certain events. An application can choose to be notified when specific events occur. For example, the application can be notified when a new Personal Communications connection starts. Currently the HACL supports notification for the following events:

- Connection start/stop
- Communications connect/disconnect
- Operator keystrokes
- Presentation space or OIA updates

Notification of events is implemented by the ECLNotify abstract base classes. A separate class exists for each event type. To be notified of an event, the application must define and create an object derived from one of the ECLNotify abstract base classes. That object must then be registered by calling the appropriate HACL registration function. Once an application object is registered, its NotifyEvent method is called whenever the event of interest occurs.

Notes:

1. The application's NotifyEvent method is called asynchronously on a separate thread of execution. Therefore, the NotifyEvent method should be reentrant, and if it accesses application resources, appropriate locking or synchronization should be used.
2. Some HACL layers (such as the Automation Objects) may not fully support or implement HACL events.

Error Handling

At the C++ layer, HACL uses C++ structured exception handling. In general, errors are indicated to the application by the throwing of a C++ exception with an ECLerr object. To catch errors, the application should enclose calls to the HACL objects in a try/catch block such as:

```
try {
    PSObj = new ECLPS('A');
    x = PSObj->GetSize();

    //...more references to HACL objects...

} catch (ECLerr ErrObj) {
    ErrNumber = ErrObj.GetMsgNumber();
    MessageBox(NULL, ErrObj.GetMsgText(), "ECL Error");
}
```

When a HACL error is caught, the application can call methods of the ECLerr object to determine the exact cause of the error. The ECLerr object can also be called to construct a complete language-sensitive error message.

In both the Automation Objects layer and the LotusScript Extension layer, runtime errors cause an appropriate scripting error to be created. An application can use an On Error handler to capture the error, query additional information about the error and take appropriate action.

Addressing (Rows, Columns, Positions)

The HACL provides two ways of addressing points (character positions) in the host presentation space. The application can address characters by row/column numbers, or by a single linear position value. Presentation space addressing is always 1-based (not zero-based) no matter what addressing scheme is used.

The row/column addressing scheme is useful for applications that relate directly to the physical screen presentation of the host data. The rectangular coordinate system (with row 1 column 1 in the upper left corner) is a natural way to address points on the screen. The linear positional addressing method (with position 1 in the upper left corner, progressing from left to right, top to bottom) is useful for applications that view the entire presentation space as a single array of data elements, or for applications ported from the EHLLAPI interface which uses this addressing scheme.

At the C++ layer, the different addressing schemes are chosen by calling different signatures for the same methods. For example, to move the host cursor to a given screen coordinate, the application can call the ECLPS::SetCursorPos method in one of two signatures:

```
PSObj->SetCursorPos(81);
PSObj->SetCursorPos(2, 1);
```

These statements have the same effect if the host screen is configured for 80 columns per row. This example also points out a subtle difference in the addressing schemes — the linear position method can yield unexpected results if the application makes assumptions about the number of characters per row of the presentation space. For example, the first line of code in the example would put the cursor at column 81 of row 1 in a presentation space configured for 132 columns. The second line of code would put the cursor at row 2 column 1 no matter what the configuration of the presentation space.

Note: Some HACL layers may expose only a single addressing scheme.

Migrating from EHLLAPI

Applications currently written to the Emulator High Level Language API (EHLLAPI) can be modified to use the Host Access Class Library. In general it requires significant source code changes or application restructuring to migrate from EHLLAPI to HACL. HACL presents a different programming model than EHLLAPI and in general requires a different application structure to be effective.

The following sections will help a programmer familiar with EHLLAPI understand how HACL is similar and how HACL is different than EHLLAPI. Using this information you can understand how a particular application can be modified to use the HACL.

Note: EHLLAPI uses the term *session* to mean the same thing as an HACL *connection*. The terms are used interchangeably in this section.

Execution/Language Interface

At the most fundamental level, EHLLAPI and HACL differ in the mechanics of how the API is called by an application program.

EHLLAPI is implemented as a single call-point interface with multiple-use parameters. A single entry point (`hllapi`) in a DLL provides all the functions based on a fixed set of four parameters. Three of the parameters take on different meanings depending on the value of the fourth command parameter. This simple interface makes it easier to call the API from a variety of programming environments and languages. The disadvantage is a lot of complexity packed into one function and four parameters.

HACL is an object-oriented interface that provides a set of programming objects instead of explicit entry points or functions. The objects have properties and methods that can be used to manipulate a host connection. You do not have to be concerned with details of structure packing and parameter command codes, but can focus on the application functions. HACL objects can only be used from one of the supported HACL layer environments (C++, Automation Objects, or LotusScript). These three layers are accessible to most modern programming environments such as Microsoft Visual C++, Visual Basic and Lotus SmartSuite applications.

Features

At a high level, HACL provides a number of features not available at the EHLLAPI level. There are also a few features of EHLLAPI not currently implemented in any HACL class.

HACL unique features include:

- Connection (session) start/stop functions
- Event notification for host communications link connect/disconnect
- Event notification for connection (session) start/stop
- Comprehensive error trapping
- Generation of language-specific error message text
- No architectural limit to the number of connections (sessions); currently, Personal Communications is limited to 52
- Support for multiple concurrent connections (sessions) and multithreaded applications
- Row/column addressing for host presentation space
- Simplified model for presentation space
- Automatic generation of list of fields and attributes
- Keyword-based function key strings

EHELLAPI features not currently implemented in the HACL include:

- Structured field support
- OIA character images
- Lock/unlock presentation space

Session IDs

The HACL architecture is not limited to 52 sessions. Therefore, a single character session ID such as that used in EHELLAPI is not appropriate. The HACL uses the concept of a connection handle, which is a simple 32-bit value that has no particular meaning to the application. A connection handle uniquely identifies a specific connection (session). You can use a connection handle across threads and processes to refer to the same connection.

All HACL objects and methods that need to reference a particular connection accept a connection handle. In addition, for backward compatibility and to allow a reference from the emulator user interface (which does not display the handle), some objects and methods also accept the traditional session ID. The application can obtain a connection handle by enumerating the connections with the ECLConnList object. Each connection is represented by an ECLConnection object. The ECLConnection::GetHandle method can be used to retrieve the handle associated with that specific connection.

It is highly recommended that applications use connection handles instead of connection names (EHELLAPI short session ID). Future implementations of the HACL may prevent applications that use connection names from accessing more than 52 sessions. In some cases it may be necessary to use the name, such as when the user is required to input the name of a specific session the application is to utilize. In the following C++ example, you supply the name of a session. The application then finds the connection in the connection list and creates PS and OIA objects for that session:

```
ECLConnList      ConnList; // Connection list
ECLConnection   *ConnFound; // Ptr to found connection
ECLPS           *PS;       // Ptr to PS object
ECLOIA          *OIA;      // Ptr to OIA object
char             UserRequestedID;

//... user inputs a session name (A-Z or a-z) and it is put
//... into the UserRequesteID variable. Then...

ConnList.Refresh(); // Update list of connections
```

```

ConnFound = ConnList.FindConnection(UserRequestedID);
if (ConnFound == NULL) {
    // Session name given by user does not exist...
}
else {
    // Create PS and OIA objects using handle of the
    // connection just found:
    PS = new ECLPS(ConnFound.GetHandle());
    OIA= new ECLIOA(ConnFound.GetHandle());

    // The following would also work, but is not the
    // preferred method:
    PS = new ECLPS(UserRequestedID);
    OIA= new ECLIOA(UserRequestedID);
}

```

The second way of creating the PS and OIA objects shown in the example is not preferred because it uses the session name instead of the handle. This creates an implicit 52-session limit in this section of the code. Using the first example shown allows that section of code to work for any number of sessions.

Presentation Space Models

The HACL presentation space model is easier to use than that of EHLLAPI. The HACL presentation space consists of a number of planes, each of which contains one type of data. The planes are:

- Text
- Field attributes
- Color
- Extended attributes

The planes are all the same size and contain one byte for each character position in the host presentation space. An application can obtain any plane of interest using the ECLPS::GetScreen method.

This model is different from the EHLLAPI, in which text and non-text presentation space data is often interleaved in a buffer. An application must set the EHLLAPI session parameter to specify what type of data to retrieve, then make another call to copy the data to a buffer. The HACL model allows the application to get the data of interest in a single call and different data types are never mixed in a single buffer.

SendKey Interface

The HACL method for sending keystrokes to the host (ECLPS::Sendkeys) is similar to the EHLLAPI SendKey function. However, EHLLAPI uses cryptic escape codes to represent non-text keys such as Enter, PF1 and Backtab. The ECLPS object uses bracketed keywords to represent these keystrokes. For example, the following C++ sample would type the characters ABC at the current cursor position, followed by an Enter key:

```

ECLPS *PS;

PS = new ECLPS('A'); // Get PS object for "A"
PS->SendKeys("ABC[enter]"); // Send keystrokes

```

Events

EHLLAPI provides some means for an application to receive asynchronous notification of certain events. However, the event models are not consistent (some

events use semaphores, others use window system messages), and the application is responsible for setting up and managing the event threads. The HACL simplifies all the event handling and makes it consistent for all event types. The application does not have to explicitly create multiple threads of execution, the HACL takes care of the threading internally.

However, you must be aware that the event procedures are called on a separate thread of execution. Access to dynamic application data must be synchronized when accessed from an event procedure. The event thread is spawned when the application registers for the event, and is terminated when the event is unregistered.

PS Connect/Disconnect and Multithreading

An EHLLAPI application must manage a connection to different sessions by calling ConnectPS and DisconnectPS EHLLAPI functions. The application must be carefully coded to avoid being connected to a session indefinitely because sessions have to be shared by all EHLLAPI applications. You must also ensure that an application is connected to a session before using certain other EHLLAPI functions.

The HACL does not require any explicit session connect or disconnect by the application. Each HACL object is associated with a particular connection (session) when it is constructed. To access different connections, the application only needs to create objects for each one. For example, the following example sends the keystrokes ABC to session A, then DEF to session B, and then the Enter key to session A. In an EHLLAPI program, the application would have to connect/disconnect each of the sessions since it can interact with only one at a time. An HACL application can just use the objects in any order needed:

```
ECLPS *PSA, *PSB;  
  
PSA = new ECLPS('A');  
PSB = new ECLPS('B');  
  
PSA->Sendkeys("ABC");  
PSB->Sendkeys("DEF");  
PSA->Sendkeys("[enter]");
```

For applications that interact with multiple connections (sessions), this can greatly simplify the code needed to manage the multiple connections.

In addition to the single working session, EHLLAPI also places constraints on the multithreaded nature of the application. Connecting to the presentation space and disconnecting from the presentation space has to be managed carefully when the application has more than one thread calling the EHLLAPI interface, and even with multiple threads the application can interact with only one session at a time.

The ECLPS does not impose any particular multithreading restrictions on applications. An application can interact with any number of sessions on any number of threads concurrently.

Chapter 2. Host Access Class Library C++

This C++ class library presents a complete object-oriented abstraction of a host connection that includes: reading and writing the host presentation space (screen), enumerating the fields on the screen, reading the Operator Indicator Area (OIA) for status information, accessing and updating information about the visual emulator window, transferring files, and performing asynchronous notification of significant events. The class libraries support IBM VisualAge® C++ and Microsoft Visual C++ compilers.

The Host Access Class Library C++ layer consists of a number of C++ classes arranged in a class hierarchy. Figure 2 illustrates the C++ inheritance hierarchy of the Host Access Class Library C++ layer. Each object inherits from the class immediately above it in the diagram.

Figure 2. Host Access Class Objects

Figure 2 also shows all the member functions of each class. Note that in addition to the functions shown for each class, classes inherit all the functions of the parent class. For example, the function `IsReady()` is available on `ECLSession`, `ECLPS`, `ECLIOA`, `ECLWinMetrics`, and `ECLXfer` classes.

Each class is described briefly in the following sections. See the individual class descriptions in this chapter for more details.

All the examples shown in this chapter are supplied in the `ECLSAMPS.CPP` file. This file can be used to compile and execute any of the examples using any supported compiler.

The following is a brief overview of the Host Access Class Library C++ classes. Each class name begins with `ECL`, which is the common prefix for the Host Access Class Library.

- `ECLBase`, on page 15, is the base class for all ECL objects. It provides some basic utility methods such as the conversion of connection names and handles. Because all ECL objects inherit from this class, these methods can be used on any ECL object.
- `ECLConnection`, on page 19, represents a single Personal Communications connection and contains connection information such as the connection status, the type of connection (for example, 3270 or 5250), and the name and handle of the connection. This class is also the base class for all the connection-specific ECL objects such as `ECLPS` and `ECLIOA`.
- `ECLConnList`, on page 31, contains a list of all the Personal Communications connections that were in existence at the time the object was created or the last time the `Refresh` method was called. Each connection is represented by an `ECLConnection` object.
- `ECLConnMgr`, on page 37, enumerates all the currently running Personal Communications connections (windows) using the `ECLConnList` object. It also provides methods for starting new connections and stopping connections.

- ECLCommNotify, on page 43, is a notification class that an application can use to be notified whenever a connection is disconnected from or connected to a host. It can be used to monitor the status of a connection and take action when a connection is disconnected unexpectedly.
- ECLErr, on page 47, provides a method for returning run-time error information from Host Access Class Library classes.
- ECLField, on page 50, contains information about a single field on the screen, such as the field attributes, field color, position on the screen or length. A method is also supplied to update input fields.
- ECLFieldList, on page 64, contains a collection of ECLField objects. When the Refresh method is called, the current host screen is examined, and the list of fields is extracted and used to build the list of ECLField objects. An application can use this collection to manage fields without having to build the list itself.
- ECLKeyNotify, on page 70, is a notification class that an application can use to be notified of keystroke events. The application can filter (remove) keystrokes, replace them with other keystrokes or discard them.
- ECLListener, on page 75, is the base class for all new HACL event listener objects. It provides common functions for all listener objects.
- ECLOIA, on page 75, provides access to operator status information such as shift indicators, input inhibited conditions and communications errors.
- ECLOIANotify, on page 87, is an abstract base class. Applications create objects derived from this class to receive notification of OIA changes.
- ECLPS, on page 89, represents the presentation space (screen) of a single connection. It contains methods for obtaining a copy of the screen contents in the form of data planes. Each plane represents a specific aspect of the presentation space, such as the text, field attributes and color attributes. Methods are provided for searching for strings in the presentation space, sending keystrokes to the host, getting and setting the host cursor position, and many other functions. Also provided is an ECLFieldList object that can be used to enumerate the list of fields on the screen.
- ECLPSEvent, on page 123, is an event object which is passed to PS event listeners when the presentation space has been updated. It contains information about the event including what caused the update and the portion of the screen which has been updated.
- ECLPSListener, on page 127, is an abstract base class. Applications create objects derived from this class to receive presentation space update events with all the information provided by the ECLPSEvent object.
- ECLPSNotify, on page 129, is an abstract base class. Applications create objects derived from this class to receive notification of presentation space updates with minimal information.
- ECLRecoNotify, on page 132, is an abstract base class. Applications create objects derived from this class to receive notifications of screen recognitions.
- ECLScreenDesc, on page 134, is a class used to describe a single host screen. Screen description class objects are then used to trigger events when the described host screen appears, or to synchronously wait for a particular host screen.
- ECLScreenReco, on page 140, is a class used to collect a set of screen description objects and generate asynchronous events when any of the screens in the collection appear in the presentation space.
- ECLSession, on page 144, contains a collection of all the connection-specific objects. ECLSession can be used to easily create a complete set of objects for a particular connection.

- ECLStartNotify, on page 150, is a notification class that an application can use to be notified whenever a connection is started or stopped. It can be used to monitor the status of the system and take action when a connection is closed unexpectedly.
- ECLUpdateNotify, on page 154, is a notification class that an application can use to be notified whenever the host screen or OIA is updated.
- ECLWinMetrics, on page 154, represents the physical window in which the emulation is running. Methods are provided for getting and setting the window state (min, max, restored), window size and visibility.
- ECLXfer, on page 171, initiates file transfers to or from the host over the connection.
- ECLPageSettings, on page 176, control and retrieve the settings of the emulator session **File > Page Setup** dialog.
- ECLPrinterSettings, on page 185, control and retrieve the settings of the emulator session **File > Printer Setup** dialogs.

Building C++ ECL Programs

This section describes the mechanics of how to build a C++ program which uses the ECL. The source code preparation, compiling and linking requirements are described.

IBM Visual Age C++

The following sections describe how to prepare, compile, and link IBM VisualAge C++ applications that use the ECL. Personal Communications supports IBM VisualAge C++ Version 3.5 and later.

Source Code Preparation

Programs that use ECL classes must include the ECL header files to obtain class definitions and other compile-time information. Although, it is possible to include only the subset of header files the application requires, for simplicity, it is recommended that applications include all ECL header files using the ECALL.HPP file.

Any C++ source file which contains references to ECL objects or definitions should have the following statement before the first reference:

```
#include "eclall.hpp"
```

Compiling

The compiler must be instructed to search the PCOMM subdirectory containing the ECL header files. This is done using the `/I` compiler option.

The application must be compiled for multithreaded execution using the `/Gm+` compiler option.

Linking

The linker must be instructed to include the ECL linkable library file (PCSECLVA.LIB). This is done by specifying the fully qualified name of the library file on the linker command line.

Executing

When an application that uses the ECL is executed, the PCOMM libraries must be found in the system path. By default, the PCOMM directory is added to the system path during PCOMM installation.

Example

The following MAKFILE is an example of how to build an IBM VisualAge C++ application using the ECL:

```
#-----  
# Sample make file for IBM VisualAge C++  
#-----  
  
all:      sample.exe  
  
pcomm = c:progra~1\person~1\samples  
  
debug = /O- /Ti+  
msgs  = /Word+pro+ret+use+cmd  
includes = -I $ (pcomm)  
  
icccflags = /c /Gd- /Sm /Re /ss /Q /Gm+ $(msgs) $(debug) $(includes)  
#-----  
# General way to generate a ".obj" from a ".cpp"  
#-----  
.cpp.obj:  
    icc $(icccflags) $*.cpp  
#-----  
# Compile and link SAMPLE.CPP  
#-----  
sample.exe:      sample.obj  
    ilink sample.obj \  
        user32.lib kernel32.lib \  
        $(pcomm) \pcseclva.lib \  
        /DEBUG /OUT:sample.exe  
  
sample.obj:      sample.cpp
```

Microsoft Visual C++

The following sections describe how to prepare, compile, and link Microsoft Visual C++ applications that use the ECL. Personal Communications currently supports Microsoft Visual C++ compiler Version 4.2 and later.

Source Code Preparation

Programs that use ECL classes must include the ECL header files to obtain the class definitions and other compile-time information. Although it is possible to include only the subset of header files the application requires, for simplicity it is recommended that applications include all ECL header files using the ECLALL.HPP file.

Any C++ source file which contains references to ECL objects or definitions should have the following statement before the first reference:

```
#include "eclall.hpp"
```

Compiling

The compiler must be instructed to search the PCOMM subdirectory containing the ECL header files. This is done using the /I compiler option, or the Developer Studio Project Setting dialog.

The application must be compiled for multithreaded execution by using the /MT (for executable files), or /MD (for DLLs) compiler options.

Linking

The linker must be instructed to include the ECL linkable library file (PCSECLVC.LIB). This is done by specifying the fully qualified name of the library file on the linker command line, or by using the Developer Studio Project Settings dialog.

Executing

When an application that uses the ECL is executed, the PCOMM libraries must be found in the system path. By default, the PCOMM directory is added to the system path during PCOMM installation.

ECLBase Class

ECLBase is the base class for all ECL objects. It provides some basic utility methods such as the conversion of connection names and handles. Because all ECL objects inherit from this class, these methods can be used on any ECL object.

An application should not create objects of this class directly.

Derivation

None

ECLBase Methods

The following shows the methods that are valid for ECLBase classes.

```
int GetVersion(void)
char ConvertHandle2ShortName(long ConnHandle)
long ConvertShortName2Handle(char Name)
void ConvertTypeToString(int ConnType,char *Buff)
inline void ConvertPos(ULONG Pos, ULONG *Row, ULONG *Col, ULONG PSCols)
```

GetVersion

This method returns the version of the Host Access Class Library. The value returned is the decimal version number multiplied by 100. For example, version 1.02 would be returned as 102.

Prototype

```
int GetVersion(void)
```

Parameters

None

Return Value

int The ECL version number multiplied by 100.

Example

```
//-----
// ECLBase::GetVersion
//
// Display major version number of ECL library.
//-----
void Sample2() {

if (ECLBase::GetVersion() >= 200) {
    printf("Running version 2.0 or later.\n");
```

```

}
else {
    printf("Running version 1.XX\n");
}

} // end sample

```

ConvertHandle2ShortName

This method returns the name (A–Z or a-z) of the ECL connection handle specified. Note that this function may return a name even if the specified connection does not exist.

Prototype

```
char ConvertHandle2ShortName(long ConnHandle)
```

Parameters

long ConnHandle The handle of an ECL connection.

Return Value

char The name of the ECL connection in the range A–Z or a-z.

Example

```

//-----
// ECLBase::ConvertHandle2ShortName
//
// Display name of first connection in the connection list.
//-----
void Sample3() {

    ECLConnList ConnList;
    long Handle;
    char Name;

    if (ConnList.GetCount() > 0) {
        // Print connection name of first connection in the
        // connection list.
        Handle = ConnList.GetFirstConnection()->GetHandle();
        Name = ConnList.ConvertHandle2ShortName(Handle);
        printf("Name of first connection is: %c \n", Name);
    }
    else printf("There are no connections.\n");

} // end sample

```

ConvertShortName2Handle

This method returns the connection handle of the ECL connection with the specified name. The name must be in the range A–Z or a-z. Note that this function may return a handle even if the specified connection does not exist.

Prototype

```
char ConvertShortName2Handle(char Name)
```

Parameters

char Name The name of an ECL connection in the range A–Z or a-z.

Return Value

char The handle of the ECL connection.

Example

```
//-----
// ECLBase::ConvertShortName2Handle
//
// Display handle of connection 'A'.
//-----
void Sample4() {

    ECLConnList ConnList;
    Long Handle;
    char Name;

    Name = 'A';
    Handle = ConnList.ConvertShortName2Handle(Name);
    printf("Handle of connection A is: 0x%x\n", Handle);

} // end sample
```

ConvertTypeToString

This method converts a connection type returned by `ECLConnection::GetConnType()` into a null terminated string. The string returned is not language sensitive.

Prototype

```
void ConvertTypeToString(int ConnType,char *Buff)
```

Parameters

int ConnType The connection type and must be one of the `HOSTTYPE_*` constants defined in `ECLBASE.HPP`.

char *Buff A buffer of size `TYPE_MAXSTRLEN` as defined in `ECLBase.hpp` in which the string will be returned.

ConnType	Returned String
<code>HOSTTYPE_3270DISPLAY</code>	"3270 DISPLAY"
<code>HOSTTYPE_3270PRINTER</code>	"3270 PRINTER"
<code>HOSTTYPE_5250 DISPLAY</code>	"5250 PRINTER"
<code>HOSTTYPE_5250PRINTER</code>	"5250 PRINTER"
<code>HOSTTYPE_VT</code>	"ASCII TERMINAL"
<code>HOSTTYPE_PC</code>	"PC SESSION"
Any other value	"UNKNOWN"

Return Value

None

Example

```
//-----
// ECLBase::ConvertTypeToString
//
// Display type of connection 'A'.
//-----
void Sample5() {

    ECLConnection *pConn;
    char            TypeString[21];

    pConn = new ECLConnection('A');
```

```

pConn->ConvertTypeToString(pConn->GetConnType(), TypeString);
// Could also use:
// ECLBase::ConvertTypeToString(pConn->GetConnType(), TypeString);

printf("Session A is a %s \n", TypeString);

delete pConn;

} // end sample

```

ConvertPos

This method is an inline function (macro) to convert an ECL position coordinate into a row/column coordinate given a position and the width of the presentation space. This function is faster than using `ECLPS::ConvertPosToRowCol()` for applications that already know (or assume) the width of the presentation space.

Prototype

```
inline void ConvertPos(ULONG Pos, ULONG *Row, ULONG *Col, ULONG PSCols).
```

Parameters

ULONG Pos	The linear positional coordinate to be converted (input).
ULONG *Row	The pointer to the returned row number of the given position (output).
ULONG *Col	The pointer to the returned column number of the given position (output).
ULONG *PSCols	The number of columns in the host presentation space (input).

Return Value

None

Example

```

//-----
// ECLBase::ConvertPos
//
// Display row/column coordinate of a given point.
//-----
void Sample6() {

    ECLPS    *pPS;
    ULONG    NumRows, NumCols, Row, Col;

    try {
        pPS = new ECLPS('A');

        pPS->GetSize(&NumRows, &NumCols); // Get height and width of PS

        // Get row/column coordinate of position 81
        ECLBase::ConvertPos(81, &Row, &Col, NumCols);
        printf("Position 81 is row %lu, column %lu \n", Row, Col);

        delete pPS;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample

```

ECLConnection Class

ECLConnection contains connection-related information for a given connection. This object can be created directly by an application, and is also created indirectly by the ECLConnList object or when creating any object that inherits from ECLConnection (for example, ECLSession).

The information returned by the methods of this object are current as of the time the method is called.

ECLConnection is inherited by ECLSession, ECLPS, ECLOIA, ECLWinMetrics, and ECLXfer.

Derivation

ECLBase > ECLConnection

ECLConnection Methods

The following shows the methods that are valid for ECLConnection classes.

```

ECLConnection(char ConnName)
ECLConnection(long ConnHandle)
~ECLConnection()
long GetHandle()
int GetConnType()
int GetEncryptionLevel()
char GetName()
BOOL IsStarted()
BOOL IsCommStarted()
BOOL IsAPIEnabled()
BOOL IsReady()
BOOL IsDBCSHost()
unsigned int GetCodePage()
void StartCommunication()
void StopCommunication()
void RegisterCommEvent(ECLCommNotify *NotifyObject, BOOL InitEvent = TRUE)
void UnregisterCommEvent(ECLCommNotify *NotifyObject)

```

ECLConnection Constructor

This method constructs an ECLConnection object from either a connection name or a handle.

Prototype

```
ECLConnection(long ConnHandle)
```

```
ECLConnection(char ConnName)
```

Parameters

long ConnHandle	Handle of connection to create a connection object.
char ConnName	Name (A-Z or a-z) of connection to create a connection object.

Return Value

None

ECLConnection

Example

```
//-----  
// ECLConnection::ECLConnection (Constructor)  
//  
// Create two connection objects for connection 'A', one created  
// by name, the other by handle.  
//-----  
void Sample7() {  
  
    ECLConnection *pConn1, *pConn2;  
    long          Hand;  
  
    try {  
        pConn1 = new ECLConnection('A');  
        Hand   = pConn1->GetHandle();  
        pConn2 = new ECLConnection(Hand); // Another ECLConnection for 'A'  
  
        printf("Conn1 is for connection %c, Conn2 is for connection %c.\n",  
              pConn1->GetName(), pConn2->GetName());  
  
        delete pConn1; // Call destructors  
        delete pConn2;  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

ECLConnection Destructor

This method destroys an ECLConnection object.

Prototype

```
~ECLConnection()
```

Parameters

None

Return Value

None

Example

```
//-----  
// ECLConnection::~ECLConnection (Destructor)  
//  
// Create two connection objects, then delete both of them.  
//-----  
void Sample8() {  
  
    ECLConnection *pConn1, *pConn2;  
    long          Hand;  
  
    try {  
        pConn1 = new ECLConnection('A');  
        Hand   = pConn1->GetHandle();  
        pConn2 = new ECLConnection(Hand); // Another ECLConnection for 'A'  
  
        printf("Conn1 is for connection %c, Conn2 is for connection %c.\n",  
              pConn1->GetName(), pConn2->GetName());  
    }  
}
```

```

        delete pConn1; // Call destructors
        delete pConn2;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
}

} // end sample

```

GetCodePage

This method returns the host code page for which the connection is configured.

Prototype

```
unsigned int GetCodePage()
```

Parameters

None

Return Value

unsigned int Host code page of the connection.

Example

```

//-----
// ECLConnection::GetCodePage
//
// Display host code page for each ready connection.
//-----
void Sample16() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object

    for (Info = ConnList.GetFirstConnection();
         Info != NULL;
         Info = ConnList.GetNextConnection(Info)) {

        if (Info->IsReady())
            printf("Connection %c is configured for host code page %u.\n",
                  Info->GetName(), Info->GetCodePage());
    }

} // end sample

```

GetHandle

This method returns the handle of the connection. This handle uniquely identifies the connection and may be used in other ECL functions that require a connection handle.

Prototype

```
long GetHandle()
```

Parameters

None

Return Value

long Connection handle of the ECLConnection object.

Example

The following example shows how to return the handle of the first connection in the connection list.

```
//-----  
// ECLConnection::GetHandle  
//  
// Get the handle of connection 'A' and use it to create another  
// connection object.  
//-----  
void Sample9() {  
  
    ECLConnection *pConn1, *pConn2;  
    long          Hand;  
  
    try {  
        pConn1 = new ECLConnection('A');  
        Hand   = pConn1->GetHandle();  
        pConn2 = new ECLConnection(Hand); // Another ECLConnection for 'A'  
  
        printf("Conn1 is for connection %c, Conn2 is for connection %c.\n",  
              pConn1->GetName(), pConn2->GetName());  
  
        delete pConn1; // Call destructors  
        delete pConn2;  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

GetConnType

This method returns the connection type. This connection type may change over time (for example, you may reconfigure the connection for a different host). The application should not assume the connection type is fixed. See below for connection types returned.

Note: The `ECLBase::ConvertTypeToString` function converts the connection type to a null terminated string.

Prototype

```
int GetConn Type()
```

Parameters

None

Return Value

int Connection type constant (`HOSTTYPE_*` from `HOSTBASE.HPP`). The following table shows the value returned and its meaning.

Value Returned	Meaning
<code>HOSTTYPE_3270DISPLAY</code>	3270 display
<code>HOSTTYPE_3270PRINTER</code>	3270 printer
<code>HOSTTYPE_5250DISPLAY</code>	5250 display

HOSTTYPE_5250PRINTER	5250 printer
HOSTTYPE_VT	ASCII VT display
HOSTTYPE_UNKNOWN	Unknown connection type

Example

The following example shows how use the GetConnType method to return the connection type.

```
//-----
// ECLConnection::GetConnType
//
// Find the first 3270 display connection in the current list of
// all connections.
//-----
void Sample10() {

    ULONG      i;          // Connection counter
    ECLConnList ConnList;  // Connection list object
    ECLConnection *Info=NULL; // Pointer to connection object

    for (i=0; i<ConnList.GetCount(); i++) {

        Info = ConnList.GetNextConnection(Info);
        if (Info->GetConnType() == HOSTTYPE_3270DISPLAY) {
            // Found the first 3270 display connection
            printf("First 3270 display connection is '%c'.\n",
                Info->GetName());
            return;
        }
    }

    // for
    printf("Found no 3270 display connections.\n");

    // end sample
}
```

GetName

This method returns the connection name (a single, alphabetic character from A–Z or a–z) of the connection. This name also corresponds to the EHLLAPI session ID.

Prototype

```
char GetName()
```

Parameters

None

Return Value

char Connection short name.

Example

The following example shows how to use the GetName method to return the connection name.

```
//-----
// ECLConnection::GetName
//
// Find the first 3270 display connection in the current list of
// all connections and display its name (PComm session ID).
```

ECLConnection

```
//-----  
void Sample11() {  
  
    ULONG    i;           // Connection counter  
    ECLConnList ConnList; // Connection list object  
    ECLConnection *Info=NULL; // Pointer to connection object  
  
    for (i=0; i<ConnList.GetCount(); i++) {  
  
        Info = ConnList.GetNextConnection(Info);  
        if (Info->GetConnType() == HOSTTYPE_3270DISPLAY) {  
            // Found the first 3270 display connection, display the name  
            printf("First 3270 display connection is '%c'.\n",  
                Info->GetName());  
            return;  
        }  
  
    } // for  
    printf("Found no 3270 display connections.\n");  
  
} // end sample
```

GetEncryptionLevel

This method returns the encryption level of the current connection.

Prototype

```
int GetEncryptionLevel()
```

Parameters

None

Return Value

int Encryption level constant. The following table shows the value returned and its meaning.

Value Returned	Meaning
ENCRYPTION_NONE	No Encryption
ENCRYPTION_40BIT	40 bit encryption
ENCRYPTION_56BIT	56 bit encryption
ENCRYPTION_128BIT	128 bit encryption
ENCRYPTION_168BIT	168 bit encryption
ENCRYPTION_NOKEY	Encrypted without a key

Example

The following example shows how use the GetEncryptionLevel method to return the encryption level.

```
//-----  
// ECLConnection::GetEncryptionLevel  
//  
// Display the encryption level of session A  
//  
//-----  
void SampleEL()  
{  
    int EncryptionLevel = 0; //Encryption Level
```

```

ECLConnection * Info = NULL; //Pointer to connection object

Info = new ECLConnection('A');
If (Info != NULL)
{
    EncryptionLevel = Info->GetEncryptionLevel();
    switch (EncryptionLevel)
    {
    case ENCRYPTION_NONE:
        printf("Encryption Level = None");
        break;
    case ENCRYPTION_40BIT:
        printf("Encryption Level = 40 BIT");
        break;
    case ENCRYPTION_56BIT:
        printf("Encryption Level = 56 BIT");
        break;
    case ENCRYPTION_128BIT:
        printf("Encryption Level = 128 BIT");
        break;
    case ENCRYPTION_168BIT:
        printf("Encryption Level = 168 BIT");
        break;

        default:
    }
}
}
}

```

IsStarted

This method indicates if the connection is started. A started connection may or may not be connected to a host. Use the IsCommStarted function to determine if the connection is currently connected to a host.

Prototype

```
BOOL IsStarted()
```

Parameters

None

Return Value

BOOL TRUE value if the connection is started; FALSE value if the connection is not started.

Example

```

//-----
// ECLConnection::IsStarted
//
// Display list of all started connections. Note they may or may
// not be communications-connected to a host, and may or may not
// be visible on the screen.
//-----
void Sample12() {

    ECLConnection *Info; // Pointer to connection object
    ECLConnList ConnList; // Connection list object

    // Print list of started connections

```

ECLConnection

```
for (Info = ConnList.GetFirstConnection();
    Info != NULL;
    Info = ConnList.GetNextConnection(Info)) {

    if (Info->IsStarted())
        printf("Connection %c is started.\n", Info->GetName());
}

} // end sample
```

IsCommStarted

This method indicates if the connection is currently connected to the host (for example, it indicates if host communications is active for the connection). This function returns a FALSE value if the connection is not started (see "IsStarted" on page 25).

Prototype

BOOL IsCommStarted()

Parameters

None

Return Value

BOOL TRUE value if the connection is connected to the host; FALSE value if the connection is not connected to the host.

Example

```
//-----
// ECLConnection::IsCommStarted
//
// Display list of all started connections which are currently
// in communications with a host.
//-----
void Sample13() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;   // Connection list object

    for (Info = ConnList.GetFirstConnection();
        Info != NULL;
        Info = ConnList.GetNextConnection(Info)) {

        if (Info->IsCommStarted())
            printf("Connection %c is connected to a host.\n", Info->GetName());
    }

} // end sample
```

IsAPIEnabled

This method indicates if the connection is API-enabled. A connection that does not have API enabled cannot be used with the Host Access Class Library. This function returns a FALSE value if the connection is not started.

Prototype

BOOL IsAPIEnabled()

Parameters

None

Return Value

BOOL TRUE value if API is enabled; FALSE value if API is not enabled.

Example

```
//-----
// ECLConnection::IsAPIEnabled
//
// Display list of all started connections which have APIs enabled.
//-----
void Sample14() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object

    for (Info = ConnList.GetFirstConnection();
         Info != NULL;
         Info = ConnList.GetNextConnection(Info)) {

        if (Info->IsAPIEnabled())
            printf("Connection %c has APIs enabled.\n", Info->GetName());
    }

} // end sample
```

IsReady

This method indicates that the connection is ready, meaning the connection is started, connected, and API-enabled. This function is faster and easier than calling IsStarted, IsCommStarted, and IsAPIEnabled.

Prototype

```
BOOL IsReady()
```

Parameters

None

Return Value

BOOL TRUE if the connection is started, CommStarted, and API-enabled; FALSE if otherwise.

Example

```
//-----
// ECLConnection::IsReady
//
// Display list of all connections which are started, comm-connected
// to a host, and have APIs enabled.
//-----
void Sample15() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object

    for (Info = ConnList.GetFirstConnection();
         Info != NULL;
```

ECLConnection

```
        Info = ConnList.GetNextConnection(Info)) {  
        if (Info->IsReady())  
            printf("Connection %c is ready (started, comm-connected, API  
                enabled).\n", Info->GetName());  
        }  
  
    } // end sample
```

IsDBCSHost

This method indicates that the host is using a double byte character set (DBCS) code page.

Prototype

```
BOOL IsDBCSHost()
```

Parameters

None

Return Value

BOOL TRUE if the host code page is double byte;
otherwise FALSE

StartCommunication

This method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator communication menu and choosing Connect.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

```
//-----  
// ECLConnection::StartCommunication  
//  
// Start communications link for any connection which is currently  
// not comm-connected to a host.  
//-----  
void Sample17() {  
  
    ECLConnection *Info;    // Pointer to connection object  
    ECLConnList ConnList;  // Connection list object  
  
    for (Info = ConnList.GetFirstConnection();  
         Info != NULL;  
         Info = ConnList.GetNextConnection(Info)) {  
  
        if (!(Info->IsCommStarted())) {  
            printf("Starting comm-link for connection %c...\n", Info->GetName());  
            Info->StartCommunication();  
        }  
    }  
}
```

```

    }
}

} // end sample

```

StopCommunication

This methods disconnects the PCOMM emulator from the host data stream. This has the same effect as going to the PCOMM emulator communication menu and choosing Disconnect.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

Example

```

//-----
// ECLConnection::StopCommunication
//
// Stop comm-link for any connection which is currently connected
// to a host.
//-----
void Sample18() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object

    for (Info = ConnList.GetFirstConnection();
         Info != NULL;
         Info = ConnList.GetNextConnection(Info)) {

        if (Info->IsCommStarted()) {
            printf("Stopping comm-link for connection %c...\n", Info->GetName());
            Info->StopCommunication();
        }
    }

} // end sample

```

RegisterCommEvent

This member function registers an application object to receive notification of all communication link connect/disconnect events. To use this function, the application must create an object derived from the ECLCommNotify class. A pointer to that object is then passed to this registration function. *Implementation Restriction:* An application can register only one object for communication event notification.

After a notify object has been registered with this function, it will be called whenever the connections communication link with the host connects or disconnects. The object will receive notification for all communication events whether they are caused by the StartCommunication() function or explicitly by the user. This event should not be confused with the connection start/stop event which is triggered when a new PCOMM connection starts or stops.

ECLConnection

The optional `InitEvent` parameter causes an initial event to be generated when the object is registered. This can be useful to synchronize an event object with the current state of the communications link. If `InitEvent` is specified as `FALSE`, no initial event is generated when the object is registered. The default for this parameter is `TRUE`.

The application must call `UnregisterCommEvent()` before destroying the notification object. The object is automatically unregistered if the `ECLConnection` object where it is registered is destroyed.

See the description of “`ECLCommNotify Class`” on page 43 for more information.

Prototype

```
void RegisterCommEvent(ECLCommNotify *NotifyObject, BOOL InitEvent = TRUE)
```

Parameters

`ECLCommNotify *NotifyObject`

Pointer to an object derived from `ECLCommNotify` class.

`BOOL InitEvent`

Generate an initial event with the current state.

Return Value

None

Example

See “`ECLCommNotify Class`” on page 43 for an example of `ECLConnection::RegisterCommEvent`.

UnregisterCommEvent

This member function unregisters an application object previously registered for communication events with the `RegisterCommEvent()` function. A registered application notify object should not be destroyed without first calling this function to unregister it. If there is no notify object currently registered, or the registered object is not the `NotifyObject` passed in, this function does nothing (no error is thrown).

When a notify object is unregistered, its `NotifyStop()` member function will be called.

See the description of “`ECLCommNotify Class`” on page 43 for more information.

Prototype

```
void UnregisterCommEvent(ECLCommNotify *NotifyObject)
```

Parameters

`ECLCommNotify *NotifyObject`

This is a currently registered application notification object.

Return Value

None

Example

See “ECLCommNotify Class” on page 43 for an example of ECLConnection::UnregisterCommEvent.

ECLConnList Class

ECLConnList obtains information about all host connections on a given machine. An ECLConnList object contains a collection of all the connections that are currently known in the system.

The ECLConnList object contains a collection of ECLConnection objects. Each element of the collection contains information about a single connection. A connection in this list may be in any state (for example, stopped or disconnected). All started connections appear in this list. The ECLConnection object contains the state of the connection.

The list is a snapshot of the set of connections at the time this object is created, or the last time the Refresh method was called. The list is not dynamically updated as connections are started and stopped. An application can use the RegisterStartEvent member of the ECLConnMgr object to be notified of connection start and stop events.

An ECLConnList object may be created directly by the application or indirectly by the creation of an ECLConnMgr object.

Derivation

ECLBase > ECLConnList

Usage Notes

An ECLConnList object provides a static snapshot of current connections. The Refresh method is automatically called upon construction of the ECLConnList object. If you use the ECLConnList object right after construction it contains an accurate representation of the list of connections at that moment. However, you should call the Refresh method in the ECLConnList object before you start accessing it if some time has passed since its construction.

The application can iterate over the collection by using the GetFirstConnection and GetNextConnection methods. The object pointers returned by GetFirstConnection and GetNextConnection are valid only until the Refresh member is called, or the ECLConnList object is destroyed. The application can locate a specific connection of interest in the list using the FindConnection function. Like GetNextConnection, the returned pointer is valid only until the next Refresh or the ECLConnList object is destroyed.

The order of connections in the connection list is undefined. An application should not make any assumptions about the list order. The order of connections in the list does not change until the Refresh function is called.

An ECLConnList object is automatically created when an ECLConnMgr object is created. However, the ECLConnList object can be created without an ECLConnMgr object.

ECLConnList Methods

The following section describes the methods that are valid for the ECLConnList class.

```
ECLConnection * GetFirstConnection()
ECLConnection * GetNextConnection(ECLConnection *Prev)
ECLConnection * FindConnection(Long ConnHandle)
ECLConnection * FindConnection(char ConnName)
ULONG GetCount()
void Refresh()
```

ECLConnList Constructor

This method creates an ECLConnList object and initializes it with the current list of connections.

Prototype

```
ECLConnList();
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLConnList::ECLConnList      (Constructor)
//
// Dynamically construct a connection list object, display number
// of connections in the list, then delete the list.
//-----
void Sample19() {

ECLConnList *pConnList; // Pointer to connection list object

try {
    pConnList = new ECLConnList();
    printf("There are %lu connections in the connection list.\n",
        pConnList->GetCount());

    delete pConnList; // Call destructor
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

ECLConnList Destructor

This method destroys an ECLConnList object.

Prototype

```
~ECLConnList()
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLConnList::~ECLConnList      (Destructor)
//
// Dynamically construct a connection list object, display number
// of connections in the list, then delete the list.
//-----
void Sample20() {

    ECLConnList *pConnList; // Pointer to connection list object

    try {
        pConnList = new ECLConnList();
        printf("There are %lu connections in the connection list.\n",
            pConnList->GetCount());

        delete pConnList; // Call destructor
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

GetFirstConnection

The GetFirstConnection method returns a pointer to the first connection information object in the ECLConnList collection. See “ECLConnection Class” on page 19 for details on its contents. The returned pointer becomes invalid when the ECLConnList Refresh member is called or the ECLConnList object is destroyed. The application should not delete the returned object. If there are no connections in the list, NULL is returned.

Prototype

```
ECLConnection *GetFirstConnection()
```

Parameters

None

Return Value

ECLConnection * Pointer to the first ECLConnection object in the list. If there are no connections in the list, null is returned.

Example

```
//-----
// ECLConnection::GetFirstConnection
//
// Iterate over list of connections and display information about
// each one.
```

```
//-----
void Sample21() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object
    char TypeString[21];    // Type of connection

    for (Info = ConnList.GetFirstConnection();    // Get first one
         Info != NULL;                            // While there is one
         Info = ConnList.GetNextConnection(Info)) { // Get next one

        ECLBase::ConvertTypeToString(Info->GetConnType(), TypeString);
        printf("Connection %c is a %s type connection.\n",
              Info->GetName(), TypeString);
    }

} // end sample
```

GetNextConnection

This method returns a pointer to the next connection information object in the ECLConnList collection given a connection in the list. The application supplies a pointer to a connection previously returned by this function or GetFirstConnection. See “ECLConnection Class” on page 19 for details on its contents. The returned pointer is not valid after the next ECLConnList Refresh() call, or the ECLConnList object is destroyed. A NULL pointer is returned if there is an attempt to read past the end of the list. Successive calls to this method (supplying the prior pointer on each call) iterates over the list of connections. After the last connection is returned, subsequent calls return a NULL pointer. The first connection in the list can be obtained by supplying NULL for the previous connection.

Prototype

```
ECLConnection *GetNext Connection (ECLConnection *Prev)
```

Parameters

ECLConnection *Prev Pointer returned by prior call to this function, GetFirstConnection(), or NULL.

Return Value

ECLConnection * This is the pointer to the next ECLConnection object, or NULL if end of list.

Example

```
//-----
// ECLConnection::GetNextConnection
//
// Iterate over list of connections and display information about
// each one.
//-----
void Sample22() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object
    char TypeString[21];    // Type of connection

    for (Info = ConnList.GetFirstConnection();    // Get first one
```

```

        Info != NULL;                // While there is one
        Info = ConnList.GetNextConnection(Info) { // Get next one

        ECLBase::ConvertTypeToString(Info->GetConnType(), TypeString);
        printf("Connection %c is a %s type connection.\n",
            Info->GetName(), TypeString);
    }

} // end sample

```

FindConnection

This method searches the current connection list for the connection specified. The desired connection can be specified by handle or by name. There are two signatures for the FindConnection method. If the specified connection is found, a pointer to the ECLConnection object is returned. If the specified connection is not in the list, NULL is returned. The list is not automatically refreshed by this function; if a new connection has started since the list was constructed or refreshed it is not found. The returned pointer is to an object in the connection list maintained by the ECLConnList object. The returned pointer is invalid after the next ECLConnList::Refresh call or the ECLConnList object is destroyed.

Prototype

```
ECLConnection *FindConnection(Long ConnHandle),
```

```
ECLConnection *FindConnection(char ConnName)
```

Parameters

Long ConnHandle	Handle of the connection to find in the list.
char ConnName	Name of the connection to find in the list.

Return Value

ECLConnection *	Pointer to the requested ECLConnection object. If the specified connection is not in the list, NULL is returned.
------------------------	--

Example

```

//-----
// ECLConnection::FindConnection
//
// Find connection 'B' in the list of connections. If found, display
// its type.
//-----
void Sample23() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object
    char TypeString[21];    // Type of connection

    Info = ConnList.FindConnection('B'); // Find connection by name
    if (Info != NULL) {

        ECLBase::ConvertTypeToString(Info->GetConnType(), TypeString);
        printf("Connection 'B' is a %s type connection.\n",
            TypeString);
    }
}

```

ECLConnList

```
else printf("Connection 'B' not found.\n");
} // end sample
```

GetCount

This method returns the number of connections currently in the ECLConnList collection.

Prototype

```
ULONG GetCount()
```

Parameters

None

Return Value

ULONG Number of connections in the collection.

Example

```
//-----
// ECLConnList::GetCount
//
// Dynamically construct a connection list object, display number
// of connections in the list, then delete the list.
//-----
void Sample24() {

    ECLConnList *pConnList; // Pointer to connection list object

    try {
        pConnList = new ECLConnList();
        printf("There are %lu connections in the connection list.\n",
            pConnList->GetCount());

        delete pConnList; // Call destructor
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

Refresh

This method updates the ECLConnList collection with a list of all currently known connections in the system. All pointers previously returned by GetNextConnection, GetFirstConnection and FindConnection become invalid.

Prototype

```
void Refresh()
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLConnection::Refresh
//
// Loop-and-wait until connection 'B' is started.
//-----
void Sample25() {

    ECLConnection *Info;    // Pointer to connection object
    ECLConnList ConnList;  // Connection list object
    int i;

    printf("Waiting up to 60 seconds for connection B to start...\n");
    for (i=0; i<60; i++) { // Limit wait to 60 seconds
        ConnList.Refresh(); // Refresh the connection list
        Info = ConnList.FindConnection('B');
        if ((Info != NULL) && (Info->IsStarted())) {
            printf("Connection B is now started.\n");
            return;
        }
        Sleep(1000L);      // Wait 1 second and try again
    }

    printf("Connection 'B' not started after 60 seconds.\n");

} // end sample
```

ECLConnMgr Class

ECLConnMgr manages all Personal Communications connections on a given machine. It provides methods relating to the management of connections such as starting and stopping connections. It also creates an ECLConnList object to enumerate the list of all known connections on the system (see "ECLConnList Class" on page 31).

Derivation

ECLBase > ECLConnMgr

ECLConnMgr Methods

The following shows the methods that are valid with the ECLConnMgr class.

```
ECLConnMgr()
~ECLConnMgr()
ECLConnList * GetConnList()
void StartConnection(char *ConfigParms)
void StopConnection(Long ConnHandle, char *StopParms)
void RegisterStartEvent(ECLStartNotify *NotifyObject)
void UnregisterStartEvent(ECLStartNotify *NotifyObject)
```

ECLConnMgr Constructor

This method constructs an ECLConnMgr object.

Prototype

```
ECLConnMgr()
```

Parameters

None

Return Value

None

Example

```
//-----  
// ECLConnMgr::ECLConnMgr          (Constructor)  
//  
// Create a connection mangager object, start a new connection,  
// then delete the manager.  
//-----  
void Sample26() {  
  
    ECLConnMgr *pCM; // Pointer to connection manager object  
  
    try {  
        pCM = new ECLConnMgr(); // Create connection manager  
        pCM->StartConnection("profile=coax connname=e");  
        printf("Connection 'E' started with COAX profile.\n");  
        delete pCM;           // Delete connection manager  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

ECLConnMgr Destructor

This method destroys an ECLConnMgr object.

Prototype

~ECLConnMgr()

Parameters

None

Return Value

None

Example

```
//-----  
// ECLConnMgr::~ECLConnMgr        (Destructor)  
//  
// Create a connection mangager object, start a new connection,  
// then delete the manager.  
//-----  
void Sample27() {  
  
    ECLConnMgr *pCM; // Pointer to connection manager object  
  
    try {  
        pCM = new ECLConnMgr(); // Create connection manager  
        pCM->StartConnection("profile=coax connname=e");  
        printf("Connection 'E' started with COAX profile.\n");  
        delete pCM;           // Delete connection manager  
    }  
}
```



```

catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetConnList

This method returns a pointer to an ECLConnList object. See “ECLConnList Class” on page 31 for more information. The ECLConnList object is destroyed when the ECLConnMgr object is destroyed.

Prototype

```
ECLConnList * GetConnList()
```

Parameters

None

Return Value

ECLConnList * Pointer to an ECLConnList object

Example

```

//-----
// ECLConnMgr::GetConnList
//
// Use connection manager's connection list object to display
// number of connections (see also ECLConnList::GetCount).
//-----
void Sample28() {

    ECLConnMgr  CM; // Connection manager object

    printf("There are %lu connections in the connection list.\n",
           CM.GetConnList()->GetCount());

} // end sample

```

StartConnection

This method starts a new Personal Communications emulator connection. The ConfigParms string contains connection configuration information as explained under “Usage Notes.”

Prototype

```
void StartConnection(char *ConfigParms)
```

Parameters

char *ConfigParms Null terminated connection configuration string.

Return Value

None

Usage Notes

The connection configuration string is implementation-specific. Different implementations of the Host Access Class Library may require different formats or information in the configuration string. This call is asynchronous in nature; the new connection may not yet be started when this call returns. An application can use the RegisterStartEvent function to be notified when a connection starts.

For Personal Communications, the configuration string has the following format:
PROFILE=[\"<filename>\" [CONNNAME=<c>] [WINSTATE=<MAX|MIN|RESTORE|HIDE>]

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of each parameter is as follows:

PROFILE=<filename> Names the Personal Communications workstation profile (.WS file) that contains the connection configuration information. This parameter is not optional; a profile name must be supplied. If the file name contains blanks, the name must be enclosed in double quotation marks. The <filename> value may be either the profile name with no extension, the profile name with the .WS extension, or the fully-qualified profile name path.

CONNNAME=<c> Specifies the connection name (EHLLAPI short session ID) of the new connection. This value must be a single, alphabetic character (A-Z or a-z). If this value is not specified, the next available connection name is assigned automatically. If a connection already exists with the specified name an error is thrown (ERRMAJ_INVALID_SESSION).

WINSTATE=<MAX|MIN|RESTORE|HIDE> Specifies the initial state of the emulator window. The default if this parameter is not specified is RESTORE.

Note: Due to the asynchronous nature of this call, it is possible for this function to return without error, but the connection fails to start. For example, if two connections are started in a short period of time with the same connection name the second StartConnection does not fail because the first connection has not yet started. However, when the second connection finally attempts to register its name it does fail to start because the name is already in use by the first connection. To minimize this possibility, connections should be started without specifying the CONNNAME parameter if possible.

Example

The following is an example of the StartConnection method.

```
ECLConnMgr Manager; // Connection manager object

// Start a host connection "E" and check for errors

try {
    Manager.StartConnection("profile=coax connname=e");
}
catch (ECLErr Error) {
    MessageBox(NULL, Error.GetMsgText(), "Session start error!", MB_OK);
}
```

StopConnection

This method stops (terminates) the emulator connection identified by the connection handle. See "Usage Notes" on page 41 for contents of the StopParms string.

Prototype

```
void StopConnection(Long ConnHandle, char *StopParms)
```

Parameters

Long ConnHandle	Handle of the connection to be stopped.
char * StopParms	Null terminated connection stop parameter string.

Return Value

None

Usage Notes

The connection stop parameter string is implementation-specific. Different implementations of the Host Access Class Library may require a different format and contents of the parameter string. For Personal Communications the string has the following format:

```
[SAVEPROFILE=<YES|NO|DEFAULT>]
```

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of the SAVEPROFILE parameter is as follows:

SAVEPROFILE=<YES|NO|DEFAULT> controls the saving of the current connection configuration back to the workstation profile (.WS file). This causes the profile to be updated with any configuration changes you may have made during the connection. If NO is specified, the connection is stopped and the profile is not updated. If YES is specified, the connection is stopped and the profile is updated with the current (possibly changed) configuration. If DEFAULT is specified, the update option is controlled by the **File->Save On Exit** emulator menu option. If this parameter is not specified, DEFAULT is used.

Example

```
//-----
// ECLConnMgr::StopConnection
//
// Stop the first connection in the connection list.
//-----
void Sample29() {

    ECLConnMgr  CM; // Connection manager object

    if (CM.GetConnList()->GetCount() > 0) {

        printf("Stopping connection %c.\n",
               CM.GetConnList()->GetFirstConnection()->GetName());

        CM.StopConnection(
            CM.GetConnList()->GetFirstConnection()->GetHandle(),
            "saveprofile=no");
    }
    else printf("No connections to stop.\n");

} // end sample
```

RegisterStartEvent

This method registers an application object to receive notification of all connection start and stop events. To use this function, the application must create an object derived from the ECLStartNotify class. A pointer to that object is then passed to this registration function. *Implementation Restriction:* An application can register only one object for connection start or stop notification.

After a notify object has been registered with this function, it is called whenever a Personal Communications connection is started or stopped. The object receives notification for all connections whether they are started by the StartConnection function or explicitly by you. This event should not be confused with the start/stop Communication event, which is triggered when a connection connects or disconnects from a host system.

See "ECLStartNotify Class" on page 150 for more information.

Prototype

```
void RegisterStartEvent(ECLStartNotify *NotifyObject)
```

Parameters

ECLStartNotify *NotifyObject

Pointer to object derived from the ECLStartNotify class.

Return Value

None

Example

```
//-----  
// ECLConnMgr::RegisterStartEvent  
//  
// See "ECLStartNotify Class" on page 150 for example of this method.  
//-----
```

UnregisterStartEvent

This method unregisters an application object previously registered for connection start or stop events with the RegisterStartEvent function. A registered application notify object should not be destroyed without first calling this function to unregister it. If there is no notify object currently registered, or the registered object is not the NotifyObject passed in, this function does nothing (no error is thrown).

When a notify object is unregistered, its NotifyStop method is called.

See "ECLStartNotify Class" on page 150 for more information.

Prototype

```
void UnregisterStartEvent(ECLStartNotify *NotifyObject)
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLConnMgr::UnregisterStartEvent
//
// See "ECLStartNotify Class" on page 150 for example of this method.
//-----
```

ECLCommNotify Class

ECLCommNotify is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLCommNotify. The application must implement the NotifyEvent() member function in its derived class. It may also optionally implement NotifyError() and NotifyStop() member functions.

The ECLCommNotify class is used to allow an application to be notified of communications connect/disconnect events on a PCOMM connection. Connect/disconnect events are generated whenever a PCOMM connection (window) is connected or disconnected from a host system.

To be notified of communications connect/disconnect events, the application must perform the following steps:

1. Define a class derived from ECLCommNotify.
2. Implement the derived class and implement the NotifyEvent() member function.
3. Optionally implement the NotifyError() function, NotifyStop() function or both.
4. Create an instance of the derived class.
5. Register the instance with the ECLConnection::RegisterCommEvent() function.

The example shown demonstrates how this may be done. When the above steps are complete, each time a connection's communications link is connected or disconnected from a host, the applications NotifyEvent() member function will be called.

If an error is detected during event generation, the NotifyError() member function is called with an ECLerr object. Events may or may not continue to be generated after an error, depending on the nature of the error. When event generation terminates (either due to an error, by calling the ECLConnection::UnregisterCommEvent, or by destruction of the ECLConnection object) the NotifyStop() member function is called. However event notification is terminated, the NotifyStop() member function is always called, and the application object is unregistered.

If the application does not provide an implementation of the NotifyError() member function, the default implementation is used (a simple message box is displayed to the user). The application can override the default behavior by implementing the NotifyError() function in the applications derived class. Likewise, the default NotifyStop() function is used if the application does not provide this function (the default behavior is to do nothing).

Note that the application can also choose to provide its own constructor and destructor for the derived class. This can be useful if the application wants to store some instance-specific data in the class and pass that information as a parameter on the constructor. For example, the application may want to post a message to an application window when a communications event occurs. Rather than define the

ECLCommNotify

window handle as a global variable (so it would be visible to the NotifyEvent() function), the application can define a constructor for the class which takes the window handle and stores it in the class member data area.

The application must not destroy the notification object while it is registered to receive events.

Implementation Restriction: Currently the ECLConnection object allows only one notification object to be registered for communications event notification. The ECLConnection::RegisterCommEvent will throw an error if a notify object is already registered for that ECLConnection object.

Derivation

ECLBase > ECLNotify > ECLCommNotify

Example

```
//-----  
// ECLCommNotify class  
//  
// This sample demonstrates the use of:  
//  
// ECLCommNotify::NotifyEvent  
// ECLCommNotify::NotifyError  
// ECLCommNotify::NotifyStop  
// ECLConnection::RegisterCommEvent  
// ECLConnection::UnregisterCommEvent  
//-----  
  
//.....  
// Define a class derived from ECLCommNotify  
//.....  
class MyCommNotify: public ECLCommNotify  
{  
public:  
    // Define my own constructor to store instance data  
    MyCommNotify(HANDLE DataHandle);  
  
    // We have to implement this function  
    void NotifyEvent(ECLConnection *ConnObj, BOOL Connected);  
  
    // We choose to implement this function  
    void NotifyStop (ECLConnection *ConnObj, int Reason);  
  
    // We will take the default behaviour for this so we  
    // don't implement it in our class:  
    // void NotifyError (ECLConnection *ConnObj, ECLErr ErrObject);  
  
private:  
    // We will store our application data handle here  
    HANDLE MyDataH;  
};  
  
//.....  
void MyCommNotify::NotifyEvent(ECLConnection *ConnObj,  
                               BOOL Connected)  
  
//  
// This function is called whenever the communications link  
// with the host connects or disconnects.  
//  
// For this example, we will just write a message. Note that we  
// have access the the MyDataH handle which could have application
```

```

// instance data if we needed it here.
//
// The ConnObj pointer is to the ECLConnection object upon which
// this event was registered.
//.....
{
    if (Connected)
        printf("Connection %c is now connected.\n", ConnObj->GetName());
    else
        printf("Connection %c is now disconnected.\n", ConnObj->GetName());

    return;
}

//.....
MyCommNotify::MyCommNotify(HANDLE DataHandle) // Constructor
//.....
{
    MyDataH = DataHandle; // Save data handle for later use
}

//.....
void MyCommNotify::NotifyStop(ECLConnection *ConnObj,
                               int Reason)
//.....
{
    // When notification ends, display message
    printf("Comm link monitoring for %c stopped.\n", ConnObj->GetName());
}

//.....
// Create the class and start notification on connection 'A'.
//.....
void Sample30() {

    ECLConnection *Conn; // Ptr to connection object
    MyCommNotify *Event; // Ptr to my event handling object
    HANDLE InstData; // Handle to application data block (for example)

    try {
        Conn = new ECLConnection('A'); // Create connection obj
        Event = new MyCommNotify(InstData); // Create event handler

        Conn->RegisterCommEvent(Event); // Register for comm events

        // At this point, any comm link event will cause the
        // MyCommEvent::NotifyEvent() function to execute. For
        // this sample, we put this thread to sleep during this
        // time.

        printf("Monitoring comm link on 'A' for 60 seconds...\n");
        Sleep(60000);

        // Now stop event generation. This will cause the NotifyStop
        // member to be called.
        Conn->UnregisterCommEvent(Event);

        delete Event; // Don't delete until after unregister!
        delete Conn;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

ECLCommNotify Methods

The following section describes the methods that are valid for the ECLCommNotify class:

```
ECLCommNotify()
~ECLCommNotify()
virtual void NotifyEvent (ECLConnection *ConnObj, BOOL Connected) = 0
virtual void NotifyError (ECLConnection *ConnObj, ECLerr ErrObject)
virtual void NotifyStop (ECLConnection *ConnObj, int Reason)
```

NotifyEvent

This method is a “pure virtual” member function (the application *must* implement this function in classes derived from ECLCommNotify). This function is called whenever a connection starts or stops and the object is registered for start/stop events. The Connected BOOL is TRUE if the communications link is connected, or FALSE if it is not connected to the host.

Prototype

```
virtual void NotifyEvent (ECLConnection *ConnObj, BOOL Connected)
```

Parameters

ECLConnection *ConnObj This is the pointer to ECLConnection object where the event occurred.

BOOL Connected This is TRUE if comm link is connected and FALSE if disconnected.

Return Value

None

NotifyError

This method is called whenever the ECLConnection object detects an error during event generation. The error object contains information about the error (see “ECLerr Class” on page 47). Events may continue to be generated after the error, depending on the nature of the error. If the event generation stops due to an error, the NotifyStop() function is called. An application can choose to implement this function or allow the ECLCommNotify base class to handle the error. The base class will display the error in a message box using the text supplied by the ECLerr::GetMsgText() function. If the application implements this function in its derived class, it will override the base class function.

Prototype

```
virtual void NotifyError (ECLConnection *ConnObj, ECLerr ErrObject)
```

Parameters

ECLConnection *ConnObj This is the pointer to ECLConnection object in which the error occurred.

ECLerr ErrObject This is the ECLerr object describing the error.

Return Value

None

NotifyStop

This method is called when event generation is stopped for any reason (for example, due to an error condition or a call to ECLConnection::UnregisterCommEvent, etc.).

Implementation Note: the reason code is currently unused and will be zero.

Prototype

```
virtual void NotifyStop (ECLConnection *ConnObj, int Reason)
```

Parameters

ECLConnection *ConnObj This is the ptr to ECLConnection object that is stopping notification.

int Reason This is unused (zero).

Return Value

None

ECLErr Class

The ECLErr class provides a method of returning run-time error information from Host Access Class Library classes. In error situations, ECLErr objects are created and populated with error and diagnostic information. The ECLErr objects are then thrown as C++ exceptions. The error and diagnostic information can then be queried from the caught ECLErr object.

Applications should not create or throw ECLErr objects directly.

Derivation

ECLBase > ECLErr

ECLErr Methods

The following section describes the methods that are valid for the ECLErr class.

```
const int GetMsgNumber()
const int GetReasonCode()
const char *GetMsgText()
```

GetMsgNumber

This method returns the message number that was set when this ECLErr object was created. Error message numbers are described in ERRORIDS.HPP.

Prototype

```
const int GetMsgNumber()
```

Parameters

None

Return Value

const int The error message number.

Example

```
//-----
// ECLerr::GetMsgNumber
//
// Cause an 'invalid parameters' error and tryp the ECL exception.
// The extract the error number and language-sensitive text.
//-----
void Sample31() {
    ECLPS *PS = NULL;

    try {
        PS = new ECLPS('A');
        PS->SetCursorPos(999,999); // Invalid parameters
    }
    catch (ECLerr ErrObj) {
        printf("The following ECL error was trapped:\n");
        printf("%s \nError number: %lu\nReason code: %lu\n",
            ErrObj.GetMsgText(),
            ErrObj.GetMsgNumber(),
            ErrObj.GetReasonCode());
    }

    if (PS != NULL)
        delete PS;

} // end sample
```

GetReasonCode

This method gets the reason code (sometimes referred to as the secondary or minor return code) from the ECLerr object. This code is generally used for debugging and diagnostic purposes. It is subject to change in future versions of the Host Access Class Library and should not be used programmatically. Descriptions of the reason codes can be found in ERRORIDS.HPP.

Prototype

```
const int GetReasonCode()
```

Parameters

None

Return Value

const int The ECLerr reason code.

Example

```
//-----
// ECLerr::GetReasonCode
//
// Cause an 'invalid parameters' error and tryp the ECL exception.
// The extract the error number and language-sensitive text.
//-----
void Sample32() {
    ECLPS *PS = NULL;

    try {
        PS = new ECLPS('A');
        PS->SetCursorPos(999,999); // Invalid parameters
    }
    catch (ECLerr ErrObj) {
        printf("The following ECL error was trapped:\n");
    }
}
```

```

        printf("%s \nError number: %lu\nReason code: %lu\n",
            ErrObj.GetMsgText(),
            ErrObj.GetMsgNumber(),
            ErrObj.GetReasonCode());
    }

    if (PS != NULL)
        delete PS;

} // end sample

```

GetMsgText

This method returns the message text associated with the error code used to create this ECLerr object. The message text is returned in the language for which Personal Communications is currently installed.

Note: The returned pointer is invalid after the ECLerr object is deleted.

Prototype

```
const char *GetMsgText()
```

Parameters

None

Return Value

char * The message text associated with the error code that is part of this ECLerr object.

Example

```

//-----
// ECLerr::GetMsgText
//
// Cause an 'invalid parameters' error and try the ECL exception.
// The extract the error number and language-sensitive text.
//-----
void Sample33() {

    ECLPS *PS = NULL;

    try {
        PS = new ECLPS('A');
        PS->SetCursorPos(999,999); // Invalid parameters
    }
    catch (ECLerr ErrObj) {
        printf("The following ECL error was trapped:\n");
        printf("%s \nError number: %lu\nReason code: %lu\n",
            ErrObj.GetMsgText(),
            ErrObj.GetMsgNumber(),
            ErrObj.GetReasonCode());
    }

    if (PS != NULL)
        delete PS;

} // end sample

```

Usage Notes

The message text is retrieved from the Personal Communications message facility.

ECLField Class

ECLField contains information for a given field in an ECLFieldList object contained by an ECLPS object. An application should not create an object of this type directly. ECLField objects are created indirectly by the ECLFieldList object.

An ECLField object describes a single field of the host presentation space. It has methods for querying various attributes of the field and for updating the text of the field (for example, modifying the field text). Field attributes cannot be modified.

Derivation

ECLBase > ECLField

Copy-Constructor and Assignment Operator

This object supports copy-construction and assignment. This is useful for an application that wants to easily capture fields on a host screen for later processing. Rather than allocate text buffers and copy the string contents of the field, the application can simply store the field in a private ECLField object. The stored copy retains all the function of an ECLField object including the field's text value, attributes, starting position, length, etc. For example, suppose an application wanted to capture the first input field of the screen. Table 1 shows two ways this could be accomplished.

Table 1. Copy-Construction and Assignment Examples

Save the field as a string	Save the field as an ECLField object
<pre>#include "eclall.hpp" { char *SavePtr; // Ptr to saved string ECLPS Ps('A'); // PS object ECLFieldList *List; ECLField *Fld; // Get fld list and rebuild it List = Ps->GetFieldList(); List->Refresh(); // See if there is an input field Fld = List->GetFirstField(GetUnmodified); if (Fld !=NULL) { // Copy the field's text value SavePtr=malloc(Fld->Length() + 1); Fld->GetScreen(SavePtr, Fld->Length()+1); } // We now have captured the field text</pre>	<pre>#include "eclall.hpp" { ECLField SaveFld; // Saved field ECLPS Ps('A'); // PS object ECLFieldList *List; ECLField *Fld; // Get fld list and rebuild it List = Ps->GetFieldList(); List->Refresh(); // See if there is an input field Fld = List->GetFirstField(GetUnmodified); if (Fld !=NULL) { // Copy the field object SaveFld = *Fld; } // We now have captured the field text // including text, position, attrib</pre>

There are several advantages to using an ECLField object instead of a string to store a field:

- The ECLField object does all storage management of the field's text buffer; the application does not have to allocate or free text buffers or calculate the size of the buffer required.
- The saved field retains all of the characteristics of the original field including its attributes and starting position. All of the usual ECLField member functions can

be used on the stored field except `SetText()`. Note that the stored field is a copy of the original — its values are not updated when the host screen changes or when the `ECLFieldList::Refresh()` function is called. As a result, the field can be stored and used later in the application.

Assignment operator overrides are also provided for character strings and long integer value types. These overrides make it easy to assign new string or numeric values to unprotected fields. For example, the following sets the first two input fields of the screen:

```
ECLField *Fld1; //Ptr to 1st unprotected field in field list
ECLField *Fld2; // PTR to 2nd unprotected field in field list
```

```
Fld1 = FieldList->GetFirstField(GetUnprotected);
Fld2 = FieldList->GetNextField(Fld1, GetUnprotected);
if ((Fld1 == NULL) || (Fld2 == NULL)) return;
```

```
*Fld1 = "Easy string assignment";
*Fld2 = 1087;
```

Notes:

1. ECLField objects initialized by copy-construction or assignment are read-only copies of the original field object. The `SetText()` method is invalid for such an object and will cause an `ECLerr` exception to be thrown. Because the objects are copies, they are not updated or deleted when the original field object is updated or deleted. The application is responsible for deleting copies of field objects when they are no longer needed.
2. Calling any method on an uninitialized ECLField object will return undefined results.
3. An ECLField object created by the application can be reassigned any number of times.
4. Assignments can only be made from another ECLField object, a character string, or a long integer value. Assigning any other data type to an ECLField object is invalid.
5. If an assignment is made to an ECLField object that currently is part of an ECLFieldList, the effect is to update only the field's text value. This is allowed only if the field object is an unprotected field. For example, the following will modify the 2nd input field of the screen by copying the value from the 1st input field:

```
ECLField *Fld1; // Ptr to 1st unprotected field in field list
ECLField *Fld2; // Ptr to 2nd unprotected field in field list
```

```
Fld1 = FieldList->GetFirstField(GetUnprotected);
Fld2 = FieldList->GetNextField(Fld1, GetUnprotected);
if ((Fld1 == NULL) || (Fld2 == NULL)) return;
```

```
// Update the 2nd input field using text from the first
FLD2 = * Fld1;
```

Because `Fld2` is part of an `ECLFieldList`, the above assignment is identical to:

```
{ char temp[Fld1->GetLength()+1];
  Fld1->GetText(temp, Fld1->GetLength()+1);
  Fld2->SetText(temp);
  delete []temp;
}
```

Note that this will throw an ECLerr exception if Fld2 is protected. Also note that only the text of Fld2 is updated, not its attributes, position, or length.

6. Assigning a string to a field object is equivalent to calling the SetText() method. You can also assign numeric values without first converting to strings:

```
*Field = 1087;
```

This is equivalent to converting the number to a string and then calling the SetText() method.

ECLField Methods

The following section describes the methods that are valid for the ECLField class.

```
ULONG GetStart()
void GetStart(ULONG *Row, ULONG *Col)
ULONG GetStartRow()
ULONG GetStartCol()
ULONG GetEnd()
void GetEnd(ULONG *Row, ULONG *Col)
ULONG GetEndRow()
ULONG GetEndCol()
ULONG GetLength()
ULONG GetScreen(char *Buff, ULONG BuffLen, PS_PLANE Plane = TextPlane)
void SetText(char *text)
BOOL IsModified()
BOOL IsProtected()
BOOL IsNumeric()
BOOL IsHighIntensity()
BOOL IsPenDetectable()
BOOL IsDisplay()
unsigned char GetAttribute()
```

The following methods are valid for the ECLField class and are supported for Japanese code page 1390/1399 on a Unicode session:

```
ULONG GetScreen(WCHAR *Buff, ULONG BuffLen, PS_PLANE Plane = TextPlane)
void SetText(WCHAR *text)
```

GetStart

This method returns the position in the presentation space of the first character of the field. There are two signatures for the GetStart method. ULONG GetStart returns the position as a linear value with the upper left corner of the presentation space being "1". void GetStart(ULONG *Row, ULONG *Col) returns the position as a row and column coordinate.

Prototype

```
ULONG GetStart(),
```

```
void GetStart(ULONG *Row, ULONG *Col)
```

Parameters

ULONG *Row

This output parameter is a pointer to the row value to be updated.

ULONG *Col This output parameter is a pointer to the column value to be updated.

Return Value

ULONG Position in the presentation space represented as a linear array.

Example

The following example shows how to return the position in the presentation space of the first character of the field.

```

/-----
// ECLField::GetStart
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
//-----
void Sample34() {

ECLPS      *pPS;          // Pointer to PS object
ECLFieldList *pFieldList; // Pointer to field list object
ECLField    *pField;     // Pointer to field object

try {
    pPS = new ECLPS('A');          // Create PS object for 'A'

    pFieldList = pPS->GetFieldList(); // Get pointer to field list
    pFieldList->Refresh();           // Build the field list

    printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
    for (pField = pFieldList->GetFirstField(); // First field
         pField != NULL; // While more
         pField = pFieldList->GetNextField(pField)) { // Next field

        printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu)
              Length(%04lu)\n",
              pField->GetStart(), pField->GetStartRow(),
              pField->GetStartCol(),
              pField->GetEnd(), pField->GetEndRow(),
              pField->GetEndCol(), pField->GetLength());
    }
    delete pPS;
}
catch (ECLerr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetStartRow

This method returns the starting row position of a given field in the ECLFieldList collection for the connection associated with the ECLPS object.

Prototype

ULONG GetStartRow()

Parameters

None

Return Value

ULONG This is the starting row of a given field.

Example

```

/-----
// ECLField::GetStartRow
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
/-----
void Sample34() {

ECLPS      *pPS;          // Pointer to PS object
ECLFieldList *pFieldList; // Pointer to field list object
ECLField    *pField;     // Pointer to field object

try {
    pPS = new ECLPS('A');          // Create PS object for 'A'

    pFieldList = pPS->GetFieldList(); // Get pointer to field list
    pFieldList->Refresh();           // Build the field list

    printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
    for (pField = pFieldList->GetFirstField(); // First field
         pField != NULL; // While more
         pField = pFieldList->GetNextField(pField)) { // Next field

        printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu) Length(%04lu)\n",
               pField->GetStart(), pField->GetStartRow(), pField->GetStartCol(),
               pField->GetEnd(), pField->GetEndRow(),
               pField->GetEndCol(), pField->GetLength());
    }
    delete pPS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetStartCol

This method return the starting column position of a given field in the ECLFieldList collection for the connection associated with the ECLPS object.

Prototype

ULONG GetStartCol()

Parameters

None

Return Value

ULONG This is the starting column of a given field.

Example

```

/-----
// ECLField::GetStartCol
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
/-----
void Sample34() {

ECLPS      *pPS;          // Pointer to PS object
ECLFieldList *pFieldList; // Pointer to field list object
ECLField    *pField;     // Pointer to field object

```



```

try {
    pPS = new ECLPS('A');           // Create PS object for 'A'

    pFieldList = pPS->GetFieldList(); // Get pointer to field list
    pFieldList->Refresh();           // Build the field list

    printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
    for (pField = pFieldList->GetFirstField(); // First field
         pField != NULL; // While more
         pField = pFieldList->GetNextField(pField)) { // Next field

        printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu)
              Length(%04lu)\n",
              pField->GetStart(), pField->GetStartRow(),
              pField->GetStartCol(),
              pField->GetEnd(), pField->GetEndRow(),
              pField->GetEndCol(), pField->GetLength());
    }
    delete pPS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetEnd

This method returns the position in the presentation space of the last character of the field. There are two signatures for the GetEnd method. `ULONG GetEnd` returns the position as a linear value with the upper left corner of the presentation space being "1". `void GetEnd(ULONG *Row, ULONG *Col)` returns the position as a row and column coordinate.

Prototype

`ULONG GetEnd()`

`void GetEnd(ULONG *Row, ULONG *Col)`

Parameters

ULONG *Row This output parameter is a pointer to the row value to be updated.

ULONG *Col This output parameter is a pointer to the column value to be updated.

Return Value

ULONG Position in the presentation space represented as a linear array.

Example

The following example shows how to return the position in the presentation space of the last character of the field.

```

/-----
// ECLField::GetEnd
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
//-----
void Sample34() {
    ECLPS      *pPS;           // Pointer to PS object

```

ECLField

```
ECLFieldList *pFieldList; // Pointer to field list object
ECLField *pField; // Pointer to field object

try {
    pPS = new ECLPS('A'); // Create PS object for 'A'

    pFieldList = pPS->GetFieldList(); // Get pointer to field list
    pFieldList->Refresh(); // Build the field list

    printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
    for (pField = pFieldList->GetFirstField(); // First field
        pField != NULL; // While more
        pField = pFieldList->GetNextField(pField)) { // Next field

        printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu)
            Length(%04lu)\n",
            pField->GetStart(), pField->GetStartRow(),
            pField->GetStartCol(),
            pField->GetEnd(), pField->GetEndRow(),
            pField->GetEndCol(), pField->GetLength());
    }
    delete pPS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

GetEndRow

This method returns the ending row position of the field.

Prototype

ULONG GetEndRow()

Parameters

None

Return Value

ULONG This is the ending row in a given field.

Example

```
/-----
// ECLField::GetEndRow
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
//-----
void Sample34() {

    ECLPS *pPS; // Pointer to PS object
    ECLFieldList *pFieldList; // Pointer to field list object
    ECLField *pField; // Pointer to field object

    try {
        pPS = new ECLPS('A'); // Create PS object for 'A'

        pFieldList = pPS->GetFieldList(); // Get pointer to field list
        pFieldList->Refresh(); // Build the field list

        printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
        for (pField = pFieldList->GetFirstField(); // First field
            pField != NULL; // While more
            pField = pFieldList->GetNextField(pField)) { // Next field
```

```

        printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu)
        Length(%04lu)\n",
        pField->GetStart(), pField->GetStartRow(),
        pField->GetStartCol(),
        pField->GetEnd(), pField->GetEndRow(),
        pField->GetEndCol(), pField->GetLength());
    }
    delete pPS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}
} // end sample

```

GetEndCol

This method returns the ending column position of a field.

Prototype

ULONG GetEndCol()

Parameters

None

Return Value

ULONG This is the ending row in a given field.

Example

```

/-----
// ECLField::GetEndCol
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
//-----
void Sample34() {
    ECLPS      *pPS;           // Pointer to PS object
    ECLFieldList *pFieldList; // Pointer to field list object
    ECLField   *pField;       // Pointer to field object

    try {
        pPS = new ECLPS('A'); // Create PS object for 'A'

        pFieldList = pPS->GetFieldList(); // Get pointer to field list
        pFieldList->Refresh();           // Build the field list

        printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
        for (pField = pFieldList->GetFirstField(); // First field
            pField != NULL; // While more
            pField = pFieldList->GetNextField(pField)) { // Next field

            printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu)
            Length(%04lu)\n",
            pField->GetStart(), pField->GetStartRow(),
            pField->GetStartCol(),
            pField->GetEnd(), pField->GetEndRow(),
            pField->GetEndCol(), pField->GetLength());
        }
        delete pPS;
    }
    catch (ECLErr Err) {

```

```

    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetLength

This method returns the length of the field. The length includes the entire field even if it spans multiple lines of the presentation space. It does not include the field attribute character that starts the field.

Prototype

```
ULONG GetLength()
```

Parameters

None

Return Value

ULONG Length of the field.

Example

The following example shows how to return the length of the field.

```

/-----
// ECLField::GetLength
//
// Iterate over list of fields and print each field
// starting pos, row, col, and ending pos, row, col.
//-----
void Sample34() {

    ECLPS      *pPS;           // Pointer to PS object
    ECLFieldList *pFieldList;  // Pointer to field list object
    ECLField   *pField;       // Pointer to field object

    try {
        pPS = new ECLPS('A');           // Create PS object for 'A'

        pFieldList = pPS->GetFieldList(); // Get pointer to field list
        pFieldList->Refresh();           // Build the field list

        printf("Start(Pos,Row,Col) End(Pos,Row,Col) Length(Len)\n");
        for (pField = pFieldList->GetFirstField(); // First field
             pField != NULL; // While more
             pField = pFieldList->GetNextField(pField)) { // Next field

            printf("Start(%04lu,%04lu,%04lu) End(%04lu,%03lu,%04lu) Length(%04lu)\n",
                  pField->GetStart(), pField->GetStartRow(), pField->GetStartCol(),
                  pField->GetEnd(), pField->GetEndRow(),
                  pField->GetEndCol(), pField->GetLength());
        }
        delete pPS;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample

```

GetScreen

The GetScreen method fills an application-supplied buffer with data from the field. The type of data copied to the buffer is selected with the optional Plane parameter. The default is to return the text plane data. The data returned is the field as it

existed at the time this field object was created; it will not reflect the current contents of the field if it has been updated since the ECLFieldList::Refresh function was called.

The length of the data returned is the length of the field (see “GetLength” on page 58). When the TextPlane is copied, an additional null terminating byte is added after the last data byte. Therefore, the application should provide a buffer that is at least 1 byte more than the field length when getting the text plane. If the application buffer is too small the returned data is truncated. The number of bytes of copied to the application buffer is returned as the function result (not including the null terminator for copies of the text plane).

The FieldPlane cannot be obtained with this function. The ECLField::GetAttribute can be used to obtain the field attribute value.

Prototype

```
ULONG GetScreen(char *Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
```

Parameters

char * Buff	Pointer to application buffer to be filled with field data.
ULONG BuffLen	Length of application buffer.
PS_PLANE Plane	Optional parameter. Enumeration which indicates what plane of field data is to be retrieved. Must be one of TextPlane, ColorPlane, or ExtendedFieldPlane.

Return Value

ULONG	Number of bytes copied to application buffer, not including trailing null character for TextPlane data.
--------------	---

1390/1399 Code Page Support

GetScreen is enabled for code page 1390/1399 on a Unicode session.

Prototype:

```
ULONG GetScreen(WCHAR *Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
```

Parameters:

WCHAR *Buff	Pointer to application buffer to be filled with field data.
ULONG BuffLen	Length of application buffer.
PS_PLANE Plane	Optional parameter. Enumeration which indicates what plane of field data is to be retrieved. Must be one of TextPlane, ColorPlane, or ExtendedFieldPlane.

Return Value:

ULONG	Number of bytes copied to application buffer, not including trailing null character for TextPlane data.
--------------	---

Example

The following example shows how to return a pointer to the field data indicated by the `Plane` parameter.

```

/-----
// ECLField::GetScreen
//
// Iterate over list of fields and print each fields text contents.
//-----
void Sample35() {

ECLPS      *PS;          // Pointer to PS object
ECLFieldList *FieldList; // Pointer to field list object
ECLField   *Field;      // Pointer to field object
char       *Buff;       // Screen data buffer
ULONG      BuffLen;

try {
    PS = new ECLPS('A'); // Create PS object for 'A'

    BuffLen = PS->GetSize() + 1; // Make big enough for entire screen
    Buff = new char[BuffLen]; // Allocate screen buffer

    FieldList = PS->GetFieldList(); // Get pointer to field list
    FieldList->Refresh(); // Build the field list

    for (Field = FieldList->GetFirstField(); // First field
         Field != NULL; // While more
         Field = FieldList->GetNextField(Field)) { // Next field

        Field->GetScreen(Buff, BuffLen); // Get this fields text
        printf("%02lu,%02lu: %s\n", // Print "row,col: text"
              Field->GetStartRow(),
              Field->GetStartCol(),
              Buff);
    }
    delete []Buff;
    delete PS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

SetText

This method populates a given field in the presentation space with the character string passed in as text. If the text exceeds the length of the field, the text is truncated. If the text is shorter than the field, the field is padded with nulls.

Prototype

```
void SetText(char *text)
```

Parameters

char *text Null terminated string to set in field.

Return Value

None

1390/1399 Code Page Support

SetText is enabled for code page 1390/1399 on a Unicode session.

Prototype:

```
void SetText(WCHAR *text)
```

Parameters:

WCHAR *text Null terminated string to set in field.

Return Value: None

Example

The following example shows how to populate a given field in the presentation space with the character string passed in as text.

```
//-----
// ECLField::SetText
//
// Set the field that contains row 2, column 10 to a value.
//-----
void Sample36() {

ECLPS      *PS;           // Pointer to PS object
ECLFieldList *FieldList; // Pointer to field list object
ECLField    *Field;      // Pointer to field object

try {
    PS = new ECLPS('A');           // Create PS object for 'A'
    FieldList = PS->GetFieldList(); // Get pointer to field list
    FieldList->Refresh();           // Build the field list

    // If the field at row 2 col 10 is an input field, set
    // it to a new value.
    Field = FieldList->FindField(2, 10); // Find field at this location
    if (Field != NULL) {
        if (!Field->IsProtected()) // Make sure its an input field
            Field->SetText("Way cool!"); // Assign new field text
        else
            printf("Position 2,10 is protected.\n");
    }
    else printf("Cannot find field at position 2,10.\n");

    delete PS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

IsModified, IsProtected, IsNumeric, IsHighIntensity, IsPenDetectable, IsDisplay

This method determines if a given field in the presentation space has a particular attribute. The method returns a TRUE value if the field has the attribute or a FALSE value if the field does not have the attribute.

Prototype

```
BOOL IsModified()
```

```
BOOL IsProtected()
```

```
BOOL IsNumeric()
```

ECLField

BOOL IsHighIntensity()

BOOL IsPenDetectable()

BOOL IsDisplay()

Parameters

None

Return Value

BOOL Returns a TRUE value if the attribute is present; a FALSE value if the attribute is not present.

Example

The following example shows how to determine if a given field has an attribute.

```
//-----  
// ECLField::IsModified  
// ECLField::IsProtected  
// ECLField::IsNumeric  
// ECLField::IsHighIntensity  
// ECLField::IsPenDetectable  
// ECLField::IsDisplay  
//  
// Iterate over list of fields and print each fields attributes.  
//-----  
void Sample37() {  
  
    ECLPS      *PS;           // Pointer to PS object  
    ECLFieldList *FieldList; // Pointer to field list object  
    ECLField    *Field;      // Pointer to field object  
  
    try {  
        PS = new ECLPS('A'); // Create PS object for 'A'  
  
        FieldList = PS->GetFieldList(); // Get pointer to field list  
        FieldList->Refresh();           // Build the field list  
  
        for (Field = FieldList->GetFirstField(); // First field  
             Field != NULL; // While more  
             Field = FieldList->GetNextField(Field)) { // Next field  
  
            printf("Field at %02lu,%02lu is: ",  
                  Field->GetStartRow(), Field->GetStartCol());  
  
            if (Field->IsProtected())  
                printf("Protect ");  
            else  
                printf("Input  ");  
  
            if (Field->IsModified())  
                printf("Modified ");  
            else  
                printf("Unmodified ");  
  
            if (Field->IsNumeric())  
                printf("Numeric ");  
            else  
                printf("Alphanum ");  
  
        }  
    }  
}
```



```

        if (Field->IsHighIntensity())
            printf("HiIntensity ");
        else
            printf("Normal    ");

        if (Field->IsPenDetectable())
            printf("Penable ");
        else
            printf("NoPen   ");

        if (Field->IsDisplay())
            printf("Display \n");
        else
            printf("Hidden  \n");
    }
    delete PS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

//-----

```

GetAttribute

This method returns the attribute of the field. The value returned contains the bit flags for each of the possible field attributes (modified, protected, numeric, high intensity, pen, and display). See Appendix B, “ECL Planes — Format and Content,” on page 403 for more details on these bits. There is a method provided for each type of attribute (for example, IsModified or IsHighIntensity). This method can be used to obtain complete attribute information in a single call.

Prototype

```
unsigned char GetAttribute()
```

Parameters

None

Return Value

unsigned char Attribute bits of the field.

Example

The following example shows how to return the attribute of the field.

```

/ ECLField::GetAttribute
//
// Iterate over list of fields and print each fields attribute
// value.
//-----
void Sample38() {

    ECLPS      *PS;           // Pointer to PS object
    ECLFieldList *FieldList; // Pointer to field list object
    ECLField   *Field;       // Pointer to field object

    try {
        PS = new ECLPS('A'); // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list
    }
}

```

ECLField

```
for (Field = FieldList->GetFirstField();    // First field
     Field != NULL;                        // While more
     Field = FieldList->GetNextField(Field)) { // Next field

    printf("Attribute value for field at %021u,%021u is: 0x%02x\n",
           Field->GetStartRow(), Field->GetStartCol(),
           Field->GetAttribute());
}
delete PS;
}
catch (ECLerr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

ECLFieldList Class

The ECLFieldList class performs operations on a list of fields in a host presentation space. An application should not create an ECLFieldList object directly, but only indirectly by creating an ECLPS object.

ECLFieldList contains a collection of all the fields in the presentation space. Each element of the collection is an ECLField object. See “ECLField Class” on page 50 for details on its properties and methods.

An ECLFieldList object provides a static snapshot of what the presentation space contained when the Refresh method was called. If the presentation space is updated after the call to Refresh(), the field list does not reflect those changes. An application must explicitly call Refresh to refresh the field list.

Once an application has called Refresh it can begin walking through the collection of fields using GetFirstField and GetNextField. If the location of a field is known, FindField can be used to locate it in the list directly.

Note: All ECLField object pointers returned by GetFirstField, GetNextField, and FindField become invalid when Refresh is called or the ECLFieldList object is destroyed.

Derivation

ECLBase > ECLFieldList

Properties

None

ECLFieldList Methods

The following section describes the methods that are valid for the ECLFieldList class.

```
void Refresh(PS_PLANE Planes)
ULONG GetFieldCount()
ECLField * GetFirstField()
ECLField *GetNextField(ECLField *Prev)
ECLField * FindField(ULONG Pos)
ECLField * FindField(ULONG Row, ULONG Col)
ECLField *FindField(char* text, PS_DIR DIR=SrchForward);
ECLField *FindField(char* text, ULONG Pos, PS_DIR DIR=SrchForward);
ECLField *FindField(char* text, ULONG Row, ULONG Col, PS_DIR DIR=SrchForward);
```

Refresh

This method gets a snapshot of all the fields currently in the presentation space. All ECLField object pointers previously returned by this object become invalid. To improve performance, the field data can be limited to the planes of interest. Note that the TextPlane and FieldPlane are always obtained.

Prototype

```
void Refresh(PS_PLANE Planes=TextPlane)
```

Parameters

PS_PLANE Planes	Plane for which fields are built. Valid values are TextPlane , ColorPlane , FieldPlane , ExfieldPlane , and AllPlanes (to build for all). This is an enumeration defined in ECLPS.HPP. This optional parameter defaults to TextPlane.
------------------------	--

Return Value

None

Example

The following example shows how to use the Refresh method to get a snapshot of all the fields currently in the presentation space.

```
///-----
// ECLFieldList::Refresh
//
// Display number of fields on the screen.
//-----
void Sample39() {
    ECLPS      *PS;           // Pointer to PS object
    ECLFieldList *FieldList; // Pointer to field list object

    try {
        PS = new ECLPS('A');           // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list

        printf("There are %lu fields on the screen of connection %c.\n",
            FieldList->GetFieldCount(), PS->GetName());

        delete PS;
    }
    catch (ECLErr Err) {
```

ECLFieldList

```
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

-----
```

GetFieldCount

This method returns the number of fields present in the ECLFieldList collection (based on the most recent call to the Refresh method).

Prototype

```
ULONG GetFieldCount()
```

Parameters

None

Return Value

ULONG Number of fields in the ECLFieldList collection.

Example

The following example shows how to use the GetFieldCount method to return the number of fields present in the ECLFieldList collection.

```
//-----
// ECLFieldList::GetFieldCount
//
// Display number of fields on the screen.
//-----
void Sample40() {

    ECLPS          *PS;           // Pointer to PS object
    ECLFieldList *FieldList;     // Pointer to field list object

    try {
        PS = new ECLPS('A');           // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list

        printf("There are %lu fields on the screen of connection %c.\n",
            FieldList->GetFieldCount(), PS->GetName());

        delete PS;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

GetFirstField

This method returns a pointer to the first ECLField object in the collection. ECLFieldList contains a collection of ECLField objects. See “ECLField Class” on page 50 for more information. The method returns a NULL pointer if there are no fields in the collection.

Prototype

```
ECLField * GetFirstField();
```

Parameters

None

Return Value

ECLField * Pointer to an ECLField object. If there are no fields in the connection, a null is returned.

Example

The following example shows how to use the GetFirstField method to return a pointer to the first ECLField object in the collection.

```

/-----
// ECLFieldList::GetFirstField
//
// Display starting position of every input (unprotected) field.
//-----
void Sample41() {

ECLPS      *PS;           // Pointer to PS object
ECLFieldList *FieldList; // Pointer to field list object
ECLField    *Field;      // Pointer to field object

try {
    PS = new ECLPS('A');           // Create PS object for 'A'

    FieldList = PS->GetFieldList(); // Get pointer to field list
    FieldList->Refresh();           // Build the field list

    // Iterate over (only) unprotected fields
    printf("List of input fields:\n");
    for (Field = FieldList->GetFirstField(GetUnprotected);
         Field != NULL;
         Field = FieldList->GetNextField(Field, GetUnprotected)) {

        printf("Input field starts at %021u,%021u\n",
              Field->GetStartRow(), Field->GetStartCol());
    }
    delete PS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetNextField

This method returns the next ECLField object in the collection after a given object. If there are no more objects in the collection after the given object, a NULL pointer is returned. An application can make repeated calls to this method to iterate over the ECLField objects in the collection.

Prototype

ECLField *GetNextField(ECLField *Prev)

Parameters

ECLField *Prev A pointer to any ECLField object in the collection. The returned pointer will be the next object after this one. If this value is NULL a pointer to the first object in the collection is returned. This pointer is a

pointer returned by the GetFirstField, GetNextField, or FindField member functions.

Return Value

ECLField * A pointer to the next object in the collection. If there are no more objects in the collection after the Prev object, NULL is returned.

Example

The following example shows how to use the GetNextFieldInfo method to return a pointer to the next ECLField object in the collection.

```

//-----
// ECLFieldList::GetNextField
//
// Display starting position of every input (unprotected) field.
//-----
void Sample42() {

    ECLPS      *PS;          // Pointer to PS object
    ECLFieldList *FieldList; // Pointer to field list object
    ECLField   *Field;      // Pointer to field object

    try {
        PS = new ECLPS('A'); // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list

        // Iterate over (only) unprotected fields
        printf("List of input fields:\n");
        for (Field = FieldList->GetFirstField(GetUnprotected);
             Field != NULL;
             Field = FieldList->GetNextField(Field, GetUnprotected)) {

            printf("Input field starts at %021u,%021u\n",
                  Field->GetStartRow(), Field->GetStartCol());
        }
        delete PS;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample

```

FindField

This method finds a field in the ECLFieldList collection using either text or a position. The position can be either a linear position or a row, column position. If a field contains the text or the position, a pointer to an ECLField object for that field is returned. The returned pointer is to an object in the field list collection. NULL is returned if the field is not found. When searching for text, the search begins at row1 column1 unless you specify a starting position. Also for text, this method will search forward in the list as a default; however, you can specify the direction to search explicitly.

Note: A search for text will be successful even if the text spans multiple fields. The field object returned will be the field where the found text begins.

Prototype

```

ECLField *FindField(ULONG Pos);
ECLField *FindField(ULONG Row, ULONG Col);
ECLField *FindField(char* text, PS_DIR DIR=SrchForward);
ECLField *FindField(char* text, ULONG Pos, PS_DIR DIR=SrchForward);
ECLField *FindField(char* text, ULONG Row, ULONG Col, PS_DIR
DIR=SrchForward);

```

Parameters

ULONG Pos	Linear position to search for OR linear position to begin text search.
ULONG Row	Row position to search for OR row to begin text search.
ULONG Col	Column position to search for OR column to begin text search.
char *text	String to search
PS_DIR Dir	Direction to search

Return Value

ECLField *	Pointer to an ECLField object if field is found. NULL if field is not found. Returned pointer is invalid after the next call to Refresh.
-------------------	--

Example

The following is an example of the FindField method.

```

//-----
// ECLFieldList::FindField
//
// Display the field which contains row 2 column 10. Also find
// the first field containing a particular string.
//-----
void Sample43() {
    ECLPS      *PS;           // Pointer to PS object
    ECLFieldList *FieldList; // Pointer to field list object
    ECLField   *Field;       // Pointer to field object
    char       Buff[4000];

    try {
        PS = new ECLPS('A'); // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list

        // Find by row,column coordinate

        Field = FieldList->FindField(2, 10);
        if (Field != NULL) {
            Field->GetText(Buff, sizeof(Buff));
            printf("Field at 2,10: %s\n", Buff);
        }
        else printf("No field found at 2,10.\n");

        // Find by text. Note that text may span fields, this
        // will find the field in which the text starts.

        Field = FieldList->FindField("IBM");

```

```
    if (Field != NULL) {
        printf("String 'IBM' found in field that starts at %lu,%lu.\n",
            Field->GetStartRow(), Field->GetStartCol());
    }
    else printf("String 'IBM' not found.\n");

    delete PS;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

//-----
```

ECLKeyNotify Class

ECLKeyNotify is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLKeyNotify. The application must implement the NotifyEvent() member function in its derived class. It may also optionally implement NotifyError() and NotifyStop() member functions.

The ECLKeyNotify class is used to allow an application to be notified of keystroke events. The application can also choose to filter (remove) the keystrokes so they are not sent to the host screen, or replace them with other keystrokes. Keystroke notifications are queued so that the application will always receive a notification for each and every keystroke. Only keystrokes made by the real physical keyboard are detected by this object; keystrokes sent to the host by other ECL objects (such as ECLPS::SendKeys) do not cause keystroke notification events.

To be notified of keystroke events, the application must perform the following steps:

1. Define a class derived from ECLKeyNotify.
2. Implement the derived class and implement the NotifyEvent() member function.
3. Optionally implement the NotifyError() and/or NotifyStop() functions.
4. Create an instance of the derived class.
5. Register the instance with the ECLPS::RegisterKeyEvent() function.

The example shown demonstrates how this may be done. When the above steps are complete, each keystroke in the emulator window will cause the applications NotifyEvent() member function to be called. The function is passed parameters indicating the type of keystroke (plain ASCII key, or special function key), and the value of the key (a single ASCII character, or a keyword representing a function key). The application may perform any functions required in the NotifyEvent() procedure, including calling other ECL functions such as ECLPS::SendKeys(). The application returns a value from NotifyEvent() to indicate if the keystroke is to be filtered or not (return 1 to filter (discard) the keystroke, return 0 to have it processed normally).

If an error is detected during keystroke event generation, the NotifyError() member function is called with an ECLErr object. Keystroke events may or may not continue to be generated after an error, depending on the nature of the error. When event generation terminates (either due to an error, by calling ECLPS::UnregisterKeyEvent, or by destruction of the ECLPS object) the

NotifyStop() member function is called. However event notification is terminated, the NotifyStop() member function is always called, and the application object is unregistered.

If the application does not provide an implementation of the NotifyError() member function, the default implementation is used (a simple message box is displayed to the user). The application can override the default behavior by implementing the NotifyError() function in the applications derived class. Likewise, the default NotifyStop() function is used if the application does not provide this function (the default behavior is to do nothing).

Note that the application can also choose to provide its own constructor and destructor for the derived class. This can be useful if the application wants to store some instance-specific data in the class and pass that information as a parameter on the constructor. For example, the application may want to post a message to an application window when a keystroke occurs. Rather than define the window handle as a global variable (so it would be visible to the NotifyEvent() function), the application can define a constructor for the class which takes the window handle and stores it in the class member data area.

The application must not destroy the notification object while it is registered to receive events.

The same instance of a keystroke notification object can be registered with multiple ECLPS objects to receive keystrokes for multiple connections. Thus an application can use a single instance of this object to process keystrokes on any number of sessions. The member functions are passed a pointer to the ECLPS object for which the event occurred so an application can distinguish between events on different connections. The sample shown uses the same object to process keystrokes on two connections.

Implementation Restriction: Currently the ECLPS object allows only one notification object to be registered for a given connection. The ECLPS::RegisterKeyEvent will throw an error if a notify object is already registered for that ECLPS object.

Derivation

ECLBase > ECLNotify > ECLKeyNotify

Example

The following is an example of how to construct and use an ECLKeyNotify object.

```
// ECLKeyNotify class
//
// This sample demonstrates the use of:
//
// ECLKeyNotify::NotifyEvent
// ECLKeyNotify::NotifyError
// ECLKeyNotify::NotifyStop
// ECLPS::RegisterKeyEvent
// ECLPS::UnregisterKeyEvent
//-----
//.....
// Define a class derived from ECLKeyNotify
//.....
class MyKeyNotify: public ECLKeyNotify
{
```

ECLKeyNotify

```
public:
    // Define my own constructor to store instance data
    MyKeyNotify(HANDLE DataHandle);

    // We have to implement this function
    virtual int NotifyEvent(ECLPS *PSObj, char const KeyType[2],
                           const char * const KeyString);

    // We choose to implement this function
    void NotifyStop (ECLPS *PSObj, int Reason);

    // We will take the default behaviour for this so we
    // don't implement it in our class:
    // void NotifyError (ECLPS *PSObj, ECLErr ErrObject);

private:
    // We will store our application data handle here
    HANDLE MyDataH;
};

//.....
MyKeyNotify::MyKeyNotify(HANDLE DataHandle) // Constructor
//.....
{
    MyDataH = DataHandle; // Save data handle for later use
}

//.....
int MyKeyNotify::NotifyEvent(ECLPS *PSObj,
                             char const KeyType[2],
                             const char * const KeyString)
//.....
{
    // This function is called whenever a keystroke occurs. We will
    // just do something simple: when the user presses PF1 we will
    // send a PF2 to the host instead. All other keys will be unchanged.

    if (KeyType[0] == 'M') { // Is this a mnemonic keyword?
        if (!strcmp(KeyString, "[pf1]")) { // Is it a PF1 key?
            PSObj->SendKeys("[pf2]"); // Send PF2 instead
            printf("Changed PF1 to PF2 on connection %c.\n",
                  PSObj->GetName());
            return 1; // Discard this PF1 key
        }
    }

    return 0; // Process key normally
}

//.....
void MyKeyNotify::NotifyStop (ECLPS *PSObj, int Reason)
//.....
{
    // When notification ends, display message
    printf("Keystroke intercept for connection %c stopped.\n", PSObj->GetName());
}

//.....
// Create the class and start keystroke processing on A and B.
//.....
```

```

void Sample44() {
    ECLPS *PSA, *PSB;          // PS objects
    MyKeyNotify *Event;       // Ptr to my event handling object
    HANDLE InstData;          // Handle to application data block (for example)

    try {
        PSA = new ECLPS('A');          // Create PS objects
        PSB = new ECLPS('B');
        Event = new MyKeyNotify(InstData); // Create event handler

        PSA->RegisterKeyEvent(Event);    // Register for keystroke events
        PSB->RegisterKeyEvent(Event);    // Register for keystroke events
        // At this point, any keystrokes on A or B will cause the
        // MyKeyEvent::NotifyEvent() function to execute. For
        // this sample, we put this thread to sleep during this
        // time.

        printf("Processing keystrokes for 60 seconds on A and B...\n");
        Sleep(60000);

        // Now stop event generation. This will cause the NotifyStop
        // member to be called.
        PSA->UnregisterKeyEvent(Event);
        PSB->UnregisterKeyEvent(Event);

        delete Event; // Don't delete until after unregister!
        delete PSA;
        delete PSB;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

    } // end sample

//-----

```

ECLKeyNotify Methods

The following section describes the methods that are valid for the ECLKeyNotify class.

```

virtual int NotifyEvent (ECLPS *PSObj, char const KeyType [2],
                        const char * const KeyString ) =0
virtual void NotifyError (ELLPS *PSObj, ECLErr ErrObject)
virtual void NotifyStop (ELLPS *PSObj, int Reason)

```

NotifyEvent

This method is a “pure virtual” member function (the application *must* implement this function in classes derived from ECLKeyNotify). This function is called whenever a keystroke event occurs and the object is registered for keystroke events. The return value indicates the disposition of the keystroke (return 1 to discard, 0 to process).

Prototype

```

virtual int NotifyEvent (ECLPS *PSObj, char const KeyType [2], const char * const
KeyString ) =0

```

Parameters

ECLPS *PSObj	This is a ptr to ECLPS object in which the event occurred.
char const KeyType[2]	This is a null terminated 1-char string indicating the type of key: A = Plain ASCII keystroke M = Mnemonic keyword
const char * const KeyString	This is a null terminated string containing the keystroke or mnemonic keyword. Keywords will always be in lowercase (for example, "[enter]"). See Appendix A, "Sendkeys Mnemonic Keywords," on page 399 for a list of mnemonic keywords.

Return Value

int	This is the filter indicator. 1 = Filter (discard) keystroke 0 = Process keystroke (send to host)
------------	---

NotifyError

This method is called whenever the ECLPS object detects an error during keystroke event generation. The error object contains information about the error (see "ECLErr Class" on page 47). Keystroke events may continue to be generated after the error, depending on the nature of the error. If keystroke event generation stops due to an error, the NotifyStop() function will be called.

Prototype

virtual void NotifyError (ELLPS *PSobj, ECLErr ErrObject)

Parameters

ECLPS *PSObj	This is the ptr to ECLPS object in which the error occurred.
ECLErr ErrObject	This is the ECLErr object describing the error.

Return Value

None

NotifyStop

This method is called when keystroke event generation is stopped for any reason (for example, due to an error condition, a call to ECLPS::UnregisterKeyEvent, destruction of the ECLPS object, etc.).

Prototype

virtual void NotifyStop (ELLPS *PSObj, int Reason)

Parameters

ECLPS *PSObj	This is the ptr to ECLPS object in which events are stopping.
int Reason	This is unused (zero).

Return Value

None

ECLListener Class

ECLListener is the base class for all HACL "listener" objects. Listeners are objects which are registered to receive particular types of asynchronous events. Methods on the listener objects are called when events occur or errors are detected.

There are no public methods on the ECLListener class.

Derivation

ECLBase > ECLListener

Usage Notes

Applications do not use this class directly, but create instances of classes which are derived from it (for example, ECLPSListener).

ECLOIA Class

ECLOIA provides Operator Information Area (OIA) services.

Because ECLOIA is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See "ECLConnection Class" on page 19 for more information.

The ECLOIA object is created for the connection identified upon construction. You may create an ECLOIA object by passing either the connection name (a single, alphabetic character from A-Z or a-z) or the connection handle, which is usually obtained from the ECLConnList object. There can be only one Personal Communications connection with a given name or handle open at a time.

Derivation

ECLBase > ECLConnection > ECLOIA

Usage Notes

The ECLSession class creates an instance of this object. If the application does not need other services, this object may be created directly. Otherwise, consider using an ECLSession object to create all the objects needed.

ECLOIA Methods

The following section describes the methods that are valid for the ECLOIA class.

```
ECLOIA(char ConnName)
ECLOIA(long ConnHandle)
~ECLOIA()
BOOL IsAlphanumeric()
BOOL IsAPL()
BOOL IsKatakana()
BOOL IsHiragana()
BOOL IsDBCS()
BOOL IsUpperShift()
BOOL IsNumeric()
```

ECLOIA

```
BOOL IsCapsLock()
BOOL IsInsertMode()
BOOL IsCommErrorReminder()
BOOL IsMessageWaiting()
BOOL WaitForInputReady( long nTimeout = INFINITE )
BOOL WaitForAppAvailable( long nTimeout = INFINITE )
BOOL WaitForSystemAvailable( long nTimeout = INFINITE )
BOOL WaitForTransition( BYTE nIndex = 0xFF, long nTimeout = INFINITE )
INHIBIT_REASON InputInhibited()
ULONG GetStatusFlags()
```

ECLOIA Constructor

This method creates an ECLOIA object from a connection name (a single, alphabetic character from A-Z or a-z) or a connection handle. There can be only one Personal Communications connection started with a given name.

Prototype

```
ECLOIA(char ConnName)
```

```
ECLOIA(long ConnHandle)
```

Parameters

char ConnName One-character short name of the connection (A-Z or a-z).

long ConnHandle Handle of an ECL connection.

Return Value

None

Example

The following example shows how to create an ECLOIA object using the connection name.

```
// ECLOIA::ECLOIA                      (Constructor)
//
// Build an OIA object from a name, and another from a handle.
//-----
void Sample45() {

    ECLOIA *OIA1, *OIA2;     // Pointer to OIA objects
    ECLConnList ConnList;   // Connection list object

    try {
        // Create OIA object for connection 'A'
        OIA1 = new ECLOIA('A');

        // Create OIA object for first connection in conn list
        OIA2 = new ECLOIA(ConnList.GetFirstConnection()->GetHandle());

        printf("OIA #1 is for connection %c, OIA #2 is for connection %c.\n",
               OIA1->GetName(), OIA2->GetName());
        delete OIA1;
        delete OIA2;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
}
```

```
} // end sample
```

IsAlphanumeric

This method checks to determine if the OIA indicates that the cursor is at an alphanumeric location.

Prototype

```
BOOL IsAlphanumeric()
```

Parameters

None

Return Value

BOOL TRUE if the keyboard is in alphanumeric mode;
FALSE if the keyboard is not in alphanumeric mode.

Example

The following example shows how to determine if the OIA indicates that the keyboard is in alphanumeric mode.

```
//-----
// ECL0IA::IsAlphanumeric
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample46() {

    ECL0IA OIA('A'); // OIA object for connection A

    if (OIA.IsAlphanumeric())
        printf("Alphanumeric.\n");
    else
        printf("Not Alphanumeric.\n");

} // end sample
```

IsAPL

This method checks to determine if the OIA indicates that the keyboard is in APL mode.

Prototype

```
BOOL IsAPL()
```

Parameters

None

Return Value

BOOL TRUE if the keyboard is in APL mode; FALSE if the keyboard is not in APL mode.

Example

The following example shows how to determine if the OIA indicates that the keyboard is in APL mode.

```
//-----
// ECL0IA::IsAPL
//
```

ECLOIA

```
// Determine status of connection 'A' OIA indicator
//-----
void Sample47() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsAPL())
        printf("APL.\n");
    else
        printf("Not APL.\n");

} // end sample

//-----
```

IsKatakana

This method checks to determine if the OIA indicates that Katakana characters are enabled.

Prototype

```
BOOL IsKatakana()
```

Parameters

None

Return Value

BOOL TRUE if Katakana characters are enabled; FALSE if Katakana characters are not enabled.

Example

The following example shows how to determine if the OIA indicates that Katakana characters are enabled.

```
// ECLOIA::IsKatakana
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample48() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsKatakana())
        printf("Katakana.\n");
    else
        printf("Not Katakana.\n");

} // end sample
```

IsHiragana

This method checks to determine if the OIA indicates that Hiragana characters are enabled.

Prototype

```
BOOL IsHiragana()
```

Parameters

None

Return Value

BOOL TRUE if Hiragana characters are enabled; FALSE if Hiragana characters are not enabled.

Example

```
//-----
// ECLOIA::IsHiragana
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample49() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsHiragana())
        printf("Hiragana.\n");
    else
        printf("Not Hiragana.\n");

} // end sample
```

IsDBCS

This method checks to determine if the OIA indicates that the cursor is at a Double Byte Character Set (DBCS) location.

Prototype

BOOL IsDBCS()

Parameters

None

Return Value

BOOL TRUE if the DBCS characters are enabled; FALSE if the DBCS characters are not enabled.

Example

The following example shows how to determine if the OIA indicates that double byte character set (DBCS) characters are enabled.

```
//-----
// ECLOIA::IsDBCS
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample50() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsDBCS())
        printf("DBCS.\n");
    else
        printf("Not DBCS.\n");

} // end sample
```

IsUpperShift

This method checks to determine if the OIA indicates that the keyboard is in upper shift mode.

Prototype

BOOL IsUpperShift()

Parameters

None

Return Value

BOOL TRUE if the keyboard is in upper shift mode;
FALSE if the keyboard is not in upper shift mode.

Example

The following example shows how to determine if the OIA indicates that the keyboard is in upper shift mode.

```
//-----
// ECL0IA::IsUpperShift
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample51() {

    ECL0IA OIA('A'); // OIA object for connection A

    if (OIA.IsUpperShift())
        printf("UpperShift.\n");
    else
        printf("Not UpperShift.\n");

} // end sample
```

IsNumeric

This method checks to determine if the OIA indicates that the cursor is at a numeric-only location.

Prototype

BOOL IsNumLock()

Parameters

None

Return Value

BOOL TRUE if Numeric is on; FALSE if not Numeric.

Example

The following example shows how to determine if the OIA indicates that the cursor is at a numeric location.

```
//-----
// ECL0IA::IsNumeric
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample52() {

    ECL0IA OIA('A'); // OIA object for connection A

    if (OIA.IsNumeric())
        printf("Numeric.\n");
    else
        printf("Not Numeric.\n");

} // end sample
```

IsCapsLock

This method checks to determine if the OIA indicates that the keyboard has Caps Lock on.

Prototype

```
BOOL IsCapsLock()
```

Parameters

None

Return Value

BOOL TRUE if Caps Lock is on; FALSE if Caps Lock is not on.

Example

The following example shows how to determine if the OIA indicates that the keyboard has Caps Lock on.

```
//-----
// ECL0IA::IsCapsLock
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample53() {

    ECL0IA OIA('A'); // OIA object for connection A

    if (OIA.IsCapsLock())
        printf("CapsLock.\n");
    else
        printf("Not CapsLock.\n");

} // end sample
```

IsInsertMode

This method checks to determine if the OIA indicates that the keyboard is in insert mode.

Prototype

```
BOOL IsInsertMode()
```

Parameters

None

Return Value

BOOL TRUE if the keyboard is in insert mode; FALSE if the keyboard is not in insert mode.

Example

The following example shows how to determine if the OIA indicates that the keyboard is in insert mode.

```
//-----
// ECL0IA::IsInsertMode
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample54() {

    ECL0IA OIA('A'); // OIA object for connection A
```

```

if (OIA.IsInsertMode())
    printf("InsertMode.\n");
else
    printf("Not InsertMode.\n");

} // end sample

```

IsCommErrorReminder

This method checks to determine if the OIA indicates that a communications error reminder condition exists.

Prototype

BOOL IsCommErrorReminder()

Parameters

None

Return Value

BOOL TRUE if a condition exists; FALSE if a condition does not exist.

Example

The following example shows how to determine if the OIA indicates that a communications error reminder condition exists.

```

//-----
// ECLOIA::IsCommErrorReminder
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample55() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsCommErrorReminder())
        printf("CommErrorReminder.\n");
    else
        printf("Not CommErrorReminder.\n");

} // end sample

//

```

IsMessageWaiting

This method checks to determine if the OIA indicates that the message waiting indicator is on. This can only occur for 5250 connections.

Prototype

BOOL IsMessageWaiting()

Parameters

None

Return Value

BOOL TRUE if the message waiting indicator is on; FALSE if the indicator is not on.

Example

The following example shows how to determine if the OIA indicates that the message waiting indicator is on.

```

-----
// ECLOIA::IsMessageWaiting
//
// Determine status of connection 'A' OIA indicator
//-----
void Sample56() {

    ECLOIA OIA('A'); // OIA object for connection A

    if (OIA.IsMessageWaiting())
        printf("MessageWaiting.\n");
    else
        printf("Not MessageWaiting.\n");

} // end sample

```

WaitForInputReady

The WaitForInputReady method waits until the OIA of the connection associated with the autECLOIA object indicates that the connection is able to accept keyboard input.

Prototype

```
BOOL WaitForInputReady( long nTimeOut = INFINITE )
```

Parameters

long nTimeOut The maximum length of time to wait in milliseconds, this parameter is optional. The default is INFINITE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

WaitForSystemAvailable

The WaitForSystemAvailable method waits until the OIA of the session connected with the ECLOIA object indicates that session is connected to a host system.

Prototype

```
BOOL WaitForSystemAvailable( long nTimeOut = INFINITE )
```

Parameters

long nTimeOut The maximum length of time to wait in milliseconds, this parameter is optional. The default is INFINITE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

WaitForAppAvailable

The WaitForAppAvailable method waits while the OIA of the connected session indicates that the application is initialized and ready for use.

Prototype

`BOOL WaitForAppAvailable(long nTimeOut = INFINITE)`

Parameters

long nTimeOut	The maximum length of time to wait in milliseconds, this parameter is optional. The default is INFINITE.
----------------------	--

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

WaitForTransition

The WaitForTransition method waits for the value at the specified position in the OIA of the connected session to change.

Prototype

`BOOL WaitForTransition(BYTE nIndex = 0xFF, long nTimeOut = INFINITE)`

Parameters

BYTE nIndex	The 1 byte Hex position of the OIA to monitor. This parameter is optional. The default is 3.
long nTimeOut	The maximum length of time to wait in milliseconds, this parameter is optional. The default is INFINITE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

InputInhibited

This method returns an enumerated value that indicates whether input is inhibited or not. If input is inhibited, the reason for the inhibit can be determined. If input is inhibited for more than one reason the highest value enumeration is returned (for example, if there is a communications error and a protocol programming error, the ProgCheck value is returned).

Prototype

`INHIBIT_REASON InputInhibited ()`

Parameters

None

Return Value

INHIBIT_REASON	Returns one of the INHIBIT_REASON values as defined in ECLOIA.HPP. The value NotInhibited is returned if input is currently not inhibited.
-----------------------	--

Example

The following example shows how to determine whether input is inhibited or not.

```
//-----
// ECLOIA::InputInhibited
//
// Determine status of connection 'A' OIA indicator
//-----
```

```

void Sample57() {
    ECLOIA OIA('A'); // OIA object for connection A

    switch (OIA.InputInhibited()) {
    case NotInhibited:
        printf("Input not inhibited.\n");
        break;
    case SystemWait:
        printf("Input inhibited for SystemWait.\n");
        break;
    case CommCheck:
        printf("Input inhibited for CommCheck.\n");
        break;
    case ProgCheck:
        printf("Input inhibited for ProgCheck.\n");
        break;
    case MachCheck:
        printf("Input inhibited for MachCheck.\n");
        break;
    case OtherInhibit:
        printf("Input inhibited for OtherInhibit.\n");
        break;
    default:
        printf("Input inhibited for unknown reason.\n");
        break;
    }
} // end sample

```

GetStatusFlags

This method returns a set of status bits that represent various OIA indicators. This method can be used to collect a set of OIA indicators in a single call rather than making calls to several different IsXXX methods. Each bit returned represents a single OIA indicator where a value of 1 means the indicator is on (TRUE), and 0 means it is off (FALSE). A set of bitmask constants are defined in the ECLOIA.HPP header file for isolating individual indicators in the returned 32-bit value.

Prototype

ULONG GetStatusFlags()

Parameters

None

Return Value

ULONG

Set of bit flags defined as follows:

Bit Position	Mask Constant	Description
31 (msb)	OIAFLAG_ALPHANUM	IsAlphanumeric
30	OIAFLAG_APL	IsAPL
29	OIAFLAG_KATAKANA	IsKatakana
28	OIAFLAG_HIRAGANA	IsHiragana
27	OIAFLAG_DBCS	IsDBCS
26	OIAFLAG_UPSHIFT	IsUpperShift
25	OIAFLAG_NUMERIC	IsNumeric
24	OIAFLAG_CAPSLOCK	IsCapsLock
23	OIAFLAG_INSERT	IsInsertMode
22	OIAFLAG_COMMERR	IsCommErrorReminder

Bit Position	Mask Constant	Description
21	OIAFLAG_MSGWAIT	IsMessageWaiting
20	OIAFLAG_ENCRYPTED	IsConnectionEncrypted
19-4		<reserved>
3-0	OIAFLAG_INHIBMASK	InputInhibited: 0=NotInhibited 1=SystemWait 2=CommCheck 3=ProgCheck 4=MachCheck 5=OtherInhibit

RegisterOIAEvent

This member function registers an application object to receive notifications of OIA update events. To use this function the application must create an object derived from ECLOIANotify. A pointer to that object is then passed to this registration function. Any number of notify objects may be registered at the same time. The order in which multiple listeners receive events is not defined and should not be assumed.

After an ECLOIANotify object is registered with this function, its NotifyEvent() method will be called whenever a update to the OIA occurs. Multiple updates to the OIA in a short time period may be aggregated into a single event.

The application must unregister the notify object before destroying it. The object will automatically be unregistered if the ECLOIA object is destroyed.

Prototype

```
void RegisterOIAEvent(ECLOIANotify * notify)
```

Parameters

ECLOIANotify * Pointer to the ECLOIANotify object to be registered.

Return Value

None

UnregisterOIAEvent

This member function unregisters an application object previously registered with the RegisterOIAEvent function. An object registered to receive events should not be destroyed without first calling this function to unregister it. If the specific object is not currently registered, no action is taken and no error occurs.

When an ECLOIANotify object is unregistered its NotifyStop() method is called.

Prototype

```
void UnregisterOIAEvent(ECLOIANotify * notify)
```

Parameters

ECLPSNotify * Pointer to the ECLOIANotify object to be unregistered.

Return Value

None

ECLOIANotify Class

ECLOIANotify is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLOIANotify. The application must implement the NotifyEvent() member function in its derived class. It may also optionally implement NotifyError() and NotifyStop() member functions.

The ECLOIANotify class is used to allow an application to be notified of updates to the Operator Information Area. Events are generated whenever any indicator on the OIA is updated.

Derivation

ECLBase > ECLNotify > ECLOIANotify

Usage Notes

To be notified of OIA updates using this class, the application must perform the following steps:

1. Define a class derived from ECLOIANotify.
2. Implement the NotifyEvent method of the ECLOIANotify-derived class.
3. Optionally implement other member functions of ECLOIANotify.
4. Create an instance of the derived class.
5. Register the instance with the ECLOIA::RegisterOIAEvent() method.

After registration is complete, updates to the OIA indicators will cause the NotifyEvent() method of the ECLOIANotify-derived class to be called.

Note that multiple OIA updates which occur in a short period of time may be aggregated into a single event notification.

An application can choose to provide its own constructor and destructor for the derived class. This can be useful if the application needs to store some instance-specific data in the class and pass that information as a parameter on the constructor.

If an error is detected during event registration, the NotifyError() member function is called with an ECLerr object. Events may or may not continue to be generated after an error. When event generation terminates (due to an error or some other reason) the NotifyStop() member function is called. The default implementation of NotifyError() will present a message box to the user showing the text of the error messages retrieved from the ECLerr object.

When event notification stops for any reason (error or a call the ECLOIA::UnregisterOIAEvent) the NotifyStop() member function is called. The default implementation of NotifyStop() does nothing.

ECLOIANotify Methods

The following section describes the methods that are valid for the ECLOIANotify class and all classes derived from it.

ECLOIANotify

```
ECLOIANotify()  
~ECLOIANotify()  
virtual void NotifyEvent(ECLOIA * OIAObj) = 0  
virtual void NotifyError(ECLOIA * OIAObj, ECLerr ErrObj)  
virtual void NotifyStop(ECLOIA * OIAObj, int Reason)
```

NotifyEvent

This method is a *pure virtual* member function (the application **must** implement this function in classes derived from ECLOIANotify). This method is called whenever the OIA is updated and this object is registered to receive update events.

Multiple OIA updates may be aggregated into a single event causing only a single call to this method.

Prototype

```
virtual void NotifyEvent(ECLOIA * OIAObj) = 0
```

Parameters

ECLOIA * Pointer to the ECLOIA object which generated this event.

Return Value

None

NotifyError

This method is called whenever the ECLOIA object detects an error during event generation. The error object contains information about the error (see the ECLerr class description). Events may continue to be generated after the error depending on the nature of the error. If the event generation stops due to an error, the NotifyStop() method is called.

An application can choose to implement this function or allow the base ECLOIANotify class handle it. The default implementation will display the error in a message box using text supplied by the ECLerr::GetMsgText() method. If the application implements this function in its derived class it overrides this behavior.

Prototype

```
virtual void NotifyError(ECLOIA * OIAObj, ECLerr ErrObj)
```

Parameters

ECLOIA * Pointer to the ECLOIA object which generated this event.

ECLerr An ECLerr object which describes the error.

Return Value

None

NotifyStop

This method is called when event generation is stopped for any reason (for example, due to an error condition or a call to ECLOIA::UnregisterOIAEvent).

The reason code parameter is currently unused and will be zero.

The default implementation of this function does nothing.

Prototype

```
virtual void NotifyStop(ECLOIA * OIAObj, int Reason)
```

Parameters

ECLOIA *	Pointer to the ECLOIA object which generated this event.
int	Reason event generation has stopped (currently unused and will be zero).

Return Value

None

ECLPS Class

The ECLPS class performs operations on a host presentation space.

The ECLPS object is created for the connection identified upon construction. You may create an ECLPS object by passing either the connection name (a single, alphabetic character from A-Z) or the connection handle, which is usually obtained from an ECLConnection object. There can be only one Personal Communications connection with a given name or handle open at a time.

Derivation

ECLBase > ECLConnection > ECLPS

Properties

None

Usage Notes

The ECLSession class creates an instance of this object. If the application does not need other services, this object may be created directly. Otherwise, you may want to consider using an ECLSession object to create all the objects needed.

ECLPS Methods

The following section describes the methods available for ECLPS.

```
ECLPS(char ConnName)
```

```
ECLPS(char ConnName)
```

```
ECLPS(long ConnHandle)
```

```
~ECLPS()
```

```
int GetPCCodePage()
```

```
int GetHostCodePage()
```

```
int GetOSCodePage()
```

```
void GetSize(ULONG *Rows, ULONG *Cols) ULONG GetSize()
```

```
ULONG GetSizeCols() ULONG GetSizeRows()
```

```
void GetCursorPos(ULONG *Row, ULONG *Col) ULONG GetCursorPos()
```

```
ULONG GetCursorPosRow()
```

```
ULONG GetCursorPosCol()
```

```

void SetCursorPos(ULONG pos),
void SetCursorPos(ULONG Row, ULONG Col)
void SendKeys(Char *text, ULONG AtPos),
void SendKeys(Char * text),
void SendKeys(Char *text, ULONG AtRow, ULONG AtCol)
ULONG SearchText(const char * const text, PS_DIR Dir=SrchForward,
    BOOL FoldCase=FALSE)
ULONG SearchText(const char * const text,
    ULONG StartPos, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG SearchText(const char char * const text, ULONG StartRow,
    ULONG StartCol, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG GetScreen(char * Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
ULONG GetScreen(char * Buff, ULONG BuffLen, ULONG StartPos,
    ULONG Length, PS_PLANE Plane=TextPlane)
ULONG GetScreen(char * Buff, ULONG BuffLen, ULONG StartRow,
    ULONG StartCol, ULONG Length, PS_PLANE Plane=TextPlane)
ULONG GetScreenRect(char * Buff, ULONG BuffLen, ULONG StartPos,
    ULONG EndPos, PS_PLANE Plane=TextPlane)
ULONG StartCol, ULONG EndRow, ULONG EndCol,
ULONG GetScreenRect(char * Buff, ULONG BuffLen, ULONG StartRow,
    ULONG StartCol, ULONG EndRow, ULONG EndCol,
    PS_PLANE Plane=TextPlane)
void SetText(char *text);
void SetText(char *text, ULONG AtPos);
void SetText(char *text, ULONG AtRow, ULONG AtCol);
void ConvertPosToRowCol(ULONG pos, ULONG *row, ULONG *col)
ULONG ConvertRowColToPos(ULONG row, ULONG col)
ULONG ConvertPosToRow(ULONG Pos)
ULONG ConvertPosToCol(ULONG Pos)
void RegisterKeyEvent(ECLKeyNotify *NotifyObject)
virtual UnregisterKeyEvent(ECLKeyNotify *NotifyObject )
ECLFieldList *GetFieldList()
BOOL WaitForCursor(int Row, int Col, long nTimeOut=INFINITE,
    BOOL bWaitForIR=TRUE)
BOOL WaitWhileCursor(int Row, int Col, long nTimeOut=INFINITE,
    BOOL bWaitForIR=TRUE)
BOOL WaitForString(char* WaitString, int Row=0, int Col=0,
    long nTimeOut=INFINITE, BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
BOOL WaitWhileString(char* WaitString, int Row=0, int Col=0,
    long nTimeOut=INFINITE, BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
BOOL WaitForStringInRect(char* WaitString, int sRow, int sCol,
    int eRow,int eCol, long nTimeOut=INFINITE,

```

```

        BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
BOOL WaitWhileStringInRect(char* WaitString, int sRow, int sCol,
        int eRow,int eCol, long nTimeOut=INFINITE, BOOL bWaitForIR=TRUE,
        BOOL bCaseSens=TRUE)
BOOL WaitForAttrib(int Row, int Col, unsigned char AttribDatum,
        unsigned char MskDatum = 0xFF, PS_PLANE plane = FieldPlane,
        long TimeOut = INFINITE, BOOL bWaitForIR = TRUE)
BOOL WaitWhileAttrib(int Row, int Col, unsigned char AttribDatum,
        unsigned char MskDatum = 0xFF, PS_PLANE plane = FieldPlane,
        long TimeOut = INFINITE, BOOL bWaitForIR = TRUE)
BOOL WaitForScreen(ECLScreenDesc* screenDesc, long TimeOut = INFINITE)
BOOL WaitWhileScreen(ECLScreenDesc* screenDesc, long TimeOut = INFINITE)
void RegisterPSEvent(ECLPSNotify * notify)
void RegisterPSEvent(ECLPSListener * listener)
void RegisterPSEvent(ECLPSListener * listener, int type)
void StartMacro(String MacroName)
void UnregisterPSEvent(ECLPSNotify * notify)
void UnregisterPSEvent(ECLPSListener * listener)
void UnregisterPSEvent(ECLPSListener * listener, int type)

```

The following methods are available for ECLPS and are supported for Japanese code page 1390/1399 on a Unicode session:

```

void SendKeys(WCHAR * text),
void SendKeys(WCHAR *text, ULONG AtPos),
void SendKeys(WCHAR *text, ULONG AtRow, ULONG AtCol)
ULONG SearchText(const WCHAR * const text, PS_DIR Dir=SrchForward,
        BOOL FoldCase=FALSE)
ULONG SearchText(const WCHAR * const text,
        ULONG StartPos, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG SearchText(const WCHAR * const text, ULONG StartRow,
        ULONG StartCol, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, ULONG StartPos,
        ULONG Length, PS_PLANE Plane=TextPlane)
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, ULONG StartRow,
        ULONG StartCol, ULONG Length, PS_PLANE Plane=TextPlane)

```

ECLPS Constructor

This method uses a connection name or handle to create an ECLPS object.

Prototype

```

ECLPS(char ConnName)
ECLPS(long ConnHandle)

```

Parameters

char ConnName	One-character short name of the connection (A-Z or a-z).
----------------------	--

long ConnHandle Handle of an ECL connection.

Return Value

None

Example

The following example shows how to use a connection name to create an ECLPS object.

```
//-----
// ECLPS::ECLPS                      (Constructor)
//
// Build a PS object from a name, and another from a handle.
//-----
void Sample58() {

    ECLPS *PS1, *PS2;                // Pointer to PS objects
    ECLConnList ConnList;            // Connection list object

    try {
        // Create PS object for connection 'A'
        PS1 = new ECLPS('A');

        // Create PS object for first connection in conn list
        PS2 = new ECLPS(ConnList.GetFirstConnection()->GetHandle());

        printf("PS #1 is for connection %c, PS #2 is for connection %c.\n",
            PS1->GetName(), PS2->GetName());
        delete PS1;
        delete PS2;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

ECLPS Destructor

This method destroys the ECLPS object.

Prototype

~ECLPS()

Parameters

None

Return Value

None

Example

The following example shows how to destroy an ECLPS object.

```
ULONG    RowPos, ColPos;
ECLPS    *pPS;

try {
    pPS = new ECLPS('A');
    RowPos = pPS->ConvertPosToRow(544);
    ColPos = pPS->ConvertPosToCol(544);
    printf("PS position is at row %lu column %lu.",
        RowPos, ColPos);
    // Done with PS object so kill it
    delete pPS;
}
}
```

```
catch (ECLerr HE) {  
    // Just report the error text in a message box  
    MessageBox( NULL, HE.GetMsgText(), "Error!", MB_OK );  
}
```

GetPCCodePage

The GetPCCodePage method retrieves the number designating the code page in force for the personal computer.

Prototype

```
int GetPCCodePage()
```

Parameters

None

Return Value

int Number of the code page.

GetHostCodePage

The GetHostCodePage method retrieves the number designating the code page in force for the host computer.

Prototype

```
int GetHostCodePage()
```

Parameters

None

Return Value

int Number of the code page.

GetOSCodePage

The GetOSCodePage method retrieves the number designating the code page in force for the operating system on the personal computer.

Prototype

```
int GetOSCodePage()
```

Parameters

None

Return Value

int Number of the code page.

GetSize

This method returns the size of the presentation space for the connection associated with the ECLPS object. There are two signatures of the GetSize method. Using ULONG GetSize(), the size is returned as a linear value and represents the total number of characters in the presentation space. With void GetSize(ULONG *Rows, ULONG *Cols), the number of rows and columns of the presentation space is returned.

Prototype

```
ULONG GetSize()
```

```
void GetSize(ULONG *Rows, ULONG *Cols)
```

Parameters

ULONG *Rows	This output parameter is the number of rows in the presentation space.
ULONG *Cols	This output parameter is the number of columns in the presentation space.

Return Value

ULONG	Size of the presentation space as a linear value.
--------------	---

Example

The following is an example of using the GetSize method.

```
//-----
// ECLPS::GetSize
//
// Display dimensions of connection 'A'
//-----
void Sample59() {

    ECLPS PS('A');      // PS object for connection A
    ULONG Rows, Cols, Len;

    PS.GetSize(&Rows, &Cols); // Get num of rows and cols
    // Could also write as:
    Rows = PS.GetSizeRows(); // Redundant
    Cols = PS.GetSizeCols(); // Redundant

    Len = PS.GetSize(); // Get total size

    printf("Connection A has %lu rows and %lu columns (%lu total length)\n",
           Rows, Cols, Len);

} // end sample
```

GetSizeRows

This method returns the number of rows in the Presentation Space for the connection associated with the ECLPS object.

Prototype

```
ULONG GetSizeRows()
```

Parameters

None

Return Value

ULONG	This is the number of rows in the Presentation Space.
--------------	---

Example

The following is an example of using the GetSizeRows method.

```
//-----
// ECLPS::GetSizeRows
//
// Display dimensions of connection 'A'
```



```
//-----
void Sample59() {

    ECLPS PS('A');      // PS object for connection A
    ULONG Rows, Cols, Len;

    PS.GetSize(&Rows, &Cols); // Get num of rows and cols
    // Could also write as:
    Rows = PS.GetSizeRows(); // Redundant
    Cols = PS.GetSizeCols(); // Redundant

    Len = PS.GetSize(); // Get total size

    printf("Connection A has %lu rows and %lu columns (%lu total length)\n",
           Rows, Cols, Len);

} // end sample
```

GetSizeCols

This method returns the number of columns in the Presentation Space for the connection associated with the ECLPS object.

Prototype

```
ULONG GetSizeCols()
```

Parameters

None

Return Value

ULONG This is the number of columns in the Presentation Space.

Example

The following is an example of using the GetSizeCols method.

```
//-----
// ECLPS::GetSizeCols
//
// Display dimensions of connection 'A'
//-----
void Sample59() {

    ECLPS PS('A');      // PS object for connection A
    ULONG Rows, Cols, Len;

    PS.GetSize(&Rows, &Cols); // Get num of rows and cols
    // Could also write as:
    Rows = PS.GetSizeRows(); // Redundant
    Cols = PS.GetSizeCols(); // Redundant

    Len = PS.GetSize(); // Get total size

    printf("Connection A has %lu rows and %lu columns (%lu total length)\n",
           Rows, Cols, Len);

} // end sample
```

GetCursorPos

This method returns the position of the cursor in the presentation space for the connection associated with the ECLPS object. There are two signatures for the GetCursorPos method. Using ULONG GetCursorPos(), the position is returned as a

linear (1-based) position. With void GetCursorPos(ULONG *Row, ULONG * Col), the position is returned as a row and column coordinate.

Prototype

```
ULONG GetCursorPos()
void GetCursorPos(ULONG *Row, ULONG *Col)
```

Parameters

ULONG *Row	This output parameter is the row coordinate of the host cursor.
ULONG *Col	This output parameter is the column coordinate of the host cursor.

Return Value

ULONG	Cursor position represented as a linear value.
-------	--

Example

The following is an example of using the GetCursorPos method.

```
//-----
// ECLPS::GetCursorPos
//
// Display position of host cursor in connection 'A'
//-----
void Sample60() {
    ECLPS PS('A');      // PS object for connection A
    ULONG Row, Col, Pos;

    PS.GetCursorPos(&Row, &Col); // Get row/col position
    // Could also write as:
    Row = PS.GetCursorPosRow(); // Redundant
    Col = PS.GetCursorPosCol(); // Redundant

    Pos = PS.GetCursorPos(); // Get linear position

    printf("Host cursor of connection A is at row %lu column %lu
    (linear position %lu)\n", Row, Col, Pos);

} // end sample

/
```

GetCursorPosRow

This method returns the row position of the cursor in the Presentation Space for the connection associated with the ECLPS object.

Prototype

```
ULONG GetCursorPosRow()
```

Parameters

None

Return Value

ULONG	This is the row position of the cursor in the Presentation Space.
-------	---

Example

The following is an example of using the GetCursorPosRow method.

```

//-----
// ECLPS::GetCursorPosRow
//
// Display position of host cursor in connection 'A'
//-----
void Sample60() {

    ECLPS PS('A');      // PS object for connection A
    ULONG Row, Col, Pos;

    PS.GetCursorPos(&Row, &Col); // Get row/col position
    // Could also write as:
    Row = PS.GetCursorPosRow(); // Redundant
    Col = PS.GetCursorPosCol(); // Redundant

    Pos = PS.GetCursorPos(); // Get linear position

    printf("Host cursor of connection A is at row %lu column %lu
           (linear position %lu)\n", Row, Col, Pos);

} // end sample

```

GetCursorPosCol

This method returns the column position of the cursor in the Presentation Space for the connection associated with the ECLPS object.

Prototype

```
ULONG GetCursorPosCol()
```

Parameters

None

Return Value

ULONG This is the column position of the cursor in the Presentation Space.

Example

The following is an example of using the GetCursorPosCol method.

```

//-----
// ECLPS::GetCursorPosCol
//
// Display position of host cursor in connection 'A'
//-----
void Sample60() {

    ECLPS PS('A');      // PS object for connection A
    ULONG Row, Col, Pos;

    PS.GetCursorPos(&Row, &Col); // Get row/col position
    // Could also write as:
    Row = PS.GetCursorPosRow(); // Redundant
    Col = PS.GetCursorPosCol(); // Redundant

    Pos = PS.GetCursorPos(); // Get linear position

    printf("Host cursor of connection A is at row %lu column %lu
           (linear position %lu)\n", Row, Col, Pos);

} // end sample

//-----

```

SetCursorPos

The SetCursorPos method sets the position of the cursor in the presentation space for the connection associated with the ECLPS object. There are two signatures for the SetCursorPos method. The position can be specified as a linear (1-based) position using void SetCursorPos(ULONG pos), or as a row and column coordinate using void SetCursorPos(ULONG Row, ULONG Col).

Prototype

```
void SetCursorPos(ULONG pos),
```

```
void SetCursorPos(ULONG Row, ULONG Col)
```

Parameters

ULONG pos	Cursor position as a linear position.
ULONG Row	Cursor row coordinate.
ULONG Col	Cursor column coordinate.

Return Value

None

Example

The following is an example of using the SetCursorPos method.

```
--
// ECLPS::SetCursorPos
//
// Set host cursor to row 2 column 1.
//-----
void Sample61() {

    ECLPS PS('A');          // PS object for connection A

    PS.SetCursorPos(2, 1); // Put cursor at row 2, column 1
    printf("Cursor of connection A set to row 2 column 1.\n");

} // end sample

/
```

SendKeys

The SendKeys method sends a null-terminated string of keys to the presentation space for the connection associated with the ECLPS object. There are three signatures for the SendKeys method. If no position is specified, the keystrokes are entered starting at the current host cursor position. A position may be specified (in linear or row and column coordinates), in which case the host cursor is first moved to the given position.

The text string may contain plain text characters, which are written to the presentation space exactly as given. In addition, the string can contain imbedded keywords (mnemonics) that represent various control keystrokes such as 3270 Enter keys and 5250 PageUp keys. Keywords are enclosed in square brackets (for example, [enter]). When such a keyword is encountered in the string it is translated into the proper emulator command and sent. A text string may contain any number of plain characters and imbedded keywords. The keywords are processed from left to right until the end of the string is reached. For example, the following string would cause the characters ABC to be typed at the current cursor

position, followed by a 3270 Erase-end-of-field keystroke, followed by a 3270 Tab keystroke, followed by XYZ and a PF1 key:

```
ABC[eraseeof][tab]XYZ[pf1]
```

Note: Blank characters in the string are written to the host presentation space like any other plain text character. Therefore, blanks should not be used to separate keywords or text.

To send a left or right square bracket character to the host, it must be doubled in the text string (for example, it must occur twice to cause a single bracket to be written). The following example causes the string “A [:]” to be written to the presentation space.

```
A[[:] ]
```

If you attempt to write keystrokes to a protected position on the screen, the keyboard locks and the remainder of the keystrokes are discarded.

Refer to Appendix A, “Sendkeys Mnemonic Keywords,” on page 399 for a list of keywords.

Prototype

```
void SendKeys(char * text),
void SendKeys(char * text, ULONG AtPos),
void SendKeys(char * text, ULONG AtRow, ULONG AtCol)
```

Parameters

Char *text	String of keys to send to the presentation space.
ULONG AtPos	Position at which to start writing keystrokes.
ULONG AtRow	Row at which to start writing keystrokes.
ULONG AtCol	Column at which to start writing keystrokes.

Return Value

None

1390/1399 Code Page Support

SendKeys is enabled for code page 1390/1399 on a Unicode session.

Prototype:

```
void SendKeys(WCHAR * text),
void SendKeys(WCHAR * text, ULONG AtPos),
void SendKeys(WCHAR * text, ULONG AtRow, ULONG AtCol)
```

Parameters:

WCHAR *text	Unicode string to send to the presentation space.
ULONG AtPos	Position at which to start writing keystrokes.
ULONG AtRow	Row at which to start writing keystrokes.
ULONG AtCol	Column at which to start writing keystrokes.

Return Value: None

Example

The following is an example of using the SendKeys method.

```
//-----
// ECLPS::SendKeys
//
// Sends a series of keystrokes, including 3270 function keys, to
// the host on connection A.
//-----
void Sample62() {

    ECLPS PS('A');          // PS object for connection A

    // The following key string will erase from the current cursor
    // position to the end of the field, and then type the given
    // characters into the field.
    char SendStr[] = "[eraseeof]PCOMM is really cool";

    // Note that an ECL error is thrown if we try to send keys to
    // a protected field.

    try {
        PS.SendKeys(SendStr);          // Do it at the current cursor position
        PS.SendKeys(SendStr, 3, 10); // Again at row 3 column 10
    }
    catch (ECLErr Err) {
        printf("Failed to send keys: %s\n", Err.GetMsgText());
    }

} // end sample
```

SearchText

The SearchText method searches for text in the presentation space of the connection associated with the ECLPS object. The method returns the linear position at which the text is found, or zero if the text is not found. The search may be made in the forward (left to right, top to bottom) or backward (right to left, bottom to top) directions using the optional Dir parameter. The search can be case-sensitive or case folded (insensitive) using the optional FoldCase parameter.

If no starting position is given, the search starts at the beginning of the screen for forward searches, or at the end of the screen for backward searches. A starting position may be given in terms of a linear position or row and column coordinates. If a starting position is given it indicates the position at which to begin the search. Forward searches search from the starting position (inclusive) to the last character of the screen. Backward searches search from the starting position (inclusive) to the first character of the screen.

The search string must exist completely within the search area for the search to be successful (for example, if the search string spans over the specified starting position it will not be found).

The returned linear position may be converted to row and column coordinates using the base class ConvertPosToRowCol method.

Prototype

```

ULONG SearchText(const char * const text, PS_DIR Dir=SrchForward,
                 BOOL FoldCase=FALSE)
ULONG SearchText(const char * const text,
                 ULONG StartPos, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG SearchText(const char char * const text, ULONG StartRow,
                 ULONG StartCol, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)

```

Parameters

char *text	Null-terminated string to search for.
PS_DIR Dir	Optional parameter indicating the direction in which to search. If specified, must be one of SrchForward or SrchBackward . The default is SrchForward .
BOOL FoldCase	Optional parameter indicating the case-sensitivity of the search. If specified as FALSE the text string must exactly match the presentation space including the use of uppercase and lowercase characters. If specified as TRUE, the text string will be found without regard to uppercase or lowercase. The default is FALSE.
ULONG StartPos	Indicates the starting linear position of the search. This position will be included in the search.
ULONG StartRow	Indicates the row in which to start the search.
ULONG StartCol	Indicates the column in which to start the search.

Return Value

ULONG Linear position of the found string, or zero if not found.

1390/1399 Code Page Support

SearchText is enabled for code page 1390/1399 on a Unicode session.

Prototype:

```

ULONG SearchText(const WCHAR * const text, PS_DIR Dir=SrchForward,
                 BOOL FoldCase=FALSE)
ULONG SearchText(const WCHAR * const text,
                 ULONG StartPos, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)
ULONG SearchText(const WCHAR * const text, ULONG StartRow,
                 ULONG StartCol, PS_DIR Dir=SrchForward, BOOL FoldCase=FALSE)

```

Parameters:

WCHAR *text	Null-terminated string to search for.
PS_DIR Dir	Optional parameter indicating the direction in which to search. If specified, must be one of SrchForward or SrchBackward . The default is SrchForward .
BOOL FoldCase	Optional parameter indicating the case-sensitivity of the search. If specified as FALSE the text string

must exactly match the presentation space including the use of uppercase and lowercase characters. If specified as TRUE, the text string will be found without regard to uppercase or lowercase. The default is FALSE.

ULONG StartPos	Indicates the starting linear position of the search. This position will be included in the search.
ULONG StartRow	Indicates the row in which to start the search.
ULONG StartCol	Indicates the column in which to start the search.
Return Value:	
ULONG	Linear position of the found string, or zero if not found.

Example

The following is an example of using the SearchText method.

```

/-----
// ECLPS::SearchText
//
// Search for a string in various parts of the screen.
//-----
void Sample63() {

    ECLPS PS('A');           // PS object
    char FindStr[] = "IBM"; // String to search for
    ULONG LastOne;          // Position of search result

    // Case insensitive search of entire screen

    printf("Searching for '%s'...\n", FindStr);
    printf(" Anywhere, any case: ");
    if (PS.SearchText(FindStr, TRUE) != 0)
        printf("Yes\n");
    else
        printf("No\n");

    // Backward, case sensitive search on line 1

    printf(" Line 1, exact match: ");
    if (PS.SearchText(FindStr, 1, 80, SrchBackward) != 0)
        printf("Yes\n");
    else
        printf("No\n");

    // Backward, full screen search

    LastOne = PS.SearchText(FindStr, SrchBackward, TRUE);
    if (LastOne != 0)
        printf(" Last occurrence on the screen is at row %lu, column %lu.\n",
            PS.ConvertPosToRow(LastOne), PS.ConvertPosToCol(LastOne));

} // end sample

```

GetScreen

This method retrieves data from the presentation space of the connection associated with the ECLPS object. The data is returned as a linear array of byte values, one byte per presentation space character position. The array is not null terminated except when data is retrieved from the TextPlane, in which case a single null termination byte is appended.

The application must supply a buffer for the returned data, and the length of the buffer. If the requested data does not fit into the buffer it is truncated. For TextPlane data, the buffer must include at least one extra byte for the terminating null. The method returns the number of bytes copied to the application buffer (not including the terminating null for TextPlane copies).

The application must specify the number of bytes of data to retrieve from the presentation space. If the starting position plus this length exceeds the size of the presentation space an error is thrown. Data is returned starting at the given starting position or row 1, column 1 if no starting position is specified. Returned data is copied from the presentation space in a linear fashion from left to right, top to bottom spanning multiple rows up to the length specified. If the application wants to get screen data for a rectangular area of the screen, the GetScreenRect method should be used.

The application can specify any plane for which to retrieve data. If no plane is specified, the TextPlane is retrieved. See Appendix B, "ECL Planes — Format and Content," on page 403 for details on the different ECL planes.

Prototype

```
ULONG GetScreen(char * Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
ULONG GetScreen(char * Buff, ULONG BuffLen, ULONG StartPos, ULONG Length,
                PS_PLANE Plane=TextPlane)
ULONG GetScreen(char * Buff, ULONG BuffLen, ULONG StartRow, ULONG StartCol,
                ULONG Length, PS_PLANE Plane=TextPlane)
```

Parameters

char *Buff	Pointer to application supplied buffer of at least BuffLen size.
ULONG BuffLen	Number of bytes in the supplied buffer.
ULONG StartPos	Linear position in the presentation space at which to start the copy.
ULONG StartRow	Row in the presentation space at which to start the copy.
ULONG StartCol	Column in the presentation space at which to start the copy.
ULONG Length	Linear number of bytes to copy from the presentation space.
PS_PLANE plane	Optional parameter specifying which presentation space plane is to be copied. If specified, must be one of TextPlane , ColorPlane , FieldPlane , and ExfieldPlane . The default is TextPlane . See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes.

Return Value

ULONG	Number of data bytes copied from the presentation space. This value does not include the trailing null byte for TextPlane copies.
--------------	---

1390/1399 Code Page Support

GetScreen is enabled for code page 1390/1399 on a Unicode session.

Prototype:

```
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, PS_PLANE Plane=TextPlane)
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, ULONG StartPos,
                ULONG Length, PS_PLANE Plane=TextPlane)
ULONG GetScreen(WCHAR * Buff, ULONG BuffLen, ULONG StartRow,
                ULONG StartCol, ULONG Length, PS_PLANE Plane=TextPlane)
```

Parameters:

WCHAR *Buff	The string length should indicate the number of Unicode characters to be send. If not, parameter error will be returned by the function.
ULONG BuffLen	Number of Unicode characters in the supplied buffer.
ULONG StartPos	Linear position in the presentation space at which to start the copy.
ULONG StartRow	Row in the presentation space at which to start the copy.
ULONG StartCol	Column in the presentation space at which to start the copy.
ULONG Length	Linear position to copy from the presentation space.
PS_PLANE plane	Optional parameter specifying which presentation space plane is to be copied. If specified, must be one of TextPlane , ColorPlane , RawTextPlane , FieldPlane , and ExtendedFieldPlane . The default is TextPlane . See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes.
Data String	Pre-allocated target Unicode string. When the Set Sessions Parameters function with Extended Attribute Bytes (EAB) option is issued, the length of the data string must be twice the size of the presentation space.

Return Value:

ULONG	Number of data bytes copied from the presentation space. This value does not include the trailing null byte for TextPlane copies.
--------------	---

Example

The following is an example of using the GetScreen method.

```
//-----
// ECLPS::GetScreen
//
// Get text and other planes of data from the presentation space.
//-----
void Sample64() {
```


ECLPS

ULONG BuffLen	Number of bytes in the supplied buffer.
ULONG StartPos	Linear position in the presentation space of one corner of the copy rectangle.
ULONG EndPos	Linear position in the presentation space of one corner of the copy rectangle.
ULONG StartRow	Row in the presentation space of one corner of the copy rectangle.
ULONG StartCol	Column in the presentation space of one corner of the copy rectangle.
ULONG EndRow	Row in the presentation space of one corner of the copy rectangle.
ULONG EndCol	Column in the presentation space of one corner of the copy rectangle.
PS_PLANE plane	Optional parameter specifying which presentation space plane is to be copied. If specified, must be one of TextPlane , ColorPlane , FieldPlane , or ExfieldPlane . The default is TextPlane . See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes.

Return Value

ULONG	Number of data bytes copied from the presentation space.
--------------	--

Example

The following is an example of using the GetScreenRect method.

```
-----  
// ECLPS::GetScreenRect  
//  
// Get rectangular parts of the host screen.  
//-----  
void Sample66() {  
  
    ECLPS PS('A');          // PS object for connection A  
    char Buff[4000];       // Big buffer  
  
    // Get first 2 lines of the screen text  
    PS.GetScreenRect(Buff, sizeof(Buff), 1, 1, 2, 80);  
  
    // Get last 2 lines of the screen  
    PS.GetScreenRect(Buff, sizeof(Buff),  
                    PS.GetSizeRows()-1,  
                    1,  
                    PS.GetSizeRows(),  
                    PS.GetSizeCols());  
  
    // Get just a part of the screen (OfficeVision/VM main menu calendar)  
    PS.GetScreenRect(Buff, sizeof(Buff),  
                    5, 51,  
                    13, 76);  
  
    // Same as previous (specify any 2 opposite corners of the rectangle)  
    PS.GetScreenRect(Buff, sizeof(Buff),  
                    13, 51,  
                    5, 76);  
}
```

```
// Note results are placed in buffer end-to-end with no line delimiters
printf("Contents of rectangular screen area:\n%s\n", Buff);

} // end sample
```

SetText

The SetText method sends a character array to the Presentation Space for the connection associated with the ECLPS object. Although this is similar to the SendKeys method, it is different in that it does not send mnemonic keystrokes (for example, [enter] or [pf1]).

If a position is not specified, the text is written starting at the current cursor position.

Prototype

```
void SetText(char *text);

void SetText(char *text, ULONG AtPos);

void SetText(char *text, ULONG AtRow, ULONG AtCol);
```

Parameters

char *text	Null terminated string of characters to copy to the presentation space.
ULONG AtPos	Linear position in the presentation space at which to begin the copy.
ULONG AtRow	Row in the presentation space of which to begin the copy.
ULONG AtCol	Column in the presentation space at which to begin the copy.

Return Value

None

Example

The following is an example of using the SetText method.

```
//-----
// ECLPS::SetText
//
// Update various input fields of the screen.
//-----
void Sample65() {

ECLPS PS('A');          // PS object for connection A

// Note that an ECL error is thrown if we try to write to
// a protected field.

try {
    // Update first 2 input fields of the screen. Note
    // fields are not erased before update.
    PS.SendKeys("[home]");
    PS.SetText("Field 1");
    PS.SendKeys("[tab]");
    PS.SetText("Field 2");
    // Note: Above 4 lines could also be written as:
    // PS.SendKeys("[home]Field 1[tab]Field 2");
    // But SetText() is faster, esp for long strings
```

```

}
catch (ECLERR Err) {
    printf("Failed to send keys: %s\n", Err.GetMsgText());
}

} // end sample

//-----

```

ConvertPosToRowCol

The ConvertPosToRowCol method converts a position in the presentation space represented as a linear array to a position in the presentation space given in row and column coordinates. The position converted is in the presentation space for the connection associated with the ECLPS object.

Prototype

```
void ConvertPosToRowCol(ULONG pos, ULONG *row, ULONG *col)
```

Parameters

ULONG pos	Position to convert in the presentation space represented as a linear array.
ULONG *row	Converted row coordinate in the presentation space.
ULONG *col	Converted column coordinate in the presentation space.

Return Value

None

Example

The following example shows how to convert a position in the presentation space represented as a linear array to a position shown in row and column coordinates.

```

//-----
// ECLPS::ConvertPosToRowCol
//
// Find a string in the presentation space and display the row/column
// coordinate of its location.
//-----
void Sample67() {

    ECLPS PS('A');           // PS Object
    ULONG FoundPos;         // Linear position
    ULONG FoundRow, FoundCol;

    FoundPos = PS.SearchText("IBM", TRUE);
    if (FoundPos != 0) {
        PS.ConvertPosToRowCol(FoundPos, &FoundRow, &FoundCol);
        // Another way to do the same thing:
        FoundRow = PS.ConvertPosToRow(FoundPos);
        FoundCol = PS.ConvertPosToCol(FoundPos);

        printf("String found at row %lu column %lu (position %lu)\n",
            FoundRow, FoundCol, FoundPos);
    }
    else printf("String not found.\n");

} // end sample

```

ConvertRowColToPos

The ConvertRowColToPos method converts a position in the presentation space in row and column coordinates to a position in the presentation space represented as a linear array. The position converted is in the presentation space for the connection associated with the ECLPS object.

Prototype

```
ULONG ConvertRowColToPos(ULONG row, ULONG col)
```

Parameters

ULONG row	Row coordinate to convert in the presentation space.
ULONG col	Column coordinate to convert in the presentation space.

Return Value

ULONG	Converted position in the presentation space represented as a linear array.
--------------	---

Example

The following example shows how to convert a position in the presentation space shown in row and column coordinates to a linear array position.

```

//-----
// ECLPS::ConvertRowColToPos
//
// Find a string in the presentation space and display the row/column
// coordinate of its location.
//-----
void Sample67() {

    ECLPS PS('A');           // PS Object
    ULONG FoundPos;         // Linear position
    ULONG FoundRow,FoundCol;

    FoundPos = PS.SearchText("IBM", TRUE);
    if (FoundPos != 0) {
        PS.ConvertPosToRowCol(FoundPos, &FoundRow, &FoundCol);
        // Another way to do the same thing:
        FoundRow = PS.ConvertPosToRow(FoundPos);
        FoundCol = PS.ConvertPosToCol(FoundPos);

        printf("String found at row %lu column %lu (position %lu)\n",
            FoundRow, FoundCol, FoundPos);
    }
    else printf("String not found.\n");

} // end sample

```

ConvertPosToRow

This method takes a linear position value in the Presentation Space and returns the row in which it resides for the connection associated with the ECLPS object.

Prototype

```
ULONG ConvertPosToRow(ULONG Pos)
```

Parameters

ULONG Pos This is the linear position in the Presentation Space to convert.

Return Value

ULONG This is the row position for the linear position.

Example

The following is an example of using the ConvertPosToRow method.

```

///-----
// ECLPS::ConvertPosToRow
//
// Find a string in the presentation space and display the row/column
// coordinate of its location.
//-----
void Sample67() {

    ECLPS PS('A');           // PS Object
    ULONG FoundPos;         // Linear position
    ULONG FoundRow,FoundCol;

    FoundPos = PS.SearchText("IBM", TRUE);
    if (FoundPos != 0) {
        PS.ConvertPosToRowCol(FoundPos, &FoundRow, &FoundCol);
        // Another way to do the same thing:
        FoundRow = PS.ConvertPosToRow(FoundPos);
        FoundCol = PS.ConvertPosToCol(FoundPos);

        printf("String found at row %lu column %lu (position %lu)\n",
              FoundRow, FoundCol, FoundPos);
    }
    else printf("String not found.\n");

} // end sample

```

ConvertPosToCol

This method takes a linear position value in the Presentation Space and returns the column in which it resides for the connection associated with the ECLPS object.

Prototype

ULONG ConvertPosToCol(ULONG Pos)

Parameters

ULONG Pos This is the linear position in the Presentation Space to convert.

Return Value

ULONG This is the column position for the linear position.

Example

The following is an example of using the ConvertPosToCol method.

```

///-----
// ECLPS::ConvertPosToCol
//
// Find a string in the presentation space and display the row/column
// coordinate of its location.
//-----
void Sample67() {

```



```

ECLPS PS('A');           // PS Object
ULONG FoundPos;         // Linear position
ULONG FoundRow,FoundCol;

FoundPos = PS.SearchText("IBM", TRUE);
if (FoundPos != 0) {
    PS.ConvertPosToRowCol(FoundPos, &FoundRow, &FoundCol);
    // Another way to do the same thing:
    FoundRow = PS.ConvertPosToRow(FoundPos);
    FoundCol = PS.ConvertPosToCol(FoundPos);

    printf("String found at row %lu column %lu (position %lu)\n",
           FoundRow, FoundCol, FoundPos);
}
else printf("String not found.\n");

} // end sample

```

RegisterKeyEvent

The RegisterKeyEvent function registers an application-supplied object to receive notification of operator keystroke events. The application must construct an object derived from the ECLKeyNotify abstract base class. When an operator keystroke occurs, the NotifyEvent() method of the application supplied object is called. The application can choose to have the keystroke filtered or passed on and processed in the usual way. See “ECLKeyNotify Class” on page 70 for more details.

Implementation Restriction: Only one object may be registered to receive keystroke events at a time.

Prototype

```
void RegisterKeyEvent(ECLKeyNotify *NotifyObject)
```

Parameters

ECLKeyNotify *NotifyObject Application object derived from ECLKeyNotify class.

Return Value

None

Example

The following example shows how to register an application-supplied object to receive notification of operator keystroke events. See the “ECLKeyNotify Class” on page 70 for a RegisterKeyEvent example.

```

// This is the declaration of your class derived from ECLKeyNotify....
class MyKeyNotify: public ECLKeyNotify
{
public:
    // App can put parms on constructors if needed
    MyKeyNotify();           // Constructor
    MyKeyNotify();           // Destructor

    // App must define the NotifyEvent method
    int NotifyEvent(char KeyType[2], char KeyString[7]); // Keystroke callback

private:
    // Whatever you like...
};
// this is the implementation of app methods...

int MyKeyNotify::NotifyEvent( ECLPS *, char *KeyType, char *Keystring )

```

```

{
    if (...) {
        ...
        return 0; // Remove keystroke (filter)
    }
    else
        ...
        return 1; // Pass keystroke to emulator as usual
    }
}

// this would be the code in say, WinMain...

ECLPS *pPS;           // Pointer to ECLPS object
MyKeyNotify *MyKeyNotifyObject; // My key notification object, derived
// from ECLKeyNotify

try {
    pPS = new ECLPS('A');           // Create PS object for 'A' session

    // Register for keystroke events
    MyKeyNotifyObject = new MyKeyNotify();
    pPS->RegisterKeyEvent(MyKeyNotifyObject);

    // After this, MyKeyNotifyObject->NotifyEvent() will be called
    // for each operator keystroke...
}
catch (ECLErr HE) {
    // Just report the error text in a message box
    MessageBox( NULL, HE.GetMsgText(), "Error!", MB_OK );
}

```

UnregisterKeyEvent

The `UnregisterKeyEvent` method unregisters an application object previously registered for keystroke events with the `RegisterKeyEvent` function. A registered application notify object should not be destroyed without first calling this function to unregister it. If there is no notify object currently registered, or the registered object is not the `NotifyObject` passed in, this function does nothing (no error is thrown).

Prototype

```
virtual UnregisterKeyEvent(ECLKeyNotify *NotifyObject )
```

Parameters

ECLKeyNotify *NotifyObject Object currently registered for keystroke events.

Return Value

None

Example

See the “ECLKeyNotify Class” on page 70 for a `UnregisterKeyEvent` example.

GetFieldList

This method returns a pointer to an `ECLFieldList` object. The field list object can be used to iterate over the list of fields in the host presentation space. The `ECLFieldList` object returned by this function is automatically destroyed when the `ECLPS` object is destroyed. See “ECLFieldList Class” on page 64 for more information about this object.

Prototype

```
ECLFieldList *GetFieldList()
```

Parameters

None

Return Value

ECLFieldList * Pointer to ECLFieldList object.

Example

The following example shows how to return a pointer to an ECLFieldList object.

```
// ECLPS::GetFieldList
//
// Display number of fields on the screen.
//-----
void Sample68() {

    ECLPS      *PS;           // Pointer to PS object
    ECLFieldList *FieldList; // Pointer to field list object

    try {
        PS = new ECLPS('A');           // Create PS object for 'A'

        FieldList = PS->GetFieldList(); // Get pointer to field list
        FieldList->Refresh();           // Build the field list

        printf("There are %lu fields on the screen of connection %c.\n",
            FieldList->GetFieldCount(), PS->GetName());

        delete PS;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

WaitForCursor

The WaitForCursor method waits for the cursor in the presentation space of the connection associated with the ECLPS object to be located at a specified position.

Prototype

```
BOOL WaitForCursor(int Row, int Col, long nTimeOut=INFINITE,
    BOOL bWaitForIR=TRUE)
```

Parameters

int Row	Row position of the cursor. If negative, this value indicates the Row position from the bottom of the PS.
int Col	Column position of the cursor. If negative, this value indicates the Cursor position from the edge of the PS.
long nTimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA

indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeout (in milliseconds) has elapsed.

Note: This method will block if nTimeout is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
int TimeOut = 5000;
BOOL waitOK = ps.WaitForCursor(23,1,TimeOut, TRUE);

// do the processing for the screen
```

WaitWhileCursor

The WaitWhileCursor method waits while the cursor in the presentation space of the connection associated with the ECLPS object is located at a specified position.

Prototype

```
BOOL WaitWhileCursor(int Row, int Col, long nTimeout=INFINITE,
                     BOOL bWaitForIR=TRUE)
```

Parameters

int Row	Row position of the cursor. If negative, this value indicates the Row position from the bottom of the PS.
int Col	Column position of the cursor. If negative, this value indicates the Cursor position from the edge of the PS.
long nTimeout	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeout (in milliseconds) has elapsed.

Note: This method will block if nTimeout is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
```

```
int TimeOut = 5000;
BOOL waitOK = ps.WaitWhileCursor(23,1,TimeOut, TRUE);

// do the processing for when the screen goes away
```

WaitForString

The WaitForString method waits for the specified string to appear in the presentation space of the connection associated with the ECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

```
BOOL WaitForString( char* WaitString, int Row=0, int Col=0, long nTimeOut=INFINITE,
    BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
```

Parameters

char* WaitString	The string which will be the subject of the wait.
int Row	Row position of the cursor. If negative, this value indicates the Row position from the bottom of the PS. The default is zero.
int Col	Column position of the cursor. If negative, this value indicates the Cursor position from the edge of the PS. The default is zero.
long nTimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.
BOOL bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

Note: This method will block if nTimeOut is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitForString("LOGON");

// do the processing for the screen
```

WaitWhileString

The WaitWhileString method waits while the specified string is in the presentation space of the connection associated with the ECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

```
BOOL WaitWhileString(char* WaitString, int Row=0, int Col=0,
                    long nTimeOut=INFINITE,
                    BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
```

Parameters

char* WaitString	The string which will be the subject of the wait.
int Row	Start Row position of the string. If negative, this value indicates the Row position from the bottom of the PS. The default is zero.
int Col	Start Column position of the string. If negative, this value indicates the Cursor position from the edge of the PS. The default is zero.
long nTimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.
BOOL bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

Note: This method will block if nTimeOut is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitWhileString("LOGON");

// do the processing for when the screen goes away
```

WaitForStringInRect

The WaitForStringInRect method waits for the specified string to appear in the presentation space of the connection associated with the ECLPS object in the specified Rectangle.

Prototype

```
BOOL WaitForStringInRect(char* WaitString, int sRow, int sCol, int eRow,int eCol,
    long nTimeOut=INFINITE, BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
```

Parameters

char* WaitString	The string which will be the subject of the wait.
int Row	Start Row position of the rectangle.
int Col	Start Column position of the rectangle.
int eRow	Ending row position of the search rectangle.
int eCol	Ending column position of the search rectangle.
long nTimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.
BOOL bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

Note: This method will block if nTimeOut is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitForStringInRect("LOGON",1,1,23,80);

// do the processing for the screen
```

WaitWhileStringInRect

The WaitWhileStringInRect method waits while the specified string is in the presentation space of the connection associated with the ECLPS object in the specified Rectangle.

Prototype

```
BOOL WaitWhileStringInRect(char* WaitString, int sRow, int sCol, int eRow,int eCol,
    long nTimeOut=INFINITE, BOOL bWaitForIR=TRUE, BOOL bCaseSens=TRUE)
```

Parameters

char* WaitString	The string which will be the subject of the wait.
int Row	Start Row position of the rectangle.

ECLPS

int Col	Start Column position of the rectangle.
int eRow	Ending row position of the search rectangle.
int eCol	Ending column position of the search rectangle.
long nTimeout	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.
BOOL bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeout (in milliseconds) has elapsed.

Note: This method will block if nTimeout is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitWhileStringInRect("LOGON",1,1,23,80);

// do the processing for when the screen goes away
```

WaitForAttrib

The WaitForAttrib method will wait until the specified Attribute value appears in the presentation space of the connection associated with the ECLPS object at the specified Row/Column position. The optional MaskData parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the four PS planes.

Prototype

```
BOOL WaitForAttrib(int Row, int Col, unsigned char AttribDatum,
    unsigned char MskDatum= 0xFF, PS_PLANE plane = FieldPlane,
    long Timeout = INFINITE, BOOL bWaitForIR = TRUE)
```

Parameters

int Row	Row position of the attribute.
int Col	Column position of the attribute.
unsigned char AttribDatum	The 1 byte HEX value of the attribute to wait for.
unsigned char MskDatum	The 1 byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is 0xFF.
PS_PLANE plane	The plane of the attribute to get. The plane can

have the following values: **TextPlane**, **ColorPlane**, **FieldPlane**, and **ExfieldPlane**. See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes.

This parameter is optional. The default is **FieldPlane**.

long nTimeout

The maximum length of time in milliseconds to wait. This parameter is optional. The default is **INFINITE**.

BOOL bWaitForIR

If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to **TRUE**.

Return Value

The method returns **TRUE** if the condition is met, or **FALSE** if **nTimeout** (in milliseconds) has elapsed.

Note: This method will block if **nTimeout** is default value (**INFINITE**) when the test condition would return **FALSE**.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitForAttrib(10, 16, 0xE0, 0xFF, FieldPlane, INFINITE, FALSE);

// do the processing for when the screen goes away
```

WaitWhileAttrib

The **WaitWhileAttrib** method waits while the specified Attribute value appears in the presentation space of the connection associated with the ECLPS object at the specified Row/Column position. The optional **MaskData** parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the four PS planes.

Prototype

```
BOOL WaitWhileAttrib(int Row, int Col, unsigned char AttribDatum,
    unsigned char MskDatum= 0xFF, PS_PLANE plane = FieldPlane,
    long Timeout = INFINITE, BOOL bWaitForIR = TRUE)
```

Parameters

int Row

Row position of the attribute.

int Col

Column position of the attribute unsigned.

char AttribDatum

The 1 byte HEX value of the attribute to wait for.

unsigned char MskDatum

The 1 byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is **0xFF**.

PS_PLANE plane	The plane of the attribute to get. The plane can have the following values: TextPlane , ColorPlane , FieldPlane , and ExfieldPlane . See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes. This parameter is optional. The default is FieldPlane.
long nTimeout	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.
BOOL bWaitForIR	If this value is true, after meeting the wait condition the function will wait until the OIA indicates the PS is ready to accept input. This parameter is optional and is defaulted to TRUE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeout (in milliseconds) has elapsed.

Note: This method will block if nTimeout is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// do the wait
BOOL waitOK = ps.WaitWhileAttrib(10, 16, 0xE0, 0xFF, FieldPlane, INFINITE, FALSE);

// do the processing for when the screen goes away
```

WaitForScreen

Synchronously waits for the screen described by the ECLScreenDesc parameter to appear in the Presentation Space.

Prototype

```
BOOL WaitForScreen(ECLScreenDesc* screenDesc, long Timeout = INFINITE)
```

Parameters

ECLScreenDesc	screenDesc Object that describes the screen (see "ECLScreenDesc Class" on page 134).
long nTimeout	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeout (in milliseconds) has elapsed.

Note: This method will block if nTimeout is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc ec1SD = new ECLScreenDesc();
ec1SD.AddCursorPos(23,1);
ec1SD.AddString("LOGON");

// do the wait
int TimeOut = 5000;
BOOL waitOK = ps.WaitForScreen(ec1SD, timeInt.intValue());

// do processing for the screen
```

WaitWhileScreen

Synchronously waits until the screen described by the ECLScreenDesc parameter is no longer in the Presentation Space.

Prototype

```
BOOL WaitWhileScreen(ECLScreenDesc* screenDesc, long TimeOut = INFINITE)
```

Parameters

ECLScreenDesc	screenDesc Object that describes the screen (see "ECLScreenDesc Methods" on page 134).
long nTimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is INFINITE.

Return Value

The method returns TRUE if the condition is met, or FALSE if nTimeOut (in milliseconds) has elapsed.

Note: This method will block if nTimeOut is default value (INFINITE) when the test condition would return FALSE.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc ec1SD = new ECLScreenDesc();
ec1SD.AddCursorPos(23,1);
ec1SD.AddString("LOGON");

// do the wait
int TimeOut = 5000;
BOOL waitOK = ps.WaitWhileScreen(ec1SD, timeInt.intValue());

// do processing for when the screen goes away
```

RegisterPSEvent

This member function registers an application object to receive notifications of PS update events. To use this function the application must create an object derived from either ECLPSNotify or ECLPSListener. A pointer to that object is then passed

ECLPS

to this registration function. Any number of notify or listener objects may be registered at the same time. The order in which multiple listeners receive events is not defined and should not be assumed.

Different prototypes for this function allow different types of update events to be generated, and different levels of detail about the updates. The simplest update event is registered with an ECLPSNotify object. The type of registration produces an event for every PS update. No information about the update is generated. See the description of the ECLPSNotify object for more information.

For applications with need more information about the update, the ECLPSListener object can be registered. Registration of this object gives the application the ability to ignore some types of updates (for example, local terminal functions such as keystrokes) and to determine the region of the screen which was updated. See the description of the ECLPSListener object for more information. When registering an ECLPSListener object, the application can optionally specify the type of updates which are to cause events.

After an ECLPSNotify or ECLPSListener object is registered with this function, it's NotifyEvent() method will be called whenever a update to the presentation space occurs. Multiple updates to the PS in a short time period may be aggregated into a single event.

The application must unregister the notify/listener object before destroying it. The object will automatically be unregistered if the ECLPS object is destroyed.

Prototype

```
void RegisterPSEvent(ECLPSNotify * notify)
void RegisterPSEvent(ECLPSListener * listener)
void RegisterPSEvent(ECLPSListener * listener, int type)
```

Parameters

ECLPSNotify *	Pointer to the ECLPSNotify object to be registered.
ECLPSListener *	Pointer to the ECLPSListener object to be registered.
int	Type of updates which will cause events: <ul style="list-style-type: none">• USER_EVENTS (local terminal functions)• HOST_EVENTS (host updates)• ALL_EVENTS (all updates)

Return Value

None

StartMacro

The StartMacro method runs the Personal Communications macro file indicated by the MacroName parameter.

Prototype

```
void StartMacro(String MacroName)
```

Parameters

String MacroName	Name of macro file located in the Personal Communications user-class application data
-------------------------	---

directory (specified at installation), without the file extension. This method does not support long file names.

Return Value

None

Usage Notes

You must use the short file name for the macro name. This method does not support long file names.

Example

The following example shows how to start a macro.

```
Dim PS as Object

Set PS = CreateObject("PCOMM.autECLPS")
PS.StartMacro "mymacro"
```

UnregisterPSEvent

This member function unregisters an application object previously registered with the RegisterPSEvent function. An object registered to receive events should not be destroyed without first calling this function to unregister it. If the specific object is not currently registered, no action is taken and no error occurs.

When an ECLPSNotify or ECLPSListener object is unregistered its NotifyStop() method is called.

Prototype

```
void UnregisterPSEvent(ECLPSNotify * notify)
void UnregisterPSEvent(ECLPSListener * listener)
void UnregisterPSEvent(ECLPSListener * listener, int type)
```

Parameters

ECLPSNotify *	Pointer to the ECLPSNotify object to be unregistered.
ECLPSListener *	Pointer to the ECLPSListener object to be unregistered.
int	Type of updates which were registered: <ul style="list-style-type: none"> • USER_EVENTS (local terminal functions) • HOST_EVENTS (host updates) • ALL_EVENTS (all updates)

Return Value

None

ECLPSEvent Class

ECLPSEvent objects are passed to ECLListener objects when the presentation space has been updated. This event object represents the presentation space update event and contains information about the update.

There are two sets of functions an application can use to determine the region of the presentation space which was updated. The GetStart() and GetEnd() methods return a linear position indicating the starting position and ending position of the

GetType

This method returns the type of presentation space update which generated this event. The return value is one of `USER_EVENTS` or `HOST_EVENTS`. User events are defined as any PS update which occurs as a local terminal function (for example, keystrokes entered by the user or by a programming API). Host events are PS updates which occur from host outbound datastreams.

Prototype

```
int GetType()
```

Parameters

None

Return Value

`int` Returns `USER_EVENTS` or `HOST_EVENTS` constants.

GetStart

This method returns the linear location in the presentation space of the start of the update region. Note that the row/column coordinate of this location is dependant on the number of columns currently defined for the presentation space. If this value is greater than that returned by `GetEnd()`, then the update region starts at this location, wraps at the end of the screen to the beginning of the screen, and continues to the ending position.

Prototype

```
ULONG GetStart()
```

Parameters

None

Return Value

`ULONG` Linear position of start of the update region.

GetEnd

This method returns the linear location in the presentation space of the end of the update region. Note that the row/column coordinate of this location is dependant on the number of columns currently defined for the presentation space. If this value is less than that returned by `GetStart()`, then the update region starts at the `GetStart()` location, wraps at the end of the screen to the beginning of the screen, and continues to this position.

Prototype

```
ULONG GetEnd()
```

Parameters

None

Return Value

`ULONG` Linear position of end of the update region.

GetStartRow

This method returns the row number in the presentation space of the start of the update region. If the starting row/column position is greater than that of the

ending row/column position, then the update region starts at this location, wraps at the end of the screen to the beginning of the screen, and continues to the ending position.

Prototype

ULONG GetStartRow()

Parameters

None

Return Value

ULONG Row number of start of the update region.

GetStartCol

This method returns the column number in the presentation space of the start of the update region. If the starting row/column position is greater than that of the ending row/column position, then the update region starts at the starting row/column, wraps at the end of the screen to the beginning of the screen, and continues to the ending position.

Prototype

ULONG GetStartCol()

Parameters

None

Return Value

ULONG Column number of start of the update region.

GetEndRow

This method returns the row number in the presentation space of the end of the update region. If the starting row/column position is greater than that of the ending row/column position, then the update region starts at the starting row/column, wraps at the end of the screen to the beginning of the screen, and continues to the ending row/column.

Prototype

ULONG GetEndRow()

Parameters

None

Return Value

ULONG Row number of end of the update region.

GetEndCol

This method returns the column number in the presentation space of the end of the update region. If the starting row/column position is greater than that of the ending row/column position, then the update region starts at the starting row/column, wraps at the end of the screen to the beginning of the screen, and continues to the ending row/column.

Prototype

ULONG GetEndCol()

Parameters

None

Return Value

ULONG

Column number of end of the update region.

ECLPSListener Class

ECLPSListener is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLPSListener. The application must implement all the methods in this class.

The ECLPSListener class is used to allow an application to be notified of updates to the presentation space. Events are generated whenever the host screen is updated (any data in the presentation space is changed in any plane).

This class is similar to the ECLPSNotify class in that it is used to receive notifications of PS updates. It differs however in that it receives much more information about the cause and scope of the update than the ECLPSNotify class. In general using this class will be more expensive in terms of processing time and memory since more information has to be generated with each event. For applications which need to efficiently update a visual representation of the host screen this class may be more efficient than redrawing the representation each time an update occurs. Using this class the application can update only the portion of the visual representation that has changed.

This class also differs from ECLPSNotify in that all the methods are pure virtual and therefor must be implemented by the application (there is no default implementation of any methods).

Derivation

ECLBase > ECLListener > ECLPSListener

Usage Notes

To be notified of PS updates using this class, the application must perform the following steps:

1. Define a class derived from ECLPSListener.
2. Implement all methods of the ECLPSListener-derived class.
3. Create an instance of the derived class.
4. Register the instance with the ECLPS::RegisterPSEvent() method.

After registration is complete, updates to the presentation space will cause the NotifyEvent() method of the ECLPSListener-derived class to be called. The application can then use the ECLPSEvent object supplied on the method call to determine what caused the PS update and the region of the screen affected.

Note that multiple PS updates which occurred in a short period of time may be aggregated into a single event notification.

ECLPSListener

An application can choose to provide its own constructor and destructor for the derived class. This can be useful if the application needs to store some instance-specific data in the class and pass that information as a parameter on the constructor.

If an error is detected during event registration, the `NotifyError()` member function is called with an `ECLerr` object. Events may or may not continue to be generated after an error. When event generation terminates (due to an error or some other reason) the `NotifyStop()` member function is called.

ECLPSListener Methods

The following section describes the methods that are valid for the `ECLPSListener` class and all classes derived from it. Note that all methods except the constructor and destructor are pure virtual methods.

```
ECLPSListener()
ECLPSListener()
virtual void NotifyEvent(ECLPSEvent * event) = 0
virtual void NotifyError(ECLPS * PObj, ECLerr ErrObj) = 0
virtual void NotifyStop(ECLPS * PObj, int Reason) = 0
```

NotifyEvent

This method is a *pure virtual* member function (the application *must* implement this function in classes derived from `ECLPSListener`). This method is called whenever the presentation space is updated and this object is registered to receive update events. The `ECLPSEvent` object passed as a parameter contains information about the event including the region of the screen that was modified. See “`ECLPSEvent Class`” on page 123 for details.

Multiple PS updates may be aggregated into a single event causing only a single call to this method. The changed region contained in the `ECLPSEvent` object will encompass the sum of all the modifications.

Events may be restricted to only a particular type of PS update by supplying the appropriate parameters on the `ECLPS::RegisterPSEvent()` method. For example the application may choose to be notified only for updates from the host and not for local keystrokes.

Prototype

```
virtual void NotifyEvent(ECLPSEvent * event) = 0
```

Parameters

ECLPSEvent * Pointer to an `ECLPSEvent` object which represents the PS update.

Return Value

None

NotifyError

This method is called whenever the `ECLPS` object detects an error during event generation. The error object contains information about the error (see “`ECLerr Class`” on page 47). Events may continue to be generated after the error depending on the nature of the error. If the event generation stops due to an error, the `NotifyStop()` method is called.

This is a *pure virtual* method which the application must implement.

Prototype

```
virtual void NotifyError(ECLPS * PObj, ECLerr ErrObj) = 0
```

Parameters

ECLPS *	Pointer to the ECLPS object which generated this event.
ECLerr	An ECLerr object which describes the error.

Return Value

None

NotifyStop

This method is called when event generation is stopped for any reason (for example, due to an error condition or a call to ECLPS::UnregisterPSEvent).

This is a *pure virtual* method which the application must implement.

The reason code parameter is currently unused and will be zero.

Prototype

```
virtual void NotifyStop(ECLPS * PObj, int Reason) = 0
```

Parameters

ECLPS *	Pointer to the ECLPS object which generated this event.
int	Reason event generation has stopped (currently unused and will be zero).

Return Value

None

ECLPSNotify Class

ECLPSNotify is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLPSNotify. The application must implement the NotifyEvent() member function in its derived class. It may also optionally implement NotifyError() and NotifyStop() member functions.

The ECLPSNotify class is used to allow an application to be notified of updates to the presentation space. Events are generated whenever the host screen is updated (any data in the presentation space is changed in any plane).

This class is similar to the ECLPSListener class in that it is used to receive notifications of PS updates. It differs however in that it receives no information about the cause and scope of the update than the ECLPSNotify class. In general using this class will be more efficient in terms of processing time and memory since no information has to be generated with each event. This class may be used for applications which only need notification of updates and do not need the details of what caused the event or what part of the screen was updated.

This class also differs from ECLPSListener in that default implementations are provided for the NotifyError() and NotifyStop() methods.

Derivation

ECLBase > ECLNotify > ECLPSNotify

Usage Notes

To be notified of PS updates using this class, the application must perform the following steps:

1. Define a class derived from ECLPSNotify.
2. Implement the NotifyEvent method of the ECLPSNotify-derived class.
3. Optionally implement other member functions of ECLPSNotify.
4. Create an instance of the derived class.
5. Register the instance with the ECLPS::RegisterPSEvent() method.

After registration is complete, updates to the presentation space will cause the NotifyEvent() method of the ECLPSNotify-derived class to be called.

Note that multiple PS updates which occur in a short period of time may be aggregated into a single event notification.

An application can choose to provide its own constructor and destructor for the derived class. This can be useful if the application needs to store some instance-specific data in the class and pass that information as a parameter on the constructor.

If an error is detected during event registration, the NotifyError() member function is called with an ECLErr object. Events may or may not continue to be generated after an error. When event generation terminates (due to an error or some other reason) the NotifyStop() member function is called. The default implementation of NotifyError() will present a message box to the user showing the text of the error messages retrieved from the ECLErr object.

When event notification stops for any reason (error or a call the ECLPS::UnregisterPSEvent) the NotifyStop() member function is called. The default implementation of NotifyStop() does nothing.

ECLPSNotify Methods

The following section describes the methods that are valid for the ECLPSNotify class and all classes derived from it.

```
ECLPSNotify()=0
~ECLPSNotify()
virtual void NotifyEvent(ECLPS * PObj)
virtual void NotifyError(ECLPS * PObj, ECLErr ErrObj)
virtual void NotifyStop(ECLPS * PObj, int Reason)
```

NotifyEvent

This method is a *pure virtual* member function (the application **must** implement this function in classes derived from ECLPSNotify). This method is called whenever the presentation space is updated and this object is registered to receive update events.

Multiple PS updates may be aggregated into a single event causing only a single call to this method.

Prototype

```
virtual void NotifyEvent(ECLPS * PObj)
```

Parameters

ECLPS * Pointer to the ECLPS object which generated this event.

Return Value

None

NotifyError

This method is called whenever the ECLPS object detects an error during event generation. The error object contains information about the error (see “ECLErr Class” on page 47). Events may continue to be generated after the error depending on the nature of the error. If the event generation stops due to an error, the `NotifyStop()` method is called.

An application can choose to implement this function or allow the base ECLPSNotify class handle it. The default implementation will display the error in a message box using text supplied by the `ECLErr::GetMsgText()` method. If the application implements this function in its derived class it overrides this behavior.

Prototype

```
virtual void NotifyError(ECLPS * PObj, ECLErr ErrObj) = 0
```

Parameters

ECLPS * Pointer to the ECLPS object which generated this event.

ECLErr An ECLErr object which describes the error.

Return Value

None

NotifyStop

This method is called when event generation is stopped for any reason (for example, due to an error condition or a call to `ECLPS::UnregisterPSEvent()`).

The reason code parameter is currently unused and will be zero.

The default implementation of this function does nothing.

Prototype

```
virtual void NotifyStop(ECLPS * PObj, int Reason) = 0
```

Parameters

ECLPS * Pointer to the ECLPS object which generated this event.

int Reason event generation has stopped (currently unused and will be zero).

Return Value

None

ECLRecoNotify Class

ECLRecoNotify can be used to implement an object which will receive and handle ECLScreenReco events. Events are generated whenever any screen in the PS is matched to an ECLScreenDesc object in ECLScreenReco. Special events are generated when event generation stops and when errors occur during event generation.

To be notified of ECLScreenReco events, the application must perform the following steps:

1. Define a class which derives from the ECLRecoNotify class.
2. Implement the NotifyEvent(), NotifyStop(), and NotifyError() methods.
3. Create an instance of the new class.
4. Register the instance with the ECLScreenReco::RegisterScreen() method.

See "ECLScreenReco Class" on page 140 for an example.

Derivation

ECLBase > ECLNotify > ECLRecoNotify

ECLRecoNotify Methods

Valid methods for ECLRecoNotify are listed below:

```
ECLRecoNotify()
~ECLRecoNotify()
void NotifyEvent(ECLPS *ps, ECLScreenDesc *sd)
void NotifyStop(ECLPS *ps, ECLScreenDesc *sd)
void NotifyError(ECLPS *ps, ECLScreenDesc *sd, ECLErr e)
```

ECLRecoNotify Constructor

Creates an empty instance of ECLRecoNotify.

Prototype

```
ECLRecoNotify()
```

Parameters

None

Return Value

None

Example

See "ECLScreenReco Class" on page 140 for an example.

ECLRecoNotify Destructor

Destroys the instance of ECLRecoNotify

Prototype

```
~ECLRecoNotify()
```

Parameters

None

Return Value

None

Example

See "ECLScreenReco Class" on page 140 for an example.

NotifyEvent

Called when the ECLScreenDesc registered with the ECLRecoNotify object on ECLScreenReco appears in the presentation space.

Prototype

```
void NotifyEvent(ECLPS *ps, ECLScreenDesc *sd)
```

Parameters

ECLPS ps	The ECLPS object that you registered.
ECLScreenDesc sd	ECLScreenDesc that you registered.

Return Value

None

Example

See "ECLScreenReco Class" on page 140 for an example.

NotifyStop

Called when the ECLScreenReco object stops monitoring its ECLPS objects for the registered ECLScreenDesc objects.

Prototype

```
void NotifyStop(ECLPS *ps, ECLScreenDesc *sd)
```

Parameters

ECLPS ps	The ECLPS object that you registered.
ECLScreenDesc sd	ECLScreenDesc that you registered.

Return Value

None

Example

See "ECLScreenReco Class" on page 140 for an example.

NotifyError

Called when the ECLScreenReco object encounters an error.

Prototype

```
void NotifyError(ECLPS *ps, ECLScreenDesc *sd, ECLErr e)
```

Parameters

ECLPS ps	The ECLPS object that you registered.
ECLScreenDesc sd	ECLScreenDesc that you registered.

ECLErr e ECLErr object that contains the error information.

Return Value

None

Example

See “ECLScreenReco Class” on page 140 for an example.

ECLScreenDesc Class

ECLScreenDesc is the class that is used to *describe* a screen for the IBM Host Access Class Library screen recognition technology. It uses all four major planes of the presentation space to describe it (TEXT, FIELD, EXFIELD, COLOR), as well as the cursor position.

Using the methods provided on this object, the programmer can set up a detailed description of what a given screen looks like in a host side application. Once an ECLScreenDesc object is created and set, it may be passed to either the synchronous WaitFor... methods provided on ECLPS, or it may be passed to ECLScreenReco, which fires an asynchronous event if the screen matching the ECLScreenDesc object appears in the PS.

Derivation

ECLBase > ECLScreenDesc

ECLScreenDesc Methods

Valid methods for ECLScreenDesc are listed below:

```
ECLScreenDesc()
~ECLScreenDesc()
void AddAttrib(BYTE attrib, UINT pos, PS_PLANE plane=FieldPlane);
void AddAttrib(BYTE attrib, UINT row, UINT col, PS_PLANE plane=FieldPlane);
void AddCursorPos(uint row, uint col)
void AddNumFields(uint num)
void AddNumInputFields(uint num)
void AddOIAInhibitStatus(OIAStatus type=NOTINHIBITED)
void AddString(LPCSTR s, UINT row, UINT col, BOOL caseSensitive=TRUE)
void AddStringInRect(char * str, int Top, int Left, int Bottom, int Right,
                    BOOL caseSense=TRUE)
void Clear()
```

ECLScreenDesc Constructor

Creates an empty instance of ECLScreenDesc.

Prototype

```
ECLScreenDesc()
```

Parameters

None

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddCursorPos(23,1);
eclSD.AddString("LOGON");

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(eclSD, timeInt.intValue());
```

ECLScreenDesc Destructor

Destroys the instance of ECLScreenDesc.

Prototype

```
~ ECLScreenDesc()
```

Parameters

None

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddCursorPos(23,1);
eclSD.AddString("LOGON");

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(eclSD, timeInt.intValue());
// destroy the descriptor
delete eclSD;
```

AddAttrib

Adds an attribute value at the given position to the screen description.

Prototype

```
void AddAttrib(BYTE attrib, UINT pos, PS_PLANE plane=FieldPlane);
void AddAttrib(BYTE attrib, UINT row, UINT col, PS_PLANE plane=FieldPlane);
```

Parameters

BYTE attrib	Attribute value to add.
int row	Row position.
int col	Column position.
PS_PLANE plane	Plane in which attribute resides. Valid values are: TextPlane, ColorPlane, FieldPlane, Exfield Plane, DBCS Plane, GridPlane. TextPlane, ColorPlane,

FieldPlane, and **ExfieldPlane**. See Appendix B, "ECL Planes — Format and Content," on page 403 for the content and format of the different ECL planes.

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddAttrib(0xe8, 1, 1, ColorPlane);
eclSD.AddCursorPos(23,1);
eclSD.AddNumFields(45) ;
eclSD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
eclSD.AddString("LOGON"., 23, 11, TRUE) ;
eclSD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(eclSD, timeInt.intValue());
```

AddCursorPos

Sets the cursor position for the screen description to the given position.

Prototype

```
void AddCursorPos(uint row, uint col)
```

Parameters

uint row Row position.
uint col Column position.

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddAttrib(0xe8, 1, 1, ColorPlane);
eclSD.AddCursorPos(23,1);
eclSD.AddNumFields(45) ;
eclSD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
eclSD.AddString("LOGON"., 23, 11, TRUE) ;
eclSD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(eclSD, timeInt.intValue());
```


ECLScreenDesc

```
int TimeOut = 5000;
BOOL waitOK = ec1PS.WaitForScreen(ec1SD, timeInt.intValue());
```

AddOIAInhibitStatus

Sets the type of OIA monitoring for the screen description.

Prototype

```
void AddOIAInhibitStatus(OIAStatus type=NOTINHIBITED)
```

Parameters

OIAStatus type Type of OIA status. Current valid values are DONTCARE and NOTINHIBITED.

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc ec1SD = new ECLScreenDesc();
ec1SD.AddAttrib(0xe8, 1, 1, ColorPlane);
ec1SD.AddCursorPos(23,1);
ec1SD.AddNumFields(45) ;
ec1SD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
ec1SD.AddString("LOGON"., 23, 11, TRUE) ;
ec1SD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;

// do the wait
int TimeOut = 5000;
BOOL waitOK = ec1PS.WaitForScreen(ec1SD, timeInt.intValue());
```

AddString

Adds a string at the given location to the screen description. If row and column are not provided, string may appear anywhere in the PS.

Note: Negative values are absolute positions from the bottom of the PS. For example, row=-2 is row 23 out of 24 rows.

Prototype

```
void AddString(LPCSTR s, UINT row, UINT col, BOOL caseSensitive=TRUE)
```

Parameters

LPCSTR s String to add.

uint row Row position.

uint col Column position.

BOOL caseSense If this value is TRUE, the strings are added as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddAttrib(0xe8, 1, 1, ColorPlane);
eclSD.AddCursorPos(23,1);
eclSD.AddNumFields(45) ;
eclSD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
eclSD.AddString("LOGON"., 23, 11, TRUE) ;
eclSD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(eclSD, timeInt.intValue());
```

AddStringInRect

Adds a string in the given rectangle to the screen description.

Prototype

```
void AddStringInRect(char * str, int Top, int Left, int Bottom, int Right,
                    BOOL caseSense=TURE)
```

Parameters

char * str	String to add.
int Top	Upper left row position. This parameter is optional. The default is the first row.
int Left	Upper left column position. This parameter is optional. The default is the first column.
int Bottom	Lower right row position. This parameter is optional. The default is the last row.
int Right	Lower right column position. This parameter is optional. The default is the last column.
BOOL caseSense	If this value is TRUE, the strings are added as case-sensitive. This parameter is optional. The default is TRUE.

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc eclSD = new ECLScreenDesc();
eclSD.AddAttrib(0xe8, 1, 1, ColorPlane);
eclSD.AddCursorPos(23,1);
eclSD.AddNumFields(45) ;
eclSD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
eclSD.AddString("LOGON"., 23, 11, TRUE) ;
eclSD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;
```

ECLScreenDesc

```
// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(ec1SD, timeInt.intValue());
```

Clear

Removes all description elements from the screen description.

Prototype

```
void Clear()
```

Parameters

None

Return Value

None

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc ec1SD = new ECLScreenDesc();
ec1SD.AddAttrib(0xe8, 1, 1, ColorPlane);
ec1SD.AddCursorPos(23,1);
ec1SD.AddNumFields(45) ;
ec1SD.AddNumInputFields(17) ;
AddOIAInhibitStatus(NOTINHIBITED) ;
ec1SD.AddString("LOGON"., 23, 11, TRUE) ;
ec1SD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE) ;

// do the wait
int TimeOut = 5000;
BOOL waitOK = eclPS.WaitForScreen(ec1SD, timeInt.intValue());

// do processing for the screen

ec1SD.Clear() // start over for a new screen
```

ECLScreenReco Class

The ECLScreenReco class is the engine for the Host Access Class Library screen recognition system. It contains the methods for adding and removing descriptions of screens. It also contains the logic for recognizing those screens and for asynchronously calling back to your handler code for those screens.

Think of an object of the ECLScreenReco class as a unique *recognition set*. The object can have multiple ECLPS objects that it watches for screens, multiple screens to look for, and multiple callback points to call when it sees a screen in any of the ECLPS objects.

All you need to do is set up your ECLScreenReco objects at the start of your application, and when any screen appears in any ECLPS that you want to monitor, your code will get called by ECLScreenReco. You do absolutely no legwork in monitoring screens!

Here's an example of a common implementation:

```

class MyApp {
ECLPS myECLPS('A'); // My main HACL PS object
ECLScreenReco myScreenReco(); // My screen reco object
ECLScreenDesc myScreenDesc(); // My screen descriptor
MyRecoCallback myCallback(); // My GUI handler

MyApp() {
// Save the number of fields for below
ECLFieldList *fl = myECLPS.GetFieldList()
Fl->Refresh();
int numFields = fl->GetFieldCount();

// Set up my HACL screen description object. Say the screen
// is identified by a cursor position, a key word, and the
// number of fields
myScreenDesc.AddCursorPos(23,1);
myScreenDesc.AddString("LOGON");
myScreenDesc.AddNumFields(numFields);

// Set up HACL screen reco object, it will begin monitoring here
myScreenReco.AddPS(myECLPS);
myScreenReco.RegisterScreen(&myScreenDesc, &myCallback);
}

MyApp() {
myScreenReco.UnregisterScreen(&myScreenDesc, &myCallback);
myScreenReco.RemovePS(&ec1PS);
}

public void showMainGUI() {
// Show the main application GUI, this is just a simple example
}

// ECLRecoNotify-derived inner class (the "callback" code)
class MyRecoCallback public: ECLRecoNotify {
public: void NotifyEvent(ECLScreenDesc *sd, ECLPS *ps) {
// GUI code here for the specific screen
// Maybe fire a dialog that front ends the screen
}

public void NotifyError(ECLScreenDesc *sd, ECLPS *ps, ECLErr e) {
// Error handling
}

public void NotifyStop(ECLScreenDesc *sd, ECLPS *ps, int Reason) {
// Possible stop monitoring, not essential
}
}

int main() {
MyApp app = new MyApp();
app.showMainGUI();
}

```

Derivation

ECLBase > ECLScreenReco

ECLScreenReco Methods

The following methods are valid for ECLScreenReco:

ECLScreenReco

```
ECLScreenReco()
~ECLScreenReco()
AddPS(ECLPS*)
IsMatch(ECLPS*, ECLScreenDesc*)
RegisterScreen(ECLScreenDesc*, ECLRecoNotify*)
RemovePS(ECLPS*)
UnregisterScreen(ECLScreenDesc*)
```

ECLScreenReco Constructor

Creates an empty instance of ECLScreenReco

Prototype

```
ECLScreenReco()
```

Parameters

None

Return Value

None

Example

See the example of a common implementation provided in “ECLScreenReco Class” on page 140.

ECLScreenReco Destructor

Destroys the instance of ECLScreenReco

Prototype

```
~ECLScreenReco()
```

Parameters

None

Return Value

None

Example

See the example of a common implementation provided in “ECLScreenReco Class” on page 140.

AddPS

Adds Presentation Space object to monitor.

Prototype

```
AddPS(ECLPS*)
```

Parameters

ECLPS* PS object to monitor.

Return Value

None

Example

See the example of a common implementation provided in “ECLScreenReco Class” on page 140.

IsMatch

Static member method that allows for passing an ECLPS object and an ECLScreenDesc object and determining if the screen description matches the PS. It is provided as a static method so any routine can call it without creating an ECLScreenReco object.

Prototype

```
IsMatch(ECLPS*, ECLScreenDesc*)
```

Parameters

ECLPS*	ECLPS object to compare.
ECLScreenDesc*	ECLScreenDesc object to compare.

Return Value

TRUE if the screen in PS matches, FALSE otherwise.

Example

```
// set up PS
ECLPS ps = new ECLPS('A');

// set up screen description
ECLScreenDesc ec1SD = new ECLScreenDesc();
ec1SD.AddAttrib(0xe8, 1, 1, ColorPlane);
ec1SD.AddCursorPos(23,1);
ec1SD.AddNumFields(45);
ec1SD.AddNumInputFields(17);
AddOIAInhibitStatus(NOTINHIBITED);
ec1SD.AddString("LOGON"., 23, 11, TRUE);
ec1SD.AddStringInRect("PASSWORD", 23, 1, 24, 80, FALSE);
if(ECLScreenReco::IsMatch(ps,ec1SD)) {
    // Handle Screen Match here . . .
}
```

RegisterScreen

Begins monitoring all ECLPS objects added to the screen recognition object for the given screen description. If the screen appears in the PS, the NotifyEvent method on the ECLRecoNotify object will be called.

Prototype

```
RegisterScreen(ECLScreenDesc*, ECLRecoNotify*)
```

Parameters

ECLScreenDesc*	Screen description object to register.
ECLRecoNotify*	Object that contains the callback code for the screen description.

Return Value

None

Example

See the example of a common implementation provided in "ECLScreenReco Class" on page 140.

RemovePS

Removes the ECLPS object from screen recognition monitoring.

ECLScreenReco

Prototype

RemovePS(ECLPS*)

Parameters

ECLPS* ECLPS object to remove.

Return Value

None

Example

See the example of a common implementation provided in "ECLScreenReco Class" on page 140.

UnregisterScreen

Removes the screen description and its callback code from screen recognition monitoring.

Prototype

UnregisterScreen(ECLScreenDesc*)

Parameters

ECLScreenDesc* Screen description object to remove.

Return Value

None

Example

See the example of a common implementation provided in "ECLScreenReco Class" on page 140.

ECLSession Class

ECLSession provides general emulator connection-related services and contains pointers to instances of other objects in the Host Access Class Library.

Derivation

ECLBase > ECLConnection > ECLSession

Properties

None

Usage Notes

Because ECLSession is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See "ECLConnection Class" on page 19 for more information.

Although the objects ECLSession contains are capable of standing on their own, pointers to them exist in the ECLSession class. When an ECLSession object is created, ECLPS, ECLOIA, ECLXfer, and ECLWinMetrics objects are also created.

ECLSession Methods

The following section describes the methods that are valid for the ECLSession class:

```
ECLSession(char Name)
ECLSession(Long Handle)
~ECLSession()
ECLPS *GetPS()
ECLIOA *GetOIA()
ECLXfer *GetXfer()
ECLWinMetrics *GetWinMetrics()
void RegisterUpdateEvent(UPDATETYPE Type, ECLUpdateNotify *UpdateNotifyClass,
    BOOL InitEvent)
void UnregisterUpdateEvent(ECLUpdateNotify *UpdateNotifyClass,)
```

ECLSession Constructor

This method creates an ECLSession object from a connection name (a single, alphabetic character from A-Z or a-z) or a connection handle. There can be only one Personal Communications connection open with a given name. For example, there can only be one connection "A" open at a time.

Prototype

```
ECLSession(char Name)
```

```
ECLSession(long Handle)
```

Parameters

char Name	One-character short name of the connection (A-Z or a-z).
long Handle	Handle of an ECL connection.

Return Value

None

Example

```
//-----
// ECLSession::ECLSession    (Constructor)
//
// Build PS object from name.
//-----
void Sample73() {

    ECLSession *Sess;      // Pointer to Session object for connection A
    ECLPS      *PS;       // PS object pointer

    try {
        Sess = new ECLSession('A');

        PS = Sess->GetPS();
        printf("Size of presentation space is %lu.\n", PS->GetSize());

        delete Sess;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

ECLSession Destructor

This method destroys an ECLSession object.

Prototype

```
~ECLSession();
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLSession::~ECLSession      (Destructor)
//
// Build PS object from name and then delete it.
//-----
void Sample74() {

ECLSession *Sess;      // Pointer to Session object for connection A
ECLPS      *PS;        // PS object pointer

try {
    Sess = new ECLSession('A');

    PS = Sess->GetPS();
    printf("Size of presentation space is %lu.\n", PS->GetSize());

    delete Sess;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}
} // end sample
```

GetPS

This method returns a pointer to the ECLPS object contained in the ECLSession object. Use this method to access the ECLPS object methods. See “ECLPS Class” on page 89 for more information.

Prototype

```
ECLPS *GetPS()
```

Parameters

None

Return Value

ECLPS * ECLPS object pointer.

Example

```
//-----
// ECLSession::GetPS
//
// Get PS object from session object and use it.
//-----
void Sample69() {

ECLSession *Sess;      // Pointer to Session object for connection A
```

```

ECLPS      *PS;          // PS object pointer

try {
    Sess = new ECLSession('A');

    PS = Sess->GetPS();
    printf("Size of presentation space is %lu.\n", PS->GetSize());

    delete Sess;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}
} // end sample

```

GetOIA

This method returns a pointer to the ECLOIA object contained in the ECLSession object. Use this method to access the ECLOIA methods. See “ECLOIA Class” on page 75 for more information.

Prototype

```
ECLOIA *GetOIA()
```

Parameters

None

Return Value

ECLOIA * ECLOIA object pointer.

Example

```

//-----
// ECLSession::GetOIA
//
// Get OIA object from session object and use it.
//-----
void Sample70() {

    ECLSession *Sess;      // Pointer to Session object for connection A
    ECLOIA      *OIA;      // OIA object pointer

    try {
        Sess = new ECLSession('A');

        OIA = Sess->GetOIA();
        if (OIA->InputInhibited() == NotInhibited)
            printf("Input is not inhibited.\n");
        else
            printf("Input is inhibited.\n");

        delete Sess;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

GetXfer

This method returns a pointer to the ECLXfer object contained in the ECLSession object. Use this method to access the ECLXfer methods. See “ECLXfer Class” on page 171 for more information.

Prototype

ECLXfer *GetXfer()

Parameters

None

Return Value

ECLXfer * ECLXfer object pointer.

Example

```
//-----  
// ECLSession::GetXfer  
//  
// Get OIA object from session object and use it.  
//-----  
void Sample71() {  
  
    ECLSession *Sess; // Pointer to Session object for connection A  
    ECLXfer *Xfer; // Xfer object pointer  
  
    try {  
        Sess = new ECLSession('A');  
  
        Xfer = Sess->GetXfer();  
        Xfer->SendFile("c:\\autoexec.bat", "AUTOEXEC BAT A", "(ASCII CRLF");  
  
        delete Sess;  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

GetWinMetrics

This method returns a pointer to the ECLWinMetrics object contained in the ECLSession object. Use this method to access the ECLWinMetrics methods. See “ECLWinMetrics Class” on page 154 for more information.

Prototype

ECLWinMetrics *GetWinMetrics()

Parameters

None

Return Value

ECLWinMetrics * ECLWinMetrics object pointer.

Example

```
//-----  
// ECLSession::GetWinMetrics  
//  
// Get WinMetrics object from session object and use it.  
//-----  
void Sample72() {  
  
    ECLSession *Sess; // Pointer to Session object for connection A  
    ECLWinMetrics *Metrics; // WinMetrics object pointer  
  
    try {  
        Sess = new ECLSession('A');
```

```

    Metrics = Sess->GetWinMetrics();
    printf("Window height is %lu pixels.\n", Metrics->GetHeight());

    delete Sess;
}
catch (ECLerr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}
} // end sample

```

GetPageSettings

This method returns a pointer to the ECLPageSettings object contained in the ECLSession object. Use this method to access the ECLPageSettings methods. See “ECLPageSettings Class” on page 176 for more information.

Prototype

```
ECLPageSettings *GetPageSettings() const;
```

Parameters

None

Return Value

ECLPageSettings *
ECLPageSettings object pointer.

Example

```

//-----
// ECLSession::GetPageSettings
//
// Get PageSettings object from session object and use it.
//-----
void Sample124() {
    ECLSession *Sess;      // Pointer to Session object for connection A
    ECLPageSettings *PgSet; // PageSettings object pointer

    try {
        Sess = new ECLSession('A');
        PgSet = Sess->GetPageSettings();
        printf("FaceName = %s\n", PgSet->GetFontFaceName());
        delete Sess;
    }
    catch (ECLerr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

GetPrinterSettings

This method returns a pointer to the ECLPrinterSettings object contained in the ECLSession object. Use this method to access the ECLPrinterSettings methods. See “ECLPageSettings Class” on page 176 for more information.

Prototype

```
ECLPrinterSettings *GetPrinterSettings() const;
```

Parameters

None

Return Value

ECLPrinterSettings *
ECLPrinterSettings object pointer.

Example

```
//-----  
// ECLSession::GetPrinterSettings  
//  
// Get PrinterSettings object from session object and use it.  
//-----  
void Sample125() {  
    ECLSession *Sess;          // Pointer to Session object for connection A  
    ECLPrinterSettings *PrSet; // PrinterSettings object pointer  
  
    try {  
        Sess = new ECLSession('A');  
        PrSet = Sess->GetPrinterSettings();  
        if (PrSet->IsPDTMode())  
            printf("PDTMode\n");  
        else  
            printf("Not PDTMode\n");  
        delete Sess;  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

RegisterUpdateEvent

Deprecated. See ECLPS::RegisterPSEvent in “RegisterPSEvent” on page 121.

UnregisterUpdateEvent

Deprecated. See ECLPS::UnregisterPSEvent in “UnregisterPSEvent” on page 123.

ECLStartNotify Class

ECLStartNotify is an abstract base class. An application cannot create an instance of this class directly. To use this class, the application must define its own class which is derived from ECLStartNotify. The application must implement the NotifyEvent() member function in its derived class. It may also optionally implement NotifyError() and NotifyStop() member functions.

The ECLStartNotify class is used to allow an application to be notified of the starting and stopping of PCOMM connections. Start/stop events are generated whenever a PCOMM connection (window) is started or stopped by any means, including the ECLConnMgr start/stop methods.

To be notified of start/stop events, the application must perform the following steps:

1. Define a class derived from ECLStartNotify.
2. Implement the derived class and implement the NotifyEvent() member function.
3. Optionally implement the NotifyError() and/or NotifyStop() functions.
4. Create an instance of the derived class.
5. Register the instance with the ECLConnMgr::RegisterStartEvent() function.

The example shown demonstrates how this may be done. When the above steps are complete, each time a connection is started or stopped the applications NotifyEvent() member function will be called. The function is passed two parameters giving the handle of the connection, and a BOOL start/stop indicator. The application may perform any functions required in the NotifyEvent() procedure, including calling other ECL functions. Note that the application cannot prevent the stopping of a connection; the notification is made after the session is already stopped.

If an error is detected during event generation, the NotifyError() member function is called with an ECLerr object. Events may or may not continue to be generated after an error, depending on the nature of the error. When event generation terminates (either due to an error, by calling the ECLConnMgr::UnregisterStartEvent, or by destruction of the ECLConnMgr object) the NotifyStop() member function is called. However event notification is terminated, the NotifyStop() member function is always called, and the application object is unregistered.

If the application does not provide an implementation of the NotifyError() member function, the default implementation is used (a simple message box is displayed to the user). The application can override the default behavior by implementing the NotifyError() function in the applications derived class. Likewise, the default NotifyStop() function is used if the application does not provide this function (the default behavior is to do nothing).

Note that the application can also choose to provide its own constructor and destructor for the derived class. This can be useful if the application wants to store some instance-specific data in the class and pass that information as a parameter on the constructor. For example, the application may want to post a message to an application window when a start/stop event occurs. Rather than define the window handle as a global variable (so it would be visible to the NotifyEvent() function), the application can define a constructor for the class which takes the window handle and stores it in the class member data area.

The application must not destroy the notification object while it is registered to receive events.

Implementation Restriction: Currently, the ECLConnMgr object allows only one notification object to be registered for a start/stop event notification. The ECLConnMgr::RegisterStartEvent will throw an error if a notify object is already registered for that ECLConnMgr object.

Derivation

ECLBase > ECLNotify > ECLStartNotify

Example

```
//-----
// ECLStartNotify class
//
// This sample demonstrates the use of:
//
// ECLStartNotify::NotifyEvent
// ECLStartNotify::NotifyError
// ECLStartNotify::NotifyStop
// ECLConnMgr::RegisterStartEvent
// ECLConnMgr::UnregisterStartEvent
//-----
```

ECLStartNotify

```
//.....  
// Define a class derived from ECLStartNotify  
//.....  
class MyStartNotify: public ECLStartNotify  
{  
public:  
    // Define my own constructor to store instance data  
    MyStartNotify(HANDLE DataHandle);  
  
    // We have to implement this function  
    void NotifyEvent(ECLConnMgr *CMObj, long ConnHandle,  
                    BOOL Started);  
  
    // We will take the default behaviour for these so we  
    // don't implement them in our class:  
    // void NotifyError (ECLConnMgr *CMObj, long ConnHandle, ECLErr ErrObject);  
    // void NotifyStop (ECLConnMgr *CMObj, int Reason);  
private:  
    // We will store our application data handle here  
    HANDLE MyDataH;  
};  
  
//.....  
MyStartNotify::MyStartNotify(HANDLE DataHandle) // Constructor  
//.....  
{  
    MyDataH = DataHandle; // Save data handle for later use  
}  
  
//.....  
void MyStartNotify::NotifyEvent(ECLConnMgr *CMObj, long ConnHandle,  
                                BOOL Started)  
//.....  
{  
    // This function is called whenever a connection start or stops.  
  
    if (Started)  
        printf("Connection %c started.\n", CMObj->ConvertHandle2ShortName(ConnHandle));  
    else  
        printf("Connection %c stopped.\n", CMObj->ConvertHandle2ShortName(ConnHandle));  
  
    return;  
}  
  
//.....  
// Create the class and begin start/stop monitoring.  
//.....  
void Sample75() {  
  
    ECLConnMgr CMgr; // Connection manager object  
    MyStartNotify *Event; // Ptr to my event handling object  
    HANDLE InstData; // Handle to application data block (for example)  
  
    try {  
        Event = new MyStartNotify(InstData); // Create event handler  
  
        CMgr.RegisterStartEvent(Event); // Register to get events  
        // At this point, any connection start/stops will cause the  
        // MyStartEvent::NotifyEvent() function to execute. For  
        // this sample, we put this thread to sleep during this  
        // time.  
  
        printf("Monitoring connection start/stops for 60 seconds...\n");  
        Sleep(60000);  
  
        // Now stop event generation.
```

```

    CMgr.UnregisterStartEvent(Event);
    printf("Start/stop monitoring ended.\n");

    delete Event; // Don't delete until after unregister!
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

ECLStartNotify Methods

The following section describes the methods that are valid for the ECLStartNotify class.

```

ECLStartNotify()
ECLStartNotify()
virtual int NotifyEvent (ECLConnMgr *CMObj, long ConnHandle,
                        BOOL Started) = 0
virtual void NotifyError (ECLConnMgr *CMObj, long ConnHandle,
                         ECLErr ErrObject)
virtual void NotifyStop (ECLConnMgr *CMObj int Reason)

```

NotifyEvent

This method is a pure virtual member function (the application *must* implement this function in classes derived from ECLStartNotify). This function is called whenever a connection starts or stops and the object is registered for start/stop events. The Started BOOL is TRUE if the connection is started, or FALSE if is stopped.

Prototype

```

virtual int NotifyEvent (ECLConnMgr *CMObj, long ConnHandle,
                        BOOL Started) = 0

```

Parameters

ECLConnMgr *CMObj	This is the pointer to ECLConnMgr object in which the event occurred.
long ConnHandle	This is the handle of the connection that started or stopped.
BOOL Started	This is TRUE if the connection is started, or FALSE if the connection is stopped.

Return Value

None

NotifyError

This method is called whenever the ECLConnMgr object detects an error event generation. The error object contains information about the error (see the ECLErr class description). Events may continue to be generated after the error, depending on the nature of the error. If event generation stops due to an error, the NotifyStop() function is called.

ECLStartNotify

The ConnHandle contains the handle of the connection that is related to the error. This value may be zero if the error is not related to any specific connection.

An application can choose to implement this function or allow the ECLStartNotify base class to handle the error. The base class will display the error in a message box using the text supplied by the ECLErr::GetMsgText() function. If the application implements this function in its derived class it will override the base class function.

Prototype

```
virtual void NotifyError (ECLConnMgr *CObj, long ConnHandle,  
                        ECLErr ErrObject)
```

Parameters

ECLConnMgr *CObj	This is the ptr to ECLConnMgr object in which the error occurred.
long ConnHandle	This is the handle of the connection related to the error or zero.
ECLErr ErrObject	This is theECLErr object describing the error.

Return Value

None

NotifyStop

This method is called when event generation is stopped for any reason (for example, due to an error condition or a call to ECLConnMgr::UnregisterStartEvent).

Prototype

```
virtual void NotifyStop (ECLConnMgr *CObj int Reason)
```

Parameters

ECLConnMgr *CObj	This is the ptr to ECLConnMgr object that is stopping notification.
int Reason	This is the unused zero.

Return Value

None

ECLUpdateNotify Class

Deprecated. See the class descriptions in “ECLPSListener Class” on page 127 and “ECLIOIA Class” on page 75.

ECLWinMetrics Class

The ECLWinMetrics class performs operations on a Personal Communications connection window. It allows you to perform window rectangle and position manipulation (for example, SetWindowRect, GetXpos or SetWidth), as well as window state manipulation (for example, SetVisible or IsRestored).

Derivation

ECLBase > ECLConnection > ECLWinMetrics

Properties

None

Usage Notes

Because ECLWinMetrics is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See “ECLConnection Class” on page 19 for more information.

The ECLWinMetrics object is created for the connection identified upon construction. You may create an ECLWinMetrics object by passing either the connection ID (a single, alphabetical character from A-Z or a-z) or the connection handle, which is usually obtained from the ECLConnection object. There can be only one Personal Communications connection with a given name or handle open at a time.

Note: There is a pointer to the ECLWinMetrics object in the ECLSession class. If you just want to manipulate the connection window, create ECLWinMetrics on its own. If you want to do more, you may want to create an ECLSession object.

ECLWinMetrics Methods

The following methods apply to the ECLWinMetrics class.

```

ECLWinMetrics(char Name)
ECLWinMetrics(long Handle)
~ECLWinMetrics()
const char *GetWindowTitle()
void SetWindowTitle(char *NewTitle)
long GetXpos()
void SetXpos(long NewXpos)
long GetYpos()
void SetYpos(long NewYpos)
long GetWidth()
void SetWidth(long NewWidth)
long GetHeight()
void SetHeight(long NewHeight)
void GetWindowRect(Long *left, Long *top, Long *right, Long *bottom)
void SetWindowRect(Long left, Long top, Long right, Long bottom)
BOOL IsVisible()
void SetVisible(BOOL SetFlag)
BOOL Active()
void SetActive(BOOL SetFlag)
BOOL IsMinimized()
void SetMinimized()
BOOL IsMaximized()
void SetMaximized()
BOOL IsRestored()
void SetRestored()

```

ECLWinMetrics Constructor

This method creates an ECLWinMetrics object from a connection name or connection handle. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time.

Prototype

ECLWinMetrics(char Name)

ECLWinMetrics(long Handle)

Parameters

char Name One-character short name of the connection (A-Z or a-z).

long Handle Handle of an ECL connection.

Return Value

None

Example

```
//-----
// ECLWinMetrics::ECLWinMetrics (Constructor)
//
// Build WinMetrics object from name.
//-----
void Sample77() {

    ECLWinMetrics *Metrics; // Ptr to object

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        printf("Window of connection A is %lu pixels wide.\n",
            Metrics->GetWidth());

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

ECLWinMetrics Destructor

This method destroys a ECLWinMetrics object.

Prototype

~ECLWinMetrics()

Parameters

None

Return Value

None

Example

```
//-----
// ECLWinMetrics::ECLWinMetrics (Destructor)
//
// Build WinMetrics object from name.
//-----
void Sample78() {

    ECLWinMetrics *Metrics;    // Ptr to object

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        printf("Window of connection A is %lu pixels wide.\n",
            Metrics->GetWidth());

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

GetWindowTitle

The GetWindowTitle method returns a pointer to a null terminate string containing the title that is currently in the title bar for the connection associated with the ECLWinMetrics object. Do not assume that the string returned is persistent over time. You must either make a copy of the string or make a call to this method each time you need it.

Prototype

```
const char *GetWindowTitle()
```

Parameters

None

Return Value

Pointer to null terminated string that contains the title.

Example

```
//-----
// ECLWinMetrics::GetWindowTitle
//
// Display current window title of connection A.
//-----
void Sample79() {

    ECLWinMetrics *Metrics;    // Ptr to object

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        printf("Title of connection A is: %s\n",
            Metrics->GetWindowTitle());

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

}
```

ECLWinMetrics

```
}  
} // end sample
```

SetWindowTitle

The SetWindowTitle method changes the title currently in the title bar for the connection associated with the ECLWinMetrics object to the title passed in the input parameter. A null string can be used to reset the title to the default title.

Prototype

```
void SetWindowTitle(char *NewTitle)
```

Parameters

char *NewTitle Null-terminated title string.

Return Value

None

Example

```
//-----  
// ECLWinMetrics::SetWindowTitle  
//  
// Change current window title of connection A.  
//-----  
void Sample80() {  
  
    ECLWinMetrics *Metrics;    // Ptr to object  
  
    try {  
        Metrics = new ECLWinMetrics('A'); // Create for connection A  
  
        // Get current title  
        printf("Title of connection A is: %s\n", Metrics->GetWindowTitle());  
  
        // Set new title  
        Metrics->SetWindowTitle("New Title");  
        printf("New title is: %s\n", Metrics->GetWindowTitle());  
  
        // Reset back to original title  
        Metrics->SetWindowTitle("");  
        printf("Returned title to: %s\n", Metrics->GetWindowTitle());  
  
        delete Metrics;  
    }  
    catch (ECLerr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

Usage Notes

If NewTitle is a null string, SetWindowTitle will restore the window title to its original setting.

GetXpos

The GetXpos method returns the x position of the upper left point of the connection window rectangle.

Prototype

```
long GetXpos()
```

Parameters

None

Return Value

long x position of connection window.

Example

```
//-----
// ECLWinMetrics::GetXpos
//
// Move window 10 pixels.
//-----
void Sample81() {

    ECLWinMetrics *Metrics;    // Ptr to object
    long X, Y;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot move minimized or maximized window.\n");
        }
        else {
            X = Metrics->GetXpos();
            Y = Metrics->GetYpos();
            Metrics->SetXpos(X+10);
            Metrics->SetYpos(Y+10);
        }

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

SetXpos

The SetXpos method sets the *x* position of the upper left point of the connection window rectangle.

Prototype

```
void SetXpos(long NewXpos)
```

Parameters

long NewXpos The new *x* coordinate of the window rectangle.

Return Value

None

Example

```
//-----
// ECLWinMetrics::SetXpos
//
// Move window 10 pixels.
//-----
```

ECLWinMetrics

```
void Sample83() {
    ECLWinMetrics *Metrics;    // Ptr to object
    long X, Y;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot move minimized or maximized window.\n");
        }
        else {
            X = Metrics->GetXpos();
            Y = Metrics->GetYpos();
            Metrics->SetXpos(X+10);
            Metrics->SetYpos(Y+10);
        }

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

GetYpos

The GetYpos method returns the *y* position of the upper left point of the connection window rectangle.

Prototype

```
long GetYpos()
```

Parameters

None

Return Value

long *y* position of the connection window.

Example

```
a//-----
// ECLWinMetrics::GetYpos
//
// Move window 10 pixels.
//-----
void Sample82() {
    ECLWinMetrics *Metrics;    // Ptr to object
    long X, Y;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot move minimized or maximized window.\n");
        }
        else {
            X = Metrics->GetXpos();
            Y = Metrics->GetYpos();
            Metrics->SetXpos(X+10);
            Metrics->SetYpos(Y+10);
        }
    }
}
```

```

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

SetYpos

The SetYpos method sets the *y* position of the upper left point of the connection window rectangle.

Prototype

```
void SetYpos(long NewYpos)
```

Parameters

long NewYpos New *y* coordinate of the window rectangle.

Return Value

None

Example

```

//-----
// ECLWinMetrics::SetYpos
//
// Move window 10 pixels.
//-----
void Sample84() {

    ECLWinMetrics *Metrics;    // Ptr to object
    long X, Y;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot move minimized or maximized window.\n");
        }
        else {
            X = Metrics->GetXpos();
            Y = Metrics->GetYpos();
            Metrics->SetXpos(X+10);
            Metrics->SetYpos(Y+10);
        }

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

GetWidth

This method returns the width of the connection window rectangle.

Prototype

```
long GetWidth()
```

Parameters

None

Return Value

long Width of the connection window.

Example

```
//-----  
// ECLWinMetrics::GetWidth  
//  
// Make window 1/2 its current size. Depending on display settings  
// (Appearance->Display Setup menu) it may snap to a font that is  
// not exactly the 1/2 size we specify.  
//-----  
void Sample85() {  
  
    ECLWinMetrics *Metrics;    // Ptr to object  
    long X, Y;  
  
    try {  
        Metrics = new ECLWinMetrics('A'); // Create for connection A  
  
        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {  
            printf("Cannot size minimized or maximized window.\n");  
        }  
        else {  
            X = Metrics->GetWidth();  
            Y = Metrics->GetHeight();  
            Metrics->SetWidth(X/2);  
            Metrics->SetHeight(Y/2);  
        }  
  
        delete Metrics;  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

SetWidth

The SetWidth method sets the width of the connection window rectangle.

Prototype

```
void SetWidth(long NewWidth)
```

Parameters

long NewWidth New width of the window rectangle.

Return Value

None

Example

```
//-----  
// ECLWinMetrics::SetWidth  
//  
// Make window 1/2 its current size. Depending on display settings  
// (Appearance->Display Setup menu) it may snap to a font that is  
// not exactly the 1/2 size we specify.  
//-----  
void Sample87() {
```

```

ECLWinMetrics *Metrics; // Ptr to object
long X, Y;

try {
    Metrics = new ECLWinMetrics('A'); // Create for connection A

    if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
        printf("Cannot size minimized or maximized window.\n");
    }
    else {
        X = Metrics->GetWidth();
        Y = Metrics->GetHeight();
        Metrics->SetWidth(X/2);
        Metrics->SetHeight(Y/2);
    }

    delete Metrics;
}
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

GetHeight

The GetHeight method returns the height of the connection window rectangle.

Prototype

```
long GetHeight()
```

Parameters

None

Return Value

long Height of the connection window.

Example

```

//-----
// ECLWinMetrics::GetHeight
//
// Make window 1/2 its current size. Depending on display settings
// (Appearance->Display Setup menu) it may snap to a font that is
// not exactly the 1/2 size we specify.
//-----
void Sample86() {

    ECLWinMetrics *Metrics; // Ptr to object
    long X, Y;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot size minimized or maximized window.\n");
        }
        else {
            X = Metrics->GetWidth();
            Y = Metrics->GetHeight();
            Metrics->SetWidth(X/2);
            Metrics->SetHeight(Y/2);
        }

        delete Metrics;
    }
}

```

```
catch (ECLErr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

SetHeight

This method sets the height of the connection window rectangle.

Prototype

```
void SetHeight(Long NewHeight)
```

Parameters

long NewHeight New height of the window rectangle.

Return Value

None

Example

The following example shows how to use the SetHeight method to set the height of the connection window rectangle.

```
ECLWinMetrics *pWM;
ECLConnList ConnList();

// Create using connection handle of first connection in the list of
// active connections
try {
    if ( ConnList.Count() != 0 ) {
        pWM = new ECLWinMetrics(ConnList.GetFirstSession()->GetHandle());

        // Set the height
        pWM->SetHeight(6081);
    }
}
catch (ECLErr ErrObj) {
    // Just report the error text in a message box
    MessageBox( NULL, ErrObj.GetMsgText(), "Error!", MB_OK );
}
```

GetWindowRect

This method returns the bounding points of the connection window rectangle.

Prototype

```
void GetWindowRect(Long *left, Long *top, Long *right, Long *bottom)
```

Parameters

long *left This output parameter is set to the left coordinate of the window rectangle.

long *top This output parameter is set to the top coordinate of the window rectangle.

long *right This output parameter is set to the right coordinate of the window rectangle.

long *bottom This output parameter is set to the bottom coordinate of the window rectangle.

Return Value

None

Example

```
//-----
// ECLWinMetrics::GetWindowRect
//
// Make window 1/2 its current size. Depending on display settings
// (Appearance->Display Setup menu) it may snap to a font that is
// not exactly the 1/2 size we specify. Also move the window.
//-----
void Sample88() {

    ECLWinMetrics *Metrics;    // Ptr to object
    long X, Y, Width, Height;

    try {
        Metrics = new ECLWinMetrics('A'); // Create for connection A

        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {
            printf("Cannot size/move minimized or maximized window.\n");
        }
        else {
            Metrics->GetWindowRect(&X, &Y, &Width, &Height);
            Metrics->SetWindowRect(X+10, Y+10,           // Move window
                                  Width/2, Height/2); // Size window
        }

        delete Metrics;
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

SetWindowRect

This method sets the bounding points of the connection window rectangle.

Prototype

```
void SetWindowRect(long left, long top, long right, long bottom)
```

Parameters

long left	The left coordinate of the window rectangle.
long top	The top coordinate of the window rectangle.
long right	The right coordinate of the window rectangle.
long bottom	The bottom coordinate of the window rectangle.

Return Value

None

Example

```
//-----
// ECLWinMetrics::SetWindowRect
//
// Make window 1/2 its current size. Depending on display settings
// (Appearance->Display Setup menu) it may snap to a font that is
// not exactly the 1/2 size we specify. Also move the window.
//-----
```

ECLWinMetrics

```
void Sample89() {  
  
    ECLWinMetrics *Metrics;    // Ptr to object  
    long X, Y, Width, Height;  
  
    try {  
        Metrics = new ECLWinMetrics('A'); // Create for connection A  
  
        if (Metrics->IsMinimized() || Metrics->IsMaximized()) {  
            printf("Cannot size/move minimized or maximized window.\n");  
        }  
        else {  
            Metrics->GetWindowRect(&X, &Y, &Width, &Height);  
            Metrics->SetWindowRect(X+10, Y+10,          // Move window  
                                   Width/2, Height/2); // Size window  
        }  
  
        delete Metrics;  
    }  
    catch (ECLerr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
  
} // end sample
```

IsVisible

This method returns the visibility state of the connection window.

Prototype

```
BOOL IsVisible()
```

Parameters

None

Return Value

Visibility state. TRUE value if the window is visible, FALSE value if the window is not visible.

Example

```
//-----  
// ECLWinMetrics::IsVisible  
//  
// Get current state of window, and then toggle it.  
//-----  
void Sample90() {  
  
    ECLWinMetrics Metrics('A');    // Window metrics class  
    BOOL CurrState;  
  
    CurrState = Metrics.IsVisible(); // Get state  
    Metrics.SetVisible(!CurrState); // Set state  
  
} // end sample
```

SetVisible

This method sets the visibility state of the connection window.

Prototype

```
void SetVisible(BOOL SetFlag)
```


Parameters

BOOL SetFlag TRUE for visible, FALSE for invisible.

Return Value

None

Example

```
//-----
// ECLWinMetrics::SetVisible
//
// Get current state of window, and then toggle it.
//-----
void Sample91() {

    ECLWinMetrics Metrics('A');    // Window metrics class
    BOOL CurrState;

    CurrState = Metrics.IsVisible(); // Get state
    Metrics.SetVisible(!CurrState); // Set state

} // end sample

//-----
```

IsActive

This method returns the focus state of the connection window.

Prototype

BOOL IsActive()

Parameters

None

Return Value

BOOL Focus state. TRUE if active, FALSE if not active.

Example

```
// ECLWinMetrics::IsActive
//
// Get current state of window, and then toggle it.
//-----
void Sample92() {

    ECLWinMetrics Metrics('A');    // Window metrics class
    BOOL CurrState;

    CurrState = Metrics.IsActive(); // Get state
    Metrics.SetActive(!CurrState); // Set state

} // end sample
```

SetActive

This method sets the focus state of the connection window.

Prototype

void SetActive(**BOOL** SetFlag)

SetMinimized

This method sets the connection window to minimized

Prototype

```
void SetMinimized()
```

Parameters

None

Return Value

None

Example

```
//-----
// ECLWinMetrics::SetMinimized
//
// Get current state of window, and then toggle it.
//-----
void Sample94() {

    ECLWinMetrics Metrics('A');    // Window metrics class
    BOOL CurrState;

    CurrState = Metrics.IsMinimized(); // Get state
    if (!CurrState)
        Metrics.SetMinimized();      // Set state
    else
        Metrics.SetRestored();

} // end sample
```

IsMaximized

This method returns the maximize state of the connection window.

Prototype

```
BOOL IsMaximized()
```

Parameters

None

Return Value

BOOL Maximize state. TRUE value if the window is maximized; FALSE value if the window is not maximized.

Example

```
// ECLWinMetrics::IsMaximized
//
// Get current state of window, and then toggle it.
//-----
void Sample97() {

    ECLWinMetrics Metrics('A');    // Window metrics class
    BOOL CurrState;

    CurrState = Metrics.IsMaximized(); // Get state
    if (!CurrState)
        Metrics.SetMaximized();      // Set state
    else
```

ECLWinMetrics

```
    Metrics.SetMinimized();  
} // end sample
```

SetMaximized

This method sets the connection window to maximized.

Prototype

```
void SetMaximized()
```

Parameters

None

Return Value

None

Example

```
//-----  
// ECLWinMetrics::SetMaximized  
//  
// Get current state of window, and then toggle it.  
//-----  
void Sample98() {  
  
    ECLWinMetrics Metrics('A');    // Window metrics class  
    BOOL CurrState;  
  
    CurrState = Metrics.IsMaximized(); // Get state  
    if (!CurrState)  
        Metrics.SetMaximized();      // Set state  
    else  
        Metrics.SetMinimized();  
  
} // end sample
```

IsRestored

This method returns the restore state of the connection window.

Prototype

```
BOOL IsRestored()
```

Parameters

None

Return Value

BOOL Restore state. TRUE value if the window is restored; FALSE value if the window is not restored.

Example

```
//-----  
// ECLWinMetrics::IsRestored  
//  
// Get current state of window, and then toggle it.  
//-----  
void Sample95() {  
  
    ECLWinMetrics Metrics('A');    // Window metrics class
```

```

BOOL CurrState;

CurrState = Metrics.IsRestored(); // Get state
if (!CurrState)
    Metrics.SetRestored();        // Set state
else
    Metrics.SetMinimized();

} // end sample

```

SetRestored

The SetRestored method sets the connection window to restored.

Prototype

```
void SetRestored()
```

Parameters

None

Return Value

None

Example

```

//-----
// ECLWinMetrics::SetRestored
//
// Get current state of window, and then toggle it.
//-----
void Sample96() {

    ECLWinMetrics Metrics('A');    // Window metrics class
    BOOL CurrState;

    CurrState = Metrics.IsRestored(); // Get state
    if (!CurrState)
        Metrics.SetRestored();      // Set state
    else
        Metrics.SetMinimized();

} // end sample

//-----

```

ECLXfer Class

ECLXfer provides file transfer services.

Derivation

ECLBase > ECLConnection > ECLXfer

Properties

None

Usage Notes

Because ECLXfer is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See “ECLConnection Class” on page 19 for more information.

ECLXfer

The ECLXfer object is created for the connection identified upon construction. You may create an ECLXfer object by passing either the connection ID (a single, alphabetic character from A-Z or a-z) or the connection handle, which is usually obtained from the ECLConnList object. There can be only one Personal Communications connection with a given name or handle open at a time.

Note: There is a pointer to the ECLXfer object in the ECLSession class. If you only want to manipulate the connection window, create an ECLXfer object on its own. If you want to do more, you may want to create an ECLSession object.

ECLXfer Methods

The following section describes the methods that are valid for the ECLXfer class:

```
ECLXfer(char Name)
ECLXfer(long Handle)
~ECLXfer()
int SendFile(char *PCFile, char *HostFile, char *Options)
int ReceiveFile(char *PCFile, char *HostFile, char *Options)
```

ECLXfer Constructor

This method creates an ECLXfer object from a connection ID (a single, alphabetic character from A-Z or a-z) or a connection handle. There can be only one Personal Communications connection open with a given ID. For example, there can be only one connection "A" open at a time.

Prototype

```
ECLXfer(char Name)
```

```
ECLXfer(long Handle)
```

Parameters

char Name One-character short name of the connection (A-Z or a-z).

long Handle Handle of an ECL connection.

Return Value

None

Example

```
//-----
// ECLXfer::ECLXfer      (Constructor)
//
// Build ECLXfer object from a connection name.
//-----
void Sample99() {
    ECLXfer *Xfer;          // Pointer to Xfer object

    try {
        Xfer = new ECLXfer('A'); // Create object for connection A
        printf("Created ECLXfer for connection %c.\n", Xfer->GetName());

        delete Xfer;          // Delete Xfer object
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
}
```

```

}
} // end sample

```

ECLXfer Destructor

This method destroys an ECLXfer object.

Prototype

```
~ECLXfer();
```

Parameters

None

Return Value

None

Example

```

//-----
// ECLXfer::~ECLXfer      (Destructor)
//
// Build ECLXfer object from a connection name.
//-----
void Sample100() {

ECLXfer *Xfer;          // Pointer to Xfer object

try {
    Xfer = new ECLXfer('A'); // Create object for connection A
    printf("Created ECLXfer for connection %c.\n", Xfer->GetName());

    delete Xfer;          // Delete Xfer object
}
catch (ECLerr Err) {
    printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample

```

SendFile

This method sends a file from the workstation to the host.

Prototype

```
int SendFile(char *PCFile, char *HostFile, char *Options)
```

Parameters

char *PCFile	Pointer to a string containing the workstation file name to be sent to the host.
char *HostFile	Pointer to a string containing the host file name to be created or updated on the host.
char *Options	Pointer to a string containing the options to be used during the transfer.

Return Value

int EHLLAPI return code as documented in *Emulator Programming* for the SendFile EHLLAPI function.

Example

```
//-----
// ECLXfer::SendFile
//
// Send a file to a VM/CMS host with ASCII translation.
//-----
void Sample101() {

ECLXfer *Xfer;          // Pointer to Xfer object
int Rc;

try {
  Xfer = new ECLXfer('A'); // Create object for connection A

  printf("Sending file...\n");
  Rc = Xfer->SendFile("c:\\autoexec.bat", "autoexec bat a", "(ASCII CRLF QUIET)");
  switch (Rc) {
  case 2:
    printf("File transfer failed, error in parameters.\n", Rc);
    break;
  case 3:
    printf("File transfer sucessfull.\n");
    break;
  case 4:
    printf("File transfer sucessfull, some records were segmented.\n");
    break;
  case 5:
    printf("File transfer failed, workstation file not found.\n");
    break;
  case 27:
    printf("File transfer cancelled or timed out.\n");
    break;
  default:
    printf("File transfer failed, code %u.\n", Rc);
    break;
  } // case

  delete Xfer;          // Delete Xfer object
}
catch (ECLErr Err) {
  printf("ECL Error: %s\n", Err.GetMsgText());
}

} // end sample
```

Usage Notes

File transfer options are host-dependent. The following is a list of some of the valid host options for a VM/CMS host:

```
ASCII
CRLF
APPEND
LRECL
RECFM
CLEAR/NOCLEAR
PROGRESS
QUIET
```

Refer to *Emulator Programming* for the list of supported hosts and associated file transfer options.

ReceiveFile

This method receives a file from the host and sends the file to the workstation.

Prototype

```
int ReceiveFile(char *PCFile, char *HostFile, char *Options)
```

Parameters

char *PCFile	Pointer to a string containing the workstation file name to be sent to the host.
char *HostFile	Pointer to a string containing the host file name to be created or updated on the host.
char *Options	Pointer to a string containing the options to be used during the transfer.

Return Value

int	EHLLAPI return code as documented in <i>Emulator Programming</i> for the ReceiveFile EHLLAPI function.
------------	--

Example

```
//-----
// ECLXfer::ReceiveFile
//
// Receive file from a VM/CMS host with ASCII translation.
//-----
void Sample102() {

    ECLXfer *Xfer;          // Pointer to Xfer object
    int Rc;

    try {
        Xfer = new ECLXfer('A'); // Create object for connection A

        printf("Receiving file...\n");
        Rc = Xfer->ReceiveFile("c:\\temp.txt", "temp text a", "(ASCII CRLF QUIET)");
        switch (Rc) {
            case 2:
                printf("File transfer failed, error in parameters.\n", Rc);
                break;
            case 3:
                printf("File transfer sucessfull.\n");
                break;
            case 4:
                printf("File transfer sucessfull, some records were segmented.\n");
                break;
            case 27:
                printf("File transfer cancelled or timed out.\n");
                break;
            default:
                printf("File transfer failed, code %u.\n", Rc);
                break;
        } // case

        delete Xfer;          // Delete Xfer object
    }
    catch (ECLerr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }

} // end sample
```

Usage Notes

File transfer options are host-dependent. The following is a list of some of the valid host options for a VM/CMS host:

- ASCII
- CRLF
- APPEND
- LRECL
- RECFM
- CLEAR/NOCLEAR
- PROGRESS
- QUIET

Refer to *Emulator Programming* for the list of supported hosts and associated file transfer options.

ECLPageSettings Class

The ECLPageSettings class performs operations on the session page settings. It enables you to retrieve and configure the **File** → **Page Setup** dialog settings, such as CPI, LPI, and Face Name. Only the settings in the **Text** tab of the dialog are supported.

This class is not supported for DBCS and bidirectional sessions.

Derivation

ECLBase > ECLConnection > ECLPageSettings

Properties

None

Restrictions

The connection associated with each method must be in a particular state for the method to succeed. If the restrictions are not met, an appropriate exception is raised.

The following restrictions apply when any method of the ECLPageSettings class is invoked. If the restrictions are not met, an exception is thrown.

- The connection **Page Setup** and **Printer Setup** dialogs must not be in use.
- The connection must not be printing.
- The associated connection must not be in PDT mode.

Additional restrictions might apply for each specific method.

Usage Notes

Because ECLPageSettings is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See “ECLConnection Class” on page 19 for more information.

The ECLPageSettings object is created for the connection identified upon construction. You can create an ECLPageSettings object by passing the connection ID (a single alphabetical character from **A** to **Z**) or the connection handle (usually obtained from the ECLConnection object). There can be only one Personal Communications connection with a given name or handle open at one time.

The ECLSession class creates an instance of this object. If the application does not need other services provided by ECLSession, you can create this object independently. Otherwise, consider creating an ECLSession object and use the objects created by ECLSession. See “ECLSession Class” on page 144 for more information.

Each method supports only certain connection types of the connection associated with the ECLPageSettings object. The supported connection types are provided in each method section. If a method is called on an unsupported connection, an exception is thrown. Use the method GetConnType to determine the connection type.

CPI, LPI and FontSize are dependent on the property FaceName. Therefore, if CPI, LPI, and FontSize are set before the FaceName is set, and if the values are not valid for the FaceName property, then different CPI, LPI, or FontSize values might be reconfigured in the connection. You should set the FaceName value before setting the CPI, LPI, or FontSize. Or you can query CPI, LPI, and FontSize each time you set FaceName to ensure that they use the desired values.

ECLPageSettings Methods

The following sections describe the methods that are valid for the ECLPageSettings class.

```

ECLPageSettings(char Name)
ECLPageSettings(long Handle)
~ECLPageSettings()
void SetCPI(ULONG CPI=FONT_CPI)
ULONG GetCPI() const
BOOL IsFontCPI()
void SetLPI(ULONG LPI=FONT_LPI)
ULONG GetLPI() const
BOOL IsFontLPI()
void SetFontFaceName(const char *const FaceName)
const char *GetFontFaceName() const
void SetFontSize(ULONG FontSize)
ULONG GetFontSize()
void SetMaxLinesPerPage(ULONG MPL)
ULONG GetMaxLinesPerPage() const
void SetMaxCharsPerLine(ULONG MPP)
ULONG GetMaxCharsPerLine() const
void RestoreDefaults(ULONG Tabs=PAGE_TEXT) const

```

Connection types

The valid connection types for the ECLPageSettings methods are as follows:

Connection Type	String Value
3270 display	HOSTTYPE_3270DISPLAY
5250 display	HOSTTYPE_5250DISPLAY
3270 printer	HOSTTYPE_3270PRINTER
VT (ASCII) emulation	HOSTTYPE_VT

ECLPageSettings Constructor

This method uses a connection name or handle to create an ECLPageSettings object.

Prototype

ECLPageSettings(char Name)

ECLPageSettings(long Handle)

Parameters

char Name One-character short name of the connection. Valid values are A–Z.

long Handle Handle of an ECL connection.

Return Value

None

Example

The following example shows how to create an ECLPageSettings object using the connection name and the connection handle.

```
void Sample108() {  
  
    ECLPageSettings *PgSet1, *PgSet2; // Pointer to ECLPageSettings objects  
    ECLConnList ConnList; // Connection list object  
  
    try {  
        // Create ECLPageSettings object for connection 'A'  
        PgSet1 = new ECLPageSettings('A');  
        // Create ECLPageSettings object for first connection in conn list  
        ECLConnection *Connection = ConnList.GetFirstConnection();  
        if (Connection != NULL) {  
            PgSet2 = new ECLPageSettings(Connection->GetHandle());  
            printf("PgSet#1 is for connection %c, PgSet #2 is for connection %c.\n",  
                PgSet1->GetName(), PgSet2->GetName());  
            delete PgSet1;  
            delete PgSet2;  
        }  
        else  
            printf("No connections to create PageSettings object.\n");  
    } catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

SetCPI

This method sets the CPI (characters per inch) value in the connection. If this method is called without any arguments, it sets the Font CPI in the connection.

Prototype

void SetCPI(ULONG CPI=FONT_CPI);

Parameters

ULONG CPI Characters per inch. This parameter is optional. The default value is FONT_CPI.

Return Value

None

Example

```
void Sample109() {
    ECLPageSettings PgSet('A');

    PgSet.SetCPI(10);
    ULONG cpi = PgSet.GetCPI();
    printf("CPI = %ld\n", cpi);
    if (PgSet.IsFontCPI())
        printf("FontCPI\n");
    else
        printf("Not FontCPI\n");
} // end sample
```

GetCPI

This method returns the CPI (characters per inch) value of the connection. Even if **Font CPI** is selected in the associated connection, this method returns the value of the CPI selected for the font in the associated connection.

If **Font CPI** is configured in the connection, this method does not return the constant `FONT_CPI`. Use the `IsFontCPI` method to determine whether **Font CPI** is set in the connection.

Prototype

```
ULONG GetCPI() const;
```

Parameters

None

Return Value

ULONG CPI Characters per inch.

Example

```
void Sample109() {
    ECLPageSettings PgSet('A');

    PgSet.SetCPI(10);
    ULONG cpi = PgSet.GetCPI();
    printf("CPI = %ld\n", cpi);
    if (PgSet.IsFontCPI())
        printf("FontCPI\n");
    else
        printf("Not FontCPI\n");
} // end sample
```

IsFontCPI

This method returns an indication of whether **Font CPI** is set in the connection.

Prototype

```
BOOL IsFontCPI();
```

Parameters

None

Return Value

BOOL Possible values are as follows:

- TRUE if **Font CPI** is set in the connection.

- FALSE if **Font CPI** is not set in the connection.

Example

```
void Sample109() {  
  
    ECLPageSettings PgSet('A');  
  
    PgSet.SetCPI(10);  
    ULONG cpi = PgSet.GetCPI();  
    printf("CPI = %ld\n", cpi);  
    if (PgSet.IsFontCPI())  
        printf("FontCPI\n");  
    else  
        printf("Not FontCPI\n");  
} // end sample
```

SetLPI

This method sets the LPI (lines per inch) value in the connection. If this method is called without any arguments, it sets the Font LPI in the connection.

Prototype

```
void SetLPI(ULONG LPI=FONT_LPI);
```

Parameters

ULONG LPI Lines per inch. This parameter is optional. The default value is FONT_LPI.

Return Value

None

Example

```
void Sample110() {  
  
    ECLPageSettings PgSet('A');  
  
    PgSet.SetLPI(10);  
    ULONG lpi = PgSet.GetLPI();  
    printf("LPI = %ld\n", lpi);  
    if (PgSet.IsFontLPI())  
        printf("FontLPI\n");  
    else  
        printf("Not FontLPI\n");  
} // end sample
```

GetLPI

This method returns the LPI (lines per inch) value of the connection. Even if **Font LPI** is selected in the associated connection, this method returns the value of the LPI selected for the font in the associated connection.

If **Font LPI** is configured in the connection, this method does not return the constant FONT_LPI. Use the IsFontLPI method to determine whether **Font LPI** is set in the connection.

Prototype

```
ULONG GetLPI() const;
```

Parameters

None

Return Value

ULONG LPI Lines per inch.

Example

```
void Sample110() {
    ECLPageSettings PgSet('A');

    PgSet.SetLPI(10);
    ULONG lpi = PgSet.GetLPI();
    printf("LPI = %ld\n", lpi);
    if (PgSet.IsFontLPI())
        printf("FontLPI\n");
    else
        printf("Not FontLPI\n");
} // end sample
```

IsFontLPI

This method returns an indication of whether **Font LPI** is set in the associated connection.

Prototype

```
BOOL IsFontLPI();
```

Parameters

None

Return Value

BOOL Possible values are as follows:

- TRUE if **Font LPI** is set in the connection.
- FALSE if **Font LPI** is not set in the connection.

Example

```
void Sample110() {
    ECLPageSettings PgSet('A');

    PgSet.SetLPI(10);
    ULONG lpi = PgSet.GetLPI();
    printf("LPI = %ld\n", lpi);
    if (PgSet.IsFontLPI())
        printf("FontLPI\n");
    else
        printf("Not FontLPI\n");
} // end sample
```

SetFontFaceName

This method sets the font face in the connection.

Prototype

```
void SetFontFaceName(const char *const FaceName);
```

Parameters

char *FaceName A null-terminated string that contains the font face name.

Return Value

None

Example

```
void Sample111() {  
  
    ECLPageSettings PgSet('A');  
    const char *Face;  
  
    PgSet.SetFontFaceName("Courier New");  
    Face = PgSet.GetFontFaceName();  
    printf("FaceName = %s\n", Face);  
} // end sample
```

GetFontFaceName

This method returns a pointer to a null-terminated string. The string contains the face name of the font that is currently chosen in the page settings for the connection that is associated with the ECLPageSettings object. The method might not return the same string each time.

The string is valid only for the lifetime of the object. You must either make a copy of the string or make a call to this method each time you need it.

Prototype

```
const char *GetFontFaceName() const;
```

Parameters

None

Return Value

char * A pointer to a null-terminated string that contains the face name of the font.

Example

```
void Sample111() {  
  
    ECLPageSettings PgSet('A');  
    const char *Face;  
  
    PgSet.SetFontFaceName("Courier New");  
    Face = PgSet.GetFontFaceName();  
    printf("FaceName = %s\n", Face);  
} // end sample
```

SetFontSize

This method sets the size of the font.

Prototype

```
void SetFontSize(ULONG FontSize);
```

Parameters

ULONG FontSize Size of the font to set in the connection.

Return Value

None

Example

```
void Sample112() {  
  
    ECLPageSettings PgSet('A');
```



```

    if (PgSet.IsDBCSHost()) {
        PgSet.SetFontSize(10);
        ULONG size = PgSet.GetFontSize();
        printf("FontSize = %ld\n", size);
    }
} // end sample

```

GetFontSize

This method returns the size of the font that is set in the connection.

Note: This method is valid only if the connection uses a DBCS host code page. That is, the method `IsDBCSHost` must return `TRUE` for the connection. For SBCS connections, this method fails with an exception.

Prototype

```
ULONG GetFontSize();
```

Parameters

None

Return Value

ULONG The size of the font that is set in the connection.

Example

```

void Sample112() {

    ECLPageSettings PgSet('A');

    if (PgSet.IsDBCSHost()) {
        PgSet.SetFontSize(10);
        ULONG size = PgSet.GetFontSize();
        printf("FontSize = %ld\n", size);
    }
} // end sample

```

SetMaxLinesPerPage

This method sets the maximum number of lines that can be printed per page.

Prototype

```
void SetMaxLinesPerPage(ULONG MPL);
```

Parameters

ULONG MPL The maximum lines per page (Maximum Print Lines). Valid values are in the range 1–255.

Return Value

None

Example

```

void Sample113() {

    ECLPageSettings PgSet('A');

    PgSet.SetMaxLinesPerPage(40);
    ULONG MPL = PgSet.GetMaxLinesPerPage();
    printf("MaxLinesPerPage = %ld\n", MPL);
} // end sample

```

GetMaxLinesPerPage

This method returns the maximum number of lines that can be printed per page.

Prototype

```
ULONG GetMaxLinesPerPage() const;
```

Parameters

None

Return Value

ULONG The maximum lines per page (Maximum Print Lines).

Example

```
void Sample113() {  
  
    ECLPageSettings PgSet('A');  
  
    PgSet.SetMaxLinesPerPage(40);  
    ULONG MPL = PgSet.GetMaxLinesPerPage();  
    printf("MaxLinesPerPage = %ld\n", MPL);  
} // end sample
```

SetMaxCharsPerLine

This method sets the maximum number of characters that can be printed per line.

Prototype

```
void SetMaxCharsPerLine(ULONG MPP);
```

Parameters

ULONG MPP The maximum number of characters that can be printed per line (Maximum Print Position). Valid values are in the range 1–255.

Return Value

None

Example

```
void Sample114() {  
  
    ECLPageSettings PgSet('A');  
  
    PgSet.SetMaxCharsPerLine(50);  
    ULONG MPP = PgSet.GetMaxCharsPerLine();  
    printf("MaxCharsPerLine=%ld\n", MPP);  
} // end sample
```

GetMaxCharsPerLine

This method returns the maximum number of characters that can be printed per line.

Prototype

```
ULONG GetMaxCharsPerLine() const;
```

Parameters

None

Return Value

ULONG

The maximum number of characters that can be printed per line (Maximum Print Position).

Example

```
void Sample114() {
    ECLPageSettings PgSet('A');

    PgSet.SetMaxCharsPerLine(50);
    ULONG MPP = PgSet.GetMaxCharsPerLine();
    printf("MaxCharsPerLine=%ld\n", MPP);
} // end sample
```

RestoreDefaults

This method restores the system default values of the property pages specified in the nFlags field of the PageSetup panel. This is equivalent to clicking the **Default** button in the connection **Page Setup** dialog property pages.

Prototype

```
void RestoreDefaults(ULONG Flags=PAGE_TEXT) const;
```

Parameters

ULONG Flags

This parameter is optional. The following flag describes the name of the specified **Page Setup** dialog property page. This flag can be bitwise ORed to restore the property page (defined in PCSAPI32.H).

PAGE_TEXT

This flag describes the Text property page. This is the only property page currently supported.

Return Value

None

Example

```
void Sample115() {
    ECLPageSettings PgSet('A');

    PgSet.RestoreDefaults(PAGE_TEXT);
} // end sample
```

ECLPrinterSettings Class

The ECLPrinterSettings class performs operations on the printer settings of the Personal Communications connection. It enables you to retrieve and configure the **File → Printer Setup** dialog settings, such as Printer and PDT Mode.

This class is not supported for DBCS and bidirectional sessions.

Derivation

```
ECLBase > ECLConnection > ECLPrinterSettings
```

Properties

None

Restrictions

The connection associated with each method must be in a particular state for the method to succeed. If the restrictions are not met, an appropriate exception is raised.

The following restrictions apply when any method of the ECLPrinterSettings class is invoked. If the restrictions are not met, an exception is thrown.

- The connection **Page Setup** and **Printer Setup** dialogs must not be in use.
- The connection must not be printing.

Additional restrictions might apply for each specific method.

Usage Notes

Because ECLPrinterSettings is derived from ECLConnection, you can obtain all the information contained in an ECLConnection object. See “ECLConnection Class” on page 19 for more information.

The ECLPrinterSettings object is created for the connection identified upon construction. You can create an ECLPrinterSettings object by passing either the connection ID (a single alphabetical character from **A** to **Z**) or the connection handle (usually obtained from the ECLConnection object). There can be only one Personal Communications connection with a given name or handle open at one time.

The ECLSession class creates an instance of this object. If the application does not need other services provided by ECLSession, you can create this object independently. Otherwise, consider creating an ECLSession object and use the objects created by ECLSession. See “ECLSession Class” on page 144 for more information.

ECLPrinterSettings Methods

The following sections describe the methods that are valid for the ECLPrinterSettings class.

```
ECLPrinterSettings(char Name)
ECLPrinterSettings(long Handle)
~ECLPrinterSettings()
void SetPDTMode(BOOL PDTMode=TRUE, const char*const PDTFile = NULL)
const char *GetPDTFile() const
BOOL IsPDTMode() const
ECLPrinterSettings::PrintMode GetPrintMode() const
void SetPrfToDskAppend(const char *const FileName = NULL)
const char *GetPrfToDskAppendFile()
void SetPrfToDskSeparate(const char *const FileName = NULL)
const char *GetPrfToDskSeparateFile()
void SetSpecificPrinter(const char *const PrinterName)
void SetWinDefaultPrinter()
const char*GetPrinterName()
void SetPromptDialog(BOOL Prompt=TRUE)
BOOL IsPromptDialogEnabled()
```

ECLPrinterSettings Constructor

This method uses a connection name or handle to create an ECLPrinterSettings object.

Prototype

ECLPrinterSettings(char Name)

ECLPrinterSettings(long Handle)

Parameters

char Name One-character short name of the connection. Valid values are A–Z.

long Handle Handle of an ECL connection.

Return Value

None

Example

The following example shows how to create an ECLPrinterSettings object using the connection name and the connection handle.

```
void Sample116() {
    ECLPrinterSettings *PrSet1, *PrSet2; // Pointer to ECLPrinterSettings objects
    ECLConnList ConnList; // Connection list object

    try {
        // Create ECLPrinterSettings object for connection 'A'
        PrSet1 = new ECLPrinterSettings('A');
        // Create ECLPrinterSettings object for first connection in conn list
        ECLConnection *Connection = ConnList.GetFirstConnection();
        if (Connection != NULL) {
            PrSet2 = new ECLPrinterSettings(Connection->GetHandle());
            printf("PrSet#1 is for connection %c, PrSet #2 is for connection %c.\n",
                PrSet1->GetName(), PrSet2->GetName());
            delete PrSet1;
            delete PrSet2;
        } else
            printf("No connections to create PageSettings object.\n");
    }
    catch (ECLerr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

SetPDTMode

This method sets the connection in PDT mode with the given PDT file, or it sets the connection in non-PDT mode (GDI mode).

Note: If this method is called with PDTMode set to FALSE, PrintMode of the associated connection must already be SpecificPrinter or WinDefaultPrinter.

Prototype

void SetPDTMode(BOOL PDTMode=TRUE, const char *const PDTFile = NULL);

Parameters

BOOL PDTMode This parameter is optional. Possible values are as follows:

char *PDTFile

- **TRUE** to set the connection to PDT mode. This is the default value.
- **FALSE** to set the connection in non-PDT mode.

Null-terminated string containing the name of the PDT file.

This parameter is optional. It is used only if PDTMode is TRUE. The parameter is ignored if PDTMode is FALSE.

Possible values are as follows:

- **NULL**
The PDT file configured in the connection is used. If there is no PDT file already configured in the connection, this method fails with an exception. This is the default value.
- File name without the path
PDTFile in the PDFPDT subfolder in the Personal Communications installation path is used.
- Fully qualified path name of the file
If PDTFile does not exist, this method fails with an exception.

Return Value

None

Example

```
void Sample117() {  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetPDTMode(TRUE, "epson.pdt");  
        const char *PDTFile = PrSet.GetPDTFile();  
        printf("PDT File = %s\n", PDTFile);  
        if (PrSet.IsPDTMode())  
            printf("PDTMode\n");  
        else  
            printf("Not PDTMode\n");  
        PrSet.SetPDTMode(FALSE);  
        PrSet.SetPDTMode(TRUE);  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

GetPDTFile

This method returns the PDT file configured in the connection. The method might not return the same string each time.

The string is valid only for the lifetime of the object. You must either make a copy of the string or make a call to this method each time you need it.

Prototype

```
const char *GetPDTFile() const;
```

Parameters

None

Return Value

`char *`

Possible values are as follows:

- A null-terminated string containing the fully qualified path name of the PDT file of the connection.
- **NULL** if no PDT file is configured in the connection.

Example

```
void Sample117() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetPDTMode(TRUE, "epson.pdt");
        const char *PDTFile = PrSet.GetPDTFile();
        printf("PDT File = %s\n", PDTFile);
        if (PrSet.IsPDTMode())
            printf("PDTMode\n");
        else
            printf("Not PDTMode\n");
        PrSet.SetPDTMode(FALSE);
        PrSet.SetPDTMode(TRUE);
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

IsPDTMode

This method returns the state of the PDT mode of the connection.

Prototype

`BOOL IsPDTMode() const;`

Parameters

None

Return Value

`BOOL`

Possible values are as follows:

- **TRUE** if the connection is in PDT mode.
- **FALSE** if the connection is not in PDT mode.

Example

```
void Sample117() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetPDTMode(TRUE, "epson.pdt");
        const char *PDTFile = PrSet.GetPDTFile();
        printf("PDT File = %s\n", PDTFile);
        if (PrSet.IsPDTMode())
            printf("PDTMode\n");
        else
            printf("Not PDTMode\n");
    }
}
```

ECLPrinterSettings

```
        PrSet.SetPDTMode(FALSE);
        PrSet.SetPDTMode(TRUE);
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

GetPrintMode

This method returns an enumerated value that indicates the PrintMode of the connection. The enum data type ECLPrinterSettings::PrintMode is defined in ECLPRSET.HPP.

PrintMode can be one of the following:

- **PrtToDskAppend (Print to Disk-Append mode)**
This is equivalent to selecting the **Append** option in the host session **Printer Setup** → **Printer** → **Print to Disk** dialog.
- **PrtToDskSeparate (Print to Disk-Separate mode)**
This is equivalent to selecting the **Separate** option in the host session **Printer Setup** → **Printer** → **Print to Disk** dialog.
- **WinDefaultPrinter (Windows Default Printer mode)**
This is equivalent to selecting the **Use Windows Default Printer** option in the host session **Printer Setup** dialog.
- **SpecificPrinter (Specific Printer mode)**
This is equivalent to selecting a printer in the host session **Printer Setup** dialog, while leaving **Use Windows Default Printer** unchecked.

Prototype

```
ECLPrinterSettings::PrintMode GetPrintMode() const;
```

Parameters

None

Return Value

ECLPrinterSettings::PrintMode

One of the PrintMode values defined in ECLPRSET.HPP.

Example

```
void Sample118() {
    ECLPrinterSettings PrSet('A');

    ECLPrinterSettings::PrintMode PrtMode;
    PrtMode = PrSet.GetPrintMode();
    switch (PrtMode) {
    case ECLPrinterSettings::PrtToDskAppend:
        printf("PrtToDskAppend mode\n");
        break;
    case ECLPrinterSettings::PrtToDskSeparate:
        printf("PrtToDskSeparate mode\n");
        break;
    case ECLPrinterSettings::SpecificPrinter:
        printf("SpecificPrinter mode\n");
        break;
    case ECLPrinterSettings::WinDefaultPrinter:
```



```

        printf("WinDefaultPrinter mode\n");
        break;
    }
} // end sample

```

SetPrtToDskAppend

This method sets the PrintMode to **Print to Disk-Append** mode and sets the appropriate file for this mode.

Notes:

1. The associated connection must be in PDT mode.
2. The folder where this file is to be set must have write access. If it does not, this method fails with an exception.
3. If the file exists, it will be used. Otherwise, it will be created when printing is complete.

Prototype

```
void SetPrtToDskAppend(const char *const FileName = NULL);
```

Parameters

char *FileName Null-terminated string containing the name of the **Print to Disk-Append** file. This parameter is optional.

Possible values are as follows:

- NULL
The file that is currently configured for this PrintMode in the connection is used. If there is no file already configured in the connection, the method fails with an exception. This is the default value.
- File name, without the path
The user-class application data directory path will be used to locate the file.
- Fully qualified path name of the file
The directory must exist in the path, or the method will fail with an exception. It is not necessary that the file exist in the path.

Return Value

None

Example

```

void Sample119() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetPrtToDskAppend("dskapp.txt");
        const char *DskAppFile = PrSet.GetPrtToDskAppendFile();
        printf("Print to Disk-Append File = %s\n", DskAppFile);
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample

```

GetPrtToDskAppendFile

This method returns the file configured for **Print to Disk-Append** mode. This file is called the *Print to Disk-Append* file. The method might not return the same string each time.

The string is valid only for the lifetime of the object. You must either make a copy of the string or make a call to this method each time you need it.

Prototype

```
const char *GetPrtToDskAppendFile();
```

Parameters

None

Return Value

char *

Possible values are as follows:

- A null-terminated string that contains the fully qualified path name of the **Print to Disk-Append** file of the connection.
- NULL if the **Print to Disk-Append** file is not configured in the connection.

Example

```
void Sample119() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetPrtToDskAppend("dskapp.txt");
        const char *DskAppFile = PrSet.GetPrtToDskAppendFile();
        printf("Print to Disk-Append File = %s\n", DskAppFile);
    }
    catch (ECLerr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

SetPrtToDskSeparate

This method sets the connection in **Print to Disk-Separate** mode and sets the appropriate file for this mode.

Notes:

1. The associated connection must be in PDT mode.
2. The folder where this file is to be set must have write access. If it does not, this method fails with an exception.
3. The file name must not contain an extension. If it contains an extension, the method fails with an exception.

Prototype

```
void SetPrtToDskSeparate(const char *const FileName = NULL);
```

Parameters

char *FileName

Null-terminated string containing the name of the **Print to Disk-Separate** file. This parameter is optional.

Possible values are as follows:

- NULL
The file that is currently configured for this PrintMode in the connection is used. If there is no file already configured in the connection, the method fails with an exception. This is the default value.
- File name, without the path
The user-class application data directory path will be used to locate the file.
- Fully qualified path name of the file
The directory must exist in the path, or the method will fail with an exception. It is not necessary that the file exist in the path.

Return Value

None

Example

```
void Sample120() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetPrtToDskSeparate("dsksep");
        const char *DskSepFile = PrSet.GetPrtToDskSeparateFile();
        printf("Print to Disk-Separate File = %s\n", DskSepFile);
    }
    catch (ECLerr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

GetPrtToDskSeparateFile

This method returns the file configured for **Print to Disk-Separate** mode. This file is called the *Print to Disk-Separate* file. The method might not return the same string each time.

The string is valid only for the lifetime of the object. You must either make a copy of the string or make a call to this method each time you need it.

Prototype

```
const char *GetPrtToDskSeparateFile();
```

Parameters

None

Return Value

char *

Possible values are as follows:

- A null-terminated string that contains the fully qualified path name of the **Print to Disk-Separate** file.
- NULL, if no **Print to Disk-Separate** file is configured in the connection.

ECLPrinterSettings

Example

```
void Sample120() {  
  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetPrtToDskSeparate("dsksep");  
        const char *DskSepFile = PrSet.GetPrtToDskSeparateFile();  
        printf("Print to Disk-Separate File = %s\n", DskSepFile);  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

SetSpecificPrinter

This method sets the connection in SpecificPrinter mode with the printer specified in the Printer parameter.

Prototype

```
void SetSpecificPrinter(const char *const Printer);
```

Parameters

char *Printer

A null-terminated string that contains the printer name and the port name. If the printer does not exist, this method fails with an exception.

The value must have the following format:

<Printer name> on <Port Name>

For example:

- IBM InfoPrint 40 PS on Network Port
- HP LaserJet 4050 Series PCL 6 on LPT1

Return Value

None

Example

```
void Sample121() {  
  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetSpecificPrinter("IBM InfoPrint 40 PS on Network Port");  
        const char *Printer = PrSet.GetPrinterName();  
        printf("Printer = %s\n", Printer);  
    }  
    catch (ECLErr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

SetWinDefaultPrinter

This method sets the connection in WinDefaultPrinter mode—that is, the connection is made to use the Windows default printer. If no Windows default printer is configured in the machine, the method fails with an exception.

Prototype

```
void SetWinDefaultPrinter();
```

Parameters

None

Return Value

None

Example

```
void Sample122() {
    ECLPrinterSettings PrSet('A');

    try {
        PrSet.SetWinDefaultPrinter();
        const char *Printer = PrSet.GetPrinterName();
        printf("Windows Default Printer = %s\n", Printer);
    }
    catch (ECLErr Err) {
        printf("ECL Error: %s\n", Err.GetMsgText());
    }
} // end sample
```

GetPrinterName

This method returns NULL or the name of the printer configured in the connection. The method might not return the same string each time.

The string is valid only for the lifetime of the object. You must either make a copy of the string or make a call to this method each time you need it.

PrinterName must have the following format:

<Printer name> on <Port Name>

For example:

- IBM InfoPrint 40 PS on Network Port
- HP LaserJet 4050 Series PCL 6 on LPT1

Prototype

```
const char *GetPrinterName();
```

Parameters

None

Return Value

char *

Possible values are as follows:

- A null-terminated string that contains the name of the specific printer, if the PrintMode of the connection is SpecificPrinter.
- A null-terminated string that contains the name of the Windows default printer, if the PrintMode of the connection is WinDefaultPrinter.
- NULL if no Printer is configured in the connection, or if the PrintMode of the connection is PrtToDskAppend or PrtToDskSeparate.

ECLPrinterSettings

Example

```
void Sample122() {  
  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetWinDefaultPrinter();  
        const char *Printer = PrSet.GetPrinterName();  
        printf("Windows Default Printer = %s\n", Printer);  
    }  
    catch (ECLerr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

SetPromptDialog

This method sets or resets the option to show the Printer Setup dialog before printing.

Prototype

```
void SetPromptDialog(BOOL bPrompt=TRUE);
```

Parameters

BOOL bPrompt

This parameter is optional. Possible values are as follows:

- TRUE to show the Printer Setup dialog before printing. This is the default value.
- FALSE to not show the Printer Setup dialog before printing.

Return Value

None

Example

```
void Sample123() {  
  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetPromptDialog();  
        if (PrSet.IsPromptDialogEnabled())  
            printf("Prompt Dialog before Printing - Enabled\n");  
        else  
            printf("Prompt Dialog before Printing - Disabled\n");  
    }  
    catch (ECLerr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

IsPromptDialogEnabled

This method checks whether the Printer Setup dialog is shown before printing or not.

Prototype

```
BOOL IsPromptDialogEnabled();
```

Parameters

None

Return Value

BOOL

Possible values are as follows:

- TRUE if the Printer Setup dialog is shown before printing.
- FALSE if the Printer Setup dialog is not shown before printing.

Example

```
void Sample123() {  
  
    ECLPrinterSettings PrSet('A');  
  
    try {  
        PrSet.SetPromptDialog();  
        if (PrSet.IsPromptDialogEnabled())  
            printf("Prompt Dialog before Printing - Enabled\n");  
        else  
            printf("Prompt Dialog before Printing - Disabled\n");  
    }  
    catch (ECLerr Err) {  
        printf("ECL Error: %s\n", Err.GetMsgText());  
    }  
} // end sample
```

ECLPrinterSettings

Chapter 3. Host Access Class Library Automation Objects

The Host Access Class Library Automation Objects allow the Personal Communications product to support Microsoft COM-based automation technology (formerly known as OLE automation). The ECL Automation Objects are a series of automation servers that allow automation controllers, for example, Microsoft Visual Basic, to programmatically access Personal Communications data and functionality.

An example of this would be sending keys to Personal Communications presentation space. This can be accomplished by manually typing keys in the Personal Communications window, but it can also be automated through the appropriate Personal Communications automation server (autECLPS in this case). Using Visual Basic you can create the autECLPS object and then call the SendKeys method in that object with the string that is to be placed in the presentation space.

In other words, applications that are enabled for controlling the automation protocol (automation controller) can control some Personal Communications operations (automation server). Personal Communications supports Visual Basic Script, which uses ECL Automation objects. Refer to the Personal Communications Macro/Script support for more details.

Personal Communications offers several automation servers to accomplish this. These servers are implemented as real-world, intuitive objects with methods and properties that control Personal Communications operability. Each object begins with autECL, for automation Host Access Class Library. The objects are as follows:

- autECLConnList, Connection List, on page 200, contains a list of Personal Communications connections for a given system. This is contained by autECLConnMgr, but may be created independently of autECLConnMgr.
- autECLConnMgr, Connection Manager, on page 206, provides methods and properties to manage Personal Communications connections for a given system. A connection in this context is a Personal Communications window.
- autECLFieldList, Field List, on page 211, performs operations on fields in an emulator presentation space.
- autECLOIA, Operator Information Area, on page 219, provides methods and properties to query and manipulate the Operator Information Area. This is contained by autECLSession, but may be created independently of autECLSession.
- autECLPS, Presentation Space, on page 233, provides methods and properties to query and manipulate the presentation space for the related Personal Communications connection. This contains a list of all the fields in the presentation space. It is contained by autECLSession, but may be created independently of autECLSession.
- autECLScreenDesc, Screen Description, on page 261, provides methods and properties to describe a screen. This may be used to wait for screens on the autECLPS object or the autECLScreenReco object.
- autECLScreenReco, Screen Recognition, on page 267, provides the engine of the HACL screen recognition system.
- autECLSession, Session, on page 271, provides general session-related functionality and information. For convenience, it contains the autECLPS, autECLOIA, autECLXfer, autECLWinMetrics, autECLPageSettings, and autECLPrinterSettings objects.

- `autECLWinMetrics`, Window Metrics, on page 281, provides methods to query the window metrics of the Personal Communications session associated with this object. For example, use this object to minimize or maximize a Personal Communications window. This is contained by `autECLSession`, but may be created independently of `autECLSession`.
- `autECLXfer`, File Transfer, on page 293, provides methods and properties to transfer files between the host and the workstation over the Personal Communications connection associated with this file transfer object. This is contained by `autECLSession`, but may be created independently of `autECLSession`.
- `autECLPageSettings`, Page Settings, on page 304, provides methods and properties to query and manipulate commonly used settings such as CPI, LPI, and Face Name of the session Page Setup dialog. This is contained by `autECLSession`, but may be created independently of `autECLSession`.
- `autECLPrinterSettings`, Printer Settings, on page 313, provides methods and properties to query and manipulate settings such as the Printer and PDT modes of the session Printer Setup dialog. This is contained by `autECLSession`, but may be created independently of `autECLSession`.

Figure 3 is a graphical representation of the `autECL` objects:

Figure 3. Host Access Class Library Automation Objects

This chapter describes each object's methods and properties in detail and is intended to cover all potential users of the automation object. Because the most common way to use the object is through a scripting application such as Visual Basic, all examples are shown using a Visual Basic format.

autSystem Class

The `autSystem` Class provides two utility functions that may be useful for use with some programming languages. See “`autSystem` Class” on page 302 for more information.

autECLConnList Class

`autECLConnList` contains information about all started connections. Its name in the registry is `PCOMM.autECLConnList`.

The `autECLConnList` object contains a collection of information about connections to a host. Each element of the collection represents a single connection (emulator window). A connection in this list may be in any state (for example, stopped or disconnected). All started connections appear in this list. The list element contains the state of the connection.

An `autECLConnList` object provides a static snapshot of current connections. The list is not dynamically updated as connections are started and stopped. The `Refresh` method is automatically called upon construction of the `autECLConnList` object. If you use the `autECLConnList` object right after its construction, your list of connections is current. However, you should call the `Refresh` method in the `autECLConnList` object before accessing its other methods if some time has passed since its construction to ensure that you have current data. Once you have called `Refresh` you may begin walking through the collection

Properties

This section describes the properties for the autECLConnList object.

Type	Name	Attributes
Long	Count	Read-only

Count

This is the number of connections present in the autECLConnList collection for the last call to the Refresh method. The Count property is a Long data type and is read-only. The following example uses the Count property.

```
Dim autECLConnList as Object
Dim Num as Long

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

autECLConnList.Refresh
Num = autECLConnList.Count
```

The following table shows Collection Element Properties, which are valid for each item in the list.

Type	Name	Attributes
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

Name

This collection element property is the connection name string of the connection. Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example uses the Name collection element property.

```
Dim Str as String
Dim autECLConnList as Object
Dim Num as Long

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

autECLConnList.Refresh
Str = autECLConnList(1).Name
```

Handle

This collection element property is the handle of the connection. There can be only one Personal Communications connection open with a given handle. Handle is a Long data type and is read-only. The following example uses the Handle property.

autECLConnList

```
Dim autECLConnList as Object
Dim Hand as Long

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

autECLConnList.Refresh
Hand = autECLConnList(1).Handle
```

ConnType

This collection element property is the connection type. This type may change over time. ConnType is a String data type and is read-only. The following example shows the ConnType property.

```
Dim Type as String
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

autECLConnList.Refresh
Type = autECLConnList(1).ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This collection element property is the code page of the connection. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows the CodePage property.

```
Dim CodePage as Long
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

autECLConnList.Refresh
CodePage = autECLConnList(1).CodePage
```

Started

This collection element property indicates whether the emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows the Started property.

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
autECLConnList.Refresh

' This code segment checks to see if is started.
' The results are sent to a text box called Result.
If Not autECLConnList(1).Started Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This collection element property indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows the CommStarted property.

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
autECLConnList.Refresh

' This code segment checks to see if communications are connected
' The results are sent to a text box called CommConn.
If Not autECLConnList(1).CommStarted Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This collection element property indicates whether the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File -> API Settings**). The value is True if the emulator is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows the APIEnabled property.

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
autECLConnList.Refresh

' This code segment checks to see if API is enabled.
' The results are sent to a text box called Result.
If Not autECLConnList(1).APIEnabled Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

Ready

This collection element property indicates whether the emulator window is started, API-enabled, and connected. This property checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows the Ready property.

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
autECLConnList.Refresh

' This code segment checks to see if X is ready.
' The results are sent to a text box called Result.
If Not autECLConnList(1).Ready Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLConnList Methods

The following section describes the methods that are valid for the autECLConnList object.


```

Dim Hand as Long
Dim autECLConnList as Object
Dim ConnObj as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the collection
autECLConnList.Refresh
' Assume Hand obtained earlier
Set ConnObj = autECLConnList.FindConnectionByHandle(Hand)
Hand = ConnObj.Handle

```

FindConnectionByName

This method finds an element in the autECLConnList object for the name passed in the **Name** parameter. This method is commonly used to see if a given connection is alive in the system.

Prototype

```
Object FindConnectionByName(String Name)
```

Parameters

String Name Name to search for in the list.

Return Value

Object Collection element dispatch object.

Example

The following example shows how to find an element in the autECLConnList object by the connection name.

```

Dim Hand as Long
Dim autECLConnList as Object
Dim ConnObj as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the collection
autECLConnList.Refresh
' Assume Hand obtained earlier
Set ConnObj = autECLConnList.FindConnectionByName("A")
Hand = ConnObj.Handle

```

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

autECLConnList

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

'Start the first session
autECLConnList.Refresh
autECLConnList(1).StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to disconnect a PCOMM emulator session from the host.

```
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

'Start the first session
autECLConnList.Refresh
autECLConnList(1).StartCommunication()
'
'Interact programmatically with host
'
autECLConnList.Refresh
'Stop the first session
autECLConnList(1).StartCommunication()
```

autECLConnMgr Class

autECLConnMgr manages all Personal Communications connections on a given machine. It contains methods relating to the connection management such as starting and stopping connections. It also creates an autECLConnList object to enumerate the list of all known connections on the system (see "autECLConnList Class" on page 200). Its name in the registry is PCOMM.autECLConnMgr.

Properties

This section describes the properties for the autECLConnMgr object.

Type	Name	Attributes
autECLConnList Object	autECLConnList	Read-only

autECLConnList

The autECLConnMgr object contains an autECLConnList object. See "autECLConnList Class" on page 200 for details on its methods and properties.

The property has a value of autECLConnList, which is an autECLConnList dispatch object. The following example shows this property.

```
Dim Mgr as Object
Dim Num as Long

Set Mgr = CreateObject("PCOMM.autECLConnMgr ")

Mgr.autECLConnList.Refresh
Num = Mgr.autECLConnList.Count
```

autECLConnMgr Methods

The following section describes the methods that are valid for autECLConnMgr.

```
void RegisterStartEvent()
void UnregisterStartEvent()
void StartConnection(String ConfigParms)
void StopConnection(Variant Connection, [optional] String StopParms)
```

RegisterStartEvent

This method registers an autECLConnMgr object to receive notification of start events in sessions.

Prototype

```
void RegisterStartEvent()
```

Parameters

None

Return Value

None

Example

See "Event Processing Example" on page 210 for an example.

UnregisterStartEvent

Ends Start Event Processing

Prototype

```
void UnregisterStartEvent()
```

Parameters

None

Return Value

None

Example

See "Event Processing Example" on page 210 for an example.

StartConnection

This member function starts a new Personal Communications emulator window. The ConfigParms string contains connection configuration information as explained under "Usage Notes" on page 208.

Prototype

void StartConnection(String ConfigParms)

Parameters

String ConfigParms Configuration string.

Return Value

None

Usage Notes

The configuration string is implementation-specific. Different implementations of the autECL objects may require different formats or information in the configuration string. The new emulator is started upon return from this call, but it may or may not be connected to the host.

For Personal Communications, the configuration string has the following format:

```
PROFILE=[']<filename>['] [CONNNAME=<c>] [WINSTATE=<MAX|MIN|RESTORE|HIDE>]
```

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of each parameter is as follows:

- PROFILE=<filename>: Names the Personal Communications workstation profile (.WS file), which contains the configuration information. This parameter is not optional; a profile name must be supplied. If the file name contains blanks the name must be enclosed in single quotation marks. The <filename> value may be either the profile name with no extension, the profile name with the .WS extension, or the fully qualified profile name path.
- CONNNAME=<c> specifies the short ID of the new connection. This value must be a single, alphabetic character (A-Z or a-z). If this value is not specified, the next available connection ID is assigned automatically.
- WINSTATE=<MAX|MIN|RESTORE|HIDE> specifies the initial state of the emulator window. The default if this parameter is not specified is RESTORE.

Example

The following example shows how to start a new Personal Communications emulator window.

```
Dim Mgr as Object  
Dim Obj as Object  
Dim Hand as Long
```

```
Set Mgr = CreateObject("PCOMM.autECLConnMgr ")  
Mgr.StartConnection("profile=coax connname=e")
```

StopConnection

The StopConnection method stops (terminates) the emulator window identified by the connection handle. See Usage Notes for contents of the StopParms string.

Prototype

void StopConnection(Variant Connection, [optional] String StopParms)

Parameters

Variant Connection Connection name or handle. Legal types for this variant are short, long, BSTR, short by reference, long by reference, and BSTR by reference.

String StopParms

Stop parameters string. See usage notes for format of string. This parameter is optional.

Return Value

None

Usage Notes

The stop parameter string is implementation-specific. Different implementations of the autECL objects may require a different format and contents of the parameter string. For Personal Communications, the string has the following format:

```
[SAVEPROFILE=<YES|NO|DEFAULT>]
```

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of each parameter is as follows:

- SAVEPROFILE=<YES|NO|DEFAULT> controls the saving of the current configuration back to the workstation profile (.WS file). This causes the profile to be updated with any configuration changes you may have made. If NO is specified, the connection is stopped and the profile is not updated. If YES is specified, the connection is stopped and the profile is updated with the current (possibly changed) configuration. If DEFAULT is specified, the update option is controlled by the **File->Save On Exit** emulator menu option. If this parameter is not specified, DEFAULT is used.

Example

The following example shows how to stop the emulator window identified by the connection handle.

```
Dim Mgr as Object
Dim Hand as Long
```

```
Set Mgr = CreateObject("PCOMM.autECLConnMgr ")
```

```
' Assume we've got connections open and the Hand parm was obtained earlier
Mgr.StopConnection Hand, "saveprofile=no"
'or
Mgr.StopConnection "B", "saveprofile=no"
```

autECLConnMgr Events

The following events are valid for autECLConnMgr:

```
void NotifyStartEvent(By Val Handle As Variant, By Val Started As Boolean)
NotifyStartError(By Val ConnHandle As Variant)
void NotifyStartStop(Long Reason)
```

NotifyStartEvent

A Session has started or stopped.

Prototype

```
void NotifyStartEvent(By Val Handle As Variant, By Val Started As Boolean)
```

Note: Visual Basic will create this subroutine correctly.

Parameters

By Val Handle As Variant Handle of the Session that started or stopped.

By Val Started As Boolean True if the Session is started, False otherwise.

Example

See “Event Processing Example” for an example.

NotifyStartError

This event occurs when an error occurs in Event Processing.

Prototype

NotifyStartError(By Val ConnHandle As Variant)

Note: Visual Basic will create this subroutine correctly.

Parameters

None

Example

See “Event Processing Example” for an example.

NotifyStartStop

This event occurs when event processing stops.

Prototype

void NotifyStartStop(Long Reason)

Parameters

Long Reason Reason code for the stop. Currently, this will always be 0.

Event Processing Example

The following is a short example of how to implement Start Events:

```
Option Explicit
Private WithEvents mCmgr As autECLConnMgr 'AutConnMgr added as reference
dim mSess as object

sub main()
'Create Objects
Set mCmgr = New autECLConnMgr
Set mSess = CreateObject("PCOMM.autECLSession")
mCmgr.RegisterStartEvent 'register for PS Updates

' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
call DisplayGUI()
mCmgr.UnregisterStartEvent
set mCmgr = Nothing
set mSess = Nothing
End Sub

'This sub will get called when a session is started or stopped
Private Sub mCmgr_NotifyStartEvent(Handle as long, bStarted as Boolean)
' do your processing here
if (bStarted) then
mSess.SetConnectionByHandle Handle
end if
End Sub

'This event occurs if an error happens
Private Sub mCmgr_NotifyStartError()
'Do any error processing here
End Sub
```

```
Private Sub mCmgr_NotifyStartStop(Reason As Long)
'Do any stop processing here
End Sub
```

autECLFieldList Class

autECLFieldList performs operations on fields in an emulator presentation space. This object does not stand on its own. It is contained by autECLPS, and can only be accessed through an autECLPS object. autECLPS can stand alone or be contained by autECLSession.

autECLFieldList contains a collection of all the fields on a given presentation space. Each element of the collection contains the elements shown in Collection Element Properties.

An autECLFieldList object provides a static snapshot of what the presentation space contained when the Refresh method was called.

Note: You should call the Refresh method in the autECLFieldList object before accessing its elements to ensure that you have current field data. Once you have called Refresh, you may begin walking through the collection.

Properties

This section describes the properties and the collection element properties for the autECLFieldList object.

Type	Name	Attributes
Long	Count	Read-only

Count

This property is the number of fields present in the autECLFieldList collection for the last call to the Refresh method. Count is a Long data type and is read-only. The following example shows this property.

```
Dim NumFields as long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
NumFields = autECLPSObj.autECLFieldList.Count
```

The following properties are collection element properties and are valid for each item in the list.

Type	Name	Attributes
Long	StartRow	Read-only
Long	StartCol	Read-only
Long	EndRow	Read-only
Long	EndCol	Read-only

autECLFieldList

Type	Name	Attributes
Long	Length	Read-only
Boolean	Modified	Read-only
Boolean	Protected	Read-only
Boolean	Numeric	Read-only
Boolean	HighIntensity	Read-only
Boolean	PenDetectable	Read-only
Boolean	Display	Read-only

StartRow

This collection element property is the row position of the first character in a given field in the autECLFieldList collection. StartRow is a Long data type and is read-only. The following example shows this property.

```
Dim StartRow as Long
Dim StartCol as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    StartRow = autECLPSObj.autECLFieldList(1).StartRow
    StartCol = autECLPSObj.autECLFieldList(1).StartCol
Endif
```

StartCol

This collection element property is the column position of the first character in a given field in the autECLFieldList collection. StartCol is a Long data type and is read-only. The following example shows this property.

```
Dim StartRow as Long
Dim StartCol as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    StartRow = autECLPSObj.autECLFieldList(1).StartRow
    StartCol = autECLPSObj.autECLFieldList(1).StartCol
Endif
```

EndRow

This collection element property is the row position of the last character in a given field in the autECLFieldList collection. EndRow is a Long data type and is read-only. The following example shows this property.

```

Dim EndRow as Long
Dim EndCol as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    EndRow = autECLPSObj.autECLFieldList(1).EndRow
    EndCol = autECLPSObj.autECLFieldList(1).EndCol
Endif

```

EndCol

This collection element property is the column position of the last character in a given field in the autECLFieldList collection. EndCol is a Long data type and is read-only. The following example shows this property.

```

Dim EndRow as Long
Dim EndCol as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    EndRow = autECLPSObj.autECLFieldList(1).EndRow
    EndCol = autECLPSObj.autECLFieldList(1).EndCol
Endif

```

Length

This collection element property is the length of a given field in the autECLFieldList collection. Length is a Long data type and is read-only. The following example shows this property.

```

Dim Len as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    Len = autECLPSObj.autECLFieldList(1).Length
Endif

```

Modified

This collection element property indicates if a given field in the autECLFieldList collection has a modified attribute. Modified is a Boolean data type and is read-only. The following example shows this property.

autECLFieldList

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    If ( autECLPSObj.autECLFieldList(1).Modified ) Then
        ' do whatever
    Endif
Endif
```

Protected

This collection element property indicates if a given field in the autECLFieldList collection has a protected attribute. Protected is a Boolean data type and is read-only. The following example shows this property.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    If ( autECLPSObj.autECLFieldList(1).Protected ) Then
        ' do whatever
    Endif
Endif
```

Numeric

This collection element property indicates if a given field in the autECLFieldList collection has a numeric input only attribute. Numeric is a Boolean data type and is read-only. The following example shows this property.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
    If ( autECLPSObj.autECLFieldList(1).Numeric ) Then
        ' do whatever
    Endif
Endif
```

HighIntensity

This collection element property indicates if a given field in the autECLFieldList collection has a high intensity attribute. HighIntensity is a Boolean data type and is read-only. The following example shows this property.


```

Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
  If ( autECLPSObj.autECLFieldList(1).HighIntensity ) Then
    ' do whatever
  Endif
Endif

```

PenDetectable

This collection element property indicates if a given field in the autECLFieldList collection has a pen detectable attribute. PenDetectable is a Boolean data type and is read-only. The following example shows this property.

```

Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
  If ( autECLPSObj.autECLFieldList(1).PenDetectable ) Then
    ' do whatever
  Endif
Endif

```

Display

This collection element property indicates whether a given field in the autECLFieldList collection has a display attribute. Display is a Boolean data type and is read-only. The following example shows this property.

```

Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and get the number of fields
autECLPSObj.autECLFieldList.Refresh(1)
If (Not autECLPSObj.autECLFieldList.Count = 0 ) Then
  If ( autECLPSObj.autECLFieldList(1).Display ) Then
    ' do whatever
  Endif
Endif

```

autECLFieldList Methods

The following section describes the methods that are valid for the autECLFieldList object.

```
void Refresh()  
Object FindFieldByRowCol(Long Row, Long Col)  
Object FindFieldByText(String text, [optional] Long Direction, [optional] Long StartRow,  
[optional] Long StartCol)
```

Collection Element Methods

The following collection element methods are valid for each item in the list.

```
String GetText()  
void SetText(String Text)
```

Refresh

The Refresh method gets a snapshot of all the fields.

Note: You should call the Refresh method before accessing the field collection to ensure that you have current field data.

Prototype

```
void Refresh()
```

Parameters

None

Return Value

None

Example

The following example shows how to get a snapshot of all the fields for a given presentation space.

```
Dim NumFields as long  
Dim autECLPSObj as Object  
Dim autECLConnList as Object  
Set autECLPSObj = CreateObject("PCOMM.autECLPS")  
Set autECLConnList = CreateObject("PCOMM.autECLConnList")  
  
' Initialize the connection  
autECLConnList.Refresh  
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)  
  
' Build the list and get the number of fields  
autECLPSObj.autECLFieldList.Refresh()  
NumFields = autECLPSObj.autECLFieldList.Count
```

FindFieldByRowCol

This method searches the autECLFieldList object for a field containing the given row and column coordinates. The value returned is a collection element object in the autECLFieldList collection.

Prototype

```
Object FindFieldByRowCol(Long Row, Long Col)
```

Parameters

Long Row	Field row to search for.
Long Col	Field column to search for.

Return Value

Object	Dispatch object for the autECLFieldList collection item.
---------------	--

Example

The following example shows how to search the autECLFieldList object for a field containing the given row and column coordinates.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim FieldElement as Object

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and search for field at row 2 col 1
autECLPSObj.autECLFieldList.Refresh(1)
Set FieldElement = autECLPSObj.autECLFieldList.FindFieldByRowCol( 2, 1 )
FieldElement.SetText("IBM")
```

FindFieldByText

This method searches the autECLFieldList object for a field containing the string passed in as **Text**. The value returned is a collection element object in the autECLFieldList collection.

Prototype

```
Object FindFieldByText(String Text, [optional] Long Direction, [optional] Long StartRow, [optional] Long StartCol)
```

Parameters

String Text	The text string to search for.
Long StartRow	Row position in the presentation space at which to begin the search.
Long StartCol	Column position in the presentation space at which to begin the search.
Long Direction	Direction in which to search. Values are 1 for search forward, 2 for search backward

Return Value

Object	Dispatch object for the autECLFieldList collection item.
---------------	--

Example

The following example shows how to search the autECLFieldList object for a field containing the string passed in as **text**.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim FieldElement as Object
```

autECLFieldList

```
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and search for field with text
autECLPSObj.autECLFieldList.Refresh(1)
set FieldElement = autECLPSObj.autECLFieldList.FindFieldByText "IBM"

' Or... search starting at row 2 col 1
set FieldElement = autECLPSObj.autECLFieldList.FindFieldByText "IBM", 2, 1
' Or... search starting at row 2 col 1 going backwards
set FieldElement = autECLPSObj.autECLFieldList.FindFieldByText "IBM", 2, 2, 1

FieldElement.SetText("Hello.")
```

GetText

The collection element method `GetText` retrieves the characters of a given field in an `autECLFieldList` item.

Prototype

String `GetText()`

Parameters

None

Return Value

String Field text.

Example

The following example shows how to use the `GetText` method.

```
Dim autECLPSObj as Object
Dim TestStr as String

' Initialize the connection
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

autECLPSObj.autECLFieldList.Refresh()
TextStr = autECLPSObj.autECLFieldList(1).GetText()
```

SetText

This method populates a given field in an `autECLFieldList` item with the character string passed in as text. If the text exceeds the length of the field, the text is truncated.

Prototype

void `SetText(String Text)`

Parameters

String text String to set in field

Return Value

None

Example

The following example shows how to populate the field in an autECLFieldList item with the character string passed in as text.

```
Dim NumFields as Long
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the list and set the first field with some text
autECLPSObj.autECLFieldList.Refresh(1)
autECLPSObj.autECLFieldList(1).SetText("IBM is a cool company")
```

autECLOIA Class

The autECLOIA object retrieves status from the Host Operator Information Area. Its name in the registry is PCOMM.autECLOIA.

You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection may be set only once. After the connection is set, any further calls to the set connection methods cause an exception. If you do not set the connection and try to access a property or method, an exception is also raised.

Note: The autECLOIA object in the autECLSession object is set by the autECLSession object.

The following example shows how to create and set the autECLOIA object in Visual Basic.

```
DIM autECLOIA as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
autECLOIA.SetConnectionByName("A")
```

Properties

This section describes the properties for the autECLOIA object.

Type	Name	Attributes
Boolean	Alphanumeric	Read-only
Boolean	APL	Read-only
Boolean	Katakana	Read-only
Boolean	Hiragana	Read-only
Boolean	DBCS	Read-only
Boolean	UpperShift	Read-only
Boolean	Numeric	Read-only
Boolean	CapsLock	Read-only
Boolean	InsertMode	Read-only
Boolean	CommErrorReminder	Read-only
Boolean	MessageWaiting	Read-only

Type	Name	Attributes
Long	InputInhibited	Read-only
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only
Boolean	NumLock	Read-only

Alphanumeric

This property queries the operator information area to determine whether the field at the cursor location is alphanumeric. Alphanumeric is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

If autECLOIA.Alphanumeric Then...
```

APL

This property queries the operator information area to determine whether the keyboard is in APL mode. APL is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if the keyboard is in APL mode
if autECLOIA.APL Then...
```

Katakana

This property queries the operator information area to determine whether Katakana characters are enabled. Katakana is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
```

```

autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if Katakana characters are available
if autECLOIA.Katakana Then...

```

Hiragana

This property queries the operator information area to determine whether Hiragana characters are enabled. Hiragana is a Boolean data type and is read-only. The following example shows this property.

```

DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if Hiragana characters are available
if autECLOIA.Hiragana Then...

```

DBCS

This property queries the operator information area to determine whether the field at the cursor location is DBCS. DBCS is a Boolean data type and is read-only. The following example shows this property.

```

DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if DBCS is available
if autECLOIA.DBCS Then...

```

UpperShift

This property queries the operator information area to determine whether the keyboard is in uppershift mode. Uppershift is a Boolean data type and is read-only. The following example shows this property.

```

DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if the keyboard is in uppershift mode
If autECLOIA.UpperShift then...

```

Numeric

This property queries the operator information area to determine whether the field at the cursor location is numeric. Numeric is a Boolean data type and is read-only. The following example shows this property.

autECLOIA

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if the cursor location is a numeric field
If autECLOIA.Numeric Then...
```

CapsLock

This property queries the operator information area to determine if the keyboard CapsLock key is on. CapsLock is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if the caps lock
If autECLOIA.CapsLock Then...
```

InsertMode

This property queries the operator information area to determine whether if the keyboard is in insert mode. InsertMode is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if in insert mode
If autECLOIA.InsertMode Then...
```

CommErrorReminder

This property queries the operator information area to determine whether a communications error reminder condition exists. CommErrorReminder is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if comm error
If autECLOIA.CommErrorReminder Then...
```


MessageWaiting

This property queries the operator information area to determine whether the message waiting indicator is on. This can only occur for 5250 connections. MessageWaiting is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object
Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if message waiting
If autECLOIA.MessageWaiting Then...
```

InputInhibited

This property queries the operator information area to determine whether keyboard input is inhibited. InputInhibited is a Long data type and is read-only. The following table shows valid values for InputInhibited.

Name	Value
Not Inhibited	0
System Wait	1
Communication Check	2
Program Check	3
Machine Check	4
Other Inhibit	5

The following example shows this property.

```
DIM autECLOIA as Object
DIM autECLConnList as Object
Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)

' Check if input inhibited
If not autECLOIA.InputInhibited = 0 Then...
```

Name

This property is the connection name string of the connection for which autECLOIA was set. Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example shows this property.

```
DIM Name as String
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
```

autECLOIA

```
Obj.SetConnectionByName("A")
```

```
' Save the name  
Name = Obj.Name
```

Handle

This is the handle of the connection for which the autECLOIA object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time. Handle is a Long data type and is read-only. The following example shows this property.

```
DIM Obj as Object  
Set Obj = CreateObject("PCOMM.autECLOIA")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")
```

```
' Save the handle  
Hand = Obj.Handle
```

ConnType

This is the connection type for which autECLOIA was set. This type may change over time. ConnType is a String data type and is read-only. The following example shows this property.

```
DIM Type as String  
DIM Obj as Object  
  
Set Obj = CreateObject("PCOMM.autECLOIA")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")  
' Save the type  
Type = Obj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This is the code page of the connection for which autECLOIA was set. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows this property.

```
DIM CodePage as Long  
DIM Obj as Object  
Set Obj = CreateObject("PCOMM.autECLOIA")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")  
' Save the code page  
CodePage = Obj.CodePage
```

Started

This indicates whether the emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If Obj.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If Obj.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This indicates whether the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File -> API Settings**). The value is True if the emulator is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is API enabled.
' The results are sent to a text box called Result.
If Obj.APIEnabled = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

Ready

This indicates whether the emulator window is started, API-enabled, and connected. This property checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If Obj.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

NumLock

This property queries the operator information area to determine if the keyboard NumLock key is on. NumLock is a Boolean data type and is read-only. The following example shows this property.

```
DIM autECLOIA as Object
    DIM autECLConnList as Object

    Set autECLOIA = CreateObject ("PCOMM.autECLOIA")
    Set autECLConnList = CreateObject ("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByFHandle (autECLConnList (1) .Handle)

' Check if the num lock is on
If autECLOIA.NumLock Then . . .
```

autECLOIA Methods

The following section describes the methods that are valid for autECLOIA.

```
void RegisterOIAEvent()
void UnregisterOIAEvent()
void SetConnectionByName (String Name)
void SetConnectionByHandle (Long Handle)
void StartCommunication()
void StopCommunication()
Boolean WaitForInputReady([optional] Variant TimeOut)
Boolean WaitForSystemAvailable([optional] Variant TimeOut)
Boolean WaitForAppAvailable([optional] Variant TimeOut)
Boolean WaitForTransition([optional] Variant Index, [optional] Variant timeout)
void CancelWaits()
```

RegisterOIAEvent

This method registers an object to receive notification of all OIA events.

Prototype

```
void RegisterOIAEvent()
```

Parameters

None

Return Value

None

Example

See "Event Processing Example" on page 232 for an example.

UnregisterOIAEvent

Ends OIA event processing.

Prototype

void UnregisterOIAEvent()

Parameters

None

Return Value

None

Example

See "Event Processing Example" on page 232 for an example.

SetConnectionByName

The SetConnectionByName method uses the connection name to set the connection for a newly created autECLOIA object. In Personal Communications this connection name is the short connection ID (character A-Z or a-z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLOIA object in autECLSession.

Prototype

void SetConnectionByName(String Name)

Parameters

String Name	One-character string short name of the connection (A-Z or a-z).
--------------------	---

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLOIA object.

```

DIM autECLOIA as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")

' Initialize the connection
autECLOIA.SetConnectionByName("A")
' For example, see if its num lock is on
If ( autECLOIA.NumLock = True ) Then
    'your logic here...
Endif

```

SetConnectionByHandle

The SetConnectionByHandle method uses the connection handle to set the connection for a newly created autECLOIA object. In Personal Communications this connection handle is a Long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLOIA object in autECLSession.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters

Long Handle Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autELCOIA object.

```
DIM autECLOIA as Object
DIM autECLConnList as Object

Set autECLOIA = CreateObject("PCOMM.autECLOIA")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLOIA.SetConnectionByHandle(autECLConnList(1).Handle)
' For example, see if its num lock is on
If ( autECLOIA.NumLock = True ) Then
    'your logic here...
Endif
```

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

```
None

Dim OIAObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set OIAObj = CreateObject("PCOMM.autECLOIA")
```

```
' Initialize the session
autECLConnList.Refresh
OIAObj.SetConnectionByHandle(autECLConnList(1).Handle)

OIAObj.StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim OIAObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set OIAObj = CreateObject("PCOMM.autECLOIA")

' Initialize the session
autECLConnList.Refresh
OIAObj.SetConnectionByHandle(autECLConnList(1).Handle)

OIAObj.StopCommunication()
```

WaitForInputReady

The WaitForInputReady method waits until the OIA of the connection associated with the autECLOIA object indicates that the connection is able to accept keyboard input.

Prototype

```
Boolean WaitForInputReady([optional] Variant TimeOut)
```

Parameters

Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
------------------------	--

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLOIAObj as Object

Set autECLOIAObj = CreateObject("PCOMM.autECLOIA")
autECLOIAObj.SetConnectionByName("A")
```

```
if (autECLOIAObj.WaitForInputReady(10000)) then
msgbox "Ready for input"
else
msgbox "Timeout Occurred"
end if
```

WaitForSystemAvailable

The WaitForSystemAvailable method waits until the OIA of the connection associated with the autECLOIA object indicates that the connection is connected to a host system.

Prototype

Boolean WaitForSystemAvailable([optional] Variant TimeOut)

Parameters

Variant TimeOut The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLOIAObj as Object

Set autECLOIAObj = CreateObject("PCOMM.autECLOIA")
autECLOIAObj.SetConnectionByName("A")

if (autECLOIAObj.WaitForSystemAvailable(10000)) then
msgbox "System Available"
else
msgbox "Timeout Occurred"
end if
```

WaitForAppAvailable

The WaitForAppAvailable method waits while the OIA of the connection associated with the autECLOIA object indicates that the application is being worked with.

Prototype

Boolean WaitForAppAvailable([optional] Variant TimeOut)

Parameters

Variant TimeOut The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLOIAObj as Object

Set autECLOIAObj = CreateObject("PCOMM.autECLOIA")
autECLOIAObj.SetConnectionByName("A")
```



```

if (autECLOIAObj.WaitForAppAvailable (10000)) then
msgbox "Application is available"
else
msgbox "Timeout Occurred"
end if

```

WaitForTransition

The WaitForTransition method waits for the OIA position specified of the connection associated with the autECLOIA object to change.

Prototype

Boolean WaitForTransition([optional] Variant Index, [optional] Variant timeout)

Parameters

Variant Index	The 1 byte Hex position of the OIA to monitor. This parameter is optional. The default is 3.
Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```

Dim autECLOIAObj as Object
Dim Index

Index = 03h

Set autECLOIAObj = CreateObject("PCOMM.autECLOIA")
autECLOIAObj.SetConnectionByName("A")

if (autECLOIAObj.WaitForTransition(Index,10000)) then
msgbox "Position " & Index & " of the OIA Changed"
else
msgbox "Timeout Occurred"
end if

```

CancelWaits

Cancels any currently active wait methods.

Prototype

void CancelWaits()

Parameters

None

Return Value

None

autECLOIA Events

The following events are valid for autECLOIA:

```
void NotifyOIAEvent()  
void NotifyOIAError()  
void NotifyOIAStop(Long Reason)
```

NotifyOIAEvent

A given OIA has occurred.

Prototype

```
void NotifyOIAEvent()
```

Parameters

None

Example

See "Event Processing Example" for an example.

NotifyOIAError

This event occurs when an error occurs in the OIA.

Prototype

```
void NotifyOIAError()
```

Parameters

None

Example

See "Event Processing Example" for an example.

NotifyOIAStop

This event occurs when event processing stops.

Prototype

```
void NotifyOIAStop(Long Reason)
```

Parameters

Long Reason

Long Reason code for the stop. Currently, this will always be 0.

Event Processing Example

The following is a short example of how to implement OIA Events

```
Option Explicit  
Private WithEvents myOIA As autECLOIA 'AutOIA added as reference  
  
sub main()  
'Create Objects  
Set myOIA = New AutOIA  
  
Set myConnMgr = New AutConnMgr  
  
myOIA.SetConnectionByName ("B") 'Monitor Session B for OIA Updates  
  
myOIA.RegisterOIAEvent 'register for OIA Notifications  
  
' Display your form or whatever here (this should be a blocking call, otherwise sub just ends  
call DisplayGUI()  
  
'Clean up
```

```

myOIA.UnregisterOIAEvent

Private Sub myOIA_NotifyOIAEvent()
' do your processing here
End Sub
Private Sub myOIA_NotifyOIAError()
' do your processing here
End Sub
' This event occurs when Communications Status Notification ends
Private Sub myOIA_NotifyOIAStop(Reason As Long)
'Do any stop processing here
End Sub

```

autECLPS Class

autECLPS performs operations on a presentation space. Its name in the registry is PCOMM.autECLPS.

You must initially set the connection for the object you create. Use `SetConnectionByName` or `SetConnectionByHandle` to initialize your object. The connection may be set only once. After the connection is set, any further calls to the `SetConnection` methods cause an exception. If you do not set the connection and try to access a property or method, an exception is also raised.

Notes:

1. In the presentation space, the first row coordinate is row 1 and the first column coordinate is column 1. Therefore, the top, left position has a coordinate of row 1, column 1.
2. The autECLPS object in the autECLSession object is set by the autECLSession object.

The following is an example of how to create and set the autECLPS object in Visual Basic.

```

DIM autECLPSObj as Object
DIM NumRows as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
' Initialize the connection
autECLPSObj .SetConnectionByName("A")
' For example, get the number of rows in the PS
NumRows = autECLPSObj.NumRows

```

Properties

This section describes the properties of the autECLPS object.

Type	Name	Attributes
Object	autECLFieldList	Read-only
Long	NumRows	Read-only
Long	NumCols	Read-only
Long	CursorPosRow	Read-only
Long	CursorPosCol	Read-only
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only

Type	Name	Attributes
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

autECLFieldList

This is the field collection object for the connection associated with the autECLPS object. See “autECLFieldList Class” on page 211 for details. The following example shows this object.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

' Build the field list
CurPosCol = autECLPSObj.autECLFieldList.Refresh(1)
```

NumRows

This is the number of rows in the presentation space for the connection associated with the autECLPS object. NumRows is a Long data type and is read-only. The following example shows this property.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim Rows as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
Rows = autECLPSObj.NumRows
```

NumCols

This is the number of columns in the presentation space for the connection associated with the autECLPS object. NumCols is a Long data type and is read-only. The following example shows this property.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim Cols as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
Cols = autECLPSObj.NumCols
```

CursorPosRow

This is the current row position of the cursor in the presentation space for the connection associated with the autECLPS object. CursorPosRow is a Long data type and is read-only. The following example shows this property.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim CurPosRow as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
```

```

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
CurPosRow = autECLPSObj.CursorPosRow

```

CursorPosCol

This is the current column position of the cursor in the presentation space for the connection associated with the autECLPS object. CursorPosCol is a Long data type and is read-only. The following example shows this property.

```

Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim CurPosCol as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
CurPosCol = autECLPSObj.CursorPosCol

```

Name

This is the connection name string of the connection for which autECLPS was set. Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example shows this property.

```

DIM Name as String
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")

' Save the name
Name = Obj.Name

```

Handle

This is the handle of the connection for which the autECLPS object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time. Handle is a Long data type and is read-only. The following example shows this property.

```

DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")

' Save the connection handle
Hand = Obj.Handle

```

ConnType

This is the connection type for which autECLPS was set. This connection type may change over time. ConnType is a String data type and is read-only. The following example shows this property.

```

DIM Type as String
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLPS")

```

```
' Initialize the connection
Obj.SetConnectionByName("A")
' Save the type
Type = Obj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This is the code page of the connection for which autECLPS was set. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows this property.

```
DIM CodePage as Long
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")
' Save the code page
CodePage = Obj.CodePage
```

Started

This indicates if the connection emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If Obj.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")
```

```
' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If Obj.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This indicates if the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File -> API Settings**). The value is True if API is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is API enabled.
' The results are sent to a text box called Result.
If Obj.APIEnabled = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

Ready

This indicates whether the emulator window is started, API enabled and connected. This checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If Obj.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLPS Methods

The following section describes the methods that are valid for the autECLPS object.

```

void RegisterPSEvent()
void RegisterKeyEvent()
void RegisterCommEvent()
void UnregisterPSEvent()
void UnregisterKeyEvent()
void UnregisterCommEvent()
void SetConnectionByName (String Name)
void SetConnectionByHandle (Long Handle)
void SetCursorPos(Long Row, Long Col)
void SendKeys(String text, [optional] Long row, [optional] Long col)
Boolean SearchText(String text, [optional] Long Dir, [optional] Long row,
    [optional] Long col)
String GetText([optional] Long row, [optional] Long col, [optional] Long lenToGet)
void SetText(String Text, [optional] Long Row, [optional] Long Col)
String GetTextRect(Long StartRow, Long StartCol, Long EndRow, Long EndCol )
void StartCommunication()
void StopCommunication()
void StartMacro(String MacroName)
void Wait(milliseconds as Long)
Boolean WaitForCursor(Variant Row, Variant Col, [optional]Variant TimeOut,
    [optional] Boolean bWaitForIr)
Boolean WaitWhileCursor(Variant Row, Variant Col, [optional]Variant TimeOut,
    [optional] Boolean bWaitForIr)
Boolean WaitForString(Variant WaitString, [optional] Variant Row,
    [optional] Variant Col, [optional] Variant TimeOut, [optional] Boolean bWaitForIr,
    [optional] Boolean bCaseSens)
Boolean WaitWhileString(Variant WaitString, [optional] Variant Row,
    [optional] Variant Col, [optional] Variant TimeOut, [optional] Boolean bWaitForIr,
    [optional] Boolean bCaseSens)
Boolean WaitForStringInRect(Variant WaitString, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant nTimeOut,
    [optional] Boolean bWaitForIr, [optional] Boolean bCaseSens)
Boolean WaitWhileStringInRect(Variant WaitString, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant nTimeOut,
    [optional] Boolean bWaitForIr, [optional] Boolean bCaseSens)
Boolean WaitForAttrib(Variant Row, Variant Col, Variant WaitData,
    [optional] Variant MaskData, [optional] Variant plane, [optional] Variant TimeOut,
    [optional] Boolean bWaitForIr)
Boolean WaitWhileAttrib(Variant Row, Variant Col, Variant WaitData,
    [optional] Variant MaskData, [optional] Variant plane,
    [optional] Variant TimeOut, [optional] Boolean bWaitForIr)
Boolean WaitForScreen(Object screenDesc, [optional] Variant TimeOut)
Boolean WaitWhileScreen(Object screenDesc, [optional] Variant TimeOut)
void CancelWaits()

```

RegisterPSEvent

This method registers an autECLPS object to receive notification of all changes to the PS of the connected session.

Prototype

```
void RegisterPSEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 259 for an example.

RegisterKeyEvent

Begins Keystroke Event Processing.

Prototype

```
void RegisterKeyEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 259 for an example.

RegisterCommEvent

This method registers an object to receive notification of all communication link connect/disconnect events.

Prototype

```
void RegisterCommEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 259 for an example.

UnregisterPSEvent

Ends PS Event Processing.

Prototype

```
void UnregisterPSEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 259 for an example.

UnregisterKeyEvent

Ends Keystroke Event Processing.

Prototype

void UnregisterKeyEvent()

Parameters

None

Return Value

None

Example

See "Event Processing Example" on page 259 for an example.

UnregisterCommEvent

Ends Communications Link Event Processing.

Prototype

void UnregisterCommEvent()

Parameters

None

Return Value

None

SetConnectionByName

This method uses the connection name to set the connection for a newly created autECLPS object. In Personal Communications this connection name is the short ID (character A-Z or a-z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLPS object in autECLSession.

Prototype

void SetConnectionByName(String Name)

Parameters

String Name	One-character string short name of the connection (A-Z or a-z).
--------------------	---

Return Value

None

Example

The following example shows how to set the connection for a newly created autECLPS object using the connection name.

```
DIM autECLPSObj as Object
DIM NumRows as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")

' Initialize the connection
autECLPSObj.SetConnectionByName("A")
' For example, get the number of rows in the PS
NumRows = autECLPSObj.NumRows
```

SetConnectionByHandle

This method uses the connection handle to set the connection for a newly created autECLPS object. In Personal Communications this connection handle is a Long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLPS object in autECLSession.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters

Long Handle Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to set the connection for a newly created autECLPS object using the connection handle.

```
DIM autECLPSObj as Object
DIM autECLConnList as Object
DIM NumRows as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection with the first in the list
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
' For example, get the number of rows in the PS
NumRows = autECLPSObj.NumRows
```

SetCursorPos

The SetCursorPos method sets the position of the cursor in the presentation space for the connection associated with the autECLPS object. The position set is in row and column units.

Prototype

```
void SetCursorPos(Long Row, Long Col)
```

Parameters

Long Row The row position of the cursor in the presentation space.

Long Col The column position of the cursor in the presentation space.

Return Value

None

Example

The following example shows how to set the position of the cursor in the presentation space for the connection associated with the autECLPS object.

```
DIM autECLPSObj as Object
DIM autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
```

```

Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection with the first in the list
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
autECLPSObj.SetCursorPos 2, 1

```

SendKeys

The SendKeys method sends a string of keys to the presentation space for the connection associated with the autECLPS object. This method allows you to send mnemonic keystrokes to the presentation space. See Appendix A, "Sendkeys Mnemonic Keywords," on page 399 for a list of these keystrokes.

Prototype

```
void SendKeys(String text, [optional] Long row, [optional] Long col)
```

Parameters

String text	String of keys to send to the presentation space.
Long Row	Row position to send keys to the presentation space. This parameter is optional. The default is the current cursor row position. If row is specified, col must also be specified.
Long Col	Column position to send keys to the presentation space. This parameter is optional. The default is the current cursor column position. If col is specified, row must also be specified.

Return Value

None

Example

The following example shows how to use the SendKeys method to send a string of keys to the presentation space for the connection associated with the autECLPS object.

```

Dim autECLPSObj as Object
Dim autECLConnList as Object
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
autECLPSObj.SendKeys "IBM is a really cool company", 3, 1

```

SearchText

The SearchText method searches for the first occurrence of text in the presentation space for the connection associated with the autECLPS object. The search is case-sensitive. If text is found, the method returns a TRUE value. It returns a FALSE value if no text is found. If the optional row and column parameters are used, **row** and **col** are also returned, indicating the position of the text if it was found.

Prototype

```
boolean SearchText(String text, [optional] Long Dir, [optional] Long Row, [optional] Long Col)
```

Parameters

String text	String to search for.
Long Dir	Direction in which to search. Must either be 1 for search forward or 2 for search backward. This parameter is optional. The default is 1 for Forward.
Long Row	Row position at which to start the search in the presentation space. The row of found text is returned if the search is successful. This parameter is optional. If row is specified, col must also be specified.
Long Col	Column position at which to start the search in the presentation space. The column of found text is returned if the search is successful. This parameter is optional. If col is specified, row must also be specified.

Return Value

TRUE if text is found, FALSE if text is not found.

Example

The following example shows how to search for text in the presentation space for the connection associated with the autECLPS object.

```
Dim autECLPSObj as Object
Dim autECLConnList as Object
Dim Row as Long
Dim Col as Long
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)

// Search forward in the PS from the start of the PS. If found
// then call a hypothetical found routine, if not found, call a hypothetical

// not found routine.
row = 3
col = 1
If ( autECLPSObj.SearchText "IBM", 1, row, col) Then
    Call FoundFunc (row, col)
Else
    Call NotFoundFunc
Endif
```

GetText

The GetText method retrieves characters from the presentation space for the connection associated with the autECLPS object.

Prototype

```
String GetText([optional] Long Row, [optional] Long Col, [optional] Long LenToGet)
```

Parameters

Long Row	Row position at which to start the retrieval in the presentation space. This parameter is optional.
-----------------	---

Long Col	Column position at which to start the retrieval in the presentation space. This parameter is optional.
Long LenToGet	Number of characters to retrieve from the presentation space. This parameter is optional. The default is the length of the array passed in as <code>BuffLen</code> .

Return Value

String	Text from the PS.
---------------	-------------------

Example

The following example shows how to retrieve a string from the presentation space for the connection associated with the autECLPS object.

```
Dim autECLPSObj as Object
Dim PStext as String

' Initialize the connection
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

PStext = autECLPSObj.GetText(2,1,50)
```

SetText

The `SetText` method sends a string to the presentation space for the connection associated with the autECLPS object. Although this method is similar to the `SendKeys` method, this method does not send mnemonic keystrokes (for example, `[enter]` or `[pf1]`).

Prototype

```
void SetText(String Text, [optional] Long Row, [optional] Long Col)
```

Parameters

String Text	Character array to send.
Long Row	The row at which to begin the retrieval from the presentation space. This parameter is optional. The default is the current cursor row position.
Long Col	The column position at which to begin the retrieval from the presentation space. This parameter is optional. The default is the current cursor column position.

Return Value

None

Example

The following example shows how to search for text in the presentation space for the connection associated with the autECLPS object.

```
Dim autECLPSObj as Object

'Initialize the connection
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")
autECLPSObj.SetText"IBM is great", 2, 1
```

GetTextRect

The GetTextRect method retrieves characters from a rectangular area in the presentation space for the connection associated with the autECLPS object. No wrapping takes place in the text retrieval; only the rectangular area is retrieved.

Prototype

```
String GetTextRect(Long StartRow, Long StartCol, Long EndRow, Long EndCol)
```

Parameters

Long StartRow	Row at which to begin the retrieval in the presentation space.
Long StartCol	Column at which to begin the retrieval in the presentation space.
Long EndRow	Row at which to end the retrieval in the presentation space.
Long EndCol	Column at which to end the retrieval in the presentation space.

Return Value

String PS Text.

Example

The following example shows how to retrieve characters from a rectangular area in the presentation space for the connection associated with the autECLPS object.

```
Dim autECLPSObj as Object
Dim PSText String

' Initialize the connection
Set autECLPSObj = CreateObject ("PCOMM.autELCPS")
autECLPSObj.SetConnectionByName("A")

PSText = GetTextRect(1,1,2,80)
```

SetTextRect

The SetTextRect method sets characters to a rectangular area in the presentation space for the connection associated with the autECLPS object. No wrapping takes place in the text setting; only the rectangular area is set.

Prototype

```
SetTextRect(String Text, Long StartRow, Long StartCol, Long EndRow, Long EndCol)
```

Parameters

String Text	Character array to set on presentation space.
Long StartRow	Row at which to begin the setting in the presentation space.
Long StartCol	Column at which to begin the setting in the presentation space.
Long EndRow	Row at which to end the setting in the presentation space.

Long EndCol

Column at which to end the setting in the presentation space.

Return Value

None

Example

The following example shows how to set characters to a rectangular area in the presentation space for the connection associated with the autECLPS object.

```
Dim autECLPSObj as Object
Dim PSText String

' Initialize the connection
Set autECLPSObj = CreateObject ("PCOMM.autELCPS")
autECLPSObj.SetConnectionByName("A")

SetTextRect "IBM is great company to collaborate with", 1, 1, 4, 8
```

If we want to use parentheses then we can use SetTextRect as
call SetTextRect("IBM is great company to collaborate with", 1, 1, 4, 8)

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim PSObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set PSObj = CreateObject("PCOMM.autECLPS")

' Initialize the session
autECLConnList.Refresh
PSObj.SetConnectionByHandle(autECLConnList(1).Handle)

PSObj.StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```


Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim PSObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set PSObj = CreateObject("PCOMM.autECLPS")

' Initialize the session
autECLConnList.Refresh
PSObj.SetConnectionByHandle(autECLConnList(1).Handle)

PSObj.StopCommunication()
```

StartMacro

The StartMacro method runs the Personal Communications macro file indicated by the MacroName parameter.

Prototype

```
void StartMacro(String MacroName)
```

Parameters

String MacroName	Name of macro file located in the Personal Communications user-class application data directory (specified at installation), without the file extension. This method does not support long file names.
-------------------------	--

Return Value

None

Usage Notes

You must use the short file name for the macro name. This method does not support long file names.

Example

The following example shows how to start a macro.

```
Dim PS as Object

Set PS = CreateObject("PCOMM.autECLPS")
PS.StartMacro "mymacro"
```

Wait

The Wait method waits for the number of milliseconds specified by the milliseconds parameter

Prototype

```
void Wait(milliseconds as Long)
```

Parameters

Long milliseconds The number of milliseconds to wait.

Return Value

None

Example

```
Dim autECLPSObj as Object

Set autECLPSObj = CreateObject ("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName ("A")

' Wait for 10 seconds
autECLPSObj.Wait(10000)
```

WaitForCursor

The WaitForCursor method waits for the cursor in the presentation space of the connection associated with the autECLPS object to be located at a specified position.

Prototype

```
Boolean WaitForCursor(Variant Row, Variant Col, [optional]Variant Timeout,
    [optional] Boolean bWaitForIr)
```

Parameters

Variant Row Row position of the cursor.

Variant Col Column position of the cursor.

Variant Timeout The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Boolean bWaitForIr If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

Row = 20
Col = 16

if (autECLPSObj.WaitForCursor(Row,Col,10000)) then
    msgbox "Cursor is at " " Row " ", " " Col
else
    msgbox "Timeout Occurred"
end if
```

WaitWhileCursor

The WaitWhileCursor method waits while the cursor in the presentation space of the connection associated with the autECLPS object is located at a specified position.

Prototype

Boolean WaitWhileCursor(Variant Row, Variant Col, [optional]Variant TimeOut, [optional] Boolean bWaitForIr)

Parameters

Variant Row	Row position of the cursor.
Variant Col	Column position of the cursor.
Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

Row = 20
Col = 16

if (autECLPSObj.WaitWhileCursor(Row,Col,10000)) then
    MsgBox "Cursor is no longer at " & Row & ", " & Col
else
    MsgBox "Timeout Occurred"
end if
```

WaitForString

The WaitForString method waits for the specified string to appear in the presentation space of the connection associated with the autECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

Boolean WaitForString(Variant WaitString, [optional] Variant Row, [optional] Variant Col, [optional] Variant TimeOut, [optional] Boolean bWaitForIr, [optional] Boolean bCaseSens)

Parameters

Variant WaitString	The string for which to wait.
---------------------------	-------------------------------

Variant Row	Row position that the string will begin. This parameter is optional. The default is 0.
Variant Col	Column position that the string will begin. This parameter is optional. The default is 0.
Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.
Boolean bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col, WaitString

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

WaitString = "Enter USERID"
Row = 20
Col = 16

if (autECLPSObj.WaitForString(WaitString,Row,Col,10000)) then
    msgbox WaitString " " found at " " Row " ", " " Col
else
    msgbox "Timeout Occurred"
end if
```

WaitWhileString

The WaitWhileString method waits while the specified string appears in the presentation space of the connection associated with the autECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

```
Boolean WaitWhileString(Variant WaitString, [optional] Variant Row,
    [optional] Variant Col, [optional] Variant TimeOut, [optional] Boolean bWaitForIr,
    [optional] Boolean bCaseSens)
```

Parameters

Variant WaitString	The method waits while this string value exists.
Variant Row	Row position that the string will begin. This parameter is optional. The default is 0.

Variant Col	Column position that the string will begin. This parameter is optional. The default is 0.
Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.
Boolean bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col, WaitString

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

WaitString = "Enter USERID"
Row = 20
Col = 16

if (autECLPSObj.WaitWhileString(WaitString,Row,Col,10000)) then
    msgbox WaitString " " was found at " " Row " ", " " Col
else
    msgbox "Timeout Occurred"
end if
```

WaitForStringInRect

The WaitForStringInRect method waits for the specified string to appear in the presentation space of the connection associated with the autECLPS object in the specified rectangle.

Prototype

```
Boolean WaitForStringInRect(Variant WaitString, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant nTimeOut,
    [optional] Boolean bWaitForIr, [optional] Boolean bCaseSens)
```

Parameters

Variant WaitString	The string for which to wait.
Variant sRow	Starting row position of the search rectangle.
Variant sCol	Starting column position of the search rectangle.
Variant eRow	Ending row position of the search rectangle.
Variant eCol	Ending column position of the search rectangle
Variant nTimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.
Boolean bCaseSens	If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim sRow, sCol, eRow, eCol, WaitString

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

WaitString = "Enter USERID"
sRow = 20
sCol = 16
eRow = 21
eCol = 31

if (autECLPSObj.WaitForStringInRect(WaitString,sRow,sCol,eRow,eCol,10000)) then
    MsgBox WaitString " " found in rectangle"
else
    MsgBox "Timeout Occurred"
end if
```

WaitWhileStringInRect

The WaitWhileStringInRect method waits while the specified string appears in the presentation space of the connection associated with the autECLPS object in the specified rectangle.

Prototype

```
Boolean WaitWhileStringInRect(Variant WaitString, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant nTimeOut,
    [optional] Boolean bWaitForIr, [optional] Boolean bCaseSens)
```

Parameters

Variant WaitString	The method waits while this string value exists.
Variant sRow	Starting row position of the search rectangle.
Variant sCol	Starting column position of the search rectangle.
Variant eRow	Ending row position of the search rectangle.
Variant eCol	Ending column position of the search rectangle.
Variant nTimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait

condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.

Boolean bCaseSens

If this value is True, the wait condition is verified as case-sensitive. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim sRow, sCol, eRow, eCol, WaitString

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

WaitString = "Enter USERID"
sRow = 20
sCol = 16
eRow = 21
eCol = 31

if (autECLPSObj.WaitWhileStringInRect(WaitString,sRow,sCol,eRow,eCol,10000)) then
    msgbox WaitString " " no longer in rectangle"
else
    msgbox "Timeout Occurred"
end if
```

WaitForAttrib

The WaitForAttrib method will wait until the specified Attribute value appears in the presentation space of the connection associated with the autECLPS object at the specified Row/Column position. The optional MaskData parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the four PS planes.

Prototype

```
Boolean WaitForAttrib(Variant Row, Variant Col, Variant WaitData,
    [optional] Variant MaskData, [optional] Variant plane, [optional] Variant TimeOut,
    [optional] Boolean bWaitForIr)
```

Parameters

Variant Row	Row position of the attribute.
Variant Col	Column position of the attribute.
Variant WaitData	The 1-byte HEX value of the attribute to wait for.
Variant MaskData	The 1-byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is 0xFF.
Variant plane	The plane of the attribute to get. The plane can have the following values:
	1 Text Plane

- 2 Color Plane
- 3 Field Plane (default)
- 4 Extended Field Plane

Variant Timeout	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col, WaitData, MaskData, plane

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

Row = 20
Col = 16
WaitData = E8h
MaskData = FFh
plane = 3

if (autECLPSObj.WaitForAttrib(Row, Col, WaitData, MaskData, plane, 10000)) then
    msgbox "Attribute " & WaitData & " found"
else
    msgbox "Timeout Occurred"
end if
```

WaitWhileAttrib

The WaitWhileAttrib method waits while the specified Attribute value appears in the presentation space of the connection associated with the autECLPS object at the specified Row/Column position. The optional MaskData parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the four PS planes.

Prototype

```
Boolean WaitWhileAttrib(Variant Row, Variant Col, Variant WaitData,
    [optional] Variant MaskData, [optional] Variant plane, [optional] Variant Timeout,
    [optional] Boolean bWaitForIr)
```

Parameters

Variant Row	Row position of the attribute.
Variant Col	Column position of the attribute.
Variant WaitData	The 1 byte HEX value of the attribute to wait for.

Variant MaskData	The 1 byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is 0xFF.
Variant plane	The plane of the attribute to get. The plane can have the following values: <ol style="list-style-type: none"> 1 Text Plane 2 Color Plane 3 Field Plane (default) 4 Extended Field Plane
Variant TimeOut	The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.
Boolean bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is False.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim Row, Col, WaitData, MaskData, plane

Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

Row = 20
Col = 16
WaitData = E8h
MaskData = FFh
plane = 3

if (autECLPSObj.WaitWhileAttrib(Row, Col, WaitData, MaskData, plane, 10000)) then
    msgbox "Attribute " & WaitData & " No longer exists"
else
    msgbox "Timeout Occurred"
end if
```

WaitForScreen

Synchronously waits for the screen described by the autECLScreenDesc parameter to appear in the Presentation Space.

Note: The wait for OIA input flag is set on the autECLScreenDesc object, it is not passed as a parameter to the wait method.

Prototype

Boolean WaitForScreen(Object screenDesc, [optional] Variant TimeOut)

Parameters

Object screenDesc autECLScreenDesc object that describes the screen (see "autECLScreenDesc Class" on page 261).

Variant TimeOut The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

autECLScreenDesObj.AddCursorPos 23, 1

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    MsgBox "Screen found"
else
    MsgBox "Timeout Occurred"
end if
```

WaitWhileScreen

Synchronously waits until the screen described by the autECLScreenDesc parameter is no longer in the Presentation Space.

Note: The wait for OIA input flag is set on the autECLScreenDesc object, it is not passed as a parameter to the wait method.

Prototype

Boolean WaitWhileScreen(Object screenDesc, [optional] Variant TimeOut)

Parameters

Object ScreenDesc autECLScreenDesc object that describes the screen (see "autECLScreenDesc Class" on page 261).

Variant TimeOut The maximum length of time in milliseconds to wait, this parameter is optional. The default is Infinite.

Return Value

The method returns True if the condition is met, or False if the Timeout value is exceeded.

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName("A")

autECLScreenDesObj.AddCursorPos 23, 1

if (autECLPSObj.WaitWhileScreen(autECLScreenDesObj, 10000)) then
    MsgBox "Screen exited"
```

```

else
    msgbox "Timeout Occurred"
end if

```

CancelWaits

Cancels any currently active wait methods.

Prototype

```
void CancelWaits()
```

Parameters

None

Return Value

None

autECLPS Events

The following events are valid for autECLPS:

```

void NotifyPSEvent()
void NotifyKeyEvent(string KeyType, string KeyString, PassItOn as Boolean)
void NotifyCommEvent(boolean bConnected)
void NotifyPSError()
void NotifyKeyError()
void NotifyCommError()
void NotifyPSStop(Long Reason)
void NotifyKeyStop(Long Reason)
void NotifyCommStop(Long Reason)

```

NotifyPSEvent

A given PS has been updated.

Prototype

```
void NotifyPSEvent()
```

Parameters

None

Example

See “Event Processing Example” on page 259 for an example.

NotifyKeyEvent

A keystroke event has occurred and the key information has been supplied. This function can be used to intercept keystrokes to a given PS. The Key information is passed to the event handler and can be passed on, or another action can be performed.

Note: Only one object can have keystroke event handling registered to a given PS at a time.

Prototype

```
void NotifyKeyEvent(string KeyType, string KeyString, PassItOn as Boolean)
```

Parameters

String KeyType	Type of key intercepted. M Mnemonic keystroke A ASCII
String KeyString	Intercepted keystroke
Boolean PassItOn	Flag to indicate if the keystroke should be echoed to the PS. TRUE Allows the keystroke to be passed on to the PS. FALSE Prevents the keystroke from being passed to the PS.

Example

See “Event Processing Example” on page 259 for an example.

NotifyCommEvent

A given communications link as been connected or disconnected.

Prototype

void NotifyCommEvent(boolean bConnected)

Parameters

boolean bConnected True if Communications Link is currently Connected, False otherwise.

Example

See “Event Processing Example” on page 259 for an example.

NotifyPSError

This event occurs when an error occurs in event processing.

Prototype

void NotifyPSError()

Parameters

None

Example

See “Event Processing Example” on page 259 for an example.

NotifyKeyError

This event occurs when an error occurs in event processing.

Prototype

void NotifyKeyError()

Parameters

None

Example

See “Event Processing Example” for an example.

NotifyCommError

This event occurs when an error occurs in event processing.

Prototype

```
void NotifyCommError()
```

Parameters

None

Example

See “Event Processing Example” for an example.

NotifyPSStop

This event occurs when event processing stops.

Prototype

```
void NotifyPSStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Example

See “Event Processing Example” for an example.

NotifyKeyStop

This event occurs when event processing stops.

Prototype

```
void NotifyKeyStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Example

See “Event Processing Example” for an example.

NotifyCommStop

This event occurs when event processing stops.

Prototype

```
void NotifyCommStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Event Processing Example

The following is a short example of how to implement PS Events

autECLPS

```
Option Explicit
Private WithEvents mPS As autECLPS 'AutPS added as reference
Private WithEvents Mkey as autECLPS

sub main()
'Create Objects
Set mPS = New autECLPS
Set mkey = New autECLPS
mPS.SetConnectionByName "A" 'Monitor Session A for PS Updates
mPS.SetConnectionByName "B" 'Intercept Keystrokes intended for Session B

mPS.RegisterPSEvent 'register for PS Updates
mPS.RegisterCommEvent ' register for Communications Link updates for session A
mkey.RegisterKeyEvent 'register for Key stroke intercept

' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
call DisplayGUI()

mPS.UnregisterPSEvent
mPS.UnregisterCommEvent
mkey.UnregisterKeyEvent

set mPS = Nothing
set mKey = Nothing
End Sub

'This sub will get called when the PS of the Session registered
'above changes
Private Sub mPS_NotifyPSEvent()
' do your processing here
End Sub

'This sub will get called when Keystrokes are entered into Session B
Private Sub mkey_NotifyKeyEvent(string KeyType, string KeyString, PassItOn as Boolean)
' do your keystroke filtering here
If (KeyType = "M") Then
'handle mnemonics here
if (KeyString = "[PF1]" then 'intercept PF1 and send PF2 instead
mkey.SendKeys "[PF2]"
set PassItOn = false
end if
end if

End Sub

'This event occurs if an error happens in PS event processing
Private Sub mPS_NotifyPSError()
'Do any error processing here
End Sub

'This event occurs when PS Event handling ends
Private Sub mPS_NotifyPSStop(Reason As Long)
'Do any stop processing here
End Sub

'This event occurs if an error happens in Keystroke processing
Private Sub mkey_NotifyKeyError()
'Do any error processing here
End Sub

'This event occurs when key stroke event handling ends
Private Sub mkey_NotifyKeyStop(Reason As Long)
'Do any stop processing here
End Sub

'This sub will get called when the Communication Link Status of the registered
'connection changes
```

```

Private Sub mPS_NotifyCommEvent()
' do your processing here
End Sub

'This event occurs if an error happens in Communications Link event processing
Private Sub mPS_NotifyCommError()
'Do any error processing here
End Sub

'This event occurs when Communications Status Notification ends
Private Sub mPS_NotifyCommStop()
'Do any stop processing here
End Sub

```

autECLScreenDesc Class

autECLScreenDesc is the class that is used to describe a screen for IBM's Host Access Class Library Screen Recognition Technology. It uses all four major planes of the presentation space to describe it (text, field, extended field, and color planes), as well as the cursor position.

Using the methods provided on this object, the programmer can set up a detailed description of what a given screen looks like in a host side application. Once an autECLScreenDesc object is created and set, it may be passed to either the synchronous WaitFor... methods provided on autECLPS, or it may be passed to autECLScreenReco, which fires an asynchronous event if the screen matching the autECLScreenDesc object appears in the PS.

autECLScreenDesc Methods

The following section describes the methods that are valid for autECLScreenDesc.

```

void AddAttrib(Variant attrib, Variant row, Variant col, Variant plane)
void AddCursorPos(Variant row, Variant col)
void AddNumFields(Variant num)
void AddNumInputFields(Variant num)
void AddOIAInhibitStatus(Variant type)
void AddString(String str, Variant row, Variant col, [optional] Boolean caseSense)
void AddStringInRect(String str, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant caseSense)
void Clear()

```

AddAttrib

Adds an attribute value at the given position to the screen description.

Prototype

```
void AddAttrib(Variant attrib, Variant row, Variant col, Variant plane)
```

Parameters

Variant attrib	The 1 byte HEX value of the attribute.
Variant row	Row position.
Variant col	Column position.
Variant plane	The plane of the attribute to get. The plane can have the following values: <ul style="list-style-type: none"> 0. All Planes 1. Text Plane

autECLScreenDesc

2. Color Plane
3. Field Plane
4. Extended Field Plane
5. DBCS Character Plane
6. DBCS Grid Line Plane

Return Value

None

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if
```

AddCursorPos

Sets the cursor position for the screen description to the given position.

Prototype

```
void AddCursorPos(Variant row, Variant col)
```

Parameters

Variant row Row position.

Variant col Column position.

Return Value

None

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
```



```

autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if

```

AddNumFields

Adds the number of fields to the screen description.

Prototype

```
void AddNumFields(Variant num)
```

Parameters

Variant num Number of fields.

Return Value

None

Example

```

Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if

```

AddNumInputFields

Adds the number of fields to the screen description.

Prototype

```
void AddNumInputFields(Variant num)
```

Parameters

Variant num Number of input fields.

Return Value

None

autECLScreenDesc

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if
```

AddOIAInhibitStatus

Sets the type of OIA monitoring for the screen description.

Prototype

```
void AddOIAInhibitStatus(Variant type)
```

Parameters

Variant type	Type of OIA status. Valid values are as follows: 0. Don't Care 1. Not Inhibited
---------------------	---

Return Value

None

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
```

```

else
    msgbox "Timeout Occurred"
end if

```

AddString

Adds a string at the given location to the screen description.

Prototype

```
void AddString(String str, Variant row, Variant col, [optional] Boolean caseSense)
```

Parameters

String str	String to add.
Variant row	Row position.
Variant col	Column position.
Boolean caseSense	If this value is True, the strings are added as case-sensitive. This parameter is optional. The default is True.

Return Value

None

Example

```

Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if

```

AddStringInRect

Adds a string in the given rectangle to the screen description.

Prototype

```
void AddStringInRect(String str, Variant sRow, Variant sCol,
    Variant eRow, Variant eCol, [optional] Variant caseSense)
```

Parameters

String str	String to add
-------------------	---------------

autECLScreenDesc

Variant sRow	Upper left row position.
Variant sCol	Upper left column position.
Variant eRow	Lower right row position.
Variant eCol	Lower right column position.
Variant caseSense	If this value is True, the strings are added as case-sensitive. This parameter is optional. The default is True.

Return Value

None

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    MsgBox "Screen reached"
else
    MsgBox "Timeout Occurred"
end if
```

Clear

Removes all description elements from the screen description.

Prototype

```
void Clear()
```

Parameters

None

Return Value

None

Example

```
Dim autECLPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autECLPSObj = CreateObject("PCOMM.autECLPS")
autECLPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
```

```

autECLScreenDesObj.AddCursorPos 23,1
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    msgbox "Screen reached"
else
    msgbox "Timeout Occurred"
end if

autECLScreenDesObj.Clear // start over for a new screen

```

autECLScreenReco Class

The autECLScreenReco class is the engine for the Host Access Class Library screen recognition system. It contains the methods for adding and removing descriptions of screens. It also contains the logic for recognizing those screens and for asynchronously calling back to your event handler code for those screens.

Think of an object of the autECLScreenReco class as a unique recognition set. The object can have multiple autECLPS objects that it watches for screens, and multiple screens to look for, and when it sees a registered screen in any of the added autECLPS objects it will fire event handling code defined in your application.

All you need to do is set up your autECLScreenReco objects at the start of your application, and when any screen appears in any autECLPS that you want to monitor, your event code will get called by autECLScreenReco. You do absolutely no legwork in monitoring screens.

See “Event Processing Example” on page 270 for an example.

autECLScreenReco Methods

The following section describes the methods that are valid for autECLScreenReco.

```

void AddPS(autECLPS ps)
Boolean IsMatch(autECLPS ps, AutECLScreenDesc sd)
void RegisterScreen(AutECLScreenDesc sd)
void RemovePS(autECLPS ps)
void UnregisterScreen(AutECLScreenDesc sd)

```

AddPS

Adds an autECLPS object to monitor to the autECLScreenReco Object.

Prototype

```
void AddPS(autECLPS ps)
```

Parameters

autECLPS ps PS object to monitor.

Return Value

None

Example

See "Event Processing Example" on page 270 for an example.

IsMatch

Allows for passing an autECLPS object and an AutECLScreenDesc object and determining if the screen description matches the current state of the PS. The screen recognition engine uses this logic, but is provided so any routine can call it.

Prototype

Boolean IsMatch(autECLPS ps, AutECLScreenDesc sd)

Parameters

autECLPS ps autPS object to compare.

AutECLScreenDesc sd autECLScreenDesc object to compare.

Return Value

True if the AutECLScreenDesc object matches the current screen in the PS, False otherwise.

Example

```
Dim autPSObj as Object
Dim autECLScreenDescObj as Object

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")
Set autPSObj = CreateObject("PCOMM.autECLPS")
autPSObj.SetConnectionByName "A"

autECLScreenDesObj.AddCursorPos 23, 1
autECLScreenDesObj.AddAttrib E8h, 1, 1, 2
autECLScreenDesObj.AddNumFields 45
autECLScreenDesObj.AddNumInputFields 17
autECLScreenDesObj.AddOIAInhibitStatus 1
autECLScreenDesObj.AddString "LOGON", 23, 11, True
autECLScreenDesObj.AddStringInRect "PASSWORD", 23, 1, 24, 80, False

if (autECLScreenReco.IsMatch(autPSObj, autECLScreenDesObj)) then
    MsgBox "matched"
else
    MsgBox "no match"
end if
```

RegisterScreen

Begins monitoring all autECLPS objects added to the screen recognition object for the given screen description. If the screen appears in the PS, a NotifyRecoEvent will occur.

Prototype

void RegisterScreen(AutECLScreenDesc sd)

Parameters

AutECLScreenDesc sd Screen description object to register.

Return Value

None

Example

See “Event Processing Example” on page 270 for an example.

RemovePS

Removes the autECLPS object from screen recognition monitoring.

Prototype

```
void RemovePS(autECLPS ps)
```

Parameters

autECLPS ps autECLPS object to remove.

Return Value

None

Example

See “Event Processing Example” on page 270 for an example.

UnregisterScreen

Removes the screen description from screen recognition monitoring.

Prototype

```
void UnregisterScreen(AutECLScreenDesc sd)
```

Parameters

AutECLScreenDesc sd Screen description object to remove.

Return Value

None

Example

See “Event Processing Example” on page 270 for an example.

autECLScreenReco Events

The following events are valid for autECLScreenReco:

```
void NotifyRecoEvent(AutECLScreenDesc sd, autECLPS ps)
void NotifyRecoError()
void NotifyRecoStop(Long Reason)
```

NotifyRecoEvent

This event occurs when a Registered Screen Description appears in a PS that was added to the autECLScreenReco object.

Prototype

```
void NotifyRecoEvent(AutECLScreenDesc sd, autECLPS ps)
```

Parameters

AutECLScreenDesc sd Screen Description object that had its criteria met.

autECLPS ps PS object in which the match occurred.

Example

See “Event Processing Example” on page 270 for an example.

NotifyRecoError

This event occurs when an error occurs in Event Processing.

Prototype

```
void NotifyRecoError()
```

Parameters

None

Example

See "Event Processing Example" for an example.

NotifyRecoStop

This event occurs when event processing stops.

Prototype

```
void NotifyRecoStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Event Processing Example

The following is a short example of how to implement Screen Recognition Events:

```
Dim myPS as Object
Dim myScreenDesc as Object
Dim WithEvents reco as autECLScreenReco 'autECLScreenReco added as reference

Sub Main()
    ' Create the objects
    Set reco= new autECLScreenReco
    myScreenDesc = CreateObject("PCOMM.autECLScreenDesc")
    Set myPS = CreateObject("PCOMM.autECLPS")
    myPS.SetConnectionByName "A"

    ' Set up the screen description
    myScreenDesc.AddCursorPos 23, 1
    myScreenDesc.AddString "LOGON"
    myScreenDesc.AddNumFields 59

    ' Add the PS to the reco object (can add multiple PS's)
    reco.addPS myPS

    ' Register the screen (can add multiple screen descriptions)
    reco.RegisterScreen myScreenDesc

    ' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
    call DisplayGUI()

    ' Clean up
    reco.UnregisterScreen myScreenDesc
    reco.RemovePS myPS
    set myPS = Nothing
    set myScreenDesc = Nothing
    set reco = Nothing
End Sub

'This sub will get called when the screen Description registered above appears in
'Session A. If multiple PS objects or screen descriptions were added, you can
'determine which screen and which PS via the parameters.

Sub reco_NotifyRecoEvent(autECLScreenDesc SD, autECLPS PS)
```



```

If (reco.IsMatch(PS,myScreenDesc)) Then
    ' do your processing for your screen here
End If
End Sub

Sub reco_NotifyRecoError
    'do your error handling here
End sub

Sub reco_NotifyRecoStop(Reason as Long)
    'Do any stop processing here
End sub

```

autECLSession Class

The autECLSession object provides general emulator related services and contains pointers to other key objects in the Host Access Class Library. Its name in the registry is PCOMM.autECLSession.

Although the objects that autECLSession contains are capable of standing on their own, pointers to them exist in the autECLSession class. When an autECLSession object is created, autECLPS, autECLOIA, autECLXfer, autECLWindowMetrics, autECLPageSettings, and autECLPrinterSettings objects are also created. Refer to them as you would any other property.

Notes:

1. The current version of this object is 1.2. There are two versions of this object; their ProgIDs in the registry are PCOMM.autECLSession.1 and PCOMM.autECLSession.2. The version-independent ProgID is PCOMM.autECLSession. The PCOMM.autECLSession.1 object does not support the properties autECLPageSettings and autECLPrinterSettings.
2. You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection can be set only once. After the connection is set, any further calls to the SetConnection methods cause an exception. If you do not set the connection and try to access an autECLSession property or method, an exception is also raised.

The following example shows how to create and set the autECLSession object in Visual Basic.

```

DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' For example, set the host window to minimized
SessObj.autECLWinMetrics.Minimized = True

```

Properties

This section describes the properties for the autECLSession object.

Type	Name	Attributes
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only

autECLSession

Type	Name	Attributes
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only
Object	autECLPS	Read-only
Object	autECLOIA	Read-only
Object	autECLXfer	Read-only
Object	autECLWinMetrics	Read-only
Object	autECLPageSettings	Read-only
Object	autECLPrinterSettings	Read-only

Name

This property is the connection name string of the connection for which autECLSession was set. Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example shows this property.

```
DIM Name as String
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")

' Save the name
Name = SessObj.Name
```

Handle

This is the handle of the connection for which the autECLSession object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time. Handle is a Long data type and is read-only. The following example shows this property.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")

' Save the session handle
Hand = SessObj.Handle
```

ConnType

This is the connection type for which autECLXfer was set. This type may change over time. ConnType is a String data type and is read-only. The following example shows this property.

```
DIM Type as String
DIM SessObj as Object

Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' Save the type
Type = SessObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This is the code page of the connection for which autECLXfer was set. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows this property.

```
DIM CodePage as Long
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' Save the code page
CodePage = SessObj.CodePage
```

Started

This indicates whether the emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM SessObj as Object

Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If SessObj.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM SessObj as Object

Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")

' This code segment checks to see if communications are connected
' for session A. The results are sent to a text box called
' CommConn.
If SessObj.CommStarted = False Then
```

autECLSession

```
CommConn.Text = "No"  
Else  
CommConn.Text = "Yes"  
End If
```

APIEnabled

This indicates whether the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File -> API Settings**). The value is True if the emulator is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long  
DIM SessObj as Object  
  
Set SessObj = CreateObject("PCOMM.autECLSession")  
  
' Initialize the session  
SessObj.SetConnectionByName("A")  
  
' This code segment checks to see if A is API enabled.  
' The results are sent to a text box called Result.  
If SessObj.APIEnabled = False Then  
Result.Text = "No"  
Else  
Result.Text = "Yes"  
End If
```

Ready

This indicates whether the emulator window is started, API-enabled, and connected. This property checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long  
DIM SessObj as Object  
  
Set SessObj = CreateObject("PCOMM.autECLSession")  
  
' Initialize the session  
SessObj.SetConnectionByName("A")  
  
' This code segment checks to see if A is ready.  
' The results are sent to a text box called Result.  
If SessObj.Ready = False Then  
Result.Text = "No"  
Else  
Result.Text = "Yes"  
End If
```

autECLPS object

The autECLPS object allows you to access the methods contained in the PCOMM.autECLPS class. See "autECLPS Class" on page 233 for more information. The following example shows this object.

```
DIM SessObj as Object  
DIM PSSize as Long  
Set SessObj = CreateObject("PCOMM.autECLSession")  
  
' Initialize the session  
SessObj.SetConnectionByName("A")  
' For example, get the PS size  
PSSize = SessObj.autECLPS.GetSize()
```

autECLOIA object

The autECLOIA object allows you to access the methods contained in the PCOMM.autECLOIA class. See “autECLOIA Class” on page 219 for more information. The following example shows this object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' For example, set the host window to minimized
If (SessObj.autECLOIA.Katakana) Then
'whatever
Endif
```

autECLXfer object

The autECLXfer object allows you to access the methods contained in the PCOMM.autECLXfer class. See “autECLXfer Class” on page 293 for more information. The following example shows this object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' For example
SessObj.Xfer.Sendfile "c:\temp\filename.txt",
    "filename text a0",
    "CRLF ASCII"
```

autECLWinMetrics object

The autECLWinMetrics object allows you to access the methods contained in the PCOMM.autECLWinMetrics class. See “autECLWinMetrics Class” on page 281 for more information. The following example shows this object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' For example, set the host window to minimized
SessObj.autECLWinMetrics.Minimized = True
```

autECLPageSettings object

The autECLPageSettings object enables you to access the methods contained in the PCOMM.autECLPageSettings class. See “autECLPageSettings Class” on page 304 for more information.

The following example shows the autECLPageSettings object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")
'Initialize the session
SessObj.SetConnectionByName("A")

'For example, set the FaceName
SessObj.autECLPageSettings.FaceName = "Courier New"
```

The autECLPageSettings object is also supported in VBSCRIPT. The following example shows how to use VBSCRIPT.

```
sub test_()
    autECLSession.SetConnectionByName(ThisSessionName)
    autECLSession.autECLPageSettings.FaceName="Courier"
end sub
```

autECLPrinterSettings object

The autECLPrinterSettings object enables you to access the methods contained in the PCOMM.autECLPrinterSettings class. See “autECLPageSettings Class” on page 304 for more information.

The following example shows the autECLPageSettings object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")
' Initialize the session
SessObj.SetConnectionByName("A")

'For example, set the Windows default printer
SessObj.autECLPrinterSettings.SetWinDefaultPrinter
```

The autECLPrinterSettings object is also supported in VBSCRIPT. The following example shows how to use VBSCRIPT.

```
sub test_()
    autECLSession.SetConnectionByName(ThisSessionName)
    autECLSession.autECLPrinterSettings.SetWinDefaultPrinter
end sub
```

autECLSession Methods

The following section describes the methods that are valid for the autECLSession object.

```
void RegisterSessionEvent(Long updateType)
void RegisterCommEvent()
void UnregisterSessionEvent()
void UnregisterCommEvent()
void SetConnectionByName (String Name)
void SetConnectionByHandle (Long Handle)
void StartCommunication()
void StopCommunication()
```

RegisterSessionEvent

This method registers an autECLSession object to receive notification of specified Session events.

Note: This method is not supported and is not recommended for use.

Prototype

```
void RegisterSessionEvent(Long updateType)
```

Parameters

Long updateType	Type of update to monitor for:
	1. PS Update
	2. OIA Update
	3. PS or OIA Update

Return Value

None

Example

See “Event Processing Example” on page 280 for an example.

RegisterCommEvent

This method registers an object to receive notification of all communication link connect/disconnect events.

Prototype

```
void RegisterCommEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 280 for an example.

UnregisterSessionEvent

Ends Session Event processing.

Note: This method is not supported and is not recommended for use.

Prototype

```
void UnregisterSessionEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 280 for an example.

UnregisterCommEvent

Ends Communications Link Event processing.

Prototype

```
void UnregisterCommEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 280 for an example.

SetConnectionByName

This method uses the connection name to set the connection for a newly created autECLSession object. In Personal Communications this connection name is the short ID (character A-Z or a-z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection “A” open at a time.

Prototype

void SetConnectionByName(String Name)

Parameters

String Name One-character string short name of the connection (A-Z or a-z).

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLSession object.

```
DIM SessObj as Object
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
SessObj.SetConnectionByName("A")
' For example, set the host window to minimized
SessObj.autECLWinMetrics.Minimized = True
```

SetConnectionByHandle

This method uses the connection handle to set the connection for a newly created autECLSession object. In Personal Communications this connection handle is a long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time.

Prototype

void SetConnectionByHandle(Long Handle)

Parameters

Long Handle Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autECLSession object.

```
Dim SessObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
autECLConnList.Refresh
autECLPSObj.SetConnectionByHandle(autECLConnList(1).Handle)
```

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim SessObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
autECLConnList.Refresh
SessObj.SetConnectionByHandle(autECLConnList(1).Handle)

SessObj.StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim SessObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set SessObj = CreateObject("PCOMM.autECLSession")

' Initialize the session
autECLConnList.Refresh
SessObj.SetConnectionByHandle(autECLConnList(1).Handle)

SessObj.StopCommunication()
```

autECLSession Events

The following events are valid for autECLSession:

autECLSession

```
void NotifyCommEvent(boolean bConnected)
void NotifyCommError()
void NotifyCommStop(Long Reason)
```

NotifyCommEvent

A given communications link has been connected or disconnected.

Prototype

```
void NotifyCommEvent(boolean bConnected)
```

Parameters

boolean bConnected TRUE if communications link is currently connected. FALSE otherwise.

Example

See "Event Processing Example" for an example.

NotifyCommError

This event occurs when an error occurs in event processing.

Prototype

```
void NotifyCommError()
```

Parameters

None

Example

See "Event Processing Example" for an example.

NotifyCommStop

This event occurs when event processing stops.

Prototype

```
void NotifyCommStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently, this will always be 0.

Event Processing Example

The following is a short example of how to implement Session Events

```
Option Explicit
Private WithEvents mSess As autECLSession 'AutSess added as reference

sub main()
    'Create Objects
    Set mSess = New autECLSession
    mSess.SetConnectionByName "A"
    mSess.RegisterCommEvent 'register for communication link notifications
    ' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
    call DisplayGUI()
    mSess.UnregisterCommEvent
    set mSess = Nothing
End Sub

'This sub will get called when the Communication Link Status of the registered
'connection changes
```

```

Private Sub mSess_NotifyCommEvent()
    ' do your processing here
End Sub

'This event occurs if an error happens in Communications Link event processing
Private Sub mSess_NotifyCommError()
    'Do any error processing here
End Sub

'This event occurs when Communications Status Notification ends
Private Sub mSess_NotifyCommStop()
    'Do any stop processing here
End Sub

```

autECLWinMetrics Class

The autECLWinMetrics object performs operations on an emulator window. It allows you to perform window rectangle and position manipulation (for example, SetWindowRect, Ypos and Width), as well as window state manipulation (for example, Visible or Restored). Its name in the registry is PCOMM.autECLWinMetrics.

You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection may be set only once. After the connection is set, any further calls to the set connection methods cause an exception. If you do not set the connection and try to access a property or method, an exception is also raised.

Note: The autECLSession object in the autECL object is set by the autECL object.

The following example shows how to create and set the autECLWinMetrics object in Visual Basic.

```

DIM autECLWinObj as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
autECLWinObj.SetConnectionByName("A")
' For example, set the host window to minimized
autECLWinObj.Minimized = True

```

Properties

This section describes the properties for the autECLWinMetrics object.

Type	Name	Attributes
String	WindowTitle	Read/Write
Long	Xpos	Read/Write
Long	Ypos	Read/Write
Long	Width	Read/Write
Long	Height	Read/Write
Boolean	Visible	Read/Write
Boolean	Active	Read/Write
Boolean	Minimized	Read/Write
Boolean	Maximized	Read/Write
Boolean	Restored	Read/Write
String	Name	Read-only

autECLWinMetrics

Type	Name	Attributes
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

WindowTitle

This is the title that is currently in the title bar for the connection associated with the autECLWinMetrics object. This property may be both changed and retrieved. WindowTitle is a String data type and is read/write enabled. The following example shows this process. The following example shows this property.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim WinTitle as String
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

WinTitle = autECLWinObj.WindowTitle 'get the window title

' or...

autECLWinObj.WindowTitle = "Flibberdeejibbet" 'set the window title
```

Usage Notes: If WindowTitle is set to blank, the window title of the connection is restored to its original setting.

Xpos

This is the *x* position of the upper left point of the emulator window rectangle. This property may be both changed and retrieved. Xpos is a Long data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim x as Long
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

x = autECLWinObj.Xpos 'get the x position

' or...

autECLWinObj.Xpos = 6081 'set the x position
```

Ypos

This is the *y* position of the upper left point of the emulator window rectangle. This property may be both changed and retrieved. Ypos is a Long data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim y as Long
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

y = autECLWinObj.Ypos 'get the y position

' or...

autECLWinObj.Ypos = 6081 'set the y position
```

Width

This is the width of the emulator window rectangle. This property may be both changed and retrieved. Width is a Long data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim cx as Long
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

cx = autECLWinObj.Width 'get the width

' or...

autECLWinObj.Width = 6081 'set the width
```

Height

This is the height of the emulator window rectangle. This property may be both changed and retrieved. Height is a Long data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim cy as Long
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

cy = autECLWinObj.Height 'get the height
```

autECLWinMetrics

```
' or...  
autECLWinObj.Height = 6081 'set the height
```

Visible

This is the visibility state of the emulator window. This property may be both changed and retrieved. Visible is a Boolean data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object  
Dim ConnList as Object  
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")  
Set ConnList = CreateObject("PCOMM.autECLConnList")  
  
' Initialize the connection  
ConnList.Refresh  
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)  
  
' Set to Visible if not, and vice versa  
If ( autECLWinObj.Visible) Then  
    autECLWinObj.Visible = False  
Else  
    autECLWinObj.Visible = True  
End If
```

Active

This is the focus state of the emulator window. This property may be both changed and retrieved. Active is a Boolean data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object  
Dim ConnList as Object  
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")  
Set ConnList = CreateObject("PCOMM.autECLConnList")  
  
' Initialize the connection  
ConnList.Refresh  
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)  
  
' Set to Active if not, and vice versa  
If ( autECLWinObj.Active) Then  
    autECLWinObj.Active = False  
Else  
    autECLWinObj.Active = True  
End If
```

Minimized

This is the minimize state of the emulator window. This property may be both changed and retrieved. Minimized is a Boolean data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```
Dim autECLWinObj as Object  
Dim ConnList as Object  
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")  
Set ConnList = CreateObject("PCOMM.autECLConnList")  
  
' Initialize the connection  
ConnList.Refresh  
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)  
  
' Set to minimized if not, if minimized set to maximized  
If ( autECLWinObj.Minimized) Then
```

```

    autECLWinObj.Maximized = True
Else
    autECLWinObj.Minimized = True
End If

```

Maximized

This is the maximize state of the emulator window. This property may be both changed and retrieved. Maximized is a Boolean data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```

Dim autECLWinObj as Object
Dim ConnList as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)

' Set to maximized if not, if maximized set to minimized
If ( autECLWinObj.Maximized) Then
    autECLWinObj.Minimized = False
Else
    autECLWinObj.Maximized = True
End If

```

Restored

This is the restore state of the emulator window. Restored is a Boolean data type and is read/write enabled. However, if the connection you are attached to is an inplace, embedded object, this property is read-only. The following example shows this property.

```

Dim autECLWinObj as Object
Dim SessList as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set SessList = CreateObject("PCOMM.autECLConnList")

' Initialize the session
SessList.Refresh
autECLWinObj.SetSessionByHandle(SessList(1).Handle)

' Set to restored if not, if restored set to minimized
If ( autECLWinObj.Restored) Then
    autECLWinObj.Minimized = False
Else
    autECLWinObj.Restored = True
End If

```

Name

This property is the connection name string of the connection for which autECLWinMetrics was set. Currently, Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example shows this property.

```

DIM Name as String
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection

```

autECLWinMetrics

```
Obj.SetConnectionByName("A")
```

```
' Save the name  
Name = Obj.Name
```

Handle

This is the handle of the connection for which the autECLWinMetrics object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time. Handle is a Long data type and is read-only. The following example shows this property.

```
DIM Obj as Object  
Set Obj = CreateObject("PCOMM.autECLWinMetrics")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")
```

```
' Save the handle  
Hand = Obj.Handle
```

ConnType

This is the connection type for which autECLWinMetrics was set. This type may change over time. ConnType is a String data type and is read-only. The following example shows this property.

```
DIM Type as String  
DIM Obj as Object  
  
Set Obj = CreateObject("PCOMM.autECLWinMetrics")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")  
' Save the type  
Type = Obj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This is the code page of the connection for which autECLWinMetrics was set. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows this property.

```
DIM CodePage as Long  
DIM Obj as Object  
Set Obj = CreateObject("PCOMM.autECLWinMetrics")
```

```
' Initialize the connection  
Obj.SetConnectionByName("A")  
' Save the code page  
CodePage = Obj.CodePage
```


Started

This indicates whether the emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If Obj.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If Obj.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This indicates whether the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File ->API Settings**). The value is True if the emulator is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is API enabled.
' The results are sent to a text box called Result.
If Obj.APIEnabled = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLWinMetrics

Ready

This indicates whether the emulator window is started, API enabled, and connected. This property checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If Obj.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLWinMetrics Methods

The following section describes the methods that are valid for the autECLWinMetrics object.

```
void RegisterCommEvent()
void UnregisterCommEvent()
void SetConnectionByName(String Name)
void SetConnectionByHandle(Long Handle)
void GetWindowRect(Variant Left, Variant Top, Variant Right, Variant Bottom)
void SetWindowRect(Long Left, Long Top, Long Right, Long Bottom)
void StartCommunication()
void StopCommunication()
```

RegisterCommEvent

This method registers an object to receive notification of all communication link connect/disconnect events.

Prototype

```
void RegisterCommEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 293 for an example.

UnregisterCommEvent

Ends Communications Link Event Processing.

Prototype

```
void UnregisterCommEvent()
```

Parameters

None

Return Value

None

SetConnectionByName

This method uses the connection name to set the connection for a newly created autECLWinMetrics object. In Personal Communications this connection name is the short ID (character A-Z or a-z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLWinMetrics object in autECLSession.

Prototype

```
void SetConnectionByName( String Name )
```

Parameters**String Name**

One-character string short name of the connection (A-Z or a-z).

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLWinMetrics object.

```
DIM autECLWinObj as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the connection
autECLWinObj.SetConnectionByName("A")
' For example, set the host window to minimized
autECLWinObj.Minimized = True
```

SetConnectionByHandle

This method uses the connection handle to set the connection for a newly created autECLWinMetrics object. In Personal Communications this connection handle is a long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLWinMetrics object in autECLSession.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters**Long Handle**

Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autECLWinMetrics object.

```
DIM autECLWinObj as Object
DIM ConnList as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)
' For example, set the host window to minimized
autECLWinObj.Minimized = True
```

GetWindowRect

The GetWindowRect method returns the bounding points of the emulator window rectangle.

Prototype

```
void GetWindowRect(Variant Left, Variant Top, Variant Right, Variant Bottom)
```

Parameters

Variant Left, Top, Right, Bottom

Bounding points of the emulator window.

Return Value

None

Example

The following example shows how to return the bounding points of the emulator window rectangle.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Dim left
Dim top
Dim right
Dim bottom
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)
autECLWinObj.GetWindowRect left, top, right, bottom
```

SetWindowRect

The SetWindowRect method sets the bounding points of the emulator window rectangle.

Prototype

```
void SetWindowRect(Long Left, Long Top, Long Right, Long Bottom)
```

Parameters

Long Left, Top, Right, Bottom

Bounding points of the emulator window.

Return Value

None

Example

The following example shows how to set the bounding points of the emulator window rectangle.

```
Dim autECLWinObj as Object
Dim ConnList as Object
Set autECLWinObj = CreateObject("PCOMM.autECLWinMetrics")
Set ConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection
ConnList.Refresh
autECLWinObj.SetConnectionByHandle(ConnList(1).Handle)
autECLWinObj.SetWindowRect 0, 0, 6081, 6081
```

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim WinObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set WinObj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the session
autECLConnList.Refresh
WinObj.SetConnectionByHandle(autECLConnList(1).Handle)

WinObj.StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

autECLWinMetrics

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim WinObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set WinObj = CreateObject("PCOMM.autECLWinMetrics")

' Initialize the session
autECLConnList.Refresh
WinObj.SetConnectionByHandle(autECLConnList(1).Handle)

WinObj.StopCommunication()
```

autECL WinMetrics Events

The following events are valid for autECL WinMetrics:

```
void NotifyCommEvent(boolean bConnected)
NotifyCommError()
void NotifyCommStop(Long Reason)
```

NotifyCommEvent

A given communications link as been connected or disconnected.

Prototype

```
void NotifyCommEvent(boolean bConnected)
```

Parameters

boolean bConnected True if Communications Link is currently Connected, False otherwise.

Example

See "Event Processing Example" on page 293 for an example.

NotifyCommError

This event occurs when an error occurs in Event Processing.

Prototype

```
NotifyCommError()
```

Parameters

None

Example

See "Event Processing Example" on page 293 for an example.

NotifyCommStop

This event occurs when event processing stops.

Prototype

```
void NotifyCommStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Event Processing Example

The following is a short example of how to implement WinMetrics Events.

```
Option Explicit
Private WithEvents mWmet As autECLWinMetrics 'AutWinMetrics added as reference

sub main()
    'Create Objects
    Set mWmet = New autECLWinMetrics
    mWmet.SetConnectionByName "A" 'Monitor Session A

    mWmet.RegisterCommEvent ' register for Communications Link updates for session A

    ' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
    call DisplayGUI()

    mWmet.UnregisterCommEvent

    set mWmet = Nothing
End Sub

'This sub will get called when the Communication Link Status of the registered
'connection changes
Private Sub mWmet _NotifyCommEvent()
    ' do your processing here
End Sub

'This event occurs if an error happens in Communications Link event processing
Private Sub mWmet _NotifyCommError()
    'Do any error processing here
End Sub

'This event occurs when Communications Status Notification ends
Private Sub mWmet _NotifyCommStop()
    'Do any stop processing here
End Sub
```

autECLXfer Class

The autECLXfer object provides file transfer services. Its name in the registry is PCOMM.autECLXfer.

You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection may be set only once. After the connection is set, any further calls to the SetConnection methods cause an exception. If you do not set the connection and try to access an autECLXfer property or method, an exception is also raised. The following shows how to create and set the autECLXfer object in Visual Basic.

```
DIM XferObj as Object

Set XferObj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
XferObj.SetConnectionByName("A")
```

Properties

This section describes the properties for the autECLXfer object.

Type	Name	Attribute
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

Name

This property is the connection name string of the connection for which autECLXfer was set. Personal Communications only returns the short character ID (A-Z or a-z) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection "A" open at a time. Name is a String data type and is read-only. The following example shows this property.

```
DIM Name as String
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
Obj.SetConnectionByName("A")

' Save the name
Name = Obj.Name
```

Handle

This is the handle of the connection for which the autECLXfer object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time. Handle is a Long data type and is read-only. The following example shows this property.

```
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
Obj.SetConnectionByName("A")

' Save the handle
Hand = Obj.Handle
```

ConnType

This is the connection type for which autECLXfer was set. This type may change over time. Conntype is a String data type and is read-only. The following example shows this property.

```
DIM Type as String
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLXfer")
```



```
' Initialize the connection
Obj.SetConnectionByName("A")
' Save the type
Type = Obj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

CodePage

This is the code page of the connection for which autECLXfer was set. This code page may change over time. CodePage is a Long data type and is read-only. The following example shows this property.

```
DIM CodePage as Long
DIM Obj as Object
Set Obj = CreateObject("PCOMM.autECLXfer")
```

```
' Initialize the connection
Obj.SetConnectionByName("A")
' Save the code page
CodePage = Obj.CodePage
```

Started

This indicates whether the emulator window is started. The value is True if the window is open; otherwise, it is False. Started is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLXfer")
```

```
' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If Obj.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This indicates the status of the connection to the host. The value is True if the host is connected; otherwise, it is False. CommStarted is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLXfer")
```

```
' Initialize the connection
Obj.SetConnectionByName("A")
```

autECLXfer

```
' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If Obj.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This indicates whether the emulator is API-enabled. A connection may be enabled or disabled depending on the state of its API settings (in a Personal Communications window, choose **File -> API Settings**). The value is True if the emulator is enabled; otherwise, it is False. APIEnabled is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is API enabled.
' The results are sent to a text box called Result.
If Obj.APIEnabled = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

Ready

This indicates whether the emulator window is started, API enabled, and connected. This property checks for all three properties. The value is True if the emulator is ready; otherwise, it is False. Ready is a Boolean data type and is read-only. The following example shows this property.

```
DIM Hand as Long
DIM Obj as Object

Set Obj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
Obj.SetConnectionByName("A")

' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If Obj.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLXfer Methods

The following section describes the methods that are valid for the autECLXfer object.

```
void RegisterCommEvent()
void UnregisterCommEvent()
void SetConnectionByName(String Name)
void SetConnectionByHandle(Long Handle)
void SendFile(String PCFile, String HostFile, String Options)
```

```
void ReceiveFile(String PCFile, String HostFile, String Options)
void StartCommunication()
void StopCommunication()
```

RegisterCommEvent

This method registers an object to receive notification of all communication link connect/disconnect events.

Prototype

```
void RegisterCommEvent()
```

Parameters

None

Return Value

None

Example

See “Event Processing Example” on page 302 for an example.

UnregisterCommEvent

Ends Communications Link Event Processing.

Prototype

```
void UnregisterCommEvent()
```

Parameters

None

Return Value

None

SetConnectionByName

The SetConnectionByName method uses the connection name to set the connection for a newly created autECLXfer object. In Personal Communications this connection name is the short ID (character A-Z or a-z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection “A” open at a time.

Note: Do not call this if using the autECLXfer object in autECLSession.

Prototype

```
void SetConnectionByName( String Name )
```

Parameters

String Name	One-character string short name of the connection (A-Z or a-z).
--------------------	---

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLXfer object.

autECLXfer

```
DIM XferObj as Object  
  
Set XferObj = CreateObject("PCOMM.autECLXfer")  
  
' Initialize the connection  
XferObj.SetConnectionByName("A")
```

SetConnectionByHandle

The SetConnectionByHandle method uses the connection handle to set the connection for a newly created autECLXfer object. In Personal Communications this connection handle is a Long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection "A" open at a time.

Note: Do not call this if using the autECLXfer object in autECLSession.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters

Long Handle Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autECLXfer object.

```
DIM XferObj as Object  
DIM autECLConnList as Object  
  
Set XferObj = CreateObject("PCOMM.autECLXfer")  
Set autECLConnList = CreateObject("PCOMM.autECLConnList")  
  
' Initialize the connection with the first connection in the list  
autECLConnList.Refresh  
XferObj.SetConnectionByHandle(autECLConnList(1).Handle)
```

SendFile

The SendFile method sends a file from the workstation to the host for the connection associated with the autECLXfer object.

Prototype

```
void SendFile( String PCFile, String HostFile, String Options )
```

Parameters

String PCFile Name of the file on the workstation.
String HostFile Name of the file on the host.
String Options Host-dependent transfer options. See "Usage Notes" on page 299 for more information.

Return Value

None

Usage Notes

File transfer options are host-dependent. The following is a list of some of the valid host options for a VM/CMS host.

```
ASCII
CRLF
APPEND
LRECL
RECFM
CLEAR/NOCLEAR
PROGRESS
QUIET
```

Refer to *Emulator Programming* for the list of supported hosts and associated file transfer options.

Example

The following example shows how to send a file from the workstation to the host for the connection associated with the autECLXfer object.

```
DIM XferObj as Object
DIM autECLConnList as Object
DIM NumRows as Long

Set XferObj = CreateObject("PCOMM.autECLXfer")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection with the first connection in the autECLConnList
autECLConnList.Refresh
XferObj.SetConnectionByHandle(autECLConnList(1).Handle)

' For example, send the file to VM
XferObj.SendFile "c:\windows\temp\thefile.txt",
                "THEFILE TEXT A0",
                "CRLF ASCII"
```

ReceiveFile

The ReceiveFile method receives a file from the host to the workstation for the connection associated with the autECLXfer object.

Prototype

```
void ReceiveFile( String PCFile, String HostFile, String Options )
```

Parameters

String PCFile	Name of the file on the workstation.
String HostFile	Name of the file on the host.
String Options	Host-dependent transfer options. See “Usage Notes” for more information.

Return Value

None

Usage Notes

File transfer options are host-dependent. The following is a list of some of the valid host options for a VM/CMS host:

```
ASCII
CRLF
APPEND
LRECL
```

autECLXfer

```
RECFM
CLEAR/NOCLEAR
PROGRESS
QUIET
```

Refer to *Emulator Programming* manual for the list of supported hosts and associated file transfer options.

Example

The following example shows how to receive a file from the host and send it to the workstation for the connection associated with the autECLXfer object.

```
DIM XferObj as Object
DIM autECLConnList as Object
DIM NumRows as Long

Set XferObj = CreateObject("PCOMM.autECLXfer")
Set autECLConnList = CreateObject("PCOMM.autECLConnList")

' Initialize the connection with the first connection in the list
autECLConnList.Refresh
XferObj.SetConnectionByHandle(autECLConnList(1).Handle)
' For example, send the file to VM
XferObj.ReceiveFile "c:\windows\temp\thefile.txt",
                  "THEFILE TEXT A0",
                  "CRLF ASCII"
```

StartCommunication

The StartCommunication collection element method connects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Connect**.

Prototype

```
void StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim XObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set XObj = CreateObject("PCOMM.autECLXfer")

' Initialize the session
autECLConnList.Refresh
XObj.SetConnectionByHandle(autECLConnList(1).Handle)

XObj.StartCommunication()
```

StopCommunication

The StopCommunication collection element method disconnects the PCOMM emulator to the host data stream. This has the same effect as going to the PCOMM emulator **Communication** menu and choosing **Disconnect**.

Prototype

```
void StopCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect a PCOMM emulator session to the host.

```
Dim XObj as Object
Dim autECLConnList as Object

Set autECLConnList = CreateObject("PCOMM.autECLConnList")
Set XObj = CreateObject("PCOMM.autECLXfer")

' Initialize the session
autECLConnList.Refresh
XObj.SetConnectionByHandle(autECLConnList(1).Handle)

SessObj.StopCommunication()
```

autECLXfer Events

The following events are valid for autECLXfer:

```
void NotifyCommEvent(boolean bConnected)
NotifyCommError()
void NotifyCommStop(Long Reason)
```

NotifyCommEvent

A given communications link as been connected or disconnected.

Prototype

```
void NotifyCommEvent(boolean bConnected)
```

Parameters

boolean bConnected	True if Communications Link is currently Connected, False otherwise.
---------------------------	--

Example

See "Event Processing Example" on page 302 for an example.

NotifyCommError

This event occurs when an error occurs in event processing.

Prototype

```
NotifyCommError()
```

Parameters

None

Example

See "Event Processing Example" on page 302 for an example.

NotifyCommStop

This event occurs when event processing stops.

Prototype

```
void NotifyCommStop(Long Reason)
```

Parameters

Long Reason Reason code for the stop. Currently this will always be 0.

Event Processing Example

The following is a short example of how to implement Xfer Events

```
Option Explicit
Private WithEvents mXfer As autECLXfer 'AutXfer added as reference

sub main()
'Create Objects
Set mXfer = New autECLXfer
mXfer.SetConnectionByName "A" 'Monitor Session A

mXfer.RegisterCommEvent ' register for Communications Link updates for session A

' Display your form or whatever here (this should be a blocking call, otherwise sub just ends
call DisplayGUI()

mXfer.UnregisterCommEvent

set mXfer= Nothing
End Sub

'This sub will get called when the Communication Link Status of the registered
'connection changes
Private Sub mXfer _NotifyCommEvent()
' do your processing here
End Sub

'This event occurs if an error happens in Communications Link event processing
Private Sub mXfer _NotifyCommError()
'Do any error processing here
End Sub

'This event occurs when Communications Status Notification ends
Private Sub mXfer _NotifyCommStop()
'Do any stop processing here
End Sub
```

autSystem Class

The autSystem class is used to perform utility operations that are not present in some programming languages.

autSystem Methods

The following section describes the methods that are valid for the autSystem object.

Long Shell(VARIANT ExeName, VARIANT Parameters, VARIANT WindowStyle)
String Inputnd()

Shell

The shell function runs any executable file.

Prototype

Long Shell(VARIANT ExeName, VARIANT Parameters, VARIANT WindowStyle)

Parameters

VARIANT ExeName	Full path and file name of the executable file.
VARIANT Parameters	Any parameters to pass to the executable file. This parameter is optional.
VARIANT WindowStyle	The initial window style to show as executable. This parameter is optional and can have the following values: <ol style="list-style-type: none"> 1. Normal with focus (default) 2. Minimized with focus 3. Maximized 4. Normal without focus 5. Minimized without focus

Return Value

The method returns the Process ID if it is successful, or zero if it fails.

Example

Example autSystem - Shell()

```
'This example starts notepad with the file c:\test.txt loaded
dim ProcessID
dim SysObj as object

set SysObj = CreateObject("PCOMM.autSystem")
ProcessID = SysObj.shell "Notepad.exe", "C:\test.txt"
If ProcessID > 0 then
  MsgBox "Notepad Started, ProcessID = " + ProcessID
Else
  MsgBox "Notepad not started"
End if
```

Inputnd

The Inputnd method displays a popup input box to the user with a no-display text box so that when the user types in data only asterisks(*) are displayed.

Prototype

String Inputnd()

Parameters

None

Return Value

The characters typed into the input box, or "" if nothing was typed in.

Example

```
DIM strPassWord
dim SysObj as Object
dim PSObj as Object
```

autSystem

```
set SysObj = CreateObject("PCOMM.autSystem")
set PSObj = CreateObject("PCOMM.autPS")

PSObj.SetConnectionByName("A")
'Prompt user for password
strPassWord = SysObj.Inputnd()
PSObj.SetText(strPassWord)
DIM XferObj as Object

Set XferObj = CreateObject("PCOMM.autECLXfer")

' Initialize the connection
XferObj.SetConnectionByName("A")
```

autECLPageSettings Class

The autECLPageSettings object controls the page settings of a Personal Communications connection. Its name in the registry is Personal Communications.autECLPageSettings. This automation object can also be used in VB scripts.

The read-only property autECLPageSettings has been added to the autECLSession object. See “autECLSession Class” on page 271 for information about how to use this property.

Note: The autECLPageSettings object in the autECLSession object is set by the autECLSession object.

The following example shows how to create and set the autECLPageSettings object in Visual Basic.

```
DIM PgSet as Object
Set PgSet = CreateObject("PCOMM.autECLPageSettings")
PgSet.SetConnectionByName("A")
```

Usage Notes

This object is not supported for DBCS or bidirectional sessions.

You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection can be set only once. After the connection is set, any further calls to the set connection methods cause an exception. If you do not set the connection and try to access a property or method, an exception is raised.

The properties CPI, LPI, and FontSize are dependent on the property FaceName. Therefore, if CPI, LPI, or FontSize are set before the FaceName is set, and if they are not valid for the new FaceName, different CPI, LPI, or FontSize values might be reconfigured in the connection. You should set the FaceName before setting the CPI, LPI, or FontSize. Otherwise, every time you set FaceName, query CPI, LPI, and FontSize and make sure that they have the desired values.

Restrictions

The connection associated with each method must be in a particular state for the method to succeed. If the restrictions are not met, an appropriate exception is raised.

The following restrictions must be satisfied while any property or method of the autECLPageSettings object is invoked.

- The host session should not be printing when this API is invoked.
- The **File → Page Setup** and **File → Printer Setup** dialogs must not be in use.
- The associated connection must not be in PDT mode.

Additional restrictions might apply for each specific property or method.

Connection types

The following connection types are valid for the methods in the autECLPageSettings class:

- 3270 display
- 3270 printer
- 5250 display
- VT (ASCII)

If a property or method is accessed or called on an unsupported connection, an exception is raised. Use the ConnType property to determine the connection type.

Properties

This section describes the properties for the autECLPageSettings object.

Type	Name	Attributes
Long	CPI	Read/Write
Boolean	FontCPI	Read-only
Long	LPI	Read/Write
Boolean	FontLPI	Read-only
String	FaceName	Read/Write
Long	FontSize	Read/Write
Long	MaxLinesPerPage	Read/Write
Long	MaxCharsPerLine	Read/Write
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

CPI

This property determines the number of characters printed per inch. This is a Long data type and is read/write enabled.

Set this property to the predefined constant pcFontCPI to select the Font CPI in Page Settings or set it to some specific CPI value. If this property is queried when FontCPI is configured in the connection, the actual CPI value is returned and the constant pcFontCPI is not returned.

To determine whether FontCPI is set in the connection, use the property FontCPI.

autECLPageSettings

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim CPI as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

CPI = PgSet.CPI ' get the CPI value
' or...
PgSet.CPI = pcFontCPI 'set the connection to use Font CPI.
```

FontCPI

This determines whether Font CPI is set in the connection. FontCPI is a Boolean data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

'check if Font CPI is set
If PgSet.FontCPI Then
    ...
```

LPI

This property determines the number of lines printed per inch. This is a Long data type and is read/write enabled. Set it to the predefined constant pcFontLPI to select the Font LPI in Page Settings or set it to some specific LPI value. If this property is queried when FontLPI is configured in the connection, the actual LPI value is returned and the constant pcFontLPI is not returned. To determine whether FontLPI is set in the connection, use the property FontLPI.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim LPI as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

LPI = PgSet.LPI ' get the LPI value
' or...
PgSet.LPI = pcFontLPI 'set the connection to use Font LPI.
```

FontLPI

This property determines whether Font LPI is set in the connection. FontLPI is a Boolean data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

'check if Font LPI is set
If PgSet.FontLPI Then
  ...
```

FaceName

This is the Font Face Name of the Page Settings of the connection. FaceName is a String data type and is read/write enabled.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim FaceName as String

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)
FaceName = PgSet.FaceName ' get the FaceName
' or...
PgSet.FaceName = "Courier New" 'set the FaceName
```

FontSize

This is the size of the font in the Page Settings of the connection. FontSize is a Long data type and is read/write enabled.

Notes:

1. This property is for sessions that use a DBCS code page. Connections that use an SBCS host code page will raise an exception.
2. Because FontSize is dependent on the FaceName of the connection, FaceName should be set before FontSize is set.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim FontSize as Long
Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)
FontSize = PgSet.FontSize ' get the FontSize
' or...
PgSet.FontSize = 14 'set the FontSize
```

MaxLinesPerPage

This property is the maximum number of lines that can be printed per page. This is also called *maximum print lines* or MPL. Valid values are in the range 1–255. This is a Long data type and is read/write enabled.

autECLPageSettings

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim MPL as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

MPL = PgSet.MaxLinesPerPage ' get the MaxLinesPerPage
' or...
PgSet.MaxLinesPerPage = 20 'set the MaxLinesPerPage
```

MaxCharsPerLine

This property is the maximum number of characters that can be printed per line. This is also called *maximum print position* or MPP. Valid values are in the range 1–255. This is a Long data type and is read/write enabled.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim MPP as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

MPP = PgSet.MaxCharsPerLine ' get the MaxCharsPerLine
' or...
PgSet.MaxCharsPerLine = 80 'set the MaxCharsPerLine
```

Name

This property is the connection name string of the connection for which autECLPageSettings was set. Personal Communications returns only the short character ID (a single alphabetical character from **A** to **Z**) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection **A** open at a time. Name is a String data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
DIM Name as String

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

Name = PgSet.Name 'Save the name
```

Handle

This property is the handle of the connection for which the autECLPageSettings object was set. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection **A** open at a time. Handle is a Long data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim Hand as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

Hand = PgSet.Handle ' save the handle
```

ConnType

This property is the connection type for which autECLPageSettings was set. This property might change over time. ConnType is a String data type and is read-only.

String Value	Connection Type
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim Type as String

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

Type = PgSet.ConnType ' save the type
```

CodePage

This property is the connection type for which autECLPageSettings was set. This property might change over time. ConnType is a String data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object
Dim CodePage as Long

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

CodePage = PgSet.CodePage ' save the codepage
```

Started

This property indicates whether the emulator window is started. The value is TRUE if the window is open; otherwise, it is FALSE. Started is a Boolean data type and is read-only.

autECLPageSettings

Example:

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If PgSet.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This property indicates the status of the connection to the host. The value is TRUE if the host is connected; otherwise, it is FALSE. CommStarted is a Boolean data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If PgSet.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This property indicates whether the emulator is API-enabled. A connection can be API-enabled or disabled depending on the state of its API settings (in a Personal Communications window, click **Edit** → **Preferences** → **API**). The value is TRUE if the emulator is API-enabled; otherwise, it is FALSE. APIEnabled is a Boolean data type and is read-only.

Example:

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if A is API-enabled.
' The results are sent to a text box called Result.
If PgSet.APIEnabled = False Then
```



```

    Result.Text = "No"
Else
    Result.Text = "Yes"
End If

```

Ready

This property indicates whether the emulator window is started, API-enabled, and connected. This property checks for all three properties. The value is TRUE if the emulator is ready; otherwise, it is FALSE. Ready is a Boolean data type and is read-only.

Example:

```

Dim PgSet as Object
Dim ConnList as Object
Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)
' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If PgSet.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If

```

autECLPageSettings Methods

The following section describes the methods that are valid for the autECLPageSettings object.

```

void RestoreTextDefaults()
void SetConnectionByName (String Name)
void SetConnectionByHandle (Long Handle)

```

RestoreTextDefaults

The RestoreTextDefaults method restores the system default values of the **Text** property page in the Page Setup dialog of the connection. This is equivalent to pressing the **Default** button on the **Text** property page of the Page Setup Dialog of the connection.

Prototype

```
void RestoreTextDefaults()
```

Parameters

None

Return Value

None

Example

The following example shows the RestoreTextDefaults method.

```

Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection

```

autECLPageSettings

```
ConnList.Refresh  
PgSet.SetConnectionByHandle(ConnList(1).Handle)  
  
PgSet.RestoreTextDefaults 'Restores Text Default Settings
```

SetConnectionByName

The SetConnectionByName method uses the connection name to set the connection for a newly created autECLPageSettings object. This connection name is the short connection ID (a single alphabetical character from **A** to **Z**). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection **A** open at a time.

Note: Do not call this method if you are using the autECLPageSettings object contained in the autECLSession object.

Prototype

```
void SetConnectionByName( String Name )
```

Parameters

String Name

One-character string short name of the connection. Valid values are A–Z.

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLPageSettings object.

```
Dim PgSet as Object  
Set PgSet = CreateObject("PCOMM.autECLPageSettings")  
' Initialize the connection  
PgSet.SetConnectionByName("A")  
' For example, see if Font CPI is set  
If PgSet.FontCPI Then  
'your logic here...  
End If
```

SetConnectionByHandle

The SetConnectionByHandle method uses the connection handle to set the connection for a newly created autECLPageSettings object. In Personal Communications, this connection handle is a Long integer. There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection **A** open at a time.

Note: Do not call this method if you are using the autECLPageSettings object contained in the autECLSession object.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters

Long Handle

Long integer value of the connection to be set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autECLPageSettings object.

```
Dim PgSet as Object
Dim ConnList as Object

Set PgSet = CreateObject("PCOMM.autECLPageSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PgSet.SetConnectionByHandle(ConnList(1).Handle)

' For example, see if Font CPI is set
If PgSet.FontCPI Then
'your logic here...
End If
```

autECLPrinterSettings Class

The autECLPrinterSettings object controls the Printer Settings of a Personal Communications connection. Its name in the registry is PCOMM.autECLPrinterSettings. This automation object can also be used in VB scripts.

The read-only property **autECLPrinterSettings** has been added to the autECLSession object. See “autECLSession Class” on page 271 for information about how to use this property.

Note: The autECLPrinterSettings object in the autECLSession object is set by the autECLSession object.

The following example shows how to create and set the autECLPrinterSettings object in Visual Basic.

```
DIM PrSet as Object
Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
PrSet.SetConnectionByName("A")
```

Usage Notes

This object is not supported for DBCS or bidirectional sessions.

You must initially set the connection for the object you create. Use SetConnectionByName or SetConnectionByHandle to initialize your object. The connection can be set only once. After the connection is set, any further calls to the set connection methods cause an exception. If you do not set the connection and try to access a property or method, an exception is raised.

The properties CPI, LPI, and FontSize are dependent on the property FaceName. Therefore, if CPI, LPI, or FontSize are set before the FaceName is set, and if they are not valid for the new FaceName, different CPI, LPI, or FontSize values might be reconfigured in the connection. You should set the FaceName before setting the CPI, LPI, or FontSize. Otherwise, every time you set FaceName, query CPI, LPI, and FontSize and make sure that they have the desired values.

Restrictions

The connection associated with each method must be in a particular state for the method to succeed. If the restrictions are not met, an appropriate exception is raised.

autECLPrinterSettings

The following restrictions must be satisfied while any property or method of the autECLPageSettings object is invoked.

- The host session should not be printing when this API is invoked.
- The **File** → **Page Setup** and **File** → **Printer Setup** dialogs should not be in use.

Additional restrictions might apply for each specific property or method.

Properties

This section describes the properties for the autECLPrinterSettings object.

Type	Name	Attributes
Boolean	PDTMode	Read-only
String	PDTFile	Read-only
Long	PrintMode	Read-only
String	Printer	Read-only
String	PrtToDskAppendFile	Read-only
String	PrtToDskSeparateFile	Read-only
Boolean	PromptDialogOption	Read/Write
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Boolean	CodePage	Read-only
Boolean	Started	Read-only
Boolean	CommStarted	Read-only
Boolean	APIEnabled	Read-only
Boolean	Ready	Read-only

PDTMode

This property determines whether the connection is in PDT mode or not. PDTMode is a Boolean data type and is read/write enabled.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

'check if in PDT mode.
If PrSet.PDTMode Then
    ...
```

PDTFile

This property is the PDT file configured in the connection. This property gives a null string if the PDT file is not configured in the connection. Otherwise, this property gives the fully qualified path name of the PDT file. PDTFile is a String data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

If PrSet.PDTFile = vbNullString Then ' get the
...
Else
...

```

PrintMode

This property indicates the print mode of the connection. PrintMode is a Long data type and is read-only. This property returns one of the following four enumerated values:

Value	Name of the enum constant	Description
1	pcPrtToDskAppend	Print to Disk-Append mode. This means the Print to Disk → Append option is selected in the Printer listbox in the Printer Setup dialog of the connection.
2	pcPrtToDskSeparate	Print to Disk-Separate mode. This means the Print to Disk → Separate option is selected in the Printer listbox in the Printer Setup dialog of the connection.
3	pcSpecificPrinter	Specific Printer mode. This means one of the printers is selected in the Printer listbox in the Printer Setup dialog of the connection and the Use Windows Default Printer checkbox is clear.
4	pcWinDefaultPrinter	Windows Default Printer mode. This means that the Use Windows Default Printer checkbox is selected.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

If PrSet.PrintMode = pcPrtToDskAppend Then
...
ElseIf PrSet.PrintMode = pcPrtToDskSeparate Then
...
ElseIf PrSet.PrintMode = pcSpecificPrinter Then
...
ElseIf PrSet.PrintMode = pcWinDefaultPrinter Then
...

```

Printer

This property is the name of the printer. It contains one of the following:

- The name of the specific printer if the PrintMode of the connection is pcSpecificPrinter.

autECLPrinterSettings

- The name of the Windows default printer if the PrintMode of the connection is pcWinDefaultPrinter.
- A null string if a printer is not configured in the connection or if the PrintMode of the connection is pcPrtToDskAppend or pcPrtToDskSeparate.

Printer is a String data type and is read-only.

The value must have the following format:

<Printer name> on <Port Name>

For example:

- IBM InfoPrint 40 PS on Network Port
- HP LaserJet 4050 Series PCL 6 on LPT1

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim Printer as String

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

Printer = PrSet.Printer ' get the Printer Name
```

PrtToDskAppendFile

This property is the name of the file set for the **Print to Disk-Append** mode. This file is called the *Print to Disk-Append* file. This property contains one of the following:

- The fully qualified path name of the **Print to Disk-Append** file of the connection.
- A null string if the **Print to Disk-Append** file is not configured in the connection.

PrtToDskAppendFile is a String data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim DskAppFile as String

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

DskAppFile = PrSet.PrtToDskAppendFile ' get the Disk append file.
```

PrtToDskSeparateFile

This property is the name of the file set for the **Print to Disk-Separate** mode. This file is called the *Print to Disk-Separate* file. This property contains one of the following:

- The fully qualified path name of the **Print to Disk-Separate** file of the connection.

- A null string if the **Print to Disk-Separate** file is not configured in the connection.

PrtToDskSeparateFile is a String data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim DskSepFile as String

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

DskSepFile = PrSet.PrtToDskSeparateFile ' get the Disk separate file.
```

PromptDialogOption

This property indicates whether the option to show the Printer Setup dialog before printing is set or not. PromptDialogOption is a Boolean data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim PromptDialog as Boolean

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

PromptDialog = PrSet.PromptDialogOption ' get the Prompt Dialog option
' or...
PrSet.PromptDialogOption = True 'set the Prompt Dialog option
```

Name

This property is the connection name string of the connection for which autECLPrinterSettings was set. Personal Communications returns only the short character ID (a single alphabetical character from **A** to **Z**) in the string. There can be only one Personal Communications connection open with a given name. For example, there can be only one connection **A** open at a time. Name is a String data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
DIM Name as String

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

Name = PrSet.Name 'Save the name
```

Handle

This property is the handle of the connection for which the autECLPrinterSettings object was set. There can be only one Personal Communications connection open

autECLPrinterSettings

with a given handle. For example, there can be only one connection **A** open at a time. Handle is a Long data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim Hand as Long

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

Hand = PrSet.Handle ' save the handle
```

ConnType

This property is the connection type for which autECLPrinterSettings was set. This property might change over time. ConnType is a String data type and is read-only.

String Value	Connection Type
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim Type as String

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

Type = PrSet.ConnType ' save the type
```

CodePage

This property is the code page of the connection for which autECLPrinterSettings was set. This code page might change over time. CodePage is a Long data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object
Dim CodePage as Long

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

CodePage = PrSet.CodePage ' save the codepage
```


Started

This property indicates whether the emulator window is started. The value is TRUE if the window is open; otherwise, it is FALSE. Started is a Boolean data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if A is started.
' The results are sent to a text box called Result.
If PrSet.Started = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

CommStarted

This property indicates the status of the connection to the host. The value is TRUE if the host is connected; otherwise, it is FALSE. CommStarted is a Boolean data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if communications are connected
' for A. The results are sent to a text box called
' CommConn.
If PrSet.CommStarted = False Then
    CommConn.Text = "No"
Else
    CommConn.Text = "Yes"
End If
```

APIEnabled

This property indicates whether the emulator is API-enabled. A connection is API-enabled or disabled depending on the state of its API settings (in a Personal Communications window, click **Edit** → **Preferences** → **API**).

The value is TRUE if the emulator is API-enabled; otherwise, it is FALSE. APIEnabled is a Boolean data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
```

autECLPrinterSettings

```
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if A is API-enabled.
' The results are sent to a text box called Result.
If PrSet.APIEnabled = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

Ready

This property indicates whether the emulator window is started, API-enabled, and connected. This property checks for all three properties. The value is TRUE if the emulator is ready; otherwise, it is FALSE. Ready is a Boolean data type and is read-only.

Example:

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

' This code segment checks to see if A is ready.
' The results are sent to a text box called Result.
If PrSet.Ready = False Then
    Result.Text = "No"
Else
    Result.Text = "Yes"
End If
```

autECLPrinterSettings Methods

The following sections describe the methods that are valid for the autECLPrinterSettings object.

```
void SetPDMode(Boolean bPDMode, [optional] String PDFile)
void SetPrfToDskAppend( [optional] String FileName)
void SetPrfToDskSeparate([optional] String FileName)
void SetSpecificPrinter(String Printer)
void SetWinDefaultPrinter()
void SetConnectionByName (String Name)
void SetConnectionByHandle (Long Handle)
```

SetPDMode

The SetPDMode method sets the connection in PDT mode with the given PDT file or sets the connection in non-PDT mode (also called *GDI mode*).

Restriction

If this method is called with bPDMode set to FALSE, PrintMode of the associated connection must already be set to SpecificPrinter or WinDefaultPrinter.

Prototype

```
void SetPDMode(Boolean bPDMode, [optional] String PDFile)
```

Parameters

Boolean bPDTMode

Possible values are as follows:

- **TRUE** to set the connection to PDT mode.
- **FALSE** to set the connection to non-PDT mode (GDI mode).

String PDTFile

This optional parameter contains the PDT file name.

This parameter is used only if bPDTMode is TRUE. If this parameter is not specified and bPDTMode is set to TRUE, the PDT file configured in the connection is used. If there is no PDT file already configured in the connection, this method fails with an exception.

This parameter ignored if bPDTMode is FALSE.

Possible values are as follows:

- File name without path
PDTFile in the PDFPDT subfolder in the Personal Communications installation path is used.
- Fully qualified path name of the file
If PDTFile does not exist, this method fails with an exception.

Return Value

None

Example

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

PrSet.SetPDTMode(True, "epson.pdt") 'Set PDT mode
PrSet.SetPDTMode(False) 'Set non-PDT mode (also called GDI mode)
```

SetPrtToDskAppend

This method sets the PrintMode of the connection to **Print to Disk-Append** mode. It also sets the appropriate file for this mode.

Notes:

1. The folder where this file is to be set must have write access. Otherwise, this method fails with an exception.
2. The associated connection must be in PDT mode.

Prototype

```
void SetPrtToDskAppend( [optional] String FileName)
```

Parameters

String FileName

This optional parameter contains the name of the **Print to Disk-Append** file.

If the file exists, it is used. Otherwise, it is created when printing is complete.

autECLPrinterSettings

Possible values are as follows:

- File name, without the path
The user-class application data directory path will be used to locate the file.
- Fully qualified path name of the file
The directory must exist in the path, or the method will fail with an exception. It is not necessary that the file exist in the path.

If this parameter is not specified, the file configured for this PrintMode in the connection is used. If there is no file already configured in the connection, this method fails with an exception.

Return Value

None

Example

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

'If PDTMode, set PrintMode to pcPrtToDskAppend
If PrSet.PDTMode Then
    PrSet.SetPrtToDskAppend("dskapp.txt")
```

SetPrtToDskSeparate

This method sets the PrintMode of the connection to **Print to Disk-Separate** mode. It also sets the appropriate file for this mode.

Notes:

1. The folder where this file is to be set must have write access. Otherwise, this method fails with an exception.
2. The associated connection must be in PDT mode.

Prototype

```
void SetPrtToDskSeparate([optional] String FileName)
```

Parameters

String FileName

This optional parameter contains the name of the **Print to Disk-Separate** file.

If this parameter is not specified, the file configured for this PrintMode in the connection is used.

Possible values are:

- **NULL** (default)
The file that is currently configured for this PrintMode in the connection is used. If there is no file already configured in the connection, the method fails with an exception.
- File name, without the path
The user-class application data directory path will be used to locate the file.

- Fully qualified path name of the file
The directory must exist in the path, or the method will fail with an exception. It is not necessary that the file exist in the path.

Note: The file name must not contain an extension. If it contains an extension, the method fails with an exception.

Return Value

None

Example

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

'If PDTMode, set PrintMode to pcPrtToDskSeparate
If PrSet.PDTMode Then
PrSet.SetPrtToDskSeparate("dsksep")
```

SetSpecificPrinter

This method sets the PrintMode of the connection to Specific Printer mode with the printer specified by the Printer parameter.

Prototype

```
void SetSpecificPrinter(String Printer)
```

Parameters

String Printer

Contains the name of the printer. If the printer does not exist, this method fails with an exception.

The value must have the following format:

```
<Printer name> on <Port Name>
```

For example:

- IBM InfoPrint 40 PS on Network Port
- HP LaserJet 4050 Series PCL 6 on LPT1

Return Value

None

Example

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

'Set PrintMode to pcSpecificPrinter
PrSet.SetSpecificPrinter("IBM InfoPrint 40 PS on Network Port")
```

SetWinDefaultPrinter

This method sets the PrintMode of the connection to Windows Default Printer mode (the connection will use the Windows default printer). If no Windows default printer is configured, this method fails with an exception.

Prototype

```
void SetWinDefaultPrinter()
```

Parameters

None

Return Value

None

Example

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

'Set PrintMode to pcWinDefaultPrinter
PrSet.SetWinDefaultPrinter
```

SetConnectionByName

The SetConnectionByName method uses the connection name to set the connection for a newly created autECLPrinterSettings object. In Personal Communications, this connection name is the short connection ID (a single alphabetical character from A to Z). There can be only one Personal Communications connection open with a given name. For example, there can be only one connection A open at a time.

Note: Do not call this if you are using the autECLPrinterSettings object contained in the autECLSession object.

Prototype

```
void SetConnectionByName( String Name )
```

Parameters

String Name

One-character string short name of the connection. Valid values are A–Z.

Return Value

None

Example

The following example shows how to use the connection name to set the connection for a newly created autECLPrinterSettings object.

```
Dim PrSet as Object
Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
' Initialize the connection
PrSet.SetConnectionByName("A")
' For example, see if PDTMode
If PrSet.PDTMode Then
'your logic here...
End If
```

SetConnectionByHandle

The SetConnectionByHandle method uses the connection handle to set the connection for a newly created autECLPrinterSettings object. In Personal Communications, this connection handle is a Long integer.

There can be only one Personal Communications connection open with a given handle. For example, there can be only one connection **A** open at a time.

Note: Do not call this method if you are using the autECLPrinterSettings object contained in the autECLSession object.

Prototype

```
void SetConnectionByHandle( Long Handle )
```

Parameters

Long Handle

The Long integer value of the connection to set for the object.

Return Value

None

Example

The following example shows how to use the connection handle to set the connection for a newly created autECLPrinterSettings object.

```
Dim PrSet as Object
Dim ConnList as Object

Set PrSet = CreateObject("PCOMM.autECLPrinterSettings")
Set ConnList = CreateObject("PCOMM.autECLConnList")
' Initialize the connection
ConnList.Refresh
PrSet.SetConnectionByHandle(ConnList(1).Handle)

' For example, see if PDTMode
If PrSet.PDTMode Then
'your logic here...
End If
```

Support For Primary Interop Assemblies for Automation Objects

Automation objects exposed by IBM Personal Communications can be used by applications written in any language that targets the .NET framework. Managed .NET applications can program Personal Communications by using the Primary Interop Assemblies (PIA) that wrap the automation objects. Interop Assemblies are the mechanism with which managed (.NET) applications use COM-compliant objects. Interop Assemblies contain binding and metadata information, which enables the .NET framework (CLR) to load or marshall COM objects and wrap them for .NET applications. The PIA contains the official description of the COM types as defined by the publisher of those COM types. The PIA is always digitally signed by the publisher of the original COM type.

There are two ways a .NET application can reference an assembly.

- If it is a simple application or the only application that uses the assembly, Microsoft recommends that the assembly be copied in the same directory as the application.

Primary Interop Assemblies

- If multiple applications are referencing the assembly, you can install them in the Global Assembly Cache (GAC) and have all the solutions reference the assembly in the GAC.

The model for programming the types exposed by Interop Assemblies is very similar to COM. The methods, properties, and events exposed by the COM object can be accessed by any .NET language, using the syntax of the language. A sample application (ECLSamps.net) written in C# is provided in the \samples directory in the Personal Communications installation image. The sample demonstrates the simple usage of various Interop Assembly types.

For Visual Basic 6.0, projects that use Personal Communications automation objects and have been migrated to Visual Basic .NET using the conversion assistant wizard, you only need to replace the references that the conversion assistant wizard implicitly generates with the corresponding Personal Communications Interop references (from the \Interops directory) and recompile. The way to replace the references is to delete all the references generated by the conversion assistant and use Visual Studio .NET to add the .NET interop references. If you have registered the assemblies in the GAC and want to use them, add the references and set the Copy Local property for the Personal Communications Interop references to **False**.

The PIAs for the Personal Communications emulator automation objects are installed in the \Interops directory in the Personal Communications installation image. If the Personal Communications product installer detects that the .NET framework is present, it gives you the additional option to register the types in the GAC. While installing the assemblies in the GAC, the PIAs will also be placed in the registry, under the registry key of the corresponding type library.

Table 2 lists the PIAs supplied for the Personal Communications automation objects

Table 2. Primary Interop Assemblies for Personal Communications Automation Objects

Automation Object	Interop Assembly Dependency
autECLConnList	Interop.AutConnListTypeLibrary.dll
autECLConnMgr	Interop.AutConnMgrTypeLibrary.dll
autECLConnList	Interop.AutPSTypeLibrary.dll
autECLIOIA	Interop.AutOIATypeLibrary.dll
autECLPS	Interop.AutPSTypeLibrary.dll
autECLScreenDesc	Interop.AutScreenDescTypeLibrary.dll
autECLScreenReco	Interop.AutScreenRecoTypeLibrary.dll
autECLSession	Interop.AutSessTypeLibrary.dll
autECLPageSettings	Interop.AutSettingsTypeLibrary.dll
autECLPrinterSettings	Interop.AutSettingsTypeLibrary.dll
autECLWinMetrics	Interop.AutWinMetricsTypeLibrary.dll
autECLXfer	Interop.AutXferTypeLibrary.dll
autSystem	Interop.AutSystemTypeLibrary.dll

Chapter 4. Host Access Class Library LotusScript Extension

The Host Access Class Library LotusScript Extension (ECLLSX) allows you to write LotusScript programs that can query and control Personal Communications connections. The ECLLSX contains several new LotusScript classes that can be used inside LotusScript programs. By running methods on objects created from the new classes, you can access Personal Communications connection information and control the objects that make up a Personal Communications connection.

For example, if you want to automate the task of entering a line of text in a Personal Communications connection you can write a LotusScript program that uses the `lsxECLPS` class to create an `lsxECLPS` object associated with the presentation space of a Personal Communications connection. You can then run the `SendKeys` method on this `lsxECLPS` object to send a series of keystrokes to the presentation space and the effect is similar to a user typing the keystrokes in that presentation space. The following code fragment shows how this would be done using the ECLLSX classes.

```
'Create an lsxECLPS object associated with Personal
'Communications connection A
dim myPSObj as new lsxECLPS("A")

'Send some keystrokes to the presentation space of
'connection A
myPSObj.Sendkeys("[clear]QUERY FILES[ENTER]")
```

The ECLLSX classes are similar to the ECL C++ classes. Each ECLLSX class begins with `lsxECL`, for LotusScript Host Access Class Library. The classes are as follows:

- `lsxECLConnection`, Connection Information, on page 328 provides information about the Personal Communications connection associated with this `lsxECLConnection` object. In addition to being included in an `lsxECLConnList` object, an `lsxECLConnection` object can be created on its own if you only want to query information on a specific Personal Communications connection.
- `lsxECLConnList`, Connection List, on page 332 provides a list of Personal Communications connections on a system. Each element in an `lsxECLConnList` is an `lsxECLConnection` object.
- `lsxECLConnMgr`, Connection Manager, on page 335 manages Personal Communications connections on a system. Each `lsxECLConnMgr` object contains an `lsxECLConnList` object.
- `lsxECLField`, Field Information, on page 337 provides information on a field in the presentation space of the Personal Communications connection associated with this `lsxECLField` object.
- `lsxECLFieldList`, Field List, on page 342 provides a list of the fields in the presentation space of the Personal Communications connection associated with this `lsxECLFieldList` object. Each element in the list is an `lsxECLField` object.
- `lsxECLOIA`, Operator Information Area, on page 344 provides methods to query and manipulate the Operator Information Area of the associated Personal Communications connection. In addition to being contained in an `lsxECLSession` object, an `lsxECLOIA` object can be created on its own if you only want to perform OIA related tasks.
- `lsxECLPS`, Presentation Space, on page 353 provides methods to query and manipulate the Presentation Space of the associated Personal Communications connection. An `lsxECLPS` object contains an `lsxECLFieldList` object. In addition

to being contained in an `IsxECLSession` object, an `IsxECLPS` object can be created on its own if you only want to perform presentation space related tasks.

- `IsxECLScreenDesc`, Screen Description, on page 372 provides methods and properties to describe a screen. This may be used to wait for screens on the `autECLPS` object or the `autECLScreenReco` object.
- `IsxECLScreenReco`, Screen Recognition, on page 371 provides the engine of the HACL screen recognition system.
- `IsxECLSession`, Session, on page 377 provides Personal Communications connection related functionality and information. For convenience, an `IsxECLSession` object contains `IsxECLPS`, `IsxECLXfer`, `IsxECLWinMetrics` and `IsxECLIOA` objects for the Personal Communications connection associated with the `IsxECLSession` object.
- `IsxECLWinMetrics`, Window Metrics, on page 381 provides methods to query the window metrics of the Personal Communications connection associated with this `IsxECLWinMetrics` object. In addition to being contained in an `IsxECLSession` object, an `IsxECLWinMetrics` object can be created on its own if you only want to perform window metrics related queries.
- `IsxECLXfer`, File Transfer, on page 388 provides methods to transfer files between the host and the workstation over the Personal Communications connection associated with this file transfer object. In addition to being contained in an `IsxECLSession` object, an `IsxECLXfer` object can be created on its own if you only want to perform file transfer related tasks

In order to use the ECL LotusScript Extension classes in a LotusScript program, you must load the ECL LotusScript Extension. This can be done using the following LotusScript statement:

```
USELSX "*pcs1sx"
```

This statement loads the ECL LotusScript Extension and allows you to access the ECL LotusScript Extension classes.

This chapter describes each class' methods and properties in detail.

IsxECLConnection Class

The `IsxECLConnection` class provides information about a Personal Communications connection.

An `IsxECLConnection` object is associated with a Personal Communications connection when the `IsxECLConnection` object is created. You cannot change the connection associated with an `IsxECLConnection` object. If you want to query information about a different connection, you must create a new `IsxECLConnection` object associated with that connection.

There are two ways to create an `IsxECLConnection` object:

- Create a new `IsxECLConnection` object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or a-z. The following is an example of creating an `IsxECLConnection` object that is associated with Personal Communications connection A:

```
' Create an IsxECLConnection object associated with PCOMM connection A
dim myConnObj as new IsxECLConnection("A")
```

- Create a new `IsxECLConnection` object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal

Communications connection handle is a Long integer. The following is another example of creating an IsxECLConnection object that is associated with Personal Communications connection A:

```
' Create an IsxECLConnection object using a connection handle
dim myPSObj as new IsxECP("A")

' Now use the connection handle from the PS object to build a connection object
dim myConnObj as new IsxECLConnection(myPSObj.Handle)
```

Properties

This section describes the properties for the IsxECLConnection class.

Type	Name	Attribute
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only

Name

Name is the connection name of the Personal Communications connection associated with this IsxECLConnection object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the character set A-Z or a-z. The following example shows this property.

```
' Create an IsxECLConnMgr object to get the list of
' connections on the system.
dim myCMgrObj as new IsxECLConnMgr
dim myName as String

' Get the connection name for the first connection
' in the connection list.
myName = myCMgrObj.ConnList(1).Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLConnection object. The Handle property is a Long data type and is read-only. The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")
dim myHandle as Long

' Get the connection handle for connection A
myHandle = myConnObj.Handle
```

ConnType

ConnType is the connection type of the connection that is associated with this IsxECLConnection object. The ConnType property is a String data type and is read-only. The following example shows this property.

IsxECLConnection

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")
dim myConnType as String

' Get the Connection type for connection A
myConnType = myConnObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLConnection object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")
dim myCodePage as Long

' Get the CodePage for connection A
myCodePage = myConnObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLConnection object is started. The Started property is an integer and is read-only. Started is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")

' See if connection is started
if myConnObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLConnection object is connected to the host data stream. The CommStarted property is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")

' See if we are communicating with the host
if myConnObj.CommStarted then
    call connection_connected
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLConnection object. The APIEnabled property is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")

' See if the HLLAPI API is enabled on this connection
if myConnObj.APIEnabled then
    call hllapi_available
```

Ready

Ready is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLConnection object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create a new IsxECLConnection object associated with connection A
dim myConnObj as new IsxECLConnection("A")

' See if the connection is ready
if myConnObj.Ready then
    call conn_ready
```

IsxECLConnection Methods

The following section describes the methods that are valid for the IsxECLConnection class.

```
StartCommunication()
StopCommunication()
```

StartCommunication

This method connects the ECL Connection to the host data stream. The effect is the same as using the **Connect** option on the Personal Communications emulator **Communication** menu.

Prototype

```
StartCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to connect the ECL Connection to the host data stream.

```
' Create a new IsxECLConnection object for ECL Connection A
dim myConnObj as new IsxECLConnection("A")

' Make sure we have communications with the host
if myConnObj.CommStarted = 0 then
    myConnObj.StartCommunication
```

StopCommunication

This method disconnects the ECL Connection from the host data stream. The effect is the same as using the **Disconnect** option on the Personal Communications emulator **Communication** menu.

Prototype

```
StopCommunication()
```

Parameters

None

Return Value

None

Example

The following example shows how to disconnect the ECL Connection from the host data stream.

```
' Create a new IsxECLConnection object for ECL Connection A
dim myConnObj as new IsxECLConnection("A")

' Stop communications with the host on this connection
if myConnObj.CommStarted = 1 then
    myConnObj.StopCommunication
```

IsxECLConnList Class

The IsxECLConnList class manages the Personal Communications connections on a system. An IsxECLConnList object contains a list of all the connections that are currently available on the system. Each element of the connection list is an IsxECLConnection object. IsxECLConnection objects can be queried to determine the state of the associated connection. See “IsxECLConnection Class” on page 328 for details on its methods and properties.

An IsxECLConnList object provides a snapshot of the current connections on a system. The Refresh method provides a way to take a new snapshot of the connections on a system. The order of the connections in the IsxECLConnList is undefined and could change as a result of calling the Refresh method.

There are two ways to create an IsxECLConnList object:

- Create a new IsxECLConnList object by using the new statement. There are no parameters used when creating the IsxECLConnList object. The following is an example of creating an IsxECLConnList object:

```
' Create an IsxECLConnList object
dim myCListObj as new IsxECLConnList
```

- Create an IsxECLConnMgr object and an IsxECLConnList object is automatically created. Access the IsxECLConnList attribute of the IsxECLConnMgr object to get to the IsxECLConnList object contained in the IsxECLConnMgr object. The following is an example of accessing the IsxECLConnList object contained in an IsxECLConnMgr object:

```
dim myCMgrObj as new IsxECLConnMgr
dim myCListObj as IsxECLConnList
```

```
' Get the IsxECLConnList object from inside the IsxECLConnMgr
set myCListObj = myCMgrObj.IsxECLConnList
```

Properties

This section describes the properties of the IsxECLConnList class.

Type	Name	Attributes
Long	Count	Number of connections in the connection list

Count

Count is the number of connections present in the IsxECLConnList. The Count property is a Long data type and is read-only. The following example shows this property.

```
dim myMgrObj as new IsxECLConnMgr
dim myConnListObj as IsxECLConnList
Set myConnListObj = myMgrObj.IsxECLConnList

dim numConns as Long

' Get a current snapshot of connections on the system
myConnListObj.Refresh

' Get number of connections
numConns = myConnListObj.Count
```

IsxECLConnList Methods

The following section describes the methods that are valid for the IsxECLConnList class.

```
Refresh()
FindConnectionByHandle(Long Handle)
FindConnectionByName(String Name)
```

Refresh

This method gets a list of the connections available on a system.

Prototype

```
Refresh()
```

Parameters

None

Return Value

None

Example

The following example shows how to use the Refresh method to get a current list of connections.

```
'Create a new IsxECLConnMgr
dim myMgrObj as new IsxECLConnMgr

'Get the IsxECLConnList contained in the IsxECLConnMgr
dim myConnListObj as IsxECLConnList
set myConnListObj = myMgrObj.IsxECLConnList

later...

'Refresh the list of connections found in IsxECLConnList
myConnListObj.Refresh
```

FindConnectionByHandle

This method finds the connection identified by the **Handle** parameter in the IsxECLConnList list of connections.

Prototype

```
FindConnectionByHandle( Long Handle )
```

Parameters

Long Handle The connection handle of the target connection.

Return Value

IsxECLConnection The IsxECLConnection object corresponding to the target connection.

Example

The following example shows how to find the connection identified by the **Handle** parameter.

```
dim myConnObj as IsxECLConnection

'Create a new IsxECLConnList object
dim myCListObj as new IsxECLConnList

'Create a new IsxECLPS associated with connection A
dim myPSObj as new IsxECLPS("A")

'Get the IsxECLConnection object for connection A
set myConnObj = myCListObj.FindConnectionByHandle(myPSObj.Handle)
```

FindConnectionByName

This method finds a connection identified by the **Name** parameter in the IsxECLConnList list of connections.

Prototype

```
FindConnectionByName(String Name)
```

Parameters

String Name The connection name of the target connection.

Return Value

Long Handle The connection handle of the target connection.

Example

The following example shows how to find a connection identified by the **Name** parameter.

```
dim myConnObj as IsxECLConnection

'Create a new IsxECLConnList object
dim myCListObj as new IsxECLConnList

'Get the IsxECLConnection object for connection A
set myConnObj = myCListObj.FindConnectionByName("A")
```


IsxECLConnMgr Class

The IsxECLConnMgr class manages Personal Communications connections on a system. It contains methods relating to the management of connections such as starting, stopping and querying connections. It also contains an IsxECLConnList object that is a static list of the connections available when the list was created (see "IsxECLConnList Class" on page 332 for more details on the IsxECLConnList class).

To create an IsxECLConnMgr object, use the new statement. There are no parameters used when creating the IsxECLConnMgr object. The following is an example of creating an IsxECLConnMgr object:

```
'Create an IsxECLConnMgr object
dim myCMgrObj as new IsxECLConnMgr
```

Properties

This section describes the properties of the IsxECLConnMgr class.

Type	Name	Attributes
IsxECLConnList	IsxECLConnList	Read-only

IsxECLConnList

The IsxECLConnMgr object contains an IsxECLConnList object. See "IsxECLConnList Class" on page 332 for details on the IsxECLConnList methods and properties. The following example shows this object.

```
' Create a new Connection manager
dim myCMgrObj as new IsxECLConnMgr

dim NumConns as Long

' Get the number of connections currently available on the system
NumConns = myCMgrObj.IsxECLConnList.Count
```

IsxECLConnMgr Methods

The following section explains the methods that are valid for the IsxECLConnMgr class.

```
StartConnection(String ConfigParms)
StopConnection(Long Handle, [optional], StringStopParms)
StopConnection(String Name, [optional], StringStopParms)
```

StartConnection

This method starts a new Personal Communications emulator connection. The **ConfigParms** parameter contains Personal Communications connection startup information (see Usage Notes for an explanation of the startup information).

Prototype

```
StartConnection(String ConfigParms)
```

Parameters

String ConfigParms Personal Communications connection startup information.

Return Value

None

Example

The following example shows how to start a new Personal Communications emulator connection.

```
' Create a connection manager
dim myCMgrObj as new IsxECLConnMgr

' Start a new PCOMM connection
myCMgrObj.StartConnection("profile=coax Name=e")
```

Usage Notes

The connection configuration string is implementation-specific. Different implementations of the IsxECLConnMgr class may require different formats or information in the configuration string. The new connection is started upon return from this call, but it may or may not be connected to the host.

For Personal Communications, the configuration string has the following format:

```
PROFILE=[']<filename>['] [NAME=<c>] [WINSTATE=<MAX|MIN|RESTORE|HIDE>]
```

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of each parameter is as follows:

- PROFILE=<filename>: Names the Personal Communications workstation profile (.WS file), which contains the configuration information. This parameter is not optional; a profile name must be supplied. If the file name contains blanks the name must be enclosed in single quotation marks. The <filename> value may be either the profile name with no extension, the profile name with the .WS extension, or the fully qualified profile name path.
- NAME=<c> specifies the short ID of the new connection. This value must be a single, alphabetic character (A-Z or a-z). If this value is not specified, the next available connection ID is assigned automatically. If a connection already exists with the specified ID a connection not Open error is thrown.
- WINSTATE=<MAX|MIN|RESTORE|HIDE> specifies the initial state of the emulator window. The default if this parameter is not specified is RESTORE.

StopConnection

This method stops the Personal Communications connection identified by the **Handle** parameter. The **StopParms** parameters are additional Personal Communications stop connection parameters. See Usage Notes for an explanation of the valid values of StopParms.

Prototype

```
StopConnection(Long Handle, [optional], StringStopParms)
StopConnection(String Name, [optional], StringStopParms)
```

Parameters

Long Handle	Connection handle of the connection to be stopped.
String Name	One-character string short name of the connection (A-Z or a-z)
String StopParms	Personal Communications connection stop parameters. This parameter is optional.

Return Value

None

Example

The following example shows how to stop the Personal Communications connection identified by the **Handle** parameter.

```
' Create a new connection manager
dim myCMgrObj as new IsxECLConnMgr

' Stop the first connection found in the list
myCMgrObj.StopConnection(myCMgrObj.IsxECLConnList(1).Handle,
                        "saveprofile=no")
```

Usage Notes

The connection stop parameter string is implementation-specific. Different implementations of the IsxECLConnMgr class may require a different format and contents of the parameter string. For Personal Communications the string has the following format:

[SAVEPROFILE=<YES|NO|DEFAULT>]

Optional parameters are enclosed in square brackets []. The parameters are separated by at least one blank. Parameters may be in upper, lower, or mixed case and may appear in any order. The meaning of each parameter is as follows:

- SAVEPROFILE=<YES|NO|DEFAULT> controls the saving of the current connection configuration back to the workstation profile (.WS file). This causes the profile to be updated with any configuration changes you may have made during the connection. If NO is specified, the connection is stopped and the profile is not updated. If YES is specified, the connection is stopped and the profile is updated with the current (possibly changed) configuration. If DEFAULT is specified, the update option is controlled by the **File->Save On Exit** emulator menu option. If this parameter is not specified, DEFAULT is used.

IsxECLField Class

IsxECLField contains information for a given field from an IsxECLFieldList object residing in an IsxECLPS object. The only way to obtain an IsxECLField object is to access it through the IsxECLFieldList object.

Properties

This section describes the properties for the IsxECLField class.

Type	Name	Attributes
Long	StartRow	Read-only
Long	StartCol	Read-only
Long	EndRow	Read-only
Long	EndCol	Read-only
Long	Length	Read-only
Integer	Modified	Read-only
Integer	Protected	Read-only
Integer	Numeric	Read-only
Integer	HighIntensity	Read-only
Integer	PenDetectable	Read-only

Type	Name	Attributes
Integer	Display	Read-only

StartRow

StartRow is the row of the first character of the field. The StartRow property is a Long data type and is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim StartRow as Long

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
If (myPSObj.IsxECLFieldList.Count) Then
' Get the starting row of the first field in the list
  StartRow = myPSObj.IsxECLFieldList(1).StartRow
Endif
```

StartCol

StartCol is the column of the first character of the field. The StartCol property is a Long data type and is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim StartCol as Long

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
If (myPSObj.IsxECLFieldList.Count) Then
' Get the starting column of the first field in the list
  StartCol = myPSObj.IsxECLFieldList(1).StartCol
Endif
```

EndRow

EndRow is the row of the last character of the field. The EndRow property is a Long data type and is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim EndRow as Long

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
If (myPSObj.IsxECLFieldList.Count) Then
' Get the ending row of the first field in the list
  EndRow = myPSObj.IsxECLFieldList(1).EndRow
Endif
```

EndCol

EndCol is the column of the last character of the field. The EndCol property is a Long data type and is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim EndCol as Long

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
```

```

If (myPSObj.lsxECLFieldList.Count) Then
' Get the ending column of the first field in the list
  EndCol = myPSObj.lsxECLFieldList(1).EndCol
Endif

```

Length

Length is the length of the field. The Length property is a Long data type and is read-only. The following example shows this property.

```

' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim length as Long

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
If (myPSObj.lsxECLFieldList.Count) Then
' Get the length of the first field in the list
  length = myPSObj.lsxECLFieldList(1).Length
Endif

```

Modified

Modified is a Boolean flag that indicates whether this field has been modified. A value of 1 means the field has been modified; otherwise, the value is 0. This property is read-only. The following example shows this property.

```

' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
if (myPSObj.lsxECLFieldList.Count) then
' Check if the first field in the list has been modified
  if (myPSObj.lsxECLFieldList(1).Modified) then
    call field_modified
  endif
endif

```

Protected

This is a Boolean flag that indicates whether the field has a protected attribute. A value of 1 means the field has the protected attribute; otherwise, the value is 0. This property is read-only. The following example shows this property.

```

' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
if (myPSObj.lsxECLFieldList.Count) then
' Check if the first field in the list is protected
  if (myPSObj.lsxECLFieldList(1).Protected) then
    call field_protected
  endif
endif

```

Numeric

This is a Boolean flag that indicates whether the field has the numeric-only input attribute. A value of 1 means the field has the numeric-only attribute; otherwise, the value is 0. This property is read-only. The following example shows this property.

```

' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh

```

IsxECLField

```
if (myPSObj.lsxECLFieldList.Count) then
' Check if the first field has the numeric only attribute
  if (myPSObj.lsxECLFieldList(1).Numeric) then
    call numeric_field
  endif
endif
```

HighIntensity

This is a Boolean flag that indicates whether the field has the high intensity attribute. A value of 1 means the field has the high intensity attribute; otherwise, the value is 0. This property is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
If (myPSObj.lsxECLFieldList.Count) Then
' Check if the first field has the high intensity attribute
  if (myPSObj.lsxECLFieldList(1).HighIntensity) then
    call high_intensity_field
  endif
Endif
```

PenDetectable

This is a Boolean flag that indicates whether this field has the pen detectable attribute. A value of 1 means the field does have the pen detectable attribute; otherwise, the value is 0. This property is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
If (myPSObj.lsxECLFieldList.Count) Then
' Check if the first field is pen detectable
  if (myPSObj.lsxECLFieldList(1).PenDetectable) then
    call field_pen_detectable
  endif
Endif
```

Display

This is a Boolean flag that indicates whether this field has the display attribute. A value of 1 means that the field has the display attribute; otherwise, the value is 0. This property is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.lsxECLFieldList.Refresh
If (myPSObj.lsxECLFieldList.Count) Then
' Check if the first field has the display attribute
  if (myPSObj.lsxECLFieldList(1).Display) then
    call display_field
  endif
Endif
```

IsxECLField Methods

The following section describes the methods that are valid for the IsxECLField class.

```
GetText()
SetText(String Text)
```

GetText

This method retrieves the characters of the field from the text plane.

Prototype

```
GetText()
```

Parameters

None

Return Value

String A string of characters from the text plane.

Example

The following example shows how to retrieve the characters of the field:

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim fieldData as String

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
If (myPSObj.IsxECLFieldList.Count) Then
' Get the characters from the first field's text plane
  fieldData = myPSObj.IsxECLFieldList(1).GetText()
Endif
```

SetText

This method sends a string of characters to the field. The **Text** parameter is a String data type. If the text exceeds the length of the field, the text is truncated.

Prototype

```
SetText(String Text)
```

Parameters

String Text String of characters to send to the field.

Return Value

None

Example

The following example shows how to send a string of characters to the field.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh
If (myPSObj.IsxECLFieldList.Count) Then
' Send a string of characters to the first field
  myPSObj.IsxECLFieldList(1).SetText("This is a test")
Endif
```

IsxECLFieldList Class

The IsxECLFieldList class performs operations on fields in a connection's presentation space. An IsxECLFieldList object is contained in an IsxECLPS object and can only be accessed through an existing IsxECLPS object. See "IsxECLPS Class" on page 353 for more information on IsxECLPS objects.

An IsxECLFieldList object provides a static snapshot of what the presentation space contained when the Refresh method was called. The IsxECLFieldList class contains a list of all the fields in a given presentation space. Each element of the collection is an IsxECLField object. See "IsxECLField Class" on page 337 for more information about the IsxECLField objects.

Properties

This section describes the properties of the IsxECLFieldList class.

Type	Name	Attributes
Long	Count	Read-only

Count

Count is the number of fields in the IsxECLFieldList list. This value could change after each call to the Refresh method. The Count property is a Long data type and is read-only. The following example shows this property.

```
' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim numFields as Long

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh

' Get the field that contains row 2, column 1
numFields = myPSObj.IsxECLFieldList.Count
IsxECLFieldList
```

IsxECLFieldList Methods

The following section describes the methods that are valid for the IsxECLFieldList class.

```
Refresh()
FindFieldByRowCol(Long row, Long col)
FindFieldByText(String Text, [optional] Long dir, [optional] Long row,
[optional] Long col)
```

Refresh

This method refreshes the list of IsxECLField objects contained in the IsxECLFieldList object.

Prototype

```
Refresh()
```

Parameters

None

Return Value

None

Example

The following example shows how to refresh the list of IsxECLField objects contained in the IsxECLFieldList object.

```
' Create a new connection manager
dim myCMgr as new IsxECLConnMgr

dim myPSObj as IsxECLPS
set myPSObj = myCMgr.IsxECLConnList(1).Handle

dim numFields as Long

' Build the field list and get the number of fields
myPSObj.IsxECLFieldList.Refresh
numFields = myPSObj.IsxECLFieldList.Count
```

FindFieldByRowCol

This method finds an IsxECLField object in the IsxECLFieldList that contains the position indicated by the **row** and **col** parameters, which is a position in the presentation space. See “IsxECLField Class” on page 337 for the methods and properties of the IsxECLField object.

Prototype

FindFieldByRowCol(Long row, Long col)

Parameters

Long row	Row position in the presentation space.
Long col	Column position in the presentation space.

Return Value

ECLField ECLField object.

Example

The following example shows how to find an IsxECLField object in the IsxECLFieldList that contains the position indicated by the **row** and **col** parameters.

```
dim myFInfoObj as IsxECLField

' Create a new PS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh

' Get the field that contains row 2, column 1
myFInfoObj = myPSObj.IsxECLFieldList.FindFieldByRowCol(2,1)
```

FindFieldByText

This method finds the IsxECLField object in the IsxECLFieldList that contains the location of the string provided in the Text parameter. The search starts at the location indicated by the row and col parameters. If the row and col parameters are not specified, the search starts at the beginning the presentation space. The **row** and **col** parameters must both be specified or omitted. The optional **dir** parameter indicates the direction to search.

Prototype

FindFieldByText(String Text, [optional] Long dir, [optional] Long row, [optional] Long col)

Parameters

String Text	Target string to search for in the presentation space.
Long dir	Direction in which to search. Valid values are 1 for Search Forward and 2 for Search Backward. The default is 1, Search Forward.
Long row	Target row in the presentation space. This parameter is optional. If not specified, the search starts at the beginning of the presentation space. If row is specified, col must also be specified.
Long col	Target column in the presentation space. This parameter is optional. If it is not specified, the search starts at the beginning of the presentation space. If col is specified, row must also be specified.

Return Value

IsxECLField An IsxECLField object.

Example

The following example shows how to search for the IsxECLField object that contains a specified string.

```
' Create an IsxECLPS object associated with ECL Connection A
dim myPSObj as new IsxECLPS("A")

dim myFieldObj as IsxECLField

' Refresh the list of fields
myPSObj.IsxECLFieldList.Refresh

' Search for the field containing the specified string.
' The search direction defaults to forward and the search
' will start from the beginning of the presentation space.
set myFieldObj = myPSObj.IsxECLFieldList.FindFieldByText("Target Text")
```

IsxECL OIA Class

The IsxECL OIA class provides status information from a connection's operator information area.

The IsxECL OIA object is associated with a Personal Communications connection when the IsxECL OIA object is created. You cannot change the connection that is associated with an IsxECL OIA object. If you want to query the OIA of a different connection, you must create a new IsxECL OIA object associated with that connection.

There are three ways to create an IsxECL OIA object:

1. Create a new IsxECL OIA object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or

a-z. The following is an example of creating an IsxECLIOA object that is associated with Personal Communications connection A:

```
' Create an IsxECLIOA object associated with PCOMM connection A
dim myOIAObj as new IsxECLIOA("A")
```

2. Create a new IsxECLIOA object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal Communications connection handle is a Long integer and is usually obtained by querying the IsxECLConnection object corresponding to the target Personal Communications connection (see "IsxECLConnMgr Class" on page 335, "IsxECLConnList Class" on page 332 and "IsxECLConnection Class" on page 328 for more information on the properties and methods of those objects). The following is an example of creating an IsxECLIOA object using a Personal Communications connection handle:

```
dim myOIAObj as IsxECLIOA
dim myConnObj as new IsxECLConnection

' Create a new IsxECLIOA object using a connection handle
set myOIAObj = new IsxECLIOA(myConnObj.Handle)
```

3. Create an IsxECLSession object to create an IsxECLIOA object. After creating the IsxECLSession object, access its IsxECLIOA attribute to get access to the IsxECLIOA object contained in the IsxECLSession object. The following is an example of accessing the IsxECLIOA object contained in an IsxECLSession object:

```
dim myOIAObj as IsxECLIOA
' Create a new IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")

' Get the IsxECLIOA object from the IsxECLSession object
set myOIAObj = mySessObj.IsxECLIOA
```

Properties

This section describes the properties for the IsxECLIOA class.

Type	Name	Attributes
Integer	Alphanumeric	Read-only
Integer	APL	Read-only
Integer	Katakana	Read-only
Integer	Hiragana	Read-only
Integer	DBCS	Read-only
Integer	UpperShift	Read-only
Integer	Numeric	Read-only
Integer	CapsLock	Read-only
Integer	InsertMode	Read-only
Integer	CommErrorReminder	Read-only
Integer	MessageWaiting	Read-only
Integer	InputInhibited	Read-only
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only

Type	Name	Attributes
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only

Alphanumeric

This property queries the connection's operator information area to determine if the field at the cursor position is alphanumeric. The Alphanumeric property is set to 1 if the field is alphanumeric; otherwise, it is set to 0. Alphanumeric is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the field is alphanumeric
if myOIAObj.Alphanumeric then
    call abc
```

APL

This property queries the connection's operator information area to determine if the keyboard is in APL mode. The APL property is set to 1 if the keyboard is in APL mode; otherwise, it is set to 0. APL is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the keyboard is in APL mode
if myOIAObj.APL then
    call abc
```

Katakana

This property queries the connection's operator information area to determine if Katakana characters are enabled. The Katakana property is set to 1 if Katakana characters are enabled; otherwise, it is set to 0. Katakana is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if Katakana characters are available
if myOIAObj.Katakana then
    call abc
```

Hiragana

This property queries the connection's operator information area to determine if Hiragana characters are enabled. The Hiragana property is set to 1 if Hiragana characters are enabled; otherwise, it is set to 0. Hiragana is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if Hiragana characters are available
if myOIAObj.Hiragana then
    call abc
```

DBCS

This property queries the connection's operator information area to determine if the field at the cursor position is DBCS. The DBCS property is set to 1 if the field

is DBCS; otherwise, it is set to 0. DBCS is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if DBCS is available
if myOIAObj.DBCS then
    call abc
```

UpperShift

This property queries the connection's operator information area to determine if the keyboard is in uppershift mode. The UpperShift property is set to 1 if the keyboard is in uppershift mode; otherwise, it is set to 0. UpperShift is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the keyboard is in uppershift mode
if myOIAObj.UpperShift then
    call abc
```

Numeric

This property queries the connection's operator information area to determine if the field at the cursor position is numeric. The Numeric property is set to 1 if the field is numeric; otherwise, it is set to 0. Numeric is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the field is numeric
if myOIAObj.Numeric then
    call abc
```

CapsLock

This property queries the connection's operator information area to determine if the keyboard is in capslock mode. The CapsLock property is set to 1 if the keyboard is in capslock mode, otherwise it is set to 0. CapsLock is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the keyboard is in capslock mode
if myOIAObj.CapsLock then
    call abc
```

InsertMode

This property queries the connection's operator information area to determine if the keyboard is in insert mode. The InsertMode property is set to 1 if the keyboard is in insert mode; otherwise, it is set to 0. InsertMode is an Integer data type and is read-only. The following example shows this property.

```
' Create a new IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")

' Check if the keyboard is in insert mode
if myOIAObj.InsertMode then
    call abc
```

CommErrorReminder

This property queries the connection's operator information area to determine if a communications error reminder condition exists. The CommErrorReminder

property is set to 1 if a communications error reminder condition exists; otherwise, it is set to 0. CommErrorReminder is an Integer data type and is read-only. The following example shows this property.

```
' Create a new lsxECLIOA object associated with connection A
dim myOIAObj as new lsxECLIOA("A")

' See if we have a communications error reminder
' condition on connection A
if myOIAObj.CommErrorReminder then
    call abc
```

MessageWaiting

This property queries the connection’s operator information area to determine if the message waiting indicator is on. The MessageWaiting property is set to 1 if the message waiting indicator is on; otherwise, it is set to 0. MessageWaiting is an Integer data type and is read-only. The following example shows this property.

```
' Create a new lsxECLIOA object associated with connection A
' Assume connection A is a 5250 connection
dim myOIAObj as new lsxECLIOA("A")

' See if we have a message waiting on connection A
if myOIAObj.MessageWaiting then
    call abc
```

The message waiting indicator is only used in connections of SessionType “DISP5250”. For other connection types, the MessageWaiting property is always set to 0.

InputInhibited

This property queries whether the host is ready for input. InputInhibited is an Integer data type and is read-only. The following table shows valid values for InputInhibited.

Value	Meaning
0	Not Inhibited
1	System Wait
2	Communication Check
3	Program Check
4	Machine Check
5	Other Inhibit

The following example shows this property.

```
' Create a new lsxECLIOA object associated with connection A
dim myOIAObj as new lsxECLIOA("A")

' See if the host is ready for input
if myOIAObj.InputInhibited = 0 then
    ' Okay to send text
    call sendtext
```

Name

Name is the connection name of the Personal Communications connection associated with this lsxECLIOA object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the character set A-Z or a-z. The following example shows this property.

```
' Create an IsxECLIOA object associated with connection A
dim myOIAObj as new IsxECLIOA("A")
```

```
dim myName as String
```

```
' Get our connection name
myName = myOIAObj.Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLIOA object. The Handle property is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLIOA object associated with connection A
dim myOIAObj as new IsxECLIOA("A")
```

```
dim myHandle as Long
```

```
' Get our connection handle
myHandle = myOIAObj.Handle
```

ConnType

ConnType is the connection type of the connection that is associated with this IsxECLIOA object. The ConnType property is a String data type and is read-only. See Usage Notes for the list of possible connection type values. The following example shows this property.

```
' Create an IsxECLIOA object associated with connection A
dim myOIAObj as new IsxECLIOA("A")
```

```
dim myConnType as String
```

```
' Get the connection type for connection A
myConnType = myOIAObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLIOA object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create an IsxECLIOA object associated with connection A
dim myOIAObj as new IsxECLIOA("A")
```

IsxECLIOIA

```
dim myCodePage as Long

' Get the code page for connection A
myCodePage = myOIAObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLIOIA object is started (for example, still running as a Personal Communications connection). The Started property is an integer and is read-only. Started is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")
```

```
' See if our connection is started
if myOIAObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLIOIA object is connected to the host data stream. The CommStarted property is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")
```

```
' See if we are communicating with the host
if myOIAObj.CommStarted then
    call communications_started
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLIOIA object. The APIEnabled property is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")
```

```
' See if the HLLAPI API is enabled on this connection
if myOIAObj.APIEnabled then
    call hllapi_available
```

Ready

Ready is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLIOIA object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLIOIA object associated with connection A
dim myOIAObj as new IsxECLIOIA("A")
```

```
' See if our connection is ready
if myOIAObj.Ready then
    call conn_ready
```


IsxECLIOA Methods

The following section describes the methods that are valid for the IsxECLIOA class.

Integer WaitForInputReady([optional] Long TimeOut)
 Integer WaitForSystemAvailable([optional] Long TimeOut)
 Integer WaitForAppAvailable([optional] Long TimeOut)
 Integer WaitForTransition([optional] Long Index, [optional] Long timeout)

WaitForInputReady

The WaitForInputReady method waits until the OIA of the connection associated with the IsxECLIOA object indicates that the connection is able to accept keyboard input

Prototype

Integer WaitForInputReady([optional] Long TimeOut)

Parameters

Long TimeOut The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLIOAObj as new IsxECLIOA("A")

if (IsxECLIOAObj.WaitForInputReady(10000)) then
  MessageBox("Ready for input")
else
  MessageBox("Timeout occurred")
end if
```

WaitForSystemAvailable

The WaitForSystemAvailable method waits until the OIA of the connection associated with the IsxECLIOA object indicates that the connection is connected to an SNA host system and is ready for connection to an application.

Prototype

Integer WaitForSystemAvailable([optional] Long TimeOut)

Parameters

Long TimeOut The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLIOAObj as new IsxECLIOA("A")

if (IsxECLIOAObj.WaitForSystemAvailable(10000)) then
  MessageBox("System Available")
```

```
else  
    MessageBox("Timeout Occurred")  
end if
```

WaitForAppAvailable

The WaitForAppAvailable method waits while the OIA of the connection associated with the IsxECLIOIA object indicates that the application is being worked with.

Prototype

Integer WaitForAppAvailable([optional] Long TimeOut)

Parameters

Long TimeOut The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLIOIAObj as Object  
  
Set IsxECLIOIAObj = new IsxECLIOIA("A")  
  
if (IsxECLIOIAObj.WaitForAppAvailable (10000)) then  
    MessageBox("Application is available")  
else  
    MessageBox("Timeout Occurred")  
end if
```

WaitForTransition

The WaitForTransition method waits for the OIA position specified of the connection associated with the IsxECLIOIA object to change.

Prototype

Integer WaitForTransition([optional] Long Index, [optional] Long timeout)

Parameters

Long Index The 1 byte Hex position of the OIA to monitor. This parameter is optional. The default is 3.

Long TimeOut The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLIOIAObj as new IsxECLIOIA("A")  
Dim Index as Long  
  
Index = 03h  
  
if (IsxECLIOIAObj.WaitForTransition(Index,10000)) then  
    MessageBox("OIA changed")  
end if
```

```

else
  MessageBox("Timeout Occurred")
end if

```

IsxECLPS Class

The IsxECLPS class performs operations on a connection's presentation space.

The IsxECLPS object is associated with a Personal Communications connection when the IsxECLPS object is created. You cannot change the connection that is associated with an IsxECLPS object. If you want to manipulate the presentation space of a different connection, you must create a new IsxECLPS object associated with that connection.

There are three ways to create an IsxECLPS object:

1. Create a new IsxECLPS object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or a-z. The following is an example of creating an IsxECLPS object that is associated with Personal Communications connection A:

```

' Create an IsxECLPS object associated with PCOMM connection A
dim myPSObj as new IsxECLPS("A")

```

2. Create a new IsxECLPS object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal Communications connection handle is a long integer and is usually obtained by querying the IsxECLConnection object corresponding to the target Personal Communications connection (see "IsxECLConnMgr Class" on page 335 and "IsxECLConnection Class" on page 328 for more information on the properties and methods of those objects). The following is an example of creating an IsxECLPS object using a Personal Communications connection handle:

```

dim myPSObj as IsxECLPS
dim myCMgrObj as new IsxECLConnMgr

' Create a new IsxECLPS object associated with the first PCOMM connection
' found in IsxECLConnList
set myPSObj = new IsxECLPS(myCMgrObj.IsxECLConnList(1).Handle)

```

3. Create an IsxECLSession object and an IsxECLPS object is automatically created. Access the IsxECLPS attribute to get to the IsxECLPS object contained in the IsxECLSession object. The following is an example of accessing the IsxECLPS object contained in an IsxECLSession object:

```

dim myPSObj as IsxECLPS
dim mySessionObj as IsxECLSession

' Create a new IsxECLSession object associated with PCOMM connection A
set mySessionObj = new IsxECLSession("A")
' Get the IsxECLPS object from the IsxECLSession object
set myPSObj = mySessionObj.IsxECLPS

```

Note: In the presentation space, the first row coordinate is row 1 and the first column coordinate is column 1. Therefore, the top, left position has a coordinate of row 1, column 1.

Properties

This section describes the properties of the IsxECLPS class

Type	Name	Attributes
Long	NumRows	Read-only
Long	NumCols	Read-only
Long	CursorPosRow	Read-only
Long	CursorPosCol	Read-only
IsxECLFieldList	IsxECLFieldList	Read-only
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only

NumRows

NumRows is the number of rows in this connection's presentation space. The NumRows property is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim Rows as Long

' Get the number of rows in our presentation space
Rows = myPSObj.NumRows
```

NumCols

NumCols is the number of columns in this connection's presentation space. The NumCols property is a Long data type and is read-only. The following example shows this property.

```
:
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim Cols as Long

' Get the number of columns in our presentation space
Cols = myPSObj.NumCols
```

CursorPosRow

CursorPosRow is the row of the current cursor position in this connection's presentation space. The CursorPosRow is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")
```

```
dim CursorRow as Long

' Get the row location of the cursor in our presentation space
CursorRow = myPSObj.CursorPosRow
```

CursorPosCol

CursorPosCol is the column of the current cursor position in this connection's presentation space. The CursorPosCol is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim CursorCol as Long

' Get the cursor column location in our presentation space
CursorCol = myPSObj.CursorPosCol
```

IsxECLFieldList

The IsxECLPS object contains an IsxECLFieldList object. See "IsxECLFieldList Class" on page 342 for details on the IsxECLFieldList methods and properties. The following example shows this object.

```
' Create an IsxECLPS object associated with PCOM connection A
dim myPSObj as new IsxECLPS("A")

dim numFields as Long

' Get the number of fields in the presentation space
numFields = myPSObj.IsxECLFieldList.Count
```

Name

Name is the connection name of the Personal Communications connection associated with this IsxECLPS object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the set of A-Z or a-z. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim myName as String

' Get our connection name
myName = myPSObj.Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLPS object. Handle is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim myHandle as Long

' Get our connection handle
myHandle = myPSObj.Handle
```

ConnType

ConnType is the connection type of the connection that is associated with this IsxECLPS object. The ConnType is a String data type and is read-only. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim myConnType as String

' Get the connection type for connection A
myConnType = myPSObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5250	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLPS object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim myCodePage as Long

' Get the code page for connection A
myCodePage = myPSObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLPS object is started (for example, still running as a Personal Communications connection). The Started property is an integer and is read-only. Started is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' See if our connection is started
if myPSObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLPS object is connected to the host data stream. CommStarted is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' See if we are communicating with the host
if myPSObj.CommStarted then
    call communications_started
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLPS object. APIEnabled is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' See if the HLLAPI API is enabled on this connection
if myPSObj.APIEnabled then
    call hllapi_available
```

Ready

The Ready property is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLPS object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' See if our connection is ready
if myPSObj.Ready then
    call conn_ready
```

IsxECLPS Methods

The following section describes the methods that are valid for the IsxECLPS class.

```

SetCursorPos(Long row, Long col)
SendKeys(String text, [optional] Long row, [optional] Long col)
Integer SearchText(String text, [optional] Long Dir, [optional] Long row,
[optional] Long col)
String GetText([optional] Long row, [optional] Long col, [optional] Long len)
SetText(String text, [optional] Long row, [optional] Long col)
String GetTextRect(Long startrow, Long startcol, Long endrow, Long endcol)
Integer WaitForCursor(Long Row, Long Col, [optional] Long TimeOut,
[optional] Integer bWaitForIr)
Integer WaitWhileCursor(Long Row, Long Col, [optional] Long TimeOut,
[optional] Integer bWaitForIr)
Integer WaitForString(String WaitString, [optional] Long Row, [optional] Long Col,
[optional] Long TimeOut, [optional] Integer bWaitForIr,
[optional] Integer bCaseSens)
Integer WaitWhileString(String WaitString, [optional] Long Row, [optional] Long Col,
[optional] Long TimeOut, [optional] Integer bWaitForIr,
[optional] Integer bCaseSens)
Integer WaitForStringInRect(String WaitString, Long sRow, Long sCol,
Long eRow, Long eCol, [optional] Long nTimeOut, [optional] Integer bWaitForIr,
[optional] Integer bCaseSens)
Integer WaitWhileStringInRect(String WaitString, Long sRow, Long sCol, Long eRow,
Long eCol, [optional] Long nTimeOut, [optional] Integer bWaitForIr,
[optional] Integer bCaseSens)
WaitForAttrib(Long Row, Long Col, Long WaitData, [optional] Long MaskData,
[optional] Long plane, [optional] Long TimeOut, [optional] Integer bWaitForIr)
WaitWhileAttrib(Long Row, Long Col, Long WaitData, [optional] Long MaskData,
[optional] Long plane, [optional] Long TimeOut, [optional] Integer bWaitForIr)
public Integer WaitForScreen(Object screenDesc, [optional] Long TimeOut)
public Integer WaitWhileScreen(Object screenDesc, [optional] Long TimeOut)

```

SetCursorPos

This method sets the position of the cursor in the presentation space of the connection associated with this IsxECLPS object. The cursor is set to the position indicated by the **row** and **col** parameters.

Prototype

```
SetCursorPos(Long row, Long col)
```

Parameters

Long row	Target row for the cursor.
Long col	Target column for the cursor.

Return Value

None

Example

The following example shows how to set the position of the cursor in the presentation space of the connection associated with this IsxECLPS object.

```

' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

' Set the cursor location in the presentation space
myPSObj.SetCursorPos(3,1)

```


SendKeys

This method sends a string of keystrokes to the presentation space of the connection associated with this lsxECLPS object. The string is positioned in the presentation space at the position indicated by the **row** and **col** parameters. The **row** and **col** parameters must be specified together. If the **row** and **col** parameters are not specified, the string is sent to the current cursor position.

Prototype

```
SendKeys(String text, [optional] Long row, [optional] Long col)
```

Parameters

String text	String of keys to send to the presentation space.
Long row	Target row within the presentation space. This parameter is optional. If the parameter is not specified, the location defaults to the current cursor row position. If row is specified, col must also be specified.
Long col	Target column within the presentation space. This parameter is optional. If the parameter is not specified, the location defaults to the current cursor column position. If col is specified, row must also be specified.

Return Value

None

Example

The following example shows how to send a string of keystrokes to the presentation space of the connection associated with this lsxECLPS object.

```
' Create an lsxECLPS object associated with connection A
dim PSObj as new lsxECLPS("A")

' Send a string of keystrokes to the cursor location in the presentation space
PSObj.SendKeys("[clear]QUERY DISK[ENTER]")

' Send a string of keystrokes to a specific location in the presentation space
PSObj.SendKeys("[clear]QUERY DISK[ENTER]", 23, 1)
```

Usage Notes

This method allows you to send mnemonic keystrokes to the presentation space. See Appendix A, "Sendkeys Mnemonic Keywords," on page 399 for a list of these keystrokes.

SearchText

This method searches for the first occurrence of a text string in the presentation space of the connection associated with this lsxECLPS object. This method returns a 1 if text is found; otherwise it returns a 0. The search begins from the position specified by the **row** and **col** parameters. The **row** and **col** parameters must be specified together. If the **row** and **col** parameters are not specified, the search begins at the beginning of the presentation space for a search forward or the end of the presentation space for a search backward. The search direction can either be forward or backward, and can be specified using the **dir** parameter. If **dir** is not specified, the default is forward.

Prototype

Integer SearchText(String text, [optional] Long dir, [optional] Long row, [optional] Long col)

Parameters

String text	Target text string.
Long dir	Search direction. Must be 1 (Search forward) or 2 (Search Backward). This parameter is optional. If the parameter is not specified, the default is forward.
Long row	Row position at which to start the search in the presentation space. The row of the located text is returned if the search is successful. This parameter is optional. If row is specified, col must also be specified.
Long col	Column position at which to start the search in the presentation space. The column of the located text is returned if the search is successful. This parameter is optional. If col is specified, row must also be specified.

Return Value

Integer 1 if text found; 0 if text is not found.

Example

The following example shows how to search for the first occurrence of a text string in the presentation space of the connection associated with this IsxECLPS object.

```
' Create an IsxECLPS object associated with connection A
dim PSObj as new IsxECLPS("A")
dim tRow as Long
dim tCol as Long

tRow = 1
tCol = 1

' Search for a string in presentation space starting from the
' beginning of the presentation space.
if PSObj.SearchText("Alex",1) then
    call found...

' Search for a string in presentation space starting from
' a specific location, the search direction is forward.
if PSObj.SearchText("ALEX", 1, tRow, tCol) then
    call found...
```

GetText

This method retrieves a text string from the presentation space of the connection associated with this IsxECLPS object. The method returns a string starting at the position indicated by the **row** and **col** parameters for the length (**len**) parameter. If the **row**, **col** and **len** parameters are not specified, the entire presentation space is returned.

Prototype

String GetText([optional] Long row, [optional] Long col, [optional] Long len)

Parameters

Long row	Target row in the presentation space. This parameter is optional. If it is not specified, the entire presentation space is returned.
Long col	Target column in the presentation space. This parameter is optional. If it is not specified, the entire presentation space is returned.
Long len	Length of text to retrieve from the presentation space. This parameter is optional. If it is not specified, the entire presentation space is returned.

Return Value

String	Text retrieved from the presentation space.
---------------	---

Example

The following example shows how to retrieve a text string from the presentation space of the connection associated with this IsxECLPS object.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim scrnText as String

' Get all the text from the text plane.
scrnText = myPSObj.GetText()

' Get 10 characters from the text plane starting
' at row 3, column 1
scrnText = myPSObj.GetText(3,1,10)
```

SetText

This method copies a text string to the presentation space of the connection associated with this IsxECLPS object. The string is copied to the location indicated by the row and col parameters. If the **row** and **col** parameters are not specified, the string is copied to the presentation space at the current cursor location. The **row** and **col** parameters must both be specified or omitted.

Prototype

```
SetText(String Text, [optional] Long row, [optional] Long col)
```

Parameters

String Text	String to copy to the presentation space.
Long row	Target row in the presentation space. This parameter is optional. If it is not specified, the current row position of the cursor is used. If row is specified, col must also be specified.
Long col	Target column in the presentation space. This parameter is optional. If it is not specified, the current col position of the cursor is used. If col is specified, row must also be specified.

Return Value

None

Example

The following example shows how to copy a text string to the presentation space of the connection associated with an IsxECLPS object.

```
' Create an IsxECLPS object associated with ECL Connection A
dim myPSObj as new IsxECLPS("A")

' Copy a string to the current cursor position in the Presentation
' Space of ECL Connection A
myPSObj.SetText("Text to copy to PS")

' Copy a string to a specific location in the Presentation Space
' of ECL Connection A
myPSObj.SetText("Text to copy to PS", 23, 1)
```

GetTextRect

This method retrieves a text string from a rectangular area in the presentation space of the connection associated with this IsxECLPS object and returns a String data type. The rectangle is identified by the **startrow**, **startcol**, **endrow** and **endcol** parameters. No text wrapping is done during the text string retrieval; only the text within the designated rectangle is retrieved.

Prototype

```
String GetTextRect( Long startrow, Long startcol, Long endrow, Long endcol)
```

Parameters

Long startrow	Upper left row position of the rectangle in the presentation space.
Long startcol	Upper left column position of the rectangle in the presentation space.
Long endrow	Lower right row position of the rectangle in the presentation space.
Long endcol	Lower right column position of the rectangle in the presentation space.

Return Value

String Text string retrieved from the presentation space.

Example

The following example shows how to retrieve a text string from a rectangular area in the presentation space of the connection associated with this IsxECLPS object and return a String data type.

```
' Create an IsxECLPS object associated with connection A
dim myPSObj as new IsxECLPS("A")

dim scrnText as String

' Get text from rectangle on the text plane
scrnText = myPSObj.GetTextRect(3,1,5,10)
```

WaitForCursor

The WaitForCursor method waits for the cursor in the presentation space of the connection associated with the IsxECLPS object to be located at a specified position.

Prototype

Integer WaitForCursor(Long Row, Long Col, [optional] Long TimeOut,
[optional] Integer bWaitForIr)

Parameters

Long Row	Row position of the cursor.
Long Col	Column position of the cursor.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col as Long

Row = 20
Col = 16

if (IsxECLPSObj.WaitForCursor(Row,Col,10000)) then
    MsgBox( "Cursor found" )
else
    MsgBox( "Timeout Occurred" )
end if
```

WaitWhileCursor

The WaitWhileCursor method waits while the cursor in the presentation space of the connection associated with the IsxECLPS object is located at a specified position.

Prototype

Integer WaitWhileCursor(Long Row, Long Col, [optional]Long TimeOut,
[optional] Integer bWaitForIr)

Parameters

Long Row	Row position of the cursor.
Long Col	Column position of the cursor.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col as Long

Row = 20
Col = 16

if (IsxECLPSObj.WaitWhileCursor(Row,Col,10000)) then
    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if

```

WaitForString

The WaitForString method waits for the specified string to appear in the presentation space of the connection associated with the IsxECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

```

Integer WaitForString(String WaitString, [optional] Long Row, [optional] Long Col,
    [optional] Long TimeOut, [optional] Integer bWaitForIr,
    [optional] Integer bCaseSens)

```

Parameters

String WaitString	The string for which to wait.
Long Row	Row position at which the string will begin. This parameter is optional. The default is 0.
Long Col	Column position at which the string will begin. This parameter is optional. The default is 0.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.
Integer bCaseSens	If this value is 1, the wait condition is verified as case-sensitive. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col as Long, WaitString

WaitString = "Enter USERID"
Row = 20
Col = 16

if (IsxECLPSObj.WaitForString(WaitString,Row,Col,10000)) then

```

```

    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if

```

WaitWhileString

The WaitWhileString method waits while the specified string appears in the presentation space of the connection associated with the IsxECLPS object. If the optional Row and Column parameters are used, the string must begin at the specified position. If 0,0 are passed for Row,Col the method searches the entire PS.

Prototype

```

Integer WaitWhileString(String WaitString, [optional] Long Row, [optional] Long Col,
    [optional] Long TimeOut, [optional] Integer bWaitForIr,
    [optional] Integer bCaseSens)

```

Parameters

String WaitString	The method waits while this string value exists.
Long Row	Row position at which the string will begin. This parameter is optional. The default is 0.
Long Col	Column position at which the string will begin. This parameter is optional. The default is 0.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.
Integer bCaseSens	If this value is 1, the wait condition is verified as case-sensitive. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col as Long
Dim WaitString as String

WaitString = "Enter USERID"
Row = 20
Col = 16

if (IsxECLPSObj.WaitWhileString(WaitString,Row,Col,10000)) then
    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if

```

WaitForStringInRect

The WaitForStringInRect method waits for the specified string to appear in the presentation space of the connection associated with the IsxECLPS object in the specified Rectangle.

Prototype

```
Integer WaitForStringInRect(String WaitString, Long sRow, Long sCol, Long eRow,
    Long eCol, [optional] Long nTimeOut, [optional] Integer bWaitForIr,
    [optional] Integer bCaseSens)
```

Parameters

String WaitString	The string to Wait for
Long sRow	Starting row position of the search rectangle.
Long sCol	Starting column position of the search rectangle.
Long eRow	Ending row position of the search rectangle.
Long eCol	Ending column position of the search rectangle.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.
Integer bCaseSens	If this value is 1, the wait condition is verified as case-sensitive. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim sRow, sCol, eRow, eCol as Long
Dim WaitString as String

WaitString = "Enter USERID"
sRow = 20
sCol = 16
eRow = 21
eCol = 31

if (IsxECLPSObj.WaitForStringInRect(WaitString,sRow,sCol,eRow,eCol,10000)) then
    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if
```

WaitWhileStringInRect

The WaitWhileStringInRect method waits while the specified string appears in the presentation space of the connection associated with the IsxECLPS object in the specified Rectangle.

Prototype

```
Integer WaitWhileStringInRect(String WaitString, Long sRow, Long sCol, Long eRow,
    Long eCol, [optional] Long nTimeOut, [optional] Integer bWaitForIr, [optional]
    Integer bCaseSens)
```

Parameters

String WaitString	The method waits while this string value exists.
Long sRow	Starting row position of the search rectangle.
Long sCol	Starting column position of the search rectangle.
Long eRow	Ending row position of the search rectangle.
Long eCol	Ending column position of the search rectangle.
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.
Integer bCaseSens	If this value is 1, the wait condition is verified as case-sensitive. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim lsxECLPSObj as new lsxECLPS("A")
Dim sRow, sCol, eRow, eCol as Long
Dim WaitString as String

WaitString = "Enter USERID"
sRow = 20
sCol = 16
eRow = 21
eCol = 31

if (lsxECLPSObj.WaitWhileStringInRect(WaitString,sRow,sCol,eRow,eCol,10000)) then
    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if
```

WaitForAttrib

The WaitForAttrib method will wait until the specified Attribute value appears in the presentation space of the connection associated with the lsxECLPS object at the specified Row/Column position. The optional MaskData parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the four PS planes.

Prototype

```
WaitForAttrib(Long Row, Long Col, Long WaitData,
              [optional] Long MaskData, [optional] Long plane,
              [optional] Long TimeOut, [optional] Integer bWaitForIr)
```

Parameters

Long Row	Row position of the attribute.
Long Col	Column position of the attribute.
Long WaitData	The 1-byte HEX value of the attribute to wait for.
Long MaskData	The 1-byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is 0xFF.
Long plane	The plane of the attribute to get. The plane can have the following values: <ol style="list-style-type: none"> 1 Text Plane 2 Color Plane 3 Field Plane (default) 4 Extended Field Plane
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col, WaitData, MaskData, plane as Long

Row = 20
Col = 16
WaitData = E8h
MaskData = FFh
plane = 3

if (IsxECLPSObj.WaitForAttrib(Row, Col, WaitData, MaskData, plane, 10000)) then
    MessageBox( "Wait condition met" )
else
    MessageBox( "Timeout Occurred" )
end if
```

WaitWhileAttrib

The WaitWhileAttrib method waits while the specified Attribute value appears in the presentation space of the connection associated with the IsxECLPS object at the specified Row/Column position. The optional MaskData parameter can be used to control which values of the attribute you are looking for. The optional plane parameter allows you to select any of the 4 PS planes.

Prototype

WaitWhileAttrib(Long Row, Long Col, Long WaitData, [optional] Long MaskData, [optional] Long plane, [optional] Long TimeOut, [optional] Integer bWaitForIr)

Parameters

Long Row	Row position of the attribute.
Long Col	Column position of the attribute.
Long WaitData	The 1-byte HEX value of the attribute to wait for.
Long MaskData	The 1-byte HEX value to use as a mask with the attribute. This parameter is optional. The default value is 0xFF.
Long plane	The plane of the attribute to get. The plane can have the following values: <ol style="list-style-type: none"> 1 Text Plane 2 Color Plane 3 Field Plane (default) 4 Extended Field Plane
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.
Integer bWaitForIr	If this value is true, after meeting the wait condition the function will wait until the OIA is ready to accept input. This parameter is optional. The default is 0.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim Row, Col, WaitData, MaskData, plane as Long

Row = 20
Col = 16
WaitData = E8h
MaskData = FFh
plane = 3

if (IsxECLPSObj.WaitWhileAttrib(Row, Col, WaitData, MaskData, plane, 10000)) then
    MsgBox( "Wait condition met" )
else
    MsgBox( "Timeout Occurred" )
end if
```

WaitForScreen

Synchronously waits for the screen described by the autECLScreenDesc parameter to appear in the Presentation Space.

Note: The wait for OIA input flag is set on the autECLScreenDesc object. It is not passed as a parameter to the wait method.

Prototype

public Integer WaitForScreen(Object screenDesc, [optional] Long TimeOut)

Parameters

Object screenDesc	autECLScreenDesc object that describes the screen (see "autECLScreenDesc Class" on page 261).
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim autECLScreenDescObj as new IsxECLScreenDesc()

Set autECLScreenDescObj = CreateObject("PCOMM.autECLScreenDesc")

autECLScreenDesObj.AddCursorPos 23, 1

if (IsxECLPSObj.WaitForScreen(autECLScreenDesObj, 10000)) then
    MsgBox( "Wait condition met" )
else
    MsgBox( "Timeout Occurred" )
end if
```

WaitWhileScreen

Synchronously waits until the screen described by the autECLScreenDesc parameter is no longer in the Presentation Space.

Note: The wait for OIA input flag is set on the autECLScreenDesc object. It is not passed as a parameter to the wait method.

Prototype

public Integer WaitWhileScreen(Object screenDesc, [optional] Long TimeOut)

Parameters

Object screenDesc	autECLScreenDesc object that describes the screen (see "autECLScreenDesc Class" on page 261).
Long TimeOut	The maximum length of time in milliseconds to wait. This parameter is optional. The default is Infinite.

Return Value

The method returns 1 if the condition is met, or 0 if the Timeout value is exceeded.

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim autECLScreenDescObj as new IsxECLScreenDesc()

autECLScreenDesObj.AddCursorPos 23, 1

if (IsxECLPSObj.WaitWhileScreen(autECLScreenDesObj, 10000)) then
    MsgBox( "Wait condition met" )
```

```

else
    MessageBox( "Timeout Occurred" )
end if

```

IsxECLScreenReco Class

The IsxECLScreenReco class is the engine for the Host Access Class Library screen matching system. It also the logic for matching a given screen to a PS. Because LotusScript does not support asynchronous events, the rich event handling provided in the C++, ActiveX, and Java layers is not supported here. However, the IsMatch() method provided in this class is very useful for determining if the current screen in a IsxECLPS object matches an IsxECLScreenDesc object.

IsxECLScreenReco Methods

The following method is valid for IsxECLScreenReco:

```
IsMatch(IsxECLPS ps, IsxECLScreenDesc sd)
```

IsMatch

Allows for passing a IsxECLPS object and a IsxECLScreenDesc object and determining if the screen description matches the PS. The screen recognition engine uses this logic, but is provided so any routine can call it.

Prototype

```
IsMatch(IsxECLPS ps, IsxECLScreenDesc sd)
```

Parameters

IsxECLPS ps IsxECLPS object to compare.

IsxECLScreenDesc sd
IsxECLScreenDesc object to compare.

Return Value

1 if the screen in PS matches, 0 otherwise.

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLScreenReco.IsMatch(IsxECLPSObj, IsxECLScreenDesObj)) then
    MessageBox("matched")
else
    MessageBox("no match")
end if

```

IsxECLScreenDesc Class

IsxECLScreenDesc is the class that is used to describe a screen for IBM's Host Access Class Library Screen Recognition Technology. It uses all four major planes of the presentation space to describe it (text, field, extended field, and color planes), as well as the cursor position.

Using the methods provided on this object, the programmer can set up a detailed description of what a given screen looks like in a host side application. Once an IsxECLScreenDesc object is created and set, it may be passed to the synchronous WaitFor... methods provided on IsxECLPS.

IsxECLScreenDesc Methods

The following section describes the methods that are valid for the IsxECLScreenDesc class.

AddAttrib(Long attrib, Long row, Long col, Long plane)
AddCursorPos(Long row, Long col)
AddNumFields(Long num)
AddNumInputFields(Long num)
AddOIAInhibitStatus(Long type)
AddString(String str, Long row, Long col, [optional] Integer caseSense)
AddStringInRect(String str, [optional] Long sRow, [optional] Long sCol,
[optional] Long eRow, [optional] Long eCol, [optional] Integer caseSense)
Clear()

AddAttrib

Adds an attribute value at the given position to the screen description.

Prototype

AddAttrib(Long attrib, Long row, Long col, Long plane)

Parameters

Long attrib	The 1-byte HEX value of the attribute.
Long row	Row position of the attribute.
Long col	Column position of the attribute.
Long plane	The plane of the attribute to get. The plane can have the following values: 1 Text Plane 2 Color Plane 3 Field Plane 4 Extended Field Plane

Return Value

None

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")  
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()  
  
IsxECLScreenDesObj.AddCursorPos(23, 1)
```

```

IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
  MessageBox("Screen reached")
else
  MessageBox("Timeout Occurred")
end if

```

AddCursorPos

Sets the cursor position for the screen description to the given position.

Prototype

```
AddCursorPos(Long row, Long col)
```

Parameters

Long row	Row position of the cursor.
Long col	Column position of the cursor.

Return Value

None

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
  MessageBox("Screen reached")
else
  MessageBox("Timeout Occurred")
end if

```

AddNumFields

Adds the number of fields to the screen description.

Prototype

```
AddNumFields(Long num)
```

Parameters

Long num	Number of fields.
-----------------	-------------------

Return Value

None

IsxECLScreenDesc

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
    MessageBox("Screen reached")
else
    MessageBox("Timeout Occurred")
end if
```

AddNumInputFields

Adds the number of fields to the screen description.

Prototype

```
AddNumInputFields(Long num)
```

Parameters

Long num Number of input fields.

Return Value

None

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
    MessageBox("Screen reached")
else
    MessageBox("Timeout Occurred")
end if
```

AddOIAInhibitStatus

Sets the type of OIA monitoring for the screen description.

Prototype

```
AddOIAInhibitStatus(Long type)
```


Parameters

Long type	Type of OIA status. Valid values are as follows:
1	Don't care
2	Input not inhibited

Return Value

None

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
  MessageBox("Screen reached")
else
  MessageBox("Timeout Occurred")
end if
```

AddString

Adds a string at the given location to the screen description.

Prototype

AddString(String str, Long row, Long col, [optional] Integer caseSense)

Parameters

String str	String to add.
Long row	Row position.
Long col	Column position.
Integer caseSense	If this value is 1, the strings are added as case-sensitive. This parameter is optional. The default is 1.

Return Value

None

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
```

IsxECLScreenDesc

```
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
    MessageBox("Screen reached")
else
    MessageBox("Timeout Occurred")
end if
```

AddStringInRect

Adds a string in the given rectangle to the screen description.

Prototype

```
AddStringInRect(String str, [optional] Long sRow, [optional] Long sCol,
    [optional] Long eRow, [optional] Long eCol, [optional] Integer caseSense)
```

Parameters

String str	String to add.
Long sRow	Upper left row position. This parameter is optional. The default is the first row.
Long sCol	Upper left column position. This parameter is optional. The default is the first column.
Long eRow	Lower right row position. This parameter is optional. The default is the last row.
Long eCol	Lower right column position. This parameter is optional. The default is the last column.
Integer caseSense	If this value is 1, the strings are added as case-sensitive. This parameter is optional. The default is 1.

Return Value

None

Example

```
Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
    MessageBox("Screen reached")
else
    MessageBox("Timeout Occurred")
end if
```

Clear

Removes all description elements from the screen description.

Prototype

Clear()

Parameters

None

Return Value

None

Example

```

Dim IsxECLPSObj as new IsxECLPS("A")
Dim IsxECLScreenDescObj as new IsxECLScreenDesc()

IsxECLScreenDesObj.AddCursorPos(23, 1)
IsxECLScreenDesObj.AddAttrib(E8h, 1, 1, 2)
IsxECLScreenDesObj.AddCursorPos(23,1)
IsxECLScreenDesObj.AddNumFields(45)
IsxECLScreenDesObj.AddNumInputFields(17)
IsxECLScreenDesObj.AddOIAInhibitStatus(1)
IsxECLScreenDesObj.AddString( "LOGON", 23, 11, 1)
IsxECLScreenDesObj.AddStringInRect( "PASSWORD", 23, 1, 24, 80, 0)

if (IsxECLPSObj.WaitForScreen(IsxECLScreenDesObj, 10000)) then
  MessageBox("Screen reached")
else
  MessageBox("Timeout Occurred")
end if

IsxECLScreenDesObj.Clear // start over for a new screen

```

IsxECLSession Class

The IsxECLSession class provides information about a host-connected connection. The IsxECLSession class also contains several other objects that correspond to the various pieces of a host-connected connection.

An IsxECLSession object is associated with a Personal Communications connection when the IsxECLSession object is created. You cannot change the connection that is associated with an IsxECLSession object. If you want to manage a different connection, you must create a new IsxECLSession object associated with that connection.

There are two ways to create an IsxECLSession object:

- Create a new IsxECLSession object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or a-z. The following shows how to create an IsxECLSession object that is associated with Personal Communications connection A:


```

' Create an IsxECLSession object associated with PCOMM connection A
dim mySessObj as new IsxECLSession("A")

```
- Create a new IsxECLSession object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal Communications connection handle is a Long integer, and is usually obtained by querying the IsxECLConnection object corresponding to the target Personal Communications connection (see "IsxECLConnMgr Class" on page 335 and "IsxECLConnection Class" on page 328 for more information on the properties

and methods of those objects). The following example shows how to create an IsxECLSession object using a Personal Communications connection handle:

```
dim mySessObj as IsxECLSession
dim myConnObj as new IsxECLConnection

' Create a new IsxECLSession object using a connection handle
set mySessObj = new IsxECLSession(myConnObj.Handle)
```

When an IsxECLSession object is created, contained IsxECLSession, IsxECLIOIA, IsxECLXfer, and IsxECLWinMetrics objects are also created. Refer to them as you would any other property. The following is an example of accessing the IsxECLWinMetrics object within an IsxECLSession object:

```
' Set the host window to minimized
mySessObj.IsxECLWinMetrics.Minimized = 1
```

Properties

This section describes the properties of the IsxECLSession class.

Type	Name	Attributes
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only
IsxECLPS	IsxECLPS	Read-only
IsxECLIOIA	IsxECLIOIA	Read-only
IsxECLXfer	IsxECLXfer	Read-only
IsxECLWinMetrics	IsxECLWinMetrics	Read-only

Name

Name is the connection name of the Personal Communications connection associated with this IsxECLSession object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the character set A-Z or a-z. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
dim myName as String
```

```
' Get our connection name
myName = mySessObj.Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLSession object. The Handle property is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
dim myHandle as Long
```

```
' Get our connection handle
myHandle = mySessObj.Handle
```

ConnType

ConnType is the connection type of the connection that is associated with this IsxECLSession object. The ConnType property is a String data type and is read-only. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
dim myConnType as String
```

```
' Get the connection type for connection A
myConnType = mySessObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer
PRNT5270	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLSession object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
dim myCodePage as Long
```

```
' Get the code page for connection A
myCodePage = mySessObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLSession object is started (for example, still running as a Personal Communications connection). The Started property is an integer and is read-only. Started is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.

IsxECLSession

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
' See if our connection is started
if mySessObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLSession object is connected to the host data stream. The CommStarted property is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
' See if we are communicating with the host
if mySessObj.CommStarted then
    call communications_started
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLSession object. The APIEnabled property is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
' See if the HLLAPI API is enabled on this connection
if mySessObj.APIEnabled then
    call hllapi_available
```

Ready

Ready is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLSession object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLSession object associated with connection A
dim mySessObj as new IsxECLSession("A")
```

```
' See if our connection is ready
if mySessObj.Ready then
    call conn_ready
```

IsxECLPS

This is the IsxECLPS object contained within this IsxECLSession object. Refer to "IsxECLPS Class" on page 353 for a list of the properties and methods of this object. The following example shows this object.

```
' Connect to connection A
dim mySessObj as new IsxECLSession("A")
```

```
dim PSSize as Long
```

```
' Get the PS size from the contained IsxECLPS object
PSSize = mySessObj.IsxECLPS.Size
```

IsxECLIOIA

This is the IsxECLIOIA object contained within this IsxECLSession object. Refer to “IsxECLIOIA Class” on page 344 for a list of the properties and methods of this object. The following example shows this object.

```
' Connect to connection A
dim mySessObj as new IsxECLSession("A")

' Check whether we have DBCS on this connection by querying
' the contained IsxECLIOIA object.
if mySessObj.IsxECLIOIA.DBCS then
    call dbcs_enabled
```

IsxECLXfer

This is the IsxECLXfer object contained within this IsxECLSession object. Refer to “IsxECLXfer Class” on page 388 for a list of the properties and methods of this object. The following example shows this object.

```
' Connect to connection A
dim mySessObj as new IsxECLSession("A")

' Transfer a file to the host using the contained IsxECLXfer object
mySessObj.IsxECLXfer.Sendfile "c:\temp\filename.txt",
    "filename text a0",
    "CRLF ASCII"
```

IsxECLWinMetrics

This is the IsxECLWinMetrics object contained within this IsxECLSession object. Refer to “IsxECLWinMetrics Class” for a list of the properties and methods of this object. The following example shows this object.

```
' Connect to connection A
dim mySessObj as new IsxECLSession("A")

' Minimize the host window
mySessObj.IsxECLWinMetrics.Minimized = 1
```

IsxECLSession Methods

There are no methods that are valid for the IsxECLSession class.

IsxECLWinMetrics Class

The IsxECLWinMetrics class performs operations on a connection window. It allows you to perform window rectangle and position manipulation (for example, SetWindowRect, Ypos or Width), as well as window state manipulation (for example, Visible or Restored).

The IsxECLWinMetrics object is associated with a Personal Communications connection when the IsxECLWinMetrics object is created. You cannot change the connection that is associated with an IsxECLWinMetrics object. If you want to manipulate the window of a different connection, you must create a new IsxECLWinMetrics object associated with that connection.

There are three ways to create an IsxECLWinMetrics object:

- Create a new IsxECLWinMetrics object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or a-z. The following is an example of creating an IsxECLWinMetrics object that is associated with Personal Communications connection A:

IsxECLWinMetrics

```
' Create an IsxECLWinMetrics object associated with PCOMM connection A
dim myWMetObj as new IsxECLWinMetrics("A")
```

- Create a new IsxECLWinMetrics object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal Communications connection handle is a long integer and is usually obtained by querying the IsxECLConnection object corresponding to the target Personal Communications connection (see “IsxECLConnMgr Class” on page 335, “IsxECLConnList Class” on page 332 and “IsxECLConnection Class” on page 328 for more information on the properties and methods of those objects). The following is an example of creating an IsxECLWinMetrics object using a Personal Communications connection handle:

```
dim myWMetObj as IsxECLWinMetrics
dim myConnObj as new IsxECLConnection
```

```
' Create a new IsxECLWinMetrics object using a connection handle
set myWMetObj = new
    IsxECLWinMetrics(myConnObj.Handle)
```

- Create an IsxECLSession object and an IsxECLWinMetrics object is automatically created. Access the IsxECLWinMetrics attribute to get to the IsxECLWinMetrics object contained in the IsxECLSession object. The following is an example of accessing the IsxECLWinMetrics object contained in an IsxECLSession object:

```
dim myWMetObj as IsxECLWinMetrics
dim mySessObj as IsxECLSession
```

```
' Create a new IsxECLSession object associated with PCOMM connection A
set mySessObj = new IsxECLSession("A")
' Get the IsxECLWinMetrics object from the IsxECLSession object
set myWMetObj = mySessObj.IsxECLWinMetrics
```

Properties

This section describes the properties for the IsxECLWinMetrics class.

Type	Name	Attributes
String	WindowTitle	Read-Write
Long	Xpos	Read-Write
Long	Ypos	Read-Write
Long	Width	Read-Write
Long	Height	Read-Write
Integer	Visible	Read-Write
Integer	Active	Read-Write
Integer	Minimized	Read-Write
Integer	Maximized	Read-Write
Integer	Restored	Read-Write
String	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only

WindowTitle

This is the title that is currently in the title bar for the connection associated with the IsxECLWinMetrics object. The WindowTitle property is a String data type and is read/write enabled.

Note: If Window Title is set to blank, the window title of the connection is restored to its original setting.

The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")

' Set the window title
myWMetObj.WindowTitle = "Main Office"
```

Xpos

This is the *x* coordinate of the upper left point of the connection's window rectangle. The Xpos property is a Long data type and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")

' Set the Xpos of the connection window
myWMetObj.Xpos = 0
```

Ypos

This is the *y* coordinate of the upper left point of the connection's window rectangle. The Ypos property is a Long data type and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")

' Set the Ypos of the connection window
myWMetObj.Ypos = 0
```

Width

This is the width of the connection's window rectangle. The Width property is a Long data type and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")

' Set the width of the connection window
myWMetObj.Width = 6081
```

Height

This is the height of the connection's window rectangle. The Height property is a Long data type and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. The following example shows this property.

IsxECLWinMetrics

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")
```

```
' Set the height of the connection window
myWMetObj.Height = 6081
```

Visible

This is a Boolean value that indicates whether the connection's window is visible. The Visible property is an integer and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. If the connection's window is visible, the Visible property has a value of 1; otherwise, it has a value of 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")
```

```
' Make sure our window is visible
if myWMetObj.Visible = 0 then
    myWMetObj.Visible = 1
```

Active

This is a Boolean property that indicates whether the connection's window has the focus. The Active property is an integer and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. If the window has the focus, Active is set to 1; otherwise, is set to 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")
```

```
' Make sure our window has the focus
if myWMetObj.Active = 0 then
    myWMetObj.Active = 1
```

Minimized

Minimized is a Boolean property that indicates whether the connection's window is minimized. The Minimized property is an integer and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. If the connection's window is minimized, the Minimized property is set to 1; otherwise, it is set to 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")
```

```
' Make sure our window isn't minimized
if myWMetObj.Minimized then
    myWMetObj.Minimized = 0
```

Maximized

Maximized is a Boolean property that indicates whether the connection's window is maximized. The Maximized property is an integer and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. If the connection's window is maximized, the Maximized property is set to 1; otherwise, it is set to 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")
```

```
' Make sure our window is maximized
if myWMetObj.Maximized = 0 then
    myWMetObj.Maximized = 1
```

Restored

This is a Boolean property that indicates whether the connection's window is in a restored state. The Restored property is an integer and is read/write enabled. However, if the connection to which you are attached is an inplace, embedded object, this property is read-only. If the connection's window is in a restored state, the Restored property is set to 1; otherwise, it is set to 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as IsxECLWinMetrics("A")

' Make sure we're in a restored state
if myWMetObj.Restored = 0 then
    myWMetObj.Restored = 1
```

Name

Name is the connection name of the Personal Communications connection associated with this IsxECLWinMetrics object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the character set A-Z or a-z. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

dim myName as String

' Get our connection name
myName = myWMetObj.Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLWinMetrics object. The Handle property is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

dim myHandle as Long

' Get our connection handle
myHandle = myWMetObj.Handle
```

ConnType

The connection type of the connection that is associated with this IsxECLWinMetrics object. The ConnType property is a String data type and is read-only. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

dim myConnType as String

' Get the connection type for connection A
myConnType = myWMetObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5250	5250 display
PRNT3270	3270 printer

String Returned	Meaning
PRNT5250	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLWinMetrics object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")
```

```
dim myCodePage as Long
```

```
' Get the code page for connection A
myCodePage = myWMetObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLWinMetrics object is started (for example, still running as a Personal Communications connection). This property is an integer and is read-only. The Started property is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")
```

```
' See if our connection is started
if myWMetObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLWinMetrics object is connected to the host data stream. The CommStarted property is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")
```

```
' See if we are communicating with the host
if myWMetObj.CommStarted then
    call communications_started
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLWinMetrics object. The APIEnabled property is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

' See if the HLLAPI API is enabled on this connection
if myWMetObj.APIEnabled then
    call hllapi_available
```

Ready

Ready is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLWinMetrics object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

' See if our connection is ready
if myWMetObj.Ready then
    call conn_ready
```

IsxECLWinMetrics Methods

The following section describes the methods that are valid for IsxECLWinMetrics.

```
void SetWindowRect(Long left, Long top, Long right, Long bottom)
void GetWindowRect(Long left, Long top, Long right, Long bottom)
```

GetWindowRect

This method returns the coordinates of the top, bottom, left and right sides of the window rectangle associated with this connection. The supplied parameters are set to the coordinates of the window rectangle.

Prototype

```
GetWindowRect(Long left, Long top, Long right, Long bottom)
```

Parameters

Long left	The coordinate of the left side of the window rectangle.
Long top	The coordinate of the top of the window rectangle.
Long right	The coordinate of the right side of the window rectangle.
Long bottom	The coordinate of the bottom of the window rectangle.

Return Value

None

Example

The following example shows how to return the coordinates of the top, bottom, left and right sides of the window rectangle associated with this connection.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

' Create some variables to hold our window coordinates
dim left as Long
```

IsxECLWinMetrics

```
dim top as Long
dim right as Long
dim bottom as Long

' Get the window coordinates
myWMetObj.GetWindowRect left, top, right, bottom
```

SetWindowRect

This method sets the coordinates of the top, bottom, left and right sides of the window rectangle associated with this connection.

Prototype

SetWindowRect(Long left, Long top, Long right, Long bottom)

Parameters

Long left	The new coordinate of the left side of the window rectangle.
Long top	The new coordinate of the top of the window rectangle.
Long right	The new coordinate of the right side of the window rectangle.
Long bottom	The new coordinate of the bottom of the window rectangle.

Return Value

None

Example

The following example shows how to set the coordinates of the top, bottom, left and right sides of the window rectangle associated with this connection.

```
' Create an IsxECLWinMetrics object associated with connection A
dim myWMetObj as new IsxECLWinMetrics("A")

' Set the window coordinates
myWMetObj.SetWindowRect 0, 0, 6081, 6081
```

IsxECLXfer Class

The IsxECLXfer Class provides file transfer services between a host and a client. The transfer is done through a Personal Communications connection and therefore, the IsxECLXfer object must be associated with a Personal Communications connection.

The IsxECLXfer object is associated with a Personal Communications connection when the IsxECLXfer object is created. You cannot change the connection that is associated with an IsxECLXfer object. If you want to transfer files on a different connection, you must create a new IsxECLXfer object associated with that connection.

There are three ways to create an IsxECLXfer object:

- Create a new IsxECLXfer object by passing a Personal Communications connection name as a parameter on the new statement. A Personal Communications connection name is a single, alphabetic character from A-Z or a-z. The following is an example of creating an IsxECLXfer object that is associated with Personal Communications connection A:

```
' Create an IsxECLXfer object associated with PCOMM connection A
dim myXferObj as new IsxECLXfer("A")
```

- Create a new IsxECLXfer object by passing a Personal Communications connection handle as a parameter on the new statement. A Personal Communications connection handle is a long integer and is usually obtained by querying the IsxECLConnection object corresponding to the target Personal Communications connection (see “IsxECLConnMgr Class” on page 335, “IsxECLConnList Class” on page 332 and “IsxECLConnection Class” on page 328 for more information on the properties and methods of those objects). The following is an example of creating an IsxECLXfer object using a Personal Communications connection handle:

```
dim myXferObj as IsxECLXfer
dim myConnObj as new IsxECLConnection
```

```
' Create a new IsxECLXfer object using the connection handle
set myXferObj = new IsxECLXfer(myConnObj.Handle)
```

- Create an IsxECLSession object and an IsxECLXfer object is automatically created. Access the IsxECLXfer attribute to get to the IsxECLXfer object contained in the IsxECLSession object. The following is an example of how to access the IsxECLXfer object contained in an IsxECLSession object:

```
dim myXferObj as IsxECLXfer
dim IsxECLSessionObj as IsxECLSession
```

```
' Create a new IsxECLSession object associated with PCOMM connection A
```

```
set IsxECLSessionObj = new IsxECLSession("A")
```

```
' Get the IsxECLXfer object from the IsxECLSession object
```

```
set myXferObj = IsxECLSessionObj.IsxECLXfer
```

Properties

This section describes the properties of the IsxECLXfer class.

Type	Name	Attribute
Long	Name	Read-only
Long	Handle	Read-only
String	ConnType	Read-only
Long	CodePage	Read-only
Integer	Started	Read-only
Integer	CommStarted	Read-only
Integer	APIEnabled	Read-only
Integer	Ready	Read-only

Name

Name is the connection name of the Personal Communications connection associated with this IsxECLXfer object. The Name property is a String data type and is read-only. Personal Communications connection names are one character in length and from the character set A-Z or a-z. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
```

```
dim myXferObj as new IsxECLXfer("A")
```

```
dim myName as String
```

```
' Get our connection name
```

```
myName = myXferObj.Name
```

Handle

Handle is the connection handle of the Personal Communications connection associated with this IsxECLXfer object. The Handle property is a Long data type and is read-only. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")

dim myHandle as Long

' Get our connection handle
myHandle = myXferObj.Handle
```

ConnType

ConnType is the connection type of the connection that is associated with this IsxECLXfer object. The ConnType property is a String data type and is read-only. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")

dim myConnType as String

' Get the connection type for connection A
myConnType = myXferObj.ConnType
```

Connection types for the ConnType property are:

String Returned	Meaning
DISP3270	3270 display
DISP5270	5250 display
PRNT3270	3270 printer
PRNT5270	5250 printer
ASCII	VT emulation
UNKNOWN	Unknown

CodePage

CodePage is the code page of the connection associated with this IsxECLXfer object. The CodePage property is a Long data type, is read-only and cannot be changed through this LotusScript interface. However, the code page of a connection may change if the Personal Communications connection is restarted with a new configuration (see "IsxECLConnMgr Class" on page 335 for information about starting a connection). The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")

dim myCodePage as Long

' Get the code page for connection A
myCodePage = myXferObj.CodePage
```

Started

Started is a Boolean flag that indicates whether the connection associated with this IsxECLXfer object is started (for example, still running as a Personal Communications connection). The Started property is an integer and is read-only. Started is 1 if the Personal Communications connection has been started; otherwise, it is 0. The following example shows this property.


```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")
```

```
' See if our connection is started
if myXferObj.Started then
    call connection_started
```

CommStarted

CommStarted is a Boolean flag that indicates whether the connection associated with this IsxECLXfer object is connected to the host data stream. The CommStarted property is an integer and is read-only. CommStarted is 1 if there is communication with the host; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")
```

```
' See if we are communicating with the host
if myXferObj.CommStarted then
    call communications_started
```

APIEnabled

APIEnabled is a Boolean flag that indicates whether the HLLAPI API has been enabled for the Personal Communications connection associated with this IsxECLXfer object. The APIEnabled property is an integer and is read-only. APIEnabled is 1 if the HLLAPI API is available; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")
```

```
' See if the HLLAPI API is enabled on this connection
if myXferObj.APIEnabled then
    call hllapi_available
```

Ready

Ready is a Boolean flag that indicates whether the Personal Communications connection associated with this IsxECLXfer object is ready. The Ready property is a combination of the Started, CommStarted and APIEnabled properties. It is an integer and is read-only. Ready is 1 if the Started, CommStarted and APIEnabled properties are 1; otherwise, it is 0. The following example shows this property.

```
' Create an IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")
```

```
' See if our connection is ready
if myXferObj.Ready then
    call conn_ready
```

IsxECLXfer Methods

The following section describes the methods that are valid for the IsxECLXfer class.

```
SendFile (String PCFile, String HostFile, String Options)
ReceiveFile (String PCFile, String HostFile, String Options)
```

SendFile

This method sends a file from the workstation to the host.

Prototype

```
SendFile( String PCFile, String HostFile, String Options )
```

Parameters

String PCFile	Name of the source file on the workstation.
String HostFile	Name of the target file on the host.
String Options	File transfer options (see Usage Notes).

Return Value

None

Example

The following example shows how to send a file from the workstation to the host.

```
' Create a new IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")

' Send a file from my PC to the host on connection A,
' Assume the host is a VM/CMS host
myXferObj.SendFile "c:\windows\temp\thefile.txt",
                  "THEFILE TEXT A",
                  "(CRLF ASCII"
```

Usage Notes

File transfer options are host-dependent. The following is a list of some of the valid host options for a VM/CMS host:

- ASCII
- JISCI
- CRLF
- APPEND
- TIME n
- CLEAR
- NOCLEAR
- PROGRESS
- QUIET

Refer to *Emulator Programming* for the list of supported hosts and associated file transfer options.

ReceiveFile

This method receives a file from the host to the workstation.

Prototype

ReceiveFile(String PCFile, String HostFile, String Options)

Parameters

String PCFile	Name of the file on the workstation.
String HostFile	Name of the file on the host.
String Options	File transfer options (see Usage Notes).

Return Value

None

Example

The following example shows how to receive a file from the host to the workstation.

```
' Create a new IsxECLXfer object associated with connection A
dim myXferObj as new IsxECLXfer("A")

' Receive a file from host connection A onto my workstation,
' Assume the host is a VM/CMS host
myXferObj.ReceiveFile "c:\windows\temp\thefile.txt",
    "THEFILE TEXT A0",
    "(CRLF ASCII"
```

Usage Notes

File transfer options are host-dependent. For example, a list of some of the valid host options for a VM/CMS host are:

- ASCII
- JISCI
- CRLF
- APPEND
- TIME n
- CLEAR
- NOCLEAR
- PROGRESS
- QUIET

Refer to *Emulator Programming* for the list of supported hosts and associated file transfer options.

Chapter 5. Host Access Class Library for Java

The Host Access Class Library (HACL) Java classes expose the Personal Communications HACL functions to the Java programming environment. This allows the creation of Java applets and applications that utilize the functions provided in the HACL classes.

The documentation for the HACL Java classes is provided in HTML format. This documentation (PCOMM_12.x.xx_Docs_Admin) is not a part of standard PCOMM installation and is available as a zip archive at:

- IBM Passport Advantage (http://www.ibm.com/software/passportadvantage/pao_customer.html)
- IBM Fix Central (<http://www.ibm.com/support/fixcentral/>)
-

Chapter 6. Troubleshooting

You can use the following self-help information resources and tools to help you troubleshoot problems:

- Refer to the release information for your product for known issues, workaround, and troubleshooting information.
- Check if a download or fix is available to resolve your problem.
- Search the available knowledge bases to see if the resolution to your problem is already documented.
- If you still need help, contact IBM Software Support and report your problem.

IBM Personal Communications .NET Interop assemblies fail to trigger session OIA notifications

Problem

.NET applications which register for OIA event notifications are not notified of these events. Also several methods of corresponding COM type library are not shown by Visual studio's intellisense feature.

Cause .NET Interop assemblies are derived from corresponding COM type library using the tool TlbImp.exe shipped with Microsoft SDK. The Type Library Importer converts the type definitions found within a COM type library into equivalent definitions in a common language runtime assembly. The runtime marshaler however cannot marshal all the data types. Therefore some COM type library definitions are not found in the resulting common language runtime assembly.

Resolution

This is a limitation of TlbImp.exe.

Appendix A. Sendkeys Mnemonic Keywords

Table 3 contains the mnemonic keywords for the Sendkeys method.

Table 3. Mnemonic Keywords for the Sendkeys Method

Keyword	Description
[backtab]	Back tab
[clear]	Clear screen
[delete]	Delete
[enter]	Enter
[eraseeof]	Erase end of field
[help]	Help
[insert]	Insert
[jump]	Jump
[left]	Left
[newline]	New line
[space]	Space
[print]	Print
[reset]	Reset
[tab]	Tab
[up]	Up
[Down]	Down
[dbscs]	DBCS
[capslock]	CapsLock
[right]	Right
[home]	Home
[pf1]	PF2
[pf2]	PF2
[pf3]	PF3
[pf4]	PF4
[pf5]	PF5
[pf6]	PF6
[pf7]	PF7
[pf8]	PF8
[pf9]	PF9
[pf10]	PF10
[pf11]	PF11
[pf12]	PF12
[pf13]	PF13
[pf14]	PF14
[pf15]	PF15

Table 3. Mnemonic Keywords for the Sendkeys Method (continued)

Keyword	Description
[pf16]	PF16
[pf17]	PF17
[pf18]	PF18
[pf19]	PF19
[pf20]	PF20
[pf21]	PF21
[pf22]	PF22
[pf23]	PF23
[pf24]	PF24
[eof]	End of file
[scrlock]	Scroll Lock
[numlock]	Num Lock
[pageup]	Page Up
[pagedn]	Page Down
[pa1]	PA 1
[pa2]	PA 2
[pa3]	PA 3
[test]	Test
[worddel]	Word Delete
[fldext]	Field Exit
[erinp]	Erase Input
[sysreq]	System Request
[instog]	Insert Toggle
[crsel]	Cursor Select
[fastleft]	Cursor Left Fast
[attn]	Attention
[devcance]	Device Cancel
[printps]	Print Presentation Space
[fastup]	Cursor Up Fast
[fastdown]	Cursor Down Fast
[hex]	Hex
[fastright]	Cursor Right Fast
[revvideo]	Reverse Video
[underscr]	Underscore
[rstvideo]	Reset Reverse Video
[red]	Red
[pink]	Pink
[green]	Green
[yellow]	Yellow
[blue]	Blue

Table 3. Mnemonic Keywords for the Sendkeys Method (continued)

Keyword	Description
[turq]	Turquoise
[white]	White
[rstcolor]	Reset Host Color
[printpc]	Print (PC)
[wordright]	Forward Word Tab
[wordleft]	Backward Word Tab
[field-]	Field -
[field+]	Field +
[rcdbacksp]	Record Backspace
[printhost]	Print Presentation Space on Host
[dup]	Dup
[fieldmark]	Field Mark
[dispsosi]	Display SO/SI
[gensosi]	Generate SO/SI
[dispattr]	Display Attribute
[fwdchar]	Forward Character
[splitbar]	Split Vertical Bar
[altcsr]	Alternate Cursor
[backspace]	Backspace
[null]	Null

Appendix B. ECL Planes — Format and Content

This appendix describes the format and contents of the different data planes in the ECL presentation space model. Each plane represents a distinct aspect of the host presentation space, such as its character contents, color specifications, field attributes, and so on. The ECL::GetScreen methods and others return data from the different presentation space planes.

Each plane contains one byte per host presentation space character position. Each plane is described in the following sections in terms of its logical contents and data format. The plane types are enumerated in the ECLPS.HPP header file.

TextPlane

The text plane represents the visible characters of the presentation space. Non-display fields are shown in the text plane. The byte value of each element of the text plane corresponds to the ASCII value of the displayed character. The text plane does not contain any binary zero (null) character values. Any null characters in the presentation space (such as null-padded input fields) are represented as ASCII blank (0x20) characters.

FieldPlane

The field plane represents the field positions and their attributes in the presentation space. This plane is meaningful only for field-formatted presentation spaces. (For example, VT connections are not formatted).

This plane is a sparse-array of field attribute values. All values in this plane are binary zero except for where field attribute characters are present in the presentation space. At those positions, the values are the attributes of the field which starts at that location. The length of a field is the linear distance between the field attribute position and the next field attribute in the presentation space, not including the attribute position itself.

The value of the field attribute positions are as shown in the following tables.

Note: Attribute values are different for different types of connections.

Table 4. 3270 Field Attributes

Bit Position (0 is least significant bit)	Meaning
7	Always "1"
6	Always "1"
5	0 Unprotected 1 Protected
4	0 Alphanumeric data 1 Numeric data only

Table 4. 3270 Field Attributes (continued)

Bit Position (0 is least significant bit)	Meaning
3, 2	0, 0 Normal intensity, not pen detectable 0, 1 Normal intensity, pen detectable 1, 0 High intensity, pen detectable 1, 1 Nondisplay, not pen detectable
1	Reserved
0	0 Field has not been modified 1 Unprotected field has been modified

Table 5. 5250 Field Attributes

Bit Position (0 is least significant bit)	Meaning
7	Always "1"
6	0 Nondisplay 1 Display
5	0 Unprotected 1 Protected
4	0 Normal intensity 1 High intensity
3, 2, 1	0, 0, 0 Alphanumeric data 0, 0, 1 Alpha only 0, 1, 0 Numeric shift 0, 1, 1 Numeric data plus numeric specials 1, 0, 1 Numeric only 1, 1, 0 Magnetic stripe reading device data only 1, 1, 1 Signed numeric only
0	0 Field has not been modified 1 Unprotected field has been modified

Table 6 defines the various mask values:

Table 6. Mask Values

Mnemonic	Mask	Description
FATTR_MDT	0x01	Modified field
FATTR_PEN_MASK	0x0C	Pen detectable field
FATTR_BRIGHT	0x08	Intensified field
FATTR_DISPLAY	0x0C	Visible field
FATTR_ALPHA	0x10	Alphanumeric field

Table 6. Mask Values (continued)

Mnemonic	Mask	Description
FATTR_NUMERIC	0x10	Numeric only field
FATTR_PROTECTED	0x20	Protected field
FATTR_PRESENT	0x80	Field attribute present
FATTR_52_BRIGHT	0x10	5250 intensified field
FATTR_52_DISP	0x40	5250 visible field

ColorPlane

The color plane contains color information for each character of the presentation space. The foreground and background color of each character is represented as it is specified in the host data stream. The colors in the color plane are not modified by any color display mapping of the emulator window. Each byte of the color plane contains the following color information.

Table 7. Color Plane Information

Bit Position (0 is least significant bit)	Meaning
7 - 4	<p>Background character color</p> <p>0x0 Blank</p> <p>0x1 Blue</p> <p>0x2 Green</p> <p>0x3 Cyan</p> <p>0x4 Red</p> <p>0x5 Magenta</p> <p>0x6 Brown (3270), Yellow (5250)</p> <p>0x7 White</p>

Table 7. Color Plane Information (continued)

Bit Position (0 is least significant bit)	Meaning
3-0	Foreground character color
	0x0 Blank
	0x1 Blue
	0x2 Green
	0x3 Cyan
	0x4 Red
	0x5 Magenta
	0x6 Brown (3270), Yellow (5250)
	0x7 White (normal intensity)
	0x8 Gray
	0x9 Light blue
	0xA Light green
	0xB Light cyan
	0xC Light red
	0xD Light magenta
	0xE Yellow
	0xF White (high intensity)

ExfieldPlane

This plane contains extended character attribute data.

This plane is a sparse-array of extended character attribute values. All values in the array are binary zero except for character in the presentation space for which the host has specified extended character attributes. The meaning of the extended character attribute values are as follows.

Table 8. 3270 Extended Character Attributes

Bit Position (0 is least significant bit)	Meaning
7, 6	Character highlighting
	0, 0 Normal
	0, 1 Blink
	1, 0 Reverse video
	1, 1 Underline

Table 8. 3270 Extended Character Attributes (continued)

Bit Position (0 is least significant bit)	Meaning
5, 4, 3	Character color 0, 0, 0 Default 0, 0, 1 Blue 0, 1, 0 Red 0, 1, 1 Pink 1, 0, 0 Green 1, 0, 1 Turquoise 1, 1, 0 Yellow 1, 1, 1 White
2, 1	Character attribute 00 Default 11 Double byte character
0	Reserved

Table 9. 5250 Extended Character Attributes

Bit Position (0 is least significant bit)	Meaning
7	0 Normal image 1 Reverse image
6	0 No underline 1 Underline
5	0 No blink 1 Blink
4	0 No column separator 1 Column separator
3, 2, 1, 0	Reserved

Appendix C. Notices

References in this publication to IBM products, programs, or services do not imply that IBM intends to make them available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Subject to IBM's valid intellectual property or other legally protectable rights, any functionally equivalent product, program, or service may be used instead of the IBM product, program, or service. The evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, are the responsibility of the user.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
500 Columbus Avenue
Thornwood, New York 10594
USA

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

Site Counsel
IBM Corporation
P.O. Box 12195
3039 Cornwallis Road
Research Triangle Park, NC
27709-2195
USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement.

This document is not intended for production use and is furnished as is without any warranty of any kind, and all warranties are hereby disclaimed including the warranties of merchantability and fitness for a particular purpose.

Trademarks

The following terms are trademarks of the IBM Corporation in the United States, or other countries, or both:

IBM
VisualAge

Lotus, Notes, SmartSuite, and 1-2-3 are trademarks of Lotus Development Corporation in the United States, other countries, or both.

Java, JavaBeans, and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Lotus, Notes, and SmartSuite are trademarks of the Lotus Development Corporation in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

Index

A

- autECLConnList
 - class description 200
 - methods
 - Collection Element Methods 204
 - FindConnectionByHandle 204
 - FindConnectionByName 205
 - Refresh 204
 - StartCommunication 205
 - StopCommunication 206
 - properties
 - APIEnabled 203
 - CodePage 202
 - CommStarted 203
 - ConnType 202
 - Count 201
 - Handle 201
 - Name 201
 - overview 201
 - Ready 203
 - Started 202
- autECLConnMgr
 - class description 206
 - events
 - event processing example 210
 - NotifyStartError 210
 - NotifyStartEvent 209
 - NotifyStartStop 210
 - overview 209
 - methods
 - RegisterStartEvent 207
 - StartConnection 207
 - StopConnection 208
 - UnRegisterStartEvent 207
 - properties, autECLConnList 206
- autECLFieldList
 - class description 211
 - methods
 - Collection Element Methods 216
 - FindFieldByRowCol 216
 - FindFieldByText 217
 - GetText 218
 - overview 216
 - Refresh 216
 - SetText 218
 - properties
 - Count 211
 - Display 215
 - EndCol 213
 - EndRow 212
 - HighIntensity 214
 - Length 213
 - Modified 213
 - Numeric 214
 - overview 211
 - PenDetectable 215
 - Protected 214
 - StartCol 212
 - StartRow 212
- autECLOIA
 - class description 219
- autECLOIA (continued)
 - events
 - event processing example 232
 - NotifyCommError 232
 - NotifyCommEvent 232
 - NotifyCommStop 232
 - overview 231
 - methods
 - CancelWaits 231
 - overview 226
 - RegisterCommEvent 226
 - SetConnectionByHandle 228
 - SetConnectionByName 227
 - StartCommunication 228
 - StopCommunication 229
 - UnregisterCommEvent 227
 - WaitForAppAvailable 230
 - WaitForInputReady 229
 - WaitForSystemAvailable 230
 - WaitForTransition 231
 - properties
 - Alphanumeric 220
 - APIEnabled 225
 - APL 220
 - CapsLock 222
 - CodePage 224
 - CommErrorReminder 222
 - CommStarted 225
 - ConnType 224
 - DBCS 221
 - Handle 224
 - Hiragana 221
 - InputInhibited 223
 - InsertMode 222
 - Katakana 220
 - MessageWaiting 223
 - Name 223
 - Numeric 221
 - NumLock 226
 - overview 219
 - Ready 226
 - Started 225
 - UpperShift 221
- autECLPageSettings
 - class description 304
 - methods 311
 - RestoreTextDefaults 311
 - SetConnectionByHandle 312
 - SetConnectionByName 312
 - properties 305
 - APIEnabled 310
 - CodePage 309
 - CommStarted 310
 - ConnType 309
 - CPI 305
 - FaceName 307
 - FontCPI 306
 - FontLPI 306
 - FontSize 307
 - Handle 308
 - LPI 306

autECLPageSettings (continued)

properties (continued)
MaxCharsPerLine 308
MaxLinesPerPage 307
Name 308
Ready 311
Started 309

autECLPrinterSettings

class description 313
methods 320
SetConnectionByHandle 325
SetConnectionByName 324
SetPDTMode 320
SetPrtToDskAppend 321
SetPrtToDskSeparate 322
SetSpecificPrinter 323
SetWinDefaultPrinter 324

properties 314

APIEnabled 319
CodePage 318
CommStarted 319
ConnType 318
Handle 317
Name 317
PDTFile 314
PDTMode 314
Printer 315
PrintMode 315
PromptDialogOption 317
PrtToDskAppendFile 316
PrtToDskSeparateFile 316
Ready 320
Started 319

autECLPS

class description 233

events

event processing example 259
NotifyCommError 259
NotifyCommEvent 258
NotifyCommStop 259
NotifyKeyError 258
NotifyKeysEvent 257
NotifyKeyStop 259
NotifyPsError 258
NotifyPSEvent 257
NotifyPSStop 259
overview 257

methods

GetText 243
GetTextRect 245
overview 238
RegisterCommEvent 239
RegisterKeyEvent 239
RegisterPSEvent 238
SearchText 242
SendKeys 242
SetConnectionByHandle 241
SetConnectionByName 240
SetCursorPos 241
SetText 244
StarMacro 247
StartCommunication 246
StopCommunication 246
UnregisterCommEvent 240
UnregisterKeyEvent 239
UnregisterPSEvent 239

autECLPS (continued)

properties

APIEnabled 237
autECLFieldList 234
CodePage 236
CommStarted 236
ConnType 235
CursorPosCol 235
CursorPosRow 234
Handle 235
Name 235
NumCols 234
NumRows 234
overview 233
Ready 237
Started 236

wait functions

CancelWaits 257
Wait 247
WaitForAttrib 253
WaitForCursor 248
WaitForScreen 255
WaitForString 249
WaitForStringInRect 251
WaitWhileAttrib 254
WaitWhileCursor 249
WaitWhileScreen 256
WaitWhileString 250
WaitWhileStringInRect 252

autECLScreenDesc

class description 261

methods

AddAttrib 261
AddCursorPos 262
AddNumFields 263
AddNumInputFields 263
AddOIAInhibitStatus 264
AddString 265
AddStringInRect 265
Clear 266
overview 261

autECLScreenReco

class description 267

events

event processing example 270
NotifyRecoError 270
NotifyRecoEvent 269
NotifyRecoStop 270
overview 269

methods

AddPS 267
IsMatch 268
overview 267
RegisterScreen 268
RemovePS 269
UnregisterScreen 269

autECLSession

class description 271

events

event processing example 280
NotifyCommError 280
NotifyCommEvent 280
NotifyCommStop 280
overview 279

methods

overview 276
RegisterCommEvent 277

autECLSession (continued)
 methods (continued)
 RegisterSessionEvent 276
 SetConnectionByHandle 278
 SetConnectionByName 277
 StartCommunication 278
 StopCommunication 279
 UnregisterCommEvent 277
 UnregisterSessionEvent 277
 properties
 APIEnabled 274
 autECLIOIA object 275
 autECLPageSettings object 275
 autECLPrinterSettings object 276
 autECLPS object 274
 autECLWinMetrics object 275
 autECLXfer object 275
 CodePage 273
 CommStarted 273
 ConnType 272
 Handle 272
 Name 272
 overview 271
 Ready 274
 Started 273
 autECLWinMetrics
 class description 281
 events
 event processing example 293
 NotifyCommError 292
 NotifyCommEvent 292
 NotifyCommStop 292
 overview 292
 methods
 GetWindowRect 290
 overview 288
 RegisterCommEvent 288
 SetConnectionByHandle 289
 SetConnectionByName 289
 SetWindowRect 290
 StartCommunication 291
 StopCommunication 291
 UnregisterCommEvent 288
 properties
 Active 284
 APIEnabled 287
 CodePage 286
 CommStarted 287
 ConnType 286
 Handle 286
 Height 283
 Maximized 285
 Minimized 284
 Name 285
 overview 281
 Ready 288
 Restored 285
 Started 287
 Visible 284
 Width 283
 WindowTitle 282
 Xpos 282
 Ypos 283
 autECLXfer
 class description 293
 events
 event processing example 302

autECLXfer (continued)
 events (continued)
 NotifyCommError 301
 NotifyCommEvent 301
 NotifyCommStop 302
 overview 301
 methods
 overview 296
 ReceiveFile 299
 RegisterCommEvent 297
 SendFile 298
 SetConnectionByHandle 298
 SetConnectionByName 297
 StartCommunication 300
 StopCommunication 300
 UnregisterCommEvent 297
 properties
 APIEnabled 296
 CodePage 295
 CommStarted 295
 ConnType 294
 Handle 294
 Name 294
 overview 294
 Ready 296
 Started 295
 autSystem
 class description 302
 methods
 overview 302
 Shell 303

B

Building C++ ECL Programs
 description 13
 Microsoft Visual C++ 14

C

ColorPlane 405
 Count 333

E

ECL Concepts
 Addressing 5
 Connections, Handles and Names 3
 ECL Container Objects 4
 ECL List Objects 4
 Error Handling 5
 Events 4
 Sessions 3
 ECL Planes 403
 ECLBase
 class description 15
 methods
 ConvertHandle2ShortName 16
 ConvertPos 18
 ConvertShortName2Handle 16
 ConvertTypeToString 17
 GetVersion 15
 overview 15
 ECLCommNotify
 class description 43
 derivation 44

ECLCommNotify (*continued*)

methods

NotifyError 46
NotifyEvent 46
NotifyStop 47
overview 46

ECLConnection

class description 19

derivation 19

methods

ECLConnection Constructor 19
ECLConnection Destructor 20
GetCodePage 21
GetConnType 22
GetEncryptionLevel 24
GetHandle 21
GetName 23
IsAPIEnabled 26
IsCommStarted 26
IsDBCSHost 28
IsReady 27
IsStarted 25
overview 19
RegisterCommEvent 29
StartCommunication 28
StopCommunication 29
UnregisterCommEvent 30

ECLConnList

class description 31

derivation 31

methods

ECLConnList Constructor 32
ECLConnList Destructor 32
FindConnection 35
GetCount 36
GetFirstConnection 33
GetNextConnection 34
overview 32
Refresh 36

ECLConnMgr

class description 37

derivation 37

methods

ECLConnMgr Constructor 37
ECLConnMgr Deconstructor 38
GetConnList 39
overview 37
RegisterStartEvent 42
StartConnection 39
StopConnection 40
UnregisterStartEvent 42

ECLErr

class description 47

derivation 47

methods

GetMsgNumber 47
GetMsgText 49
GetReasonCode 48
overview 47

ECLField

class description 50

derivation 50

Japanese, 1390/1399 code page

GetScreen 59
SetText 60

methods

GetAttribute 63

ECLField (*continued*)

methods (*continued*)

GetEnd 55
GetEndCol 57
GetEndRow 56
GetLength 58
GetScreen 58
GetStart 52
GetStartCol 54
GetStartRow 53
IsDisplay 61
IsHighIntensity 61
IsModified 61
IsNumeric 61
IsPenDetectable 61
IsProtected 61
overview 52
SetText 60

ECLFieldList

class description 64

derivation 64

methods

FindField 68
GetFieldCount 66
GetFirstField 66
GetNextField 67
overview 65
Refresh 65

properties 64

ECLKeyNotify

class description 70

derivation 71

methods

NotifyError 74
NotifyEvent 73
NotifyStop 74
overview 73

ECLListener

class description 75

derivation 75

ECLOIA

class description 75

derivation 75

methods

ECLOIA Constructor 76
GetStatusFlags 85
InputInhibited 84
IsAlphanumeric 77
IsAPL 77
IsCapsLock 81
IsCommErrorReminder 82
IsDBCS 79
IsHiragana 78
IsInsertMode 81
IsKatakana 78
IsMessageWaiting 82
IsNumeric 80
IsUpperShift 79
overview 75
RegisterOIAEvent 86
UnregisterOIAEvent 86

wait functions

WaitForAppAvailable 83
WaitForInputReady 83
WaitForSystemAvailable 83
WaitForTransition 84

- ECLOIANotify
 - class description 87
 - derivation 87
 - methods
 - NotifyError 88
 - NotifyEvent 88
 - NotifyStop 88
 - overview 87
- ECLPageSettings
 - class description 176
 - derivation 176
 - methods 177
 - ECLPageSettings Constructor 178
 - GetCPI 179
 - GetFontFaceName 182
 - GetFontSize 183
 - GetLPI 180
 - GetMaxCharsPerLine 184
 - GetMaxLinesPerPage 184
 - IsFontCPI 179
 - IsFontLPI 181
 - RestoreDefaults 185
 - SetCPI 178
 - SetFontFaceName 181
 - SetFontSize 182
 - SetLPI 180
 - SetMaxCharsPerLine 184
 - SetMaxLinesPerPage 183
 - properties 176
 - usage notes 176
- ECLPrinterSettings
 - class description 185
 - derivation 185
 - methods 186
 - ECLPrinterSettings Constructor 187
 - GetPDFile 188
 - GetPrinterName 195
 - GetPrintMode 190
 - GetPrtToDskAppendFile 192
 - GetPrtToDskSeparateFile 193
 - IsPDTMode 189
 - IsPromptDialogEnabled 196
 - SetPDTMode 187
 - SetPromptDialog 196
 - SetPrtToDskAppend 191
 - SetPrtToDskSeparate 192
 - SetSpecificPrinter 194
 - SetWinDefaultPrinter 194
 - properties 186
 - usage notes 186
- ECLPS
 - class description 89
 - derivation 89
 - Japanese, 1390/1399 code page
 - GetScreen 104
 - methods
 - ConvertPosToCol 110
 - ConvertPosToRow 109
 - ConvertPosToRowCol 108
 - ConvertRowColToPos 109
 - ECLPS Constructor 91
 - ECLPS Destructor 92
 - GetCursorPos 95
 - GetCursorPosCol 97
 - GetCursorPosRow 96
 - GetFieldList 112
 - GetHostCodePage 93
- ECLPS (*continued*)
 - methods (*continued*)
 - GetOSCodePage 93
 - GetPCCodePage 93
 - GetScreen 102
 - GetScreenRect 105
 - GetSize 93
 - GetSizeCols 95
 - GetSizeRows 94
 - overview 89
 - RegisterKeyEvent 111
 - RegisterPSEvent 121
 - SearchText 100
 - SendKeys 98
 - SetCursorPos 98
 - SetText 107
 - StartMacro 122
 - UnregisterKeyEvent 112
 - UnregisterPSEvent 123
 - properties 89
- ECLPS Field
 - Japanese, 1390/1399 code page
 - SearchText 101
 - SendKeys 99
- ECLPSEvent
 - class description 123
 - derivation 124
 - methods
 - GetEnd 125
 - GetEndCol 126
 - GetEndRow 126
 - GetPS 124
 - GetStart 125
 - GetStartCol 126
 - GetStartRow 125
 - GetType 125
 - overview 124
- ECLPSListener
 - class description 127
 - derivation 127
 - methods
 - NotifyError 128
 - NotifyEvent 128
 - NotifyStop 129
 - overview 128
- ECLPSNotify
 - class description 129
 - derivation 130
 - methods
 - NotifyError 131
 - NotifyEvent 130
 - NotifyStop 131
 - overview 130
- ECLRecoNotify
 - class description 132
 - derivation 132
 - methods
 - ECLNotify Deconstructor 132
 - ECLRecoNotify Constructor 132
 - NotifyError 133
 - NotifyEvent 133
 - NotifyStop 133
 - overview 132
- ECLScreenDesc
 - class description 134
 - derivation 134

ECLScreenDesc (*continued*)
 methods
 AddAttrib 135
 AddCursorPos 136
 AddNumFields 137
 AddNumInputFields 137
 AddOIAInhibitStatus 138
 AddString 138
 AddStringInRect 139
 Clear 140
 ECLScreenDesc Constructor 134
 ECLScreenDesc Destructor 135
 overview 134

ECLScreenReco Class 140

ECLSession
 class description 144
 derivation 144
 methods
 ECLSession Constructor 145
 ECLSession Destructor 146
 GetOIA 147
 GetPageSettings 149
 GetPrinterSettings 149
 GetPS 146
 GetWinMetrics 148
 GetXfer 147
 overview 145
 RegisterUpdateEvent 150
 UnregisterUpdateEvent 150

ECLStartNotify
 class description 150
 derivation 151
 methods
 NotifyError 153
 NotifyEvent 153
 NotifyStop 154
 overview 153

ECLUpdateNotify
 class description 154

ECLWinMetrics
 class description 154
 derivation 154
 methods
 Active 167
 ECLWinMetrics Constructor 156
 ECLWinMetrics Destructor 156
 GetHeight 163
 GetWidth 161
 GetWindowRect 164
 GetWindowTitle 157
 GetXpos 158
 GetYpos 160
 IsMaximized 169
 IsMinimized 168
 IsRestored 170
 IsVisible 166
 overview 155
 SetActive 167
 SetHeight 164
 SetMaximized 170
 SetMinimized 169
 SetRestored 171
 SetVisible 166
 SetWidth 162
 SetWindowRect 165
 SetWindowTitle 158
 SetXpos 159

ECLWinMetrics (*continued*)
 methods (*continued*)
 SetYpos 161

ECLXfer
 class description 171
 derivation 171
 methods
 ECLXfer Constructor 172
 ECLXfer Destructor 173
 overview 172
 ReceiveFile 175
 SendFile 173

ELLHAPI, migrating from
 Events 8
 Execution/Language Interface 6
 Features 6
 Presentation Space Models 8
 PS Connect/Disconnect, Multithreading 9
 SendKey Interface 8
 Session IDs 7

ExtendedFieldPlane 406

F

FieldPlane 403

J

Japanese, 1390/1399 code page
 GetScreen, ECLField 59
 GetScreen, ECLPS 104
 overview 2
 SearchText, ECLPS 101
 SendKeys, ECLPS 99
 SetText, ECLField 60

Java, Host Access Class Library 395

K

keywords 399

L

IsxECLConnection
 class description 328
 methods
 overview 331
 StartCommunication 331
 StopCommunication 332
 properties
 APIEnabled 331
 CodePage 330
 CommStarted 330
 ConnType 329
 Handle 329
 Name 329
 overview 329
 Ready 331
 Started 330

IsxECLConnList
 class description 332
 methods
 FindConnectionByHandle 334
 FindConnectionByName 334
 overview 333

- lsxECLConnList *(continued)*
 - methods *(continued)*
 - Refresh 333
 - properties, Count 333
- lsxECLConnMgr
 - class description 335
 - methods
 - overview 335
 - StartConnection 335
 - StopConnection 336
 - properties, lsxECLConnList 335
- lsxECLField
 - class description 337
 - methods
 - GetText 341
 - overview 340
 - SetText 341
 - properties
 - Display 340
 - EndCol 338
 - EndRow 338
 - HighIntensity 340
 - Length 339
 - Modified 339
 - Numeric 339
 - overview 337
 - PenDetectable 340
 - Protected 339
 - StartCol 338
 - StartRow 338
- lsxECLFieldList
 - class description 342
 - methods
 - FindFieldByRowCol 343
 - FindFieldByText 343
 - overview 342
 - Refresh 342
 - properties, Count 342
- lsxECLIOA
 - class description 344
 - methods
 - overview 351
 - WaitForAppAvailable 352
 - WaitForInputReady 351
 - WaitForSystemAvailable 351
 - WaitForTransition 352
 - properties
 - Alphanumeric 346
 - APIEnabled 350
 - APL 346
 - CapsLock 347
 - CodePage 349
 - CommErrorReminder 347
 - CommStarted 350
 - ConnType 349
 - DBCS 346
 - Handle 349
 - Hiragana 346
 - InputInhibited 348
 - InsertMode 347
 - Katakana 346
 - MessageWaiting 348
 - Name 348
 - Numeric 347
 - overview 345
 - Ready 350
 - Started 350
- lsxECLIOA *(continued)*
 - properties *(continued)*
 - UpperShift 347
- lsxECLPS
 - class description 353
 - description 327
 - methods
 - GetText 360
 - GetTextRect 362
 - overview 358
 - SearchText 359
 - SendKeys 359
 - SetCursorPos 358
 - SetText 361
 - WaitForAttrib 367
 - WaitForCursor 362
 - WaitForScreen 369
 - WaitForString 364
 - WaitForStringInRect 366
 - WaitWhileAttrib 368
 - WaitWhileScreen 370
 - WaitWhileString 365
 - WaitWhileStringInRect 366
 - WaitWhileCursor 363
 - properties
 - APIEnabled 357
 - CodePage 356
 - CommStarted 356
 - ConnType 355
 - CursorPosCol 355
 - CursorPosRow 354
 - Handle 355
 - lsxECLFieldList 355
 - Name 355
 - NumCols 354
 - NumRows 354
 - overview 354
 - Ready 357
 - Started 356
- lsxECLScreenDesc
 - class description 372
 - methods
 - AddAttrib 372
 - AddCursorPos 373
 - AddInputFields 374
 - AddNumFields 373
 - AddOIAInhibitStatus 374
 - AddString 375
 - AddStringInRect 376
 - Clear 376
 - overview 372
- lsxECLScreenReco
 - class description 371
 - methods, IsMatch 371
- lsxECLSession
 - class description 377
 - methods, overview 381
 - properties
 - APIEnabled 380
 - CodePage 379
 - CommStarted 380
 - ConnType 379
 - Handle 378
 - lsxCLWinMetrics 381
 - lsxECLIOA 381
 - lsxECLPS 380
 - lsxECLXfer 381

- lsxECLSession *(continued)*
 - properties *(continued)*
 - Name 378
 - overview 378
 - Ready 380
 - Started 379
- lsxECLWinMetrics
 - class description 381
 - methods
 - GetWindowRect 387
 - overview 387
 - SetWindowRect 388
 - properties
 - Active 384
 - APIEnabled 386
 - CodePage 386
 - CommStarted 386
 - ConnType 385
 - Handle 385
 - Height 383
 - Maximized 384
 - Minimized 384
 - Name 385
 - overview 382
 - Ready 387
 - Restored 385
 - Started 386
 - Visible 384
 - Width 383
 - WindowTitle 383
 - Xpos 383
 - Ypos 383
- lsxECLXfer
 - class description 388
 - methods
 - overview 391
 - ReceiveFile 392
 - SendFile 391
 - properties
 - APIEnabled 391
 - CodePage 390
 - CommStarted 391
 - ConnType 390
 - Handle 390
 - Name 389
 - overview 389
 - Ready 391
 - Started 390

M

- Migrating from EHLLAPI
 - Events 8
 - Execution/Language Interface 6
 - Features 6
 - Presentation Space Models 8
 - PS Connect/Disconnect, Multithreading 9
 - SendKey Interface 8
 - Session IDs 7
- mnemonic 399

O

- objects, automation
 - autECLConnList 200
 - autECLConnMgr 206

- objects, automation *(continued)*
 - autECLFieldList 211
 - autECLIOIA 219
 - autECLPageSettings 275
 - autECLPrinterSettings 276
 - autECLPS 233
 - autECLScreenDesc 261
 - autECLScreenReco 267
 - autECLSession 271
 - autECLWinMetrics 281
 - autECLXfer 293
 - autSystem 302
 - description 199
- objects, C++
 - description 11
 - ECLBase 15
 - ECLCommNotify 43
 - ECLConnection 19
 - ECLConnList 31
 - ECLConnMgr 37
 - ECLErr 47
 - ECLField 50
 - ECLFieldList 64
 - ECLKeyNotify 70
 - ECLListener 75
 - ECLOIA 75
 - ECLOIANotify 87
 - ECLPS 89
 - ECLPSEvent 123
 - ECLPSListener 127
 - ECLPSNotify 129
 - ECLRecoNotify 132
 - ECLScreenDesc 134
 - ECLScreenReco 140
 - ECLSession 144
 - ECLStartNotify 150
 - ECLXfer 171
- objects, LotusScript
 - lsxECLConnection 328
 - lsxECLConnList 332
 - lsxECLConnMgr 335
 - lsxECLField 337
 - lsxECLFieldList 342
 - lsxECLIOIA 344
 - lsxECLPS 353
 - lsxECLScreenDesc 372
 - lsxECLScreenReco 371
 - lsxECLSession 377
 - lsxECLWinMetrics 381
 - lsxECLXfer 388

S

- Sendkeys mnemonic keywords 399

T

- TextPlane 403

U

- Unicode, 1390/1399 code page
 - GetScreen, ECLField 59
 - GetScreen, ECLPS 104
 - overview 2
 - SearchText, ECLPS 101

Unicode, 1390/1399 code page *(continued)*

SendKeys, ECLPS 99

SetText, ECLField 60



Product Number: 5639-I70

Printed in USA

SC31-8685-08

