

IBM Workload Automation



Developer's Guide: Driving IBM Workload Automation

Version 9 Release 4

IBM Workload Automation



Developer's Guide: Driving IBM Workload Automation

Version 9 Release 4

Note

Before using this information and the product it supports, read the information in "Notices" on page 83.

Contents

Figures v

Tables vii

About this guide. ix

What is new in this release ix

Who should read this publication ix

Accessibility x

Technical training. x

Support information. x

Chapter 1. Introduction to driving IBM Workload Automation 1

Chapter 2. Integration Workbench 3

Installing the Integration Workbench 3

Using the Integration Workbench help. 3

Chapter 3. Driving IBM Workload Automation with the Java API 5

Naming conventions. 5

API detailed specification 5

IBM Workload Scheduler API projects 5

 Java source tree (src). 6

 Java libraries 7

 Other project folders. 7

 build.xml 7

 Creating a project from scratch 7

 Creating a project from an API example 8

 Example IBM Workload Scheduler API project 9

Connecting to the products 10

Examples for IBM Workload Scheduler 11

 Working with objects in the database 11

 Working with objects in the plan 13

 Working with event rules in the database 15

Examples for IBM Workload Scheduler for z/OS 17

 Example 5: Adding a job stream to the plan after modifying its contents. 20

 Using the API to work with z/OS JCL 28

Reference material 30

Further information 30

Chapter 4. Driving IBM Workload Scheduler with REST API. 33

Chapter 5. Driving IBM Workload Automation with the Web services interface 35

Web services for IBM Workload Scheduler 36

Web services for IBM Workload Scheduler for z/OS 37

Web services management 37

 Accessing the services. 38

 Identifying the correct master domain manager 39

 Managing errors. 39

SchedulingFactory Web services 40

 SchedulingFactory web services for IBM

 Workload Scheduler 40

 SchedulingFactory web services for IBM

 Workload Scheduler for z/OS 48

JobService details 64

 JobService web services for IBM Workload

 Scheduler 65

 JobService web services for IBM Workload

 Scheduler for z/OS. 69

JobStreamService details 72

 JobStreamService web services for IBM Workload

 Scheduler 72

 JobStreamService web services for IBM Workload

 Scheduler for z/OS. 79

Further information 82

Notices 83

Trademarks 85

Terms and conditions for product documentation. 85

Index 87

Figures

Tables

1. Available services in the SchedulingFactory Web services interface for IBM Workload Scheduler 36
2. Available services in the JobService Web services interface for IBM Workload Scheduler . 36
3. Available services in the JobStreamService Web services interface for IBM Workload Scheduler . 36
4. Available services in the SchedulingFactory Web services interface for IBM Workload Scheduler for z/OS 37
5. Available services in the JobService Web services interface for IBM Workload Scheduler for z/OS 37
6. Available services in the JobStreamService Web services interface for IBM Workload Scheduler for z/OS 37
7. Properties to set for added, modified, and deleted jobs in the ZOSJob elements. 60

About this guide

Provides an overview of the guide, with information about changes made to it since the last release, and who should read it. It also supplies information about obtaining resources and support from IBM.

Developer's Guide: Driving IBM Workload Automation introduces you to the application programming interfaces available to drive IBM Workload Automation products from your own applications.

It also describes how to use the Integration Workbench provided with the product to develop and implement these application programming interfaces.

For example, with the information in this publication, and the associated help in the Integration Workbench, you can have your application generate one or more jobs and a job stream, submit the job stream to the plan, monitor its progress, and delete the created objects on successful completion; all without manually running **composer**, **conman** or the Dynamic Workload Console.

What is new in this release

Learn what is new in this release.

For information about the new or changed functions in this release, see *IBM Workload Automation: Overview*, section *Summary of enhancements*.

For information about the APARs that this release addresses, see the IBM Workload Scheduler Release Notes at <http://www-01.ibm.com/support/docview.wss?rs=672&uid=swg27048863> and the Dynamic Workload Console Release Notes at <http://www-01.ibm.com/support/docview.wss?rs=672&uid=swg27048864>.

= New or changed content is marked with revision bars. For the PDF format, new or
= changed V9.4 content is marked in the left margin with a pipe (|) character and
= new or changed V9.4FP1 content is marked with an equal sign (=).

Who should read this publication

Describes the type of user who should read the documentation.

This publication provides information about how to create alternative interfaces to IBM Workload Scheduler and IBM Workload Scheduler for z/OS than those provided with the product.

The reader of this book should be an *application programmer* expert in Java™ or web services (as appropriate), who has a reasonable understanding of the IBM Workload Automation infrastructure and its inter-component interactions, or the manager of such a person, who wants to better understand what you can achieve using the application programming interfaces.

The publication assumes that the application programmer is experienced at creating these types of interface. It also assumes that any product knowledge required to program the API or the web services interface is obtained from the

product documentation. This publication does not attempt to explain any of the IBM Workload Automation concepts, procedures, and practices to which it refers.

This book also contains information useful to the *IT administrator* and the *IBM Workload Automation IT administrator*, for planning purposes.

Accessibility

Accessibility features help users with a physical disability, such as restricted mobility or limited vision, to use software products successfully.

With this product, you can use assistive technologies to hear and navigate the interface. You can also use the keyboard instead of the mouse to operate all features of the graphical user interface.

For full information, see the Accessibility Appendix in the *IBM Workload Scheduler User's Guide and Reference*.

Technical training

Cloud & Smarter Infrastructure provides technical training.

For Cloud & Smarter Infrastructure technical training information, see:
<http://www.ibm.com/software/tivoli/education>

Support information

IBM provides several ways for you to obtain support when you encounter a problem.

If you have a problem with your IBM software, you want to resolve it quickly. IBM provides the following ways for you to obtain the support you need:

- Searching knowledge bases: You can search across a large collection of known problems and workarounds, Technotes, and other information.
- Obtaining fixes: You can locate the latest fixes that are already available for your product.
- Contacting IBM Software Support: If you still cannot solve your problem, and you need to work with someone from IBM, you can use a variety of ways to contact IBM Software Support.

For more information about these three ways of resolving problems, see the appendix about support information in *IBM Workload Scheduler: Troubleshooting Guide*.

Chapter 1. Introduction to driving IBM Workload Automation

Provides an overview of the entire publication.

IBM Workload Scheduler *Developer's Guide: Driving IBM Workload Automation* describes two application programming interfaces which you can use to drive IBM Workload Automation products from your own applications:

- Use the Java application programming interface to create your own GUI or command-line interface to perform all the functions of the command-line programs **composer**, **conman**, and **planman** and the Dynamic Workload Console. This includes performing the following tasks in IBM Workload Scheduler and IBM Workload Scheduler for z/OS:
 - Modifying objects in the database
 - Submitting workload
 - Monitoring the plan
 - Performing actions on the plan, such as remedial actions in the event that a job fails
- Use the web services interface to create your own web client application to perform a subset of IBM Workload Scheduler and IBM Workload Scheduler for z/OS functions to manage jobs and job streams in the plan. Neither database actions nor other plan actions can be implemented and invoked using this interface.

You can use the IBM Workload Automation Software Development Kit's Integration Workbench provided with the product to develop and implement these application programming interfaces.

The information about the application programming interfaces is organized as follows:

- Chapter 2, "Integration Workbench," on page 3
- Chapter 3, "Driving IBM Workload Automation with the Java API," on page 5
- Chapter 5, "Driving IBM Workload Automation with the Web services interface," on page 35

Chapter 2. Integration Workbench

Describes the Integration Workbench of the Software Development Kit.

IBM Workload Automation: Software Development Kit comes with an Integration Workbench which you can use to work with the Java application programming interface and the web services interface to develop your own applications.

This section tells you how to install and use the Integration Workbench help. The help contains detailed information on the tasks you can perform with the Integration Workbench, and the detailed reference information on the methods and classes available:

Installing the Integration Workbench

Gives an overview of the Integration Workbench installation.

The Integration Workbench (part of the Software Development Kit - SDK) runs under Eclipse. The installation, which is fully described in the *IBM Workload Scheduler: Planning and Installation, SC32-1273*, gives you the opportunity to install the Integration Workbench and a bundled, supported version of Eclipse in one action, or to install the Integration Workbench as an *Eclipse site* using an existing supported version of Eclipse available in your network.

For information about the workbench and how to run it, see “Using the Integration Workbench help.”

For more information about Eclipse, go to <http://www.eclipse.org/>.

Using the Integration Workbench help

Describes how to access the Integration Workbench help facility for the IBM Workload Scheduler API and plug-in projects.

About this task

To use the Integration Workbench help, do the following:

1. Launch the workbench, as follows:

Integration Workbench installed with Eclipse

UNIX Launch the following file: `<TWS_home>/IntegrationWorkbench/eclipse/eclipse`

Windows

Go to **Start** → **IBM Workload Scheduler** → **IBM Workload Scheduler Integration** → **Integration Workbench**

Integration Workbench installed as Eclipse site

Open your version of Eclipse, as you normally do.

2. Select the location to save your Eclipse workspace. Eclipse requests this every time you run it or the workbench within it, unless you check the option to save a particular location as the default.
3. When the Eclipse window opens, select **Help** → **Help Contents**

4. Expand **IBM Workload Scheduler Integration Workbench**
5. The options displayed provide a variety of information about the IBM Workload Scheduler Integration Workbench. For example, to see details of all the classes and methods employed in the API, expand **Reference** and select **API reference**.

Note: The above information can also be read by opening the following document in a Web browser: `<TWS_home>/TWS/IntegrationWorkbench/readmefirst.html`

Chapter 3. Driving IBM Workload Automation with the Java API

This chapter describes the J2EE Application Programming Interface (API), which uses Enterprise Java Beans to drive IBM Workload Scheduler and IBM Workload Scheduler for z/OS.

You can use the Java API to run all the tasks available in:

- the Dynamic Workload Console
- composer
- conman
- planman

Naming conventions

The naming conventions for the Java objects are quite straightforward. For example, to determine if a specific job definition in the database uses a command or a script, you use a method called `isCommand` in a class called `JobDefinition`.

The most important convention to remember is that an object in the database is differentiated from an object in the plan by the suffix "InPlan" to the object class name.

API detailed specification

Gives information on how the Javadoc API reference help can be accessed.

The full specification for the Java beans can be found in the Javadoc API reference online help. This is where all classes and methods are specified in detail. The full specification for the Java beans can be consulted in one of these ways:

- From the help of the **IBM Workload Scheduler Integration Workbench**, expand **Reference** and select **API reference**
- Open the following HTML file: `<TWA_home>/TWS/APIs/doc/Javadoc/index.html`

To obtain a description of the use of the different panes of the Javadoc API panel, click **Help**.

Classes in the *Deprecated* category should not be used.

IBM Workload Scheduler API projects

Describes API projects.

API projects

The projects here described are intended to connect to an instance of the corresponding version of IBM Workload Scheduler and interact with it using methods provided by Java API.

Structure of an API project

API project Wizards provide a structure containing everything you must need to connect to the required IBM Workload Scheduler instance:

“Java source tree (src)”

Separate directories for the source and class files.

“Java libraries” on page 7

A JRE System library and separate libraries are available for the IBM Workload Scheduler object and runtime jars.

A keys directory

A directory containing *.jks file needed to access through the IBM Workload Scheduler secure login.

A config directory

A directory containing all the configuration files you need to specify to connect to IBM Workload Scheduler.

One or more Java compilation units

A compilation unit includes a class that implements the Java interface for the connection to IBM Workload Scheduler. Another is an empty compilation unit with the classpath already configured and ready to be completed with the program logics you need.

“build.xml” on page 7

A standard ANT build file that you modify to suit your requirements.

Creating API projects

You create API projects in one of two ways:

“Creating a project from scratch” on page 7

You run a wizard, supplying information about what sort of project you want to create.

“Creating a project from an API example” on page 8

From a list of examples you select an API project similar to the project you want to create.

You then edit the new project so that it carries out the required task.

Java source tree (src)

Describes the Java source tree.

When you create an API project, it is set up as a Java project with separate folders for source and class files. The source folder is named src. It contains the Java code of the application.

A few Java classes are also created together with the new project.

Follow the IBM Workload Scheduler Java API reference to understand which method you need to implement. For logging and tracing in your code, use standard JSR-047 Java Logging APIs.

Java libraries

Describes the Java libraries.

IBM Workload Scheduler API projects are created with the following libraries:

Default JRE System library

Even if the default JRE is set by default, remember that the IBM Workload Scheduler event processor runs using IBM JDK version 1.5.

Use of IBM JDK version 1.5 is recommended for IBM Workload Scheduler API projects.

IBM Workload Scheduler library

This library contains all the IBM Workload Scheduler jars needed to implement IBM Workload Scheduler plug-ins or to use IBM Workload Scheduler APIs.

The library also defines the access rules for the classes in the jars: public APIs are defined as Accessible, while internal classes are defined as Discouraged.

IBM Workload Scheduler Runtime library

This library contains all the IBM Workload Scheduler jars needed at runtime by API based applications

Use of discouraged classes will be marked with compiler warnings by default. In any case the use of these classes is not supported.

Additional libraries needed for the plug-in Java code can be copied into the `lib` folder and added to the Java build path.

More details of these libraries are given in the Integration Workbench help.

Related links

Other project folders

Other project folders

Describes the other project folders.

config Use this folder to store additional configuration files (such as property files) that the IBM Workload Scheduler administrator will need to edit for operation.

keys This folder is used to store the *.jks key files needed to connect using the IBM Workload Scheduler secure login.

Java build path

build.xml

Describes the `build.xml` file created for an API project.

This is a standard ANT build file. You can modify it according to your needs.

Collected links

“Other project folders”

Describes the other project folders.

Creating a project from scratch

Describes how to create an API project from scratch.

With the Integration Workbench follow these steps to create API projects from scratch:

1. From the Integration Workbench select **Help → Help Contents**
2. Expand **IBM Workload Scheduler Integration Workbench** and then **Integration workbench**
3. Expand **Driving IBM Workload Automation**
4. Select **Generating an API project**
5. The steps required to create the project are listed. Read them to understand what to do.
6. Follow the instructions to create the project. Integration Workbench creates a library containing all the product jars. Use your knowledge of Java products to create all the necessary coding and infrastructure to run the API.

Creating a project from an API example

Describes how to create an API project from an example.

Using the Integration Workbench you can create projects based on provided examples. Using this method you avoid the need to create the full API project structure from scratch. You choose an example which most approximates your requirements and then modify it accordingly.

To read how to use this facility, follow these steps:

1. From the Integration Workbench select **Help → Help Contents**
2. Expand **IBM Workload Scheduler Integration Workbench** and then **Integration workbench**
3. Expand **Driving IBM Workload Automation**
4. Select **Creating a API project by example**
5. Create the project, following the instructions. Integration Workbench creates a project containing the full infrastructure and code for the chosen API.
6. To understand more about the API, open the project, select **Doc** and double-click **index.htm**

The examples you can choose from

Details the API example projects you can use as a template.

The examples you can select from are as follows:

AddEventRule

Work with event rules in the database.

MakeQueryJobsOnPlan

Work with dynamic scheduling job instances in the plan.

MakeQueryOnPlan

Work with objects in the plan.

MakeZOSQueryOnPlan

Work with objects in the plan for z/OS®.

RerunJobInPlan

Submit a job stream instance into the current plan rerun.


SubmitJobInPlan

Submit a job stream instance into the current plan.

Example IBM Workload Scheduler API project

Provides an example of an IBM Workload Scheduler API project.

The following figure shows the typical structure of a new IBM Workload Scheduler



Java API project:

The structure shown is for a Java API project named AddEventRule.

The Java classes contained in the src folder are described in Java source tree (src).

The Java Build Path of the plug-in project is described in Java build path.

The role and contents of other project folders are described in Other project folders.

The ANT build.xml file is described in build.xml.

- **Java source tree (src)**
- **Java build path**
- **Other project folders**

- build.xml

Connecting to the products

Describes how to implement a connection to the IBM Workload Automation products using the API.

To connect to the products, you need to set the Connection Parameters to connect either to the IBM Workload Scheduler master domain manager (where there is a Connector installed) or to the IBM Workload Scheduler for z/OS connector.

If you have created your project from an example, take the following steps, depending on which engine you are connecting to:

Connecting to the IBM Workload Scheduler master domain manager

1. From the Integration Workbench select your project
2. Expand **Config**
3. Edit the `TWSConfig.properties` file to obtain the correct parameters for your environment. The parameters are as follows:

```
TWSConfig.serverName=  
TWSConfig.serverPort=  
TWSConfig.userID=  
TWSConfig.password=  
TWSConfig.useSecureConnection=  
TWSConfig.serverSecurePort=
```

where the parameters are as follows:

TWSConfig.serverName

The network name or IP address of the system where the IBM Workload Scheduler master domain manager is running (where there is a Connector installed). The default is "localhost".

TWSConfig.serverPort

The port used by the Connector on the master domain manager. The default is 31115.

TWSConfig.userID

The user ID with which the plug-in must authenticate. The default is "twsuser".

TWSConfig.password

The password of that user ID.

TWSConfig.useSecureConnection

Enter "true" to use a secure connection.

TWSConfig.serverSecurePort

If `TWSConfig.useSecureConnection` is set to "true", the secure port used by the Connector on the master domain manager.

Connecting to the IBM Workload Scheduler for z/OS connector

1. From the Integration Workbench select your project
2. Expand **Config**
3. Edit the `TWSConn.properties` file to obtain the correct parameters for your environment. The parameters are as follows:

```
TWSTConn.serverName=  
TWSTConn.serverPort=  
TWSTConn.userID=  
TWSTConn.password=  
TWSTConn.remoteServerName=
```

where the parameters are as follows:

TWSTConn.serverName

The network name or IP address of the system where the z/OS connector is installed. The default is "localhost".

TWSTConn.serverPort

The port used by the z/OS connector. The default is 31115.

TWSTConn.userID

The user ID with which the plug-in must authenticate. The default is "twstuser".

TWSTConn.password

The password of that user ID.

TWSTConn.remoteServerName

The name of the z/OS engine that you want to connect to.

If you have created a project from scratch, create an analogous structure of connection parameters.

Examples for IBM Workload Scheduler

Provides an overview of the examples available of using the Java API for IBM Workload Scheduler.

The following examples help you understand how Java beans are used. The examples are annotated with explanatory comments. In the javadoc reference (see "API detailed specification" on page 5), look up the objects used in the examples to see full details.

The examples are available in these groupings:

Working with objects in the database

Provides examples of using the Java API to work with objects in the database.

The following examples indicate how you use the classes to work with objects in the database:

Example 1: Adding a workstation to the database

```
//Object definition  
String wksName = "MYWS";  
Workstation wks = new Workstation();  
wks.setName(wksName);  
wks.setType(WorkstationType.FTA);  
wks.setOs(OperatingSystem.UNIX);  
wks.setAutoLink(true);  
wks.setNodeName("node.abc.com");  
wks.setSecurityLevel(SecurityLevel.NONE);
```

```
ConnModel myModel;  
//Get an instance of ConnModel interface...  
...
```

```

//Add the object
try
{
    myModel.addTWSObject(wks, null);
}
catch (ConnException e)
{
    //Do something to recover...
}

```

Example 2: Retrieving a workstation from the database

```

Workstation wksRead = new Workstation();
//Get the same workstation from the DB
try
{
    wksRead = (Workstation) myModel.getTWSObject(Workstation.class,
        new FlowTargetKey(wksName), false, null);
}
catch (ConnException e)
{
    //Do something to recover...
}

```

Example 3: Removing a workstation from the database

```

//Remove a workstation from the DB
try
{
    myModel.removeTWSObject(Workstation.class, wksRead.getId(), null);
}
catch (ConnException exc)
{
    //Do something to recover...
}

```

Example 4: Defining a native job definition

```

//Job Definition creation

job0k = new DistJobDefinition();
job0k.setDescription("All values provided");
job0k.setFlowTargetKey(wks);
job0k.setName("JOB1");
job0k.setTaskType("UNIX");
job0k.setTaskString("ls");
job0k.setUserLogin("twc_user");
job0k.setRecoveryOption(RecoveryOption.STOP);

```

Example 5: Defining a job definition by using Jsd1

```

//Job Definition creation with Jsd1

jobPred4 = new DistJobDefinition();
jobPred4.setDescription("All values provided");
jobPred4.setFlowTargetKey(wksAgt);
jobPred4.setName("JSDLJOB");
jobPred4.setDefinedByJsd1(true);
jobPred4.setTaskString("<?xml version=\"1.0\" encoding=\"UTF-8\"?>\" + \"
    <jsd1:jobDefinition xmlns:jsdl=\"http://www.abc.com/xmlns/prod/scheduling
    /1.0/jsdl\" \" + \"xmlns:jsdle=\"http://www.abc.com/xmlns/prod/scheduling/1.0/
    jsdle\">\" + \"<jsd1:application name=\"executable\">\" +
    \"<jsdle:executable interactive=
    \\false\">\" + \"<jsdle:script>hostname</jsdle:script>\" + \"</jsdle:executable>\"
    + \"</jsdl:application>\" + \"</jsdl:jobDefinition>\"");
jobPred4.setRecoveryOption(RecoveryOption.STOP);

```


Example 6: Adding a job stream definition with dependencies, jobs, and runcycle:

```
//Job Stream creation

JobStream js = null;
String jsName = "SBSCDBF1_1S";
String alias = "SBSCDBF1_1S";
js = new JobStream();
js.setName(jsName);
js.setFlowTargetKey(wks);
List<Job> joblist = js.getJobs();

//Jobs creation

Job jobPredecessor = new Job();
jobPredecessor.setName(jobPredName);
jobPredecessor.setJobDefinition(jobPred4);
jobPredecessor.setJobStreamKey((JobStreamKey) js.getKey());
Job jobSuccessor1 = new Job();
jobSuccessor1.setName(jobSucc1Name);
jobSuccessor1.setJobDefinition(jobOk);
jobSuccessor1.setJobStreamKey((JobStreamKey) js.getKey());

//Add Jobs into Job Stream

joblist.add(jobPredecessor);
joblist.add(jobSuccessor1);

//Add Dependencies to jobSuccessor1 from jobPredecessor

InternalDependency depend = new InternalDependency();
depend.setJobKey(new JobKey(jobOkName, (JobStreamKey) js.getKey()));
jobSuccessor1.getInternalDependencies().add(depend);

//Add a run cycle

RunCycle rcy = new RunCycle();
rcy.setCalendarKey(null);
rcy.setDescription("runCycleDescription");
rcy.setFreeDaysRule(FreeDaysRule.NEAREST_AFTER);
rcy.setICalendar("iCalendar");
rcy.setInclusive(false);
rcy.setName("runCycleName");
rcy.setOffsetType(null);
rcy.setOffsetValue(0);
rcy.getTimeRestrictions().setTimeDependent(true);
rcy.getTimeRestrictions().setStartOffset(43200000L);
rcy.getTimeRestrictions().setDeadlineOffset(14400000L);
rcy.getTimeRestrictions().setLatestStartOffset(3600000L);
rcy.getTimeRestrictions().setLatestStartAction(LateAction.CONTINUE);
rcy.setType(RunCycleType.SIMPLE);
rcy.setValidFrom(new Date(time - 86400000L));
rcy.setValidTo(new Date(time + 86400000L));
js.getRunCycles().add(rcy);
```

Working with objects in the plan

Provides examples of using the Java API to work with objects in the plan.

The following examples indicate how you use the classes to work with objects in the plan:

Example 4: Submitting a job stream instance into the current plan

This procedure requires the following main steps:

1. Obtain the required job stream definition from the database

```
ConnPlan myPlan;  
//Get an instance of ConnPlan interface...  
...  
  
String alias = "SBJBF1_1";  
JobStream js = null;  
JobStreamInPlan jsip = null;  
//If you already have a JobStream in the DB with Identifier jsDbID...  
try  
{  
    //get it from the DB  
    js = (JobStream)(myPlan.getTWSObject(JobStream.class,jsDbID,false,null));
```

2. Transform it into a JobStreamInPlan:

```
//Transform it in a JobStreamInPlan.  
//TODAY is a variable representing the scheduled time  
    jsip = myPlan.makeJobStreamInPlan(jsDbID, TODAY, alias, null);  
}  
catch (ConnException e)  
{  
    //Something went wrong...  
}  
catch (ConnEngineNotMasterException e)  
{  
    //Since the makeJobStreamInPlan is available also on FTAs  
    //(it's on the Plan interface), an exception must be thrown  
    //if it is called on an engine that is not the master  
}
```

3. Add the JobStreamInPlan to the plan:

```
List idList = new ArrayList();  
try  
{  
    //Add the job stream to the plan.  
    //This method returns a list of Identifiers because the job stream can be  
    //defined on a Workstation class, so you have an ID for each workstation  
    //of the class  
    idList = (ArrayList)myPlan.addJobStreamInstance(jsip, null);  
}  
catch (ConnException e)  
{  
    //...  
}  
catch (ConnEngineNotMasterException e)  
{  
    //...  
}
```

Example 5: Making a query on the plan

The following example lists the first five jobs that begin with the letter "A":

```
String nameFilter = "A*";  
int howMany = 5;  
  
QueryFilter qf = new QueryFilter();  
qf.setFilter(JobInPlanFilters.JOB_NAME, nameFilter);  
  
QueryResult qr = null;  
try  
{
```

```

        qr = myPlan.queryPlanObject(JobInPlan.class, qf, howMany, null);
    }
    catch (ConnException e)
    {
        //...
    }

```

Working with event rules in the database

Provides examples of using the Java API to work with event rules in the database.

The following examples indicate how you use the classes to work with event rules in the database:

Example 6: Adding an event rule to the database

Follow these steps:

1. Define the event rule:

```

String eventRuleName = "SampleEventRule";
String eventRuleDescription =
    "Define Event Rule; test MessageLoggerPlugIn and TWSObjectsMonitorPlugIn";
Date today = new Date(System.currentTimeMillis());
Date tomorrow = new Date(System.currentTimeMillis() + 86400000L);

```

```
//EventRule definition
```

```

EventRule er = new EventRule();
er.setName(eventRuleName);
er.setDescription(eventRuleDescription);
er.setRuleType(EventRuleType.FILTER);
er.setDraft(false);
er.setValidFrom(today);
er.setValidTo(tomorrow);

```

2. Define the event condition. In this case the condition is a job submission:

```

EventCondition evCond = new EventCondition();
evCond.setPluginName(TWSObjectsMonitorPlugIn.PLUGIN_NAME);
evCond.setEventType(JobUtil.EVENT_JOB_SUBMIT);

```

3. Define the conditions that the event condition has to satisfy to trigger the rule action (the filtering predicate):

```

String filterPred = "<attributeFilter name=\"JobStreamWorkstation\"
                    operator=\"eq\">"
    + "<value>MYWS</value>"
    + "</attributeFilter>"

    + "<attributeFilter name=\"JobStreamName\" operator=\"eq\">"
    + "<value>JS1</value>"
    + "</attributeFilter>"

    + "<attributeFilter name=\"JobName\" operator=\"eq\">"
    + "<value>JOB1</value>"
    + "</attributeFilter>"

    + "<attributeFilter name=\"Workstation\" operator=\"eq\">"
    + "<value>MYHOST</value>"
    + "</attributeFilter>"

    + "<attributeFilter name=\"Priority\" operator=\"range\">"
    + "<value>10</value>"
    + "<value>30</value>"
    + "</attributeFilter>"

    + "<attributeFilter name=\"Monitored\" operator=\"eq\">"
    + "<value>TRUE</value>"

```

```

+ "</attributeFilter>"
+ "<attributeFilter name=\"EstimatedDuration\" operator=\"ge\">"
+ "<value>400</value>"
+ "</attributeFilter>"

+ "<attributeFilter name=\"Login\" operator=\"eq\">"
+ "<value>TWSUser</value>"
+ "</attributeFilter>"

+ "<attributeFilter name=\"EveryFrequency\" operator=\"ge\">"
+ "<value>400</value>"
+ "</attributeFilter>";
4. Complete the event condition:
evCond.setFilteringPredicate(filterPred);
5. Add the event condition to the event rule:
er.getTriggerEvents().add(evCond);
6. Define the rule action. In this example, the rule action logs a message in the
database:
RuleAction action = new RuleAction();
action.setPluginName(MessageLoggerPlugIn.PLUGIN_NAME);
action.setActionType(MessageLoggerPlugInConstants.ACTION_TYPE_MESSAGE_LOG);
action.setDescription("Adding the Message logger Plugin");
action.setResponseType(RuleResponseType.ON_DETECTION);
7. Define the value for the rule action parameter:
Map parameterMap = new HashMap();
parameterMap.put(MessageLoggerPlugInConstants.MESSAGE, "message");
parameterMap.put(MessageLoggerPlugInConstants.OBJECT_KEY, "object key");
8. Complete the rule action:
action.getParameterMap().putAll(parameterMap);
9. Add the rule action to the event rule:
er.getActions().add(action);
10. Add the event rule to the ConnModel interface:
ConnModel myModel = null;
//Get an instance of ConnModel interface...
//...

//Add the object

Identifier erId = null;
try
{
erId = myModel.addTWSObject(er, null);
}
catch (ConnException e)
{
//Do something to recover...
}

```

Example 7: Retrieve an event rule from the database by ID

Follow these steps:

1. Obtain the event rule ID to be retrieved by any means appropriate to your interface
2. Retrieve the event rule:

```

EventRule eRuleRead = new EventRule();
try
{

```

```

        eRuleRead =
            (EventRule) myModel.getTWSObject(EventRule.class, erId, false, null);
    }
    catch (ConnException e)
    {
        //Do something to recover...
    }

```

Example 8: Retrieve an event rule from the database by key (name)

Follow these steps:

1. Obtain the event rule key (name) to be retrieved by any means appropriate to your interface
2. Retrieve the event rule:

```

EventRule eRuleRead = new EventRule();
try
{
    eRuleRead =
        (EventRule) myModel.getTWSObject(EventRule.class,
                                         new EventRuleKey(eventRuleName), false, null);
}
catch (ConnException e)
{
    //Do something to recover...
}

```

Example 9: Delete an event rule from the database by ID

Follow these steps:

1. Retrieve by ID the event rule to be deleted, as shown in example 7.1
2. If the event rule has been successfully retrieved, delete it:

```

{
    myModel.removeTWSObject(EventRule.class, eRuleRead.getId(), null);
}
catch (ConnException exc)
{
    //Do something to recover...
}

```

Example 10: Delete an event rule from the database by key (name)

Follow these steps:

1. Retrieve by key, the event rule to be deleted, as shown in example 7.2
2. If the event rule has been successfully retrieved, delete it:

```

{
    myModel.removeTWSObject(EventRule.class,
                             new EventRuleKey(eventRuleName), null);
}
catch (ConnException exc)
{
    //Do something to recover...
}

```

Examples for IBM Workload Scheduler for z/OS

Provides an overview of the examples available of using the Java API for IBM Workload Scheduler for z/OS.

The following examples help you to understand how the beans are used in the IBM Workload Scheduler for z/OS environment:

Example 1: Adding a workstation to the database

```
// Create the connection to the server
TWSZConn connection = new TWSZConn();
// Get an instance of the interface ZConnModel
final ZConnModel model = connection.getModelBean();

// Define the workstation properties
String wksName = "CPU1";
String wksDescription = "Added by API";
String wksPrintoutRouting = "SYSOUT";
Workstation wks = new Workstation();
wks.setName(wksName);
wks.setDescription(wksDescription);
wks.setType(WorkstationType.COMPUTER);
wks.setReportingAttribute(WorkstationReportingAttribute.AUTOMATIC);
WorkstationZOSAttributes wksAttr = new WorkstationZOSAttributes();
wksAttr.setDefaultTransportTime(3600);
wksAttr.setDefaultJobDuration(60);
wksAttr.setPrintoutRouting(wksPrintoutRouting);
wksAttr.setStartedTaskSupported(true);
wks.setZosAttributes(wksAttr);

try {
    Context context = new Context();
    // Add the workstation to the database
    model.addTWSObject(wks, context);
}
catch (ConnException e) {
    // Do something to recover
}
```

Example 2: Adding a job stream (application) to the database

```
// Create the connection to the server
TWSZConn connection = new TWSZConn();
// Get an instance of the interface ZConnModel
final ZConnModel model = connection.getModelBean();

final static Date TODAY =
new Date((System.currentTimeMillis()/86400000L) * 86400000L);

// Define the job stream properties
String jsName = "APPL";
String jsOwnerName = "API";
JobStream js = new JobStream();
js.setName(jsName);
js.setOwnerName(jsOwnerName);
js.setValidFrom(TODAY);
js.setPriority(5);
// Define a JCL job to add to the job stream
String jobName = "1";
String wksName = "CPU1";
String jclName = "MYJCL";
Job jclJob = new Job();
jclJob.setName(jobName);
jclJob.setEstimatedDuration(1000);
jclJob.setPriority(-1);
ZOSJobDefinition jobDef = new ZOSJobDefinition();
jobDef.setFlowTargetKey(new FlowTargetKey(wksName));
jobDef.setTaskType(TaskTypes.ZOS_JOB_TASK);
jobDef.setJclName(jclName);
jclJob.setJobDefinition(jobDef);
// Add the JCL job to the job stream
```

```

js.getJobs().add(jclJob);
// Define a Printer job to add to the job stream
jobName = "2";
wksName = "PRNT";
Job printerJob = new Job();
printerJob.setName(jobName);
printerJob.setEstimatedDuration(1000);
printerJob.setPriority(-1);
jobDef = new ZOSJobDefinition();
jobDef.setFlowTargetKey(new FlowTargetKey(wksName));
jobDef.setTaskType(TaskTypes.ZOS_ PRINTER_TASK);
jobDef.setJclName(jclName);
jobDef.setLimitForFeedback(102);
printerJob.setJobDefinition(jobDef);
// Add to the Printer job the dependency from the JCL job
List printerJobDeps = printerJob.getInternalDependencies();
InternalDependency depFromJclJob =
new InternalDependency(null, (JobKey)jclJob.getKey());
printerJobDeps.add(depFromJclJob);
// Add the Printer job to the job stream
js.getJobs().add(printerJob);

try {
    Context context = new Context();
    // Add the job stream to the database

```

Example 3: Modifying a job stream (application) in the database

```

// Create the connection to the server
TWSZConn connection = new TWSZConn();
// Get an instance of the interface ZConnModel
final ZConnModel model = connection.getModelBean();

final static Date TODAY =
new Date((System.currentTimeMillis()/86400000L) * 86400000L);

final static Date TOMORROW =
new Date(((System.currentTimeMillis()/86400000L) * 86400000L) + 86400000L);

final static long HOUR = 3600000;

// Make the job stream key
String jsName = "APPL";
JobStreamKey jsKey = new JobStreamKey(jsName, TODAY, false, false);

try {
    Context context = new Context();
    // Get the job stream by its key
    JobStream js =
        (JobStream)model.getTWSObject(JobStream.class, jsKey, false, context);

    // Define a run cycle to add to the job stream
    String rcName = "RCRULE";
    String rcDescription = "Added by API";
    RunCycle rcRule = new RunCycle();
    rcRule.setName(rcName);
    rcRule.setDescription(rcDescription);
    rcRule.setType(RunCycleType.RULE);
    rcRule.setValidFrom(TODAY);
    rcRule.setValidTo(TOMORROW);
    rcRule.getTimeRestrictions().setStartOffset(10*HOUR);
    rcRule.getTimeRestrictions().setDeadlineOffset(12*HOUR + 24* HOUR);
    rcRule.setFreeDaysRule(FreeDaysRule.DO_NOT_SELECT);
    rcRule.setICalendar("ADRULE ONLY(001 003) LAST(001 002) DAY(DAY
MONDAY THURSDAY) MONTH(FEBRUARY APRIL JUNE SEPTEMBER NOVEMBER) YEAR ");

    // Add the run cycle to the job stream

```

```

        js.getRunCycles().add(rcRule);
        // Modify the job stream in the database
        Identifier jsId = model.setTWSObject(js, true, true, context);
    }
    catch (ConnException e) {
        // Do something to recover
    }
}

```

Example 4: Adding a special resource in the database

```

// Create the connection to the server
TWSZConn connection = new TWSZConn();
// Get an instance of the interface ZConnModel
final ZConnModel model = connection.getModelBean();

final static long HOUR = 3600000;

// Define the resource properties
String resName = "RES";
String resDescription = "Added by API";
String wksName1 = "CPU1";
String wksName2 = "CPU2";
Resource res = new Resource();
res.setName(resName);
res.setDescription(resDescription);
FlowTargetKey wksKey1 = new FlowTargetKey(wksName1);
FlowTargetKey wksKey2 = new FlowTargetKey(wksName2);
res.getConnectedWorkstationLinks().add(new WorkstationLink(wksKey1));
res.getConnectedWorkstationLinks().add(new WorkstationLink(wksKey2));
ResourceBaseConstraints resCon = new ResourceBaseConstraints();
resCon.setQuantity(30);
resCon.setUsedFor(ResourceUsage.CONTROL);
resCon.setActionOnError(ResourceActionOnError.KEEP);
resCon.setAvailable(YesNoDefaultOption.NO);
res.setDefaultConstraints(resCon);
ResourceAvailabilityInterval resInt =
new ResourceAvailabilityInterval();
resInt.setIntervalValidityDayOfWeek(Calendar.MONDAY);
resInt.setIntervalStartTime(10*HOUR);
resInt.setIntervalEndTime(21*HOUR);
resInt.setQuantity(20);
resInt.setAvailable(YesNoDefaultOption.YES);
res.getResourceAvailabilityIntervals().add(resInt);

try {
    Context context = new Context();
    // Add the resource to the database
    model.addTWSObject(res, context);
}
catch (ConnException e) {
    // Do something to recover
}

```

Example 5: Adding a job stream to the plan after modifying its contents

The program uses Java APIs to modify an existing job stream and to apply variable substitution before submitting it to the plan.

The following program adds job stream STREAM1 to the plan. Before doing this, the program also:

1. Adds two jobs to STREAM1 after getting their attributes from two jobs extracted from job streams STREAM2 and STREAM3.

2. Sets up a number of JCL promptable variables before submitting job stream STREAM1.
3. Further adds/modifies specific job attributes before releasing the jobs in the plan.

After importing all the necessary classes and objects, connecting to the scheduler, and declaring the required variables, the program:

- Fetches a job from job stream STREAM2 in the data base, gets its properties and stores them in a ZosJobInfo container called jZos1, and sets other information such as the input arrival time and the associated workstation and resources.
- Repeats these actions for job with job number 10 of job stream STREAM3, storing the job properties in a ZosJobInfo container called jZos2.
- Adds the two jobs to job stream STREAM1, and modifies their properties to define their numbers (which constitute their IDs within the job stream) and names.
- Defines first general JCL variables for all four jobs in job stream STREAM1 (using the variablesToBeSubstituted API) and then particular variables for each job (using the jobVariablesToBeSubstituted API).
- Adds job stream STREAM1 to the plan.
- Makes final changes in the job stream to add more properties, such as the extended job name and a special resource, to one of the jobs and then releases the job.

```
package com.ibm;

import java.rmi.RemoteException;
import java.util.ArrayList;
import java.util.Calendar;
import java.util.Date;
import java.util.HashMap;
import java.util.List;

import com.ibm.tws.conn.exception.ConnEngineNotMasterException;
import com.ibm.tws.conn.exception.ConnException;
import com.ibm.tws.conn.exception.ConnLockingException;
import com.ibm.tws.conn.exception.ConnNotFoundException;
import com.ibm.tws.conn.exception.ConnSecurityException;
import com.ibm.tws.conn.exception.ConnTransportException;
import com.ibm.tws.conn.exception.ConnValidationException;
import com.ibm.tws.conn.util.Context;
import com.ibm.tws.conn.util.QueryResult;
import com.ibm.tws.objects.filter.JobStreamFilters;
import com.ibm.tws.objects.filter.QueryFilter;
import com.ibm.tws.objects.filter.WorkstationFilters;
import com.ibm.tws.objects.model.Job;
import com.ibm.tws.objects.model.JobStream;
import com.ibm.tws.objects.model.JobStreamHeader;
import com.ibm.tws.objects.model.ResourceDependency;
import com.ibm.tws.objects.model.Workstation;
import com.ibm.tws.objects.model.WorkstationHeader;
import com.ibm.tws.objects.model.ZOSJobDefinition;
import com.ibm.tws.objects.plan.JobInPlan;
import com.ibm.tws.objects.plan.JobStreamInPlan;
import com.ibm.tws.objects.plan.ResourceDependencyInPlan;
import com.ibm.tws.objects.plan.ResourceInPlanKey;
import com.ibm.tws.objects.plan.WorkstationInPlanKey;
import com.ibm.tws.objects.plan.ZOSJobDefinitionInPlan;
import com.ibm.tws.objects.plan.types.DependenciesResolutionOption;
import com.ibm.tws.objects.plan.types.JobInPlanZOSAttributes;
import com.ibm.tws.objects.plan.utils.ZosJobInfo;
import com.ibm.tws.objects.types.Identifier;
import com.ibm.tws.zconn.model.ZConnModel;
import com.ibm.tws.zconn.plan.ZConnPlan;
import com.ibm.tws.zconn.plan.dao.impl.util.ResourceInPlanHelper;
import com.ibm.tws.zconn.plan.dao.impl.util.WorkstationInPlanHelper;

@SuppressWarnings("restriction")
```

```

public class MainWitRes {

public static void main(String[] args) {
//Create a connection to the server
TWSZConn connection=new TWSZConn();

//Get Model or Plan Bean
final ZConnModel model=connection.getModelBean();
final ZConnPlan plan=connection.getPlanBean();
final Context context=new Context();

com.ibm.websphere.security.auth.WSSubject.doAs
(connection.getSubject(), new java.security.PrivilegedAction<Object>() {
/* (non-Javadoc)
 * @see java.security.PrivilegedAction#run()
 */
@SuppressWarnings("unchecked")
public Object run() {
//Variable Declaration
HashMap<String, List<Integer>> dependencyToDelete=new HashMap<String, List<Integer>>();
HashMap<String, List<Integer>> dependencyToAdd=new HashMap<String, List<Integer>>();
HashMap<Integer, String[][]> jobVariablesToBeSubstituted=new HashMap<Integer, String[][]>();
List<ZosJobInfo> jobsToDelete=new ArrayList<ZosJobInfo>();
List<ZosJobInfo> jobsToAdd=new ArrayList<ZosJobInfo>();
List<Identifier> identifierList=null;
List<Integer> successorList=new ArrayList<>();
List<JobStreamHeader> jobStreamHeaderList;
List<WorkstationHeader> workstationHeaderList;
List<ZosJobInfo> jobsToModify=new ArrayList<ZosJobInfo>();
List<ResourceDependencyInPlan> resourceDependencyInPlanList;
Date startTime=new Date();
Date deadlineTime=new Date();
Long time1,time2;
int seconds,minutes,hours;
int priority=5;
int jobNum=0;
Integer succ;
String [][] variablesMap1=new String [3][2];
String[][] variablesToBeSubstituted=new String [1][2];
String [][] variablesMap2=new String [2][2];
String resourceName;
String authorityGroup=null;
String JSName="STREAM1";
String description="";
String group=null;
String owner=null;
String ownerDescription=null;
String variableTable="STREAM1";
String jobStreamName1="STREAM2";
String jobStreamName2="STREAM3";
boolean holdAll=true;
JobStream jobStream1=null;
JobStream jobStream2=null;
Job jobFM1=null;
Job jobFM2=null;
JobStreamInPlan jobStreamInPlan=null;
ZOSJobDefinition zosJobDefinition1=null;
ZOSJobDefinition zosJobDefinition2=null;
ZosJobInfo zosJobInfo1=new ZosJobInfo();
ZosJobInfo zosJobInfo2=new ZosJobInfo();
ZosJobInfo zosJobInfo3=new ZosJobInfo();
ZosJobInfo zosJobInfo4=new ZosJobInfo();
QueryFilter queryFilter;
QueryResult queryResult;
Calendar calendar1,calendar2;
Workstation workstation = null;
ZOSJobDefinitionInPlan jobDefinitionInPlan;
ResourceDependencyInPlan resourceDependencyInPlan;
ResourceInPlanKey resourceInPlanKey;
WorkstationInPlanKey workstationInPlanKey;
JobInPlanZOSAttributes jobInPlanZosAtt;
//Getting jobStream="Stream2" from the DB, first the header then the full jobStream
queryFilter=new QueryFilter();
queryFilter.setFilter(JobStreamFilters.JOB_STREAM_NAME, jobStreamName1);
try {
queryResult=model.queryTWSObject(JobStream.class, queryFilter, 1, context);
jobStreamHeaderList=(List<JobStreamHeader>) queryResult.getList();
if(jobStreamHeaderList.size(>0){
jobStream1=(JobStream) model.getTWSObject(JobStream.class,jobStreamHeaderList.get(0).getKey() , false, context);

```

```

    }
    } catch (ConnTransportException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnValidationException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnSecurityException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (RemoteException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    }
}

//Getting the first job from Stream2 to add to STREAM1
if(jobStream1.getJobs().size(>0){
    jobFM1=(Job) jobStream1.getJobs().get(0);
    zosJobDefinition1=(ZOSJobDefinition) jobFM1.getJobDefinition();
}

    //Creation of ZosJobInfo for the first job
ZosJobInfo jZos1=new ZosJobInfo();

//Setting the inputArrivalTime
calendar1=Calendar.getInstance();
time1=jobFM1.getTimeRestrictions().getStartOffset();
if(time1!=null && time1>0){
    seconds=(int) (time1 / 1000) % 60 ;
    minutes=(int) ((time1 / (1000*60)) % 60);
    hours=(int) ((time1 / (1000*60*60)) % 24);
    calendar1.set(Calendar.HOUR,hours);
    calendar1.set(Calendar.MINUTE, minutes);
    calendar1.set(Calendar.SECOND, seconds);
    jZos1.setInputArrivalTime(calendar1);
}

//Setting the zosJobInfo with data in zosJobDefinition and job (&timeRestriction)
    String workstationN=zosJobDefinition1.getFlowTargetKey().getName();
    jZos1.setJobName(zosJobDefinition1.getJc1Name());
    jZos1.setTextDescription(jobFM1.getDescription());
    jZos1.setWorkstationName(workstationN);
    jZos1.setDuration(jobFM1.getEstimatedDuration());
    jZos1.setJobNumber(44);
    jZos1.setAutoSubmit(zosJobDefinition1.getAutoSubmit());
    jZos1.setTaskType(zosJobDefinition1.getTaskType());
    jZos1.setTimeDependent(jobFM1.getTimeRestrictions().isTimeDependent());
    jZos1.setCentralizedScript(zosJobDefinition1.getHasCentralizedScript());

//Getting the workstation from the DB -> to get the type associated, first get the header and then the full
workstation.
    queryFilter.setFilter(WorkstationFilters.WORKSTATION_NAME, workstationN);
    try {
        queryResult=model.queryTWSObject(Workstation.class, queryFilter, 1, context);
        workstationHeaderList=(List<WorkstationHeader>) queryResult.getList();
        if(workstationHeaderList.size(>0){
            workstation=(Workstation) model.getTWSObject(Workstation.class,workstationHeaderList.get(0).getKey() ,
                false, context);
        }
    } catch (ConnTransportException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnValidationException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnSecurityException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (ConnException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    } catch (RemoteException e) {
//TODO Auto-generated catch block
e.printStackTrace();
    }
}

jZos1.setWorkstationType(workstation.getType());

```

```

//Setting the Resource value
for(ResourceDependency resourceD:(List<ResourceDependency>) jobFM1.getResourceDependencies()){
String rName=resourceD.getResourceKey().getName();
if(rName!=null && rName.compareToIgnoreCase("Resource1")==0){
jZos1.setR1(resourceD.getQuantity());
}
if(rName!=null && rName.compareToIgnoreCase("Resource2")==0){
jZos1.setR2(resourceD.getQuantity());
}
if(rName!=null && rName.compareToIgnoreCase("ParallelServers")==0){
jZos1.setParallelServer(resourceD.getQuantity());
}
}

//Getting jobStream="STREAM3" from the Db, first the header then the full jobStream
queryFilter.setFilter(JobStreamFilters.JOB_STREAM_NAME, jobStreamName2);
try {
queryResult=model.queryTWSObject(JobStream.class, queryFilter, 1, context);
jobStreamHeaderList=(List<JobStreamHeader>) queryResult.getList();
if(jobStreamHeaderList.size(>0){
jobStream2=(JobStream) model.getTWSObject(JobStream.class,jobStreamHeaderList.get(0).getKey() ,
false, context);
}
} catch (ConnTransportException e) {
//TODO Auto-generated catch block
e.printStackTrace();
} catch (ConnValidationException e) {
//TODO Auto-generated catch block
e.printStackTrace();
} catch (ConnSecurityException e) {
//TODO Auto-generated catch block
e.printStackTrace();
} catch (ConnException e) {
//TODO Auto-generated catch block
e.printStackTrace();
} catch (RemoteException e) {
//TODO Auto-generated catch block
e.printStackTrace();
}

//Starting with second job to add to STREAM1
//Getting the job with number=10 from STREAM3
for(Job job:(List<Job>)jobStream2.getJobs()){
if(job.getName().compareTo("10")==0){
jobFM2=job;
zosJobDefinition2=(ZOSJobDefinition) jobFM2.getJobDefinition();
}
}

//Creation of ZosJobInfo for the second job
ZosJobInfo jZos2=new ZosJobInfo();

//Setting the inputArrivalTime
calendar2=Calendar.getInstance();
time2=jobFM2.getTimeRestrictions().getStartOffset();
if(time2!=null && time2>0){
seconds=(int) (time2 / 1000) % 60 ;
minutes=(int) ((time2 / (1000*60)) % 60);
hours=(int) ((time2 / (1000*60*60)) % 24);
calendar2.set(Calendar.HOUR, hours);
calendar2.set(Calendar.MINUTE, minutes);
calendar2.set(Calendar.SECOND, seconds);
jZos2.setInputArrivalTime(calendar2);
}

//Setting the zosJobInfo for the second job
//with data in zosJobDefinition and job (@timeRestriction)
workstationN=zosJobDefinition2.getFlowTargetKey().getName();
jZos2.setJobName(zosJobDefinition2.getJc1Name());
jZos2.setTextDescription(jobFM2.getDescription());
jZos2.setWorkstationName(workstationN);
jZos2.setDuration(jobFM2.getEstimatedDuration());
jZos2.setJobNumber(45);
jZos2.setAutoSubmit(zosJobDefinition2.getAutoSubmit());
jZos2.setTaskType(zosJobDefinition2.getTaskType());
jZos2.setTimeDependent(jobFM2.getTimeRestrictions().isTimeDependent());
jZos2.setCentralizedScript(zosJobDefinition2.getHasCentralizedScript());

//Getting the workstation -> for the type associated. Header then full workstation.
queryFilter.setFilter(WorkstationFilters.WORKSTATION_NAME, workstationN);

```

```

try {
    queryResult=model.queryTWSObject(Workstation.class, queryFilter, 1, context);
    workstationHeaderList=(List<WorkstationHeader>) queryResult.getList();
    if(workstationHeaderList.size(>0){
        workstation=(Workstation) model.getTWSObject(Workstation.class,workstationHeaderList.get(0).getKey() ,
            false, context);
    }
} catch (ConnTransportException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnValidationException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnSecurityException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (RemoteException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
}
}

jZos2.setWorkstationType(workstation.getType());

    //Setting the Resource value
for(ResourceDependency resourceD:(List<ResourceDependency> jobFM2.getResourceDependencies()){
    String rName=resourceD.getResourceKey().getName();
    if(rName!=null && rName.compareToIgnoreCase("Resource1")==0){
        jZos2.setR1(resourceD.getQuantity());
    }
    if(rName!=null && rName.compareToIgnoreCase("Resource2")==0){
        jZos2.setR2(resourceD.getQuantity());
    }
    if(rName!=null && rName.compareToIgnoreCase("ParallelServers")==0){
        jZos2.setParallelServer(resourceD.getQuantity());
    }
}

//Setting predecessor and successor for the jobs.
//Otherwise we cannot add them to STREAM1

succ= new Integer(jZos1.getJobNumber());
successorList.add(succ);
succ=new Integer(jZos2.getJobNumber());
successorList.add(succ);
dependencyToAdd.put(String.valueOf(1),successorList);

//Adding the zosJobInfo to STREAM1
jobsToAdd.add(jZos1);
jobsToAdd.add(jZos2);

//Example of how to modify a job in STREAM1

zosJobInfo1.setJobNumber(5);
zosJobInfo1.setJobName("EXEC1");
jobsToModify.add(zosJobInfo1);

zosJobInfo2.setJobNumber(10);
zosJobInfo2.setJobName("EXEC2");
jobsToModify.add(zosJobInfo2);

zosJobInfo4.setJobNumber(15);
zosJobInfo4.setJobName("EXEC3");
jobsToModify.add(zosJobInfo4);

zosJobInfo3.setJobNumber(20);
zosJobInfo3.setJobName("EXEC4");
jobsToModify.add(zosJobInfo3);

    //Default JCL variables values (for all jobs)

variablesToBeSubstituted [0][0] = "VAR1";
variablesToBeSubstituted [0][1] = "ValVar1ForExec2And3";

DependenciesResolutionOption resolutionOption = DependenciesResolutionOption.RESOLUTION_ALL;

```

```

//Job level JCL variables values

variablesMap1 [0] [0] = "VAR1";
variablesMap1 [0] [1] = "ValVar1ForExec1";
variablesMap1 [1] [0] = "VAR2";
variablesMap1 [1] [1] = "ValVar2ForExec1";
variablesMap1 [2] [0] = "VAR3";
variablesMap1 [2] [1] = "ValVar3ForExec1";
jobNum = 5;

jobVariablesToBeSubstituted.put(jobNum, variablesMap1);

variablesMap2 [0] [0] = "VAR2";
variablesMap2 [0] [1] = "ValVar2ForExec2";
variablesMap2 [1] [0] = "VAR4";
variablesMap2 [1] [1] = "ValVar4ForExec2";
jobNum = 10;

jobVariablesToBeSubstituted.put(jobNum, variablesMap2);

String [][] variablesMap3 = new String [2] [2];
variablesMap3 [0] [0] = "VAR2";
variablesMap3 [0] [1] = "ValVar2ForExec3";
variablesMap3 [1] [0] = "VAR4";
variablesMap3 [1] [1] = "ValVar4ForExec3";
jobNum = 15;

jobVariablesToBeSubstituted.put(jobNum, variablesMap3);

String [][] variablesMap4 = new String [4] [2];
variablesMap4 [0] [0] = "VAR3";
variablesMap4 [0] [1] = "ValVar3ForExec4";
variablesMap4 [1] [0] = "VAR4";
variablesMap4 [1] [1] = "ValVar4ForExec4";
variablesMap4 [2] [0] = "VAR5";
variablesMap4 [2] [1] = "ValVar5ForExec4";
variablesMap4 [3] [0] = "VAR6";
variablesMap4 [3] [1] = "ValVar6ForExec4";
jobNum = 20;

jobVariablesToBeSubstituted.put(jobNum, variablesMap4);

    //Add STREAM1 in the plan with all the modified and new jobs (zosJobInfo)

try {
    identifierList = plan.editAddJobStreamInstanceWithVariableSubstitution(
        JSName, startTime, deadlineTime, priority, description, group, owner,
        ownerDescription, variableTable, jobsToDelete, jobsToAdd, jobsToModify,
        dependencyToDelete, dependencyToAdd, variablesToBeSubstituted, authorityGroup,
        holdAll, resolutionOption, jobVariablesToBeSubstituted, context);
    Identifier jsid = identifierList.get(0);

    // get the jobStream (STREAM1) from the plan
    jobStreamInPlan = (JobStreamInPlan) plan.getPlanObject(JobStreamInPlan.class, jsid, context);
} catch (ConnLockingException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnNotFoundException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnSecurityException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnTransportException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnValidationException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnEngineNotMasterException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (RemoteException e) {
    //TODO Auto-generated catch block

```

```

e.printStackTrace();
}

    //Modify the job in JobStreamInPlan to add data missing in ZosJobInfo
//Like extendedName(job 44) and specialResource(job=45)
for(JobInPlan jobInPlan:(List<JobInPlan>) jobStreamInPlan.getJobs()){
    jobDefinitionInPlan=(ZOSJobDefinitionInPlan) jobInPlan.getJobDefinition();

    if(jobInPlan.getName().compareTo("44")==0){
        //Setting of some extended name and HORC
        jobDefinitionInPlan.setHighestOkReturnCode(0);
        jobDefinitionInPlan.setExtendedName(zosJobDefinition1.getExtendedName());
        try {
            plan.setJobInstance(jobInPlan, context);
        } catch (ConnLockingException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnNotFoundException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnSecurityException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnTransportException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnValidationException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (RemoteException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        }
    }

    if(jobInPlan.getName().compareTo("45")==0){
        jobDefinitionInPlan.setHighestOkReturnCode(0);

        jobInPlanZosAtt=jobInPlan.getZosSpecificAttributes();
        resourceDependencyInPlanList=jobInPlan.getResourceDependencies();
        //Adding a special Resource to the job in a jobStreamInPlan
        for(ResourceDependency rD:(List<ResourceDependency>)jobFM2.getResourceDependencies()){
            resourceName=rD.getResourceKey().getName();
            if(resourceName!=null && !resourceName.isEmpty() && resourceName.compareToIgnoreCase("Resource1")!=0 &&
                resourceName.compareToIgnoreCase("Resource2")!=0 && resourceName.compareToIgnoreCase("ParallelServers")!=0){
                //Creation and setting of a ResourceDepInPlan
                resourceDependencyInPlan=new ResourceDependencyInPlan();
                resourceDependencyInPlan.setActionOnComplete(rD.getActionOnComplete());
                resourceDependencyInPlan.setAllocationType(rD.getAllocationType());
                resourceDependencyInPlan.setQuantity(rD.getQuantity());
                workstationInPlanKey=new WorkstationInPlanKey();
                workstationInPlanKey.setName(zosJobDefinition2.getFlowTargetKey().getName());
                resourceInPlanKey=new ResourceInPlanKey(resourceName,workstationInPlanKey);
                resourceDependencyInPlan.setId(ResourceInPlanHelper.keyToId(resourceInPlanKey));
                resourceDependencyInPlan.setWorkstationId(WorkstationInPlanHelper.keyToId(workstationInPlanKey));
                resourceDependencyInPlan.setKey(resourceInPlanKey);
                resourceDependencyInPlanList.add(resourceDependencyInPlan);
                jobInPlanZosAtt.setNumberOfSpecialResources(1);
                break;
            }
        }

        try {
            plan.setWholeJobInstance(jobInPlan, false, null, null, null, null, null, jobInPlan.getResourceDependencies(),
                null, null, null, null, context);
        } catch (ConnLockingException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnNotFoundException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnSecurityException e) {
            //TODO Auto-generated catch block
            e.printStackTrace();
        } catch (ConnTransportException e) {

```

```

        //TODO Auto-generated catch block
        e.printStackTrace();
    } catch (ConnValidationException e) {
        //TODO Auto-generated catch block
        e.printStackTrace();
    } catch (ConnException e) {
        //TODO Auto-generated catch block
        e.printStackTrace();
    } catch (RemoteException e) {
        //TODO Auto-generated catch block
        e.printStackTrace();
    }
}

try {
    plan.holdJobStreamInstanceJobs((Identifier)identifierList.get(0), false, context);
} catch (ConnLockingException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnNotFoundException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnSecurityException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnTransportException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnValidationException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (ConnException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
} catch (RemoteException e) {
    //TODO Auto-generated catch block
    e.printStackTrace();
}

return null;
}
}); // end doAs
;
}
}

```

Using the API to work with z/OS JCL

Describes how to use the API to work with z/OS JCL.

You normally define JCL jobs in IBM Workload Scheduler for z/OS using the z/OS Program Interface panels. This section tells you how to create a Java interface to maintain the JCL in the appropriate library. You can add, read, modify, and remove a JCL job, and for each such activity you need to be able to connect to the IBM Workload Scheduler for z/OS connector which implements the API.

Defining the connection with the IBM Workload Scheduler for z/OS connector

Describes how to define a connection with the IBM Workload Scheduler for z/OS connector to work with z/OS JCL.

To define the connection with the IBM Workload Scheduler for z/OS connector use a syntax similar to the following:

```
final ZConnModel model = connection.getModelBean();
```


Add JCL Job

Describes how to add a JCL job using the API.

The parameters to add a JCL job are:

- The job itself
- The job key, which consists of the library name and the JCL job name.

The command returns the ID of the created job.

The following example code creates a JCL job and adds it to a specific job library:

```
JCL jc1 = new JCL();
JCLKey jobk1 = new JCLKey("TWSSD.CWSD64.JOBLIB","MYJCL");
jc1.setKey(jobk1);
jc1.getTextLines().add("//"+name+" JOB (876903,D07),'AAAAAAA',MSGLEVEL=(1,1), 00010000");
jc1.getTextLines().add("//      MSGCLASS=A,CLASS=A,NOTIFY=CARDELL          00020000");
jc1.getTextLines().add("//STEP1 EXEC PGM=IEFBR14                          00030001");
jc1.getTextLines().add("//SYSPRINT DD SYSOUT=*                            00060000");

id = model.addTWSObject(jc1,null);
```

Read JCL Job

Describes how to read a JCL job with the API.

The parameters to read a JCL job are:

- The job key, which consists of the library name and the JCL job name
- A boolean value to determine whether to lock the job after reading it

The command returns the JCL job identified by the job key.

The following example code reads a specific JCL job in a specific job library:

```
JCLKey jobk1 = new JCLKey("TWSSD.CWSD64.JOBLIB","MYJCL1");
JCL jobJCL = (JCL)model.getTWSObject(JCL.class, jobk1, false, null);
```

Modify JCL Job

Describes how to modify a JCL job using the API.

First read the JCL job and lock it:

```
JCLKey jobk1 = new JCLKey("TWSSD.CWSD64.JOBLIB","MYJCL1");
JCL jobJCL = (JCL)model.getTWSObject(JCL.class, jobk1, true, null);
```

The parameters to modify a JCL job are:

- The job key, which consists of the library name and the JCL job name
- The modified JCL.

The command returns the ID of the modified job.

The following example code modifies a JCL job that has already been read and locked:

```
jc1.getTextLines().add("//"+name+" JOB (876903,D07),'AAAAAAA',MSGLEVEL=(1,1), 00010000");
jc1.getTextLines().add("//      MSGCLASS=A,CLASS=A,NOTIFY=PIPP0          00020000");

id = model.setTWSObject(jc1, true, true, null);
```

Remove JCL Job

Describes how to remove a JCL job with the API.

First read the JCL job and lock it:

```
JCLKey jobk1 = new JCLKey("TWSDD.CWSD64.JOBLIB","MYJCL1");  
JCL jobJCL = (JCL)model.getTWSObject(JCL.class, jobk1, true, null);
```

The parameters to remove a JCL job are:

- The job key, which consists of the library name and the JCL job name

The following example code removes a JCL job that has already been read and locked:

```
model.removeTWSObject(JCL.class, jobk1, null);
```

Reference material

Describes how to access the reference material on the API.

The Integration Workbench help contains all the reference material you require.

To access this material, take the following steps:

1. From the Integration Workbench select **Help > Help Contents**
2. Expand **IBM Workload Scheduler Integration Workbench** and then **Reference**
3. Obtain reference material for any of the following:
 - What information is needed to run the wizards that create API projects, either from scratch or from an example
 - Information about the libraries of object and runtime jars
 - Description of the XML schemas
 - A link to information about the IBM Event Integration Facility
 - Full reference for every Java class and method

Further information

Gives links to further information about using Java APIs.

Redbooks®

To find out more about how to program this type of API, see the following IBM® Redbooks:

IBM Redbooks: EJB 2.0 Development with WebSphere Studio Application Developer, SG24-6819

This IBM Redbook provides detailed information on how to effectively use WebSphere® Studio Application Developer for the development of applications based on the Enterprise JavaBeans (EJB) architecture, and deployment of such applications to a WebSphere Application Server.

To access this publication, follow this link: <http://www.redbooks.ibm.com/abstracts/sg246819.html>.

IBM Redbooks: Programming J2EE APIs with WebSphere Advanced, SG24-6124

This IBM Redbook has examples of programming the new J2EE APIs using VisualAge® for Java and deployment on WebSphere Advanced.

To access this publication, follow this link: <http://www.redbooks.ibm.com/abstracts/sg246819.html>.

Chapter 4. Driving IBM Workload Scheduler with REST API

IBM Workload Scheduler provides a set of fully functional APIs that are implemented based on Representational State Transfer (REST) services. The REST API helps you easily integrate workload scheduling capabilities with external products and solutions. The same product functionality covered by the existing J2EE API is available with the REST API. The REST API is programming language independent and favors easier network configuration and firewall traversal. With the APIs, you can exploit heterogeneous environments and provide new automation opportunities with direct impact on productivity. The following are some examples or scenarios where the APIs can be implemented:

- Create your own graphical interface to create and modify scheduling definitions and update objects in the plan.
- Update definitions or plan objects within a script for integration or automation.
- When a specific event occurs within an external product, you can automatically submit a batch workload through IBM Workload Scheduler.
- In a managed file transfer solution, when a specific file arrives, you can submit one or more job flows that elaborate the file, closing the loop on your business process, whether it be bank transactions, a payroll process, or report generation. Your external managed file transfer product starts the business process and IBM Workload Scheduler takes care of the processing, assuring that it be monitored with the rest of the processes from a single point of control and eventually linked with other processes.

The IBM Workload Scheduler REST API provides several services to administer engines, event rules, workload modelling, plans, and security.

After installing your master domain manager or backup master domain manager, you can access the available REST API services by connecting to the following URL:

```
https://hostname:port_number/twsd
```

where,

hostname

The hostname of the master domain manager or the backup master domain manager.

port_number

The HTTPS port number of the master domain manager or backup domain manager WebSphere Application Server. The default is 31116.

You can try out the REST API services and the operations available for each on Swagger Docs by connecting to: <https://start.wa.ibm.serviceengage.com/twsd/>. Click **List Operations** to view the operations available with the service, and then click **Expand Operations** to view details such as, the implementation notes, parameters, and response messages for each method. At the end of the details you can find a **Try it out!** button to see the operation in action.

Chapter 5. Driving IBM Workload Automation with the Web services interface

Use the Web Services interface to perform a subset of IBM Workload Scheduler and IBM Workload Scheduler for z/OS functions to manage jobs and job streams in the plan, from your own web client application. Neither database actions nor other plan actions can be implemented and invoked using this interface.

Whenever you install an IBM Workload Scheduler component that includes the WebSphere Application Server, the following WSDL files are automatically installed:

SchedulingFactory.wsdl

Use these services to submit jobs or job streams to the plan and identify jobs and job streams in the plan that match defined criteria.

JobService.wsdl

Use these services to view the properties of jobs in the plan, view the job output, set selected properties, release all dependencies, cancel, and kill jobs in the plan.

JobStreamService.wsdl

Use these services to view the properties of job streams in the plan, view the job stream output, set selected properties, release all dependencies, and cancel job streams in the plan.

They are installed in the following path:

```
<WAS_profile_path>/installedApps/DefaultNode/<component_path>
```

where the default value of `<WAS_profile_path>` is `<TWA_home>/WAS/TWSprofile` and `<component_path>` depends on which components are installed:

z/OS connector

```
ZConnector.ear/PlanServicesWeb.war/WEB-INF/wsdl
```

Other IBM Workload Scheduler components

```
TWSEngineModel.ear/PlanServicesWeb.war/WEB-INF/wsdl
```

If you have both the z/OS Connector and a IBM Workload Scheduler component installed, the files will be present twice (but have the same content).

Open these WSDL files with a Web Services development tool. They provide you with:

- The server part interfacing the master domain manager to perform the supported subset of scheduling operations against jobs and job streams in production.
- A means of creating your own client interface from where service requesters can request to perform a subset of operations from any system in your environment

The same set of services is delivered for both IBM Workload Scheduler and IBM Workload Scheduler for z/OS environments. However, some can be used in only one environment, and many of them have different parameters in the different environments, so they are documented separately for the two environments.

The Web Services interface is described in the following topics:

Web services for IBM Workload Scheduler

Provides an overview, and links to detailed descriptions of, the web services provided for IBM Workload Scheduler.

Full details are as follows (click the links in these tables to go to the description of the service):

SchedulingFactory.wsdl

Table 1. Available services in the SchedulingFactory Web services interface for IBM Workload Scheduler

Service name	Actions performed
submitJob	Submits jobs defined in the database into the production plan (distributed environment only).
submitAdHocJob	Submits ad-hoc jobs into the production plan (distributed environment only).
queryJobs	Returns all job instances matching the filtering criteria.
submitJobStream	Submits job streams into the production plan.
queryJobStreams	Returns all job stream instances matching the filtering criteria.

JobService.wsdl

Table 2. Available services in the JobService Web services interface for IBM Workload Scheduler

Service name	Actions performed
getProperties	Displays job properties.
setProperties	Sets specified properties for a job instance.
getOutput	Gets a job instance output.
kill	Kills a job instance.
cancel	Cancels a job instance.
releaseAllDependencies	Releases all dependencies for a job instance.

JobstreamService.wsdl

Table 3. Available services in the JobStreamService Web services interface for IBM Workload Scheduler

Service name	Actions performed
getProperties	Displays job stream properties.
setProperties	Sets specified properties for a job stream instance.
getJobsList	Lists all jobs contained in a job stream.
cancel	Cancels a job stream instance.
releaseAllDependencies	Releases all dependencies for a job stream instance.

Web services for IBM Workload Scheduler for z/OS

Provides an overview, and links to detailed descriptions of, the web services provided for IBM Workload Scheduler for z/OS.

Full details are as follows (click the links in these tables to go to the description of the service):

SchedulingFactory.wsdl

Table 4. Available services in the SchedulingFactory Web services interface for IBM Workload Scheduler for z/OS

Service name	Actions performed
<code>queryJobs (z/OS)</code>	Returns all job instances matching the filtering criteria.
<code>submitJobStream (z/OS)</code>	Submits job streams into the production plan.
<code>submitJobStreamWithVarSub (z/OS)</code>	Submits job streams with variable substitution into the production plan.
<code>editSubmitJobStreamWithVarSub (z/OS)</code>	Edits and submits job streams with variable substitution into the production plan.
<code>queryJobStreams (z/OS)</code>	Returns all job stream instances matching the filtering criteria.

JobService.wsdl

Table 5. Available services in the JobService Web services interface for IBM Workload Scheduler for z/OS

Service name	Actions performed
<code>getProperties (z/OS)</code>	Displays job properties.
<code>setProperties (z/OS)</code>	Sets specified properties for a job instance.
<code>getOutput (z/OS)</code>	Gets a job instance output.
<code>cancel (z/OS)</code>	Cancels a job instance.

JobstreamService.wsdl

Table 6. Available services in the JobStreamService Web services interface for IBM Workload Scheduler for z/OS

Service name	Actions performed
<code>getProperties (z/OS)</code>	Displays job stream properties.
<code>setProperties (z/OS)</code>	Sets specified properties for a job stream instance.
<code>getJobsList (z/OS)</code>	Lists all jobs contained in a job stream.
<code>cancel (z/OS)</code>	Cancels a job stream instance.

Web services management

Describes how to manage your Web service environment.

This section describes how to manage the web services from your application. It has the following topics:

- “Accessing the services” on page 38

- “Managing errors” on page 39

Accessing the services

Access the web services by invoking a proxy.

About this task

The web services are accessed by invoking a proxy which contains the path that your application will use to access the web services wsdl files at the following location:

Distributed (not z/OS) environment

```
http(s)://<localhost>:port_number/PlanServicesWeb/services/<service_name>
```

z/OS environment

```
http(s)://<localhost>:port_number/zPlanServicesWeb/services/<service_name>
```

where:

localhost

The hostname of the master domain manager

port_number

The port numbers for http or https are defined in your WebSphere Application Server installation in:

IBM Workload Scheduler

```
<WAS_profile_path>/config/cells/ TWSNodeCell/nodes/TWSNode/servers/  
server1/server.xml
```

where the default value of *<WAS_profile_path>* is
<TWA_home>/WAS/TWSprofile

Dynamic Workload Console

```
<JazzSM_profile_dir>/config/cells/JazzSMNode01Cell/nodes/  
JazzSMNode01/servers/server1/
```

where, the default value of *<JazzSM_profile_dir>* is:

On Windows operating systems

```
C:\Program Files\IBM\JazzSM\profile
```

On UNIX operating systems

```
/opt/IBM/JazzSM/profile
```

under:

- WC_defaulthost for http
- WC_defaulthost_secure for https

service_name

The name of the service you invoke: SchedulingFactory, JobService, or JobStreamService.

An example of accessing the web services in the z/OS environment is as follows:

```
SchedulingFactoryProxy proxy = new SchedulingFactoryProxy("http://111.222.333.444:  
31126/zPlanServicesWeb/services/SchedulingFactory");
```

```
String[] jstreams = proxy.submitJobStreamWithVarSub(  
ENGINE_NAME,  
JOB_STREAM_KEY,
```

```
    schedTime,  
    deadlineTime,  
    null,  
    null,  
    null,  
    null,  
    null,  
    null,  
    null,  
    variablesToBeSubstituted);
```

Identifying the correct master domain manager

Describes how to identify the correct master domain manager when invoking Web services.

About this task

To ensure that your web service is performed on the correct master domain manager, do the following:

Distributed (not z/OS) environment

1. When you create the access proxy to the wsdl where the service you require is located, access the wsdl *on the same master domain manager (engine)* where you want it to be performed.
2. When invoking the service, set the `engineName` element in the service method to null.

The service is performed on the master domain manager which is local to the wsdl you access.

z/OS environment

1. When you create the access proxy to the wsdl where the service you require is located, access the wsdl *on the system where the z/OS connector is installed*
2. When invoking the service, set the `engineName` element in the service method to the z/OS engine name where you want to perform the service.

The service is performed on the master domain manager identified by the z/OS engine name.

Managing errors

Describes how to manage errors when using Web services.

About this task

This section indicates the errors which could occur, depending on the individual service being used. In normal circumstances, each error is accompanied by another error message explaining the problem in more detail. The errors are as follows:

InvalidArguments

The syntax of the service request is not correct. Correct the syntax and retry the operation.

Locking

An error occurred when the service tried to lock an object before using it. This is normally caused because another user has an object involved in the operation locked for editing. It is normally sufficient to wait and retry the

action. A repeated failure of this type might indicate a more serious problem that should be brought to the attention of the IBM Workload Scheduler administrator.

ObjectNotFound

The object identified in the request could not be found and thus cannot be submitted. Before submitting a request which modifies or deletes an existing object you might decide to query the object first and only perform the modification or deletion on the object or objects returned by the query. Note that it is possible that an object is deleted by another user between retrieving a list of objects with a query and implementing a modification or deletion.

EngineNotMaster

This message is only returned by the z/OS Connector and indicates that the engine identified in the request is not the master domain manager. This might represent an error in the supply of the engine name.

Transport

A communications error occurred. See the accompanying message to determine how to resolve the problem.

OperationFailed

The operation failed. See the accompanying message to determine the reason and how to resolve the problem.

Security

The operation could not be completed because the user running the request does not have the appropriate security access to the one or more of the objects which were the subject of the request. Either change the security access rights of the user in the Security file or submit the operations as a user with the appropriate rights

SchedulingFactory Web services

Describes the Web services available in the SchedulingFactory.wsdl file.

This section describes the web services you can use from the SchedulingFactory.wsdl file. Examples are given of the use of some of the web services in the list.

Web services are described separately for IBM Workload Scheduler and IBM Workload Scheduler for z/OS.

SchedulingFactory web services for IBM Workload Scheduler

Describes the Web services available in SchedulingFactory.wsdl for IBM Workload Scheduler.

The following Web services can be used to interface with the plan in IBM Workload Scheduler.

submitJob

Describes the submitJob Web service for IBM Workload Scheduler.

Description

Use this service to submit a job in the IBM Workload Scheduler plan.

Input parameters

engineName

Not used; set to null.

jobKey

The key identifying the job in the IBM Workload Scheduler database: *workstationName#jobName*.

alias The alias name of the job. Also accepts null value.

Output

The response `submitJobResponse` returns a string `submitJobReturn` containing the identifier of the job that was actually submitted in the plan.

submitAdHocJob

Describes the `submitAdHocJob` Web service for IBM Workload Scheduler.

Description

Use this service to submit a job in the IBM Workload Scheduler plan. The job is not defined in the database.

Input parameters**engineName**

Not used; set to null.

job

A `jobToSubmit` statement which describes the job. The `jobToSubmit` statement is defined and documented in the `TWS-Types.xsd` file, and in “Defining the ad hoc job.”

Output

The response `submitAdHocJobResponse` returns a string `submitAdHocJobReturn` containing the identifier of the job that was actually submitted in the plan.

Defining the ad hoc job:

To submit an ad hoc job, you must supply a `jobToSubmit` statement that describes the job. The statement has the following format:

jobName

The name of the job. Wildcard characters are permitted, in which case, all qualifying jobs are submitted.

workstationName

The name of the workstation where the job is to run. If you leave blank, the workstation where the command is run becomes the default.

userLogin

The login of the user who runs the job.

taskType

The task type. It can be one of the following:

- UNIX
- Windows
- Broker
- Other

taskString

A string containing the parameters that control the execution of the job.

priority

The execution priority for the job. Must be one of the following:

- A number ranging from 0 to 99
- hi

- go

command

Specifies if the job is a command. Can be yes or no.

monitored

Specifies if the job is to be monitored by event rules. Can be yes or no.

requiredConfirmation

Specifies if the completion (failed or successful) of this job requires user confirmation. Can be yes or no.

recoveryJobName

The name of a recovery job that is to run if this job ends abnormally.

recoveryJobWorkstationName

The name of the workstation where the recovery job is to run. The default is workstationName.

recoveryOption

Recovery options for the job. Values can be:

- Stop
- Continue
- Rerun

The default is stop with no recovery job and no recovery prompt.

recoveryPromptText

Specifies the text of a recovery prompt, enclosed in double quotes, to be displayed if the job ends abnormally. The rules are:

- The text can contain up to 64 characters
- If the text begins with a colon (:), the prompt is displayed, but no reply is required to continue processing
- If the text begins with an exclamation mark (!), the prompt is displayed, but it is not recorded in the log file

returnCodeMapping

An expression which defines a job final status (successful or failed) based on a condition on the return code of the execution of the program or script of the job.

The return code can be provided also to the recovery job that is associated with it in the job definition. This causes the recovery job to perform different processing based on the return code.

estimatedDuration

The estimated duration of a job. This value is based on the statistics collected from previous runs of the job. If the job has never run before, a default value of one minute is used.

This parameter is relevant if the job is a predecessor of a critical job.

startTime

The date and time at which the job must start.

latestStartTime

The latest date and time at which the job can start.

latestStartAction

The action to take on the job if the latest start time has elapsed. Values can be:

- Cancel
- Continue

- Suppress

deadlineTime

The date and time within which the job must have completed. After this time the job is considered late.

repeatInterval

The repetition rate for the job in hours and minutes, in the *hhmm* format. The job is launched again every time the end of the interval is reached. The interval can be longer than 24 hours.

For more information see the description of the submit job (sbj) command in the *User's Guide and Reference*.

queryJobs

Describes the queryJobs Web service for IBM Workload Scheduler.

Description

Use this service to run queries on IBM Workload Scheduler job instances.

Input parameters

engineName

Not used; set to null.

filter A list of filtering criteria represented by an array of filterCriteria statements. The filterCriteria statements are defined and documented in the TWS-Types.xsd file and in "Defining the filtering criteria to query jobs."

Output

The response queryJobsResponse returns an array queryJobsReturn of the identifiers of the jobs that matched the query.

Defining the filtering criteria to query jobs:

Each filterCriteria statement has the following form:

details

Not used; set to null.

value An array of values for the dataType.

minimum

A single value representing the minimum of a range.

maximum

A single value representing the maximum of a range.

dataType

A string identifying the field for which you have supplied a value, several values, or a range. The fields are defined and documented in the SchedulingFactory.wsdl file and also as follows:

JOB_ID

The job identifier.

JOB_NAME

The name of the job.

JOB_STREAM_NAME

The name of the job stream in which the job ran.

WORKSTATION_NAME

The name of the workstation that ran the job.

STATUS_LIST

Can be one of the following:

- BLOCKED
- CANCELLED
- COMPLETED
- ERROR
- HELD
- READY
- STARTED
- WAITING
- UNDECIDED

INTERNAL_STATUS_LIST

Can be one of the following:

- ABEND
- ABEND_P
- ADDING
- CANCEL
- CANT_STREAM
- CNPEND
- END_P
- ERROR_STAT
- EXEC
- EXEC_BM
- EXTRN
- FENCE
- HOLD
- MPE_INTRO
- MPE_INTRO_BM
- MPE_SCHED
- MPE_SUSP
- MPE_WAIT
- MPE_WAITD
- READY
- RESTART_JOB
- SUCC
- SUCC_P
- UNKNOWN
- USER_HELD
- USER_STREAM

PRIORITY

The execution priority with which the job ran. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

PRIORITY_RANGE

Used if you want to query jobs within a range of priority values. In this case, minimum and maximum must also be supplied.

CONFIRMED

Determines if only confirmed jobs are to be selected. Can be true or false.

RERUN

Determines if only rerun jobs are to be selected. Can be true or false.

START_TIME

The start time defined for the job in YYYYMMDD HHMM format or milliseconds.

START_TIME_RANGE

Used if you want to query jobs within a range of start times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

UNTIL_TIME

The until time defined for the job in YYYYMMDD HHMM format or milliseconds.

UNTIL_TIME_RANGE

Used if you want to query jobs within a range of until times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

FINISH_TIME

The finish time defined for the job in YYYYMMDD HHMM format or milliseconds.

FINISH_TIME_RANGE

Used if you want to query jobs within a range of finish times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

RECOVERY_OPTION_LIST

Can be one of the following:

- STOP
- CONTINUE
- RERUN

MONITORED_JOB

Not used; set to null.

TASK The name of the task.

USER_LOGIN

The login of the user who ran the job.

ERROR_CODE

Not used; set to null.

submitJobStream

Describes the submitJobStream Web service for IBM Workload Scheduler.

Description

Use this service to submit a job stream (application) in the IBM Workload Scheduler plan.

Input parameters**engineName**

Not used; set to null.

jsKey The key identifying the job stream in the scheduler database:
workstationName#jobStreamName

schedTime

The scheduled submission time for the job stream.

alias The alias name of the job stream.

Output

The response `submitJobStreamResponse` returns an array `submitJobStreamReturn` of the identifiers of the job streams that were actually submitted in the plan.

queryJobStreams

Describes the `queryJobStreams` Web service for IBM Workload Scheduler.

Description

Use this service to run queries on IBM Workload Scheduler job stream instances.

Input parameters**engineName**

Not used; set to null.

filter A list of filtering criteria represented by an array of `filterCriteria` statements. The `filterCriteria` statements are defined and documented in the `TWS-Types.xsd` file and in “Defining the filtering criteria to query job streams.”

Output

The response `queryJobStreamsResponse` returns an array `queryJobStreamsReturn` of the identifiers of the job streams that matched the query.

Defining the filtering criteria to query job streams:

Each `filterCriteria` statement has the following form:

details

Not used; set to null.

value An array of values for the `dataType`.

minimum

A single value representing the minimum of a range.

maximum

A single value representing the maximum of a range.

dataType

A string identifying the field for which you have supplied a value, several values, or a range. The fields are defined and documented in the `SchedulingFactory.wsdl` file and also as follows:

JOB_STREAM_ID

The job stream identifier.

JOB_STREAM_NAME

The name of the job stream.

WORKSTATION_NAME

The name of the workstation that ran the job stream.

STATUS_LIST

Can be one of the following:

- BLOCKED
- CANCELLED

- COMPLETED
- ERROR
- HELD
- READY
- STARTED
- WAITING
- UNDECIDED

INTERNAL_STATUS_LIST

Can be one of the following:

- ABEND
- ADDING
- CANCEL
- CNPEND
- EXEC
- HOLD
- READY
- SUCC
- SUSP
- USER_HELD

LIMIT

The limit value with which the job stream ran. Can be one of the following:

- A number ranging from 0 to 1024
- hi
- go

LIMIT_RANGE

Used if you want to query job streams within a range of limit values. In this case, minimum and maximum must also be supplied.

PRIORITY

The execution priority with which the job stream ran. Can be one of the following:

- A number ranging from 0 to 99
- hi
- go

PRIORITY_RANGE

Used if you want to query job streams within a range of priority values. In this case, minimum and maximum must also be supplied.

CARRIED_FORWARD

Determines if only carried-forward job streams are to be selected. Can be true or false.

CARRIED_FORWARD

Determines if only carry-forward job streams are to be selected. Can be true or false.

START_TIME

The start time defined for the job stream in YYYYMMDD HHMM format or milliseconds.

START_TIME_RANGE

Used if you want to query job streams within a range of start times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

UNTIL_TIME

The until time defined for the job stream in YYYYMMDD HHMM format or milliseconds.

UNTIL_TIME_RANGE

Used if you want to query job streams within a range of until times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

DEADLINE_TIME

The deadline time defined for the job in YYYYMMDD HHMM format or milliseconds.

DEADLINE_TIME_RANGE

Used if you want to query job streams within a range of deadline times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

SchedulingFactory web services for IBM Workload Scheduler for z/OS

Describes the Web services available in SchedulingFactory.wsdl for IBM Workload Scheduler for z/OS.

The following Web services can be used to interface with the plan in IBM Workload Scheduler for z/OS.

queryJobs (z/OS)

Describes the queryJobs Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to run queries on IBM Workload Scheduler for z/OS job instances.

Input parameters

engineName

The IBM Workload Scheduler for z/OS engine name.

filter A list of filtering criteria represented by an array of filterCriteria statements. The filterCriteria statements are defined and documented in the TWS-Types.xsd file and in “Defining the filtering criteria to query z/OS jobs” on page 49.

Output

The response queryJobsResponse returns an array queryJobsReturn of the identifiers of the jobs that matched the query. The fields in the array are:

occurrenceToken

The identifier of the occurrence that includes the operation.

extendedStatus

The extended status code assigned to the operation.

errorCode

The error code that terminated the operation.

operationCommand

Can be one of the following: BD = Bind shadow; job EX = Execute operation; KJ = Kill operation; KR = Kill recovery job; MH = Hold operation; MR = Release operation; NP = NOP operation; PN = Prompt reply no; PY = Prompt reply yes; UN = Un-NOP operation.

authorityGroup

The name of the authority group that the operation belongs to.

cleanUpStatus

Can be one of the following: Blank=none C=Completed E=Ended in error I=Initiated O=Avail opinfo R=Request opinfo S=Started W=Waiting opinfo

latestOutPassed

The operation exceeded its latest starting time and is late. Can be true or false.

latestOut

The latest possible time, calculated at plan-creation-time, that the operation can start to meet the deadline time (HHMM).

actualArrival

The actual run time of the operation (HHMM).

actualEnd

The time the operation is reported as complete or ended-in-error (HHMM).

Defining the filtering criteria to query z/OS jobs:

Each filterCriteria statement has the following form:

details

Not used. Set to null.

value An array of values for the dataType.

minimum

A single value representing the minimum of a range.

maximum

A single value representing the maximum of a range.

dataType

A string identifying the field for which you have supplied a value, several values, or a range. The fields are defined and documented in the SchedulingFactory.wsdl file and also as follows:

JOB_ID

Not used; set to null.

JOB_NAME

The name of the job. Must be numeric.

JOB_STREAM_NAME

The name of the job stream in which the job ran.

WORKSTATION_NAME

The name of the workstation that ran the job.

STATUS_LIST

Can be one of the following:

- BLOCKED
- CANCELLED
- COMPLETED
- ERROR
- HELD
- READY
- STARTED
- WAITING

- UNDECIDED

INTERNAL_STATUS_LIST

Can be one of the following:

- COMPLETE
- DELETED
- ERROR
- WAITING
- STARTED
- UNDECIDED
- READY
- PENDINGPRED
- WAITINGFORINPUT
- INTERRUPTED
- NOREPORTINGPRED

PRIORITY

The execution priority with which the job ran. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

PRIORITY_RANGE

Used if you want to query jobs within a range of priority values. In this case, minimum and maximum must also be supplied.

CONFIRMED

Not used; set to null.

RERUN

Not used; set to null.

START_TIME

The start time defined for the job in YYYYMMDD HHMM format or milliseconds.

START_TIME_RANGE

Used if you want to query jobs within a range of start times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

UNTIL_TIME

Not used; set to null.

UNTIL_TIME_RANGE

Not used; set to null.

FINISH_TIME

The finish time defined for the job in YYYYMMDD HHMM format or milliseconds.

FINISH_TIME_RANGE

Used if you want to query jobs within a range of finish times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

RECOVERY_OPTION_LIST

Not used; set to null.

MONITORED_JOB

Determines if only monitored jobs are to be selected. Can be true or false.

TASK The name of the task.

USER_LOGIN

Not used; set to null.

ERROR_CODE

Job error code.

submitJobStream (z/OS)

Describes the submitJobStream Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to submit a job stream (application) in the IBM Workload Scheduler for z/OS plan.

Input parameters**engineName**

The IBM Workload Scheduler for z/OS engine name.

jsKey The key identifying the job stream in the scheduler database:
jobStreamName

schedTime

Not used; set to null.

alias Not used; set to null.

Output

The response submitJobStreamResponse returns an array submitJobStreamReturn of the identifiers of the job streams that were actually submitted in the plan. Note that the plan object identifiers returned contain the '\0' character. This is a not valid character and it must be replaced by a blank.

submitJobStreamWithVarSub

Describes the submitJobStreamWithVarSub Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to submit a job stream (application) in the IBM Workload Scheduler for z/OS plan and to assign values to any variables present in the included jobs. The variable substitution is performed only on promptable variables that are substituted at job set up phase. The other variables are substituted at submission time.

Note: The job stream must include no setup jobs. If it does, the following message is displayed:

```
EQQM229E
      JCL BROWSE/EDIT CAN ONLY BE SELECTED FOR PROCESSOR WORKSTATIONS.
```

Input parameters**engineName**

The name of the IBM Workload Scheduler for z/OS engine.

jsKey The key identifying the job stream in the IBM Workload Scheduler for z/OS database. The valid format is *jobStreamName*.

schedTime

The input arrival time for the job stream.

deadlineTime

The completion dead line time for the job stream.

priority

The job stream priority value.

description

The job stream description. Maximum 24 characters.

groupName

The job stream group name. Maximum 16 characters.

ownerName

The job stream owner name. Maximum 16 characters.

ownerDescription

The job stream owner description. Maximum 24 characters.

authorityGroup

The job stream authority group. Maximum 8 characters.

dependenciesResolution

Specifies which type of dependencies are to be resolved. The value can be:

Y Resolve both predecessor and successor dependencies.

N Ignore all dependencies.

P Resolve only predecessor dependencies.

S Resolve only successor dependencies.

If no value is entered, the default is **N**.

variableTable

The name of the variable table associated with the job stream. Maximum 16 characters.

variableToBeSubstituted

An array of Property statements specifying the variables that will be substituted in the job stream. The Property statement is defined and documented in the TWS-Types.xsd file, and has the following form:

value An array of values for the dataType.

dataType

A string identifying the variable for which you are supplying the value or values, and which can be found in the defined variable table.

Output

The service returns an array of the identifiers of the job streams that were actually submitted in the plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Example:

The following is a coding example of `submitJobStreamWithVarSub`, where the variables to be substituted are called SURNAME and NAME and are in the default variable table for the job stream:


```

long now = System.currentTimeMillis();

/**
 * inputArrivalTime
 */
Calendar schedTime = new GregorianCalendar();
Date schedDate = new Date(now);
schedTime.setTime(schedDate);

/**
 * deadlineTime
 */
Calendar deadlineTime = new GregorianCalendar();
Date deadlineDate = new Date(now + HOUR_8);
deadlineTime.setTime(deadlineDate);

/**
 * variablesToBeSubstituted
 */
Property prop1 = new Property();
prop1.setDataType("SURNAME");
String[] valueSurname = {"Robinson"};
prop1.setValue(valueSurname);

Property prop2 = new Property();
prop2.setDataType("NAME");
String[] valueName = {"John"};
prop2.setValue(valueName);

Property[] variablesToBeSubstituted = new Property[2];
variablesToBeSubstituted[0] = prop1;
variablesToBeSubstituted[1] = prop2;

SchedulingFactoryProxy proxy = new SchedulingFactoryProxy("http://111.222.333.444:
55555/zPlanServicesWeb/services/SchedulingFactory");

String[] jstreams = proxy.submitJobStreamWithVarSub(
    ENGINE_NAME,
    JOB_STREAM_KEY,
    schedTime,
    deadlineTime,
    null,
    null,
    null,
    null,
    null,
    null,
    null,
    variablesToBeSubstituted);

```

editSubmitJobStreamWithVarSub

Describes the editSubmitJobStreamWithVarSub Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to submit a job stream (application) in the IBM Workload Scheduler for z/OS plan and to perform some or all of the following actions:

- Assign values to any variables present in the jobs included in the job stream
- Add, modify, or delete jobs, and their internal dependencies, in the job stream

The variable substitution is performed only on promptable variables that are substituted at job set up phase. The other variables are substituted at submission time.

Note: The job stream must include no setup jobs. If it does, the following message is displayed:

```
EQQM229E  
JCL BROWSE/EDIT CAN ONLY BE SELECTED FOR PROCESSOR WORKSTATIONS.
```

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS engine.

jsKey The key identifying the job stream in the IBM Workload Scheduler for z/OS database. The valid format is *jobStreamName*.

schedTime

The input arrival time for the job stream.

deadlineTime

The completion dead line time for the job stream.

priority

The job stream priority value.

description

The job stream description. Maximum 24 characters.

groupName

The job stream group name. Maximum 16 characters.

ownerName

The job stream owner name. Maximum 16 characters.

ownerDescription

The job stream owner description. Maximum 24 characters.

authorityGroup

The job stream authority group. Maximum 8 characters.

dependenciesResolution

Specifies which type of dependencies are to be resolved. The value can be:

Y Resolve both predecessor and successor dependencies.

N Ignore all dependencies.

P Resolve only predecessor dependencies.

S Resolve only successor dependencies.

If no value is entered, the default is **N**.

variableTable

The name of the variable table associated with the job stream. Maximum 16 characters.

jobsList

An array of ZOSJob statements specifying the jobs that will be added, edited, and deleted in the job stream. The ZOSJob type is defined and documented in the TWS-Types.xsd file and in "Add, modify, or delete jobs in the job stream you are submitting" on page 60

dependencyList

An array of Dependency statements specifying the dependencies that will be added and deleted in the job stream. The Dependency type is defined and documented in the TWS-Types.xsd file and in "Add or delete internal dependencies in the plan" on page 62

variablesToBeSubstituted

An array of Property statements specifying the variables that will be substituted in the job stream. The Property statement is defined and documented in the TWS-Types.xsd file, and has the following form:

value An array of values for the dataType.

dataType

A string identifying the variable for which you are supplying the value or values, and which can be found in the defined variable table.

Output

The service returns an array of the identifiers of the job streams that were actually submitted in the plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Example:

The following is a coding example of editSubmitJobStreamWithVarSub:

```
long now = System.currentTimeMillis();

/**
 * inputArrivalTime
 */
Calendar schedTime = new GregorianCalendar();
Date schedDate = new Date(now);
schedTime.setTime(schedDate);

/**
 * deadlineTime
 */
Calendar deadlineTime = new GregorianCalendar();
Date deadlineDate = new Date(now + HOUR_8);
deadlineTime.setTime(deadlineDate);

/**
 * variablesToBeSubstituted
 */
Property prop1 = new Property();
prop1.setDataType("SURNAME");
String[] valueSurname = {"Robinson"};
prop1.setValue(valueSurname);

Property prop2 = new Property();
prop2.setDataType("NAME");
String[] valueName = {"John"};
prop2.setValue(valueName);

Property[] variablesToBeSubstituted = new Property[2];
variablesToBeSubstituted[0] = prop1;
variablesToBeSubstituted[1] = prop2;

ZOSJob[] zj = new ZOSJob[1];
zj[0] = new ZOSJob();
zj[1] = new ZOSJob();
zj[2] = new ZOSJob();
```

```

zj[0].setAction("ADD");
zj[0].setJobNumber(50);
zj[0].setWorkstationName("VALL");
zj[0].setDuration(10000);
zj[0].setParallelServer(1);
zj[0].setAutoSubmit("true");
zj[0].setJobName("VPCEN1");
zj[0].setInternalStatus("W");

zj[1].setAction("MODIFY");
zj[1].setJobNumber(10);
zj[1].setWorkstationName("VAL1");
zj[1].setJobName("VPCEN2");
zj[1].setInternalStatus("R");

zj[2].setAction("DELETE");
zj[2].setJobNumber(50);

Dependency[] dj = new Dependency[2];

dj[0] = new Dependency();
dj[0].setAction("ADD");
dj[0].setType("PREDECESSOR");
dj[0].setJobNumber(50);
dj[0].setDependencyNumber(40);

dj[0] = new Dependency();
dj[0].setAction("DELETE");
dj[0].setType("PREDECESSOR");
dj[0].setJobNumber(40);
dj[0].setDependencyNumber(20);

String[] jstreams = proxy.editSubmitJobStreamWithVarSub(ENGINE_NAME,
    JOB_STREAM_KEY,
    schedTime,
    deadlineTime,
    null,
    null,
    null, null, null, null, null, null, zj, dj, variablesToBeSubstituted);

```

editSubmitJobStreamWithJobVarSub

Describes the editSubmitJobStreamWithJobVarSub Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to submit a job stream (application) in the IBM Workload Scheduler for z/OS plan and to perform some or all of the following actions:

- Assign values to any variables present in the jobs included in the job stream with the option of specifying a different set of variables for the individual jobs.
- Add, modify, or delete jobs, and their internal dependencies, in the job stream.

The variable substitution is performed only on promptable variables that are substituted at job set up phase. The other variables are substituted at submission time.

Note: The job stream must include no setup jobs. If it does, the following message is displayed:

```

EQQM229E
JCL BROWSE/EDIT CAN ONLY BE SELECTED FOR PROCESSOR WORKSTATIONS.

```

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS engine.

jsKey The key identifying the job stream in the IBM Workload Scheduler for z/OS database. The valid format is *jobStreamName*.

schedTime

The input arrival time for the job stream.

deadlineTime

The completion dead line time for the job stream.

priority

The job stream priority value.

description

The job stream description. Maximum 24 characters.

groupName

The job stream group name. Maximum 16 characters.

ownerName

The job stream owner name. Maximum 16 characters.

ownerDescription

The job stream owner description. Maximum 24 characters.

authorityGroup

The job stream authority group. Maximum 8 characters.

dependenciesResolution

Specifies which type of dependencies are to be resolved. The value can be:

- Y** Resolve both predecessor and successor dependencies.
- N** Ignore all dependencies.
- P** Resolve only predecessor dependencies.
- S** Resolve only successor dependencies.

If no value is entered, the default is **N**.

variableTable

The name of the variable table associated with the job stream. Maximum 16 characters.

jobsList

An array of ZOSJob statements specifying the jobs that will be added, edited, and deleted in the job stream. The ZOSJob type is defined and documented in the TWS-Types.xsd file and in "Add, modify, or delete jobs in the job stream you are submitting" on page 60

dependencyList

An array of Dependency statements specifying the dependencies that will be added and deleted in the job stream. The Dependency type is defined and documented in the TWS-Types.xsd file and in "Add or delete internal dependencies in the plan" on page 62

variablesToBeSubstituted

An array of Property statements specifying the variables that will

be substituted in the job stream. The Property statement is defined and documented in the TWS-Types.xsd file, and has the following form:

value An array of values for the dataType.

dataType

A string identifying the variable for which you are supplying the value or values, and which can be found in the defined variable table.

jobVariablesToBeSubstituted

An iteration of the following items:

An array of Property statements specifying the variables that will be substituted in the job stream. The Property statement is defined and documented in the TWS-Types.xsd file, and has the following form:

value An array of values for the dataType.

dataType

A string identifying the variable for which you are supplying the value or values, and which can be found in the defined variable table.

jobNumber

The integer (from 1 to 255) that identifies the job that will use the variables specified below and that must have been previously defined with the `.setJobNumber(number)`

For example:

```
String [][] variablesMap1 = new String [3][2];
variablesMap1 [0][0] = "VAR1";
variablesMap1 [0][1] = "ValVar1ForExec1";
variablesMap1 [1][0] = "VAR2";
variablesMap1 [1][1] = "ValVar2ForExec1";
variablesMap1 [2][0] = "VAR3";
variablesMap1 [2][1] = "ValVar3ForExec1";
int jobNum = 5;

jobVariablesToBeSubstituted.put(jobNum, variablesMap1);

String [][] variablesMap2 = new String [2][2];
variablesMap2 [0][0] = "VAR2";
variablesMap2 [0][1] = "ValVar2ForExec2";
variablesMap2 [1][0] = "VAR4";
variablesMap2 [1][1] = "ValVar4ForExec2";
jobNum = 10;

jobVariablesToBeSubstituted.put(jobNum, variablesMap2);

...

String [][] variablesMap4 = new String [4][2];
variablesMap4 [0][0] = "VAR3";
variablesMap4 [0][1] = "ValVar3ForExec4";
variablesMap4 [1][0] = "VAR4";
variablesMap4 [1][1] = "ValVar4ForExec4";
variablesMap4 [2][0] = "VAR5";
variablesMap4 [2][1] = "ValVar5ForExec4";
variablesMap4 [3][0] = "VAR6";
variablesMap4 [3][1] = "ValVar6ForExec4";
```

```

jobNum = 20;

jobVariablesToBeSubstituted.put(jobNum, variablesMap4);

```

The sequence repeats for all the jobs that use their own particular variables or variable values rather than those specified for the whole job stream. Any jobs that are not in the iteration use either the variables or variable values specified with the `variablesToBeSubstituted` parameter for the job stream or no variables at all.

Output

The service returns an array of the identifiers of the job streams that were actually submitted in the plan. Note that the plan object identifiers returned contain the `'\0'` character. This is not a valid character and must be replaced by a blank.

Example:

The following is a coding example of `editSubmitJobStreamWithJobVarSub`:

```

String description = "";
String group = null;
String owner = null;
String ownerDescription = null;
String variableTable = "STREAM1";

List<ZosJobInfo>jobsToDelete = new ArrayList<ZosJobInfo>();
List<ZosJobInfo>jobsToAdd = new ArrayList<ZosJobInfo>();

List<ZosJobInfo>jobsToModify = new ArrayList<ZosJobInfo>();
ZosJobInfo job1 = new ZosJobInfo();
job1.setJobNumber(5);
job1.setJobName("EXEC1");
jobsToModify.add(job1);
ZosJobInfo job2 = new ZosJobInfo();
job2.setJobNumber(10);
job2.setJobName("EXEC2");
jobsToModify.add(job2);
ZosJobInfo job21 = new ZosJobInfo();
job21.setJobNumber(15);
job21.setJobName("EXEC3");
jobsToModify.add(job21);
ZosJobInfo job3 = new ZosJobInfo();
job3.setJobNumber(20);
job3.setJobName("EXEC4");
jobsToModify.add(job3);

HashMap<String, List<Integer>> dependencyToDelete = new HashMap<String, List<Integer>>();
HashMap<String, List<Integer>> dependencyToAdd = new HashMap<String, List<Integer>>();

// default (for all jobs) JCL variables values
String[][] variablesToBeSubstituted = new String [1][2];
variablesToBeSubstituted [0][0] = "VAR1";
variablesToBeSubstituted [0][1] = "ValVar1ForExec2And3";

String authorityGroup = null;
boolean holdAll = true;
DependenciesResolutionOption resolutionOption = DependenciesResolutionOption.RESOLUTION_ALL;

// job level JCL variables values
HashMap<Integer, String[][]> jobVariablesToBeSubstituted = new HashMap<Integer, String[][]>();
String [][] variablesMap1 = new String [3][2];
variablesMap1 [0][0] = "VAR1";
variablesMap1 [0][1] = "ValVar1ForExec1";
variablesMap1 [1][0] = "VAR2";
variablesMap1 [1][1] = "ValVar2ForExec1";
variablesMap1 [2][0] = "VAR3";
variablesMap1 [2][1] = "ValVar3ForExec1";
int jobNum = 5;

jobVariablesToBeSubstituted.put(jobNum, variablesMap1);

String [][] variablesMap2 = new String [2][2];
variablesMap2 [0][0] = "VAR2";

```

```

variablesMap2 [0][1] = "ValVar2ForExec2";
variablesMap2 [1][0] = "VAR4";
variablesMap2 [1][1] = "ValVar4ForExec2";
jobNum = 10;

jobVariablesToBeSubstituted.put(jobNum, variablesMap2);

String [][] variablesMap3 = new String [2][2];
variablesMap3 [0][0] = "VAR2";
variablesMap3 [0][1] = "ValVar2ForExec3";
variablesMap3 [1][0] = "VAR4";
variablesMap3 [1][1] = "ValVar4ForExec3";
jobNum = 15;

jobVariablesToBeSubstituted.put(jobNum, variablesMap3);

String [][] variablesMap4 = new String [4][2];
variablesMap4 [0][0] = "VAR3";
variablesMap4 [0][1] = "ValVar3ForExec4";
variablesMap4 [1][0] = "VAR4";
variablesMap4 [1][1] = "ValVar4ForExec4";
variablesMap4 [2][0] = "VAR5";
variablesMap4 [2][1] = "ValVar5ForExec4";
variablesMap4 [3][0] = "VAR6";
variablesMap4 [3][1] = "ValVar6ForExec4";
jobNum = 20;

jobVariablesToBeSubstituted.put(jobNum, variablesMap4);

Context context = null;

@SuppressWarnings("unchecked")
List<Identifier> list = plan.editAddJobStreamInstanceWithVariableSubstitution(
    JSName, startTime, deadlineTime, priority, description,
    group, owner, ownerDescription, variableTable, jobsToDelete,
    jobsToAdd, jobsToModify, dependencyToDelete, dependencyToAdd,
    variablesToBeSubstituted, authorityGroup, holdAll,
    resolutionOption, jobVariablesToBeSubstituted, context);

```

Add, modify, or delete jobs in the job stream you are submitting

To carry out any of these actions, you must write an array of ZOSJob statements containing the specifications for these actions. If the jobsList array is empty, or if it contains null values (except where allowed), no action is taken.

Table 7 describes the parameters you need to specify in each ZOSJob statement to specify a job you want to add, modify, or delete in the job stream you are submitting to the plan.

Table 7. Properties to set for added, modified, and deleted jobs in the ZOSJob elements.

Element	Action to perform on job in job stream		
	Add	Modify	Delete
action	Set to ADD. If left void or with an unauthorized value, an error message is returned.	Set to MODIFY. If left void or with an unauthorized value, an error message is returned.	Set to DELETE. If left void or with an unauthorized value, an error message is returned.
jobNumber	Set to a value between 1 and 255. If left void, an error message is returned.	Set to a value between 1 and 255 corresponding to the job number in the plan. If left void, an error message is returned.	Set to a value between 1 and 255 corresponding to the job number in the plan. If left void, an error message is returned.

Table 7. Properties to set for added, modified, and deleted jobs in the ZOSJob elements. (continued)

Element	Action to perform on job in job stream		
	Add	Modify	Delete
workstationName	Set to the ID of the workstation as defined in the current plan. Maximum 4 characters. If left void, an error message is returned.	Set to the ID of the workstation as defined in the current plan. Maximum 4 characters. If left void, the last-saved value is used.	Enter a null value.
textDescription	Optional. Maximum 24 characters.	Maximum 24 characters. If left void, the last-saved description is used.	Enter a null value.
jobName	Set to the name of the job. Maximum 8 characters. If left void, an error message is returned.	Maximum 8 characters. If left void, the last-saved value is used.	Enter a null value.
parallelServer	The number of parallel servers required to run the job. If left void, it takes 0 as the default value. Depending on the workstation in some cases may return an error message.	Set to -1 to leave the last-saved value. The default is 0.	Enter a null value.
duration	Set in milliseconds. If left void, an error message is returned.	Set to -1 to leave the last-saved value. The default is 0.	Enter a null value.
autoSubmit	If auto submit is required, set to true otherwise set to false. If left void, takes false.	If auto submit is required, set to true otherwise set to false. If left void, takes the last-saved value.	Enter a null value.
timeDependent	If the job is time-dependent, set to true otherwise set to false. If left void, takes false.	If the job is time-dependent, set to true otherwise set to false. If left void, takes the last-saved value.	Enter a null value.
centralizedScript	If the job has a centralized script, set to true otherwise set to false. If left void, takes true. This option is only available on jobs scheduled to run on a fault-tolerant agent.	Enter a null value (cannot be modified from the original value).	Enter a null value.
inputArrivalTime	The input arrival time in HH.MM format.	The input arrival time in HH.MM format. If left void, the last-saved value is used.	Enter a null value.

Table 7. Properties to set for added, modified, and deleted jobs in the ZOSJob elements. (continued)

Element	Action to perform on job in job stream		
	Add	Modify	Delete
R1	The number of instances of job resource 1 required. If left void, it takes 0 as value.	The number of instances of job resource 1 required. Set to -1 to leave the last-saved value. The default is 0.	Enter a null value.
R2	The number of instances of job resource 2 required. If left void, it takes 0 as value.	The number of instances of job resource 2 required. Set to -1 to leave the last-saved value. The default is 0.	Enter a null value.
internalStatus	Can be one of the following: <ul style="list-style-type: none"> • COMPLETE • DELETED • ERROR • WAITING • STARTED • UNDECIDED • READY • PENDINGPRED • WAITINGFORINPUT • INTERRUPTED • NOREPORTINGPRED If left void, takes UNDECIDED as value.	If left void, the last-saved value is used.	Enter a null value.

Remember to define the dependencies (if there are any) of the new jobs you add.

Add or delete internal dependencies in the plan

To perform either of these actions, you must write an array of Dependency statements containing the specifications for these actions. If the dependencyLst array is empty, or if it contains null values, no action is taken.

The following describes the parameters you need to specify in each Dependency statement to specify a dependency you want to add or delete in a job stream in the plan. If all elements are not defined, an error is returned:

action The action to be taken on the dependency. Can be either ADD or DELETE.

type The type of dependency. Can be either PREDECESSOR or SUCCESSOR.

jobNumber

The job number of the job impacted.

dependencyNumber

The job number of the job that you are defining as a predecessor or successor of *jobNumber*.

queryJobStreams (z/OS)

Describes the queryJobStreams Web service for IBM Workload Scheduler for z/OS.

Description

Use this service to run queries on IBM Workload Scheduler for z/OS job stream instances.

Input parameters**engineName**

The name of the IBM Workload Scheduler for z/OS engine.

filter A list of filtering criteria represented by an array of `filterCriteria` statements. The `filterCriteria` statements are defined and documented in the `TWS-Types.xsd` file and in “Defining the filtering criteria to query z/OS job streams.”

Output

The response `queryJobStreamsResponse` returns an array `queryJobStreamsReturn` of the identifiers of the job streams that matched the query. The array includes the following fields:

occurrenceToken

The occurrence identifier.

owner The owner ID defined for the application.

authorityGroup

The name of the authority group that the application belongs to.

containingMonitoredJob

The application includes at least one monitored operation. Can be true or false.

Defining the filtering criteria to query z/OS job streams:

Each `filterCriteria` statement has the following form:

details

Not used; set to null.

value An array of values for the `dataType`.

minimum

A single value representing the minimum of a range.

maximum

A single value representing the maximum of a range.

dataType

A string identifying the field for which you have supplied a value, several values, or a range. The fields are defined and documented in the `SchedulingFactory.wsdl` file and are as follows:

JOB_STREAM_NAME

The name of the job stream.

WORKSTATION_NAME

The name of the workstation that ran the job stream.

STATUS_LIST

Can be one of the following:

- BLOCKED
- CANCELLED
- COMPLETED
- ERROR
- HELD
- READY

- STARTED
- WAITING
- UNDECIDED

INTERNAL_STATUS_LIST

Can be one of the following:

- COMPLETE
- DELETED
- ERROR
- WAITING
- STARTED
- UNDECIDED

PRIORITY

The execution priority with which the job stream ran. Can be one of the following:

- A number ranging from 0 to 99
- hi
- go

PRIORITY_RANGE

Used if you want to query job streams within a range of priority values. In this case, minimum and maximum must also be supplied.

START_TIME

The start time defined for the job stream in YYYYMMDD HHMM format or milliseconds.

START_TIME_RANGE

Used if you want to query job streams within a range of start times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

DEADLINE_TIME

The deadline time defined for the job in YYYYMMDD HHMM format or milliseconds.

DEADLINE_TIME_RANGE

Used if you want to query job streams within a range of deadline times in YYYYMMDD HHMM format or milliseconds. In this case, minimum and maximum must also be supplied.

OCCURRENCE_TOKEN

The occurrence token of the job stream instance in the plan (in hexadecimal).

OWNER

The owner of the job stream.

AUTH_GROUP

The authority group assigned to the job stream.

MONITORED_JOB

Determines if only monitored jobs are to be selected. Can be true or false.

JobService details

Describes the Web services available in the JobService.wsdl file.

This section describes the web services you can use from the JobService.wsdl file.

Web services are described separately for IBM Workload Scheduler and IBM Workload Scheduler for z/OS.

JobService web services for IBM Workload Scheduler

Describes the web services that are available in JobService.wsdl for IBM Workload Scheduler.

The following web services can be used to interface with job instances in IBM Workload Scheduler.

getProperties

Describes the getProperties Web service for IBM Workload Scheduler jobs.

Description

Use this service to display information about a job instance.

You must have list access to the job in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobId The job identifier in the plan:
workstationName#jobStreamName.jobName.

Output

The response getPropertiesResponse returns an array getPropertiesReturn containing the following information fields:

jobId The job identifier.

jobName
The name of the job.

jobStreamName
The name of the job stream including the job.

workstationName
The name of the workstation that ran the job.

jobStreamWorkstationName
The name of the workstation associated with the job stream.

jobNumber
The number assigned to the job at runtime.

priority
The execution priority with which the job ran. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

status Can be one of the following:

- ERROR
- HELD
- READY
- RUNNING
- SUCCESSFULL
- UNDECIDED
- WAITING

internalStatus

Can be one of the following:

- ABEND
- ABENDP
- BOUND
- CANCP
- DONE
- ERROR
- EXEC
- EXTRN
- FAIL
- FENCE
- HOLD
- INTRO
- PEND
- READY
- RJOB
- SCHED
- SUCC
- SUCCP
- SUSP
- USER
- WAIT
- WAITD

requiredConfirmation

Can be true or false.

aliased

Can be true or false.

canceled

Can be true or false.

every The job instance was run with the every option. Can be true or false.

everyRerun

The job instance is a rerun of a job defined with the every option. Can be true or false.

external

The job is a predecessor to another job stream or one of its jobs. Can be true or false.

jobLate

The job passed its completion deadline. Can be true or false.

pendingCancellation

The job stream is pending cancellation. Cancellation is deferred until all of the dependencies, including an at time, are resolved. Can be true or false.

recoveryRerunJob

The job is defined with the recovery action RERUN. This enables the recovery job to take some corrective action, before the parent job attempts to run again. Can be true or false.

released

The job was released from its dependencies. Can be true or false.

rerunJob

The job was rerun. Can be true or false.

running

The job is still running. Can be true or false.

startTime

The start time defined for the job in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The value of the until restriction of the job instance in YYYYMMDD HHMM format or milliseconds.

latestStartAction

The action taken after the until restriction time elapsed. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The value of the deadline restriction of the job instance in YYYYMMDD HHMM format or milliseconds.

repeatRange

The time interval between every reruns of the job in milliseconds.

If the service did not run successfully, `getPropertiesResponse` returns one of the errors described in “Managing errors” on page 39.

setProperties

Describes the `setProperties` Web service for IBM Workload Scheduler jobs.

Description

Use this service to define additional properties for a job in the plan.

You must have submit access to the job in the security file to run this service.

Input parameters**engineName**

Not used; set to null.

jobId

The job identifier in the plan:
workstationName#jobStreamName.jobName.

properties

An array containing the properties you want to set. The properties can be:

priorityIsMonitored

The job priority is monitored if it is a key job. The value is either true or false.

requiresConfirmation

Operator confirmation is required after the job completes to mark it as successful or failed. The value is either true or false.

startTime

The time when the job must start in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The latest time when the job must start in YYYYMMDD HHMM format or milliseconds.

lateststartAction

The action that will be taken if the job exceeds its latest start time. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The time within which the job must complete in YYYYMMDD HHMM format or milliseconds.

repeatRange

The time interval between every reruns of the job in milliseconds.

Output

The response `setPropertyResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

getOutput

Describes the `getOutput` Web service for IBM Workload Scheduler jobs.

Description

Use this service to get the execution log of a job in the plan.

You must be logged on as the `TWS_user` to have proper authorization to run this service.

Input parameters**engineName**

Not used; set to null.

jobId The job identifier in the plan:
workstationName#jobStreamName.jobName.

Output

The response `getOutputResponse` returns a string containing the execution log of the specified job.

If the service did not run successfully, `getOutputResponse` returns one of the errors described in “Managing errors” on page 39.

kill

Describes the `kill` Web service for IBM Workload Scheduler jobs.

Description

Use this service to stop a job that is running.

You must have `kill` access to the job in the security file to run this service.

Input parameters**engineName**

Not used; set to null.

jobId The job identifier in the plan:
workstationName#jobStreamName.jobName.

Output

The response `killResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

cancel

Describes the `cancel` Web service for IBM Workload Scheduler jobs.

Description

Use this service to cancel a job.

If you cancel the job before it is started, it does not start. If you cancel it after it was started, it continues to run. If you cancel a job that is running and it completes in the ABEND state, no automatic job recovery steps are attempted.

You must have cancel access to the job in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobId The job identifier in the plan:

workstationName#jobStreamName.jobName.

isPending

Value is true or false. True cancels the job only after its dependencies are resolved. False cancels the job immediately (and any jobs and job streams that are dependent on the cancelled job are released immediately from the dependency).

Output

The response `cancelResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

releaseAllDependencies

Describes the `releaseAllDependencies` Web service for IBM Workload Scheduler jobs.

Description

Use this service to release a job from all its defined dependencies.

You must have `release` access to the job in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobId The job identifier in the plan:

workstationName#jobStreamName.jobName.

Output

The response `releaseAllDependenciesResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

JobService web services for IBM Workload Scheduler for z/OS

Describes the web services that are available in `JobService.wsdl` for IBM Workload Scheduler for z/OS.

The following web services can be used to interface with operations in IBM Workload Scheduler for z/OS.

getProperties (z/OS)

Describes the getProperties Web service for IBM Workload Scheduler for z/OS operations.

Description

Use this service to display information about an operation.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobId The operation identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Output

The response getPropertiesResponse returns an array getPropertiesReturn containing the following information fields:

occurrenceToken

The identifier of the occurrence that includes the operation.

extendedStatus

The extended status code assigned to the operation.

errorCode

The error code that terminated the operation.

operationCommand

Can be one of the following: BD = Bind shadow; job EX = Execute operation; KJ = Kill operation; KR = Kill recovery job; MH = Hold operation; MR = Release operation; NP = NOP operation; PN = Prompt reply no; PY = Prompt reply yes; UN = Un-NOP operation.

authorityGroup

The name of the authority group that the operation belongs to.

cleanUpStatus

Can be one of the following: Blank=none C=Completed E=Ended in error I=Initiated O=Avail opinfo R=Request opinfo S=Started W=Waiting opinfo

latestOutPassed

The operation exceeded its latest starting time and is late. Can be true or false.

latestOut

The latest possible time, calculated at plan-creation-time, that the operation can start to meet the deadline time (HHMM).

actualArrival

The actual run time of the operation (HHMM).

actualEnd

The time the operation is reported as complete or ended-in-error (HHMM).

If the service did not run successfully, getPropertiesResponse returns one of the errors described in "Managing errors" on page 39.

setProperties (z/OS)

Describes the setProperties Web service for IBM Workload Scheduler for z/OS operations.

Description

Use this service to define additional properties for an operation.

Input parameters**engineName**

The name of the IBM Workload Scheduler for z/OS controller.

jobId The operation identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

properties

An array containing the properties you want to set. The properties can be:

priorityIsMonitored

The priority is monitored if it is a key operation. The value is either true or false.

startTime

The time when the operation must start in YYYYMMDD HHMM format or milliseconds.

lateststartTime

The latest time when the operation must start in YYYYMMDD HHMM format or milliseconds.

lateststartAction

The action that will be taken if the operation exceeds its latest start time. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The time within which the operation must complete in YYYYMMDD HHMM format or milliseconds.

Output

The response `setPropertyResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

getOutput (z/OS)

Describes the `getOutput` Web service for IBM Workload Scheduler for z/OS operations.

Description

Use this service to get the job log of an operation.

Input parameters**engineName**

The name of the IBM Workload Scheduler for z/OS controller.

jobId The operation identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Output

The response `getOutputResponse` returns a string containing the job log of the specified operation.

If the service did not run successfully, `getOutputResponse` returns one of the errors described in “Managing errors” on page 39.

cancel (z/OS)

Describes the cancel Web service for IBM Workload Scheduler for z/OS operations.

Description

Use this service to cancel an operation.

Note that this service works only if the operation has not started. If the operation has already started, it continues to run.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobId The operation identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

isPending

The operation is in pending status. The value can be true or false.

Output

The response `cancelResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

JobStreamService details

Describes the Web services available in the `JobStreamService.wsdl` file.

This section describes the web services you can use from the `JobStreamService.wsdl` file.

Web services are described separately for IBM Workload Scheduler and IBM Workload Scheduler for z/OS.

JobStreamService web services for IBM Workload Scheduler

Describes the web services that are available in `JobStreamService.wsdl` for IBM Workload Scheduler.

The following web services can be used to interface with job stream instances in IBM Workload Scheduler.

getProperties

Describes the `getProperties` Web service for IBM Workload Scheduler job streams.

Description

Use this service to display information about a job stream instance.

You must have `list` access to the job stream in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobStreamId

The job stream identifier in the plan: either

workstationName#jobStreamName(hhmm[date]) or *workstation#jobstream_id*. See the *IBM Workload Scheduler: User's Guide and Reference* for details.

Output

The response `getPropertiesResponse` returns an array `getPropertiesReturn` containing the following information fields:

jobStreamId

The job stream instance identifier.

jobStreamName

The name of the job stream.

aliasJobStreamName

The job stream alias name.

originalJobStreamName

The name of the job stream as defined in the database.

workstationName

The name of the workstation associated with the job stream.

status Can be one of the following:

- BLOCKED
- CANCELLED
- ERROR
- HELD
- READY
- RUNNING
- SUCCESSFUL
- UNDECIDED
- WAITING

internalStatus

Can be one of the following:

- ABEND
- ABENDP
- CANCP
- DONE
- ERROR
- EXEC
- EXTRN
- FAIL
- FENCE
- HOLD
- INTRO
- PEND
- READY
- RJOB
- SCHED
- SUCC
- SUCCP
- SUSP
- USER
- WAIT
- WAITD

limit The job limit of the job stream.

priority

The execution priority defined for the job stream. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

numberOfJobs

The number of jobs included in the job stream.

canceled

The job stream instance is in the cancelled status. Can be true or false.

carriedForward

The job stream instance was carried forward. Can be true or false.

carryForward

The job stream was scheduled with the carryforward option. Can be true or false.

external

The job stream is a predecessor to another job stream or to one of its jobs located in another IBM Workload Scheduler network. Can be true or false.

lateJobStream

The job stream instance passed its completion deadline. Can be true or false.

pendingCancellation

The job stream is pending cancellation. Cancellation is deferred until all of the dependencies, including an at time, are resolved. Can be true or false.

released

The job stream was released from its dependencies. Can be true or false.

startTime

The start time defined for the job stream in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The value of the until restriction of the job stream in YYYYMMDD HHMM format or milliseconds.

latestStartAction

The action taken after the until restriction time elapsed. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The value of the deadline restriction of the job stream instance in YYYYMMDD HHMM format or milliseconds.

If the service did not run successfully, `getPropertiesResponse` returns one of the errors described in “Managing errors” on page 39.

setProperties

Describes the `setProperties` Web service for IBM Workload Scheduler job streams.

Description

Use this service to define additional properties for a job stream in the plan.

You must have submit access to the job stream in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobStreamId

The job stream identifier in the plan: either *workstationName#jobStreamName(hhmm[date])* or *workstation#jobstream_id*. See the *IBM Workload Scheduler: User's Guide and Reference* for details.

properties

An array containing the properties you want to set. The properties can be:

limit The number of jobs in the job stream that can run simultaneously on the same workstation.

priority

The execution priority. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

isCarryForward

The value is either true or false.

isMonitored

The job stream is monitored. The value is either true or false.

startTime

The time when the job stream must start in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The latest time when the job stream must start in YYYYMMDD HHMM format or milliseconds.

latestStartAction

The action that will be taken if the job stream exceeds its latest start time. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The time within which the job stream must complete in YYYYMMDD HHMM format or milliseconds.

Output

If the service ran successfully, the response `setPropertyResponse` returns the identifier of the modified job stream; otherwise, it returns one of the errors described in "Managing errors" on page 39.

getJobsList

Describes the `getJobsList` Web service for IBM Workload Scheduler job streams.

Description

Use this service to get a list of the jobs - and their properties - of a job stream in the plan.

You must have list access to the job stream in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobStreamId

The job stream identifier in the plan: either *workstationName#jobStreamName(hhmm[date])* or *workstation#jobstream_id*. See the *IBM Workload Scheduler: User's Guide and Reference* for details.

Output

The response `getJobsListResponse` returns an array `getJobsListReturn` containing the list of the jobs included in the job stream. For each job instance the following details are also listed:

jobId The job identifier.

jobName

The name of the job.

jobStreamName

The name of the job stream including the job.

workstationName

The name of the workstation that ran the job.

jobStreamWorkstationName

The name of the workstation associated with the job stream.

jobNumber

The number assigned to the job at runtime.

priority

The execution priority with which the job ran. Can be one (or a range of values) of the following:

- A number ranging from 0 to 99
- hi
- go

status Can be one of the following:

- ERROR
- HELD
- READY
- RUNNING
- SUCCESSFULL
- UNDECIDED
- WAITING

internalStatus

Can be one of the following:

- ABEND
- ABENDP
- BOUND
- CANCP
- DONE
- ERROR
- EXEC
- EXTRN

- FAIL
- FENCE
- HOLD
- INTRO
- PEND
- READY
- RJOB
- SCHED
- SUCC
- SUCCP
- SUSP
- USER
- WAIT
- WAITD

requiredConfirmation

Can be true or false.

aliased

Can be true or false.

canceled

Can be true or false.

every The job instance was run with the every option. Can be true or false.

everyRerun

The job instance is a rerun of a job defined with the every option. Can be true or false.

external

The job is a predecessor to another job stream or one of its jobs. Can be true or false.

jobLate

The job passed its completion deadline. Can be true or false.

pendingCancellation

The job stream is pending cancellation. Cancellation is deferred until all of the dependencies, including an at time, are resolved. Can be true or false.

recoveryRerunJob

The job is defined with the recovery action RERUN. This enables the recovery job to take some corrective action, before the parent job attempts to run again. Can be true or false.

released

The job was released from its dependencies. Can be true or false.

rerunJob

The job was rerun. Can be true or false.

running

The job is still running. Can be true or false.

startTime

The start time defined for the job in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The value of the until restriction of the job instance in YYYYMMDD HHMM format or milliseconds.

latestStartAction

The action taken after the until restriction time elapsed. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The value of the deadline restriction of the job instance in YYYYMMDD HHMM format or milliseconds.

repeatRange

The time interval between every reruns of the job in milliseconds.

If the service did not complete successfully, getJobsListResponse returns one of the errors described in “Managing errors” on page 39.

cancel

Describes the cancel Web service for IBM Workload Scheduler job streams.

Description

Use this service to cancel a job stream.

If you cancel the job stream before it is started, it does not start. If you cancel it after it was started, the jobs that have started complete, but no other jobs are launched.

You must have cancel access to the job stream in the security file to run this service.

Input parameters**engineName**

Not used; set to null.

jobStreamId

The job stream identifier in the plan: either *workstationName#jobStreamName(hhmm[date])* or *workstation#jobstream_id*. See the *IBM Workload Scheduler: User's Guide and Reference* for details.

isPending

The value can be true or false. True cancels the job stream only after its dependencies are resolved. False cancels the job stream immediately (and any jobs and job streams that are dependent on the cancelled job stream are released immediately from the dependency).

Output

The response cancelResponse is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

releaseAllDependencies

Describes the releaseAllDependencies Web service for IBM Workload Scheduler job streams.

Description

Use this service to release a job stream from all its defined dependencies.

You must have release access to the job stream in the security file to run this service.

Input parameters

engineName

Not used; set to null.

jobStreamId

The job stream identifier in the plan: either *workstationName#jobStreamName(hhmm[date])* or *workstation#jobstream_id*. See the *IBM Workload Scheduler: User's Guide and Reference* for details.

Output

The response `releaseAllDependenciesResponse` is void if the service ran successfully; otherwise, it returns one of the errors described in "Managing errors" on page 39.

JobStreamService web services for IBM Workload Scheduler for z/OS

Describes the Web services available in `JobStreamService.wsdl` for IBM Workload Scheduler for z/OS.

The following Web services can be used to interface with application occurrences in IBM Workload Scheduler for z/OS.

getProperties (z/OS)

Describes the `getProperties` Web service for IBM Workload Scheduler for z/OS application occurrences.

Description

Use this service to display information about an application occurrence.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobStreamId

The occurrence identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Output

The response `getPropertiesResponse` returns an array `getPropertiesReturn` containing the following information fields:

occurrenceToken

The occurrence identifier.

owner The owner ID defined for the application.

authorityGroup

The name of the authority group that the application belongs to.

containingMonitoredJob

The application includes at least one monitored operation. Can be true or false.

If the service did not run successfully, `getPropertiesResponse` returns one of the errors described in "Managing errors" on page 39.

setProperties (z/OS)

Describes the setProperties Web service for IBM Workload Scheduler for z/OS application occurrences.

Description

Use this service to define additional properties for an application occurrence.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobStreamId

The occurrence identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

properties

An array containing the properties you want to set. The properties can be:

priority

The execution priority. The value can be from 1 (lowest) to 9 (urgent).

isMonitored

The occurrence includes monitored operations. The value is either true or false.

startTime

The time when the occurrence must start in YYYYMMDD HHMM format or milliseconds.

latestStartTime

The latest time when the occurrence must start in YYYYMMDD HHMM format or milliseconds.

latestStartAction

The action that will be taken if the occurrence exceeds its latest start time. Can be CANCEL, CONTINUE, or SUPPRESS.

deadlineTime

The time within which the occurrence must complete in YYYYMMDD HHMM format or milliseconds.

Output

If the service ran successfully, the response setPropertiesResponse returns the identifier of the modified job stream; otherwise, it returns one of the errors described in "Managing errors" on page 39.

getJobsList (z/OS)

Describes the getJobsList Web service for IBM Workload Scheduler for z/OS application occurrences.

Description

Use this service to get a list of the operations - and their properties - that make up an application occurrence.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobStreamId

The occurrence identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

Output

The response `getJobsListResponse` returns an array `getJobsListReturn` containing the list of the operations included in the occurrence. For each operation the following details are also listed:

occurrenceToken

The identifier of the occurrence that includes the operation.

extendedStatus

The extended status code assigned to the operation.

errorCode

The error code that terminated the operation.

operationCommand

Can be one of the following: BD = Bind shadow; job EX = Execute operation; KJ = Kill operation; KR = Kill recovery job; MH = Hold operation; MR = Release operation; NP = NOP operation; PN = Prompt reply no; PY = Prompt reply yes; UN = Un-NOP operation.

authorityGroup

The name of the authority group that the operation belongs to.

cleanUpStatus

Can be one of the following: Blank=none C=Completed E=Ended in error I=Initiated O=Avail opinfo R=Request opinfo S=Started W=Waiting opinfo

latestOutPassed

The operation exceeded its latest starting time and is late. Can be true or false.

latestOut

The latest possible time, calculated at plan-creation-time, that the operation can start to meet the deadline time (HHMM).

actualArrival

The actual run time of the operation (HHMM).

actualEnd

The time the operation is reported as complete or ended-in-error (HHMM).

If the service did not complete successfully, `getJobsListResponse` returns one of the errors described in "Managing errors" on page 39.

cancel (z/OS)

Describes the cancel Web service for IBM Workload Scheduler for z/OS application occurrences.

Description

Use this service to delete an application occurrence from the current plan.

Input parameters

engineName

The name of the IBM Workload Scheduler for z/OS controller.

jobStreamId

The occurrence identifier in the current plan. Note that the plan object identifiers returned contain the '\0' character. This is not a valid character and must be replaced by a blank.

isPending

The occurrence is in pending status. The value can be true or false.

Output

The response cancelResponse is void if the service ran successfully; otherwise, it returns one of the errors described in “Managing errors” on page 39.

Further information

Describes how to obtain further information about using Web services.

For more information about how to manage WSDL files to create your own Web Services-based user interface refer to the IBM redbook *IBM Redbooks: WebSphere Version 5.1 Application Developer 5.1.1 Web Services Handbook, SG24-6891*, which has the following description:

- This IBM Redbook describes the new concept of Web services from various perspectives. It presents the major building blocks Web services rely on. Here, well-defined standards and new concepts are presented and discussed.
- Whereas these concepts are described vendor-independent, this book also presents IBM view and illustrates with suitable demonstration applications how Web services can be implemented using WebSphere Application Server Version 5.1 and WebSphere Studio Application Developer Version 5.1.1.
- This book is a major update to the IBM Redbook Web Services Wizardry with WebSphere Studio Application Developer, SG24-6292, and to WebSphere Version 5 Web Services Handbook, SG24-6891-00.

To access this publication, follow this link: <http://www.redbooks.ibm.com/abstracts/sg246891.html>.

Notices

This information was developed for products and services offered in the US. This material might be available from IBM in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
US*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those

websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you provide in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
US*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

© (your company name) (year).
Portions of this code are derived from IBM Corp. Sample Programs.
© Copyright IBM Corp. _enter the year or years_.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.



Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

ITIL is a Registered Trade Mark of AXELOS Limited.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Terms and conditions for product documentation

Permissions for the use of these publications are granted subject to the following terms and conditions.

Applicability

These terms and conditions are in addition to any terms of use for the IBM website.

Personal use

You may reproduce these publications for your personal, noncommercial use provided that all proprietary notices are preserved. You may not distribute, display or make derivative work of these publications, or any portion thereof, without the express consent of IBM.

Commercial use

You may reproduce, distribute and display these publications solely within your enterprise provided that all proprietary notices are preserved. You may not make derivative works of these publications, or reproduce, distribute or display these publications or any portion thereof outside your enterprise, without the express consent of IBM.

Rights

Except as expressly granted in this permission, no other permissions, licenses or rights are granted, either express or implied, to the publications or any information, data, software or other intellectual property contained therein.

IBM reserves the right to withdraw the permissions granted herein whenever, in its discretion, the use of the publications is detrimental to its interest or, as determined by IBM, the above instructions are not being properly followed.

You may not download, export or re-export this information except in full compliance with all applicable laws and regulations, including all United States export laws and regulations.

IBM MAKES NO GUARANTEE ABOUT THE CONTENT OF THESE PUBLICATIONS. THE PUBLICATIONS ARE PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

Index

A

- accessibility x
- AddEventRule
 - API project example 8
- application program interface
 - accessing reference material 30
 - build.xml file 7
 - connecting to products 10
 - create project
 - from example 8
 - from scratch 8
 - examples for TWS 11
 - examples for TWS for z/OS 18
 - further information 30
 - information, further 30
- Java 5, 6, 7, 8, 9, 10, 11, 13, 15, 18, 28, 30
- libraries 7
- naming convention 5
- overview 5, 33
- project example 9
- project folders 7
- projects 5
- redbooks 30
- reference 5
- reference material, accessing 30
- REST 33
- source tree 6
- specification 5
- using to work with z/OS JCL 28
- working with event rules in database 15
- working with objects in database 11
- working with objects in plan 13

B

- build.xml file
 - Java project file 7

C

- cancel, Web service for IBM Workload Scheduler for z/OS application occurrences 81
- cancel, Web service for IBM Workload Scheduler for z/OS operations 72
- cancel, Web service for IBM Workload Scheduler job streams 78
- cancel, Web service for IBM Workload Scheduler jobs 69
- Cloud & Smarter Infrastructure technical training x
- config
 - Java project folder 7

D

- database objects
 - working with using the Java API 11
- Dynamic Workload Console
 - accessibility x

E

- editSubmitJobStreamWithJobVarSub
 - example 59
- editSubmitJobStreamWithJobVarSub, Web service for IBM Workload Scheduler for z/OS 56
- editSubmitJobStreamWithVarSub
 - example 55
- editSubmitJobStreamWithVarSub, Web service for IBM Workload Scheduler for z/OS 53
- education x
- EngineNotMaster, web services error 39
- event rules in database
 - working with using the Java API 15

G

- getJobsList, Web service for IBM Workload Scheduler for z/OS
 - application occurrences 80
- getJobsList, Web service for IBM Workload Scheduler job streams 75
- getOutput, Web service for IBM Workload Scheduler for z/OS
 - operations 71
- getOutput, Web service for IBM Workload Scheduler jobs 68
- getProperties, Web service for IBM Workload Scheduler for z/OS
 - application occurrences 79
- getProperties, Web service for IBM Workload Scheduler for z/OS
 - operations 70
- getProperties, Web service for IBM Workload Scheduler job streams 72
- getProperties, Web service for IBM Workload Scheduler jobs 65

I

- installing
 - Integration Workbench 3
- Integration Workbench
 - installing 3
- Integration Workbench help
 - using 3
- InvalidArguments, web services error 39

J

- Java API
 - accessing reference material 30
 - build.xml file 7
 - connecting to products 10
 - create project
 - from example 8
 - from scratch 8
 - examples for TWS 11
 - examples for TWS for z/OS 18
 - further information 30
 - information, further 30
 - libraries 7
 - naming convention 5
 - overview 5
 - project example 9
 - project folders 7
 - projects 5
 - redbooks 30
 - reference 5
 - reference material, accessing 30
 - source tree 6
 - specification 5
 - using to work with z/OS JCL 28
 - working with event rules in database 15
 - working with objects in database 11
 - working with objects in plan 13
- Java API examples
 - IBM Workload Scheduler for z/OS
 - defining a job stream with existing data 20
- JobService.wsdl 64
- JobStreamService.wsdl 72

K

- keys
 - Java project folder 7
- kill, Web service for IBM Workload Scheduler jobs 68

L

- Locking, web services error 39

M

- MakeQueryJobsOnPlan
 - API project example 8
- MakeQueryOnPlan
 - API project example 8
- MakeZOSQueryOnPlan
 - API project example 8

O

- ObjectNotFound, web services error 39
- OperationFailed, web services error 39

P

- plan objects
 - working with using the Java API 13
- publication
 - who should read ix

Q

- queryJobs, Web service for IBM Workload Scheduler 43
- queryJobs, Web service for IBM Workload Scheduler for z/OS 48
- queryJobStreams, Web service for IBM Workload Scheduler 46
- queryJobStreams, Web service for IBM Workload Scheduler for z/OS 63

R

- read the publication, who should ix
- redbooks 30
- releaseAllDependencies, Web service for IBM Workload Scheduler job streams 78
- releaseAllDependencies, Web service for IBM Workload Scheduler jobs 69
- RerunJobInPlan
 - API project example 8
- REST API
 - overview 33

S

- SchedulingFactory.wsdl 40
- Security, web services error 39
- setProperty, Web service for IBM Workload Scheduler for z/OS
 - application occurrences 80
- setProperty, Web service for IBM Workload Scheduler for z/OS
 - operations 71
- setProperty, Web service for IBM Workload Scheduler job streams 74
- setProperty, Web service for IBM Workload Scheduler jobs 67
- submitAdHocJob, Web service for IBM Workload Scheduler 41
- submitJob, Web service for IBM Workload Scheduler 40
- SubmitJobInPlan
 - API project example 8
- submitJobStream, Web service for IBM Workload Scheduler 45
- submitJobStream, Web service for IBM Workload Scheduler for z/OS 51
- submitJobStreamWithVarSub, Web service for IBM Workload Scheduler for z/OS 51

T

- technical training x
- training
 - technical x
- Transport, web services error 39

U

- using
 - Integration Workbench help 3

W

- web services
 - access 38
 - error management 39
 - for IBM Workload Scheduler 36
 - for IBM Workload Scheduler for z/OS 37
 - further information 82
 - identifying master domain manager 39
 - information, further 82
 - introduction 35
 - invoking 38
 - management 37
 - managing errors 39



Product Number: 5698-T08, 5698-WSH, and 5698-WSE

Printed in USA