

*zSecure Audit
for ACF2 User Reference Manual*

IBM

Contents

*zSecure Audit for ACF2 User Reference
Manual 1*

zSecure Audit for ACF2 User Reference Manual

This chapter lists the documentation updates for *zSecure Audit for ACF2 User Reference Manual* as a result of the zSecure CICS TS 5.5 currency support PTF.

In Chapter. Resource reports for z/OS, several panels were updated.

In the CICS Regions selection panel, you can select advanced selection criteria. When you select **Region security settings**, two panels are displayed in sequence:

1. The first panel is used for selection criteria that compare against a specified value:

Menu	Options	Info	Commands	Setup

zSecure Suite - CICS - Regions security settings				
Command ==> _____				
Show CICS regions that fit all of the following security criteria				
Default userid _____ (userid or filter)				
Region userid _____ (userid or filter)				
PLT userid _____ (userid or filter)				
PLT security _ 1. None 2. Cmdsec 3. Ressec 4. All				
Kerberos userid _____ (userid or filter)				
Security prefix _ 1. Yes 2. No 3. Prefix or filter _____				
Keyring for SSL _____				
Press ENTER for additional security selection criteria.				

Figure 1. CICS Regions security settings selection panel - part 1

2. The second panel is used for flag fields:

Menu	Options	Info	Commands	Setup

zSecure Suite - CICS - Regions security settings				
Command ==> _____				
Select region security settings (Y/N/blank)				
OR (AND or OR relationship)				
_ ESM invoked				
_ Always do CMD. checking				
_ Always do RES. checking				
_ Attached transaction security				
_ Program security				
_ Command security				
_ File security				
_ Transient data security				
_ Temp storage security				
_ Preset terminals share ACEE				
_ Surrogate user checking				
_ Journal security				
_ DB2 entry security				
_ Started transaction security				
_ PSB security				
_ Generic resource security				
_ Unix file security				
_ APPCLU for sessions checking				
_ PTKTDATA check for passticket				

Figure 2. CICS Regions security settings selection panel - part 2

In the Select region attributes section of the CICS Regions attributes panel, the **Propagation controlled** field was added .

In the CICS[®] Region detailed display report panel, the following sections were updated:

- Region identification
- SAF protection settings

- SAF protection extent

```

CICS region display
Command ==>
All CICS region records
6 Jun 2011 02:12
Line 1 of 69
Scroll==> CSR

Region identification
Complex name          PLEX1
System name           ZS19
CICS Region job name  CICS54 Jobid STC09158 ASID 0044
CICS Region step name CICS54
VTAM Specific applid  CICS01
VTAM Generic applid   CICS01
VTAM CICSplex Generic applid
CICS System identification CICT
CICS System release level TS 5.5.0
- Default Userid       CICSUSER CICS DFLTUSER
- Region Userid        CICSA    CICS STC USER
- PLT initialization userid CICSPLT CICS PLTPI USERID
- Kerberos principal userid STRTASK DIV STARTED TASK USR

SAF protection settings
Command security      No          XCMD          XCD          IGNORE
DB2 Entry security    No
Transient Data security Yes        TRANDATA      CE CTD        VALIDATE
File security         Yes        FILE          CE CFC        VALIDATE
Journal security      Yes
Started Transaction security Yes        TRANS         CE CKC        VALIDATE
Program security      Yes        PROGRAM       CE CPC        VALIDATE
PSB security          Yes        PSB           CE PSB        VALIDATE
Generic Resource security No         XRES          XRS          IGNORE
Attached Transaction security Yes        TRANS         CE CKC        VALIDATE
Temp. Storage security Yes        TEMPSTRG      CE CTS        VALIDATE
Sessions checked in APPCLU Yes        APPCLU
Check generate passticket Yes        PTKTDATA
Users checked in SURROGAT Yes        SURROGAT
Unix file security checked Yes        N/A

SAF protection extent
ESM invoked           Yes        CICS SVC numbers
Always do CMD checking Yes        Supervisor Call (SVC) Number 216
Always do RES checking Yes        HPO SVC Number
PSB check remote users No
PLT initialization security NONE
Resource Prefix       ACFSTCID
- Keyring for SSL and Web
SSL Encryption strength
NIST SP800-131A Crypto Check No
Listen RACF ENF 71 events Yes
Preset terminals share ACEE No
Minimum TLS level     TLS10

```

Figure 3. CICS region detailed display report