


IBM OpenPages with Watson
Version 8.3.0.2.8

Interim Fix ReadMe



NOTE

Before using this information and the product it supports, read the information in the “Notices” section of this document.

Product Information

This document applies to IBM® OpenPages® with Watson™ 8.3.0.2 and may also apply to subsequent releases.

Licensed Materials – Property of IBM

© Copyright IBM Corporation 2003, 2024. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Documentation Release Information

Last Modified: 2/13/2024

Contents

Introduction.....	4
Defect Fixes, Enhancements, and Known Issues	4
Defect Fixes.....	4
Before You Begin	7
Prerequisite Software.....	7
General Information	7
Backup the existing environment	7
Installation Tasks	8
Decide whether to update the OpenPages database manually	8
Task 1: Stop OpenPages Installation server.....	8
Task 2: Apply Installation Server Updates	8
Task 3: Start OpenPages Installation server	8
Task 4: Patching Install Agents	9
Task 5: Ensure that all OpenPages servers and services are running except the Global Search server	9
Task 6: Apply the OpenPages 8.3.0.2 IF8	9
Task 7: Stop and Restart all OpenPages servers and services	9
Uninstalling this Patch.....	10
Start all OpenPages servers and services.....	10
Documentation Updates.....	11
Notices.....	12
Copyright.....	14

Introduction

This Interim Fix updates the IBM® OpenPages® with Watson™ environment from version 8.3.0.2 or previous 8.3.0.2.x interim fix to 8.3.0.2 IF8 on Red Hat Enterprise Linux® (RHEL) or Microsoft™ Windows™

Defect Fixes, Enhancements, and Known Issues

Defect Fixes

The following defect fixes are included in this release. The Authorized Problem Analysis Report (APAR) ID, or Known issue ID if available, is shown in parentheses after a description. For example: (DT123456) or (PH12345).

OpenPages 8.3.0.2 IF8

- Security updates
- Removing inherited role assignment from user also removes role assignment from group (PH55694)
- When adding Role Assignments, clicking more to expand the list on security domains selects the incorrect item (PH57298)
- Out of Memory errors could occur when 100's of thousands of workflows are running (DT247766)

OpenPages 8.3.0.2 IF7

- Security updates
- Bulk workflow action ignores conditions (PH48681)
- Db2 Only - Updating an existing Multi-Actor field from having a value to not having a value can leave a mismatch in the reporting schema tables (PH54090)
- The Entity tree for the RCM Theme Deployer was missing data (PH55917)
- Concurrent workflow transition calls, sometimes leave two open workflows for one resource (PH55889)
- The Ascent job is clearing out fields it shouldn't be when updating existing Mandates/Submandates Requirements (PH57441)
- Discontinued the use of Medallia NPS
- The Loss Event Entry App configuration has moved to the Administrative menu instead of being a separate URL.
Documentation for the Config is here for 9.0:
<https://www.ibm.com/docs/en/openpages/9.0.0?topic=guide-configuring-openpages-loss-event-entry>.
- The RCM Theme Deployer configuration UI has been removed. Administrative users with access to SysXMLDocuments can update the RCM Theme Deployer configuration by updating the solutions-rcm.json file found in the System Files > End User Applications Config folder. The Theme Deployer has been updated to look and feel more consistent with the rest of the Task Focused UI.

OpenPages 8.3.0.2 IF6

- Security updates
- Unable to read filename after exporting object when the locale is set to Japanese (PH42986)
Note: This issue is same as APAR PH53804
- File is downloaded with wrong name, if it has special characters in the name (PH53804)
Note: This issue is same as APAR PH42986
- Out of Memory exception when importing a large amount of data from the Wolters Kluwer (WK) (PH54295)
- Links to attachments in the View Policy helper results in an error page (PH55125)

Note: This APAR is related to APAR PH51440, which was fixed in 8.3.0.2.5

- Reg Event Mapping to Reg Library Objects not occurring automatically (PH55532)
- Username containing apostrophe will not be able to load Timesheet Entry helper (PH55396)
- Fix for APAR PH42927 can cause performance issues during the start-up, if the environment has large number of disabled users (PH55756)

OpenPages 8.3.0.2 IF5

- Security updates
- Error handling for responses may be causing some errors to erroneously display as “Network error”
- Date Picker fails to select the date on the first attempt (PH30715)
- OP-00020 error when editing Questionnaire Assessment after answering a Question (PH50426)
- Clicking on a link within a report throws an error, if user is not already logged into OpenPages (PH51440)

OpenPages 8.3.0.2 IF4

- Security updates
- Profile exports contain standard UI view definitions that can cause errors when importing in 8.3 (PH50208)
- Custom report JSP files are blocked from using POST requests to the other resources (PH51807)
- When users are trying to move objects using the Move button in the Grid View the dialog is not displaying the correct folder hierarchy to select a destination (PH51874)
- Fix for APAR PH40689 can cause a performance issue when one or more filters are deleted (PH52825)
- Calculation that uses a preference value does not automatically update (PH52306OpenPages 8.3.0.2 IF3)
- Security Scorecard import fails if the Vendor object type is set as a self-contained object type (PH51070)
- The Security Rule condition fails when Multi-Valued User Selector field is empty (PH51215)
Note: To enable this capability, set "/Platform/Database/MultiActor/Use RT Tables for Security Rules with Actor Fields" to true, and then update the Reporting Schema.
- Need to provide export to Excel formatted and unformatted options. See related PH45917 and PH49640 (PH51429)
- Query to extract login details to show history to the user on the landing page is inefficient (PH51566)
- Using the `/grc/api/query` REST API fails to handle a JSON payload with newline characters (PH51638)
- Multi-Valued User Selector fields not available in workflow conditions comparing with equal or not equal (PH51723)
- In OpenPages 8.3.0.2, any query output from the API includes a next page link, even when there is no next page, or the output is empty (PH51793)
- Using the REST API `grc/api/query` with a UNION statement of two queries returns 400 Bad Request error message (PH52142)
- Two-time dependent reporting functions used in Cognos may not return data for some date ranges (PH52192)
- In OpenPages 8.3.0.2, the query API no longer returns all possible results for a query from the database and is instead limited to the page size of the query (PH52425)
- Relationship path picker with ancestors is not working in View Designer after re-opening

OpenPages 8.3.0.2 IF2

- Not able to save changes to field names with accented characters in them (PH50561)
- Fix for APAR PH46029 can cause the SQL generated for reports to perform poorly (PH51159)
Note: In OpenPages 8.3.0.1, we fixed APAR PH46029: Cognos reports exclude entire rows if user lacks access to any involved object. However, in some circumstances, this fix can cause poor performance for reports.

To address both issues, we have added a registry entry to make this behavior configurable. After changing this setting, the Reporting Framework must be regenerated for it to take effect.

The new registry entry is:

/OpenPages/Platform/Reporting Framework V6/Configuration/Datasource QS
Security Filter. The default is false.

When set to false, the behavior is the behavior prior to 8.3.0.1.

When set to true, the behavior is the fix for APAR PH46029.

- Workflow validations using advanced logic prevent later operations from running (PH51162)
- Loss Event Entry (LEE) App launch failure (PH51228)

OpenPages 8.3.0.2 IF1

- Security updates
- DB2 Text search does not perform well when STMT_CONC is set to LITERALS (PH50032)

Before You Begin

Prerequisite Software

Prior to installing IBM® OpenPages® with Watson™ 8.3.0.2 IF8, OpenPages 8.3.0.2 or previous 8.3.0.2.x interim fix must be installed. To install IBM® OpenPages® with Watson™ 8.3.0.2 IF8, use the OpenPages 8.3.0.2.8 Installer.

General Information

For information regarding the installation and setup of the OpenPages installer server and installer agents, please see “*OpenPages installation server and app*” topic in the *IBM® OpenPages® with Watson™ Installation and Deployment Guide* at

<https://www.ibm.com/docs/en/opw/8.3.0?topic=only-openpages-installation-server-app>

Backup the existing environment

When you install an interim fix, the installation server automatically backs up most files for you.

The backup files are stored on each server in your deployment in the `<server_home>/installer/maintenance/interim-fix-<version>/backups_from_<previous-version>` directory.

Some files need to be backed up manually, however. You also need to back up the databases and the openpages-storage directory.

For details, see the “Back up your existing environment” topic in the *IBM OpenPages with Watson Installation and Deployment Guide*

<https://www.ibm.com/docs/en/opw/8.3.0?topic=pack-back-up-your-existing-environment>

Installation Tasks

To install IBM® OpenPages® with Watson™ 8.3.0.2 IF8, perform the following tasks.

Decide whether to update the OpenPages database manually

When installing this interim fix, you can choose to update the database by running scripts. Use this option if you do not want to enter DBA credentials in the installation app. It is not mandatory to update the database server manually. You can use the OpenPages® installation app to update the database automatically if you prefer.

If you decide to update the database manually, please see the following topic in the *IBM® OpenPages® with Watson™ Installation and Deployment Guide* at

Db2: Update the OpenPages database manually (DB2®)

<https://www.ibm.com/docs/en/opw/8.3.0?topic=packs-update-openpages-database-manually-db2>

Oracle: Update the OpenPages database manually (Oracle)

<https://www.ibm.com/docs/en/opw/8.3.0?topic=packs-update-openpages-database-manually-oracle>

Note: The steps to be performed for this interim fix are the same as those performed for the OpenPages 8.3.0.x fix packs, but the

`<fix_pack_kit>/OP_<version>_Main/OP_<version>_Configuration/Database/
<database_type>/PATCH_SCRIPTS` directory mentioned in the steps should be replaced with the IBM OpenPages with Watson 8.3.0.2.x media location of:
`<interim_fix_kit>/Database/<database_type>/PATCH_SCRIPTS`

Task 1: Stop OpenPages Installation server

Note: For details, see the “Stopping the installation server” topic in “OpenPages installation server and app” chapter in the *IBM® OpenPages® with Watson™ Installation and Deployment Guide*.

Task 2: Apply Installation Server Updates

Update the Installation server by replacing the current files with the updated files located in the interim fix kit, performing the following steps as the user that setup the Installation server.

- 2.1 Navigate to the directory `<InstallerHome>/src/assets/maintenance` and copy **openpages_installer_8-3-0-2-8.zip** from the kit
- 2.2 Navigate to the `<InstallerHome>` directory and run the command “**npm run upgrade**” from a command or shell window.
- 2.3 Navigate to the `<InstallerHome> /install/<OS>` directory and run the command
`<OPInstallerHome>/install/<OS>/upgradeNode.sh|bat --acceptLicense`

Task 3: Start OpenPages Installation server

Note: For details, see the “Starting the installation server” topic in the *IBM® OpenPages® with Watson™ Installation and Deployment Guide*

Task 4: Patching Install Agents

Login to the installation server, select the deployment and click Validate from the deployment

Task 5: Ensure that all OpenPages servers and services are running except the Global Search server

Note: For details, see the “Starting and stopping servers” chapter in the *IBM® OpenPages® with Watson™ Administrator’s Guide*

<https://www.ibm.com/docs/en/opw/8.3.0?topic=guide-starting-stopping-servers>

Task 6: Apply the OpenPages 8.3.0.2 IF8

Use the 8.3.0.2.8 OpenPages installer to apply the 8.3.0.2.8 Interim fix. Perform the following steps as the user that setup the Installation Server.

Using the installation app, do the following:

- 2.1 Ensure that the OpenPages 8.3.0.2.8 installation server is running and that the OpenPages 8.3.0.2.8 installer agents on the remote servers in the deployment (if applicable) are also running.
- 2.2 Copy the **openpages_interimFix_8-3-0-2-8.zip** file from the interim fix kit into the `<InstallerMaintenance>` directory on the installation server.
- 2.3 Open the existing 8.3.0.2 deployment and press the browser’s **Refresh** button to refresh the installation app.
- 2.4 Click the `Deployment Task` drop-down and select `Interim Fix` and select `8.3.0.2.8` in the `Version` drop-down.
- 2.5 Perform the **Validate**, **Install**, and **Configure** actions to apply the interim fix updates to the OpenPages 8.3.0.2.x deployment.

Task 7: Stop and Restart all OpenPages servers and services

Note: For details, see the “Starting and stopping servers” chapter in the *IBM® OpenPages® with Watson™ Administrator’s Guide*.

<https://www.ibm.com/docs/en/opw/8.3.0?topic=guide-starting-stopping-servers>

- When restarting the OpenPages application servers, use the `--clean` option

For example

```
./startAllServer.sh --clean
```

Uninstalling this Patch

Uninstalling 8.3.0.2 IF8 will revert the system to the previous patch level.

To uninstall the interim fix, please see the “Rolling back a fix pack” topic in the in the *IBM® OpenPages® with Watson™ Installation and Deployment Guide*

<https://www.ibm.com/docs/en/opw/8.3.0?topic=packs-rolling-back-fix-pack>

Note: The steps to be performed to roll back the interim fix are the same as those performed for rolling back the OpenPages 8.3.0.x fix packs, but the

`<server_home>/installer/maintenance/fix-pack-<version>/backups_from_<previous-version>`

directory mentioned in the steps should be replaced with the

`<server_home>/installer/maintenance/interim-fix-<version>/backups_from_<previous-version>`

directory.

Start all OpenPages servers and services

Note: For details, see the “Starting and stopping servers” chapter in the *IBM® OpenPages® with Watson™ Administrator’s Guide*.

When restarting the OpenPages application servers, use the --clean option.

For example

```
./startAllServer.sh --clean
```

Documentation Updates

You can download the latest revision to the IBM® OpenPages® with Watson™ 8.3 documentation set from the IBM information server at:

<https://www.ibm.com/support/pages/openpages-watson-documentation-developers-version-83>

Or you can use the IBM® OpenPages® with Watson™ 8.3 Documentation at

<https://www.ibm.com/docs/en/opw/8.3.0>

Notices

This information was developed for products and services offered worldwide.

This material may be available from IBM® in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service. This document may describe products, services, or features that are not included in the Program or license entitlement that you have purchased.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
Location Code IE9
Tower 3
900 Chelmsford Street
Lowell, MA 01851-5114
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

This Software Offering does not use cookies or other technologies to collect personally identifiable information.

Copyright

Licensed Materials - Property of IBM Corporation.

© Copyright IBM Corporation, 2024.

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written.

These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

IBM, the IBM logo and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide.

The following terms are trademarks or registered trademarks of other companies:

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Microsoft, Windows, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

