

IBM COBOL for Linux on x86  
1.1

*Data Sheet*



**June 2021**

This edition applies to Version 1.1 of IBM® COBOL for Linux® on x86 (program number 5737-L11) and to all subsequent releases and modifications until otherwise indicated in new editions. Make sure you are using the correct edition for the level of the product.

You can view or download softcopy publications at no charge in the [COBOL for Linux on x86 documentation library](#).

© **Copyright International Business Machines Corporation 2021.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

**Chapter 1. IBM COBOL for Linux on x86 1.1 highlights..... 1**

**Chapter 2. Features..... 2**

**Chapter 3. Other features..... 5**

**Chapter 4. System requirements..... 7**

**Chapter 5. For more information..... 8**

**Chapter 6. Notices..... 9**



---

# Chapter 1. IBM COBOL for Linux on x86 1.1 highlights

IBM COBOL for Linux on x86 1.1 is a productive and powerful development environment for building and modernizing COBOL applications. It includes an optimizing COBOL compiler, a COBOL runtime library, and a debugger that lets you visually debug programs from your workstation. COBOL for Linux on x86 offers high performance and functionality, enabling you to develop COBOL applications for Linux x86 systems, and is designed to support your journey to the cloud. It enables you to strategically deploy business critical applications written in COBOL to a hybrid cloud environment or best-fit platforms that include IBM Z® (z/OS®), IBM Power® Systems (AIX®), and x86 (Linux) platforms.

Highlights of COBOL for Linux on x86 1.1 are as follows:

- IBM COBOL compiler and runtime library for the Linux on x86 environment
- Interoperability with IBM TXSeries® for Multiplatforms
- Interoperability with IBM Db2® for Linux, UNIX and Windows
- Unicode support to enable COBOL applications to directly process Unicode data
- Native support for XML, which allows COBOL applications to parse incoming and generate outgoing XML messages
- A debugger that enables you to conveniently debug programs
- Compatibility with IBM Enterprise COBOL for z/OS and IBM COBOL for AIX
- Source conversion utility (scu) to aid in migrating COBOL source code developed with non-IBM COBOL compilers

To remain competitive, you need a complete business strategy to help you modernize, integrate, and manage existing applications, data, and skill sets to ease your organization's transformation into a more flexible business. You need to be able to connect your business components end to end with your suppliers, partners, employees, and customers, and you need to position your organization to quickly take advantage of opportunities and respond to challenges in real time. COBOL for Linux on x86 helps you to meet these challenges and lets you use your existing COBOL code while upgrading your applications with the newest technologies.

---

## Chapter 2. Features

COBOL for Linux on x86 1.1 provides features that you can use to upgrade your existing COBOL applications with the newest technologies.

### **Improved application performance**

The performance of COBOL for Linux on x86 applications is improved by means of world-class optimization technology shared with IBM Enterprise COBOL for z/OS. The common optimization technology from Enterprise COBOL for z/OS is integrated into the COBOL for Linux on x86 compiler to deliver many COBOL-specific optimizations designed to improve application performance.

### **A performance enhanced COBOL runtime library**

The COBOL for Linux on x86 high-performance runtime, which is shared with IBM COBOL for AIX, is designed for applications on Linux on x86 environment.

### **Compatibility with Enterprise COBOL of z/OS and COBOL for AIX**

COBOL for Linux on x86 provides many compiler options and COBOL language feature compatibilities with COBOL for AIX and Enterprise COBOL for z/OS to allow strategic deployment of business-critical applications written in COBOL to best-fit platforms or a hybrid cloud environment. COBOL for Linux on x86 provides compiler options to control the endian representation of binary, floating point, and national data items.

### **Source conversion utility (scu)**

The scu aids in migrating COBOL applications to COBOL for Linux on x86. The scu is a stand-alone program that assists in the conversion of COBOL source programs from non-IBM or free-format source formats to a format that can be compiled by COBOL for Linux on x86.

### **Unicode support**

COBOL for Linux on x86 supports Unicode UTF-16 as national character data at run time. UTF-16 is a fixed-width Unicode encoding that provides a consistent and efficient way to encode plain text. National (UTF-16) data items, national literals, intrinsic functions, figurative constants, and national groups provide the support for developing COBOL programs that will work with various national languages. Support for the Chinese character standard GB18030 is also provided.

### **Developing COBOL programs with CICS or Db2**

COBOL for Linux on x86 supports interoperability with IBM TXSeries for Multiplatforms and with IBM Db2 for Linux, UNIX and Windows, which enables you to develop COBOL programs to run in a CICS® or Db2 environment.

The Db2 file system supports sequential, indexed, and relative files. Db2 provides enhanced interoperation with CICS, enabling batch COBOL programs to access CICS ESDS, KSDS, and RRDS files that are stored in Db2, and lets you leverage all the great Db2 data management facilities, such as backup, compression, encryption, and utility functions, along with a familiar maintenance and administration protocol.

### **Extensible Markup Language (XML) support**

XML makes it easier to write COBOL applications to handle document types, author and manage structured information, and transmit and share structured information across computing systems. COBOL

for Linux on x86 provides XML support to enable COBOL programs to parse incoming and to generate outgoing XML messages.

The XML GENERATE statement gives you flexibility and control over the form of the XML documents that you generate. The XML GENERATE statement enables you to do the following tasks:

- Specify a namespace by using the NAMESPACE phrase, and a namespace prefix to be applied to each element by using the NAMESPACE-PREFIX phrase.
- Specify the encoding of the generated document by using the ENCODING phrase.
- Generate XML documents in UTF-8, in UTF-16, or in various ASCII or EBCDIC code pages.
- Use the WITH ATTRIBUTES phrase to specify that eligible items in the XML document will be generated as XML attributes instead of as elements.
- Use the WITH XML-DECLARATION phrase to include the XML version and the encoding information in the generated document.

When you use the XML PARSE statement, you can parse documents that are encoded in UTF-8, in UTF-16, or in various ASCII or EBCDIC code pages.

## **Robust file systems**

COBOL for Linux on x86 provides robust file system support to work with record-oriented files that have sequential, relative, indexed, or line-sequential organization. The following file systems are included in COBOL for Linux on x86:

- Db2 relational database
- CICS Structured File Server (SFS)
- Line Sequential (LSQ)
- Queued Sequential Access Method (QSAM)
- Record Sequential Delimited (RSD)
- Standard Language (STL)
- Virtual Storage Access Method (VSAM)

## **Simplified processing of multiple versions of data**

Have you ever wanted to simplify the processing of multiple versions of related data? You can do so because all COBOL for Linux on x86 file systems support generation data groups (GDGs). A generation data group (GDG) is a chronological collection of related files.

There are advantages to grouping related files. For example:

- Files in the group can be referred to by a common name.
- Files in the group are kept in generation order.
- Outdated files can be automatically discarded.

Using the `gdgmgr` utility program, you can easily manage GDG catalogs and generation files.

GDGs facilitate cross-platform compatibility between Enterprise COBOL for z/OS and COBOL for Linux on x86.

## **IBM Debug for Linux on x86: a source-level debugger**

IBM Debug for Linux on x86 is an interactive source-level debugger. It works on Windows-based and Linux-based workstations that are connected remotely to a debugger engine running on Linux on x86. IBM Debug for Linux on x86 lets you conveniently debug applications that are written in COBOL from your workstation.

The debugger displays application source files and the elements in those source files. You can single-step, step through, or step over a specified line; and you can stop execution at a specified line or

condition. While controlling execution, you can monitor variables, registers, memory, call stacks, and other elements.

## **Interlanguage communication between COBOL and C/C++**

COBOL for Linux on x86 supports interlanguage communication between COBOL and C/C++. The interlanguage communication support enables building COBOL applications from component routines written in C/C++.

## **An extended source format**

COBOL for Linux on x86 supports fixed source format and extended source format. Fixed source format consists of text that varies in length up to 72 bytes per line. Extended source format consists of text that varies in length up to 252 bytes per line.

The extended source format is supported by:

- The SRCFORMAT compiler option that allows you to indicate whether source files have the new extended format or the fixed format that is compatible with earlier versions
- The scu source conversion utility that helps you normalize non-IBM COBOL source and free-format COBOL source so that it can be compiled

---

## Chapter 3. Other features

COBOL for Linux on x86 also provides these other features.

### **Integration of COBOL applications with web services**

Using COBOL for Linux on x86, you can integrate your COBOL applications with web services and XML. Such interoperability enables you to capitalize on existing IT investments while smoothly incorporating new, web-based applications into your organization's infrastructure.

### **Increased programmer productivity**

Boost your programming productivity with these features in COBOL for Linux on x86:

- Compiler listings cross-reference copybooks to the library names and file names from which the copybooks are obtained.
- Usability enhancements to Db2/COBOL applications are available when you use the integrated Db2 coprocessor; for example, an explicitly coded LOCAL-STORAGE or WORKING-STORAGE section is no longer required.
- Specification of CICS options, and integrated compilation of programs and copybooks that contain CICS statements, are enabled by means of a compiler option (CICS).
- A compiler option, MDECK, causes the updated input source (after processing of statements such as COPY) to be written to a file.
- A callable service, iwzGetSortErrno, makes it possible to obtain the sort or merge error number after each sort or merge operation.
- When you use the REDEFINES clause for data items that are not level 01, the subject of an entry can be larger than the data item being redefined.

### **Improved application development**

COBOL for Linux on x86 is a productive and powerful development environment for building and modernizing COBOL applications. It provides a set of intrinsic functions that includes string handling, financial functions, statistical functions, and mathematical formulas. COBOL for Linux on x86 offers support for recursive calls, structured programming, improved interoperability with other languages, and shared libraries.

### **Supports concatenation of multiple input files**

In COBOL for Linux on x86, you can concatenate input files by separating the individual file identifiers with a colon (:), which simplifies processing multiple files as one.

File concatenation facilitates cross-platform compatibility between Enterprise COBOL for z/OS and COBOL for Linux on x86.

### **Enables compiler message severity customization**

Have you ever wanted to change the severity of a compiler diagnostic message, or completely suppress a compiler message? In COBOL for Linux on x86, you can do both. For example, you can now get return code zero from a compilation that used to return warning messages.

The MSGEXIT suboption of the EXIT compiler option lets you specify a module that is called for each compiler message. Using the MSGEXIT module, you can change the severity of diagnostic messages, suppress diagnostic messages, and convert FIPS (FLAGSTD) messages into diagnostic messages.

## **Allows the underscore character in user-defined words**

In COBOL for Linux on x86, COBOL user-defined words such as data names and program names can include underscore characters (\_). Underscores are also supported in the literal form of program names.

By being able to use underscores in data names and program names, your COBOL code can more easily interoperate with XML, DB2<sup>®</sup>/SQL, and other programming languages.

## **COBOL across platforms**

COBOL for Linux on x86 is part of a family of compatible compilers, application development tools, and maintenance tools. The IBM COBOL family consists of COBOL for Linux on x86, COBOL for AIX, Enterprise COBOL for z/OS, and Automatic Binary Optimizer for z/OS.

---

## Chapter 4. System requirements

COBOL for Linux on x86 runs on an x86-64 server that supports one of the following operating systems:

- Red Hat® Enterprise Linux 7.8 or later
- Ubuntu Server 16.04 LTS, 18.04 LTS, or later

It is also recommended that you meet the following requirements:

- Approximately 260 MB for product packages
- Minimum of 2 GB of hard drive space for paging
- Minimum of 512 MB for temporary files
- 2 GB RAM minimum; 4 GB or more RAM recommended

---

## Chapter 5. For more information

To learn more about COBOL for Linux on x86, contact your IBM representative or IBM Business Partner, or visit the [COBOL for Linux on x86 product page](#).

---

## Chapter 6. Notices

© Copyright IBM Corporation 2021.

IBM Corporation  
Software Group  
Route 100  
Somers, NY 10589 U.S.A.

Produced in the United States of America  
April 2021

IBM, the IBM logo, and [ibm.com](https://www.ibm.com)<sup>®</sup> are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at “Copyright and trademark information” at <https://www.ibm.com/legal/copytrade>.

Product data is subject to change without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

The information provided in this document is distributed “as is” without any warranty, either express or implied. IBM expressly disclaims any warranties of merchantability, fitness for a particular purpose or non-infringement. IBM products are warranted according to the terms and conditions of the agreements (e.g. IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided.



Product Number: 5737-L11