

IBM Cognos Analytics 11.2.1 - Fix List



Component	APAR	Description
General Product	PH37534	IBM COGNOS CONFIGURATION TESTING ERRORS ON THE URL VERIFY
	PH35486	INPLACE UPGRADES TO 11.1.7 WILL REMOVE PMHUB.HTML ON UNIX SYSTEMS
	PH37370	WEB SERVICE SETTINGS AVAILABLE AND CMPLST.TXT MISSING IN IBM COGNOS ANALYTICS 11.2.0
	PH40185	NEW ADVANCED SETTING IN 11.1.7 FOR SETTING SAMESITE ATTRIBUTES ON COOKIES IS CASE SENSITIVE
	PH34843	CLEARTEXT PASSWORD FOR AUDIT DATABASE USER IN LOGFILE /OPT/IBM/COGNOS/CRN1/LOGS/COGCONFIG.LOG
	PH39585	USING 'DEFAULT' SOURCE ATTRIBUTE WHEN DRILLTHROUGH USES POWERCUBE'S 'CATEGORY CODE' RATHER THAN 'SOURCE VALUE'
	PH39018	XQE-GEN-0010 FOUND AN INTERNAL ERROR: 'NODE?'
	PH38919	AFTER UPGRADING TO COGNOS ANALYTICS 11, DRILL DOWN DOES NOT WORK.
	PH37842	DETAILED DATA IS NOT DISPLAYED IN EXCEL WHEN USING ITEMS WITH TO_NUMBER AS A LINK OF MASTER-DETAILS.
	PH37726	XQE-GEN-0005 FOUND AN INTERNAL ERROR: JAVA.LANG.NULLPOINTEREXCEPTION
	PH22796	REPORTING - DATA MODULE FILTER PREVENTS QUERY TO DATA BASE In Reporting Preview Mode
	PH30604	XQE-GEN-0002 AN UNEXPECTED EXCEPTION OCCURRED: JAVA.LANG.STACKOVERFLOWERROR ERROR AFTER REPORT UPGRADE TO 11.1.7 FROM 11.1.4
	PH31990	EXCEPT OPERATOR SHOWS DIFFERENT RESULT WITH DQM

Component	APAR	Description
	<u>PH36372</u>	DESCENDING SORT IGNORED FOR RUNNING-COUNT BEFORE JOIN IN DYNAMIC QUERY MODE
	<u>PH37138</u>	GROUPED COLUMN HEADER DOES NOT APPEAR IN USERS CONTENT LANGUAGE PREFERENCE
	<u>PH36889</u>	VALIDATION ERRORS IN EVERY REPORT AFTER CA 11.1.7. FP2 UPGRADE
	<u>PH36880</u>	A DATABASE FILTER IS NOT SUBMITTED TO THE DB IN A REPORT QUERY AFTER MIGRATION FROM CA 11.0.13 TO CA 11.1.7
	<u>PH36133</u>	QUERY/.DATA-SET SERVICE REMAINS IN OVERLOADED STATE TILL WE RECYCLE THE SERVICE
	<u>PH30962</u>	INCORRECT OUTPUT AGAINST A FILTERED PA SOURCE
	<u>PH36422</u>	CAF (COGNOS APPLICATION FIREWALL) THROWING ERROR FROM THE SECURE LOG HANDLER WHEN HANDLING COGNOS FOR MICROSOFT OFFICE REPORT WI
	<u>PH31900</u>	ERROR WHEN OPENING COGNOS CONFIGURATION USING ORACLE JRE
	<u>PH10270</u>	UNABLE TO LAUNCH COGCONFIG ON LINUX WHEN INSTALLED USING PORTUGUESE BRAZIL
	<u>PH40603</u>	XQE-PLN-0008 THE PATTERN HIERARCHY INFO COULD NOT BE CREATED FOR THE EDGE WITH ID = '2'.
	<u>PH40105</u>	XQE-DAT-0001 DATA SOURCE ADAPTER ERROR FOR REPORT UPGRADED TO FIXPACK3
	<u>PH39873</u>	PACKAGE SECURITY IS NOT RESPECTED WHEN THE DISPATCHER IS RUNNING IN 64 BIT MODE.
	<u>PH39576</u>	XQE-PLN-0128 THE DMR SUBQUERY FAILED TO PLAN AND PRODUCED AN UN-EXPECTED ERROR ON UPGRADED REPORT
	<u>PH39479</u>	QUERY REUSE DOES NOT KICK-IN WHEN DASHBOARD DATA EXECUTION REQUESTS ASK FOR FEEDBACK INFORMATION
	<u>PH39456</u>	TOP/BOTTOM FEATURE IN DASHBOARDS SHOWS NULL DATA POINTS

Component	APAR	Description
	<u>PH39405</u>	XQE-DAT-0001 DATA SOURCE ADAPTER ERROR IN REPORTS THAT USE A DATA MODULE AND DATA SETS THAT INCLUDE A LEFT JOIN.
	<u>PH39169</u>	FRAMEWORK MANAGER QUERY SUBJECT VALIDATION FAILS AGAINST SAP SYBASE IQ AFTER UPGRADE
	<u>PH39145</u>	DASHBOARD WITH TOP COUNT ON SIZE IN PIE-CHART THROWING "IDENTIFIER NOT FOUND"
	<u>PH39128</u>	XQE-PLN-0204 ERROR IN DASHBOARD WIDGET WITH TOP COUNT FUNCTION
	<u>PH38904</u>	XQE-DAT-0001 DATA SOURCE ADAPTER ERROR: COM.IBM.DB2.JCC.AM.SQLSY NTAXERROREXCEPTION: AN UNEXPECTED TOKEN "MAX" WAS FOUND FOLLOWING
	<u>PH38897</u>	DATA MODULE WITH PACKAGE AND EXCEL FILE RETURNS NULLS INSTEAD OF 0 IN REPORT
	<u>PH38454</u>	XQE-GEN-0006 FEATURE NOT YET SUPPORTED IS REPORTED WHEN THE DATA MODULE HAS RELATIONSHIP TO EXCEL
	<u>PH38304</u>	Dashboarding top filter with rank column produces an expression error
	<u>PH38223</u>	XQE-DAT-0001 DATA SOURCE ADAPTER ERROR <OBJECT> DOES NOT EXIST RUNNING AN UPGRADED REPORT
	<u>PH38059</u>	QUERY SUBJECTS BASED ON ORACLE SYNONYMS DO NOT VALIDATE IN DQM IF THEY ARE NAMED DIFFERENTLY
	<u>PH37911</u>	UNABLE TO OPEN TM1 PACKAGE AFTER UPGRADING TO 11.1.7
	<u>PH37903</u>	INCORRECT PARAMETER USED WHEN USING STORED PROCEDURE WITH MULTIPLE MASTER DETAIL QUERIES
	<u>PH37895</u>	XQECPP CRASHES ON ZLINUX
	<u>PH37739</u>	XQE-PLN-0008 The pattern hierarchy info could not be created for the edge with id = '2'.
	<u>PH37595</u>	FOR CLAUSE IGNORED IN AGGREGATION IGNORED WHEN USING SUM AGGREGATION

Component	APAR	Description
	<u>PH37346</u>	CROSSTAB SHOWING INCORRECT RESULTS FROM TM1 CUBE FOR MEMBERS WITH NULL MEASURE VALUE
	<u>PH37042</u>	DIFFERENT QUERY CREATED IN DASHBOARD BY COGNOS ANALYTICS DEPENDS ON BROWSER USED
	<u>PH36926</u>	DASHBOARDING - TOP/BOTTOM FILTER CAUSES JAVA.LANG.NULLPOINTEREXCEPTION ERROR
	<u>PH36874</u>	DASHBOARDING - TOP COUNT FILTER GENERATES IDENTIFIER NOT FOUND '['_NUMEXPR...' ERROR
	<u>PH36602</u>	QUERY FILTER IN A FEDERATED PACKAGE WILL ONLY FILTER ON ONE SIDE OF A JOIN IN DQM, CQM WILL FILTER ON BOTH.
	<u>PH36568</u>	XQE-PLN-0098 VENDOR SPECIFIC FUNCTIONS NOT SUPPORTED IN JOIN WITH 11.1.7 IF1031
	<u>PH36366</u>	DB2 FUNCTION '-2 MONTH' CAUSES AN XQE-DAT-0001 AN UNEXPECTED TOKEN "'2'" WAS FOUND ERROR
	<u>PH35911</u>	CUSTOM SORT DOES NOT WORK FOR DATA GROUP ITEMS IN CROSSTAB
	<u>PH35725</u>	DETAIL FILTER WITH CONTAINS DOES NOT WORK IN DQM
	<u>PH35719</u>	DQM REPORT FAILS VALIDATION WITH XQE-DAT-0001 ERROR WHEN A COMBINATION OF FUNCTIONS IS USED
	<u>PH35496</u>	FILTER ON CROSSTAB WIDGET NOT APPLIED AS EXPECTED
	<u>PH35404</u>	XQE-PLN-0248 FOR DETAIL FILTER REFERENCING ITEM FROM OTHER QUERY
	<u>PH35386</u>	XQE-DAT-0001 WHEN FIRST FUNCTION IS USED
	<u>JR63408</u>	JOIN OPTIMIZATION IS NOT USED IN DATA MODULES WHEN RELATIONSHIP DEPENDS ON TWO FIELDS
	<u>PH34775</u>	PROMPTS ON REPORT PAGE UNABLE TO FILTER QUERIES

Component	APAR	Description
	<u>PH34745</u>	DEFAULT AGGREGATION FOR COUNT AGGREGATION
	<u>PH34743</u>	XQE-PLN-0001 ERROR WHEN QUERY IS REFERENCING ANOTHER QUERY
	<u>PH34113</u>	DQM LOCALLY CASTING AN INTERVAL TO INTEGER TYPE THROWS JAVA.LANG.UNSUPPORTEDOPERATIONEXCEPTION
	<u>PH33227</u>	REPORT FAILS WITH ERROR XQE-GEN-0002 AN UNEXPECTED EXCEPTION OCCURRED: JAVA.LANG.STACKOVERFLOWERROR
	<u>PH32935</u>	XQE-GEN-0001 THE METHOD COPYFROM IS NOT IMPLEMENTED.
	<u>PH32783</u>	DATA IN THE DASHBOARD IS NOT BEING UPDATED DESPITE THE REFRESH AUTOMATICALLY FUNCTIONALITY BEING ENABLED
	<u>PH32506</u>	INSERTING CROSSTAB SPACE IN NESTED CROSSTAB PLACES SPACE IN INCORRECT LOCATION
	<u>PH30419</u>	DIVISION IN CROSSTAB LOST PERCENTAGE FORMAT SET IN FM
	<u>PH29793</u>	SUBSTRING_REGEX FUNCTION DOES NOT DELIVER CORRECT RESULT
	<u>PH29118</u>	RUNNING-TOTAL ON SORTED DATA ITEM IN LOWER QUERY IN DQM
	<u>PH27812</u>	CROSSTAB WITH MULTI-FACT CALCULATION IN DATA MODULE HAS MISSING VALUES
	<u>PH27479</u>	UNABLE TO CHANGE QUERY SERVICE CACHE SIZE
	<u>PH26929</u>	DASHBOARDING NOT SHOWING THE CORRECT DATA WHEN THE WIDGET IS AUTOMATICALLY REFRESHED
	<u>PH25814</u>	MACRO GETCONFIGURATIONENTRY ON 'CONFIGGROUPNAME' DOES NOT WORK.
	<u>PH13667</u>	BMT-MD-0037 WHEN UPDATING A SYNONYM IN FM AND SCHEMA IS NOT SET
	<u>PH37321</u>	NAVBAR TEXT ALWAYS DARK-GREY WHEN HOVERING OR ACTIVATING USING CUSTOM THEME

Component	APAR	Description
	<u>PH34268</u>	CUSTOMIZATION OF BRANDTEXT BY ADDING ACCENTED CHARACTERS RESULT IN INCORRECT FORMAT IN 11.1.7
	<u>PH33158</u>	REPORT SHORTCUT VIA EXTENSION GIVES USELESS ERROR WHEN USER DOES NOT HAVE ACCESS TO REPORT
	<u>PH32456</u>	NEW BUTTON IS DISPLAYED BUT DOES NOT HAVE ANY ACTION WHEN CLICKED ON
	<u>PH04011</u>	WHEN USING CQM, THE CASE STATEMENT BRINGS BACK A DIFFERENT RESULT THAN THE IF STATEMENT
	<u>PH37245</u>	COGNOS ANALYTICS SERVER FAILS TO START WHEN CONFIGURED FOR "SSL FOR EXTERNAL CONNECTIONS ONLY" SCENARIO
	<u>PH19968</u>	VARIOUS FFDC ERRORS AT STARTUP OF COGNOS ANALYTICS INDEPENDENT IF STARTED VIA COGNOS CONFIGURATION OR WINDOWS SERVICE
	<u>PH14794</u>	DAYS_BETWEEN FUNCTION AGAINST SNOWFLAKE NOT CONVERTING PROPERLY
	<u>PH37815</u>	COLUMN VISUALIZATION DISPLAYS LABELS CENTERED WHEN EXPORTED TO PDF FORMAT
	<u>PH39036</u>	ERROR ON DASHBOARD WIDGET WITH TOP COUNT APPLIED TO A CALCULATED DATA ITEM
	<u>PH42331</u>	SAME LOCATION NAME CANNOT BE RESOLVED BY PROVINCE OR STATE ON COGNOS 11.1.7 FP3
Administration	<u>PH35887</u>	UNABLE TO DESELECT SAVE DELIVERY OPTION WHEN EDITING EXISTING SCHEDULE
	<u>PH40005</u>	MY SCHEDULES AND SUBSCRIPTIONS, RUN ONCE OPTION DOESN'T RESPONSE IN 11.2.0

Component	APAR	Description
	<u>PH40069</u>	SCHEDULES RUN AN HOUR EARLIER FOR THE MONTH OF NOVEMBER IF IT IS SCHEDULED BY A USER WHO HAS PROFILE TIMEZONE SET TO POLISH TIME
	<u>PH37502</u>	CREATING NEW TENANTS WITH NAME STARTING WITH A 0 REMOVES THE 0 IN THE NAME AFTER SAVING FROM GLASS UI
	<u>PH34308</u>	INCLUDE LINK ALWAYS SELECTED FOR UPGRADED SCHEDULES
	<u>PH32762</u>	CONTENT ADDED TO E-MAIL BODY WHEN UPDATING THE SCHEDULE WITHOUT CONFIRMING IN THE DELIVERY PANE
	<u>PH40380</u>	FORMAT IS RESET WHEN CLICKING ON RUN IN BACKGROUND
	<u>PH38445</u>	SENDING REPORT IN EMAIL
	<u>PH37397</u>	GET ERROR WHEN CLICKING ANY OF THE TABS WITHIN ADMIN CONSOLE REFUSED TO SET UNSAFE HEADER "CONNECTION"
	<u>PH37258</u>	VIEW THE DETAILS OF THIS REPORT AFTER CLOSING THIS DIALOG IS MISSING FROM RUN AS AFTER UPGRADE TO COGNOS ANALYTICS
	<u>PH37194</u>	USERS WITHOUT WRITE ACCESS TO A REPORT ARE NOT ABLE TO SAVE REPORT OUTPUT FOR THAT REPORT
	<u>PH36814</u>	ADMINISTRATION: USERS CAN NOT SEE SCHEDULES UNTIL GIVEN WRITE PERMISSION ON THE FOLDER
	<u>PH36486</u>	UNABLE TO EDIT PARAMETER VALUES FOR AGENT IN JOB
	<u>PH36175</u>	SCHEDULE NOT DISPLAYING CORRECT DAY DUE TO TIME DIFFERENCE
	<u>PH35769</u>	ISSUES RUNNING A REPORT IN BACKGROUND WHEN PROMPT AND FILTER ON NULL VALUES.
	<u>PH35355</u>	VIEW THE DETAILS OF THIS JOB AFTER CLOSING THIS DIALOG IS MISSING FROM RUN AS AFTER UPGRADE TO COGNOS ANALYTICS

Component	APAR	Description
	<u>PH35306</u>	DEFAULT EMAIL BEHAVIOUR HAS CHANGED IN 11.1.7
	<u>PH35049</u>	UNABLE TO SELECT ALL SCHEDULES IN MY SCHEDULES AND SUBSCRIPTIONS IN COGNOS ANALYTICS
	<u>PH34753</u>	RUN AS A USER, SSO DATABASE CONNECTION FAILED WITH CONSTRAINED DELEGATION
	<u>PH33325</u>	BLANK PAGE WHEN CREATING A SCHEDULE
	<u>PH32282</u>	SCHEDULED TASKS START ONE HOUR EARLIER IN SAO_PAULO TIMEZONE
	<u>PH31910</u>	CANNOT USE THE 'RUN ONCE' OPTION IN GLASSUI ON MORE THAN ONE SCHEDULE AT A TIME, DIALOG DOES NOT OPEN.
	<u>PH31655</u>	CANNOT SELECT PAST AND CURRENT ACTIVITIES UNDER MANAGE > ACTIVITIES
	<u>PH31223</u>	TYPO IN MANAGE - DATA SERVERS - CONNECTIONS WHEN LISTING SCHEMAS
	<u>PH30379</u>	11.1.7 - UNABLE TO UPDATE JUST THE RECIPIENTS OF A SCHEDULE
	<u>PH29891</u>	PROMPT DEFAULT SELECTION VALUES ARE NOT USED IN REPORT VIEW
	<u>PH27103</u>	MODIFY OF SCHEDULES EMAIL LIST
	<u>PH22341</u>	SEND REPORT TO MOBILE DEVICE (DELIVERY OPTION) AVAILABLE FOR ALL REPORTS AFTER UPGRADING TO AN INTERN FIX
	<u>PH16357</u>	REPORT PATH SHOWS USER CAMID INSTEAD OF USER "MY CONTENT" PATH IN THE "MY SCHEDULES AND SUBSCRIPTIONS" UI.
	<u>PH38498</u>	STORED PROMPT VALUES ARE NOT DISPLAYED WHEN REPORT IS RUN VIA SCHEDULE

Component	APAR	Description
Cognos Connection	<u>PH35922</u>	DOWNLOAD IMAGE ICONS FOR EXCEL REPORT SAVED OUTPUTS IN CHROME/EDGE BROWSERS IN ADMIN INTERFACE.
Cognos Mobile	<u>PH41402</u>	VALUE PROMPTS SET TO MULTI-SELECT WITH CHECKBOXES NOT SHOWING THE BOX WHEN RUN IN THE MOBILE REPORTS APP.
Cognos SDK	<u>PH28326</u>	dom4j with security in Cognos 11 SDK
Collaboration	<u>PH37098</u>	PASTE COLOURED TEXT INTO EMAIL BODY NOT AVAILABLE IN COGNOS ANALYTICS
	<u>PH34362</u>	THE "SEARCH DIRECTORY" TOOL DOES NOT WORK AS EXPECTED for users who don't have the "Type in external email" capability
	<u>PH29400</u>	CA 11.1.7: LIST OF EMAIL RECIPIENTS IN SCHEDULE NOT DISTINCT
Content Navigation	<u>PH32549</u>	OVERWRITE A PACKAGE, REPORT SOURCE PACKAGE PATH BECOMES UNAVAILABLE
	<u>PH26096</u>	"LAST MODIFIED" UPDATED AFTER A SIMPLE REPORT EXECUTION
Dashboarding	<u>PH39296</u>	DASHBOARD NUMBER FORMAT LABEL DOES NOT DISPLAY FOR VALUES LESS THAN 1K
	<u>PH41750</u>	TABBED WIDGET EXTENSION BREAKING DASHBOARD
	<u>PH38783</u>	DASHBOARD SLIDER FILTER DOES NOT FILTER RANGE 0 - 0

Component	APAR	Description
	<u>PH38237</u>	DASHBOARD WITH LINE CHART GRID LINES SHOW UP AS WHITE INSTEAD OF GREY LIKE 11.1.7
	<u>PH37745</u>	THE SMART TITLE OF THE LINE AND COLUMN VISUALIZATION HAS INCORRECT SPACING IN CA 11.2.
	<u>PH37596</u>	DRILL-THROUGH DEFINITIONS ON PINNED VISUALIZATIONS ARE LOST AFTER CLICKING ON THE PINNED VISUALIZATION TO ADD IT TO THE CANVAS
	<u>PH37636</u>	DASHBOARD DRILL THROUGH BEHAVIOUR WITH MEASURES UNEXPECTED AND INCONSISTENT
	<u>PH36834</u>	CONDITIONAL FORMATTING MISSING CELLS WHEN ENABLED ON A TABLE IN DASHBOARD
	<u>PH35990</u>	DASHBOARD UPGRADE FAILS AFTER REMOVING MAPPED FIELD
	<u>PH35527</u>	CUSTOM SORTING IS REMOVED AFTER NAVIGATION IN DASHBOARD VISUALIZATION
	<u>PH35062</u>	IN LARGE DATA MODULES, SEARCHING FOR A MEASURES IN THE FIELDS ELEMENT OF A VISUALIZATION IS HAVING POOR INTERACTIVE PERFORMANCE
	<u>PH34894</u>	INCORRECT CALCULATION SHOWN IN TOOLTIP ON CROSSTAB VISUALIZATION IN DASHBOARD WHEN CONDITIONAL COLORS USED
	<u>PH26187</u>	EXPORTING DASHBOARD TO PDF THAT INCLUDES MANY FILTERS WILL CAUSE THE WIDGETS TO BE PLACED ABOVE THE FILTER VALUES ON THE PAGE
	<u>PH41727</u>	DASHBOARD WITH TABBED WIDGET CAUSES "SOMETHING WENT WRONG WHILE YOU WERE ADDING OR EDITING THE DRILL-THROUGH DEFINITION.
	<u>PH37860</u>	IN 11.2 NOTICED THE TEXT COLOR IN A RADIAL CHART IS LIGHTER THAN IN 11.1.7 SO IT CAN BE HARDER TO READ.

Component	APAR	Description
Delivery Service	<u>PH40388</u>	INCLUDE LINK' IN EMAIL NO LONGER WORKS WHEN 'ATTACH REPORT OUPUT' IS ALSO SELECTED IN 11.1.7 IF1042
	<u>PH35545</u>	SCHEDULES STOP EXECUTING UNTIL USER LOGS IN TO COGNOS ANALYTICS UI
	<u>PH35353</u>	HTML REPORT DOES NOT SHOW IN BODY OF EMAIL IF YOU ACCIDENTALLY TYPE TEXT IN THE EMAIL BODY AND ERASE IT.
Dispatcher	<u>PH38245</u>	LONG CONTENT MANAGER STARTUP TIME IN DISTRIBUTED COGNOS ANALYTICS ENVIRONMENT WITH MANY REGISTERED BUT NOT RUNNING DISPATCHERS
Event Studio	<u>PH18004</u>	UNABLE TO CANCEL SCHEDULE IN CURRENT ACTIVITIES, LACK THE NECESSARY PRIVILEGES
	<u>PH10136</u>	REPORTS ATTACHED TO EMAIL TASK VIA EVENT STUDIO WILL ATTACH HTML FORMAT BY DEFAULT
	<u>PH03708</u>	EVENT STUDIO TASK IS FAILING. GUI SHOWS THE ERROR HOWEVER AUDITLOGS ARE SHOWING BLANK
Job Scheduling and Monitor Service	<u>PH38109</u>	SCHEDULES CREATED IN THE PAST AND IMPORTED INTO NEW INSTANCE SHOW REPORTS WILL RUN AT THE PERIOD TIME.
	<u>PH32659</u>	NEED ADVANCED SETTING IN JSMCOMMON TO CHANGE AXIS SOCKET TIMEOUT
	<u>PH20521</u>	SCHEDULED REPORTS DO NOT RUN AND DO NOT APPEAR AS A FAILURE IN THE "PAST ACTIVITIES". HOWEVER, LOGS INDICATE THAT THE SCHEDULE D
Jupyter	<u>PH39208</u>	USERS WITHOUT THE NOTEBOOK CAPABILITY CAN EDIT NOTEBOOKS

Component	APAR	Description
	<u>PH32911</u>	SOME PLOTLY VISUALIZATIONS IN JUPYTER CAUSE NOTEBOOK TO NO LONGER DISPLAY WIDGET IN DASHBOARDS.
	<u>PH38816</u>	JUPYTER RECEIVES HTTP PROTOCOL IN REFERRER HEADER EVEN THOUGH THE SPAWNING BI ORIGIN IS HTTPS
	<u>PH37843</u>	RESULTS ARE AUTOMATICALLY AGGREGATED DATA ON JUPYTER NOTEBOOK ALTHOUGH NO AGGREGATES SET IN DATA MODULE
	<u>PH35931</u>	FAILING NOTEBOOK GENERATES NOTIFICATION
	<u>PH35372</u>	DASHBOARDS USE FIXED LINE LINKS TO DISPLAY NOTEBOOK CONTENT
	<u>PH25889</u>	"404 : NOT FOUND JUPYTER HAS LOTS OF MOONS" MESSAGE IS CONFUSING AND ACTUALLY MEANS A SUCCESSFUL CONNECTION HAS BEEN MADE.
Modeling	<u>PH34750</u>	DRAGGING IN ITEM IN DASHBOARDING CAUSES OUT OF MEMORY OF BROWSER
	<u>PH28112</u>	MSR-GEN-0001 INTERNAL ERROR WHEN REFRESHING THE DATA SERVER CONNECTION SCHEMA DUE TO A SESSION COMMAND BLOCK ADDED
	<u>PH39478</u>	DATA MODULES: A LOT OF BROWSER MEMORY CONSUMED WHEN A LARGE PACKAGE IS INCLUDED
	<u>PH32668</u>	IMPORTING NETEZZA SCHEMA WITH PK/FK CAUSING MOSER TO FAIL CREATING A BASE MODULE
	<u>PH32613</u>	SECURITY ON DATA SERVER CONNECTIONS IS IGNORED WHEN CREATING DATA MODULES
	<u>PH32589</u>	RELINK MISSING FOR FM PACKAGES IN COGNOS ANALYTICS DATA MODULES
	<u>PH31738</u>	DATA MODULE BASED ON THE PACKAGE WHICH HAS FILTER USING PARAMETER MAP IS NOT SHOWING DATA

Component	APAR	Description
	<u>PH31677</u>	A DATA MODULE THAT IS CREATED OFF ANOTHER DATA MODULE DOES NOT RETAIN THE RELATIONSHIP DIAGRAM LAYOUT WHEN SAVED
	<u>PH31604</u>	"MSR-UPL-2132 Destination folder not found." error when uploading Excel file into folder containing & in the folder name
	<u>PH31322</u>	CHANGE THE IDENTIFIER FROM THE UNDERLYING TABLE LEAD TO A VALIDATION ERROR IN A DATA MODULE
	<u>PH29998</u>	GLOBAL PARAMETERS ARE NOT AVAILABLE IN DATA MODULES
	<u>PH28441</u>	CANNOT CAST AN UNSUPPORTED VENDOR DATA TYPE TO ONE WHICH IS SUPPORTED BY COGNOS WHILE USING A DATA MODULE (BUT CAN WHEN USING FR
	<u>PH25655</u>	ADDING A TABLE TO A DB SCHEMA, RESULTS IN IT BEING SELECTED WHEN YOU LOAD METADATA FOR A DATA MODULE.
	<u>PH24617</u>	INCONSISTENT 'USAGE' OF CALCULATED DATA ITEMS FROM DATA SET WITHIN DASHBOARD
	<u>PI99128</u>	PROBLEMS WHEN UPLOADING CSV FILE WITH COMMA AS DECIMAL SEPARATOR
	<u>PH34125</u>	DATA MODULES DO NOT REMEMBER THE POSITION OF LINKED TABLES IN THE RELATIONSHIP DIAGRAM TAB
Query Studio	<u>PI90176</u>	CONVERTED REPORTS FROM QUERY STUDIO MISSING FILTERS AND CALCULATIONS
	<u>PH41404</u>	THE OKAY AND CANCEL BUTTONS ARE NOT RESPONDING. YOU CAN SELECT THE X BUTTON TO CANCEL THE ACTION.
	<u>PH39780</u>	ENTER DOES NOT INSERT VALUES IN MULTI VALUE TEXT BOX PROMPT WITH FULL INTERACTIVITY
	<u>PH38486</u>	CA 11.2 PDF GETS DOWNLOADED AS DOCUMENT.PDF AND NOT REPORT NAME

Component	APAR	Description
	<u>PH37699</u>	A REPORT EXECUTION WHERE THE OUTPUT EXCEEDS THE CM.MULTIPARTREQUESTMAXLENGTH SETTING GENERATES A 0 BYTE HTML
	<u>PH36817</u>	ARABIC WORDS ARE NOT ATTACHED TOGETHER WHEN A REPORT IS EXPORTED TO PDF OUTPUT FORMAT
	<u>PH35501</u>	PDF/EXCEL REPORT NOT AVAILABLE WITH BOXPLOT V11.1 AND MORE THAN 40000 LINES
	<u>PH33811</u>	TEXT '_X001F_' GETS STRIPPED FROM STRING WHEN EXPORTED TO EXCEL
	<u>PH31676</u>	ACCESSIBILITY - CANNOT NAVIGATE DATE PICKER USING ARROW KEYS
	<u>PH29598</u>	NOT ENOUGH ELEMENTS TO MATCH CONTENT MODEL INSERTING MEMBER
	<u>PH27695</u>	PARAMDISPLAYVALUE() FUNCTION SHOWING MUN AFTER SECOND DRILL THROUGH
	<u>PH17540</u>	IF VIEW PAGES AS TABS IS USED, PERFORMANCE DROPS FOR LARGE LISTS OFF DATA MODULES
	<u>PH01908</u>	UNABLE TO USE THE ENTER KEY TO SUBMIT LOGIN INFORMATION FOR DATA SOURCE SIGNON PROMPT WHEN RUNNING REPORT
	-	
Report Authoring	<u>PH39813</u>	ICON FOR PAGE IS MISSING IN VIEW "PROJECTED QUERIES" IN QUERY EXPLORER
	<u>PH14997</u>	ADDING OR MODIFYING ADVANCED CONDITIONS ON CHARTS THROWS TYPENULL ERRORS
	<u>PH39820</u>	PH39820 REPORT CONTAINING CUSTOM CONTROL USING BOOTSTRAP TABS SAMPLE (BS -TABS.JS) FAILS WITH JAVASCRIPT ERROR AFTER UPGRADING TO 11.1.7
	<u>PH22832</u>	SAVING REPORT WITHOUT ANY CHANGES IN IT DOES NOT UPDATE THE REPORT EVEN IF ITS PACKAGE HAS BEEN REPUBLISHED
	<u>PH31161</u>	ADDING CONDITIONAL STYLE TYPE RANGE ON A REPORT INCREASES EXECUTION TIME BY 25%

Component	APAR	Description
	<u>PH37018</u>	SECURITY VULNERABILITY VIA THE IMAGE PICKER, IT ALLOWS TO LOAD IMAGES FROM UNTRUSTED EXTERNAL URLS
	<u>PH41283</u>	RSP-SRV-0095 THE REFERENCED REPORT USES A DIFFERENT AUTHORIZING LOCALE ("DE") FROM THE REFERENCING REPORT ("EN-US"). *
	<u>PH31357</u>	VISUALIZATION NOT SHOWING IN SHARE EMAIL PREVIEW
	<u>PH38845</u>	POOR PERFORMANCE WHEN OPENING REPORT PAGES WITH MANY ITEMS IN REPORTING
	<u>PH38712</u>	REPORT EXPRESSION IS DIFFERENT IN INTERACTIVE VS. NON-INTERACTIVE VIEWER
	<u>PH38253</u>	THE MODEL OR PACKAGE DOES NOT EXIST OR YOU ARE NOT ALLOWED TO USE IT BECAUSE OF SECURITY SETTINGS.
	<u>PH38142</u>	A DATA TABLE PROPERTY NAME IN GERMAN CONTAINS &CODE
	<u>PH37678</u>	REPORT STYLES ARE NOT PRESERVED WHEN SAVED AS A TEMPLATE.
	<u>PH36543</u>	RSV-CM-0005 WHEN CHANGING TO PAGE PREVIEW IN A TEMPLATE
	<u>PH36421</u>	REPORT IN EDIT MODE DOES NOT RECOGNIZE THAT ITS PACKAGE HAS BEEN REPUBLISHED
	<u>PH35297</u>	QUERY ITEM WITH DISPLAY TYPE 'LINK' FAILED WITH REGULAR DIMENSION (DMR)
	<u>PH34795</u>	CUSTOM FONT USED FOR THE AXIS OF A COMBINATION CHART IS NOT DISPLAYED CORRECTLY.
	<u>PH34253</u>	EDITING QUERIES OF A REPORT IS VERY SLOW
	<u>PH33949</u>	CANNOT COPY/PASTE DATA ITEM BETWEEN REPORTS BASED ON PLANNING ANALYTICS PACKAGE USING CHROME
	<u>PH33797</u>	REFRESH ON PROMPT QUERY PROPERTY DOES NOT WORK WHEN USING TABS

Component	APAR	Description
	<u>PH33667</u>	MESSAGE "LAYOUT REFERENCE NOT FOUND" WHEN ADDING A BLOCK REFERENCING A PROMPT FROM ANOTHER REPORT
	<u>PH32654</u>	ACCESSIBILITY - SINGLE SELECT VALUE PROMPT CAUSES ELEMENTS MUST ONLY USE ALLOWED ARIA ATTRIBUTES
	<u>PH32025</u>	IMPORTING A REPORT SPECIFICATION TO DATA SETS CHANGES THE EXPRESSIONLOCALE TO EN-US
	<u>PH19732</u>	CANNOT INSERT OBJECT ON A NEW PAGE VIA DOUBLE CLICKING
	<u>PH45268</u>	NO RECOMMENDATIONS ARE AVAILABLE USING CHANGE CHART TYPE
	<u>PH27184</u>	VALUE PROMPT GIVES OPTION TO CONVERT TO SEARCH AND SELECT PROMPT AGAINST DATA MODULES
Report server	<u>PH38631</u>	REPORTPATH IS INCORRECT AND INCONSISTENT WHEN ADDING APPLICATION CONTEXT FOR DYNAMIC QUERY MODE
	<u>PH39170</u>	RSV-SRV-0005 THE REPORT SPECIFICATION IS MISSING THE 'REPORT' ROOT ELEMENT WHEN USING CAF ENCODED REPORT SPECIFICATION
	<u>PH42647</u>	HAVING RUN A REPORT TO PDF YOU CANNOT EMAIL, SEND TO ONEDRIVE OR OPEN IN ACROBAT.
	<u>PH42646</u>	USING IOS SAFARI TO VIEW A PDF REPORT WILL ONLY SHOW 1 PAGE.
	<u>PH35339</u>	XQE-PLN-0078 ERRORS APPEAR WHEN VALIDATING REPORT
	<u>PH39515</u>	DRILL THROUGH ON DATE FROM POWERCUBE TO RELATIONAL USING IN_RANGE RETURNS ERROR.

Component	APAR	Description
	<u>PH25614</u>	UNWANTED NAVIGATION TEXT APPEARS IN CLASSIC VIEWER WHEN USER HAS BUSINESS STYLE SET IN THEIR PROFILE
	<u>PH34404</u>	CLICKING ON THE HTML OUTPUT OF A CHART CAUSES BROWSER SIDE JAVASCRIPT ERRORS
Report Studio	<u>PH34260</u>	UNABLE TO DRAG A DIMENSION ITEM IN THE REPORT EXPRESSION OF CUBEDATEUPDATEDON()
Samples	<u>PI95889</u>	THE APPBAR.JS SAMPLE WILL CAUSE A TYPE ERROR IF THE LIST CONTAINS MORE THAN 20 ROWS
	<u>PH20250</u>	AUTOREFRESH.JS NOT REFRESHING AS EXPECTED
Search	<u>PH35734</u>	SCHEDULES FROM MY CONTENT REPORTS CANNOT BE SEEN IN THE MY SCHEDULES AND SUBSCRIPTIONS PANE UNTIL CREDENTIALS ARE RENEWED
Viewer	<u>PH32558</u>	BUSINESS STYLE HAS CHANGED IN CA11.1.7 WHICH IS CAUSING THE PROMPT PAGE TO BE SHIFTED FOR A USER ON EVERY REPORT