## IBM Cognos Analytics 11.2.4 - Fix List



| Component       | APAR           | Description   |
|-----------------|----------------|---|
| General Product | <u>PH42203</u> | RSV-VAL-0010 XQE-PLN-0001 incompatible with com.cognos.xqe.ast.sql.SQLQueryBlock  |
|                 | <u>PH41120</u> | XQE-PLN-0099 ERROR USING ASCII() FUNCTION WITH AN IN OPERATOR FILTER EXPRESSION   |
|                 | <u>PH35212</u> | DAYS DOES NOT GET TRANSLATED IN TO SPANISH  |
|                 | <u>PH49263</u> | STORED PROCEDURE WITH AN IN PARAMETER GIVES AN ERROR WHEN PARAMETER'S LENGTH EXCEED 255 CHARACTERS                      |
|                 | <u>PH34202</u> | REPORT WITH CUSTOM GROUP FAILING ON VARCHAR FIELD ON NON_UNICODE DB2 ZOS FAILING DUE TO CODE CASTING IT TO A<br>GRAPHIC |
|                 | <u>PH26585</u> | EXPRESSION INCORRECT WHEN ADDED FROM METADATA TREE SEARCH   |
|                 | <u>PH47799</u> | DQA 11.2.2 INSTALLATION TRIGGERS WINDOWS FILESYSTEM WARNING BY LEAVING A FILE CALLED C:\PROGRAM BEHIND                  |
|                 | <u>PH48676</u> | BARCODE IMAGE APPEARS BLURRY WHEN REPORT IS RUN IN PDF FORMAT   |
|                 | <u>PH50362</u> | UNABLE TO LINK THE REPORT VIEW TO A REPORT IN COGNOS ANALYTICS 11.2.3   |
|                 | <u>PH50216</u> | SEARCH NOT WORKING LIKE 11.0.X AND ONLY SHOWS FOLDER LEVEL OF PACKAGE   |
|                 | <u>PH49718</u> | CA 11.2.3 MISSING 'DATA REFRESHED' DATE FOR DATA SETS.  |
|                 | <u>PH49351</u> | "SET CAPABILITY" PAGE DOES REFRESH FOR THE SELECTED PACKAGE IN COGNOS 11.2.3  |
|                 | <u>PH48554</u> | DIFFERENT BEHAVIOR OF PACKAGE SHORTCUT BETWEEN COGNOS 11.1.7 AND COGNOS 11.2.2  |
|                 | <u>PH47923</u> | SEARCH NOT WORKING AS EXPECTED ALL THE TIME AND APPEARS TO GLITCH AND NOT OPEN INTENDED FOLDER                          |
|                 | <u>PH40179</u> | RECENT BAR WITH INSUFFICIENT WIDTH  |
|                 | <u>PH50865</u> | [SUBJECT ALTERNATIVE NAME TEST] APPEARS WHEN TESTING SECURITY IN GATEWAY CONFIGURATION                                  |
|                 | <u>PH50673</u> | [SUBJECT ALTERNATIVE NAME TEST][ ERROR ] NULL APPEARS WHEN TESTING THE CONFIGURATION OF FRAMEWORK MANAGER               |
|                 | <u>PH49931</u> | 11.2.3 SECURE-TUNNEL CLASHES WITH THIRD PARTY JDBC DRIVER   |
|                 | <u>PH50559</u> | INEFFICIENT GENERATION OF QUERY SQL   |
|                 | <u>PH50443</u> | COGNOS NOT INCLUDING _ADD_[TIME] FILTER FUNCTION FOR DENODO DATASOURCE  |

| Component | APAR           | Description   |
|-----------|----------------|---|
|           | <u>PH50124</u> | POOR PERFORMANCE ON WHILE RUNNING PA REPORT WHERE THE QUERYSERVICE SEND LOLAP MDX REQUESTS TO PA UNTIL ITS RECYCLED |
|           | <u>PH50110</u> | VARIABLE DATA TYPE ERROR AFTER UPGRADE  |
|           | <u>PH49754</u> | SELECTING CELLS ON A CROSSTAB CRESTED FROM A UNION OF TABLES THROWS XQE-PLN-0078 ON ANY VIS WHERE DATA SLICED       |
|           | <u>PH49662</u> | RUNNING TWO REPORTS CONSECUTIVELY, SECOND REPORT USING _ROUND() WILL ERROR XQE-CON-0007                             |
|           | <u>PH49661</u> | RUNNING TWO REPORTS CONSECUTIVELY, SECOND REPORT RUNNING EXCEL WILL ERROR XQE-GEN-0010                              |
|           | <u>PH49162</u> | MASTER DETAIL RELATIONSHIP CAUSES SLOW PERFORMANCE WHEN USED AGAINST A DATA MODULE WITH TWO UN-JOINED DATA SETS.    |
|           | <u>PH49177</u> | CROSSTAB SPACE CAUSES EXTRA COLUMN TO APPEAR IN CROSSTAB  |
|           | <u>PH48872</u> | QUERYSERVICE JVM INTERMITTENTLY GOING INTO A DEADLOCK STATE   |
|           | <u>PH48831</u> | COUNT DISTINCT RETURNS INCORRECT RESULTS AFTER UPGRADE FROM IF9 TO FP5  |
|           | <u>PH48653</u> | SSAS 2019 REPORT FAILS WITH A XQE-GEN-0005 FOUND AN INTERNAL ERROR: JAVA.LANG.NULLPOINTEREXCEPTION                  |
|           | <u>PH47821</u> | ENABLING GENERATEQUERYFORCALCS QUERY HINT CAUSES REPORT TO FAIL WITH AN XQE-PLN-0001 INTERNAL ERROR.                |
|           | <u>PH47818</u> | ENABLING GENERATEQUERYFORCALCS QUERY HINT CAUSES REPORT TO FAIL WITH A XQE-PLN-0248 THE COLUMN NOT FOUND ERROR.     |
|           | <u>PH47817</u> | ENABLING GENERATESUBQUERYFORCALCS CAUSES REPORTS TO FAIL WITH A XQE-PLN-0125 RELATIONSHIP NOT SUPPORTED ERROR       |
|           | <u>PH47751</u> | ENABLING GENERATESUBQUERYFORCALCS CAUSES REPORTS TO FAIL WITH A XQE-PLN-0131 CIRCULAR REFERENCE ERROR.              |
|           | <u>PH47678</u> | XQE-PLN-0098 THE VENDOR SPECIFIC FUNCTION "JULIAN_DAY" IS NOT SUPPORTED WHEN USED IN JOINED QUERY.                  |
|           | <u>PH47674</u> | REPORT ERRORS WITH EXCEPTION XQE.AST.SQL.SQLRELATION INCOMPATIBLE WITH XQE.AST.SQL.SQLQUERYBLOCK WHEN EXECUTED.     |
|           | <u>PH47673</u> | REPORT ERRORS OUT WITH XQE-PLN-0001 INTERNAL ERROR. THE QUERY COULD NOT BE PLANNED BY THE QUERY SERVICE             |
|           | <u>PH47659</u> | REPORT ERRORS WITH XQE-PLN-0001 INTERNAL ERROR. THE QUERY COULD NOT BE PLANNED BY THE QUERY SERVICE: INDEX: 31      |
|           | <u>PH47658</u> | REPORT RESULTS IN STATEMENT IS TOO LONG OR TOO COMPLEX. CURRENT SQL STATEMENT SIZE IS 2607565 ERROR WHEN RUN.       |

| Component | APAR           | Description   |
|-----------|----------------|---|
|           | <u>PH47632</u> | ENABLING GENERATESUBQUERYFORCALCS CAUSES A REPORT TO FAIL WITH A QUERY SERVICE: JAVA.LANG.STACKOVERFLOWERROR.   |
|           | <u>PH46834</u> | EMPTY STRING FILTER EXPRESSION NOT BEING PUSHED TO DATABASE WHEN USING SAP HANA   |
|           | <u>PH46091</u> | PLANNING ANALYTICS SERVER WITH A SPACE IN ITS NAME FAILS TO DISPLAY CUBES WITH ON DEMAND ENV  |
|           | <u>PH46019</u> | THE FUNCTION _MONTHS_BETWEEN CAUSES LOCAL PROCESSING WHEN REPORTING AGAINST DB2.  |
|           | <u>PH46014</u> | FILESIZE INCREASE IN <installlocation>/JAVASHAREDRESOURCES/ DIRECTORY</installlocation>   |
|           | <u>PH43939</u> | POSITION_REGEX FUNCTION FAILS WHEN USING A STRING WITH & OR <.  |
|           | <u>PH43381</u> | INEFFICIENT NATIVE SQL GENERATED WITH DQM WHEN USING AGGREGATION FUNCTIONS AND NESTED CASE  |
|           | <u>PH43232</u> | ERROR IN CROSS-TAB REPORT WHEN A CALCULATED MEASURE IS REFERENCED WITH A LOOKUP REFERENCE IN A DATA MODULE  |
|           | <u>PH42655</u> | XQE-PLN-0001 INTERNAL ERROR DUE TO RUNNING-COUNT WITH REFERENCE NOT CONTAINED IN QUERY  |
|           | <u>PH42651</u> | NESTED MAX FUNCTION GENERATES XQE-DAT-0001 ERROR  |
|           | <u>PH42650</u> | XQE-DAT-0001 SQLSYNTAXERROREXCEPTION COLUMN FUNCTION SYSIBM.AVG   |
|           | <u>PH42612</u> | ISSUE WITH CROSS TAB VIZ IN DASHBOARD WHERE IN DATA U5 IS REPLACED WITH TT USING SAMPLE DATA MODULE   |
|           | <u>PH40854</u> | INVERT FILTER ON A DASHBOARD IS NOT WORKING AS EXPECTED   |
|           | <u>PH40149</u> | RUNNING-TOTAL FUNCTION DOESN'T WORK AS EXPECTED IN DQM VS CQM   |
|           | <u>PH39906</u> | REPORT USING A DQM PACKAGE CONSISTING A SHORTCUT TO A QUERY SUBJECT CONSISTING FILTER SHOWING DOUBLE FILTER<br>IN SQL GENERATED                           |
|           | <u>PH30635</u> | CURRENT_DATE IS RETURNING INCORRECT DATE WHEN RUN AGAINST A DATASET   |
|           | <u>PH27762</u> | SEVERAL DASHBOARD VISUALIZATION WIDGETS GENERATE "QUERY SERVICE INTERNAL ERROR" WHEN TURNING ON 'INSIGHT'<br>FEATURE. VISUALIZATIONS WORKS FINE OTHERWISE |
|           | <u>PH13028</u> | CATEGORY BASELINES DEFINED ON A LEGACY COMBINATION CHART ARE NOT SHOWING CORRECTLY  |
|           | <u>PH49209</u> | X-CA-AFFINITY CAUSES DECOMPRESSION OF RESPONSES   |
|           | <u>PH29792</u> | MANAGE -> ACTIVITIES LACKS DATA ON INTERACTIVE REPORT RUNS COMPARED TO ADMINISTRATION CONSOLE ->STATUS -><br>CURRENT ACTIVITIES                           |
|           | <u>PH50590</u> | DEFAULT VALUE FOR LOGGING LEVEL UNDER USERS MY PROFILE IS INCORRECT.  |

| Component                         | APAR           | Description  |
|-----------------------------------|----------------|--|
|                                   | <u>PH16334</u> | CHROME HAS 90% ZOOM WHEN RUNNING A REPORT AND WHEN CLICKING ON THE PERSONAL MENU ICON THEN THE BROWSER IS FLICKERING       |
|                                   | <u>PH48817</u> | Sdk\java\DeployPackage fails in CA 11.1.7  |
|                                   | <u>PH47111</u> | DASHBOARD TEXT FONT SIZE 'AUTOMATIC' IS LOST IN CA 11.2.2  |
|                                   | <u>PH48028</u> | JAPANESE FILE NAME CHARACTERS ARE BROKEN WHEN IT DOWNLOAD FROM ACTIONS COLUMN IN VIEW REPORT OUTPUT<br>VERSIONS.           |
|                                   | <u>PH44046</u> | TOTAL NUMBER OF EMAIL RECIPIENTS NOT SHOWN IF MORE THAN 1 WHEN CREATE/EDIT JOB BY EMAIL IN LANGUAGES OTHER<br>THAN ENGLISH |
|                                   | <u>PH50021</u> | COGNOS ANALYTICS 11.2.3 LINUX SSO AUTHENTICATION FAILS   |
|                                   | <u>PH49761</u> | COGNOS ANALYTICS 11.2.3 WINDOWS AUTHENTICATION ISAPI SSO FAILS WITH CAM-CRP-0250 A CCL ERROR OCCURRED                      |
|                                   | <u>PH49516</u> | LDAP SSL CERTIFICATE DATABASE OPTION MISSING IN COGCONFIG FOR CA 11.2.3  |
|                                   | <u>PH19860</u> | THE REPORT STOREID IS WRITTEN TO APPLICATION CONTEXT IN SQL INSTEAD OF REPORTPATH IN CA 11.1.X                             |
|                                   | <u>PH46385</u> | HORIZONTAL SCROLL BAR IN TEAM CONTENT CA 11.2.2 WHEN LANGUAGE CHANGE TO GERMAN   |
|                                   | <u>PH48721</u> | MOUSE OVER ANALYTICS, THE NOTIFICATION OR THE QUESTION MARK / LEARN ICONS AND NO SOUND IS PLAYED.                          |
| Installation and<br>Configuration | <u>PH50371</u> | OVER THE TOP INSTALLATION FROM 11.0.X TO 11.2.X ON AIX/LINUX FAILS WITH ERROR ON FIRST ATTEMPT                             |
| Administration                    | <u>PH49795</u> | USER CAN?T SELECT CATALOGS ON IBM CLOUD PAK FOR D WHEN ACCESSING WITH WEB SERVER.  |
|                                   | <u>PH47890</u> | 11.1.7 FP5 SCHEDULE OPTIONS LOST WHEN "RUN ONCE" FROM MY SCHEDULES AND SUBSCRIPTIONS                                       |
|                                   | <u>PH22600</u> | STOPPING POWERPLAY SERVICE VIA ADMINISTRATION CONSOLE -> CONFIGURATION -> DISPATCHERS AND SERVICES FAILS                   |
|                                   | <u>PH50232</u> | BURST REPORT SET ON SCHEDULE OR RUN IN BACKGROUND SENDS OUT EMAIL WHEN NO DATA IS AVAILABLE                                |
|                                   | <u>PH49819</u> | PAST ACTIVITIES IN NEW UI ARE SHOWING "UNAVAILABLE" INSTEAD OF "NICHT VERFUGBAR" IN GERMAN                                 |

| Component       | APAR           | Description  |
|-----------------|----------------|--|
|                 | <u>PH49648</u> | WE CAN?T GET YOUR SCHEDULE RIGHT NOW? AFTER CHANGING INTERVAL OF SCHEDULE FROM MONTHLY TO YEARLY                                 |
|                 | <u>PH49864</u> | 'MY SCHEDULES AND SUBSCRIPTIONS' PAGE NEVER LOADS.   |
|                 | <u>PH49421</u> | SCHEDULE FREQUENCY SUMMARY CONTAINS INCORRECT NUMBER OF PERIODS FOR YEARLY INTERVAL  |
|                 | <u>PH44383</u> | SCHEDULE TIME NOT UPDATING AFTER PRESSING "SAVE"   |
|                 | <u>PH44328</u> | SCHEDULE ENABLE DISABLE BUTTON SLIDER DOES NOT WORK FROM GLASS UI IF THE LOGGED IN USER IS NOT THE OWNER                         |
|                 | <u>PH43544</u> | DAILY TIME INTERVAL OPTION DOES NOT DISABLE WHEN UNCHECKED   |
|                 | <u>PH39409</u> | USERS CAN'T HIDE THE "SHOW HIDDEN ENTRIES" SWITCH IN UNDER SETTINGS IN CA 11.2.0   |
|                 | <u>PH38201</u> | MOBILE PINBOARD NOTIFICATION SCHEDULES CAUSING PRS-INS-1425 ERROR IN LEGACY ADMINISTRATION PORTAL STATUS TAB                     |
|                 | <u>PH36791</u> | DUPLICATE GET CATALOGS SCHEMAS() CALLS BEING MADE WHILE REFRESHING SCHEMA LIST IN A DATA SERVER CONNECTION                       |
|                 | <u>PH31231</u> | CHANGED USER NAME IN DATA SERVER CREDENTIALS IS NOT SAVED  |
|                 | <u>PH28490</u> | CLEAR BUTTON WITHIN THE LOAD OPTIONS OF A DATA SOURCE CONNECTION CAUSES SCREEN TO FREEZE UNTIL COMPLETE.                         |
|                 | <u>PH12537</u> | CA 11.1.2 WHEN WORKING WITH JOBS AND TRYING TO EDIT JOBS GLASS UI NOT OPENING AND SWITCHING BETWEEN JOBS CORRECTLY.              |
|                 | <u>PH46496</u> | FULL NAME OF USERS IS NOT DISPLAYED WHEN DISPLAYED IN MANAGE > PEOPLE OR IN LEGACY ADMINISTRATION > SECURITY TAB.                |
|                 | <u>PH50822</u> | ACTIVITY IS NAMED "PREVIEW" ON CURRENT INTERACTIVE ACTIVITIES FOR REPORT SAVED WITH "RUN WITH FULL<br>INTERACTIVITY" TOGGLED OFF |
|                 | <u>PH51269</u> | EMAIL SUBJECT LINE IS BLANK WHEN SCHEDULING A DELIVERY BY EMAIL  |
|                 | <u>PH31780</u> | UNABLE TO RUN MULTIPLE SCHEDULES FROM MY SCHEDULES AND SUBSCRIPTIONS   |
| Content Manager | <u>PH49930</u> | 11.1.7 CONTENT MANAGER JAVA HEAP CAN CONSUME TOO MUCH MEMORY IN CERTAIN SITUATIONS   |
|                 |                |  |

- PH48275 TURNING ON FORECAST IN DASHBOARD THROWS EXCEPTION
- PH47771 CA CANNOT CREATE CONTENT STORE WHEN DB PASSWORD CONTAINS A PARAGRAPH (§)

| Component          | APAR             | Description  |
|--------------------|------------------|--|
|                    | <u>PH40773</u>   | GLOBAL PALETTES ARE NOT LISTED FOR NON ADMIN USERS WHEN PERMISSIONS FILTER IS SET TO EXECUTE   |
|                    | <u>PH22660</u>   | COGNOS ANALYTICS 11.1.X - RECENT STAYS EMPTY FOR SOME USERS  |
| Content Navigation | n <u>PH51084</u> | ERROR WHEN TRYING TO RUN REPORT VIA SHORTCUT DISPLAYED IN SEARCH RESULT  |
| Dashboarding       | <u>PH50852</u>   | INCORRECT VALUE ON A COLUMN CHART VISUALIZATION IN A DASHBOARD WHEN THE PERCENTAGE OF COLOR OPTION IS SELECTED.  |
|                    | <u>PH50261</u>   | NAVIGATION PATH IN DASHBOARD VISUALIZATION THROWS ERROR WHEN DRILLING DOWN IN PRESENTATION MODE  |
|                    | <u>PH49682</u>   | DASHBOARD SORTING ON A MEASURE IS NOT RESPECTED IF OTHER DATA ITEMS ARE SORTED VIA DATA MODULES PROPERTIES   |
|                    | <u>PH49519</u>   | SUMMARY VISUALIZATION CONVERTED TO KPI WITHIN DASHBOARD REVERTS CONDITIONAL NUMERIC SCALE AND RULE<br>FORMATTING BACK TO PERCENTAGE                      |
|                    | <u>PH49413</u>   | CA 11.2.2 DASHBOARD SHAPE COLORS CHANGE INTERMITTENTLY.  |
|                    | <u>PH48640</u>   | DASHBOARD "SELECT" DRILL-THROUGH TARGET REPORT LABEL HAS INCORRECT TRANSLATION "DRILLTHROUGH-ZIEL<br>AUSBLENDEN" IN GERMAN                               |
|                    | <u>PH48560</u>   | CONDITIONAL FORMATTING ON COGNOS DASHBOARDS CROSSTAB CAUSING SLOWNESS ON DASHBOARD EXECUTION   |
|                    | <u>PH47701</u>   | DATA GROUP CREATED FROM A CALCULATION DOES NOT SORT PROPERLY.  |
|                    | <u>PH47489</u>   | HIDE ROW OPTION IN DASHBOARD CROSSTABS DOESN'T WORK WITH NESTED ROWS AND NO COLUMNS  |
|                    | <u>PH47490</u>   | COPYING VISUALIZATION BREAKS DRILL THROUGH DEFINITION  |
|                    | <u>PH46901</u>   | DASHBOARD FILTER LABEL MISMATCH AFTER UPDATING LABEL IN DATA MODULE  |
|                    | <u>PH46867</u>   | UNRELATED DATASETS In Dashboard Cause: IN MODULE " <name>", THE FOLLOWING QUERY SUBJECTS ARE NOT JOINED:<br/>"<name1>", "<name2>"</name2></name1></name> |
|                    | <u>PH46559</u>   | UPGRADED STACKED COLUMN DASHBOARD SHOWS INCORRECT VALUES IN LEGEND WHEN REPEATERS ARE USED   |
|                    | <u>PH46024</u>   | DASHBOARD UPGRADE NOT MAINTAINING TEXT WIDGET FORMATTING   |
|                    | <u>PH44569</u>   | DASHBOARDS CREATED FROM SAME PACKAGE BASED ON PINNED WIDGETS FROM OTHER DASHBOARDS CREATE CONFLICTING<br>FILTERS   |
|                    | <u>PH44404</u>   | DASHBOARD - FILTERS AUTOMATIC RESET OF FILTER IN SEARCH FILE DOES NOT WORK   |

| APAR           | Description   |
|----------------|---|
| <u>PH44287</u> | CROSSTAB VISUALIZATION LOSES LOCAL FILTER IN A DASHBOARD.   |
| <u>PH43003</u> | GLOBAL and Custom COLOR PALETTE IGNORED ON COMBINATION CHART IN DASHBOARD WHEN DEPLOYED ALONE TO ANOTHER ENVIRONMENT  |
| <u>PH42429</u> | CA 11.2.1 CURRENT TODAY DATE IS NOT GETTING HIGHLIGHTED IN DASHBOARD DATE FILTER CALENDAR DATE PICKER.  |
| <u>PH39944</u> | drill through from a dashboard in an iframe shows old report output in consecutive runs   |
| <u>PH39263</u> | NEGATIVE SIGN SYMBOL SELECTION UNDER DATA FORMAT IS NOT WORKING IN DASHBOARD  |
| <u>PH07989</u> | SUBSCRIBING A REPORT WITH IMAGE BY EMAIL APPEAR AS TEXT CONTENT   |
| <u>PH55239</u> | BURST REPORT SCHEDULED WITH ANYONE IN CC FIELD WILL RECEIVE A BLANK EMAIL.  |
| <u>PH49981</u> | TABLE IN EMAIL TASK BODY NOT VISIBLE TO EDIT IN GOOGLE CHROME   |
| <u>PH44966</u> | ATTACH REPORT OUTPUT FAILS TO FILL EMAIL BODY AND ONLY SENDS HTML ATTACHMENT IN EMAIL VIA EVENT STUDIO IN 11.2.1  |
| <u>PH43840</u> | 3 Lines in body after change to plain text  |
| <u>PH13272</u> | EVENT STUDIO SCHEDULING TASKS ALWAYS DELIVER AS .HTML EVEN OTHER FORMAT SELECTED FOR REPORT OUTPUTS IN CA 11.0.12   |
| <u>PH36060</u> | UNABLE TO EXPORT MODEL IN FRAMEWORK MANAGER USING EXPORT WIZARD. NO ERROR.  |
| <u>PH43077</u> | SCHEDULED REPORTS WITH UAE TIME SET IN PREFERENCES DO NOT SEND REPORTS AT PROPER TIME ON HOSTED CLOUD.  |
| <u>PH50223</u> | DATA MODULE MADE FROM DATASETS CONTAINING A CALCULATION ON THE JOINED TABLE VIEW CREATED FAILS WITH ""COULD NOT BIND QUERY ERROR  |
| <u>PH49179</u> | DASHBOARD GIVES 'COULD NOT BIND XXXX' ERROR WHEN AGGREGATION OF A CALCULATED FIELD IS CHANGED   |
| <u>PH48235</u> | SET DATA SECURITY FILTER ON TABLES DOES NOT FILTER BY A NAMESPACE BUT BY SELECTIUNG USERS   |
| <u>PH43287</u> | DATA MODULES - BREAKING LINKS TO TABLES BASED ON AN FM PACKAGE CAUSES VALIDATION ERRORS   |
|                | PH43003   PH42429   PH39944   PH39263   PH07989   PH55239   PH49981   PH43840   PH13272   PH36060   PH43077   PH50223   PH49979   PH43077   PH43077   PH43077   PH43077   PH43077 |

| Component | APAR           | Description   |
|-----------|----------------|---|
|           | <u>PH41449</u> | DATA MODULE FROM TWO OTHER DATA MODULES IMPORTS DUPLICATE TABLES  |
|           | <u>PH41344</u> | CALCULATION PRODUCING NEGATIVE VALUES INITIALLY SHOWING (NO VALUE) WHEN BROUGHT INTO TABLE ON DASHBOARD             |
|           | <u>PH33718</u> | LINKED DATA MODULE WITH UNION TABLES CAUSES VALIDATION ERRORS   |
|           | <u>PH33136</u> | ADDING SQL TABLES FROM A SOURCE MODULE TO A DESTINATION MODULE WILL NOT GENERATE THEM AS LINKS                      |
|           | <u>PH32748</u> | DATA MODULE: UNABLE TO ADD A DELETED COLUMN TO A COPIED TABLE   |
|           | <u>PH31496</u> | FILTER IN DATA MODULE APPLIED DIRECTLY ON TABLE WHOSE EXPRESSION SPANS MULTIPLE TABLES THROWS XQE-MSR-0008<br>ERROR |
|           | <u>PH31249</u> | DATA MODULES LINKED VIEWS BROKEN WHEN UNDERLYING TABLES NOT INCLUDED - ERROR XQE-MSR-0008                           |
|           | <u>PH31138</u> | DATA MODULE SHOW THE ROOT NAMESPACE AS A FOLDER IN THE SOURCES WINDOW   |
|           | <u>PH29851</u> | TABLE VIEWS ARE NOT INSERTED AS LINKED OBJECTS TO THE DATA MODULE WHEN ADDED  |
|           | <u>PH24776</u> | %{NUM} WARNING WHEN LOAD METADATA FROM DB SCHEMA WITH SYNONYMS  |
|           | <u>PH23353</u> | GROUPING NOT CORRECT WITH FILE BASED DATA MODULE  |
|           | <u>PH22987</u> | MSR-VRF-1102 AND MSR-VRF-1203 WHEN ADDING A CALCULATION IN DASHBOARD VISUALIZATION                                  |
|           | <u>PI54770</u> | SESSION NOT RECOVERED AFTER SESSION TIMEOUT WHEN DEFINING NEW<br>DATA MODULE  |
|           | <u>PH45190</u> | TREE PROMPT LOSES DESCENDANTS WITH SECURED PLANNING ANALYTICS DIMENSION   |
|           | <u>PH51268</u> | DATA MODULE DRAG AND DROP FUNCTIONALITY NOT WORKING FOR COPIED TABLES   |
|           |                |   |
| PowerPlay | <u>PH21224</u> | INITIAL IMPORT OF A POWERCUBE WITH POWERPLAY CLIENT 11 IS CONSIDERABLY SLOWER THAN COMPARABLE BI 10.2.2 SETUP       |
|           | <u>PH51107</u> | POWERPLAY 11.0.0.133 AUDIT LOGGING DOES NOT WORK WITH EXISTING CA 11.2.3 AUDIT DATABASE                             |
|           | <u>PH47233</u> | POWERPLAY REPORT PATH RECORDED AS STOREID IN THE [COGIPF_POWERPLAY] AUDIT TABLE                                     |
|           | <u>PH43437</u> | ADD A SINGLE QUOTE TO THE BEGINNING LIKE " ' «UNKNOWN»" WHEN EXPORTED TO EXCEL                                      |
|           |                |   |

PH39972 HIDE/SHOW TOOLBAR/TREE OPTION NOT AVAILABLE ON CHROME/FIREFOX IN POWERPLAY STUDIO

| Component        | APAR           | Description   |
|------------------|----------------|---|
|                  |                |   |
| Report Authoring | <u>PH50521</u> | UNABLE TO CLICK ON DRILL THROUGH REPORT LINK THAT WAS SENT VIA EMAIL.   |
|                  | <u>PH49680</u> | UNABLE TO INSERT CUSTOM SQL/MDX WHEN DATA SOURCE IS A DATA MODULE   |
|                  | <u>PH48340</u> | CA 11.2.1 CANNOT GENERATE SMART RECOMMENDATIONS   |
|                  | <u>PH45352</u> | DRAG AND DROP FUNCTIONALITY CAUSES REPORTING UI TO FREEZE ON MICROSOFT SURFACE IN LAPTOP MODE                                       |
|                  | <u>PH41809</u> | REPORTS WITH INCORRECT FIELD REFERENCES IN 11.0 VISUALIZATIONS CANNOT BE EDITED   |
|                  | <u>PH37451</u> | OLD CUSTOM GLOBAL CLASS EXTENSIONS MISSING AFTER REOPENING A REPORT   |
|                  | <u>PH36303</u> | OK AND CLOSE BUTTON DO NOT WORK IN THE NON-INTERACTIVE VIEWER WHEN USING GOOGLE CHROME AND MICROSOFT EDGE                           |
|                  | <u>PH21657</u> | CLICK ON A CUSTOM CONTROL BUTTON WITH FULLSCREENBUTTON.JS AND AFTER DOING A DRILLTHROUGH THEN A BLACK WINDOW APPEARS.               |
|                  | <u>PH19785</u> | LAYOUT COMPONENT REFERENCE ORIGIN GETS OVERRIDDEN WHEN COMING FROM SAME REPORT  |
|                  | <u>PH14107</u> | TYPE ERROR:CANNOT READ PROPERTY '_BFD' OF UNDEFINED WHEN USING A 11.1 PIE VISUALIZATION WITH A GUID DATA TYPE<br>FROM A CQM PACKAGE |
|                  | <u>PI96259</u> | DRILL THROUGH DEFINITIONS CONTAINING SPECIAL CHARACTERS AND WHICH POINT TO BOOKMARKS DO NOT WORK                                    |
|                  | <u>PH49823</u> | INCORRECT TRANSLATION "BERICHT ERSTELLE" IN REPORT TEMPLATE SELECTION DIALOG WHEN USING GERMAN PRODUCT<br>LANGUAGE                  |
|                  | <u>PH47893</u> | CANCEL PROMPT PAGE  |
|                  | <u>PH24277</u> | AFTER MOVING OR RENAMING A DOM PACKAGE YOU WILL NO LONGER BE ABLE TO EDIT EXISTING REPORTS.   |
|                  | <u>PH10505</u> | REPORT STILL POINTING TO DATA MODULE AFTER CHANGING DATA SOURCE TO PACKAGE  |
|                  | <u>PH51439</u> | RSV-VAL-0002 ERROR WHEN VALIDATING REPORT WITH CONDITIONAL AND NUMERIC RANGE  |
|                  | <u>PH29716</u> | REPORT STUDIO/USER DEFINED SQL PERMISSIONS NOT BEING HONORED  |
|                  |                |   |
| Report Server    | <u>PH49878</u> | HYPERLINK WITH URL TO SECURED URL FAILS WHEN REPORT IS RUN IN PDF FORMAT  |
|                  | <u>PH48712</u> | WIDTH OF DATE PROMPT IN THE REPORT IS INCREASED WHEN UPGRADED   |
|                  | <u>PH33439</u> | SECOND DRILL THROUGH PASSED FIRST PARAMETER WHEN EMBEDDED IN IFRAME   |
|                  | <u>PH31543</u> | TIME DOES NOT REFRESH BY DEFAULT ON AN IMPORTED REPORT FROM 10.2.2 TO 11.1.7  |

| Component   | APAR           | Description   |
|-------------|----------------|---|
|             | <u>PH06767</u> | WHEN PRODUCT AND CONTENT LANGUAGES ARE GERMAN AND THE REPORT IS<br>RUNNING IN ENGLISH THEN THE PROMPT FORMAT IS GERMAN                    |
|             | <u>PH48877</u> | JAVASCRIPT ISSUE AFTER A DRAG AND DROP WITH ERROR CODE /BI/PAT/HALCCHL_BLOCK.JS   |
|             | <u>PH48349</u> | TWO EMAILS SENT WHEN BURST THE REPORT WITH RENDER VARIABLE IN HTML FORMAT   |
|             | <u>PH47982</u> | WHITE LINE BETWEEN PAGE BODY AND FOOTER THAT SHOULDN'T BE THERE   |
|             | <u>PH47976</u> | UNABLE TO COPY CONTENT FROM PDF WHEN DRILL THROUGH IS ADD TO REPORT   |
|             | <u>PH46848</u> | DOUBLE EMAIL SENT WHEN BURST THE REPORT WITH STYLE VARIABLE   |
|             | <u>PH41230</u> | INSTEAD OF INCLUDING OR EXCLUDING WHITESPACE THE REPORT ERRORS WITH: QE-DEF-0260; QE-DEF-0261; QE-DEF-0260; QE-<br>DEF-0261;RSV-SRV-0042; |
|             | <u>PH41014</u> | REPORT LINKS PREVIOUSLY EMAILED IN 11.0 NO LONGER WORK AFTER THE SERVER IS UPGRADED TO 11.1   |
|             | <u>PH29441</u> | SELECTED PROMPT FILTER VALUE IS NOT Focused WHEN REPORT FULL INTERACTIVITY IS SET TO YES  |
|             | <u>PH24258</u> | IN COGNOS 11.1.4, WHEN DYNAMIC DRILL IS THE DRILL ACTION IT IS not working as it does in C10.2.2  |
|             | <u>PH10547</u> | LEGACY SCATTER CHART NOT SHOWING ANY DATA POINTS IN SOME CASES  |
|             | <u>PH48475</u> | TRANSFORMER RELEASED WITH COGNOS ANALYTICS 11.1.7 FP5 (BUILD 11.0.0.555) HAS SLOW CUBE BUILD PERFORMANCE                                  |
|             | <u>PH37107</u> | TRANSFORMER IS THROWING A RPT-DBL-3501 ERROR WHEN TRYING TO VIEW DATA FROM DATA SOURCE.   |
|             | <u>PH27492</u> | TRANSFORMER FAILS WITH QE-DEF-0368 UNABLE TO DECRYPT USER NAME AND PASSWORD WHEN DATASOURCE COMPRISES A PREDEFINED PERSONAL SIGNON        |
|             | <u>PH24961</u> | WELL FORMED HTML/CSS ITEM IS CHANGED BY COGNOS AND DOES NOT WORK  |
| Samples     | <u>PH54119</u> | UNABLE TO COMPILE AND RUN REPORTADD SDK JAVA SAMPLE LOCATED UNDER <install directory="">\SDK\JAVA\REPORTADD IN<br/>11.1.7</install>       |
| Search      | <u>PH48303</u> | CUSTOMER SEARCHES FOR AN OBJECT. THE SEARCH RESULTS SHOWS THE OB JECT AS EXPECTED, BUT THE PARENT FOLDER SHOW<br>THE INCORRECT NAME       |
| Transformer | <u>PH30653</u> | HEAVILY DEGRADED DQM PERFORMANCE OF CUBE BUILDS VS CQM  |