
DB2 Universal Database for AIX operating system prerequisites

DB2® continues to be supported on AIX® 4.3.3 until DB2 Version 8.1 goes out of service. Both existing installs of DB2 as well as new installs of DB2 are recommended to upgrade to a more current version of AIX, such as AIX 5.3 because AIX 4.3.3 is now out of service.

If you wish to continue running DB2 on this back-level release of AIX, you require the following maintenance levels:

- ML11
- APAR IY49385
- DB2 Version 8.1 FixPak 4 and higher requires a minimum C++ runtime level of xLC.rte 6.0.0.0 and xLC.aix43.rte

For more information on AIX supported development software, see the AIX supported programming languages and compilers .

AIX operating system supported platforms

Table 1. AIX operating system supported platforms

DB2 UDB Edition	AIX platforms		
	AIX 5L™ 32-bit	AIX 5L 64-bit	AIX 6.1 64-bit
ESE/UDE	YES	YES	YES
WSE/WSUE	YES	YES	YES
PE/PDE	NO	NO	NO
EXP	NO	NO	NO
CEE/CUE/CASE	YES	YES	YES
CPE	NO	NO	NO

Where:

- ESE - DB2 UDB Enterprise Server Edition
- UDE - DB2 UDB Universal Developer's Edition
- WSE - DB2 UDB Workgroup Server Edition
- WSUE - DB2 UDB Workgroup Server Unlimited Edition
- PE - DB2 UDB Personal Edition
- PDE - DB2 UDB Personal Developer's Edition
- EXP - DB2 UDB Express Server Edition
- CEE - DB2 Connect™ Enterprise Edition
- CUE - DB2 Connect Unlimited Edition
- CASE - DB2 Connect Application Server Edition
- CPE - DB2 Connect Personal Edition

Data Links Version 8.2 support

Data Links Version 8.2 is supported on:

- AIX 4.3, 5.1, 5.2, and 5.3
- Solaris Operating Environment 7 and 8
- Windows NT® and Windows® 2000; only Intel® systems, AMD systems are not tested or supported

Data Links Version 8.2 is only supported on these operating systems on 32-bit.

AIX operating system prerequisites for DB2 UDB Version 8.2

Table 2. AIX operating system prerequisites for DB2 UDB Version 8.2

AIX operating system	Prerequisites for running DB2 Universal Database™
AIX 5.1 (32-bit & 64-bit)	- Maintenance Level 6 - Requires a minimum C++ runtime level of: xlC.rte 6.0.0.0 and xlC.aix50.rte 6.0.0.5
AIX 5.2 (32-bit & 64-bit)	- Maintenance Level 3 - Requires a minimum C++ runtime level of: xlC.rte 6.0.0.0 and xlC.aix50.rte 6.0.0.5
AIX 5.3 (32-bit & 64-bit)	- APAR: IY58143 - Requires a minimum C++ runtime level of: xlC.rte 6.0.0.0 and xlC.aix50.rte 6.0.0.5 - APAR IY58143 is recommended
AIX 6.1 (64-bit)	64-bit kernel is required.

AIX operating system prerequisites for DB2 UDB Version 8.1

Table 3. AIX operating system prerequisites for DB2 UDB Version 8.1

AIX operating system	Prerequisites for running DB2 Universal Database
AIX 4.3.3 (32-bit)	- Maintenance Level 9 - APARs: IY33024 - DB2 UDB Version 8.1 FixPak 4 and higher requires a minimum C++ runtime level of: xlC.rte 6.0.0.0 xlC.aix43.rte 6.0.0.5
AIX 5.1 (32-bit & 64-bit)	- Maintenance Level 5 - APARs: IY48735 IY49254 - DB2 UDB Version 8.1 FixPak 4 and higher requires a minimum C++ runtime level of: xlC.rte 6.0.0. xlC.aix50.rte 6.0.0.5
AIX 5.2 (32-bit & 64-bit)	- Maintenance Level 2 - APARs: IY48339 IY49304
AIX 5.3 (32-bit & 64-bit)	- APAR: IY58143

