



**Program Directory for  
IBM Content Manager  
OnDemand Servers  
for z/OS**

V9.5.0

Program Number 5697-CMD

FMID H272950

for use with  
z/OS

Document Date: September 2014

GI13-2329-00

**Note**

Before using this information and the product it supports, be sure to read the general information under 7.0, "Notices" on page 30.

---

# Contents

<b>1.0 Introduction</b>	1
1.1 IBM Content Manager OnDemand Servers V9.5 Description	2
1.2 IBM Content Manager OnDemand Servers V9.5 FMIDs	2
<b>2.0 Program Materials</b>	3
2.1 Basic Machine-Readable Material	3
2.2 Optional Machine-Readable Material	4
2.3 Program Publications	4
2.4 Program Source Materials	5
2.5 Publications Useful During Installation	5
<b>3.0 Program Support</b>	7
3.1 Program Services	7
3.2 Preventive Service Planning	7
3.3 Statement of Support Procedures	8
<b>4.0 Program and Service Level Information</b>	9
4.1 Program Level Information	9
4.2 Service Level Information	9
<b>5.0 Installation Requirements and Considerations</b>	11
5.1 Driving System Requirements	11
5.1.1 Machine Requirements	11
5.1.2 Programming Requirements	12
5.2 Target System Requirements	12
5.2.1 Machine Requirements	12
5.2.2 Programming Requirements	12
5.2.2.1 Installation Requisites	13
5.2.2.2 Operational Requisites	14
5.2.2.3 Toleration/Coexistence Requisites	14
5.2.2.4 Incompatibility (Negative) Requisites	14
5.2.3 DASD Storage Requirements	14
5.3 FMIDs Deleted	19
5.4 Special Considerations	19
<b>6.0 Installation Instructions</b>	20
6.1 Installing IBM Content Manager OnDemand Servers V9.5	20
6.1.1 SMP/E Considerations for Installing IBM Content Manager OnDemand Servers V9.5	20
6.1.2 SMP/E Options Subentry Values	20
6.1.3 SMP/E CALLLIBS and SIDE DECK PROCESSING	21
6.1.4 Sample Jobs	22
6.1.5 Perform SMP/E RECEIVE	23

6.1.6	Allocate SMP/E Target and Distribution Libraries	23
6.1.7	Allocate, create and mount ZFS Files (Optional)	24
6.1.8	Allocate File System Paths	25
6.1.9	Create DDDEF Entries	25
6.1.10	Perform SMP/E APPLY	26
6.1.11	Perform SMP/E ACCEPT	28
6.1.12	Run REPORT CROSSZONE	29
6.1.13	Cleaning Up Obsolete Data Sets, Paths, and DDDEFs	29
6.2	Activating IBM Content Manager OnDemand Servers V9.5	29
6.3	Product Customization	29
<b>7.0</b>	<b>Notices</b>	<b>30</b>
7.1	Trademarks	31
	<b>Reader's Comments</b>	<b>32</b>

---

## Figures

1.	Program File Content	3
2.	Optional Material	4
3.	Basic Material: Unlicensed Softcopy Publications	5
4.	Publications Useful During Installation	6
5.	PSP Upgrade and Subset ID	7
6.	Component IDs	8
7.	Driving System Software Requirements	12
8.	Target System Mandatory Installation Requisites	13
9.	Target System Conditional Installation Requisites	13
10.	Target System Conditional Operational Requisites	14
11.	Total DASD Space Required by IBM Content Manager OnDemand Servers V9.5	15
12.	Storage Requirements for IBM Content Manager OnDemand Servers V9.5 Target Libraries	17
13.	IBM Content Manager OnDemand Servers V9.5 File System Paths	18
14.	Storage Requirements for IBM Content Manager OnDemand Servers V9.5 Distribution Libraries	19
15.	SMP/E Options Subentry Values	20
16.	Sample Installation Jobs	22

---

## 1.0 Introduction

This program directory is intended for system programmers who are responsible for program installation and maintenance. It contains information about the material and procedures associated with the installation of IBM Content Manager OnDemand Servers for z/OS. This publication refers to IBM Content Manager OnDemand Servers for z/OS as IBM Content Manager OnDemand Servers V9.5.

The Program Directory contains the following sections:

- 2.0, “Program Materials” on page 3 identifies the basic program materials and documentation for IBM Content Manager OnDemand Servers V9.5.
- 3.0, “Program Support” on page 7 describes the IBM support available for IBM Content Manager OnDemand Servers V9.5.
- 4.0, “Program and Service Level Information” on page 9 lists the APARs (program level) and PTFs (service level) that have been incorporated into IBM Content Manager OnDemand Servers V9.5.
- 5.0, “Installation Requirements and Considerations” on page 11 identifies the resources and considerations that are required for installing and using IBM Content Manager OnDemand Servers V9.5.
- 6.0, “Installation Instructions” on page 20 provides detailed installation instructions for IBM Content Manager OnDemand Servers V9.5. It also describes the procedures for activating the functions of IBM Content Manager OnDemand Servers V9.5, or refers to appropriate publications.

Before installing IBM Content Manager OnDemand Servers V9.5, read the *CBPDO Memo To Users* and the *CBPDO Memo To Users Extension* that are supplied with this program in softcopy format and this program directory; then keep them for future reference. Section 3.2, “Preventive Service Planning” on page 7 tells you how to find any updates to the information and procedures in this program directory.

IBM Content Manager OnDemand Servers V9.5 is supplied in a Custom-Built Product Delivery Offering (CBPDO, 5751-CS3). The program directory that is provided in softcopy format on the CBPDO tape is identical to the hardcopy format if one was included with your order. All service and HOLDDATA for IBM Content Manager OnDemand Servers V9.5 are included on the CBPDO tape.

Do not use this program directory if you install IBM Content Manager OnDemand Servers V9.5 with a SystemPac or ServerPac. When you use one of those offerings, use the jobs and documentation supplied with the offering. The offering will point you to specific sections of this program directory as needed.

---

## 1.1 IBM Content Manager OnDemand Servers V9.5 Description

IBM Content Manager OnDemand for z/OS provides fast access to information. It processes the print output of application programs, extracts index fields from the data, stores the index information in a DB2 database, and stores one or more copies of the data. The IBM Content Manager OnDemand system provides capability to archive newly created and frequently accessed reports automatically migrating them to other types of storage as they age. OnDemand fully integrates the capabilities of Advanced Function Presentation (AFP®), including management of resources, indexes and annotations, and supports full fidelity reprinting of documents to devices attached to a PC, IBM Content Manager OnDemand server, or other servers on the network.

---

## 1.2 IBM Content Manager OnDemand Servers V9.5 FMIDs

IBM Content Manager OnDemand Servers V9.5 consists of the following FMIDs:

H272950  
HQN4450

---

## 2.0 Program Materials

An IBM program is identified by a program number. The program number for IBM Content Manager OnDemand Servers V9.5 is 5697-CMD.

Basic Machine-Readable Materials are materials that are supplied under the base license and are required for the use of the product.

The program announcement material describes the features supported by IBM Content Manager OnDemand Servers V9.5. Ask your IBM representative for this information if you have not already received a copy.

---

### 2.1 Basic Machine-Readable Material

The distribution medium for this program is physical media or downloadable files. This program is in SMP/E RELFILE format and is installed by using SMP/E. See 6.0, "Installation Instructions" on page 20 for more information about how to install the program.

You can find information about the physical media for the basic machine-readable materials for IBM Content Manager OnDemand Servers V9.5 in the *CBPDO Memo To Users Extension*.

Figure 1 (Page 1 of 2). Program File Content

Name	ORG	RCM	REL	BLK SIZE
SMPMCS	SEQ	FB	80	6400
IBM.H272950.F1	PDS	FB	80	8800
IBM.H272950.F2	PDS	FB	80	8800
IBM.H272950.F3	PDS	VB	255	27998
IBM.H272950.F4	PDS	VB	255	27998
IBM.H272950.F5	PDS	VB	255	27998
IBM.H272950.F6	PDS	VB	255	27998
IBM.H272950.F7	PDS	VB	255	27998
IBM.H272950.F8	PDS	VB	255	27998
IBM.H272950.F9	PDS	FB	80	8800
IBM.H272950.F10	PDS	FB	80	8800
IBM.H272950.F11	PDS	U	0	6144

Figure 1 (Page 2 of 2). Program File Content

<b>Name</b>	<b>O R G</b>	<b>R E C F M</b>	<b>L R E C L</b>	<b>BLK SIZE</b>
IBM.H272950.F12	PDS	FB	80	8800
IBM.H272950.F13	PDS	FB	80	8800
IBM.H272950.F14	PDS	FB	80	8800
IBM.H272950.F15	PDS	FB	80	8800
IBM.H272950.F16	PDS	FB	80	8800

## 2.2 Optional Machine-Readable Material

The distribution medium for this program is physical media or downloadable files.

Figure 2 describes the physical media.

Figure 2. Optional Material

<b>Medium</b>	<b>Physical Volume</b>	<b>External Label</b>	<b>Unload Utility</b>	<b>VOLSER</b>
3480	1	OND OS390 ACIF	SMP/E	QN4450
<b>Note:</b> All customers that order the IBM Content Manager OnDemand Servers V9.5 should also order the tape containing FMID HQN4450 and the Program Directory G113-3009-00 for the Enhanced ACIF.				

## 2.3 Program Publications

Figure 3 identifies the basic unlicensed softcopy publications for IBM Content Manager OnDemand Servers V9.5. Those publications that are in softcopy format can be obtained from the IBM Publications Center website at <http://www.ibm.com/shop/publications/order/>.



Figure 3. Basic Material: Unlicensed Softcopy Publications

Publication Title	Form Number	Media Format
IBM Content Manager OnDemand for z/OS Program Directory	GI13-2329-00	Web
IBM Content Manager OnDemand for z/OS Licensed Program Spec	GC27-6383-00	Web
IBM Content Manager OnDemand for z/OS Configuration Guide Version 9 Release 5	SC19-3363-01	Web
IBM Content Manager OnDemand for z/OS Administration Guide Version 9 Release 5	SC19-3364-01	Web
IBM Content Manager OnDemand Indexing Reference	SC19-3354-01	Web
IBM Content Manager OnDemand for z/OS Introduction and Planning Guide Version 9 Release 5	SC19-3365-00	Web
IBM Content Manager OnDemand Messages and Codes	SC19-3356-01	Web
IBM Content Manager OnDemand Web Enablement Kit (ODWEK) Guide	SC19-3353-01	Web
<b>Note:</b> To view any of these documents, go to one of the following websites: <ul style="list-style-type: none"><li>• The IBM Publications Center Website (<a href="http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss">http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss</a>) Select your locale, and search for the manuals.</li><li>• The IBM Content Manager OnDemand Knowledge Center at: <a href="http://www.ibm.com/support/knowledgecenter/SSQHWE/welcome">http://www.ibm.com/support/knowledgecenter/SSQHWE/welcome</a></li></ul>		

---

## 2.4 Program Source Materials

No program source materials or viewable program listings are provided for IBM Content Manager OnDemand Servers V9.5.

---

## 2.5 Publications Useful During Installation

You might want to use the publications listed in Figure 4 during the installation of IBM Content Manager OnDemand Servers V9.5.

Figure 4. Publications Useful During Installation

<b>Publication Title</b>	<b>Form Number</b>	<b>Media Format</b>
<i>IBM SMP/E for z/OS User's Guide</i>	SA22-7773	<a href="http://www.ibm.com/shop/publications/order/">http://www.ibm.com/shop/publications/order/</a>
<i>IBM SMP/E for z/OS Commands</i>	SA22-7771	<a href="http://www.ibm.com/shop/publications/order/">http://www.ibm.com/shop/publications/order/</a>
<i>IBM SMP/E for z/OS Reference</i>	SA22-7772	<a href="http://www.ibm.com/shop/publications/order/">http://www.ibm.com/shop/publications/order/</a>
<i>IBM SMP/E for z/OS Messages, Codes, and Diagnosis</i>	GA22-7770	<a href="http://www.ibm.com/shop/publications/order/">http://www.ibm.com/shop/publications/order/</a>
<b>Note:</b> The <i>IBM Content Manager OnDemand for z/OS Introduction and Planning Guide Version 9 Release 5</i> and the <i>IBM Content Manager OnDemand for z/OS Configuration Guide Version 9 Release 5</i> are useful during Installation. Figure 3 on page 4 For information about these publications,		

---

## 3.0 Program Support

This section describes the IBM support available for IBM Content Manager OnDemand Servers V9.5.

---

### 3.1 Program Services

Contact your IBM representative for specific information about available program services.

---

### 3.2 Preventive Service Planning

Before you install IBM Content Manager OnDemand Servers V9.5, make sure that you have reviewed the current Preventive Service Planning (PSP) information. Review the PSP Bucket for General Information, Installation Documentation, and the Cross Product Dependencies sections. For the Recommended Service section, instead of reviewing the PSP Bucket, it is recommended you use the IBM.ProductInstall-RequiredService fix category in SMP/E to ensure you have all the recommended service installed. Use the **FIXCAT(IBM.ProductInstall-RequiredService)** operand on the **APPLY CHECK command**. See 6.1.10, "Perform SMP/E APPLY" on page 26 for a sample APPLY command

If you obtained IBM Content Manager OnDemand Servers V9.5 as part of a CBPDO, HOLDDATA is included.

If the CBPDO for IBM Content Manager OnDemand Servers V9.5 is older than two weeks by the time you install the product materials, you can obtain the latest PSP Bucket information by going to the following website:

<http://www14.software.ibm.com/webapp/set2/psearch/search?domain=psp>

You can also use S/390 SoftwareXcel or contact the IBM Support Center to obtain the latest PSP Bucket information.

For program support, access the Software Support Website at <http://www.ibm.com/software/support/>.

PSP Buckets are identified by UPGRADEs, which specify product levels; and SUBSETs, which specify the FMIDs for a product level. The UPGRADE and SUBSET values for IBM Content Manager OnDemand Servers V9.5 are included in Figure 5.

*Figure 5. PSP Upgrade and Subset ID*

UPGRADE	SUBSET	Description
ODMP950	H272950	IBM Content Manager OnDemand for z/OS

---

### 3.3 Statement of Support Procedures

Report any problems which you feel might be an error in the product materials to your IBM Support Center. You may be asked to gather and submit additional diagnostics to assist the IBM Support Center in their analysis.

Figure 6 on page 8 identifies the component IDs (COMPID) for IBM Content Manager OnDemand Servers V9.5.

<i>Figure 6. Component IDs</i>			
<b>FMID</b>	<b>COMPID</b>	<b>Component Name</b>	<b>RETAIN Release</b>
H272950	5655H3900	ODMPBASEz/OS	950
HQN4450	564806201	ACIF	450
<b>Note:</b> All customers that order IBM Content Manager Demand Servers V9.5 should also order the tape containing FMID HQN4450 and the Program Directory GI13-3009-00 for the Enhanced ACIF.			

---

## 4.0 Program and Service Level Information

This section identifies the program and relevant service levels of IBM Content Manager OnDemand Servers V9.5. The program level refers to the APAR fixes that have been incorporated into the program. The service level refers to the PTFs that have been incorporated into the program.

---

### 4.1 Program Level Information

The following APAR fixes against previous releases of IBM Content Manager OnDemand Servers V9.5 have been incorporated into this release. They are listed by FMID.

- FMID H272950

PI04861	PI17168	PM75167	PM84059	PM93441
PI05304	PI17791	PM75802	PM84434	PM93444
PI05364	PI18182	PM76519	PM84562	PM93624
PI05911	PI19753	PM76739	PM85017	PM94458
PI06500	PI21103	PM76821	PM85612	PM94497
PI08755	PI21467	PM77907	PM86206	PM94595
PI10044	PI21547	PM78376	PM87701	PM94600
PI10634	PM50057	PM80187	PM88234	PM94686
PI10914	PM62093	PM80686	PM88247	PM94791
PI11209	PM66250	PM81535	PM88575	PM95423
PI12377	PM67753	PM81651	PM88661	PM95468
PI14439	PM70065	PM81654	PM89428	PM96073
PI15092	PM71536	PM82180	PM90672	PM96341
PI15871	PM72133	PM82249	PM91424	PM96757
PI15930	PM72150	PM82322	PM91908	PM96775
PI16162	PM72908	PM82660	PM92679	PM96853
PI16755	PM73809	PM83244	PM93042	PM98770
PI17011	PM74327	PM83664	PM93340	PM99364

---

### 4.2 Service Level Information

No PTFs against this release of IBM Content Manager OnDemand Servers V9.5 have been incorporated into the product package.

Frequently check the IBM Content Manager OnDemand Servers V9.5 PSP Bucket for HIPER and SPECIAL attention PTFs against all FMIDs that you must install. You can also receive the latest HOLDDATA, then add the **FIXCAT(IBM.PRODUCTINSTALL-REQUIRESERVICE)** operand on your

APPLY CHECK command. This will allow you to review the recommended and critical service that should be installed with your FMIDs.

---

## 5.0 Installation Requirements and Considerations

The following sections identify the system requirements for installing and activating IBM Content Manager OnDemand Servers V9.5. The following terminology is used:

- *Driving system*: the system on which SMP/E is executed to install the program.

The program might have specific operating system or product level requirements for using processes, such as binder or assembly utilities during the installation.

- *Target system*: the system on which the program is configured and run.

The program might have specific product level requirements, such as needing access to the library of another product for link-edits. These requirements, either mandatory or optional, might directly affect the element during the installation or in its basic or enhanced operation.

In many cases, you can use a system as both a driving system and a target system. However, you can make a separate IPL-able clone of the running system to use as a target system. The clone must include copies of all system libraries that SMP/E updates, copies of the SMP/E CSI data sets that describe the system libraries, and your PARMLIB and PROCLIB.

Use separate driving and target systems in the following situations:

- When you install a new level of a product that is already installed, the new level of the product will replace the old one. By installing the new level onto a separate target system, you can test the new level and keep the old one in production at the same time.
- When you install a product that shares libraries or load modules with other products, the installation can disrupt the other products. By installing the product onto a separate target system, you can assess these impacts without disrupting your production system.

---

### 5.1 Driving System Requirements

This section describes the environment of the driving system required to install IBM Content Manager OnDemand Servers V9.5.

#### 5.1.1 Machine Requirements

The driving system can run in any hardware environment that supports the required software.

## 5.1.2 Programming Requirements

Figure 7. Driving System Software Requirements

Program Number	Product Name	Minimum VRM	Minimum Service Level will satisfy these APARs	Included in the shipped product?
5694-A01	z/OS	V01.13.00	N/A	No
5655-G44	IBM SMP/E for z/OS	V03.06.00	N/A	No

**Note:**

- Unix System Services tailored and operational.
- TCP/IP tailored and operational.
- Language Environment tailored and operational.
- Linkage Editor/Program Binder tailored and operational.
- The XL C/C++ libraries available.
- IBM Tivoli Directory Server (IBM TDS, LDAP) for z/OS libraries available

**Note:** SMP/E is a requirement for installation and is an element of z/OS but can also be ordered as a separate product, 5655-G44, minimally V03.05.00.

**Note:** Installation might require migration to new z/OS releases to be service supported. See [http://www.ibm.com/systems/z/os/zos/support/zos\\_eos\\_dates.html](http://www.ibm.com/systems/z/os/zos/support/zos_eos_dates.html).

---

## 5.2 Target System Requirements

This section describes the environment of the target system required to install and use IBM Content Manager OnDemand Servers V9.5.

IBM Content Manager OnDemand Servers V9.5 installs in the DBS (P115) SREL.

### 5.2.1 Machine Requirements

The target system can run in any hardware environment that supports the required software.

### 5.2.2 Programming Requirements



## 5.2.2.1 Installation Requisites

Installation requisites identify products that are required and *must* be present on the system or products that are not required but *should* be present on the system for the successful installation of this product.

Mandatory installation requisites identify products that are required on the system for the successful installation of this product. These products are specified as PREs or REQs.

*Figure 8. Target System Mandatory Installation Requisites*

Program Number	Product Name	Minimum VRM	Minimum Service Level will satisfy these APARs	Included in the shipped product?
5635-DB2	IBM DB2 Universal Database for z/OS	10.01.00 or higher	N/A	No
<p><b>Note:</b> Additionally the following FMIDs/Products for their respective versions must be installed.</p> <ul style="list-style-type: none"> <li>• DB2 for z/OS Version 10 with ODBC FMID JDBAA17 with PTF for APAR PM25042</li> <li>• 5655-N98 - IBM SDK for z/OS, Java 2 Technology Edition - 31-bit JDK - 01.06.00 or higher</li> <li>• 5655-N99 - IBM SDK for z/OS, Java 2 Technology Edition - 64-bit JDK - 01.06.00 or higher</li> <li>• 5694-A01 - IBM Tivoli Directory Server (LDAP) - 01.13.00 or higher</li> </ul>				

**Note:** Installation might require migration to new z/OS releases to be service supported. See [http://www-03.ibm.com/systems/z/os/zos/support/zos\\_eos\\_dates.html](http://www-03.ibm.com/systems/z/os/zos/support/zos_eos_dates.html).

Conditional installation requisites identify products that are *not* required for successful installation of this product but can resolve such things as certain warning messages at installation time. These products are specified as IF REQs.

*Figure 9. Target System Conditional Installation Requisites*

Program Number	Product Name	Minimum VRM	Minimum Svc Lvl to satisfy these APARs	Function for which this is a Req't	Included in the shipped product?
5694-A01	DFSMS for z/OS	01.13.00 or higher	N/A	OAM and VSAM	No

### 5.2.2.2 Operational Requisites

Operational requisites are products that are required and *must* be present on the system or products that are not required but *should* be present on the system for this product to operate all or part of its functions.

Mandatory operational requisites identify products that are required for this product to operate its basic functions. These products are specified as PREs or REQs.

Conditional operational requisites identify products that are *not* required for this product to operate its basic functions but are required at run time for this product to operate specific functions. These products are specified as IF REQs.

Figure 10. Target System Conditional Operational Requisites

Program Number	Product Name and Minimum VRM/Service Level	Function
Any <b>one</b> of the following:		
5655-W32	Websphere Application Server for z/OS V06.00.01 or later	WAS Server
5655-S71	IBM Enterprise COBOL for z/OS and OS/390 V5.1.1	Cobol
5694-A01	z/OS V1.13.0 or later	XL C/C++
5694-A01	z/OS V1.6 or later	High Level Assembly
5694-A01	z/OS V1.13.0 or later	ISPF
5694-A01	z/OS V1.13.0 or later	InfoPrint Services for z/OS

### 5.2.2.3 Toleration/Coexistence Requisites

Toleration/coexistence requisites identify products that must be present on sharing systems. These systems can be other systems in a multisystem environment (not necessarily sysplex), a shared DASD environment (such as test and production), or systems that reuse the same DASD environment at different time intervals.

### 5.2.2.4 Incompatibility (Negative) Requisites

Negative requisites identify products that must *not* be installed on the same system as this product.

## 5.2.3 DASD Storage Requirements

IBM Content Manager OnDemand Servers V9.5 libraries can reside on all supported DASD types.

Figure 11 lists the total space that is required for each type of library.

Figure 11. Total DASD Space Required by IBM Content Manager OnDemand Servers V9.5

Library Type	Total Space Required in 3390 Trks	File System Description
Target	8,975	
Distribution	9,845	
File System(s)	18,000	zFS

**Notes:**

1. For non-RECFM U data sets, IBM recommends using system-determined block sizes for efficient DASD utilization. For RECFM U data sets, IBM recommends using a block size of 32760, which is most efficient from the performance and DASD utilization perspective.

2. Abbreviations used for data set types are shown as follows:

**U** Unique data set, allocated by this product and used by only this product. This table provides all the required information to determine the correct storage for this data set. You do not need to refer to other tables or program directories for the data set size.

**S** Shared data set, allocated by this product and used by this product and other products. To determine the correct storage needed for this data set, add the storage size given in this table to those given in other tables (perhaps in other program directories). If the data set already exists, it must have enough free space to accommodate the storage size given in this table.

**E** Existing shared data set, used by this product and other products. This data set is *not* allocated by this product. To determine the correct storage for this data set, add the storage size given in this table to those given in other tables (perhaps in other program directories). If the data set already exists, it must have enough free space to accommodate the storage size given in this table.

If you currently have a previous release of this product installed in these libraries, the installation of this release will delete the old release and reclaim the space that was used by the old release and any service that had been installed. You can determine whether these libraries have enough space by deleting the old release with a dummy function, compressing the libraries, and comparing the space requirements with the free space in the libraries.

For more information about the names and sizes of the required data sets, see 6.1.6, “Allocate SMP/E Target and Distribution Libraries” on page 23.

3. Abbreviations used for the file system path type are as follows.

- N** New path, created by this product.
- X** Path created by this product, but might already exist from a previous release.
- P** Previously existing path, created by another product.

4. All target and distribution libraries listed have the following attributes:

- The default name of the data set can be changed.
- The default block size of the data set can be changed.
- The data set can be merged with another data set that has equivalent characteristics.
- The data set can be either a PDS or a PDSE with the exception of SARSLOAD and AARSOBJ1 which must be PDSEs.

5. All target libraries listed have the following attributes:

- These data sets can be SMS-managed, but they are not required to be SMS-managed.
- These data sets are not required to reside on the IPL volume.
- The values in the "Member Type" column are not necessarily the actual SMP/E element types that are identified in the SMPMCS.

6. All target libraries that are listed and contain load modules have the following attributes:

- These data sets can be in the LPA, but they are not required to be in the LPA.
- These data sets can be in the LNKLIST.
- These data sets are not required to be APF-authorized with the exception of SARSLOAD which must be APF-authorized.

The following figures describe the target and distribution libraries and file system paths required to install IBM Content Manager OnDemand Servers V9.5. The storage requirements of IBM Content Manager OnDemand Servers V9.5 must be added to the storage required by other programs that have data in the same library or path.

**Note:** Use the data in these tables to determine which libraries can be merged into common data sets. In addition, since some ALIAS names may not be unique, ensure that no naming conflicts will be introduced before merging libraries.

*Figure 12. Storage Requirements for IBM Content Manager OnDemand Servers V9.5 Target Libraries*

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C M	L R E C L	No. of 3390 Trks	No. of DIR Blks
SARSDBR1	DATA2	ANY	U	PDS	FB	80	2	5
SARSDFS		ANY	S	PDSE	FB	80	5	N/A
SARSEXEC	EXEC	ANY	U	PDS	FB	80	8	5
SARSFTIA	DATA4	ANY	U	PDS	FB	80	95	10
SARSICUA	DATA4	ANY	U	PDS	FB	80	1350	125
SARSINST	DATA1 DATA3	ANY	U	PDS	FB	80	105	25
SARSLOAD	LOAD	ANY	S	PDSE	U	0	7400	N/A
SARSMENU	MSGENU	ANY	U	PDS	FB	80	2	5
SARSPENU	PNLENU	ANY	U	PDS	FB	80	4	5
SARSTENU	TBLENU	ANY	U	PDS	FB	80	2	5

Figure 13. IBM Content Manager OnDemand Servers V9.5 File System Paths

<b>DDNAME</b>	<b>T Y P E</b>	<b>Path Name</b>
SARSAPI	N	/usr/lpp/ars/V9R5M0/www/api/IBM/
SARSAPPL	N	/usr/lpp/ars/V9R5M0/www/applets/IBM/
SARSBIN	N	/usr/lpp/ars/V9R5M0/bin/IBM/
SARSEBIN	N	/usr/lpp/ars/V9R5M0/bin/exits/IBM/
SARSHFNA	N	/usr/lpp/ars/V9R5M0/bin/font1/afm/IBM/
SARSHFNM	N	/usr/lpp/ars/V9R5M0/bin/font1/maps/IBM/
SARSHFNT	N	/usr/lpp/ars/V9R5M0/bin/font1/IBM/
SARSHMID	N	/usr/lpp/ars/V9R5M0/midserver/IBM/
SARSHMSC	N	/usr/lpp/ars/V9R5M0/locale/IBM/
SARSHSAM	N	/usr/lpp/ars/V9R5M0/samples/IBM/
SARSJARS	N	/usr/lpp/ars/V9R5M0/jars/IBM/
SARSMBIN	N	/usr/lpp/ars/V9R5M0/bin/xml/IBM/
SARSPLGI	N	/usr/lpp/ars/V9R5M0/www/plugins/IBM/
SARSSERV	N	/usr/lpp/ars/V9R5M0/www/servlets/IBM/
SARSWIMG	N	/usr/lpp/ars/V9R5M0/www/images/IBM/
SARWSAM	N	/usr/lpp/ars/V9R5M0/www/samples/IBM/
SARWSIN	N	/usr/lpp/ars/V9R5M0/www/IBM/
SARSXBIN	N	/usr/lpp/ars/V9R5M0/bin/xml/samples/IBM/
SARS2LIN	N	/usr/lpp/ars/V9R5M0/www/line2pdf/IBM/
SARS2PDF	N	/usr/lpp/ars/V9R5M0/www/afp2pdf/IBM/
SARS2WEB	N	/usr/lpp/ars/V9R5M0/www/afp2web/IBM/

Figure 14. Storage Requirements for IBM Content Manager OnDemand Servers V9.5 Distribution Libraries

Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
AARSDBR1	U	PDS	FB	80	2	5
AARSEXEC	U	PDS	FB	80	8	5
AARSFTIA	U	PDS	FB	80	95	10
AARSHAS1	U	PDS	VB	255	5010	15
AARSHCP1	U	PDS	VB	255	30	15
AARSHFN1	U	PDS	VB	255	20	5
AARSHIM1	U	PDS	VB	255	2	5
AARSHMS1	U	PDS	VB	255	260	10
AARSHSM1	U	PDS	VB	255	85	5
AARSICUA	U	PDS	FB	80	1420	125
AARSINST	U	PDS	FB	80	105	25
AARSMENU	U	PDS	FB	80	2	5
AARSOBJ1	U	PDSE	U	0	2800	N/A
AARSPENU	U	PDS	FB	80	4	5
AARSTENU	U	PDS	FB	80	2	5

### 5.3 FMIDs Deleted

Installing IBM Content Manager OnDemand Servers V9.5 might result in the deletion of other FMIDs. To see which FMIDs will be deleted, examine the ++VER statement in the SMPMCS of the product.

If you do not want to delete these FMIDs at this time, install IBM Content Manager OnDemand Servers V9.5 into separate SMP/E target and distribution zones.

**Note:** These FMIDs are not automatically deleted from the Global Zone. If you want to delete these FMIDs from the Global Zone, use the SMP/E REJECT NOFMID DELETEFMID command. See the SMP/E Commands book for details.

### 5.4 Special Considerations

IBM Content Manager OnDemand Servers V9.5 has no special considerations for the target system.

---

## 6.0 Installation Instructions

This chapter describes the installation method and the step-by-step procedures to install and to activate the functions of IBM Content Manager OnDemand Servers V9.5.

Please note the following points:

- If you want to install IBM Content Manager OnDemand Servers V9.5 into its own SMP/E environment, consult the SMP/E manuals for instructions on creating and initializing the SMPCSI and the SMP/E control data sets.
- You can use the sample jobs that are provided to perform part or all of the installation tasks. The SMP/E jobs assume that all DDDEF entries that are required for SMP/E execution have been defined in appropriate zones
- The ARSALLOC, ARSDDEF and ARSISMKD sample jobs perform the files allocations and definitions required for the base FMID and all the dependent FMIDs.
- You can use the SMP/E dialogs instead of the sample jobs to accomplish the SMP/E installation steps.

---

### 6.1 Installing IBM Content Manager OnDemand Servers V9.5

#### 6.1.1 SMP/E Considerations for Installing IBM Content Manager OnDemand Servers V9.5

Use the SMP/E RECEIVE, APPLY, and ACCEPT commands to install this release of IBM Content Manager OnDemand Servers V9.5.

#### 6.1.2 SMP/E Options Subentry Values

The recommended values for certain SMP/E CSI subentries are shown in Figure 15. Using values lower than the recommended values can result in failures in the installation. DSSPACE is a subentry in the GLOBAL options entry. PEMAX is a subentry of the GENERAL entry in the GLOBAL options entry. See the SMP/E manuals for instructions on updating the global zone.

*Figure 15. SMP/E Options Subentry Values*

Subentry	Value	Comment
DSSPACE	Default	Standard SMP/E Default
PEMAX	SMP/E Default	IBM recommends using the SMP/E default for PEMAX.



### 6.1.3 SMP/E CALLLIBS and SIDE DECK PROCESSING

IBM Content Manager OnDemand Servers V9.5 uses the CALLLIBS function provided in SMP/E to resolve external references during installation. When IBM Content Manager OnDemand Servers V9.5 is installed, ensure that DDDEFs exist for the following libraries:

- SCEEBND2
- SCEECPP
- SCEELIB
- SCEELKED
- SCEELKEX
- SCEEOBJ
- SCSFMOD0
- SDSNLOAD
- SDSNMACS
- SEZACMTX
- SEZARNT1
- SGLDEXPC
- SIEASID

IBM Content Manager OnDemand Servers V9.5 also uses Side Deck processing during link-edits. When IBM Content Manager OnDemand Servers V9.5 is installed, ensure that the DDDEFs exist for the following libraries:

- SARSDFSD
- SARSFTIA
- SARSICUA

**Note:** The preceding DDDEFs are used only to resolve the link-edit for IBM Content Manager OnDemand Servers V9.5 using CALLLIBS and SIDE DECK processing. These data sets are not updated during the installation of IBM Content Manager OnDemand Servers V9.5.

## 6.1.4 Sample Jobs

The following sample installation jobs are provided as part of the product to help you install IBM Content Manager OnDemand Servers V9.5:

<i>Figure 16. Sample Installation Jobs</i>			
Job Name	Job Type	Description	RELFILE
ARSREC	RECEIVE	Sample RECEIVE job	IBM.H272950.F9
ARSALLOC	ALLOCATE	Sample job to allocate target and distribution libraries	IBM.H272950.F9
ARSMZFS	ALLOMZFS	Sample job to allocate, create mountpoint, & mount zFS data sets	IBM.H272950.F9
ARSISMKD	MKDIR	Sample job to invoke the supplied ARSMKDIR EXEC to allocate zFS paths	IBM.H272950.F9
ARSDDEF	DDDEF	Sample job to define SMP/E DDDEFs	IBM.H272950.F9
ARSAPP	APPLY	Sample APPLY job	IBM.H272950.F9
ARSACC	ACCEPT	Sample ACCEPT job	IBM.H272950.F9

You can access the sample installation jobs by performing an SMP/E RECEIVE (refer to 6.1.5, “Perform SMP/E RECEIVE” on page 23) then copy the jobs from the RELFILES to a work data set for editing and submission. See Figure 16 to find the appropriate relfile data set.

You can also copy the sample installation jobs from the tape or product files by submitting the following job. Depending on your distribution medium, use either the //TAPEIN or the //FILEIN DD statement and comment out or delete the other statement. Before you submit the job, add a job card and change the lowercase parameters to uppercase values to meet the requirements of your site.

```
//STEP1 EXEC PGM=IEBCOPY
//SYSPRINT DD SYSOUT=*
//TAPEIN DD DSN=IBM.H272950.F9,UNIT=tunit,
// VOL=SER=volser,LABEL=(x,SL),
// DISP=(OLD,KEEP)
//FILEIN DD DSN=IBM.V9R5M0.F9,UNIT=SYSALLDA,DISP=SHR,
// VOL=SER=filevol
//OUT DD DSNAME=jc1-library-name,
// DISP=(NEW,CATLG,DELETE),
// VOL=SER=dasdvol,UNIT=SYSALLDA,
// SPACE=(TRK,(100,10,45))
//SYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1))
//SYSIN DD *
COPY INDD=xxxIN,OUTDD=OUT
/*
```

See the following information to update the statements in the previous sample:

TAPEIN:

**tunit** is the unit value that matches the product package.

**volser** is the volume serial that matches the product package.

**x** is the tape file number that indicates the location of the data set name on the tape.

See the documentation that is provided by CBPDO for the location of IBM.H272950.F9

FILEIN:

**filevol** is the volume serial of the DASD device where the downloaded files reside.

OUT:

**jcl-library-name** is the name of the output data set where the sample jobs are stored.

**dasdvol** is the volume serial of the DASD device where the output data set resides.

SYSIN:

**xxxxIN** is either TAPEIN or FILEIN depending on your input DD statement.

## 6.1.5 Perform SMP/E RECEIVE

If you have obtained IBM Content Manager OnDemand Servers V9.5 as part of a CBPDO, use the RCVPDO job in the CBPDO RIMLIB data set to receive the IBM Content Manager OnDemand Servers V9.5 FMIDs, service, and HOLDDATA that are included on the CBPDO package. For more information, see the documentation that is included in the CBPDO.

You can also choose to edit and submit sample job ARSREC to perform the SMP/E RECEIVE for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

**Expected Return Code and Messages from RECEIVE: RC=00**

## 6.1.6 Allocate SMP/E Target and Distribution Libraries

Edit and submit sample job ARSALLOC to allocate the SMP/E target and distribution libraries for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

**Note:** It is not a requirement to allocate a new target HFS to install IBM Content Manager OnDemand Servers V9.5. Should you decide to allocate one, a step has been added to the allocate job ARSALLOC. Consult the instructions in the sample job for more information. **This is optional.**

**Expected Return Code and Messages from ARSALLOC: RC=00**

## 6.1.7 Allocate, create and mount ZFS Files (Optional)

This job allocates, creates a mountpoint, and mounts zFS data sets.

If you plan to install IBM Content Manager OnDemand Servers V9.5 into a new z/OS UNIX file system, you can edit and submit the optional ARSMZFS job to perform the following tasks:

- Create the z/OS UNIX file system
- Create a mount point
- Mount the z/OS UNIX file system on the mount point

Consult the instructions in the sample job for more information.

The recommended z/OS UNIX file system type is zFS. The recommended mount point is */usr/lpp/ars/V9R5M0*.

Before running the sample job to create the z/OS UNIX file system, you must ensure that OMVS is active on the driving system. zFS must be active on the driving system if you are installing IBM Content Manager OnDemand Servers V9.5 into a file system that is zFS.

If you create a new file system for this product, consider updating the BPXPRMxx PARMLIB member to mount the new file system at IPL time. This action can be helpful if an IPL occurs before the installation is completed.

```
MOUNT FILESYSTEM('#dsn')
MOUNTPOINT('#MNTPNT1.')
MODE(RDRW) /* can be MODE(READ) */
TYPE(ZFS) PARM('AGGRGROW') /* zFS, with extents */
```

See the following information to update the statements in the previous sample:

**#dsn** is the name of the data set holding the z/OS UNIX file system.

**#MNTPNT1.** is the name of the mount point where the z/OS UNIX file system will be mounted.

### Expected Return Code and Messages from ARSMZFS: RC=00

## 6.1.8 Allocate File System Paths

The target system HFS or zFS data set must be mounted on the driving system when running the sample ARSISMKD job since the job will create paths in the HFS or zFS.

Before running the sample job to create the paths in the file system, you must ensure that OMVS is active on the driving system and that the target system's HFS or zFS file system is mounted to the driving system. zFS must be active on the driving system if you are installing IBM Content Manager OnDemand Servers V9.5 into a file system that is zFS.

If you plan to install IBM Content Manager OnDemand Servers V9.5 into a new HFS or zFS file system, you must create the mountpoint and mount the new file system to the driving system for IBM Content Manager OnDemand Servers V9.5.

The default install path and recommended mountpoint are `/usr/lpp/ars/V9R5M0`.

Edit and submit sample job ARSISMKD to allocate the HFS or zFS paths for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

If you create a new file system for this product, consider updating the BPXPRMxx PARMLIB member to mount the new file system at IPL time. This action can be helpful if an IPL occurs before the installation is completed.

**Expected Return Codes and Messages from ARSISMKD: RC=00**

## 6.1.9 Create DDDEF Entries

Edit and submit sample job ARSDDDEF to create DDDEF entries for the SMP/E target and distribution libraries for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

- **If none of the DDDEFS have been defined before and the job is run with ADD**

**Expected Return Code and Messages from ARSDDDEF: RC=00**

- **If you change from ADD to REP and some definitions were not present they will be added**

**Expected Return Code and Messages from ARSDDDEF: RC=04**

- **If you get return code 08, check the output to verify which definitions have been defined. Edit the job and remove those definitions previously defined, verifying that the existing DDDEF's are appropriate to install this program, or you may change the ADD to REP. If you have verified the existing definitions are correct, then resubmit the job**

**Expected Return Codes and Messages from ARSDDDEF: RC=00**

## 6.1.10 Perform SMP/E APPLY

1. Ensure that you have the latest HOLDDATA, then edit and submit sample job ARSAPP to perform an SMP/E APPLY CHECK for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

The latest HOLDDATA is available through several different portals, including <http://service.software.ibm.com/holdata/390holddata.html>. The latest HOLDDATA may identify HIPER and FIXCAT APARs for the FMIDs you will be installing. An APPLY CHECK will help you determine if any HIPER or FIXCAT APARs are applicable to the FMIDs you are installing. If there are any applicable HIPER or FIXCAT APARs, the APPLY CHECK will also identify fixing PTFs that will resolve the APARs, if a fixing PTF is available.

You should install the FMIDs regardless of the status of unresolved HIPER or FIXCAT APARs. However, do not deploy the software until the unresolved HIPER and FIXCAT APARs have been analyzed to determine their applicability. That is, before deploying the software either ensure fixing PTFs are applied to resolve all HIPER or FIXCAT APARs, or ensure the problems reported by all HIPER or FIXCAT APARs are not applicable to your environment.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the PRE, ID, REQ, and IFREQ on the APPLY CHECK. The SMP/E root cause analysis identifies the cause only of *errors* and not of *warnings* (SMP/E treats bypassed PRE, ID, REQ, and IFREQ conditions as warnings, instead of errors).

Here are sample APPLY commands:

- a. To ensure that all recommended and critical service is installed with the FMIDs, receive the latest HOLDDATA and use the APPLY CHECK command as follows

```
APPLY S(fmid,fmid,...) CHECK
FORFMID(fmid,fmid,...)
SOURCEID(RSU*)
FIXCAT(IBM.ProductInstall-RequiredService)
GROUPEXTEND .
```

Some HIPER APARs might not have fixing PTFs available yet. You should analyze the symptom flags for the unresolved HIPER APARs to determine if the reported problem is applicable to your environment and if you should bypass the specific ERROR HOLDS in order to continue the installation of the FMIDs.

This method requires more initial research, but can provide resolution for all HIPERs that have fixing PTFs available and are not in a PE chain. Unresolved PEs or HIPERs might still exist and require the use of BYPASS.

- b. To install the FMIDs without regard for unresolved HIPER APARs, you can add the BYPASS(HOLDCLASS(HIPER)) operand to the APPLY CHECK command. This will allow you to install FMIDs even though one or more unresolved HIPER APARs exist. After the FMIDs are installed, use the SMP/E REPORT ERRSYSMODS command to identify unresolved HIPER APARs and any fixing PTFs.

```
APPLY S(fmid,fmid,...) CHECK
FORFMID(fmid,fmid,...)
SOURCEID(RSU*)
FIXCAT(IBM.ProductInstall-RequiredService)
GROUPEXTEND
BYPASS(HOLDCLASS(HIPER)) .
..any other parameters documented in the program directory
```

This method is the quicker, but requires subsequent review of the Exception SYSMOD report produced by the REPORT ERRSYSMODS command to investigate any unresolved HIPERs. If you have received the latest HOLDDATA, you can also choose to use the REPORT MISSINGFIX command and specify Fix Category IBM.ProductInstall-RequiredService to investigate missing recommended service.

If you bypass HOLDDs during the installation of the FMIDs because fixing PTFs are not yet available, you can be notified when the fixing PTFs are available by using the APAR Status Tracking (AST) function of ServiceLink or the APAR Tracking function of ResourceLink.

2. After you take actions that are indicated by the APPLY CHECK, remove the CHECK operand and run the job again to perform the APPLY.

**Note:** The GROUPEXTEND operand indicates that SMP/E applies all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.

**Expected Return Codes and Messages from APPLY CHECK: RC=00**

**Expected Return Codes and Messages from APPLY: RC=00**

## 6.1.11 Perform SMP/E ACCEPT

Edit and submit sample job ARSACC to perform an SMP/E ACCEPT CHECK for IBM Content Manager OnDemand Servers V9.5. Consult the instructions in the sample job for more information.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the PRE, ID, REQ, and IFREQ on the ACCEPT CHECK. The SMP/E root cause analysis identifies the cause of only *errors* but not *warnings* (SMP/E treats bypassed PRE, ID, REQ, and IFREQ conditions as warnings rather than errors).

Before you use SMP/E to load new distribution libraries, it is recommended that you set the ACCJCLIN indicator in the distribution zone. In this way, you can save the entries that are produced from JCLIN in the distribution zone whenever a SYSMOD that contains inline JCLIN is accepted. For more information about the ACCJCLIN indicator, see the description of inline JCLIN in the SMP/E Commands book for details.

After you take actions that are indicated by the ACCEPT CHECK, remove the CHECK operand and run the job again to perform the ACCEPT.

**Note:** The GROUPEXTEND operand indicates that SMP/E accepts all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.

### **Expected Return Codes and Messages from ACCEPT CHECK: RC=00**

If PTFs that contain replacement modules are accepted, SMP/E ACCEPT processing will link-edit or bind the modules into the distribution libraries. During this processing, the Linkage Editor or Binder might issue messages that indicate unresolved external references, which will result in a return code of 4 during the ACCEPT phase. You can ignore these messages, because the distribution libraries are not executable and the unresolved external references do not affect the executable system libraries.

### **Expected Return Code and Messages from ACCEPT:**



## 6.1.12 Run REPORT CROSSZONE

The SMP/E REPORT CROSSZONE command identifies requisites for products that are installed in separate zones. This command also creates APPLY and ACCEPT commands in the SMPPUNCH data set. You can use the APPLY and ACCEPT commands to install those cross-zone requisites that the SMP/E REPORT CROSSZONE command identifies.

After you install IBM Content Manager OnDemand Servers V9.5, it is recommended that you run REPORT CROSSZONE against the new or updated target and distribution zones. REPORT CROSSZONE requires a global zone with ZONEINDEX entries that describe all the target and distribution libraries to be reported on.

For more information about REPORT CROSSZONE, see the SMP/E manuals.

## 6.1.13 Cleaning Up Obsolete Data Sets, Paths, and DDDEFs

**Note:** All the directories for this release of IBM Content Manager OnDemand Servers V9.5 contain an additional directory of */V9R5M0* after the */ars*. Once you no longer have a need for the previous release you may delete those that do not contain the */V9R5M0* if you choose.

The following DDDEF entries, which were created and used by previous releases of this product, are no longer used in this release. You can delete these obsolete DDDEF entries after you delete the previous release from your system.

---

## 6.2 Activating IBM Content Manager OnDemand Servers V9.5

The publication *IBM Content Manager OnDemand for z/OS Configuration Guide Version 9 Release 5 SC19-3363-01* contains the step-by-step procedures to activate the functions of IBM Content Manager OnDemand Servers V9.5.

---

## 6.3 Product Customization

The publication *IBM Content Manager OnDemand for z/OS Configuration Guide Version 9 Release 5 SC19-3363-01* contains the necessary information to customize and use IBM Content Manager OnDemand Servers V9.5.

---

## 7.0 Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

APAR numbers are provided in this document to assist in locating PTFs that may be required. Ongoing problem reporting may result in additional APARs being created. Therefore, the APAR lists in this document may not be complete. To obtain current service recommendations and to identify current product service requirements, always contact the IBM Customer Support Center or use S/390 SoftwareXcel to obtain the current "PSP Bucket".

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to the

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, New York 10504-1785  
USA

For online versions of this book, we authorize you to:

- Copy, modify, and print the documentation contained on the media, for use within your enterprise, provided you reproduce the copyright notice, all warning statements, and other required statements on each copy or partial copy.
- Transfer the original unaltered copy of the documentation when you transfer the related IBM product (which may be either machines you own, or programs, if the program's license terms permit a transfer). You must, at the same time, destroy all other copies of the documentation.

You are responsible for payment of any taxes, including personal property taxes, resulting from this authorization.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Some jurisdictions do not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Your failure to comply with the terms above terminates this authorization. Upon termination, you must destroy your machine readable documentation.

---

## 7.1 Trademarks

IBM, the IBM logo, and [ibm.com](http://ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

CBPDO  
IBM®  
SystemPac  
ServerPac

ResourceLink  
ServiceLink  
AFP

---

## Reader's Comments

### Program Directory for IBM Content Manager OnDemand Servers for z/OS, September 2014

We appreciate your input on this publication. Feel free to comment on the clarity, accuracy, and completeness of the information or give us any other feedback that you might have.

Use one of the following methods to send us your comments:

1. Send an email to [comments@us.ibm.com](mailto:comments@us.ibm.com)
2. Use the form on the Web at:

[www.ibm.com/software/data/rcf/](http://www.ibm.com/software/data/rcf/)

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you submit.

Thank you for your participation.





Printed in USA

G113-2329-00

